



NEC3 Supply

Short Contract (SSC3)

A contract between Eskom Holdings SOC Ltd (Reg No. 2002/015527/30)

and **Successful supplier**

for For the supply and delivery of Comms Monitor to Transmission Stores, Simmerpan as a once-off order.

Contents:	Compiled in accordance with CIDB Standard for Uniformity in Construction Procurement (May 2010) amendments	Page No.
Part C1 Agreements & Contract Data		
C1.1 Form of Offer and Acceptance		[2]
C1.2 Contract Data provided by the <i>Purchaser</i>		[8]
C1.2 Contract Data provided by the <i>Supplier</i>		[1]
Part C2 Pricing Data		
C2.1 Pricing assumptions		[1]
C2.2 Price Schedule		[1]
Part C3 Scope of Work		
C3.1 Goods Information		[6]
Pro Forma Batch Order		[1]

Documentation prepared by:

C1 Agreements & Contract Data

C1.1 Form of Offer and Acceptance

Offer

The Purchaser, identified in the Acceptance page signature block on the next page, has solicited offers to enter into a contract for the procurement of:

For the supply and delivery of Comms Monitor to Transmission Stores, Simmerpan as a once-off order.

By the representative of the tenderer, deemed to be duly authorised, signing this part of this Form of Offer and Acceptance the tenderer offers to perform all of the obligations and liabilities of the Supplier under the Contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the conditions of contract identified in the Contract Data.

The offered total of the Prices exclusive of VAT is	R[●]
Value Added Tax @ 15% is	R[●]
The offered total of the Prices inclusive of VAT is	R[●]
(in words)	

This Offer may be accepted by the Purchaser by signing the form of Acceptance overleaf and returning one copy of this document including the Schedule of Deviations (if any) to the tenderer before the end of the period of validity stated in the Tender Data, or other period as agreed, whereupon the tenderer becomes the party named as the Supplier in the conditions of contract identified in the Contract Data.

Signature(s)

Name(s) _____

Capacity _____

For the tenderer:

(Insert name and address of organisation)

Name & signature of witness

Date

Acceptance

By signing this part of this Form of Offer and Acceptance, the Purchaser identified below accepts the tenderer's Offer. In consideration thereof, the Purchaser shall pay the Supplier the amount due in accordance with the conditions of contract identified in the Contract Data. Acceptance of the tenderer's Offer shall form an Agreement between the Purchaser and the tenderer upon the terms and conditions contained in this Agreement and in the Contract that is the subject of this Agreement.

The terms of the Contract, are contained in:

- Part 1 Agreements and Contract Data, (which includes this Form of Offer and Acceptance)
- Part 2 Pricing Data
- Part 3 Scope of Work: Goods Information

and drawings and documents (or parts thereof), which may be incorporated by reference into the above listed Parts.

Deviations from and amendments to the documents listed in the Tender Data and any addenda thereto listed in the Tender Schedules as well as any changes to the terms of the Offer agreed by the tenderer and the Purchaser during this process of Offer and Acceptance, are contained in the Schedule of Deviations attached to and forming part of this Form of Offer and Acceptance. No amendments to or deviations from said documents are valid unless contained in this Schedule, which must be signed by the duly authorised representative(s) for both parties.

The tenderer shall within one week of receiving a completed copy of this Agreement, including the Schedule of Deviations (if any), contact the Purchaser's agent (whose details are given in the Contract Data) to arrange the delivery of any securities, bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the conditions of contract identified in the Contract Data at, or just after, the date this Agreement comes into effect. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this Agreement.

Notwithstanding anything contained herein, this Agreement comes into effect on the date when the tenderer receives one fully completed copy of this document, including the Schedule of Deviations (if any) together with all the terms of the contract as listed above.

Unless the tenderer (now *Supplier*) within five working days of the date of such receipt notifies the Purchaser in writing of any reason why he cannot accept the contents of this agreement, this agreement shall constitute a binding contract between the Parties.

Signature(s)

Name(s)

Capacity

**for the
Purchaser**

(Insert name and address of organisation)

Name &
signature of
witness

Date

Note: If a tenderer wishes to submit alternative tender offers, further copies of this document may be used for that purpose, duly endorsed, 'Alternative Tender No. _____'

Schedule of Deviations

Note:

1. To be completed by the Purchaser prior to award of contract. This part of the Offer & Acceptance would not be required if the contract has been developed by negotiation between the Parties and is not the result of a process of competitive tendering.
2. The extent of deviations from the tender documents issued by the Purchaser prior to the tender closing date is limited to those permitted in terms of the Conditions of Tender.
3. A tenderer's covering letter must not be included in the final contract document. Should any matter in such letter, which constitutes a deviation as aforesaid be the subject of agreement reached during the process of Offer and Acceptance, the outcome of such agreement shall be recorded here and the final draft of the contract documents shall be revised to incorporate the effect of it.

No.	Subject	Details
1		
2		
3		
4		
5		
6		
7		

By the duly authorised representatives signing this Schedule of Deviations below, the Purchaser and the tenderer agree to and accept this Schedule of Deviations as the only deviations from and amendments to the documents listed in the Tender Data and any addenda thereto listed in the Tender Schedules, as well as any confirmation, clarification or changes to the terms of the Offer agreed by the tenderer and the Purchaser during this process of Offer and Acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the tender documents and the receipt by the tenderer of a completed signed copy of this Form shall have any meaning or effect in the contract between the parties arising from this Agreement.

For the tenderer:

For the Purchaser

Signature _____ Name _____ Capacity _____ On behalf of _____ _____ Name & signature of witness _____ Date _____	_____ _____ _____ _____ _____ _____ _____ _____
---	--

C1.2 Contract Data

Data provided by the *Purchaser*

Completion of the data in full is essential to create a complete contract.

Clause	Statement	Data
General		
10.1	The <i>Purchaser</i> is (Name):	Eskom Holdings SOC Limited (reg no: 2002/015527/30), a state owned company incorporated in terms of the company laws of the Republic of South Africa
	Address	Registered office at Megawatt Park, Maxwell Drive, Sandton, Johannesburg
	Tel No.	
	Fax No.	
	E-mail address	
11.2(4)	The <i>delivery date</i> is [If the <i>goods</i> are instructed by Batch Order enter the data, "The delivery date is identified in the Batch Order"]	TBA
11.2(5)	The Goods Information is in	the document called 'Goods Information' in Part 3 of this contract.
11.2(8)	The <i>goods</i> are	For the supply and delivery of Comms Monitor to Transmission Stores, Simmerpan as a once-off order.
12.2	The <i>law of the contract</i> is	Republic of South Africa
13.2	The <i>period for reply</i> is	1 week
15.1	The <i>premises</i> are	Transmission Stores, Simmerpan Power road, Gate 3 Germiston
23.1	The <i>Purchaser</i> requires the <i>Supplier</i> to Provide the Goods when instructed by Batch Order.	N/A
23.1	If the <i>goods</i> are instructed by Batch Order,	N/A
	the batch order interval is	N/A
	the end date is	N/A
	the quantity range of <i>goods</i> in a batch is	N/A
30.1	The <i>starting date</i> is.	Once-off order
41.1	The <i>defects date</i> is	1 day
42.2	The period for the correction of Defects after Delivery is	Upon Delivery

50.1	The <i>assessment day</i> is the	Upon Delivery
50.5	The <i>delay damages</i> are [If the <i>goods</i> are instructed by Batch Order enter a <i>delay damages</i> amount appropriate to the quantity or use of the <i>goods</i> in the Batch]	Repetitive non-compliance the following will apply: Non-conformance report
51.2	The interest rate on late payment is	[●]% per complete week of delay. [Insert a rate only if a rate less than 0.5% per week of delay has been agreed]
86.1	The <i>Supplier's</i> liability to the <i>Purchaser</i> for indirect or consequential loss, including loss of profit, revenue and goodwill is limited to	As per Eskom Insurance Policy
86.2	The <i>Supplier</i> is not liable to the <i>Purchaser</i> for loss of or damage to the <i>Purchaser's</i> property in excess of	Zero
93.1	The <i>Adjudicator</i> is	the person selected from the ICE-SA Division (or its successor body) of the South African Institution of Civil Engineering Panel of Adjudicators by the Party intending to refer a dispute to him (see www.ice-sa.org.za). If the Parties do not agree on an Adjudicator the Adjudicator will be appointed by the Arbitration Foundation of Southern Africa (AFSA).
93.2(2)	The <i>Adjudicator nominating body</i> is:	the Chairman of ICE-SA a joint Division of the South African Institution of Civil Engineering and the Institution of Civil Engineers (UK) or its successor body (See www.ice-sa.org.za).
93.4	The <i>tribunal</i> is: If the <i>tribunal</i> is arbitration, the arbitration procedure is	arbitration. the latest edition of Rules for the Conduct of Arbitrations published by The Association of Arbitrators (Southern Africa) or its successor body.
11.1	The <i>conditions of contract</i> are the NEC3 Supply Short Contract (April 2013)^{1 2} and the following additional conditions. [Only enter details here if additional conditions are required, otherwise state 'none']	

¹ Can be obtained from Engineering Contract Strategies on www.ecs.co.za, Tel 011 803 3008, Fax 086 539 1902

² If the December 2009 edition is being used, replace April 2013 with December 2009

Z1 Cession delegation and assignment

- Z1.1 The *Supplier* does not cede, delegate or assign any of its rights or obligations to any person without the written consent of the *Purchaser*.
- Z1.2 Notwithstanding the above, the *Purchaser* may on written notice to the *Supplier* cede and delegate its rights and obligations under this contract to any of its subsidiaries or any of its present divisions or operations which may be converted into separate legal entities as a result of the restructuring of the Electricity Supply Industry and the Electricity Distribution Industry.

Z2 Change of Broad Based Black Economic Empowerment (B-BBEE) status

- Z2.1 Where a change in the *Supplier's* legal status, ownership or any other change to his business composition or business dealings results in a change to the *Supplier's* B-BBEE status, the *Supplier* notifies the *Purchaser* within seven days of the change.
- Z2.2 The *Supplier* is required to submit an updated verification certificate and necessary supporting documentation confirming the change in his B-BBEE status to the *Purchaser* within thirty days of the notification or as otherwise instructed by the *Purchaser*.
- Z2.3 Where, as a result, the *Supplier's* B-BBEE status has decreased since the Contract Date the *Purchaser* may either re-negotiate this contract or alternatively, terminate the *Supplier's* obligation to Provide the Goods.
- Z2.4 Failure by the *Supplier* to notify the *Purchaser* of a change in its B-BBEE status may constitute a reason for termination. If the *Purchaser* terminates in terms of this clause, the procedures on termination are the same as for Reason 3 identified in clause 90.3.

Z3 Waiver and estoppel: Add to clause 12.3:

- Z3.1 Any extension, concession, waiver or relaxation of any action stated in this contract by the Parties, or the *Adjudicator* does not constitute a waiver of rights, and does not give rise to an estoppel unless the Parties agree otherwise and confirm such agreement in writing.

Z4 Provision of a Tax Invoice and interest. Add to clause 51

- Z4.1 The *Supplier* provides the *Purchaser* with a tax invoice in accordance with the *Purchaser's* procedures stated in the Goods Information, showing the correctly assessed amount due.
- Z4.2 If the *Supplier* does not provide a tax invoice by the time required in this contract for his assessment of each amount due, the time by when the *Purchaser* is to make a payment is extended by a period equal in time to the delayed submission of the correct tax invoice. Interest due by the *Purchaser* in terms of core clause 51.2 is then calculated from the delayed date by when payment is to be made.
- Z4.3 The *Supplier* (if registered in South Africa in terms of the companies Act) is required to comply with the requirements of the Value Added Tax Act, no 89 of 1991 (as amended) and to include the *Purchaser's* VAT number 4740101508 on each invoice he submits for payment.

Z5 Purchaser's limitation of liability

- Z5.1 The *Purchaser's* liability to the *Supplier* for the *Supplier's* indirect or consequential loss is

limited to R0.00 (zero Rand)

Z5.2 The *Supplier's* entitlement under the indemnity in 83.1 is provided for in 60.1(8) and the *Purchaser's* liability under the indemnity is limited.

Z6 Termination: Add to clause 90.2 before (Reason 1)

Z6.1 or had a judicial management order granted against it.

Z7 Addition to clause 50.5

Z7.1 If the amount due for the *Supplier's* payment of *delay damages* reaches the limits stated in this Contract Data (if any), the *Purchaser* may terminate the *Supplier's* obligation to Provide the Goods using the same procedures and payment on termination as those applied for Reason 3. Identified in clause 90.3.

Z8 Ethics

For the purposes of this Z-clause, the following definitions apply:

Affected Party means, as the context requires, any party, irrespective of whether it is the *Supplier* or a third party, such party's employees, agents, or Subcontractors or Subcontractor's employees, or any one or more of all of these parties' relatives or friends,

Coercive Action means to harm or threaten to harm, directly or indirectly, an Affected Party or the property of an Affected Party, or to otherwise influence or attempt to influence an Affected Party to act unlawfully or illegally,

Collusive Action means where two or more parties co-operate to achieve an unlawful or illegal purpose, including to influence an Affected Party to act unlawfully or illegally,

Committing Party means, as the context requires, the *Supplier*, or any member thereof in the case of a joint venture, or its employees, agents, or Subcontractors or the Subcontractor's employees,

Corrupt Action means the offering, giving, taking, or soliciting, directly or indirectly, of a good or service to unlawfully or illegally influence the actions of an Affected Party,

Fraudulent Action means any unlawfully or illegally intentional act or omission that misleads, or attempts to mislead, an Affected Party, in order to obtain a financial or other benefit or to avoid an obligation or incurring an obligation,

Obstructive Action means a Committing Party unlawfully or illegally destroying, falsifying, altering or concealing information or making false statements to materially impede an investigation into allegations of Prohibited Action, and

Prohibited Action means any one or more of a Coercive Action, Collusive Action Corrupt Action, Fraudulent Action or Obstructive Action.

Z8.1 A Committing Party may not take any Prohibited Action during the course of the procurement of this contract or in execution thereof.

Z8.2 The *Purchaser* may terminate the *Supplier's* obligation to Provide the Services if a Committing Party has taken such Prohibited Action and the *Supplier* did not take timely and appropriate action to prevent or remedy the situation, without limiting any other rights or remedies the *Purchaser* has. It is not required that the Committing Party had to have been found guilty, in court or in any other similar process, of such Prohibited Action before the *Purchaser* can terminate the *Supplier's* obligation to Provide the Services for this reason.

- Z8.3 If the *Purchaser* terminates the *Supplier's* obligation to Provide the Services for this reason, the amounts due on termination are those intended in core clauses 92.1 and 92.2.
- Z8.4 A Committing Party co-operates fully with any investigation pursuant to alleged Prohibited Action. Where the *Purchaser* does not have a contractual bond with the Committing Party, the *Supplier* ensures that the Committing Party co-operates fully with an investigation.

Z9 Insurance

Replace condition of contract 84 with the following:

Insurance cover 84

- 84.1** When requested by a Party, the other Party provides certificates from his insurer or broker stating that the insurances required by this contract are in force.
- 84.2** The *Supplier* provides the insurances in this Insurance Table A from the *starting date* until Delivery and against any risks he carries under this contract between Delivery and the *defects date*.

INSURANCE TABLE A

Insurance against	Minimum amount of cover or minimum limit of indemnity
Loss of or damage to the goods, plant and materials	The replacement cost where not covered by the <i>Purchaser's</i> insurance. The <i>Purchaser's</i> policy deductible as at contract date where covered by the <i>Purchaser's</i> insurance.
Liability for loss of or damage to property (except the goods, plant and materials and equipment) and liability for bodily injury to or death of a person (not an employee of the <i>Supplier</i>) caused by activity in connection with this contract	<u>Loss of or damage to property</u> <u><i>Purchaser's</i> property</u> The replacement cost where not covered by the <i>Purchaser's</i> insurance. The <i>Purchaser's</i> policy deductible as at contract date, where covered by the <i>Purchaser's</i> insurance.

	<p><u>Other property</u></p> <p>The replacement cost</p> <p>Death of or bodily injury</p> <p>The amount required by the applicable law.</p>
<p>Liability for death of or bodily injury to employees of the <i>Supplier</i> arising out of and in the course of their employment in connection with this contract</p>	<p>The amount required by the applicable law</p>

84.2 The Purchaser provides the insurances in this Insurance Table B

INSURANCE TABLE B

Insurance against or name of policy	Minimum amount of cover or minimum limit of indemnity
Assets All Risk	Per the insurance policy document
Contract Works insurance	Per the insurance policy document
Environmental Liability	Per the insurance policy document
General and Public Liability	Per the insurance policy document
Transportation (Marine)	Per the insurance policy document
Motor Fleet and Mobile Plant	Per the insurance policy document
Terrorism	Per the insurance policy document
Cyber Liability	Per the insurance policy document
Nuclear Material Damage and Business Interruption	Per the insurance policy document
Nuclear Material Damage Terrorism	Per the insurance policy document

Z10 Nuclear Liability

Z10.1 The *Purchaser* is the operator of the Koeberg Nuclear Power Station (KNPS), a nuclear installation, as designated by the National Nuclear Regulator of the Republic of South Africa, and is the holder of a nuclear licence in respect of the KNPS.

Z10.2 The *Purchaser* is solely responsible for and indemnifies the *Supplier* or any other person against any and all liabilities which the *Supplier* or any person may incur arising out of or resulting from nuclear damage, as defined in Act 47 of 1999, save to the extent that any liabilities are incurred due to the unlawful intent of the *Supplier* or any other person or the presence of the *Supplier* or that person or any property of the *Supplier* or such person at or in the KNPS or on the KNPS site, without the permission of the *Purchaser* or of a person acting on behalf of the *Purchaser*.

Z10.3 Subject to clause Z10.4 below, the *Purchaser* waives all rights of recourse, arising from the aforesaid, save to the extent that any claims arise or liability is incurred due or attributable to the unlawful intent of the *Supplier* or any other person, or the presence of the *Supplier* or that person or any property of the *Supplier* or such person at or in the KNPS or on the KNPS site, without the permission of the *Purchaser* or of a person acting on behalf of the *Purchaser*.

Z10.4 The *Purchaser* does not waive its rights provided for in section 30 (7) of Act 47 of 1999, or any replacement section dealing with the same subject matter.

Z10.5 The protection afforded by the provisions hereof shall be in effect until the KNPS is decommissioned.

Z11 Asbestos

For the purposes of this Z-clause, the following definitions apply:

AAIA means approved asbestos inspection authority.

ACM means asbestos containing materials.

AL means action level, i.e. a level of 50% of the OEL, i.e. 0.1 regulated asbestos fibres per ml of air measured over a 4 hour period. The value at which proactive actions is required in order to control asbestos exposure to prevent exceeding the OEL.

Ambient Air means breathable air in area of work with specific reference to breathing zone, which is defined to be a virtual area within a radius of approximately 30cm from the nose inlet.

Compliance Monitoring means compliance sampling used to assess whether or not the personal exposure of workers to regulated asbestos fibres is in compliance with the Standard's requirements for safe processing, handling, storing, disposal and phase-out of asbestos and asbestos containing material, equipment and articles.

OEL means occupational exposure limit.

Parallel Measurements means measurements performed in parallel, yet separately, to existing measurements to verify validity of results.

Safe Levels means airborne asbestos exposure levels conforming to the Standard's requirements for safe processing, handling, storing, disposal and phase-out of asbestos and asbestos containing material, equipment and articles.

Standard means the *Purchaser's* Asbestos Standard 32-303: Requirements for Safe Processing, Handling, Storing, Disposal and Phase-out of Asbestos and Asbestos Containing

Material, Equipment and Articles.

SANAS means the South African National Accreditation System.

TWA means the average exposure, within a given workplace, to airborne asbestos fibres, normalised to the baseline of a 4 hour continuous period, also applicable to short term exposures, i.e. 10-minute TWA.

Z11.1 The *Purchaser* ensures that the Ambient Air in the area where the *Supplier* will Provide the Services conforms to the acceptable prescribed South African standard for asbestos, as per the regulations published in GNR 155 of 10 February 2002, under the Occupational Health and Safety Act, 1993 (Act 85 of 1993) ("Asbestos Regulations"). The OEL for asbestos is 0.2 regulated asbestos fibres per millilitre of air as a 4-hour TWA, averaged over any continuous period of four hours, and the short term exposure limit of 0.6 regulated asbestos fibres per millilitre of air as a 10-minute TWA, averaged over any 10 minutes, measured in accordance with HSG248 and monitored according to HSG173 and OESSM.

Z11.2 Upon written request by the *Supplier*, the *Purchaser* certifies that these conditions prevail. All measurements and reporting are effected by an independent, competent, and certified occupational hygiene inspection body, i.e. a SANAS accredited and Department of Employment and Labour approved AAIA. The *Supplier* may perform Parallel Measurements and related control measures at the *Supplier's* expense. For the purposes of compliance the results generated from Parallel Measurements are evaluated only against South African statutory limits as detailed in clause Z11.1. Control measures conform to the requirements stipulated in the AAIA-approved asbestos work plan.

Z11.3 The *Purchaser* manages asbestos and ACM according to the Standard.

Z11.4 In the event that any asbestos is identified while Providing the Services, a risk assessment is conducted and if so required, with reference to possible exposure to an airborne concentration of above the AL for asbestos, immediate control measures are implemented and relevant air monitoring conducted in order to declare the area safe.

Z11.5 The *Supplier's* personnel are entitled to stop working and leave the contaminated area forthwith until such time that the area of concern is declared safe by either Compliance Monitoring or an AAIA approved control measure intervention, for example, per the emergency asbestos work plan, if applicable.

Z11.6 The *Supplier* continues to Provide the Services, without additional control measures presented, on presentation of Safe Levels. The contractually agreed dates to Provide the Services, including the Completion Date, are adjusted accordingly. The contractually agreed dates are extended by the notification periods required by regulations 3 and 21 of the Asbestos Regulations.

Z11.7 Any removal and disposal of asbestos, asbestos containing materials and waste, is done by a registered asbestos contractor, instructed by the *Purchaser* at the *Purchaser's* expense, and conducted in line with South African legislation.

Data provided by the *Supplier* (the *Supplier's Offer*)

The tendering Supplier is advised to read both the NEC3 Supply Short Contract (April 2013) and the relevant parts of its Guidance Notes (SSC3-GN)³ in order to understand the implications of this Data which the tenderer is required to complete. An example of the completed Data is provided on page 28 of the SSC3 Guidance Notes and Flow Charts.

Completion of the data in full is essential to create a complete contract.

10.1	The <i>Supplier</i> is (Name):	[•]
	Address	[•]
	Tel No.	[•]
	Fax No.	[•]
	E-mail address	[•]
11.2(7)	The Price Schedule is in	the document called 'Price Schedule' in Part 2 of this contract.
11.2(7)	The offered total of the Prices	See C1.1 Form of Offer and Acceptance
63.2	The percentage for overheads and profit added to the Defined Cost is	[•]%

³ Available from Engineering Contract Strategies on www.ecs.co.za Tel 011 803 3008, Fax 086 539 1902.

C2 Pricing Data

C2.1 Pricing assumptions

Only tenderers that passes all the mandatory evaluation phases and meet the minimum threshold for functionality scoring will be invited for the reverse e-auction process.

C2.2 Price Schedule

Only tenderers that passes all the mandatory evaluation phases and meet the minimum threshold for functionality scoring will be invited for the reverse e-auction process.

C3: Scope of Work

C3.1 Goods Information

The Supplier is responsible for the supply and delivery of Comms Monitor to Transmission Stores, Simmerpan as a once-off order.

1. Description of the goods

Material number	Short Description	Quantity	Unit of Measure
0679841	TESTER:110-220V; 12V 3A ADAPTOR	2	EA
0679830	TESTER: MICROWAVE USB POWER SENSOR;220 V	1	EA
0679831	TESTER: SINGLE CHANNEL;220 V	1	EA
0679828	TESTER: SPECTRUM ANALYZERS 20GHZ PRE-AMP	2	EA
0679842	TESTER:100VAC TO 240VAC, (12VDC, 5 A)	2	EA
0679822	TESTER: AUDIO TRANSMISSION TEST SET	2	EA
0679827	TESTER: FUSION SPLICER;60 HZ	2	EA
0679829	TESTER:220 VAC;1 MHZ TO 3 GHZ; LCD	5	EA

2. Specifications

Material number	Full Description	Quantity	Unit of Measure
0679841	TESTER: TYPE: ALBEDO XGENIUS E1/DATACOM/ETHERNET HAND HELD; POTENTIAL: 110-220V; 12V 3A ADAPTOR; FREQUENCY: E1-2048 KB/S, 1GE; ACCURACY: BETTER THAN +/- 2.0 PPM; DIMENSIONS: WD 260 X LG 160 X THK 63 MM; RANGE: 1.544 MB/S, 2.048 MB/S, 1.544 MHZ, 2.048 MHZ, 10 MHZ; DISPLAY TYPE: 8 INCH LCD; POTENTIAL: E1 DATACOM 1 GB/S ETHERNET TESTER WITH OPTIONAL 10 GB/S ETHERNET, E1/T1, AND SYNCHRONIZATION CAPABILITIES, INCLUDES DUAL 10/100/1000 MB/S ELECTRICAL PORTS, DUAL SFP+ PORTS, QOS STATISTICS, RFC2544 PERFORMANCE TEST, L1-L4 BER TEST, CONTINUOUS/BURST/RAMP/RANDOM TRAFFIC GENERATION, TRAFFIC STATISTICS, ERROR ANALYSIS, CONNECTIVITY TEST ('PING', 'TRACEROUTE'), ANALYSIS FILTERS, EVENT INSERTION, ENDPOINT AND PASS-THROUGH OPERATION MODES, GRAPHICAL DISPLAY OF EVENTS, REPORT GENERATION AND EXPORT, INCLUDES AC/DC ADAPTER, TRANSPORTATION BAG, ONE RJ-45 PATCH CABLE, ONE BNC-BNC PATCH CABLE, SFP+ AND SFP TRANSCEIVERS, E1 TEST, ITU-T G.703 2048 KB/S TESTING INCLUDING BNC AND RJ48 CONNECTORS, E1 GENERATION AND ANALYSIS; ITU-T G.704 FRAME STRUCTURE WITH OR WITHOUT CRC AND WITH OR WITHOUT CAS; INTERNAL, RECOVERED AND EXTERNAL CLOCK REFERENCES; CAS ABCD BITS GENERATION AND ANALYSIS; FAS/NFAS ANALYSIS; E1 FRAME OCCUPATION	2	EA

	MAP; FREQUENCY AND RECEIVED POWER LEVEL MEASUREMENTS; G.821, G.826, AND M.2100 PERFORMANCE ANALYSIS; ROUND TRIP DELAY MEASUREMENT; SERVICE DISRUPTION TIME TEST, DATACOM TEST MODULE, DTE / DCE EMULATION AND DATACOM MONITOR MODES, V24 / V.28 (RS-232) ASYNCHRONOUS AND SYNCHRONOUS INTERFACES, X.21 / V.11 (RS-422) ASYNCHRONOUS AND SYNCHRONOUS, V.35, V.36 (RS-449), EIA-530 AND EIA-530A, PLUG-IN MODULE PHM20 INCLUDED, DATACOM CABLES INCLUDED, DATACOM DTE/DCE: V.11/X.24, V.24/V.28, V.24/V.35, V.24/V.11 (V.36/RS449)		
0679830	TESTER: TYPE: ALBEDO XGENIUS E1/DATACOM/ETHERNET HAND HELD; POTENTIAL: 110-220V; 12V 3A ADAPTOR; FREQUENCY: E1-2048 KB/S, 1GE; ACCURACY: BETTER THAN +/- 2.0 PPM; DIMENSIONS: WD 260 X LG 160 X THK 63 MM; RANGE: 1.544 MB/S, 2.048 MB/S, 1.544 MHZ, 2.048 MHZ, 10 MHZ; DISPLAY TYPE: 8 INCH LCD; POTENTIAL: E1 DATACOM 1 GB/S ETHERNET TESTER WITH OPTIONAL 10 GB/S ETHERNET, E1/T1, AND SYNCHRONIZATION CAPABILITIES, INCLUDES DUAL 10/100/1000 MB/S ELECTRICAL PORTS, DUAL SFP+ PORTS, QOS STATISTICS, RFC2544 PERFORMANCE TEST, L1-L4 BER TEST, CONTINUOUS/BURST/RAMP/RANDOM TRAFFIC GENERATION, TRAFFIC STATISTICS, ERROR ANALYSIS, CONNECTIVITY TEST ('PING', 'TRACEROUTE'), ANALYSIS FILTERS, EVENT INSERTION, ENDPOINT AND PASS-THROUGH OPERATION MODES, GRAPHICAL DISPLAY OF EVENTS, REPORT GENERATION AND EXPORT, INCLUDES AC/DC ADAPTER, TRANSPORTATION BAG, ONE RJ-45 PATCH CABLE, ONE BNC-BNC PATCH CABLE, SFP+ AND SFP TRANSCEIVERS, E1 TEST, ITU-T G.703 2048 KB/S TESTING INCLUDING BNC AND RJ48 CONNECTORS, E1 GENERATION AND ANALYSIS; ITU-T G.704 FRAME STRUCTURE WITH OR WITHOUT CRC AND WITH OR WITHOUT CAS; INTERNAL, RECOVERED AND EXTERNAL CLOCK REFERENCES; CAS ABCD BITS GENERATION AND ANALYSIS; FAS/NFAS ANALYSIS; E1 FRAME OCCUPATION MAP; FREQUENCY AND RECEIVED POWER LEVEL MEASUREMENTS; G.821, G.826, AND M.2100 PERFORMANCE ANALYSIS; ROUND TRIP DELAY MEASUREMENT; SERVICE DISRUPTION TIME TEST, DATACOM TEST MODULE, DTE / DCE EMULATION AND DATACOM MONITOR MODES, V24 / V.28 (RS-232) ASYNCHRONOUS AND SYNCHRONOUS INTERFACES, X.21 / V.11 (RS-422) ASYNCHRONOUS AND SYNCHRONOUS, V.35, V.36 (RS-449), EIA-530 AND EIA-530A, PLUG-IN MODULE PHM20 INCLUDED, DATACOM CABLES INCLUDED, DATACOM DTE/DCE: V.11/X.24, V.24/V.28, V.24/V.35, V.24/V.11 (V.36/RS449)	1	EA
0679831	TESTER: TYPE: MICROWAVE USB POWER SENSOR; POTENTIAL: 220 V; FREQUENCY: 0 MHZ TO 40 GHZ; ACCURACY: +20 DBM TO +15 DBM; +15 DBM TO -70 DBM; DIMENSIONS: WD 110 X LG 46 X THK 25.6 MM; RANGE: 10 MHZ TO 40 GHZ; DISPLAY TYPE: VIA POWER METER;	1	EA

	POWER MEASUREMENT: AVERAGE POWER, SAMPLE RATE: 140 KS/S, RISE TIME (FAST/SLOW): 8 US, INTERFACE: USB, CURRENT: 410 MA TO 450 MA, IMPEDENCE: 4 OHMS, VSWR: 1.08:1, 1.90:1, CONNECTOR: K TYPE - MALE, WEIGHT: 397 G (0.88 LB), OPERATING TEMPERATURE: 0 TO 50 DEGREE C, STORAGE TEMPERATURE: -40 TO 71 DEGREE C		
0679828	TESTER: TYPE: SPECTRUM ANALYZERS 20GHZ PRE-AMP; POTENTIAL: 220 VAC; FREQUENCY: 9 KHZ TO 9 GHZ, 13 GHZ, 20 GHZ, 32 GHZ AND 43 GHZ; ACCURACY: DYNAMIC RANGE: > 106 DB IN 1 HZ RBW AT 2.4 GHZ; DIMENSIONS: 315 MM X 211 MM X 77 M; RANGE: DANL 164DBM; DISPLAY TYPE: LCD; INTERNAL ATOMIC CLOCK OPTION; MEASUREMENTS: OCCUPIED BANDWIDTH, CHANNEL POWER, ACPR, C/I, EMISSION MASK, FIELD STRENGTH; 3G AND 4G MEASUREMENT OPTIONS FOR LTE, CDMA, W-CDMA, WIMAX, GSM, AND TD-SCDMA; INTERFERENCE ANALYZER: SPECTROGRAM, SIGNAL STRENGTH, RSSI, MAPPING; DYNAMIC RANGE: > 106 DB IN 1 HZ RBW AT 2.4 GHZ; DANL: -160 DBM IN 1 HZ RBW AT 1 GHZ PREAMP ON; PHASE NOISE: -104 DBC/HZ AT 10 KHZ OFFSET AT 1 GHZ; 1 HZ TO 10 MHZ RESOLUTION BANDWIDTH (RBW); TRACKING GENERATOR UP TO 20 GHZ	2	EA
0679842	TESTER: TYPE: OTDR ANRITSU ACCESS MASTER MT9085B-063; POTENTIAL: 100VAC TO 240VAC, (12VDC, 5 A); FREQUENCY: 50-60 HZ; ACCURACY: +/- 0.05 DB/DB OR +/- 0.1 DB (WHICHEVER IS GREATER); DIMENSIONS: WD 270 X HT 165 X DP 61 MM; RANGE: SM 42/41 DB MM 29/28 DB; DISPLAY TYPE: 8-INCH TOUCH SCREEN TFT-COLOR LCD; COMPLETE WITH HARD CARRY CASE, HYBRID QUAD OTDR WAVELENGTH (850/1300/1310/1550) SM AND MM WITH VISUALIZER SOFTWARE FIBER EVENTS, SUCH AS SPLICES, CONNECTORS, SPLITTERS, ETC., ARE DISPLAYED AS SCHEMATIC ICONS ALONG WITH LOSS AND REFLECTANCE PASS/FAIL EVALUATION RESULTS FOR AT-A-GLANCE CONFIRMATION, REAL-TIME MEASUREMENTS AND HIGH SNR SWEEPS, BI-DIRECTIONAL WAVEFORM ANALYSIS FUNCTION LOADS TWO DATA FILES MEASURED FOR EACH DIRECTION RESPECTIVELY TO PERFORM ACCURATE LOSS ANALYSIS, WITH RECHARGEABLE BATTERY, SM 1310/1550NM, MM 850/1300NM, THREE TYPE-A USB2.0 PORTS, CONNECTING USB MEMORY, WLAN, AND BLUETOOTH ADAPTERS FOR REMOTE CONTROL USING REMOTE COMMANDS AND REMOTE WEB BROWSER GUI USING USB-ETHERNET ADAPTER, MICRO-B USB1.1 PORT FOR CONNECTING INTERNAL MEMORY TO PC	2	EA
0679822	TESTER: TYPE: AUDIO TRANSMISSION TEST SET; POTENTIAL: 12VDC, 1000MA; FREQUENCY: 50HZ TO 20KHZ; ACCURACY: 0.2 DB; DIMENSIONS: WD 3.9 X LG 6.0 X HT 2.7 (CLOSED) CM; DISPLAY TYPE: LCD TOUCH SCREEN; MEASURES ECHO PARAMETERS, SPECTRA DISPLAY FOR IDENTIFYING INTERFERENCE SOURCES, RAPID 23-TONE MEASUREMENT, SLOPE AND P/AR MEASUREMENTS, IMPULSE NOISE MEASUREMENT, DELAY	2	EA

	EMULATION TO SIMULATE ECHO		
0679827	TESTER: TYPE: FUSION SPLICER; POTENTIAL: 100-240VAC INPUT OR 9-14VDC; FREQUENCY: 60 HZ; ACCURACY: TYPICAL 0.01DB; DIMENSIONS: WD 124 X LG 123 X THK 130 MM; RANGE: SPLICE TIME 12S AVERAGE SM / SM 7S QUICK MODE; DISPLAY TYPE: HD COLOUR TOUCH SCREEN; ELECTRODE LIFESPAN >3500 ARCS, APPLICABLE FIBRE: SM/MM/DS/NZDS/IT, CLEAVED LENGTH COATING DIAMETER <0.25MM=8-16MM, COATING DIAMETER 100-1000MM, CLADDING 80-150UM, HEATING PROGRAMS FACTORY INSTALLED MODE, PROTECTION SLEEVE 40MM-60MM-SOC CONNECTOR, SPLICE MEMORY TO 2000 RECORDS AND SPLICE IMAGES, BATTERY TYPICAL 130 CYCLES, MONITOR COLOUR 4.3 IN LCD WITH TOUCH SCREEN, CAMERAS 2 CCD CAMERA SYSTEM, MAGNIFICATION XY STYLE WITH 150 POWER AND X/Y 300 POWER, FIBRE DISPLAY X/Y OR XY OR SINGLE X Y, WEIGHT 1.3KG, HDMI DATA OUTPUT, HEATING TIME 18S, CORE ALIGNMENT DWACAS	2	EA
0679829	TESTER: TYPE: R8100 COMMUNICATIONS SYSTEM ANALYZER; POTENTIAL: 220 VAC; FREQUENCY: 1 MHZ TO 3 GHZ; ACCURACY: MAXIMUM RF POWER METER INPUT: 150 W; DIMENSIONS: WD 32.3 X HT 23.9 X DP 19.1 CM; RANGE: 1 GHZ COMMS MONITOR; DISPLAY TYPE: LCD; BATTERY: > 1.5 HR RUNTIME (INTERNAL), OPERATING TEMPERATURE: 0 TO + 50 DEG C, TIMEBASE TEMPERATURE STABILITY: 0.15 PPM, TIMEBASE AGING: 0.5 PPM/YEAR 1, 0.3 PPM/YEAR, MODULATION: FM, AM, P25 PHASE I & II, DMR, NXDN, DPMR, ARIB T98, FREQUENCY RANGE (RECEIVER): 1 MHZ TO 3 GHZ, IF BANDWIDTH: 6.25 KHZ, 12.5 KHZ, 25 KHZ, 50 KHZ, 100 KHZ, 200 KHZ, RECEIVED SIGNAL STRENGTH INDICATOR SENSITIVITY: - 120 DBM, RSSI ACCURACY: +/- 2 DB; SINAD FREQUENCY: VARIABLE SINAD ACCURACY: +/- 1 DB AT 12 DB SINAD, OSCILLOSCOPE BANDWIDTH: 50 KHZ ; AUDIO MODULATION FORMATS: 1 KHZ TONE, PRIVATE LINE, DIGITAL PRIVATE LINE, DTMF, SINGLE TONE, TWO-TONE PAGING, 5/6 TONE PAGING, POCSAG, EURO TONES, USER DEFINED TONE SEQUENCES, EXTERNAL USER DEFINED TONE SEQUENCES, EXTERNAL DISPLAY: 21.3 CM, OUTPUT LEVEL ACCURACY: +/- 1 DB (RF I/O PORT), DUAL DISPLAY	5	EA

Title	Date or revision	Tick if publicly available
General Specifications:		
Health and Safety requirements		
Environmental requirements		

Technical specifications:		✓

3. Constraints on how the *Supplier* Provides the Goods

3.1 Subcontracting

N/A

3.2 Use of standard forms

Not Applicable

3.3 Invoicing and payment

In terms of core clause 50 the *Supplier* assesses the amount due and applies to the *Purchaser* for payment. The *Supplier* applies for payment with a tax invoice addressed to the *Purchaser* as follows:

The *Supplier* includes the following information on each tax invoice:

- Name and address of the *Supplier*
- The contract number and title;
- *Supplier's* VAT registration number;
- The *Purchaser's* VAT registration number which is 4740101508;
- The total of
 - The Price for each lump sum item in the Price Schedule or Batch Order which the *Supplier* has completed;
 - Where a quantity is stated for an item in the Price Schedule or Batch Order, an amount calculated by multiplying the quantity which the *Supplier* has completed by the rate,
- Other amounts to be paid to the *Supplier*;
- Less amounts to be paid by or retained from the *Supplier*;
- The invoiced amount - excluding VAT, the VAT and including VAT;
- (add other as required)

3.4 Records of Defined Cost

N/A

3.5 BBBEE and preferencing scheme

N/A

Eskom Life Saving Rules

Five Life Saving Rules have been developed that will apply to all Eskom employees, agents, consultants and contractors.

Rule 1: Open, Isolate, Test, Earth, Bond, And / Or Insulate before touch - that is any plant operating above 1 000 V.

Rule 2: Hook up at heights - no person may work at height where there is a risk of falling.

Rule 3: Buckle up – no person may drive any vehicle on Eskom business and/or on Eskom premises: unless the driver and all passengers are wearing seat belts.

Rule 4: Be sober (no person is allowed to work under the influence of drugs and alcohol.)

Rule 5: Use a permit to work – where an authorization limitation exists, no person shall work without the required permit to work.

4. Requirements for the programme

Supply and delivery of Comms Monitor to Transmission Stores, Simmerpan as a once-off order as and when required until the complete batch/ order is delivered.

5. Services and other things provided by the *Purchaser*

N/A

6. Supply requirements

A delivery note that corresponds to this order **MUST** be provided together with the goods, this will assist the person receiving the goods in performing of necessary goods receipts on our system which will enable processing of payments.

The Delivery Times are as follows:

Monday to Thursday from 07h30 to 16h30.

Fridays from 07h30 to 15h00.

Transmission Stores
Simmerpan
Power Road, Gate 3
Germiston

