



sa air force

Department:  
Defence  
REPUBLIC OF SOUTH AFRICA

Telephone: 012 351 2166  
Facsimile: 012 351 2340  
Enquiries: Warrant Officer A. C. Teessen

SA Air Force Procurement Unit  
Air Force Mobile Deployment Wing  
Private Bag X04  
Valhalla  
0137  
03 June 2024

**BID: SPU/B/DSS/013/24: CUT MAKE AND TRIM OF TROUSERS MENS SAAF SUMMER CEREMONIAL**

**GOODS DELIVERY ADDRESS: 10 AIR DEPOT, STEPHANUS SCHOEMAN ROAD, THABA TSHWANE, PRETORIA**

**VALIDITY PERIOD: 90 DAYS**

**CLOSING DATE & TIME FOR BID: 11:00 ON 25 JUNE 2024**

1. You are hereby invited to furnish this Department with a Bid for the supply of the above-mentioned items as per attached documents. The documents you should be in possession of are: This Cover Letter, Road Map to South African Air Force Procurement Unit (SAAF PU), SBD 1; SBD 3; SBD 4; SBD 6.1; SWORN AFFIDAVIT and QUESTIONNAIRE.
2. The conditions contained in General Bid Conditions (GBC), General Conditions of Contract (GCC) and all the attached forms will apply to your Bid.
3. Kindly Bid by completing the relevant forms, directed to **SOUTH AFRICAN AIR FORCE PROCUREMENT UNIT, PRIVATE BAG X04, VALHALLA, 0137** to reach the Bid Receipt Office not later than the closing date and time or deposit in the Bid Box in the Parking Area across from the Security Guard Room at the **Main Entrance of AIR FORCE MOBILE DEPLOYMENT WING, Old Johannesburg Road (crossing Godiva Road), Valhalla before the Closing Date and Time.**
4. **Please note that the Bid Box will be closed daily between 18:00 and 06:00 am.** Bids can also be handed in at the South African Air Force Procurement Unit, Internal Services Section during Office Hours 07:00 am till 15:00. However, if the Bid is **LATE** it will **NOT** be accepted for consideration.
5. The following members can be contacted regarding the following aspects of this Bid only during office hours:
  - a. Compilation of Bid Document: **Warrant Officer A.C. Teessen at (012) 351-2166.**
  - b. Technical Information: **Warrant Officer H. van Heerden (012) 351-5188.**

**BID: SPU/B/DSS/013/24: CUT MAKE AND TRIM OF TROUSERS MENS SAAF SUMMER CEREMONIAL**

6. Authenticate this Document:

<b>COMPANY NAME:</b>	
<b>PHYSICAL ADDRESS:</b>	..... ..... ..... .....
<b>POSTAL ADDRESS:</b>	..... ..... .....
<b>TEL NO:</b>	
<b>FACSIMILE NO:</b>	
<b>MOBILE NO:</b>	
<b>BANKING DETAILS:</b>	..... .....
<b>NAME (PRINT):</b>	
<b>CAPACITY:</b>	
<b>SIGNATURE:</b>	
<b>DATE:</b>	

7. Kindly take note that according to Government Gazette No. 47452 NO. 2721 dated 04 November 2022, effective from 16 January 2023, Bidders are to submit a Sworn Affidavit to substantiate the preference points claimed. Sworn Affidavit must be signed by legally recognised Commissioner of Oath. The Department of Defence reserves the right to verify the truthfulness of the claims. Should the Proof (Affidavit) not be submitted, a Zero (0) point will be allocated.

**BID: SPU/B/DSS/013/24: CUT MAKE AND TRIM OF TROUSERS MENS SAAF SUMMER CEREMONIAL**

Yours Sincerely

A handwritten signature in blue ink, appearing to read 'M.L. Van Heerden', with a circular mark to the left of the first few letters.

(M.L. VAN HEERDEN)

**ACTING OFFICER COMMANDING SOUTH AFRICAN AIR FORCE PROCUREMENT UNIT:  
LIEUTENANT COLONEL**

APPENDIX A  
 MANDATORY EVALUATION  
 CRITERIA FOR THE CUT, MAKE  
 AND TRIM OF TROUSERS MENS,  
 SAAF, SUMMER CEREMONIAL  
 DD 03 JUNE 2024

**MANDATORY CRITERIA**

1. **PHASE 1:** Compliance to Mandatory Requirements. Bidder that does not fully comply with the criteria will be eliminated/excluded and will not go to the next phase.

SER NO	MANDATORY CRITERIA	SUBMITTED YES / NO
a.	<p><b>Central Supplier Database:</b> From 01 April 2016 it is mandatory for the Department of Defence (DOD) to make use of Suppliers that are Registered on the National Treasury Central Supplier Database (CSD).</p> <p>It is <b>Mandatory to comply</b> to the following <b>Minimum Criteria</b> on the CSD Registration Report (Attach Report <b>not older than 14 Days</b>, if possible):</p> <ul style="list-style-type: none"> <li>i. Supplier <u>must</u> be Tax Compliant.</li> <li>ii. Banking Details <u>must</u> be Verified Successfully.</li> <li>iii. Supplier <u>must</u> have a "Physical Address Type".</li> <li>iv. CSD Report <u>must</u> reflect the Commodity or Service the Company is Bidding for.</li> </ul> <p><b>Failure to Adhere to abovementioned Minimum Criteria, on CSD Report will invalidate the Bid.</b></p>	
b.	<p><b>Signed SBD 1, 3 and 4:</b> Bidder to fully Complete and Sign all the SBD Documents and submit a Copy of the Original by the Closing Date and Time. Bidder to Complete the <b>Pricing, Signature (Consenting of Conditions) and Information (Block)</b> at the Bottom of the Second Last page on the <b>SBD 3</b>.</p>	
c.	<p><b>Signed SBD 6.1:</b> Bidders to submit a Sworn Affidavit, signed by a Legally Recognised Commissioner of Oath to substantiate the Preference Point (Specific Goal) claimed as per Completed and Signed SBD 6.1, Table 1, by the Closing Date and Time. The Department of Defence reserves the right to verify the truthfulness of the claim. Should Affidavit not be submitted a Zero (0) Point will be allocated.</p>	

SER NO	MANDATORY CRITERIA	SUBMITTED YES / NO
d.	<b>Special Conditions:</b> Enclosure 2-1 (Special Conditions Criteria), Enclosure 3 (SALM 592 Version 09.0/August 2018) and Enclosure 4 (SALM 108 Version 07.0/January 2023 Corrugated Board Boxes Specification) form Part of the Bid. Enclosure 2, Page 2-3 must be Signed and returned with Bid. Failure to do so may invalidate the Bid	
	<b>NOTES</b>	<b>CONFIRM YES/NO</b>
e.	<b>Special Conditions (Enclosure 2-1):</b> Take Note of Paragraphs 3; 9 and 14 on Enclosure.	
f.	<b>Applicable valid SANAS Accredited Capability Report (Not older than 12 Months (Enclosure 2-1):</b> The South African Air Force (SAAF) reserves the right to give preference to Bidders with a Capability of 80% or Higher. If the Bidder makes use of a Sub-Contractor, the Sub-Contractor Capability Report must also be submitted. Failure to submit this Report may render your Bid Null and Void.	_____
g.	<b>Packaging/Delivery:</b> The successful Bidder <b>must</b> deliver items as prescribed in Attached SALM 108 Version 07.0/January 2023 Specification (Corrugated Board Boxes for Clothing).	_____

2. **PHASE 2:** Price: (Will be according to prices submitted)

Criteria	Points
Price	80/

3. **PHASE 3:** Preferential Points (As per GOVERNMENT GAZETTE NO. 47452). Proof (Sworn Affidavit) to substantiate the Preference Point claimed for Specific Goal as per SBD 6.1, signed by a legally recognised Commissioner of Oath, must be submitted together with Bid.

Criteria	Points
Specific Goal	20/

4. Preference Points (Specific Goals). A Bid will not be disqualified from the bidding process if the Bidder does not claim a point as per Specific Goals and does not submit a Sworn Affidavit, to substantiate the Preference Point claimed. Such Bidder will score Zero (0) out of a maximum of Twenty (20) Points for Preference Point claimed.

5. The point scored for PRICE must be added to point scored for SPECIFIC GOAL contribution claimed to obtain the Bidders total score out of 100.

6. Calculation of SPECIFIC GOAL. Points must be awarded to a Bidder for attaining the Specific Goal Contributor Level in accordance with the Table below:

<b>STATUS LEVEL</b>	<b>SPECIFIC GOAL CONTRIBUTOR</b>	<b>NUMBER OF POINTS (80/20 SYSTEM)</b>
Level 1	51% Owned by Black Women Military Veterans	20
	<b>or</b>	
	51% Owned by Black Youth	
	<b>or</b>	
	51% Owned by Black People with Disability	
Level 2	51% Owned by Black Male Military Veterans	18
	<b>or</b>	
	51% Owned by People with Disability	
	<b>or</b>	
	51% Owned by Black Women EMEs	
Level 3	51% Owned by Women Military Veterans	16
	<b>or</b>	
	51% Owned by Black Male EMEs	
	<b>or</b>	
	51% Owned by Women EMEs	
	<b>or</b>	
	51% Owned by Black Women QSEs	
Level 4	51% Owned by Male Military Veterans	14
	<b>or</b>	
	51% Owned by Youth	
	<b>or</b>	
	51% Owned by any other EMEs	
	<b>or</b>	
	51% Owned by Black Male QSEs	
	<b>or</b>	
	51% Owned by Women QSEs	
Level 5	51% Owned by any other QSEs	12
Level 8	Non-Compliant Contributor	0

## IMPORTANT NOTES

PLEASE TAKE NOTE THAT YOU MAY ONLY MAKE USE OF ONE OPTION TO RESPOND TO THE BID.

THE BID DOCUMENTATION, MUST BE PRINTED, COMPLETED AND RETURNED BY MEANS OF,

OPTION 1:      ONLY HAND DELIVERED (IN SEALED ENVELOPE) OR SUBMITTED IN THE BID BOX OF THE SOUTH AFRICAN AIR FORCE PROCUREMENT UNIT.

ADDRESS: MAIN ENTRANCE OF AIR FORCE MOBILE DEPLOMENT WING (SAAF MUSEUM), OLD JOHANNESBURG ROAD (CROSSING GODIVA ROAD), VALHALLA.

BID BOX: SAME ADDRESS AS ABOVE.

ROAD MAP ATTACHED FOR EASY REFERENCE



**SECURITY**

**GROUND**

**SECURITY BOOMS**

**GODIVA ROAD**

**Parking Area**

**AIR FORCE MOBILE DEPLOYMENT WING (SAAF MUSEUM)**


**R 1 0 1 O L D J O H A N N E S B U R G R O A D**

**V I N D E L L A R O A D**

**AIR FORCE MOBILE DEPLOYMENT WING WEST**

**SNAAG  
PROCUREMENT  
UNIT  
TENDER  
BOX**

**NORTH**



## PART A INVITATION TO BID

<b>YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE SOUTH AFRICAN AIR FORCE PROCUREMENT UNIT</b>			
BID NUMBER:	SPU/B/DSS/013/24	CLOSING DATE:	25 JUNE 2024
DESCRIPTION	CUT MAKE AND TRIM OF TROUSERS MENS SAAF SUMMER CEREMONIAL		CLOSING TIME: 11:00
<b>BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT</b>			
MAIN ENTRANCE OF SOUTH AFRICAN MOBILE DEPLOYMENT WING (MUSEUM SIDE)			
OLD JOHANNESBURG ROAD (ACROSS FROM GODIVA ROAD)			
VALHALLA			
0137 (SEE ATTACHED MAP)			
<b>BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO</b>		<b>TECHNICAL ENQUIRIES MAY BE DIRECTED TO:</b>	
CONTACT PERSON	WARRANT OFFICER A.C. TEESEN	CONTACT PERSON	WARRANT OFFICER H. VAN HEERDEN
TELEPHONE NUMBER	(012) 351 2166	TELEPHONE NUMBER	(012) 351 5188
FACSIMILE NUMBER	(012) 351 2205	FACSIMILE NUMBER	N/A
E-MAIL ADDRESS	Magrietha.VanHeerden@dod.mil.za	E-MAIL ADDRESS	N/A
<b>SUPPLIER INFORMATION</b>			
NAME OF BIDDER			
POSTAL ADDRESS			
STREET ADDRESS			
TELEPHONE NUMBER	CODE	NUMBER	
CELLPHONE NUMBER			
FACSIMILE NUMBER	CODE	NUMBER	
E-MAIL ADDRESS			
VAT REGISTRATION NUMBER			
SUPPLIER COMPLIANCE STATUS	TAX COMPLIANCE SYSTEM PIN: _____	OR	CENTRAL SUPPLIER DATABASE NO: _____
MAAA _____			
<b>[A CSD REGISTRATION REPORT NOT OLDER THAN FOURTEEN (14) DAYS MUST BE SUBMITTED WITH BID. SWORN AFFIDAVIT ALSO TO BE SUBMITTED WITH BID TO SUBSTANTIATE SPECIFIC GOAL POINTS CLAIMED]</b>			
CSD REGISTRATION REPORT ATTACHED NOT OLDER THAN FOURTEEN (14) DAYS:	TICK APPLICABLE BOX] <input type="checkbox"/> Yes <input type="checkbox"/> No	SWORN AFFIDAVIT SUBMITTED FOR SPECIFIC GOAL POINTS CLAIMED AS PER SBD 6.1	[TICK APPLICABLE BOX] <input type="checkbox"/> Yes <input type="checkbox"/> No
ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES ENCLOSE PROOF]	ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES, ANSWER THE QUESTIONNAIRE BELOW]
<b>QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS</b>			
IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?			<input type="checkbox"/> YES <input type="checkbox"/> NO
DOES THE ENTITY HAVE A BRANCH IN THE RSA?			<input type="checkbox"/> YES <input type="checkbox"/> NO
DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA?			<input type="checkbox"/> YES <input type="checkbox"/> NO
DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?			<input type="checkbox"/> YES <input type="checkbox"/> NO
IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?			<input type="checkbox"/> YES <input type="checkbox"/> NO
IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW.			

**PART B  
TERMS AND CONDITIONS FOR BIDDING**

<b>1. BID SUBMISSION:</b>	
1.1.	BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
1.2.	ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED—(NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
1.3.	THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, GENERAL BID CONDITIONS (GBC), THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
1.4.	THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).
<b>2. TAX COMPLIANCE REQUIREMENTS</b>	
2.1	BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
2.2	BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
2.3	APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
2.4	BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
2.5	IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
2.6	WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
2.7	NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE.

**NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.**

SIGNATURE OF BIDDER: .....

CAPACITY UNDER WHICH THIS BID IS SIGNED:  
(Proof of authority must be submitted e.g. company resolution) .....

DATE: .....



# Request for Bid : SPU/B/DSS/013/24

Author: A.C. Teessen  
Date: 05/31/2024 09:08:55

## PRICING SCHEDULE

Bid No: SPU/B/DSS/013/24  
 Document No: 0000521456  
 Description: CUT MAKE AND TRIM OF TROUSERS MENS SAAF SUMMER CEREMONIAL  
 Currency: ZAR  
 Closing Date: 2024/06/25 11:00:00  
 Status: Created  
 Validity Days:  
 Document Type: Request for Bid Open  
 Company Name:  
 Attention:  
 Tel No:  
 Fax No:  
 Cell No:  
 Email:

No.	Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
1	18-181-7083	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER CEREMONIAL DRESS, BLUE, SIZE RR82/32	10 AIR DEPOT		Pair	
		Line Comment	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs		40		
		Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs				
2						

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-181-7067	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER CEREMONIAL DRESS, BLUE, SIZE RS80732	10 AIR DEPOT		Pair	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
	Total Unit Cost in ZAR Currency, including VAT and ALL Delivery Costs		40		
	Total Cost in ZAR Currency, including VAT and ALL Delivery Costs				

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-181-7094	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER CEREMONIAL DRESS, BLUE, SIZE RR8734	10 AIR DEPOT		Pair	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
	Total Unit Cost in ZAR Currency, including VAT and ALL Delivery Costs		50		
	Total Cost in ZAR Currency, including VAT and ALL Delivery Costs				

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-181-7068	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER CEREMONIAL DRESS, BLUE, SIZE RS0734	10 AIR DEPOT		Pair	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
	Total Unit Cost in ZAR Currency, including VAT and ALL Delivery Costs		50		
	Total Cost in ZAR Currency, including VAT and ALL Delivery Costs				

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-181-7102	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER CEREMONIAL DRESS, BLUE, SIZE RL9236	10 AIR DEPOT		Pair	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
	Total Unit Cost in ZAR Currency, including VAT and ALL Delivery Costs		40		
	Total Cost in ZAR Currency, including VAT and ALL Delivery Costs				

SDD3

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-181-7085	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER CEREMONIAL DRESS, BLUE, SIZE RR92/38 Line Comment	10 AIR DEPOT		Pair	
	Total Unit Cost in ZAR Currency, including VAT and ALL Delivery Costs	Lead Time	Quantity Required	Quantity Available	
	Total Cost in ZAR Currency, including VAT and ALL Delivery Costs		30		

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-181-7089	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER CEREMONIAL DRESS, BLUE, SIZE RR92/38. Line Comment	10 AIR DEPOT		Pair	
	Total Unit Cost in ZAR Currency, including VAT and ALL Delivery Costs	Lead Time	Quantity Required	Quantity Available	
	Total Cost in ZAR Currency, including VAT and ALL Delivery Costs		30		

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-181-7104	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER CEREMONIAL DRESS, BLUE, SIZE RL97/38 Line Comment	10 AIR DEPOT		Pair	
	Total Unit Cost in ZAR Currency, including VAT and ALL Delivery Costs	Lead Time	Quantity Required	Quantity Available	
	Total Cost in ZAR Currency, including VAT and ALL Delivery Costs		50		

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-181-7086	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER CEREMONIAL DRESS, BLUE, SIZE RR97/38. Line Comment	10 AIR DEPOT		Pair	
	Total Unit Cost in ZAR Currency, including VAT and ALL Delivery Costs	Lead Time	Quantity Required	Quantity Available	
	Total Cost in ZAR Currency, including VAT and ALL Delivery Costs		30		

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-181-7070	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER CEREMONIAL DRESS, BLUE, SIZE RS97/38 Line Comment	10 AIR DEPOT		Pair	
	Total Unit Cost in ZAR Currency, including VAT and ALL Delivery Costs	Lead Time	Quantity Required	Quantity Available	
	Total Cost in ZAR Currency, including VAT and ALL Delivery Costs		50		

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-181-7105	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER CEREMONIAL DRESS, BLUE, SIZE RL102/40 Line Comment	10 AIR DEPOT		Pair	
	Total Unit Cost in ZAR Currency, including VAT and ALL Delivery Costs	Lead Time	Quantity Required	Quantity Available	
	Total Cost in ZAR Currency, including VAT and ALL Delivery Costs		50		

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-181-7087	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER CEREMONIAL DRESS, BLUE, SIZE RR102/40 Line Comment	10 AIR DEPOT		Pair	
	Total Unit Cost in ZAR Currency, including VAT and ALL Delivery Costs	Lead Time	Quantity Required	Quantity Available	
	Total Cost in ZAR Currency, including VAT and ALL Delivery Costs		50		

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-181-7106	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER CEREMONIAL DRESS, BLUE, SIZE RL107/42 Line Comment	10 AIR DEPOT		Pair	
	Total Unit Cost in ZAR Currency, including VAT and ALL Delivery Costs	Lead Time	Quantity Required	Quantity Available	
	Total Cost in ZAR Currency, including VAT and ALL Delivery Costs		50		

SKD3

14	Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
	18-181-7088	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER CEREMONIAL DRESS, BLUE, SIZE RR107/42 Line Comment	10 AIR DEPOT Lead Time		Pair	
		Total Unit Cost in ZAR Currency, including VAT and ALL Delivery Costs		Quantity Required	Quantity Available	
		Total Cost in ZAR Currency, including VAT and ALL Delivery Costs		50		

15	Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
	18-181-7108	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER CEREMONIAL DRESS, BLUE, SIZE RL12/44 Line Comment	10 AIR DEPOT Lead Time		Pair	
		Total Unit Cost in ZAR Currency, including VAT and ALL Delivery Costs		Quantity Required	Quantity Available	
		Total Cost in ZAR Currency, including VAT and ALL Delivery Costs		90		

16	Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
	18-181-7099	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER CEREMONIAL DRESS, BLUE, SIZE RR12/44 Line Comment	10 AIR DEPOT Lead Time		Pair	
		Total Unit Cost in ZAR Currency, including VAT and ALL Delivery Costs		Quantity Required	Quantity Available	
		Total Cost in ZAR Currency, including VAT and ALL Delivery Costs		50		

17	Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
	18-181-7109	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER CEREMONIAL DRESS, BLUE, SIZE RL17/46 Line Comment	10 AIR DEPOT Lead Time		Pair	
		Total Unit Cost in ZAR Currency, including VAT and ALL Delivery Costs		Quantity Required	Quantity Available	
		Total Cost in ZAR Currency, including VAT and ALL Delivery Costs		50		

503

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-181-7090	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER CEREMONIAL DRESS, BLUE, SIZE RL117/48 Line Comment	10 AIR DEPOT		Pair	
	Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs	Lead Time	Quantity Required	Quantity Available	
	Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs		50		

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-181-7110	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER CEREMONIAL DRESS, BLUE, SIZE RL123/48 Line Comment	10 AIR DEPOT		Pair	
	Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs	Lead Time	Quantity Required	Quantity Available	
	Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs		50		

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-181-7091	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER CEREMONIAL DRESS, BLUE, SIZE RR122/48 Line Comment	10 AIR DEPOT		Pair	
	Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs	Lead Time	Quantity Required	Quantity Available	
	Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs		50		

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-181-7111	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER CEREMONIAL DRESS, BLUE, SIZE RL127/50 Line Comment	10 AIR DEPOT		Pair	
	Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs	Lead Time	Quantity Required	Quantity Available	
	Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs		50		

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-181-7092	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER, CEREMONIAL DRESS, BLUE, SIZE RR127/50 Line Comment	10 AIR DEPOT		Pair	
		Lead Time	Quantity Required	Quantity Available	
			50		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-181-7112	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER, CEREMONIAL DRESS, BLUE, SIZE RL132/52 Line Comment	10 AIR DEPOT		Pair	
		Lead Time	Quantity Required	Quantity Available	
			50		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-181-7094	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER, CEREMONIAL DRESS, BLUE, SIZE RR132/52 Line Comment	10 AIR DEPOT		Pair	
		Lead Time	Quantity Required	Quantity Available	
			50		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-181-7113	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER, CEREMONIAL DRESS, BLUE, SIZE RL137/54 Line Comment	10 AIR DEPOT		Pair	
		Lead Time	Quantity Required	Quantity Available	
			50		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

SAP3

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-181-7096	CUT, MAKE AND TRIM OF TROUSERS, MENS SAAF, SUMMER CEREMONIAL DRESS, BLUE, SIZE RR137/54	10 AIR DEPOSIT		Pair	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
	Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs		40		
	Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs				

5803

Indicate Lead Time for all items (Days)

The following conditions are hereby accepted:  
 "Standard Terms and Conditions" or "General Conditions of Contract" Available on: [Wiscasus \(\)](#) or attached.  
 The awarding of this price quotation is determined by (Department of Defense).  
 The following is hereby certified:  
 This offer is correct and any mistakes will be at my risk.  
 I accept responsibility for the execution of all obligations entrusted upon this.  
 I did not participate in any exclusive practices with any other supplier or any other person regarding  
 this price quotation or any other price quotation.  
 I am fully authorized to sign this price quotation.  
 This offer is inclusive of value Added Tax.

Name: ..... Capacity: .....  
 Signature: ..... Date: .....

Price Firm Y/N	In Your Account Government Orders Y/N	Comply with Specification Y/N	Brand & Model	Delivery Period Firm Y/N	Grand Total Including Vat

Questions/Inquiries

Questions/Inquiries / Evaluation Criteria

THE 802B QUANTIFICATION EVALUATION TEMPLATE V2

Options	LEVEL1	LEVEL2	LEVEL3	LEVEL4	LEVEL5	LEVEL6
Level 1: 51% owned by Black Women Military veterans / 51% owned by Black youth / 51% owned by Black people with disability	<input type="checkbox"/>					
Level 2: 51% owned by Black Male Military veterans / 51% owned by people with disability / 51% owned by Black Women EMEs	<input type="checkbox"/>					
Level 3: 51% owned by Women Military veterans / 51% owned by Black Male EMEs / 51% owned by Black Women QSEs/51% owned by Women EMEs	<input type="checkbox"/>					

SP03

Level 4: 51% owned by Male Military veterans / 51% owned by youth / 51% owned by any other EMEs / 51% owned by Black Male QSEs / 51% owned by Women QSEs

Level 5: 51% owned by any other QSEs

<input type="checkbox"/>	LEVEL 4
<input type="checkbox"/>	LEVEL 5
<input type="checkbox"/>	NON-COMPLIANT

Attachment Description

Attachment File Name



RESTRICTED



Enclosure 2-1

## SPECIAL CONDITIONS FOR THE CUT, MAKE TRIM AND SUPPLY OF TROUSERS MEN'S SAAF SUMMER CEREMONIAL

### GENERAL

1. **General Bid Conditions (GBCs) and General Conditions of Contract (GCC).** The conditions contained in GBCs and the GCC's and all other conditions will apply.
2. **Special conditions on the Award Of Bid.** The South African Air Force (SAAF) reserves the right to award a bid as a whole to one bidder.
3. **Break-out procurement.** The SAAF reserves the right to, in support of government initiative to promote Small Business and in accordance with the National Small Business Act, 1996 (Act no 102 of 1996), consider the breakout of procurement into smaller segments. This implies that the bid can be allocated to more than one contractor, in manageable segments, and according to the predetermined capacity of smaller enterprises. The department will in all cases indicate the intention, elsewhere in the bid document, to apply the breakout procurement principles.

### STANDARDS

4. **Capability Report.** It is a condition of this bid that all bidders submit a manufacturing capability report not older than twelve (12) months with the bid documents at the closing date and time of the bid. The full capability report must be issued by an organisation accredited or recognised by the South African National Accreditation System (SANAS) and must indicate whether the bidder/manufacturer has the capability and capacity to manufacture the product(s)/items. The capability report has to address the following requirements.
  - a. Production capacity and capability.
  - b. List of items/products produced in the company.
  - c. Company organisation.
  - d. Facilities.
  - e. Quality control systems.
  - f. Incoming inspections.
  - g. In-process quality control.
  - h. Final inspection.
  - i. Packaging.
  - j. Non-conforming product.
  - k. Communication/documentation control and work movement.
5. **Capability Report Preferences.** The SAAF reserves the right to give preference to bidders with a capability of 80% or higher.



RESTRICTED



Enclosure 2-2

## SPECIAL CONDITIONS FOR THE CUT, MAKE TRIM AND SUPPLY OF TROUSERS MEN'S SAAF SUMMER CEREMONIAL

6. **Rating per garment.** As this is a cut, make, trim and supply item the SAAF requires the rating per item. This will be utilised to determine the fabric required by the manufacturer for production. Bidders must ensure that they understand what fabric will be supplied by the SAAF.
7. **SANS and CKS specifications.** The SANS and CKS specifications, if requested in this bid are obtainable from the Director, SA Bureau of Standards, Pretoria, Cape Town, Durban and Port Elizabeth.
8. **Colour Standard (where applicable).** In the event of it being required that the material specified must match a specified colour standard, such colour is to be approved by the appointed test house/ SAAF Product system Manager prior to the purchasing or manufacturing of bulk quantities required for garment production.

### PRE-PRODUCTION SAMPLES, TESTS, ANALYSIS AND INSPECTIONS

9. **Pre-production Samples (PPS).** It is expected from the successful bidder to submit three (3) PPS of different sizes and trim charts to the SAAF for submission to the appointed test house for testing and sealing.
  10. Unless otherwise stipulated by the SAAF, the first PPS must be submitted within 30 calendar days from receipt of fabric supplied by the SAAF. The SAAF will arrange for the required fabric to be delivered to the successful bidder within 21 calendar days from receipt of the official government order.
  11. In the case of a failure or non-submission a second PPS is to be submitted to the SAAF Product System Manager within 14 calendar days after the successful bidder was informed of the findings regarding the first PPS.
- IMPORTANT:** It must be noted that a PPS not submitted on the correct date will be considered a failure.
12. If the second PPS either fails again or is not submitted, the successful bidder has 7 calendar days to re-submit a third PPS. Failure to deliver the samples within the specified time and according to the required specification(s) will lead to cancellation of the contract and the commencement of paragraph 21 of the General Conditions of the Contract (GCC).
- IMPORTANT:** It must be noted that the SAAF will only be responsible for the first attempt pass of the pre-production sample testing.
13. **Commencement with production.** Mass production shall only commence after the South African Air Force Product System Manager has informed the successful bidder that the PPS passed.
  14. **In Process Inspections.** The SAAF may request In Process Inspections for certain items as determined from time to time. The cost of these inspections will in the case of local manufacturers be for the SAAF's account according to paragraph 8 of the GCC. If it does not comply with the specification(s), the cost will be for the account of the contractor. Should items be manufactured outside the borders of the RSA, all inspection costs will be for the account of the manufacturer.
  15. **Consignment Inspections.** The acceptance of all goods/materials ordered on contract as a result of this bid will be subject to inspection/testing by the appointed test house for compliance with



RESTRICTED



Enclosure 2-3

**SPECIAL CONDITIONS FOR THE CUT, MAKE TRIM AND SUPPLY OF TROUSERS MEN'S  
SAAF SUMMER CEREMONIAL**

specification(s). The SAAF reserves the right to have these inspections at the delivery point stipulated in the bid documents. The cost of these inspections will in the case of local manufacturers be for the SAAF's account according to paragraph 8 of the GCC. If it does not comply with the specification(s), the cost will be for the account of the contractor including transport costs. Should items be manufactured outside the borders of the RSA, all inspection costs will be for the account of the manufacturer.

**DELIVERY AND DOCUMENTS**

16. **Delivery requirement of the containers (corrugated board boxes)**. The supplier may contact the SAAF if they need a colour copy of Specification number SALM 108 Version 07.0/January 2023 for corrugated board boxes for clothing as each year of manufacture has a different colour code. The relevant section may be contacted via the following email address: [systemmdss@gmail.com](mailto:systemmdss@gmail.com).

17. The contents of these special conditions have been noted and accepted.

Signature(s) of bidder of assignee(s) .....

Name: .....

Representing: .....

# PRIVATE SPECIFICATION

Prepared for the

**South African Air Force**



**MEN'S TROUSERS, CEREMONIAL DRESS**  
(Snowlook fabric, Dark blue)



**SALM 592**  
Version 09.0/August 2018

## 1. Scope

This specification covers the material, cut and make of ceremonial dress trousers for male personnel of the South African Air Force.

## 2. Definitions and Abbreviations

For the purpose of this specification the definitions given in SANS 10371 "Terms and definitions for clothing" and the following shall apply:

**acceptable:** acceptable to the South African Air Force

**nominal:** subject to the tolerances normal to good manufacturing practice.

**SANS:** South African National Standard

## 3. Style

- ♦ separate waistband
  - fastens with hook and bar on the inside
  - have belt loops
  - centre back seam
  - adjustable
- ♦ front slide fastener fly
- ♦ pleated fronts
- ♦ two slanted side pockets
- ♦ one front fob pocket
- ♦ one back hip pocket
  - fastens with touch and close fastener
- ♦ two back darts
- ♦ plain bottoms

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 2 of 28

## 4. Illustrations

Illustrations are not to scale and are for guidance only.




Figure 1 - Front



Figure 2 - Back

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 3 of 28

## 5. Client Furnished Materials

The outer material shall be supplied by the South African Air Force:

### Outer material

- ♦ to comply with the requirements of SALM 605 "Snowlook fabric, dark blue (170 g/m<sup>2</sup>)"
- ♦ colour to be a match, in terms of SANS 10076-6, "The assessment of defects in textile piece-goods and made-up articles – Part 6: Defects in woven filament piece-goods" to colour No. 1207c-08 "SAAF dark blue snowlook" of CKS 129 "Colours for textiles"
- ♦ quantity supplied shall be in accordance with the material ratings agreed upon between the South African Air Force and the successful tenderer in order to fulfill the contract
- ♦ outer material for pre-production samples and for testing purposes to be estimated and rated additionally

## 6. Component Materials

The following materials shall be supplied and used by the manufacturer. Trim charts shall also be submitted by the manufacturer (see Annex A).

### 6.1 Interlining

- ♦ an acceptable fusible woven or non-woven interlining
- ♦ to comply with the requirements of SANS 1254 "Fusible interlinings"
- ♦ colour to be an acceptable match to the colour of the outer material (or black)
- ♦ suitable for use in garments which may be washed
  - capable of withstanding the same washing and drying procedures as specified for the outer material

The selection of interlining of appropriate mass per unit area to be determined by consultation with the supplier of the interlining. The contractor will be held responsible for the performance of the interlining. The purchaser reserves the right to change the type of interlining used during production should the appearance of the finished garments be unsatisfactory.

### 6.2 Buttons

- ♦ four-hole plastics
- ♦ of nominal diameter 14 mm
- ♦ to comply with the requirements of SANS 1457 "Plastics buttons"
- ♦ dope-dyed
- ♦ fully impregnated
- ♦ colour to be an acceptable match to the colour of the outer material

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 4 of 28

### 6.3 Pocketing

- ♦ to comply with the requirements for type PP61 of SANS 1387-10 "Woven cotton and similar apparel fabrics – Part 10: Pocketing"
- ♦ colour to be an acceptable match to the colour of the outer material (or black)

### 6.4 Slide fastener

- ♦ to comply with the requirements of SANS 1822 "Slide fasteners"
- ♦ to comply with the requirements for performance class B slide fasteners
- ♦ synthetic chain with lock
- ♦ one-way closed end
- ♦ colour to be an acceptable match to the colour of the outer material

### 6.5 Hooks and bars

- ♦ acceptable hooks and bars
- ♦ intrinsically corrosion resistant metal
- ♦ to have a smooth finish

### 6.6 Elastic webbing

- ♦ to comply with the requirements for type 1 of SANS 142 "Narrow elastic fabrics and strip"
- ♦ of nominal width 25 mm
- ♦ colour to be black

### 6.7 Touch and close fastener

NOTE: This item will be used on the hip pocket of the trousers.

- ♦ to comply with the requirements of SANS 1823 "Touch and close fastener"
- ♦ of nominal width 20 mm
- ♦ colour to be an acceptable match to the colour of the outer material (or black)

### 6.8 Threads

- ♦ to comply with relevant requirements of SANS 1362 "Sewing threads"
- ♦ colour to be an acceptable match to the colour of the outer material

**Sewing, buttonhole and top-stitching thread:**

- ♦ polyester-and-cotton core-spun OR staple polyester
- ♦ ticket No 80

**Overlocking thread:**

- ♦ crimp-textured polyester OR crimp-textured polyamide
- ♦ ticket No 120

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 5 of 28

## 7. Workmanship

The trousers shall be:

- ◆ cut and made with first-class workmanship throughout
- ◆ of uniform and acceptable make, colour and finish

Shall be free from:

- ◆ defects, that affect their appearance or may affect their serviceability (or both)
- ◆ marks, spots, stains, incurred in the making-up

Seams and stitches shall be:


- ◆ smooth and uniform
- ◆ free from twists, pleats and puckers
- ◆ sufficiently extensible to avoid seam cracking and undue shrinkage in use

Ends of sewing shall be:

- ◆ trimmed and loose threads removed
- ◆ back-tacked if unsecured

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 6 of 28

## 8. Sizes



MEASURING POINT		DESCRIPTION
A - A	Waist circumference	Measure across at the top edge of the waistband, with elastic webbing relaxed, and multiply by two.
C - B	Inside leg length	Measure from the crotch seam to the bottom edge of the leg.
A - B	Outside leg length	Measure from the top edge of the waistband to the bottom edge of the leg.
D - D	Seat circumference	Measure across the width of the garment, at seat level (widest point), with open pleats and multiply by two.
B - B	Bottom hem circumference	Measure across the width at the bottom edge of the garment and multiply by two.

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 7 of 28

Table 1 - Size range

1 National Stock Number	2 Size designation <sup>1</sup>	3 Nominal finished garment measurements, cm					7 Outside leg length
		4 Circumference			6 Inside leg length		
		Waist	Seat	Bottom hem			
<b>SHORT</b>							
18-181-7065	28	72	99	45	74	101	
18-181-7066	30	77	104	45	74	102	
18-181-7067	32	82	109	45	74	102	
18-181-7068	34	87	114	46	74	103	
18-181-7069	36	92	119	46	74	103	
18-181-7070	38	97	124	46	74	104	
18-181-7071	40	102	129	46	74	104	
18-181-7072	42	107	134	47	74	105	
18-181-7074	44	112	139	47	74	105	
18-181-7160	46	117	144	47	74	106	
18-181-7076	48	122	149	47	74	106	
18-181-7077	50	127	154	48	74	107	
18-181-7078	52	132	159	48	74	107	
18-181-7079	54	137	164	48	74	108	
<b>REGULAR</b>							
18-181-7081	28	72	99	45	79	107	
18-181-7082	30	77	104	45	79	108	
18-181-7083	32	82	109	45	79	108	
18-181-7084	34	87	114	46	79	109	
18-181-7085	36	92	119	46	79	109	
18-181-7086	38	97	124	46	79	109	
18-181-7087	40	102	129	46	79	110	
18-181-7088	42	107	134	47	79	110	
18-181-7089	44	112	139	47	79	111	
18-181-7090	46	117	144	47	79	111	
18-181-7091	48	122	149	47	79	112	
18-181-7092	50	127	154	48	79	112	
18-181-7094	52	132	159	48	79	113	
18-181-7096	54	137	164	48	79	113	
<b>LONG</b>							
18-181-7098	28	72	99	45	84	113	
18-181-7099	30	77	104	45	84	114	
18-181-7100	32	82	109	45	84	114	
18-181-7101	34	87	114	46	84	115	
18-181-7102	36	92	119	46	84	115	
18-181-7104	38	97	124	46	84	115	
18-181-7105	40	102	129	46	84	116	
18-181-7106	42	107	134	47	84	116	
18-181-7108	44	112	139	47	84	117	
18-181-7109	46	117	144	47	84	117	
18-181-7110	48	122	149	47	84	118	
18-181-7111	50	127	154	48	84	118	
18-181-7112	52	132	159	48	84	119	
18-181-7113	54	137	164	48	84	119	
						120	

1) Based on the height (short, regular or long) and waist circumference, in inches, of the intended wearer.

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 8 of 28

## 9. Make

Illustrations are not to scale and are for guidance only, and unless inconsistent with the text, all measurements are nominal.

### 9.1 Fronts

Fronts to:

- ♦ have a fly opening and french bearer
  - laps left over right
- ♦ fasten with a slide fastener
- ♦ each have two reverse knife pleats
- ♦ each have a slanted side pocket

Right front to have:

- ♦ a fob pocket in the waistband seam




Figure 3 – Fronts

### 9.2 Fly

The fly to be:

- ♦ lined with outer material
- ♦ interlined with interlining
- ♦ sewn down 30 mm from the front edge
- ♦ of finished width 45 mm
- ♦ fitted with a slide fastener
- ♦ overlapping left over right
- ♦ vertically bar-tacked at the bottom of the fly opening
- ♦ overlapped along the free edges together with a binding strip of pocketing

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 9 of 28

### 9.3 Fly-catch

The fly-catch to:

- ♦ be of outer material
- ♦ incorporate a french bearer
- ♦ be of finished width 70 mm, measured at the waistband seam, and shaped to 35 mm at the bottom
- ♦ be lined with pocketing
  - to extend from the top edge of the waistband to the crotch seam
  - raw edge to be stitched together with the body-to-fly-catch seam
  - folded to a width of 20 mm below bar-tack
  - carried through to the crotch
  - stitched to the crotch seam
- ♦ be interlined with interlining
- ♦ be fitted with a buttonhole
  - horizontal
  - positioned 10 mm away from the front edge (fly-catch point)
  - of finished length 18 mm
  - trouser type
  - neatly made
  - gimped and barred




Figure 4 – French bearer

### 9.4 Pleats

The pleats to be:

- ♦ reverse knife pleats
- ♦ sewn down 25 mm (on inside)
- ♦ positioned with the first pleat in line with the crease line
  - of finished depth 20 mm
- ♦ positioned with the second pleat 30 mm behind the first pleat
  - of finished depth 15 mm

### 9.5 Back

Each back to:

- ♦ have a dart of finished length 75 mm

The right back shall have:

- ♦ a hip pocket

### 9.6 Pockets

Each pair of trousers to have:

- ♦ two adjustable side pockets
- ♦ one hip pocket
- ♦ one fob pocket

All pocket bags to:

- ♦ be of double folded pocketing
- ♦ be overlapped along the raw edges OR bagged out
- ♦ be such that the top edges are carried to the waistband
- ♦ be swing type

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 10 of 28

### 9.6.1 Side pockets

Each pocket to:

- ♦ have a slanting pocket mouth
  - adjustable
  - be stayed with acceptable woven stay tape or interlining along the mouth ends
  - be edge-stitched 5 mm
  - of length as given in table 2
  - faced with outer material
    - a separately cut facing
    - raw edges to be folded in and stitched down 2 mm from the folded edge
    - of finished width 50 mm throughout
    - laid on and sewn on top of the upper pocket bag
    - to extend from the waistband seam to 40 mm below the bottom bar-tack
- ♦ be such that the mouth ends are securely finished off with bar-tacks
  - bottom bar-tack to be centrally positioned over the side seam
  - bar-tacks to be horizontal
- ♦ be positioned with the top edge 40 mm forward of the side seam (before adjustment)
- ♦ have a bearer of outer material
  - laid on and sewn on top of the lower pocket bag
  - of finished width 10 cm (measured along the waistband seam), tapering to 40 mm at the bottom (measured below the lower bar-tack)
  - raw edges to be folded in and stitched down 2 mm from the folded edge

Table 2 – Side pocket dimensions

1 Size	2 Length of pocket mouth	3 Finished measurements		4 Width of pocket bag		
		Depth of pocket bag				
		Measured below the lower bar-tack				
28	18 cm	13 cm		13 cm		
30 and larger						17 cm

Each side pocket bag to:

- ♦ have a slit in the front folded edge to accommodate waistband movement
  - bound with pocketing
  - top edges of the slit to be aligned when the waistband is not extended
  - positioned with the front folded edge (and slit) in line with the front edge of the side section of the waistband lining
    - top edge of lower pocket bag (pocket bag closer to the body of the wearer) to be carried to the waistband lining of the side section
    - top edge of upper pocket bag to be carried to the waistband lining of the front section
  - of finished length 50 mm
- ♦ be of dimensions as given in table 2

### 9.6.2 Hip pockets

Each pocket to:

- ♦ have a double jetted pocket mouth
  - mouth ends to be securely finished off with bar-tacks
  - bar-tacks to be vertical
  - of finished length 13 cm
- ♦ be centrally positioned at the base of the dart
- ♦ have a bearer
  - of outer material
  - of finished depth 70 mm
  - raw edges to be overlocked
  - sewn on top of the lower pocket bag

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 11 of 28

- ♦ fitted with a patch of touch and close fastener
  - sewn to the inside of the pocket bags
  - no stitching shall be visible on the outside garment
  - centrally positioned below the pocket mouth opening
  - male and female sections to be in corresponding positions

Each hip pocket bag to:

- ♦ be of dimensions as given in table 3

Table 3 – Hip pocket dimensions

1	2	3	4	
Size designation	Finished measurement			
	Length of pocket mouth	Depth of pocket bag	Width of pocket bag	
		Measured below the pocket mouth opening	Measured at the waistband seam	Measured at the bottom
All sizes	13 cm	17 cm	14 cm	20 cm

### 9.6.3 Fob pockets

Each pocket to:

- ♦ be inserted in the right front in the waistband-to-body seam
- ♦ mouth ends to be securely finished off with vertical bar-tacks
- ♦ comply with the dimensions as given in table 4

Table 4 – Fob pocket dimensions

1	2	3	4
Size designation	Finished measurements		
	Length of pocket mouth (minimum)	Depth of pocket bag	Width of pocket bag
All sizes	75 mm	90 mm	10 cm

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 12 of 28

Upper pocket bag carried to waistband lining of front section  
 Figure 5 - Right inside view  
 Lower pocket bag carried to waistband lining of side section



NOTE: Fob pocket may be concealed on the smaller sizes.

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 13 of 28




Figure 6 – Left inside view

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 14 of 28

## 9.7 Waistband

### Waistband to be:

- ♦ cut separately
- ♦ of outer material
- ♦ be lined with pocketing (bias-cut)
  - turned inwards 15 mm at the bottom
  - sewn down
  - of finished width 45 mm
- ♦ be interlined with interlining
- ♦ be of finished width 35 mm
- ♦ be fitted with one button on the inside (on lining) to accommodate the french bearer
  - in corresponding position to that of the buttonhole
- ♦ left front raw edge to be folded in, turned inwards
  - level with edge of fly
- ♦ have a right front edge that is slanted
- ♦ be adjustable

### Waistband to be cut in six sections:

#### A) two front sections

- ♦ **left front section**
  - fitted with a hook, centrally positioned on the inside at centre front
- ♦ **right front section**
  - fitted with a bar, centrally positioned on the outside, in line with centre front
  - front edge to be slanted
- ♦ each front section to incorporate an extension towards the back
  - cut-in-one (continuous) with the front sections
  - fitted in the tunnel formed by the back section
  - cut with a 5 mm step (positioned at the top edge of the side pocket when waistband is relaxed)
  - extension to taper from the step towards the back, resulting in a finished width of 25 mm at the back edge
  - of such length that when the waistband is fully extended, only 40 mm shall be visible (back edge to be concealed by the tunnel)
    - > concealed back edge to be attached to an appropriate length of elastic webbing
      - of such length that the elastic webbing does not protrude when the waistband is extended to the maximum
      - secured to the waistband lining with two rows of stitches across the full width of the elastic webbing
      - attached and sewn to the back waistband lining, with two rows of vertical stitchings, between the centre back seam and the back dart

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 15 of 28




Figure 7 – Front sections of waistband

Front section positioned in a tunnel that is formed by the back sections




Figure 8 – Back section of waistband

**B) two back sections**

- ♦ extending from the centre back to 40 mm forward of the side seam
- ♦ front free ends to be folded in 30 mm
- ♦ forming a tunnel **on top of the side sections**
  - fitted through the tunnel shall be the extension of the front section

**C) two side sections**

- ♦ to be of such length as to comply with the width of the relevant pocket bag
- ♦ back section to overlap the side section partially
- ♦ waistband lining of back section and side section to be cut-in-one (continuous)
- ♦ front free edge of the side section and waistband lining to be folded 30 mm inwards and not sewn down, forming a tunnel
  - tunnel to be fitted with an appropriate length of elastic webbing
    - back edge of elastic webbing to be secured with two rows of stitches across the full width of the elastic webbing (not visible, but positioned in tunnel)

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 16 of 28

- front edge of the elastic webbing to:
  - protrude 10 mm from the tunnel opening
  - attached and sewn to the waistband lining of the front section
  - front edge to be stitched down 5 mm from the edge, folded over and stitched 9 mm from the folded edge




Figure 9 – Side section of waistband

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 17 of 28




Figure 10 – Outside view of waistband

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 18 of 28

## 9.8 Belt loops

The belt loops to be:

- ♦ of double folded outer material
- ♦ of finished width 10 mm
- ♦ of finished length 45 mm
- ♦ top-stitched 2 mm from the free edges
- ♦ sewn in together with the bottom of the waistband, folded up, turned in 5 mm and bar-tacked 2 mm from the turned-in edge
- ♦ top edge of belt loops to be level with the top edge of the waistband
- ♦ the number and position of the loops shall be as given in table 5




Table 5 – Belt loops

1 Sizes	2 Number of belt loops	3 Positioning of belt loops
28 to 42	6	a) one loop on each front, positioned next to the first pleat, towards the front b) one positioned 60 mm either side of the centre back seam c) one loop centrally positioned between the front and back loop
44 and larger	8	a) one loop on each front, positioned next to the first pleat, towards the front b) one positioned 60 mm either side of the centre back seam c) one loop positioned next to the side seam (sewn to the back panel) d) One loop centrally positioned between the side seam loop and back loop.




Figure 11 - Belt loops: sizes 28 to 42




Figure 12 - Belt loops: Size 44 and larger

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 19 of 28




Figure 13 - Cross section of left front waistband




Figure 14 - Cross section of right front waistband

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 20 of 28

## 9.9 Bottoms

The bottoms to be:

- ♦ plain
- ♦ raw edges to be overlocked
- ♦ folded in 50 mm
- ♦ blind-felled

## 9.10 Inlays

- ♦ to be at the waistband, waistband lining and centre back seat seam
- ♦ each seam to be of finished width 35 mm (70 mm = total width) at the waistband seam, tapering to the crotch point
- ♦ overlocked along the free edges together with a binding strip of pocketing

## 9.11 Crotch lining

Seams at the crotch shall be covered with pocketing:

- ♦ oval shaped
- ♦ double folded
- ♦ of cut dimensions 14 cm x 10 cm
- ♦ overlocked along all raw edges
- ♦ positioned on top of the crotch seam and folded over to the inside leg seams
  - outer corners of lining to be folded inwards and tacked to the inside leg seams




Figure 15 – Crotch lining

# 10. Stitches, Seams and Stichings

## 10.1 Stitches

main seaming: safety stitch

overlocking: three-thread overlocking stitch

all other stitches: single needle lock stitch

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 21 of 28

## 10.2 Seams


Seams to be at least 10 mm wide (unless otherwise stated):

**Side seams, inside leg and seat seam:** seam type SSa followed by EFd




Superimpose two or more plies of material and seam with one row of stitches positioned at the specific distance(s) from the aligned edges.

**Side pocket mouth:** Seam type SSe-2



Form seam Type SSa-1, using two plies of material. Then turn back each ply at the seam and seam through the turned edges with the appropriate number of rows of stitches.

**Binding (slit):** seam type BSc-1



Turn in both edges of a binding strip, fold it round the edge of a ply or plies of material, and seam with the appropriate number of rows of stitches.


## 10.3 Stitchings

**Exposed raw edges:** stitching type EFd



Stitch over the edge of a ply of material with one row of stitches.

**Raw edges of fly and raw edges of inlays:** stitching type EFd (amended)



Fold a binding strip of pocketing round the edge of a ply of material and stitch over the binding strip with over-edge stitches (overlocked).

**Bottom hems:** stitching type EFI



Fold back the edge of a ply of material and so stitch with one row of stitches that the stitches overedge the edge, the needle only partially penetrates the body material, and the stitches do not show on the outer surface of the material.

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 22 of 28

## 10.4 Number of stitches

The determination of sewing stitches per unit length: use SANS 5278 "Sewing stitches per unit length"

Seaming and top-stitching:  $40 \pm 4$  per 10 cm

buttonholes:  $12 \pm 1$  per 1 cm

overlocking:  $32 \pm 4$  per 10 cm

buttons:  $16 \pm 1$  per button

bar-tacks:  $18 \pm 2$  per 1 cm

## 11. Care-labelling and marking

### 11.1 General label properties and requirements

- ♦ comply with SANS 1309 "Printed labels for textiles"
  - information to be in legible and indelible block letters of height at least 3 mm
  - all printing shall be done in black, except the care instruction for ironing (see 11.3)
- ♦ the label shall be permanently secured and such that they outlast the garments (including the markings)
- ♦ each pair of trousers shall have, secured to the waistband lining above the hip pocket, a label that provides the information as given in 11.2 and 11.3 and displayed on a single label

### 11.2 Marking (see figure 16)

- ♦ the National Stock Number
- ♦ the size designation
- ♦ the manufacturer's name or trade mark or both
- ♦ the year of manufacture
- ♦ the VAT no of the contractor
- ♦ the words "STATE PROPERTY NOT FOR SALE"
- ♦ the country of origin, i.e. "Made in the RSA"

### 11.3 Care-labelling (see figure 16)

- ♦ to provide appropriate care instructions (in accordance with SANS 10011 "Care-labelling of textile piece-goods, textile articles and clothing" and figure 16) in words and symbols
- ♦ the reference to the ironing requirements shall be as follows:
  - printed in RED on the same label
  - wording to be in bold capital letters
- ♦ to provide the fibre composition of the fabric in accordance with the requirements of SANS 10235 "Fibre content labelling of textiles and textile products"

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 23 of 28



**IMPORTANT NOTE:** The care instruction for iron use shall be printed in RED and in CAPITAL LETTERS

Figure 16 – Example of the garment label containing the care instructions and garment specific information

## 12. Packaging and marking of packaging

### 12.1 Packing

#### 12.1.1 The trousers shall be:

- ♦ delivered in a pressed and commercially dry condition
- ♦ so packed that they will not be damaged in transit or in storage
- ♦ neatly packed in a plastics bag of suitable size and shape
- ♦ unless otherwise specified in the order or contract, acceptably packed for transportation in bulk containers that comply with the requirements of SALM 108 "Corrugated board boxes for clothing"

#### 12.1.2 Trousers:

- ♦ of the same size designation to be packed together in a bulk container (unless quantities ordered are such that packing together of the same size only is not justified)
- ♦ of different size designations may also be packed together to accommodate the last part of an order or contract

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 24 of 28

## 12.2 Marking

### 12.2.1 Plastics bags

Each bag to be clearly marked with the following information:

- ♦ the designation
- ♦ the size designation
- ♦ the National Stock Number

### 12.2.2 Bulk containers

Each bulk container shall be labelled as given in paragraph 11.2 of SALM 108 "Corrugated board boxes for clothing".

## 12.3 Additional marking

When so required by the South African Air Force, trousers, plastics bags or containers (or any combination of these) to bear information additional to that specified above.

# 13. Normative References

The following documents contain provisions which, through reference in this text, constitute provisions of this specification. All documents are subject to revision and, since any reference to a document is deemed to be a reference to the latest edition of that document, parties to agreements based on this specification are encouraged to take steps to ensure the use of the most recent editions of the documents indicated below. Information on currently valid national, international and CKS documents may be obtained from SABS Standards Division\*.

SALM 108, *Corrugated board boxes for clothing.*

SANS 142, *Narrow elastic fabrics and strip.*

SANS 1254, *Fusible interlinings.*

SANS 1309, *Printed labels for textiles.*

SANS 1362, *Sewing threads.*

SANS 1457, *Plastics buttons.*

SANS 1822, *Slide fasteners.*

SANS 1823, *Touch and close fastener.*

SANS 5278, *Sewing stitches per unit length.*

SANS 1387-10, *Woven cotton and similar apparel fabrics – Part 10: Pocketing.*

SANS 10011, *Care-labelling of textile piece-goods, textile articles and clothing.*

SANS 10235, *Fibre-content labelling of textiles and textile products.*

SANS 10371, *Terms and definitions for clothing.*

\* South African Bureau of Standards: Tel. +27 (0) 12 4287911

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 25 of 28

# 14. References

CKS 129, Colours for textiles.

SALM 605, Snowlook fabric, dark blue (170 g/m<sup>2</sup>).

## ANNEX A

(Normative)

### Special conditions of tender

#### A-1 GENERAL

**A-1.1** Unless otherwise stated, the South African Air Force or an appointed SANAS accredited inspection body shall be the inspecting authority.

**A-1.2** Three pre-production sample trousers (in different sizes), shall have been inspected, tested and approved by the inspecting authority before bulk production is commenced. Each one of these samples shall be accompanied by a trim chart containing a sample of each component material (as given in 6) and the relevant certificates. It shall be the duty of the manufacturer to give adequate notice to the inspecting authority of the availability of these samples.

**A-1.3** The trousers shall be subject to inspection during the course of manufacture. The inspector shall, during normal working hours, be given all reasonable facilities for carrying out his duties and shall have the right of entry into the contractor's factory and the factory or works of any subcontractor where work on trousers supplied to this specification may be in progress.

**A-1.4** The contractor shall inspect the finished trousers for compliance with the specification before submitting them to the inspecting authority for final inspection.

**A-1.5** Before acceptance, the trousers shall have been inspected and tested by the inspecting authority and found to comply with the requirements of the specification.

#### A-2 DOCUMENTATION

One container of each consignment shall be marked "DOCUMENTS" and in addition to the trousers, shall contain the following:

- a) The packaging slip or delivery note;
- b) where applicable the inspection certificate(s);
- c) a copy of the invoice containing the following information:
  - the order number
  - the financial authority number
  - a full description of the consignment, i.e. National Stock Number, quantity, etc

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 26 of 28

**ANNEX B**  
**(Normative)**  
**CKS 129 Colours**

Due to the fact that colours can change over a period of time, any colour standard which has been registered for a period of SEVEN YEARS or more shall be considered obsolete. These standards shall then be allocated an archived status (as opposed to current status) and re-registration shall be required.

**NOTE 1:** Before fabric is sent to the Inspection Authority for colour registration purposes, the successful bidder shall confirm with the Inspection Authority whether a submission is required or not.

**NOTE 2:** This Annex is only applicable in instances where the tender or contract states that the successful tenderer will supply the relevant outer material.

**A. The following scenarios require a submission of three metres of fabric from the successful bidder:**

1. A colour standard is archived.
2. First time registration is required (CKS 129 colour number does not exist).
3. The custodian of the CKS 129 library is out of stock.

**B. Requirements for the submission of fabric as identified in A:**

1. The colour shall be as agreed upon between the South African Air Force and the successful bidder.
2. The fabric shall be used to make new colour swatches which shall be the responsibility of the custodian of the CKS 129 library.
3. The cost of the three metres of fabric shall be incorporated in the relevant bid submission.

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 27 of 28

For office use only

## HISTORY SHEET

VERSION	DATE	AMENDMENTS/HISTORY
1		
2	August 2006	First release
3	June 2009	<ul style="list-style-type: none"> <li>a) Updated format and layout of spec.</li> <li>b) Add Annex B and C.</li> <li>c) Amend size chart;</li> <li>d) Add reference to SANS 10076-5; SANS 1457.</li> <li>e) Add reference to poly-wool fabric: two options.</li> <li>f) Changes to trousers: <ul style="list-style-type: none"> <li>- waistband construction</li> <li>- add facing to pocket mouth</li> <li>- positioning of slit in pocket bag of side pocket</li> <li>- stitches and seams</li> <li>- Change inside and outside leg length to make provision for 1 cm crotch difference between S, R &amp; L.</li> <li>- Hip pocket to fasten with touch and close fastener. Delete button and buttonhole.</li> <li>- Add reference to SANS 1523.</li> </ul> </li> </ul>
4	August 2009	a) Changed the pocketing to a lighter type and weight. Replaced types PP51R and PP48 with type PP61.
5	November 2010	<ul style="list-style-type: none"> <li>a) Width of pocket bags amended.</li> <li>b) Side edge of waistband to correspond with amended pocket bag widths.</li> <li>c) Care instructions for snowlook fabric.</li> <li>d) Add additional care-label on snowlook fabric trousers: ironing requirements printed in red and in capital letters (to align with ladies' trousers).</li> <li>e) Annex C.</li> </ul>
6	June 2011	Deleted stitches that did not pertain to this trousers.
7	June 2014	<ul style="list-style-type: none"> <li>a) Delete Service Dress fabric and references.</li> <li>Delete crease line stitching</li> </ul>
07.1	March 2018	<ul style="list-style-type: none"> <li>Amend Annex A and B.</li> <li>Amend garment labels: garment and care label to be incorporated into one label only.</li> <li>Update references</li> <li>Add figure numbers</li> </ul>
07.2	April 2018	<ul style="list-style-type: none"> <li>Delete sizes 142, 147 and 152 on all figure types.</li> <li>Delete all references in spec to size 142 to 152</li> </ul>
08.0	August 2018	<ul style="list-style-type: none"> <li>Change all sizes to commercial sizes</li> <li>Delete Annex C</li> </ul>
09.0	August 2018	Rectified footer of size chart. Refer to inches and delete reference to Annex C.

Doc No	Date	Responsibility	Version	Page
SALM592	August 2018	SAAF	09.0	Page 28 of 28