



REQUEST FOR QUOTATION FORM FOR GOODS AND SERVICES

AGRICULTURAL RESEARCH COUNCIL (ARC)

RFQ: RFQ-13159R
 Enquiries: Mr. Nthato Botlhole
 E Mail: botlholen@arc.agric.za
 Tel: 012 310 2618

Closing date: 17th October 2022 @ 11h00 (a.m)

1. You are kindly requested to submit a written quotation to the Agricultural Research Council-SCW in accordance to the specifications detailed below:

No	Item description												
1.1	Service providers are required by ARC-SCW campus to provide a written quotation for the following:												
	<table><tr><th>ITEM</th><th>QUANTITY</th></tr><tr><td>0.5-5mL bottle top dispenser Must be resistant to 30% hydrogen peroxide Must have discharge tube, intake tube, with adapters and valve tool Must have different size fittings to fit on different bottles</td><td>2</td></tr><tr><td>2.5-25mL bottle top dispenser Must be resistant to atleast 95% Sulphuric acid and 85% Orthophosphoric acid Must have discharge tube, intake tube, with adapters and valve tool Must have different size fittings to fit on different bottles</td><td>2</td></tr><tr><td>5-50mL bottle top dispenser Must be resistant to atleast 95% Sulphuric acid and 85% Orthophosphoric acid Must have discharge tube, intake tube, with adapters and valve tool Must have different size fittings to fit on different bottles</td><td>2</td></tr><tr><td>10-100mL bottle top dispenser Must have discharge tube, intake tube, with adapters and valve tool Must have different size fittings to fit on different bottles</td><td>2</td></tr><tr><td>5L/ 5000mL Duran Schott reagent glass bottle With graduation marks</td><td>2</td></tr></table>	ITEM	QUANTITY	0.5-5mL bottle top dispenser Must be resistant to 30% hydrogen peroxide Must have discharge tube, intake tube, with adapters and valve tool Must have different size fittings to fit on different bottles	2	2.5-25mL bottle top dispenser Must be resistant to atleast 95% Sulphuric acid and 85% Orthophosphoric acid Must have discharge tube, intake tube, with adapters and valve tool Must have different size fittings to fit on different bottles	2	5-50mL bottle top dispenser Must be resistant to atleast 95% Sulphuric acid and 85% Orthophosphoric acid Must have discharge tube, intake tube, with adapters and valve tool Must have different size fittings to fit on different bottles	2	10-100mL bottle top dispenser Must have discharge tube, intake tube, with adapters and valve tool Must have different size fittings to fit on different bottles	2	5L/ 5000mL Duran Schott reagent glass bottle With graduation marks	2
	ITEM	QUANTITY											
	0.5-5mL bottle top dispenser Must be resistant to 30% hydrogen peroxide Must have discharge tube, intake tube, with adapters and valve tool Must have different size fittings to fit on different bottles	2											
	2.5-25mL bottle top dispenser Must be resistant to atleast 95% Sulphuric acid and 85% Orthophosphoric acid Must have discharge tube, intake tube, with adapters and valve tool Must have different size fittings to fit on different bottles	2											
	5-50mL bottle top dispenser Must be resistant to atleast 95% Sulphuric acid and 85% Orthophosphoric acid Must have discharge tube, intake tube, with adapters and valve tool Must have different size fittings to fit on different bottles	2											
	10-100mL bottle top dispenser Must have discharge tube, intake tube, with adapters and valve tool Must have different size fittings to fit on different bottles	2											
5L/ 5000mL Duran Schott reagent glass bottle With graduation marks	2												
1.2	Quotations may be emailed to botlholen@arc.agric.za												
1.3	Detailed costing on company letterhead must be provided												
1.4	Quote must be valid for a period of 30 days and above												

2. The above specified goods/services should be delivered or rendered to:

Name of Institute : **ARC SCW**
Address : **600 BELVEDERE STREET**
: **ARCADIA**
: **0083**

3. The particulars of the guarantee that will apply to the goods quoted for, with particular regard to the period and extent of the warranty must be clearly stated. Where services are required, service providers must submit documentation pertaining the relevant experience.
4. Your written quotation should be sent to:
Mr. Nthato Botlhole
E Mail: botlholen@arc.agric.za
5. Standard conditions:
 - 5.1 The validity of the quotations must be indicated –Quotes must be valid for 30 days
 - 5.2 Prices quoted should be in South African Rand and inclusive of VAT.
 - 5.3 No price adjustments or amendment of the delivery particulars contained in paragraph 2 will be considered by the ARC.
 - 5.4 The supplier accepts full responsibility for the proper execution and fulfilment of the goods/services quoted for.
 - 5.5 ARC reserves the right to accept or reject any special terms and conditions that may qualify the goods/services to be provided.
 - 5.6 Quotes should be submitted on an official letterhead and duly signed.
 - 5.7 Goods and services should be supplied or rendered upon receipt of a purchase order from the ARC
 - 5.8 The General Conditions of Contract issued by National Treasury are applicable.
 - 5.9 The ARC supply chain management code of conduct is applicable.
 - 5.10 SBD Forms must be signed and returned together with the quotation.
 - 5.11 Only quotation received from suppliers registered with CSD shall be evaluated and considered.
 - 5.12 Your quotation must indicate the delivery date.
 - 5.13 ARC reserves the right to do due diligence on the quotations.
 - 5.14 ARC reserves the right to benchmark prices quoted.
 - 5.15 ARC reserves the right not to appoint any supplier for the goods and / or services outlined in this RFQ.

- 5.16 ARC reserves the right to select one or more items from a quotation on items outlined in this RFQ.
- 5.17 Should you not receive response from ARC within 30 days of the closing date of this RFQ, please regard your quotation as unsuccessful.
- 5.18 The successful contractor shall be required to register on the ARC supplier database prior to the issue of an order or commencement of the work. Failure to comply may result in disqualification.
- 6 Points for BBEE Compliance will be awarded according to below schedule of PPPFA Framework

B-BBEE Status Level of Contributor	80/20
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant Contributor	0

Thank you in anticipation
Nthato Botlhole

Date: 12th October 2022