

Safety Services (SBE) Occupational Hygiene: Monitoring Program 2025

AREA	FACILITIES	STRESSORS	LAST SURVEY DATE	SURVEY DUE DATE(S)	FREQUENCY	NO OF SAMPLES	COMPLETION DATE(S)	MONITORING REQUIREMENTS (HCA)	MONITORING REQUIREMENTS (NOISE)
Analytical and Calibration Services	B-C3	Illumination		2022	3 Yearly	11 areas			
		IAQ		2022	2 Yearly	3 areas			
		Ergonomics		2022	2 Yearly	1 survey			
		HIRA		2022	2 Yearly	1			
	B-C5								
		Noise		2022	2 Yearly	None			
		HCA		2025	2 Yearly	None			
		Illumination		2025	3 Yearly	12 areas			
		Breathing air quality		2025	2 Yearly	3 areas			
		Ergonomics		2025	2 Yearly	1 survey			
		Ventilation		2025	2 Yearly	6 areas			
	B-E1- Pal Lab	HIRA		2025	2 Yearly	1			
		Noise		2025	2 Yearly	2 areas			
		HCA		2025	2 Yearly				
		IAQ		2025	2 Yearly	10 areas			
		Ventilation		2025	2 Yearly	22 locations			
		Ergonomics		2025	2 Yearly	3 surveys			
		Illumination		2025	3 Yearly	40 areas			
	P1500 Radioanalysis lab	HIRA		2025	2 Yearly	1			
		Noise		2025	2 Yearly	3 areas			
		HCA		2025	2 Yearly				
		Breathing air quality		2025	2 Yearly				
		Ventilation		2025	2 Yearly	extractor hoods			
		Ergonomics		2025	2 Yearly	3 surveys			
		Illumination		2025	3 Yearly	All areas			
	P1600 Radioanalysis lab								
		Noise		2025	2 Yearly				
		HCA		2025	2 Yearly				
		IAQ		2025	2 Yearly	5 areas			
		Ventilation		2025	2 Yearly	18 locations			
		Ergonomics		2025	2 Yearly	2			
		Illumination		2025	3 Yearly	60 areas			
		HIRA		2025	2 Yearly	1		Sulphuric acid	6 area measurements

MTR (Material Test Reactor)	P 2500 - Elprod (Element Production)	Noise	2025	2 Yearly	9		TCE (trychrolo ethelene) Welding fumes Nitric acid Cadmium Alluminium Hydrocarbons HF(Hydrogen fluoride) Sodium Hydroxide	5 personal Samples 4 area measurements
		HCA	2025	2 Yearly	6			
		IAQ	2025	2 Yearly	2 areas			
		Ventilation	2025	2 Yearly	3 Locations			
		Ergonomics	2025	2 Yearly	1 areas			
		Illumination	2025	3 Yearly	22 Areas			
		HIRA	2025	2 Yearly	1			
		Asbestos HIRA	2025	2 Yearly	1			
	P2600 - Uranium Metrology	Noise	2025	2 Yearly	4		Graphic metal dust Nitric acid TCE	3 personal samples 4 area measurements
		HCA	2025	2 Yearly	3			
		IAQ	2025	2 Yearly	2 areas			
		Ventilation	2025	2 Yearly	None			
		Ergonomics	2025	2 Yearly	2 areas			
		Illumination	2025	3 Yearly	25 areas			
		HIRA	2025	2 Yearly	1			
		Asbestos HIRA	2025	2 Yearly	1			
	P2700 -Uchem (Uranium Chemistry)	Noise	2025	2 Yearly	7		Potassium Hydroxide Nitric Acid Amonia TDB (Trybutyl phosphate) Kerose (parafin) Phenol	3 personal samples 4 area measurements
		HCA	2025	2 Yearly	6			
		Breathing air quality	2025	2 Yearly	1			
		Ventilation	2025	2 Yearly	10 areas			
		Ergonomics	2025	2 Yearly	2 surveys			
		Illumination	2025	3 Yearly	101 areas			
		HIRA	2025	2 Yearly	1			
		Asbestos HIRA	2025	2 Yearly	1			
	Decontamination - A8 -offices and plant	HIRA	2025	2 Yearly	1		Sodium Carbonate(Na2CO3) Ammonia (NH3) Sulphuric Acid Nitric Acid (HNO3) Hydrogen Peroxide (H2O2) Trichloroethylene (C2HCl3)	4 area measurements
		Noise	2025	2 Yearly	4			
		HCA	2025	2 Yearly	6			
		Breathing air quality	2025	2 Yearly	1			
		Ventilation	2025	2 Yearly	5 areas			
		Ergonomics	2025	2 Yearly	2			
		Illumination	2025	3 Yearly	65 areas			
		Asbestos HIRA	2025	2 Yearly	1			
		HIRA	2025	2 Yearly	1			
		Noise	2025	2 Yearly	4			

Decontamination - A26 Offices and Plant	HCA	2025	2 Yearly			Metal Fumes Flue gas	4 area measurements
	Breathing air quality	2025	2 Yearly	1			
	Ventilation	2025	2 Yearly	2			
	Ergonomics	2025	2 Yearly	1			
	Illumination	2025	3 Yearly	50 area			
	Asbestos HIRA	2025	2 Yearly	1			
Decontamination - Quarantine storage facility	HIRA	2025	2 Yearly	1			2 Personal measurements
	Noise	2025	2 Yearly	2			
	HCA	2025	2 Yearly	None			
	Breathing air quality	2025	2 Yearly	None			
	Ventilation	2025	2 Yearly	None			
	Ergonomics	2025	2 Yearly	2			
	Illumination	2025	3 Yearly	25 areas			
PDO- A24 Offices (Drum Storage Facility)	HIRA	2025	2 Yearly	1			2 Personal Noise measurements
	Noise	2025	2 Yearly	2			
	HCA	2025	2 Yearly	None			
	Breathing air quality	2025	2 Yearly	None			
	Ventilation	2025	2 Yearly	1			
	Ergonomics	2025	2 Yearly	2			
	Illumination	2025	3 Yearly	100 areas			
PDO- A14 Plant and Storage	HIRA	2025	2 Yearly	1			
	Noise	2025	2 Yearly				
	HCA	2025	2 Yearly				
	Breathing air quality	2025	2 Yearly				
	Ventilation	2025	2 Yearly				
	Ergonomics	2025	2 Yearly				
	Illumination	2025	3 Yearly				
PDO- VYB Bus Shed storage	HIRA	2025	2 Yearly	1			1 Personal Noise measurements
	Noise	2025	2 Yearly	1			
	HCA	2025	2 Yearly	None			
	Breathing air quality	2025	2 Yearly	None			
	Ventilation	2025	2 Yearly	None			
	Ergonomics	2025	2 Yearly	1			
	Illumination	2025	3 Yearly	20 Areas			

NLM (Nuclear liability Management)	PDO- A West drum storage	HIRA	2025	2 Yearly	1	
		Noise	2025	2 Yearly	None	
		HCA	2025	2 Yearly	None	
		Breathing air quality	2025	2 Yearly	None	
		Ventilation	2025	2 Yearly	None	
		Ergonomics	2025	2 Yearly	1	
		Illumination	2025	3 Yearly	25 Areas	
NLM (Nuclear liability Management)	PDO- A21 Storage	HIRA	2025	2 Yearly	1	
		Noise	2025	2 Yearly	None	
		HCA	2025	2 Yearly	None	
		Breathing air quality	2025	2 Yearly	None	
		Ventilation	2025	2 Yearly	None	
		Ergonomics	2025	2 Yearly	1	
		Illumination	2025	3 Yearly	5 areas	
NLM (Nuclear liability Management)	PDO- Tabana pipe storage	HIRA	2025	2 Yearly	1	
		Noise	2025	2 Yearly	None	
		HCA	2025	2 Yearly	None	
		Breathing air quality	2025	2 Yearly	None	
		Ventilation	2025	2 Yearly	None	
		Ergonomics	2025	2 Yearly	1	
		Illumination	2025	3 Yearly	5 Areas	
NLM (Nuclear liability Management)	PDO- Ponds (U23s) 1-6 Pond 7 Contains Calcium fluoride	HIRA	2025	2 Yearly	1	
		Noise	2025	2 Yearly	None	
		HCA	2025	2 Yearly	None	
		Breathing air quality	2025	2 Yearly	None	
		Ventilation	2025	2 Yearly	None	
		Ergonomics	2025	2 Yearly	1	
		Illumination	2025	3 Yearly	None	
NLM (Nuclear liability Management)	Decom- A-14 Oil basement, Filter	HIRA	2025	2 Yearly	1	
		Noise	2025	2 Yearly	2	
		HCA	2025	2 Yearly	None	
		Breathing air quality	2025	2 Yearly	None	
		Ventilation	2025	2 Yearly	None	

room,Cable tunnel, Control corridor	Ergonomics		2025	2 Yearly	1		2 Personal measurementts
	Illumination		2025	3 Yearly	45 Areas		
Decom- A-27 Deheeling of UF6	HIRA		2025	2 Yearly	1		Potassium Cabornate Hydrogen peroxide
	Noise		2025	2 Yearly	1		
	HCA		2025	2 Yearly	2		
	Breathing air quality		2025	2 Yearly	None		
	Ventilation		2025	2 Yearly	None		
	Ergonomics		2025	2 Yearly	1		
	Illumination		2025	3 Yearly	35 Areas		
Decom- Conversion Plant (Redundant Uranium Convesion)	HIRA		2025	2 Yearly	1		
	Noise		2025	2 Yearly	None		
	HCA		2025	2 Yearly	None		
	Breathing air quality		2025	2 Yearly	None		
	Ventilation		2025	2 Yearly	None		
	Ergonomics		2025	2 Yearly	1		
	Illumination		2025	3 Yearly	10 areas		
Decom- H-Building (Radiochemical analyses lab)	HIRA		2025	2 Yearly	1		
	Noise		2025	2 Yearly	None		
	HCA		2025	2 Yearly	None		
	Breathing air quality		2025	2 Yearly	None		
	Ventilation		2025	2 Yearly	None		
	Ergonomics		2025	2 Yearly	1		
	Illumination		2025	3 Yearly	5 area		
LEMS- P-2400 Offices and effluent treatment plants	HIRA		2025	2 Yearly	1		Aluminium Sulphate Calcium Hypochloride Cacium Hydroxide Sodium hydroxide Ferrous sulphate
	Noise		2025	2 Yearly	10		
	HCA		2025	2 Yearly	5		
	Breathing air quality		2025	2 Yearly	1		
	Ventilation		2025	2 Yearly	30 Areas		
	Ergonomics		2025	2 Yearly	3		
	Illumination		2025	3 Yearly	80 Areas		
	Asbestos HIRA		2025	3 Yearly	1		
	HIRA		2025	2 Yearly	1		10 Area Noise measurements
	Noise		2025	2 Yearly	None		

Decom- Hot yard and Moly camp Storage	HCA	2025	2 Yearly	None		
	Breathing air quality	2025	2 Yearly	None		
	Ventilation	2025	2 Yearly	None		
	Ergonomics	2025	2 Yearly	1		
	Illumination	2025	3 Yearly	1		
	HIRA	2025	2 Yearly	1		
	Noise	2025	2 Yearly	None		
	HCA	2025	2 Yearly	None		
	Breathing air quality	2025	2 Yearly	None		
Care and Manitenance Facilties (Doorbyl camp, V-A16, V-C, V-E, V-XB, V-A40 and dorbyl camp)	Ventilation	2025	2 Yearly	None		
	Ergonomics	2025	2 Yearly	1		
	Illumination	2025	3 Yearly	1		
		2025				
Nuclear Compliance	B-C2	HIRA	2025	2 Yearly	1	
		Noise	2025	2 Yearly	None	
		HCA	2025	2 Yearly	None	
		Breathing air quality	2025	2 Yearly	None	
		Ventilation	2025	2 Yearly	None	
		Ergonomics	2025	2 Yearly	3	
		Illumination	2025	3 Yearly	25 Areas	
	B-C2	HIRA	2025	2 Yearly	1	
		Illumination	2025	3 Yearly	15 Areas	
		IAQ	2025	2 Yearly	All areas	
		Ergonomics	2025	2 Yearly	2	
Property Management	V-A12 -Boiler House	HIRA	2025	2 Yearly	1	
		Noise	2025	2 Yearly	2	
		HCA	2025	2 Yearly	2	
		Breathing air quality	2025	2 Yearly	None	
		Ventilation	2025	2 Yearly	None	
		Ergonomics	2025	2 Yearly	1	
		Illumination	2025	3 Yearly	26 Areas	
		HIRA	2025	2 Yearly	1	
		Noise	2025	2 Yearly	2	
		HCA	2025	2 Yearly	2	
		Breathing air quality	2025	2 Yearly	None	
		Ventilation	2025	2 Yearly	None	
		Ergonomics	2025	2 Yearly	1	
		Illumination	2025	3 Yearly	26 Areas	
	HIRA	2025	2 Yearly	1		
	Noise	2025	2 Yearly	2		

Utilities	P2200- Utilities	HCA	2025	2 Yearly	None		2 Area Measurements
		Breathing air quality	2025	2 Yearly	None		
		Ventilation	2025	2 Yearly	None		
		Ergonomics	2025	2 Yearly	2		
		Illumination	2025	3 Yearly	25 Areas		
	B-H4 - Boiler						
		HIRA	2025	2 Yearly	1		Coal dust Ash dust
		Noise	2025	2 Yearly	6		
		HCA	2025	2 Yearly	2		
		Breathing air quality	2025	2 Yearly	None		
		Ventilation	2025	2 Yearly	None		
		Ergonomics	2025	2 Yearly	1		
	Pico House	Illumination	2025	3 Yearly	55 Areas		6 Area Measurements
		HIRA	2025	2 Yearly	1		
		Noise	2025	2 Yearly	None		
		HCA	2025	2 Yearly	None		
		Breathing air quality	2025	2 Yearly	None		
		Ventilation	2025	2 Yearly	None		
		Ergonomics	2025	2 Yearly	1		
	V-A03 Caffeteria	Illumination	2025	3 Yearly	120 Areas		
		HIRA	2025	2 Yearly	1		
		Noise	2025	2 Yearly	None		
		HCA	2025	2 Yearly	None		
		Breathing air quality	2025	2 Yearly	None		
		Ventilation	2025	2 Yearly	None		
	B-G1 Caffeteria	Ergonomics	2025	2 Yearly	1		
		Illumination	2025	3 Yearly	7 Areas		
		HIRA	2025	2 Yearly	1		
		Noise	2025	2 Yearly	None		
		HCA	2025	2 Yearly	None		
		Breathing air quality	2025	2 Yearly	None		
		Ventilation	2025	2 Yearly	None		
		Ergonomics	2025	2 Yearly	1		
		Illumination	2025	3 Yearly	20		

Necsa Visitors Centre	HIRA		2025	2 Yearly	1			
	Noise		2025	2 Yearly	None			
	HCA		2025	2 Yearly	None			
	Breathing air quality		2025	2 Yearly	None			
	Ventilation		2025	2 Yearly	None			
	Ergonomics		2025	2 Yearly	2			
	Illumination		2025	3 Yearly	90 Areas			
V-A13 Training Offices	HIRA		2025	2 Yearly	1			
	Noise		2025	2 Yearly	None			
	HCA		2025	2 Yearly	None			
	IAQ		2025	2 Yearly	2			
	Ventilation		2025	2 Yearly	None			
	Ergonomics		2025	2 Yearly	5			
	Illumination		2025	3 Yearly	26 Areas			
V-A13 Trade Electrical								
	HIRA		2025	2 Yearly	1			
	Noise		2025	2 Yearly	1			
	HCA		2025	2 Yearly	None			
	Breathing air quality		2025	2 Yearly	None			
	Ventilation		2025	2 Yearly	None			
	Ergonomics		2025	2 Yearly	1			
Nuclear Learning Academy (NLA)	Illumination		2025	3 Yearly	15 Areas			
	V-A13 Trade Mechanical		2025	2 Yearly	1			3 Area Measurements
	HIRA		2025	2 Yearly	3			
	Noise		2025	2 Yearly	None			
	HCA		2025	2 Yearly	None			
	Breathing air quality		2025	2 Yearly	None			
V-A13 Trade	Ventilation		2025	2 Yearly	None			
	Ergonomics		2025	2 Yearly	1			
	Illumination		2025	3 Yearly	15 Areas			
	HIRA		2025	2 Yearly	1			
	Noise		2025	2 Yearly	2			
	HCA		2025	2 Yearly	None			

V-A13 Trade Boiler/welding	Illumination		2025	3 Yearly	15 Areas		Welding fumes	2 Area measurements
V-A13 Trade Instrumentation	HIRA		2025	2 Yearly	1			
	Noise		2025	2 Yearly	None			
	HCA		2025	2 Yearly	None			
	Breathing air quality		2025	2 Yearly	None			
	Ventilation		2025	2 Yearly	None			
	Ergonomics		2025	2 Yearly	1			
	Illumination		2025	3 Yearly	15 Areas			
V-A13 Trade Rigging	HIRA		2025	2 Yearly	1			
	Noise		2025	2 Yearly	1			
	HCA		2025	2 Yearly	None			
	Breathing air quality		2025	2 Yearly	None			
	Ventilation		2025	2 Yearly	None			
	Ergonomics		2025	2 Yearly	None			
	Illumination		2025	3 Yearly	15 Areas			
V-A13 Lecture Halls	HIRA		2025	2 Yearly	1			
	Noise		2025	2 Yearly	None			
	HCA		2025	2 Yearly	None			
	IAQ		2025	2 Yearly	3			
	Ventilation		2025	2 Yearly	None			
	Ergonomics		2025	2 Yearly	4			
	Illumination		2025	3 Yearly	15 Areas			
B-G1 Beva (Office Block)	HIRA		2025	2 Yearly	1			
	Noise		2025	2 Yearly	None			
	HCA		2025	2 Yearly	None			
	Breathing air quality		2025	2 Yearly	None			
	Ventilation		2025	2 Yearly	None			
	Ergonomics		2025	2 Yearly	All areas			
	Illumination		2025	3 Yearly	75 Areas			
Office of CEO and HR	HIRA		2025	2 Yearly	1			
	Noise		2025	2 Yearly	None			
	HCA		2025	2 Yearly	None			
	Breathing air quality		2025	2 Yearly	None			

	P1200B	Ventilation	2025	2 Yearly	None		
		Ergonomics	2025	2 Yearly	2		
		Illumination	2025	3 Yearly	35 Areas		
		HIRA	2025	2 Yearly	1		
		Noise	2025	2 Yearly	None		
		HCA	2025	2 Yearly	None		
		Breathing air quality	2025	2 Yearly	None		
		Ventilation	2025	2 Yearly	None		
		Ergonomics	2025	2 Yearly	1		
		Illumination	2025	3 Yearly	2 Areas		
Security Services	Gate 1	HIRA	2025	2 Yearly	None		
		Noise	2025	2 Yearly	None		
		HCA	2025	2 Yearly	None		
		Breathing air quality	2025	2 Yearly	None		
		Ventilation	2025	2 Yearly	None		
		Ergonomics	2025	2 Yearly	None		
		Illumination	2025	3 Yearly	None		
Security Services	Gate 2	HIRA	2025	2 Yearly	None		
		Noise	2025	2 Yearly	None		
		HCA	2025	2 Yearly	None		
		Breathing air quality	2025	2 Yearly	None		
		Ventilation	2025	2 Yearly	None		
		Ergonomics	2025	2 Yearly	None		
		Illumination	2025	3 Yearly	None		
Safety Services	Gate 3 and Shooting Range	HIRA	2025	2 Yearly	1		
		Noise	2025	2 Yearly	None		
		HCA	2025	2 Yearly	None		
		Breathing air quality	2025	2 Yearly	None		
		Ventilation	2025	2 Yearly	None		
		Ergonomics	2025	2 Yearly	2		
		Illumination	2025	3 Yearly	45 Areas		
Safety Services	Safety Services, Auditing, Environmental, Safety culture, Medical station, Occupational hygiene and Gymnasium (P-1200A)	HIRA	2025	2 Yearly	1		
		Noise	2025	2 Yearly	None		
		HCA	2025	2 Yearly	1		
		Breathing air quality	2025	2 Yearly	None		
		Ventilation	2025	2 Yearly	1		
		Ergonomics	2025	2 Yearly	2		
		Illumination	2025	3 Yearly	150 areas		
		HIRA	2025	2 Yearly	1		
		Ventilation	2025	2 Yearly	None		

Acetone

Knowledge Management	P1400- Library	Ergonomics	2025	2 Yearly	4		
		Illumination	2025	3 Yearly	50 areas		
		Asbestos HIRA	2025		1		
	V-N Archives	HIRA	2025	2 Yearly	1		
		Ventilation	2025	2 Yearly	None		
		Ergonomics	2025	2 Yearly	2		
		Illumination	2025	3 Yearly	40 Arears		
	P1200A	HIRA	2025	2 Yearly	1		
		Ventilation	2025	2 Yearly	None		
		Ergonomics	2025	2 Yearly	All areas		
		Illumination	2025	3 Yearly	40 Arears		
P-1500 Building	R&D Diffraction Radiography/Tomography Industrial Isotope Technology						To be determined by adhoc project scope
		HIRA	2025	2 Yearly	1		
		Noise	2025	2 Yearly	None		
		HCA	2025	2 Yearly	N/A		
		IAQ	2025	2 Yearly	None		
		Ventilation	2025	2 Yearly	4		
		Ergonomics	2025	2 Yearly	1		
	Accelerators and Fast Neutron Science, Small Angle Neutron Scattering	Illumination	2025	3 Yearly	20 areas		To be determined by adhoc project scope
		HIRA	2025	2 Yearly	1		
		Noise	2025	2 Yearly	None		
		HCA	2025	2 Yearly	N/A		
		IAQ	2025	2 Yearly	None		
		Ventilation	2025	2 Yearly	4		
		Ergonomics	2025	2 Yearly	1		
P- 1800	P- 1800	Illumination	2025	3 Yearly	35 arears		Sulphuric Acid Hydrocarbons Welding fumes PNOC Legionella (HBA - Cooling towers) DCE (Dichloroethelene) lead (soldering) Soldering flux Ethanol Acetone
		HIRA	2025	2 Yearly	1		
		Noise	2025	2 Yearly	19		
		HCA	2025	2 Yearly	8		
		IAQ	2025	2 Yearly	None		
		Ventilation	2025	2 Yearly	4 areas		
		Ergonomics	2025	2 Yearly	4		
		Illumination	2025	3 Yearly	300 areas		
	Asbestos HIRA		2025	2 Yearly	1		19 Area measurements

Safari 1						
Radiation and Reactor Theory (P-1900)	HIRA		2025	2 Yearly	1	
	Noise		2025	2 Yearly	None	
	HCA		2025	2 Yearly	None	
	IAQ		2025	2 Yearly	None	
	Ventilation		2025	2 Yearly	None	
	Ergonomics		2025	2 Yearly	2	
	Illumination		2025	3 Yearly	60 Areas	
	Asbestos HIRA	Green	2025	2 Yearly	1	Green
Nuclear waste research (P-1900)	HIRA		2025	2 Yearly	1	
	Noise		2025	2 Yearly	None	
	HCA		2025	2 Yearly	None	
	IQA		2025	2 Yearly	None	
	Ventilation		2025	2 Yearly	4	
	Ergonomics		2025	2 Yearly	1	
	Illumination		2025	3 Yearly	50	
	Asbestos HIRA	Green	2025	2 Yearly	1	Green
Research and Development	HIRA		2025	2 Yearly	1	
	Noise		2025	2 Yearly	None	
	HCA		2025	2 Yearly	None	
	Breathing air quality		2025	2 Yearly	None	
	Ventilation		2025	2 Yearly	4	
	Ergonomics		2025	2 Yearly	1	
	Illumination		2025	3 Yearly	20	
	Asbestos HIRA	Green	2025	2 Yearly	1	Green
Pebble Bed Modular Reactor (PBMR)	HIRA		2025	2 Yearly	1	
	Noise		2025	2 Yearly	None	
	HCA		2025	2 Yearly	None	
	Breathing air quality		2025	2 Yearly	None	
	Ventilation		2025	2 Yearly	None	
	Ergonomics		2025	2 Yearly	2	
	Illumination		2025	3 Yearly	45 areas	
	Asbestos HIRA	Green	2025	2 Yearly	1	Green
	HIRA		2025	2 Yearly	1	

V- A Building	Non Destructive Examination	Noise	2025	2 Yearly	14		Welding fumes Acetone Paint (Rdrex) for checking cracks Hydrocarbons Mineral oils Duva AP/PPC (Pickling and Parsevation chemicals)	2 Personal Monitoring 14 Area Moniting (Noise equipment)
		HCA	2025	2 Yearly	6			
		Breathing air quality	2025	2 Yearly	None			
		Ventilation	2025	2 Yearly	10			
		Ergonomics	2025	2 Yearly	4			
		Illumination	2025	3 Yearly	220 areas			
	Nuclear Manufacturing (coded Manufacturing)	HIRA	2025	2 Yearly	Included above		Included above	Included above
		Noise	2025	2 Yearly	Included above			
		HCA	2025	2 Yearly	Included above			
		Breathing air quality	2025	2 Yearly	Included above			
		Ventilation	2025	2 Yearly	Included above			
		Ergonomics	2025	2 Yearly	Included above			
		Illumination	2025	3 Yearly	Included above			
Electrical (Y-MN)	Electrical (Y-MN)	HIRA	2025	2 Yearly	1		Soldering	2 Noise equipments
		Noise	2025	2 Yearly	2			
		HCA	2025	2 Yearly	1			
		Breathing air quality	2025	2 Yearly	None			
		Ventilation	2025	2 Yearly	None			
		Ergonomics	2025	2 Yearly	1			
		Illumination	2025	3 Yearly	35 arears			
		Asbestos HIRA	2025	2 Yearly	1			
	Mechanical (V-A32)							
		HIRA	2025	2 Yearly	1		Welding Fumes Hydrocarbons	11 Noise equipment
		Noise	2025	2 Yearly	11			
		HCA	2025	2 Yearly	2			
		Breathing air quality	2025	2 Yearly	None			
		Ventilation	2025	2 Yearly	None			
		Ergonomics	2025	2 Yearly	2			
		Illumination	2025	3 Yearly	20 areas			
		Asbestos HIRA	2025	2 Yearly	1			
		HIRA	2025	2 Yearly	1			
		Noise	2025	2 Yearly	4			
		HCA	2025	2 Yearly	None			
		Breathing air quality	2025	2 Yearly	None			
		Ventilation	2025	2 Yearly	None			

Maintenance services	Rigging (V-A19)	Ergonomics	2025	2 Yearly	3		4 Noise equipments
		Illumination	2025	3 Yearly	20 areas		
		Asbestos HIRA	2025	2 Yearly	1		
	Plumbing (V-YE)						HBA Monitoring
		HIRA	2025	2 Yearly	1		
		Noise	2025	2 Yearly	None		
		HCA	2025	2 Yearly	None		
		Breathing air quality	2025	2 Yearly	None		
		Ventilation	2025	2 Yearly	None		
		Ergonomics	2025	2 Yearly	2		
		Illumination	2025	3 Yearly	15 Areas		
		Asbestos HIRA	2025	2 Yearly	1		
Vehicle Maintenance (V-A19)	Vehicle Maintenance (V-A19)						Hydrocarbons welding fumes
		HIRA	2025	2 Yearly	1		
		Noise	2025	2 Yearly	7		
		HCA	2025	2 Yearly	2		
		Breathing air quality	2025	2 Yearly	None		
		Ventilation	2025	2 Yearly	None		
		Ergonomics	2025	2 Yearly	2		
		Illumination	2025	3 Yearly	20 areas		
		Asbestos HIRA	2025	2 Yearly	1		
IT (P3100)	Information Technology						7 Noisy equipments
		HIRA	2025	2 Yearly	1		
		Noise	2025	2 Yearly	5		
		HCA	2025	2 Yearly	None		
		Breathing air quality	2025	2 Yearly	None		
		Ventilation	2025	2 Yearly	None		
		Ergonomics	2025	2 Yearly	1		
		Illumination	2025	3 Yearly	40 areas		
		Asbestos HIRA	2025	2 Yearly	1		

V-B Admin	Safety Analysis	HIRA		2025	2 Yearly	1			
		Noise		2025	2 Yearly	None			
		HCA		2025	2 Yearly	None			
		Breathing air quality		2025	2 Yearly	None			
		Ventilation		2025	2 Yearly	None			
		Ergonomics		2025	2 Yearly	None			
		Illumination		2025	3 Yearly	30 Areas			
	Licensing	HIRA		2025	2 Yearly	1			
		Noise		2025	2 Yearly	None			
		HCA		2025	2 Yearly	None			
		Breathing air quality		2025	2 Yearly	None			
		Ventilation		2025	2 Yearly	None			
		Ergonomics		2025	2 Yearly	4			
		Illumination		2025	3 Yearly	20 areas			
Research and Development	V- B1	HIRA		2025	2 Yearly	1		4 Noise equipments	
		Noise		2025	2 Yearly	4			
		HCA		2025	2 Yearly	None			
		Breathing air quality		2025	2 Yearly	None			
		Ventilation		2025	2 Yearly	None			
		Ergonomics		2025	2 Yearly	1			
		Illumination		2025	3 Yearly	20 areas			
		Asbestos HIRA		2025	2 Yearly	1			
	V- H	HIRA		2025	2 Yearly	1		To be determined as per adhoc project scope	5 Noise equipments
		Noise		2025	2 Yearly	5			
		HCA		2025	2 Yearly	N/A			
		Breathing air quality		2025	2 Yearly	None			
		Ventilation		2025	2 Yearly	None			
		Ergonomics		2025	2 Yearly	1			
		Illumination		2025	3 Yearly	200 areas			
		Asbestos HIRA		2025	2 Yearly	1			
		HIRA		2025	2 Yearly	1			
		Noise		2025	2 Yearly	None			
		HCA		2025	2 Yearly	None			

V- X	Breathing air quality		2025	2 Yearly	None		
	Ventilation		2025	2 Yearly	None		
	Ergonomics		2025	2 Yearly	2		
	Illumination		2025	3 Yearly	20 areas	Green	
	Asbestos HIRA		2025	2 Yearly	1	Green	
	HIRA	Green	2025	2 Yearly	1	Green	
	Noise		2025	2 Yearly	None		
	HCA		2025	2 Yearly	None		
	Breathing air quality		2025	2 Yearly	None		
V- X	Ventilation		2025	2 Yearly	None		
	Ergonomics		2025	2 Yearly	3		
	Illumination		2025	3 Yearly	20 areas	Green	
	HIRA		2025	2 Yearly	1		
	Noise		2025	2 Yearly	None		
	HCA		2025	2 Yearly	None		
	Breathing air quality		2025	2 Yearly	None		
	Ventilation		2025	2 Yearly	None		
	Ergonomics		2025	2 Yearly	5		
V- YM North	Illumination		2025	3 Yearly	180 areas		
	Asbestos HIRA		2025	3 Yearly	1		
	HIRA		2025	2 Yearly	1		
	Noise		2025	2 Yearly	1		
	HCA		2025	2 Yearly	None		
	Breathing air quality		2025	2 Yearly	None		
	Ventilation		2025	2 Yearly	None		
	Ergonomics		2025	2 Yearly	2		
	Illumination		2025	3 Yearly	18 areas		
Necsa Scrap Yard	Asbestos HIRA		2025	3 Yearly	1		
	HIRA		2025	2 Yearly	1		
	Noise		2025	2 Yearly	1		
	HCA		2025	2 Yearly	None		
	Breathing air quality		2025	2 Yearly	None		
	Ventilation		2025	2 Yearly	None		
	Ergonomics		2025	2 Yearly	2		
	Illumination		2025	3 Yearly	18 areas		
	Asbestos HIRA		2025	3 Yearly	1		
							1 noise equipments
	HIRA		2025	2 Yearly	1		
	Noise		2025	2 Yearly	22		
	HCA		2025	2 Yearly	3		
	Breathing air quality		2025	2 Yearly	None		
	Ventilation		2025	2 Yearly	None		
	Ergonomics		2025	2 Yearly	2		

NRWDI (National Radioactive Waste Disposal Institute)	Vaalputs	Illumination	2025	3 Yearly	60 Areas		Welding fumes Dust Hydrocarbons	22 Noise equipments
		Vibration	2025	2 Yearly	2			
		Heat stress and Cold stress	2025	2 Yearly	2			
		HIRA	2025	2 Yearly	1			
		Noise	2025	2 Yearly	None			
		HCA	2025	2 Yearly	None			
		Breathing air quality	2025	2 Yearly	None			
		Ventilation	2025	2 Yearly	None			
		Ergonomics	2025	2 Yearly	None			
Engineering services	V-H2	Illumination	2025	3 Yearly	20 areas			
		Asbestos HIRA	2025	2 Yearly	1			
		HIRA	2025	2 Yearly	1			
		Noise	2025	2 Yearly	None			
		HCA	2025	2 Yearly	None			
		Breathing air quality	2025	2 Yearly	None			
		Ventilation	2025	2 Yearly	None			
		Ergonomics	2025	2 Yearly	5			
		Illumination	2025	3 Yearly	60 areas			