



SPEC SHEET

SAP MATERIAL No.:	0187151								
SHORT DESCRIPTION:	PADLOCK:MASTER STL RESTR-A ORANGE GOU								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTER STL RESTR-A ORANGE GOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY:LAMINATED STEEL ENCASED IN ORANGE RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR GAUTENG OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
SAP MATERIAL No.:	0187152								
SHORT DESCRIPTION:	PADLOCK:MASTER STL RESTR-A ORANGE KZNOU								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTER STL RESTR-A ORANGE KZNOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: LAMINATED STEEL ENCASED IN ORANGE RUBBER CASING ; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
ITEM	:- PADLOCK & PADLOCK KEYS								
MATERIAL SPECIFICATION	:- NYLON, LAMINATED STEEL								
CORROSION SPECIFICATION	:- DSP 34 1488								
STANDARD SPECIFICATION	:- SANS 1533								
ESKOM SPECIFICATION	:- 240-70500896								
TEST & CERTIFICATION REQUIREMENTS :- 240-70500896									
INSPECTION	Yes	No	ESKOM RELEASE NOTE			Yes	No		
IDENTIFICATION:- INDELIBLE MANUFACTURERS TRADEMARK & PART No. ON ALL ITEMS									
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.			J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED			P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.			VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE		
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE			SAP No:		
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0187151		
				SERIES 6000			0187152		
				FILE No:	D-DT-6050		SET	SHEET	REV
				6050			53	1	4
				6050					

Unique Identifier:240-48887441

Revision 1

SPEC SHEET

SAP MATERIAL No.:		0187153							
SHORT DESCRIPTION:		PADLOCK:MASTER STL RESTR-A ORANGE WCOU							
TECH. DESCRIPTION:									
PADLOCK: TYPE: MASTER STL RESTR-A ORANGE WCOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN ORANGE RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR WESTERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *									
SAP MATERIAL No.:		0573490							
SHORT DESCRIPTION:		PADLOCK:MASTER STEEL RESTR-A ORANGE NCOU							
TECH. DESCRIPTION:									
PADLOCK: TYPE: MASTER STEEL RESTR-A ORANGE NCOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: 2MM THICK LAMINATED STEEL WITH QUALITY ZINC PLATING ENCASED IN ORANGE RUBBER CASING; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40; WEATHER PROOF PADLOCK FOR NORTHERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *									
SAP MATERIAL No.:		0187154							
SHORT DESCRIPTION:		PADLOCK:MASTER STL RESTR-A ORANGE ECOU							
TECH. DESCRIPTION:									
PADLOCK: TYPE: MASTER STL RESTR-A ORANGE ECOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN ORANGE RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR MM; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR EASTERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *									
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.			J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED			P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.			VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:		
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0187153		
				SERIES 6000			0573490		
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No:			SET	SHEET	
							53	2	
								REV	
								4	

Unique Identifier:240-48887441

Revision 1

SPEC SHEET

SAP MATERIAL No.:	0187155									
SHORT DESCRIPTION:	PADLOCK:MASTER STL RESTR-A ORANGE LOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STL RESTR-A ORANGE LOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN ORANGE RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR LIMPOPO OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187156									
SHORT DESCRIPTION:	PADLOCK:MASTER STL RESTR-A ORANGE MPOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STL RESTR-A ORANGE MPOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN ORANGE RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR MPUMALANGA OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187157									
SHORT DESCRIPTION:	PADLOCK:MASTER STL RESTR-A ORANGE FSOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STL RESTR-A ORANGE FSOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: LAMINATED STEEL ENCASED IN ORANGE RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR FREE STATE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0187155			
							SERIES 6000	0187156		
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV	
							53	3	4	


SPEC SHEET

SAP MATERIAL No.:	0573709									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL RESTR-A ORANGE NWOU									
TECH. DESCRIPTION: PADLOCK: TYPE: MASTER STEEL RESTR-A ORANGE NWOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: 2MM THICK LAMINATED STEEL WITH QUALITY ZINC PLATING ENCASED IN BLUE RUBBER CASING; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHOR BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR NORTHERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SEVEN PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:	0187158									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL PROH GREEN G OU									
TECH. DESCRIPTION: PADLOCK: TYPE: MASTER STEEL PROH GREEN G OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN GREEN RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHORPHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR GAUTENG OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FOUR PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:	0187159									
SHORT DESCRIPTION:	PADLOCK:MASTER STL PROH GREEN KZN OU									
TECH. DESCRIPTION: PADLOCK: TYPE: MASTER STL PROH GREEN KZN OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY:LAMINATED STEEL ENCASED IN GREEN RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FOUR PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0573709			
				SERIES 6000			0187158			
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV	
							53	4	4	

SPEC SHEET

SAP MATERIAL No.:	0187160									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL PROH GREEN WC OU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL PROH GREEN WC OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN GREEN RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR WESTERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FOUR PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0573491									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL PROH GREEN NCOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL PROH GREEN NCOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: 2MM THICK LAMINATED STEEL WITH QUALITY ZINC PLATING ENCASED IN GREEN RUBBER CASING; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHOR BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR NORTHERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FOUR PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187161									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL PROH GREEN EC OU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL PROH GREEN EC OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN GREEN RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR EASTERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FOUR PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0187160			
							SERIES 6000	0573491		
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV	
							53	5	4	


SPEC SHEET

SAP MATERIAL No.:		0187162							
SHORT DESCRIPTION:		PADLOCK:MASTER STEEL PROH GREEN L OU							
TECH. DESCRIPTION:									
PADLOCK: TYPE: MASTER STEEL PROH GREEN L OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN GREEN RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR MM; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR LIMPOPO OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FOUR PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *									
SAP MATERIAL No.:		0187163							
SHORT DESCRIPTION:		PADLOCK:MASTER STEEL PROH GREEN MP OU							
TECH. DESCRIPTION:									
PADLOCK: TYPE: MASTER STEEL PROH GREEN MP OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN GREEN RUBBER CASING; 2 MM THK LAMINATED STEEL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR MPUMALANGA OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FOUR PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *									
SAP MATERIAL No.:		0187164							
SHORT DESCRIPTION:		PADLOCK:MASTER STEEL PROH GREEN FS OU							
TECH. DESCRIPTION:									
PADLOCK: TYPE: MASTER STEEL PROH GREEN FS OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 25-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN GREEN RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 30-34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR FREE STATE OPERATING UNIT ONLY; GREEN RUBBER CASING; LOCKING BY DUAL STAINLESS STEEL BOLT MECHANISM; SHACKLE SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; MECHANISM: FOUR PIN TUMBLER CYLINDER TYPE, WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; PIN SPRINGS: PHOSPHER BRONZE; ESKOM DRAWING No. D-DT-6050 *									
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.			J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED			P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.			VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS			SAP No:		
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0187162		
				SERIES 6000			0187163		
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050	D-DT-6050		SET 53	SHEET 6	REV 4

SPEC SHEET

SAP MATERIAL No.:	0573710									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL PROH GREEN NWOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL PROH GREEN NWOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY:LAMINATED STEEL ENCASED IN GREEN RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR NORTH WEST OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FOUR PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187165									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL OPER YELLOW G OU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL OPER YELLOW G OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN YELLOW RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR GAUTENG OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FIVE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187166									
SHORT DESCRIPTION:	PADLOCK:MASTER STL OPER YELLOW KZNOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STL OPER YELLOW KZNOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY:LAMINATED STEEL ENCASED IN YELLOW RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FIVE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS			SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0573710			
				SERIES 6000			0187165			
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050	D-DT-6050		SET	SHEET	REV	
							53	7	4	


SPEC SHEET

SAP MATERIAL No.:	0187167								
SHORT DESCRIPTION:	PADLOCK:MASTER STL OPER YELLOW WC OU								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTER STL OPER YELLOW WC OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: LAMINATED STEEL ENCASED IN YELLOW RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR WESTERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FIVE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
SAP MATERIAL No.:	0573492								
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL OPER YELLOW NCOU								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTER STEEL OPER YELLOW NCOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: 2MM THICK LAMINATED STEEL WITH QUALITY ZINC PLATING ENCASED IN YELLOW RUBBER CASING; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHOR BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR NORTHERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FIVE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
SAP MATERIAL No.:	0187168								
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL OPER YELLOW EC OU								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTER STEEL OPER YELLOW EC OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN YELLOW RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR EASTERN OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FIVE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020	
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013	
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004	
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS			SAP No:		
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0187167		
				SERIES 6000			0573492		
				FILE No:	D-DT-6050		SET	SHEET	
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	6050			53	8	REV
							4		


Unique Identifier:240-48887441

Revision 1

SPEC SHEET

SAP MATERIAL No.:	0187169									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL OPER YELLOW L OU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL OPER YELLOW L OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN YELLOW RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR LIMPOPO OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FIVE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187170									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL OPER YELLOW MP OU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL OPER YELLOW MP OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN YELLOW RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR MPUMALANGA OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FIVE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187171									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL OPER YELLOW FSOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL OPER YELLOW FSOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 25-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN YELLOW RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 30-34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR FREE STATE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FIVE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0187169			
				SERIES 6000			0187170			
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV	
							53	9	4	

SPEC SHEET

SAP MATERIAL No.:	0573719									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL OPER YELLOW NWOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL OPER YELLOW NWOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY:LAMINATED STEEL ENCASED IN YELLOW RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR NORTH WEST OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FIVE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187172									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL LIVE BLACK G OU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL LIVE BLACK G OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN BLACK RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR GAUTENG OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SIX PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187173									
SHORT DESCRIPTION:	PADLOCK:MASTR STL LIVE CHMBR BLACK KZNOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTR STL LIVE CHMBR BLACK KZNOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN BLACK RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SIX PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS			SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0573719			
							SERIES 6000	0187172		
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050	D-DT-6050		SET	SHEET	REV	
						53	10	4		

SPEC SHEET

SAP MATERIAL No.:	0187174									
SHORT DESCRIPTION:	PADLOCK:MASTER STL LIVE CHMBR BLACK WCOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STL LIVE CHMBR BLACK WCOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN BLACK RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR WESTERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SIX PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0573493									
SHORT DESCRIPTION:	PADLOCK:MASTER STL LIVE CHMBR BLACK NCOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STL LIVE CHMBR BLACK NCOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: 2MM THICK LAMINATED STEEL WITH QUALITY ZINC PLATING ENCASED IN BLACK RUBBER CASING; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHOR BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR NORTHERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SIX PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187175									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL LIVE BLACK EC OU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL LIVE BLACK EC OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN BLACK RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR EASTERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SIX PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0187174			
				SERIES 6000			0573493			
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV	
							53	11	4	

SPEC SHEET

SAP MATERIAL No.:	0187176								
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL LIVE BLACK L OU								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTER STEEL LIVE BLACK L OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN BLACK RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR LIMPOIPO OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SIX PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
SAP MATERIAL No.:	0187177								
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL LIVE BLACK MP OU								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTER STEEL LIVE BLACK MP OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN BLACK RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR MPUMALANGA OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SIX PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
SAP MATERIAL No.:	0187178								
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL LIVE BLACK FS OU								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTER STEEL LIVE BLACK FS OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN BLACK RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR FREE STATE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SIX PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020	
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013	
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004	
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:		
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0187176		
				SERIES 6000			0187177		
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV
							53	12	4


SPEC SHEET

SAP MATERIAL No.:	0573711									
SHORT DESCRIPTION:	PADLOCK:MASTER STL LIVE CHMBR BLACK NWOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STL LIVE CHMBR BLACK NWOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: LAMINATED STEEL ENCASED IN BLACK RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR NORTH WEST OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SIX PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187179									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL TSO BLUE G OU;6 MM									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL TSO BLUE G OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: LAMINATED STEEL ENCASED IN BLUE RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR GAUTENG OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SEVEN PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187180									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL TSO BLUE KZN OU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL TSO BLUE KZN OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: LAMINATED STEEL ENCASED IN BLUE RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SEVEN PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS			SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0573711			
				SERIES 6000			0187179			
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050	D-DT-6050		SET	SHEET	REV	
							53	13	4	


SPEC SHEET

SAP MATERIAL No.:	0187181									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL TSO BLUE WC OU;6 MM									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL TSO BLUE WC OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY:LAMINATED STEEL ENCASED IN BLUE RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR WESTERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SEVEN PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0573494									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL TSO BLUE NC OU;6 MM									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL TSO BLUE NC OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: 2MM THICK LAMINATED STEEL WITH QUALITY ZINC PLATING ENCASED IN BLUE RUBBER CASING; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHOR BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR NORTHERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SEVEN PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187182									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL TSO BLUE EC OU;6 MM									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL TSO BLUE EC OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN BLUE RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR EASTERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SEVEN PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0187181		REV	
							SERIES 6000	0573494		
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV	
							53	14	4	

SPEC SHEET

SAP MATERIAL No.:	0187183									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL TSO BLUE L OU;6 MM									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL TSO BLUE L OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN BLUE RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR LIMPOPO OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SEVEN PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187184									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL TSO BLUE MP OU;6 MM									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL TSO BLUE MP OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN BLUE RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR MPUMALANGA OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SEVEN PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187185									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL TSO BLUE FS OU;6 MM									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL TSO BLUE FS OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20; MATERIAL: PADLOCK BODY LAMINATED STEEL ENCASED IN BLUE RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR FREE STATE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SEVEN PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0187183		REV	
				SERIES 6000			0187184			
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV	
							53	15	4	

SPEC SHEET

SAP MATERIAL No.:	0573712								
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL TSO BLUE NW OU;6 MM								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTER STEEL TSO BLUE NW OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY FLAME RESISTANT GLASS REINFORCED NYLON BLUE RUBBER CASING; 2 MM THK LAMINATED STL WITH QUALITY ZN PLATING; SPRINGS NI COATED GR 304 SS DIN 17224; PIN SPRINGS BRZ PHOSPHOR; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR NORTH WEST OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SEVEN PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
SAP MATERIAL No.:	0187236								
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON RSTR-A ORANGE GOU								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTER NYLON RSTR-A ORANGE GOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: ORANGE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF MASTER PADLOCK FOR GAUTENG OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
SAP MATERIAL No.:	0187237								
SHORT DESCRIPTION:	PADLOCK:MASTR NYLON RESTR-A ORANGE KZNOU								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTR NYLON RESTR-A ORANGE KZNOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: ORANGE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020	
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013	
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004	
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE			SAP No:		
CHKD:	C.B. CLARK	DATE:	03/98	NTS			0573712		
				CAD REF:			0187236		
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	SERIES 6000	D-DT-6050		SET	SHEET	
				FILE No:			53	16	
				6050					4

SPEC SHEET

SAP MATERIAL No.:	0187238									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON RESTR-A ORANGE WCOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON RESTR-A ORANGE WCOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: ORANGE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR WESTERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0573495									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON RESTR-A ORANGE NCOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON RESTR-A ORANGE NCOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: ORANGE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 30 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40; WEATHER PROOF PADLOCK FOR NORTHERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187239									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON RESTR-A ORANGE ECOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON RESTR-A ORANGE ECOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: ORANGE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR EASTERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
RE V	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0187238			
				SERIES 6000			0573495			
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV	
							53	17	4	

SPEC SHEET

SAP MATERIAL No.:	0187240									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON RESTR-A ORANGE LOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON RESTR-A ORANGE LOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: ORANGE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR LIMPOPO OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187241									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON RESTR-A ORANGE MPOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON RESTR-A ORANGE MPOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: ORANGE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20; HORIZONTAL CLEARANCE: 34; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR MPUMALANGA OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187242									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON RESTR-A ORANGE FSOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON RESTR-A ORANGE FSOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: ORANGE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR FREE STATE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
RE V	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0187240			
							SERIES 6000	0187241		
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No:			SET		SHEET	REV
					6050			53	18	4


SPEC SHEET

SAP MATERIAL No.:	0573720									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON RESTR-A ORANGE NWOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON RESTR-A ORANGE NWOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: ORANGE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40; WEATHER PROOF PADLOCK FOR NORTH WEST OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0573722									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON PROH GREEN GOU;6 MM									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON PROH GREEN GOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: GREEN; FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40; WEATHER PROOF PADLOCK FOR GAUTENG OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FOUR PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187244									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON PROH GREEN KZNOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON PROH GREEN KZNOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: GREEN; FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FOUR PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.			J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020			
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED			P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013			
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.			VvZ	VvZ	C.D.SMITH	12/08/2004			
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE			
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF: SERIES 6000			0573720		0187244	
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV	
							53	19	4	

SPEC SHEET

SAP MATERIAL No.:	0187245									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON PROH GREEN WCOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON PROH GREEN WCOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: GREEN; FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR WESTERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FOUR PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0573496									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON PROH GREEN NCOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON PROH GREEN NCOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: GREEN FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40; WEATHER PROOF PADLOCK FOR NORTHERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FOUR PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187246									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON PROH GREEN ECOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON PROH GREEN ECOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: GREEN; FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR EASTERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FOUR PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0187245			
				SERIES 6000			0573496			
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV	
							53	20	4	


SPEC SHEET

SAP MATERIAL No.:	0187247									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON PROH GREEN L OU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON PROH GREEN L OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: GREEN; FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR LIMPOPO OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FOUR PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187248									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON PROH GREEN MPOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON PROH GREEN MPOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: GREEN; FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR MPUMALANGA OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FOUR PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187249									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON PROH GREEN FSOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON PROH GREEN FSOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: GREEN; FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR FREE STATE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FOUR PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0187247			
				SERIES 6000			0187248			
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV	
							53	21	4	

SPEC SHEET

SAP MATERIAL No.:	0573713									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON PROH GREEN NWOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON PROH GREEN NWOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: GREEN FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM: 24070500896; BODY SIZE: 40; WEATHER PROOF PADLOCK FOR NORTH WEST OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FOUR PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187250									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON OPER YELLOW GOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON OPER YELLOW GOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: YELLOW; FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR GAUTENG OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FIVE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187251									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON OPER YELLOW KZNOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON OPER YELLOW KZNOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: YELLOW; FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FIVE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0573713			
				SERIES 6000			0187250			
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV	
							53	22	4	

SPEC SHEET

SAP MATERIAL No.:	0187252									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON OPER YELLOW WCOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON OPER YELLOW WCOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: YELLOW; FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR WESTERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FIVE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0573497									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON OPER YELLOW NCOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON OPER YELLOW NCOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: YELLOW FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40; WEATHER PROOF PADLOCK FOR NORTHERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FIVE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187253									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON OPER YELLOW EC OU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON OPER YELLOW EC OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: YELLOW; FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR EASTERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FIVE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0187252		REV	
							SERIES 6000	0573497		
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV	
							53	23	4	


SPEC SHEET

SAP MATERIAL No.:	0187254									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON OPER YELLOW L OU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON OPER YELLOW L OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: YELLOW; FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR LIMPOPO OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FIVE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187255									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON OPER YELLOW MP OU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON OPER YELLOW MP OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: YELLOW; FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34; HORIZONTAL CLEARANCE: 20; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR MPUMALANGA OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FIVE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187256									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON OPER YELLOW FS OU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON OPER YELLOW FS OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: YELLOW FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR FREE STATE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FIVE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0187254		REV	
							SERIES 6000	0187255		
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV	
							53	24	4	

SPEC SHEET

SAP MATERIAL No.:	0573714									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON OPER YELLOW NWOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON OPER YELLOW NWOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: YELLOW FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHOR BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM: 240-70500896; BODY SIZE: 40; WEATHER PROOF PADLOCK FOR NORTH WEST OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FIVE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187257									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON LIVE BLACK G OU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON LIVE BLACK G OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: BLACK FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHOR BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF, FOR GAUTENG OPERATING UNIT ONLY; PADLOCK BODY: BLACK; DUAL STAINLESS STEEL BOLT MECHANISM, SIX PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187258									
SHORT DESCRIPTION:	PADLOCK:MASTR NYL LIVE CHMBR BLACK KZNOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTR NYL LIVE CHMBR BLACK KZNOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20; MATERIAL: PADLOCK BODY: BLACK FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHOR BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY; DUAL STAINLESS STEEL BOLT MECHANISM, SIX PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0573714			
				SERIES 6000			0187257			
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV	
							53	25	4	

SPEC SHEET

SAP MATERIAL No.:	0187259								
SHORT DESCRIPTION:	PADLOCK:MASTER NYL LIVE CHMBR BLACK WCOU								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTER NYL LIVE CHMBR BLACK WCOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: BLACK FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: WD 28-40 X HT 25-38 X THK 18-20 MM; WEATHER PROOF PADLOCK FOR WESTERN CAPE OPERATING UNIT ONLY; PADLOCK BODY: BLACK; DUAL STAINLESS STEEL BOLT MECHANISM, SIX PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
SAP MATERIAL No.:	0573498								
SHORT DESCRIPTION:	PADLOCK:MASTER NYL LIVE CHMBR BLACK NCOU								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTER NYL LIVE CHMBR BLACK NCOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: BLACK FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40; WEATHER PROOF PADLOCK FOR NORTHERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SIX PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
SAP MATERIAL No.:	0187260								
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON LIVE BLACK EC OU								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTER NYLON LIVE BLACK EC OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: BLACK FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF, FOR EASTERN CAPE OPERATING UNIT ONLY; PADLOCK BODY: BLACK; DUAL STAINLESS STEEL BOLT MECHANISM, SIX PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020	
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013	
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004	
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE			SAP No:		
CHKD:	C.B. CLARK	DATE:	03/98	NTS			0187259		
				CAD REF:			0573498		
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	SERIES 6000	D-DT-6050		SET	SHEET	
				FILE No:			53	26	
				6050			REV	4	

Unique Identifier:240-48887441

Revision 1


SPEC SHEET

SAP MATERIAL No.:	0187261									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON LIVE BLACK L OU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON LIVE BLACK L OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: BLACK FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF, FOR LIMPOPO OPERATING UNIT ONLY; PADLOCK BODY: BLACK; DUAL STAINLESS STEEL BOLT MECHANISM, SIX PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187262									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON LIVE BLACK MP OU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON LIVE BLACK MP OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: BLACK FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF, FOR MPUMALANGA OPERATING UNIT ONLY; PADLOCK BODY: BLACK; DUAL STAINLESS STEEL BOLT MECHANISM, SIX PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187263									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON LIVE BLACK FS OU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON LIVE BLACK FS OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: BLACK FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF, FOR LIMPOPO OPERATING UNIT ONLY; PADLOCK BODY: BLACK; DUAL STAINLESS STEEL BOLT MECHANISM, SIX PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0187261			
				SERIES 6000			0187262			
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV	
							53	27	4	

SPEC SHEET

SAP MATERIAL No.:	0573715									
SHORT DESCRIPTION:	PADLOCK:MASTER NYL LIVE CHMBR BLACK NWOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYL LIVE CHMBR BLACK NWOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: BLACK FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM: 240-70500896; BODY SIZE: 40; WEATHER PROOF PADLOCK FOR NORTH WEST OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SIX PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187264									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON TSO BLUE G OU;6 MM									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON TSO BLUE G OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: BLUE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF, FOR GAUTENG OPERATING UNIT ONLY; DUAL STAINLESS STEEL BOLT MECHANISM, SEVEN PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187265									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON TSO BLUE KZNOU;6 MM									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON TSO BLUE KZNOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: BLUE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY, DUAL STAINLESS STEEL BOLT MECHANISM, SEVEN PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0573715			
				SERIES 6000			0187264			
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV	
							53	28	4	


SPEC SHEET

SAP MATERIAL No.:		0187266								
SHORT DESCRIPTION:		PADLOCK:MASTER NYLON TSO BLUE WCOU;6 MM								
TECH. DESCRIPTION:										
PADLOCK: TYPE: MASTER NYLON TSO BLUE WCOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: BLUE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR WESTERN CAPE OPERATING UNIT ONLY, DUAL STAINLESS STEEL BOLT MECHANISM, SEVEN PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0573499								
SHORT DESCRIPTION:		PADLOCK:MASTER NYLON TSO BLUE NC OU;6 MM								
TECH. DESCRIPTION:										
PADLOCK: TYPE: MASTER NYLON TSO BLUE NC OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: BLUE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; WEATHER PROOF PADLOCK FOR NORTHERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SEVEN PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0187267								
SHORT DESCRIPTION:		PADLOCK:MASTER NYLON TSO BLUE EC OU;6 MM								
TECH. DESCRIPTION:										
PADLOCK: TYPE: MASTER NYLON TSO BLUE EC OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: BLUE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF, FOR EASTERN CAPE OPERATING UNIT ONLY, DUAL STAINLESS STEEL BOLT MECHANISM, SEVEN PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537,0672539,0672541,0672542, 0672544, 0672548 AND 0672549 ADDED.			J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020			
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED			P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013			
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.			VvZ	VvZ	C.D.SMITH	12/08/2004			
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE	REF. DRAWINGS		
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS		<div></div> <div>D-DT-6050</div>				
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:						
				SERIES 6000						
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050		SET			SHEET	REV
						53		29		4


SPEC SHEET

SAP MATERIAL No.:	0187268									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON TSO BLUE L OU;6 MM									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON TSO BLUE L OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: BLUE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF, FOR LIMPOPO OPERATING UNIT ONLY, DUAL STAINLESS STEEL BOLT MECHANISM, SEVEN PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187269									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON TSO BLUE MP OU;6 MM									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON TSO BLUE MP OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: BLUE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF, FOR MPUMALANGA OPERATING UNIT ONLY, DUAL STAINLESS STEEL BOLT MECHANISM, SEVEN PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0187270									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON TSO BLUE FS OU;6 MM									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON TSO BLUE FS OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: BLUE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF, FOR FREE STATE OPERATING UNIT ONLY, DUAL STAINLESS STEEL BOLT MECHANISM, SEVEN PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS			SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0187268			
							SERIES 6000	0187269		
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No:	D-DT-6050		0187270			
							6050	SET		SHEET
						53		30	4	

SPEC SHEET

SAP MATERIAL No.:	0573721								
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON TSO BLUE NW OU;6 MM								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTER NYLON TSO BLUE NW OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 40 X HT 38 X THK 20 MM; MATERIAL: PADLOCK BODY: BLUE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 34; WEATHER PROOF PADLOCK FOR NORTH WEST OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SEVEN PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
SAP MATERIAL No.:	0573482								
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL GENERAL WHITE GOU								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTER STEEL GENERAL WHITE GOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: 2MM THICK LAMINATED STEEL WITH QUALITY ZINC PLATING ENCASED IN WHITE RUBBER CASING; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR GAUTENG OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
SAP MATERIAL No.:	0573533								
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL GENERAL WHITE KZNOU								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTER STEEL GENERAL WHITE KZNOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: 2MM THICK LAMINATED STEEL WITH QUALITY ZINC PLATING ENCASED IN WHITE RUBBER CASING; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020	
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013	
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004	
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE			SAP No:		
CHKD:	C.B. CLARK	DATE:	03/98	NTS			0573721		
				CAD REF:			0573482		
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	SERIES 6000	D-DT-6050		SET	SHEET	
				FILE No:			53	31	
				6050			REV	4	

SPEC SHEET

SAP MATERIAL No.:	0573483									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL GENERAL WHITE WCOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL GENERAL WHITE WCOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: 2MM THICK LAMINATED STEEL WITH QUALITY ZINC PLATING ENCASED IN WHITE RUBBER CASING; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHOR BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR WESTERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0573484									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL GENERAL WHITE NCOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL GENERAL WHITE NCOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: 2MM THICK LAMINATED STEEL WITH QUALITY ZINC PLATING ENCASED IN WHITE RUBBER CASING; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHOR BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR NORTHERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0573485									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL GENERAL WHITE ECOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL GENERAL WHITE ECOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: 2MM THICK LAMINATED STEEL WITH QUALITY ZINC PLATING ENCASED IN WHITE RUBBER CASING; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHOR BRONZE; VERTICAL CLEARANCE: 20 MM; HORIZONTAL CLEARANCE: 34 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR EASTERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS			SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0573483		<div style="border: 1px solid black; width: 100px; height: 100px; margin: 0 auto;"></div>	
							SERIES 6000	0573484		
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050	D-DT-6050		SET	SHEET	REV	
							53	32	4	


Unique Identifier:240-48887441

Revision 1

SPEC SHEET

SAP MATERIAL No.:	0573486									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL GENERAL WHITE LOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL GENERAL WHITE LOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: 2MM THICK LAMINATED STEEL WITH QUALITY ZINC PLATING ENCASED IN WHITE RUBBER CASING; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHOR BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR LIMPOPO OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0573487									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL GENERAL WHITE MPOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL GENERAL WHITE MPOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: 2MM THICK LAMINATED STEEL WITH QUALITY ZINC PLATING ENCASED IN WHITE RUBBER CASING; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHOR BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR MPUMALANGA OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0573488									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL GENERAL WHITE NWOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL GENERAL WHITE NWOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: 2MM THICK LAMINATED STEEL WITH QUALITY ZINC PLATING ENCASED IN WHITE RUBBER CASING; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHOR BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR NORTH WEST OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548, 0672549 0187243 AND 0400176 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0573486			
				SERIES 6000			0573487			
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV	
							53	33	4	

SPEC SHEET

SAP MATERIAL No.:	0573489									
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL GENERAL WHITE FSOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER STEEL GENERAL WHITE FSOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: 2MM THICK LAMINATED STEEL WITH QUALITY ZINC PLATING ENCASED IN WHITE RUBBER CASING; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR FREE STATE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0665557									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON GENERAL WHITE G OU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON GENERAL WHITE G OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: WHITE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR GAUTENG OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0665631									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON GENERAL WHITE KZNOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON GENERAL WHITE KZNOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: WHITE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0573489			
				SERIES 6000			0665557			
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV	
							53	34	4	


SPEC SHEET											
SAP MATERIAL No.:			0665632								
SHORT DESCRIPTION:			PADLOCK:MASTER NYLON GENERAL WHITE WCOU								
TECH. DESCRIPTION: PADLOCK: TYPE: MASTER NYLON GENERAL WHITE WCOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: WHITE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR WESTERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *											
SAP MATERIAL No.:			0665633								
SHORT DESCRIPTION:			PADLOCK:MASTER NYLON GENERAL WHITE NC OU								
TECH. DESCRIPTION: PADLOCK: TYPE: MASTER NYLON GENERAL WHITE NC OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: WHITE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR NORTHERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *											
SAP MATERIAL No.:			0665634								
SHORT DESCRIPTION:			PADLOCK:MASTER NYLON GENERAL WHITE EC OU								
TECH. DESCRIPTION: PADLOCK: TYPE: MASTER NYLON GENERAL WHITE EC OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: WHITE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR EASTERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; WEATHER PROOF PADLOCK FOR EASTERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; WEATHER PROOF PADLOCK FOR EASTERN CAPE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *											
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020			
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013			
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004			
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS		
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE				SAP No:			
				NTS				0665632		0665634	
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:				0665633			
				SERIES 6000	D-DT-6050			SET	SHEET	REV	
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No:				53	35	4	
				6050							


SPEC SHEET


SAP MATERIAL No.:	0665635									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON GENERAL WHITE L OU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON GENERAL WHITE L OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: WHITE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR LIMPOPO OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0665636									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON GENERAL WHITE MP OU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON GENERAL WHITE MP OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: WHITE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR MPUMALANGA OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
SAP MATERIAL No.:	0665637									
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON GENERAL WHITE NWOU									
TECH. DESCRIPTION:										
<p>PADLOCK: TYPE: MASTER NYLON GENERAL WHITE NWOU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: WHITE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR NORTH WEST OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0665635			
				SERIES 6000			0665636			
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV	
							53	36	4	

SPEC SHEET


SAP MATERIAL No.:	0665638								
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON GENERAL WHITE FS OU								
TECH. DESCRIPTION:									
PADLOCK: TYPE: MASTER NYLON GENERAL WHITE FS OU; SHACKLE DIAMETER: 6 MM; CASE SIZE: WD 28-40 X HT 35-38 X THK 18-20 MM; MATERIAL: PADLOCK BODY: WHITE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34 MM; HORIZONTAL CLEARANCE: 20 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 40 MM; WEATHER PROOF PADLOCK FOR FREE STATE OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *									
SAP MATERIAL No.:	0187186								
SHORT DESCRIPTION:	KEY:PADLOCK MASTER RESTR-A ORANGE G OU								
TECH. DESCRIPTION:									
KEY: TYPE: PADLOCK MASTER RESTR-A ORANGE G OU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: ORANGE; FOR GAUTENG OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *									
SAP MATERIAL No.:	0187187								
SHORT DESCRIPTION:	KEY:PADLOCK MASTER RESTR-A ORANGE KZNOU								
TECH. DESCRIPTION:									
KEY: TYPE: PADLOCK MASTER RESTR-A ORANGE KZNOU; STYLE: STRAIGHT; IDENTIFICATION CODE 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: ORANGE; FOR KWAZULU NATAL OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *									
SAP MATERIAL No.:	0187188								
SHORT DESCRIPTION:	KEY:PADLOCK MASTER RESTR-A ORANGE WC OU								
TECH. DESCRIPTION:									
KEY: TYPE: PADLOCK MASTER RESTR-A ORANGE WC OU; STYLE: STRAIGHT; IDENTIFICATION CODE 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: ORANGE; FOR WESTERN CAPE OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *									
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.			J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED			P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.			VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE		
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE				SAP No:	
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:				0665638	0187188
				SERIES 6000				0187186	0187187
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No:	D-DT-6050			SET	
				6050				53	37

SPEC SHEET										
SAP MATERIAL No.:		0573500								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER RESTR-A ORG NC OU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK MASTER RESTR-A ORG NC OU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: ORANGE; FOR NORTHERN CAPE OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0187189								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER RESTR-A ORANGE EC OU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK MASTER RESTR-A ORANGE EC OU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: ORANGE; FOR EASTERN CAPE OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0187190								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER RESTR-A ORANGE L OU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK MASTER RESTR-A ORANGE L OU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: ORANGE; FOR LIMPOPO OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0187191								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER RESTR-A ORANGE MP OU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK MASTER RESTR-A ORANGE MP OU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: ORANGE; FOR MPUMALANGA OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0187192								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER RESTR-A ORANGE FS OU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK MASTER RESTR-A ORANGE FS OU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: ORANGE; FOR FREE STATE OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS			SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0573500		0187191	
				SERIES 6000			0187189		0187192	
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No:	D-DT-6050		SET	SHEET	REV	
				6050			53	38	4	

SPEC SHEET										
SAP MATERIAL No.:		0573723								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER RESTR-A ORANGE NWOU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK MASTER RESTR-A ORANGE NWOU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: ORANGE; FOR NORTH WEST OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0187193								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER PROH GREEN G OU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK MASTER PROH GREEN G OU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: GREEN; FOR GAUTENG OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0187194								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER PROH GREEN KZNOU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK MASTER PROH GREEN KZNOU; STYLE: STRAIGHT; IDENTIFICATION CODE 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: GREEN; FOR KWAZULU NATAL OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0187195								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER PROH GREEN WC OU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK MASTER PROH GREEN WC OU; STYLE: STRAIGHT; IDENTIFICATION CODE 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: GREEN; FOR WESTERN CAPE OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0573501								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER PROH GREEN NCOU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK MASTER PROH GREEN NCOU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: GREEN; FOR NORTHERN CAPE OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS			SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0573723		0187195	
				SERIES 6000			0187193		0573501	
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No:	D-DT-6050		SET	SHEET	REV	
				6050			53	39	4	


SPEC SHEET											
SAP MATERIAL No.:		0187196									
SHORT DESCRIPTION:		KEY:PADLOCK MASTER PROH GREEN EC OU									
TECH. DESCRIPTION:											
KEY: TYPE: PADLOCK MASTER PROH GREEN EC OU; STYLE: STRAIGHT; IDENTIFICATION CODE 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF GREEN PADLOCK; FOR EASTERN CAPE OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *											
SAP MATERIAL No.:		0187197									
SHORT DESCRIPTION:		KEY:PADLOCK MASTER PROH GREEN L OU									
TECH. DESCRIPTION:											
KEY: TYPE: PADLOCK MASTER PROH GREEN L OU; STYLE: STRAIGHT; IDENTIFICATION CODE 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: GREEN; FOR LIMPOPO OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *											
SAP MATERIAL No.:		0187198									
SHORT DESCRIPTION:		KEY:PADLOCK MASTER PROH GREEN MP OU									
TECH. DESCRIPTION:											
KEY: TYPE: PADLOCK MASTER PROH GREEN MP OU; STYLE: STRAIGHT; IDENTIFICATION CODE 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: GREEN; FOR MPUMALANGA OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *											
SAP MATERIAL No.:		0187199									
SHORT DESCRIPTION:		KEY:PADLOCK MASTER PROH GREEN FS OU									
TECH. DESCRIPTION:											
KEY: TYPE: PADLOCK MASTER PROH GREEN FS OU; STYLE: STRAIGHT; IDENTIFICATION CODE 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: GREEN; FOR FREE STATE OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *											
SAP MATERIAL No.:		0573724									
SHORT DESCRIPTION:		KEY:PADLOCK MASTER PROH GREEN NWOU									
TECH. DESCRIPTION:											
KEY: TYPE: PADLOCK MASTER PROH GREEN NWOU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: GREEN; FOR NORTH WEST OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *											
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020			
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013			
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004			
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS		
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE			SAP No:				
CHKD:	C.B. CLARK	DATE:	03/98	NTS			0187196	0187197	0187198	0187199	0573724
				CAD REF:							
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	SERIES 6000	D-DT-6050		SET	SHEET	REV		
				FILE No:			53	40	4		
				6050							

SPEC SHEET

SAP MATERIAL No.:		0187200							
SHORT DESCRIPTION:		KEY:PADLOCK MASTER OPERATING YELLOW G OU							
TECH. DESCRIPTION:									
KEY: TYPE: PADLOCK MASTER OPERATING YELLOW G OU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRAAS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: YELLOW; FOR GAUTENG OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *									
SAP MATERIAL No.:		0187211							
SHORT DESCRIPTION:		KEY:PADLOCK MASTER OPER YELLOW KZNOU							
TECH. DESCRIPTION:									
KEY: TYPE: PADLOCK MASTER OPER YELLOW KZNOU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: YELLOW; FOR KWAZULU NATAL OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *									
SAP MATERIAL No.:		0187212							
SHORT DESCRIPTION:		KEY:PADLOCK MASTER OPER YELLOW WCOU							
TECH. DESCRIPTION:									
KEY: TYPE: PADLOCK MASTER OPER YELLOW WCOU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: YELLOW; FOR WESTERN CAPE OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *									
SAP MATERIAL No.:		0573502							
SHORT DESCRIPTION:		KEY:PADLOCK MASTER OPER YELLOW NCOU							
TECH. DESCRIPTION:									
KEY: TYPE: PADLOCK MASTER OPER YELLOW NCOU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: YELLOW; FOR NORTHERN CAPE OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *									
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.			J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED			P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.			VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:		
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0187200	0187212	
				SERIES 6000			0187211	0573502	
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV
							53	41	4


Unique Identifier:240-48887441

Revision 1

SPEC SHEET										
SAP MATERIAL No.:		0187213								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER OPERATING YELLOW ECOU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK MASTER OPERATING YELLOW ECOU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: YELLOW; FOR EASTERN CAPE OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0187214								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER OPERATING YELLOW L OU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK MASTER OPERATING YELLOW L OU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: YELLOW; FOR LIMPOPO OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0187215								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER OPERATING YELLOW MPOU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK MASTER OPERATING YELLOW MPOU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: YELLOW; FOR MPUMALANGA OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0187216								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER OPERATING YELLOW FSOU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK MASTER OPERATING YELLOW FSOU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: YELLOW; FOR FREE STATE OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0573716								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER OPER YELLOW NWOU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK MASTER OPER YELLOW NWOU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: YELLOW; FOR NORTH WEST OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE			SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	NTS			0187213	0187215	0187216	0573716
				CAD REF:						
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	SERIES 6000	D-DT-6050		SET	SHEET	REV	
				FILE No:			53	42	4	
				6050						


SPEC SHEET

SAP MATERIAL No.:	0187217								
SHORT DESCRIPTION:	KEY:PADLOCK MASTER LIVE CHMBR BLACK G OU								
TECH. DESCRIPTION:									
<p>KEY: TYPE: PADLOCK MASTER LIVE CHMBR BLACK G OU; STYLE: STRAIGHT; IDENTIFICATION CODE 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: BLACK; FOR GAUTENG OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *</p>									
SAP MATERIAL No.:	0187218								
SHORT DESCRIPTION:	KEY:PADLOCK MASTR LIVE CHMBR BLACK KZNOU								
TECH. DESCRIPTION:									
<p>KEY: TYPE: PADLOCK MASTR LIVE CHMBR BLACK KZNOU; STYLE: STRAIGHT; IDENTIFICATION CODE 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: BLACK; FOR KWAZULU NATAL OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *</p>									
SAP MATERIAL No.:	0187219								
SHORT DESCRIPTION:	KEY:PADLOCK MASTER LIVE CHMBR BLACK WCOU								
TECH. DESCRIPTION:									
<p>KEY: TYPE: PADLOCK MASTER LIVE CHMBR BLACK WCOU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: BLACK; FOR WESTERN CAPE OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *</p>									
SAP MATERIAL No.:	0573503								
SHORT DESCRIPTION:	KEY:PADLOCK MASTER LIVE CHMBR BLACK NCOU								
TECH. DESCRIPTION:									
<p>KEY: TYPE: PADLOCK MASTER LIVE CHMBR BLACK NCOU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: BLACK; FOR NORTHERN CAPE OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *</p>									
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020	
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013	
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004	
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE	 D-DT-6050		SAP No:		
CHKD:	C.B. CLARK	DATE:	03/98	NTS			0187217	0187219	
				CAD REF:			0187218	0573503	
				SERIES 6000			SET	SHEET	REV
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No:			53	43	4
				6050					

SPEC SHEET										
SAP MATERIAL No.:		0187220								
SHORT DESCRIPTION:		KEY:PADLOCK LIVE MASTER BLACK EC OU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK LIVE MASTER BLACK EC OU; STYLE: IDENTIFICATION CODE: 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: BLACK; FOR EASTERN CAPE OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0187221								
SHORT DESCRIPTION:		KEY:PADLOCK LIVE MASTER BLACK L OU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK LIVE MASTER BLACK L OU; STYLE: IDENTIFICATION CODE: 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: BLACK; FOR LIMPOPO OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0187222								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER LIVE CHMBR BLACK MPOU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK MASTER LIVE CHMBR BLACK MPOU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: BLACK; FOR MPUMALANGA OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0187223								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER LIVE CHMBR BLACK FSOU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK MASTER LIVE CHMBR BLACK FSOU; STYLE: STRAIGHT; IDENTIFICATION CODE 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: BLACK; FOR FREE STATE OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0573717								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER LIVE CHMBR BLACK NWOU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK MASTER LIVE CHMBR BLACK NWOU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: BLACK; FOR NORTHWEST OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE			SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	NTS			0187220	0187222	0187223	0573717
				CAD REF:						
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	SERIES 6000	D-DT-6050		SET	SHEET	REV	
				FILE No:			53	44	4	
				6050						


SPEC SHEET

SAP MATERIAL No.:	0187226								
SHORT DESCRIPTION:	KEY:PADLOCK MASTER TSO BLUE G OU;BRASS								
TECH. DESCRIPTION: KEY: TYPE: PADLOCK MASTER TSO BLUE G OU; STYLE: STRAIGHT; IDENTIFICATION CODE 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; WEATHER PROOF MASTER PADLOCK; COLOUR: BLUE; FOR GAUTENG OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *									
SAP MATERIAL No.:	0187227								
SHORT DESCRIPTION:	KEY:PADLOCK MASTER TSO BLUE KZNOU;BRASS								
TECH. DESCRIPTION: KEY: TYPE: PADLOCK MASTER TSO BLUE KZNOU; STYLE: STRAIGHT; IDENTIFICATION CODE 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: BLUE; FOR KWAZULU NATAL OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *									
SAP MATERIAL No.:	0187228								
SHORT DESCRIPTION:	KEY:PADLOCK MASTER TSO BLUE WCOU;BRASS								
TECH. DESCRIPTION: KEY: TYPE: PADLOCK MASTER TSO BLUE WCOU; STYLE: STRAIGHT; IDENTIFICATION CODE 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: BLUE; FOR WESTERN CAPE OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *									
SAP MATERIAL No.:	0573504								
SHORT DESCRIPTION:	KEY:PADLOCK MASTER TSO BLUE NC OU;BRASS								
TECH. DESCRIPTION: KEY: TYPE: PADLOCK MASTER TSO BLUE NC OU; STYLE: STRAIGHT; IDENTIFICATION CODE 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: BLUE; FOR NORTHERN CAPE OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *									
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.			J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED			P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.			VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:		
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF: SERIES 6000			0187226	0187228	
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			0187227	0573504	
							SET	SHEET	REV
							53	45	4

SPEC SHEET										
SAP MATERIAL No.:		0187229								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER TSO BLUE EC OU;BRASS								
TECH. DESCRIPTION: KEY: TYPE: PADLOCK MASTER TSO BLUE EC OU; STYLE: STRAIGHT; IDENTIFICATION CODE 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: BLUE; FOR EASTERN CAPE OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0187230								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER TSO BLUE L OU;BRASS								
TECH. DESCRIPTION: KEY: TYPE: PADLOCK MASTER TSO BLUE L OU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: BLUE; FOR GAUTENG OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0187231								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER TSO BLUE MP OU;BRASS								
TECH. DESCRIPTION: KEY: TYPE: PADLOCK MASTER TSO BLUE MP OU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: BLUE; FOR MPUMALANGA OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0187232								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER TSO BLUE FS OU;BRASS								
TECH. DESCRIPTION: KEY: TYPE: PADLOCK MASTER TSO BLUE FS OU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: BLUE; FOR FREE STATE OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0573718								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER TSO BLUE NW OU;BRASS								
TECH. DESCRIPTION: KEY: TYPE: PADLOCK MASTER TSO BLUE NW OU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: BLUE; FOR NORTHWEST OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE			SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	NTS			0187229	0187231	0187232	0573718
				CAD REF:						
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	SERIES 6000	D-DT-6050		SET	SHEET	REV	
				FILE No:			53	46	4	
				6050						

SPEC SHEET

SAP MATERIAL No.:	0573505								
SHORT DESCRIPTION:	KEY:PADLOCK MASTER GENERAL WHITE G OU								
TECH. DESCRIPTION:									
<p>KEY: TYPE: PADLOCK MASTER GENERAL WHITE G OU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: WHITE; FOR GAUTENG OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *</p>									
SAP MATERIAL No.:	0573506								
SHORT DESCRIPTION:	KEY:PADLOCK MASTER GENERAL WHITE KZNOU								
TECH. DESCRIPTION:									
<p>KEY: TYPE: PADLOCK MASTER GENERAL WHITE KZNOU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: WHITE; FOR KWAZULU NATAL OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *</p>									
SAP MATERIAL No.:	0573507								
SHORT DESCRIPTION:	KEY:PADLOCK MASTER GENERAL WHITE WC OU								
TECH. DESCRIPTION:									
<p>KEY: TYPE: PADLOCK MASTER GENERAL WHITE WC OU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: WHITE; FOR WESTERN CAPE OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *</p>									
SAP MATERIAL No.:	0573508								
SHORT DESCRIPTION:	KEY:PADLOCK MASTER GENERAL WHITE NC OU								
TECH. DESCRIPTION:									
<p>KEY: TYPE: PADLOCK MASTER GENERAL WHITE NC OU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: WHITE; FOR NORTHERN CAPE OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *</p>									
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.			J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED			P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.			VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE		
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:		
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF: SERIES 6000			0573505	0573507	
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			0573506	0573508	
							SET	SHEET	REV
							53	47	4

SPEC SHEET										
SAP MATERIAL No.:		0573509								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER GENERAL WHITE EC OU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK MASTER GENERAL WHITE EC OU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: WHITE; FOR EASTERN CAPE OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0573510								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER GENERAL WHITE L OU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK MASTER GENERAL WHITE L OU; STYLE: IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: WHITE; FOR LIMPOPO OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0573511								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER GENERAL WHITE MP OU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK MASTER GENERAL WHITE MP OU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: WHITE; FOR MPUMALANGA OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0573513								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER GENERAL WHITE FS OU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK MASTER GENERAL WHITE FS OU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: WHITE; FOR FREE STATE OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
SAP MATERIAL No.:		0573512								
SHORT DESCRIPTION:		KEY:PADLOCK MASTER GENERAL WHITE NWOU								
TECH. DESCRIPTION:										
KEY: TYPE: PADLOCK MASTER GENERAL WHITE NWOU; STYLE: STRAIGHT; IDENTIFICATION CODE CHARACTERS 2.5 MM HIGH; MATERIAL: BRASS; SPECIFICATION: ESKOM 240-70500896; KEY FOR WEATHER PROOF MASTER PADLOCK; COLOUR: WHITE; FOR NORTH WEST OPERATING UNIT ONLY; ESKOM DRAWING No. D-DT-6050 *										
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.				J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED				P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.				VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION				BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS			SAP No:			
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF:			0573509		0573513	
				SERIES 6000			0573510		0573512	
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No:	D-DT-6050		SET	SHEET	REV	
				6050			53	48	4	


SPEC SHEET

SAP MATERIAL No.:	0672457								
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON GENERAL WHITE KZNOU								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTER NYLON GENERAL WHITE KZNOU; SHACKLE DIAMETER: 9 MM; CASE SIZE: WD 50-55 X HT 40-45 X THK 28-32 MM; MATERIAL: PADLOCK BODY: WHITE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34-40 MM; HORIZONTAL CLEARANCE: 25 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 50 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
SAP MATERIAL No.:	0672463								
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON OPER YELLOW KZNOU								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTER NYLON OPER YELLOW KZNOU; SHACKLE DIAMETER: 9 MM; CASE SIZE: WD 50-55 X HT 40-45 X THK 28-32 MM; MATERIAL: PADLOCK BODY: YELLOW FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34-40 MM; HORIZONTAL CLEARANCE: 25 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 50 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FIVE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
SAP MATERIAL No.:	0672464								
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON PROH GREEN KZNOU								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTER NYLON PROH GREEN KZNOU; SHACKLE DIAMETER: 9 MM; CASE SIZE: WD 50-55 X HT 40-45 X THK 28-32 MM; MATERIAL: PADLOCK BODY: GREEN FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34-40 MM; HORIZONTAL CLEARANCE: 25 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 50 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FOUR PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.			J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED			P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.			VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:		
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF: SERIES 6000			0672457	0672464	
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV
							53	49	4


SPEC SHEET

SAP MATERIAL No.:	0672532								
SHORT DESCRIPTION:	PADLOCK:MASTER NYLON TSO BLUE KZN OU								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTER NYLON TSO BLUE KZN OU; SHACKLE DIAMETER: 9 MM; CASE SIZE: WD 50-55 X HT 40-45 X THK 28-32 MM; MATERIAL: PADLOCK BODY: BLUE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34-40 MM; HORIZONTAL CLEARANCE: 25 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 50 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY, DUAL STAINLESS STEEL BOLT MECHANISM, SEVEN PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
SAP MATERIAL No.:	0672534								
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL GENERAL WHITE KZNOU								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTER STEEL GENERAL WHITE KZNOU; SHACKLE DIAMETER: 9 MM; CASE SIZE: WD 50-55 X HT 40-45 X THK 28-32 MM; MATERIAL: PADLOCK BODY: 2MM THICK LAMINATED STEEL WITH QUALITY ZINC PLATING ENCASED IN WHITE RUBBER CASING; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34-40 MM; HORIZONTAL CLEARANCE: 25 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 50 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
SAP MATERIAL No.:	0672537								
SHORT DESCRIPTION:	PADLOCK:MASTER STEEL TSO BLUE KZN OU								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTER STEEL TSO BLUE KZN OU; SHACKLE DIAMETER: 9 MM; CASE SIZE: WD 50-55 X HT 40-45 X THK 28-32 MM; MATERIAL: PADLOCK BODY: 2MM THICK LAMINATED STEEL WITH QUALITY ZINC PLATING ENCASED IN BLUE RUBBER CASING; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34-40 MM; HORIZONTAL CLEARANCE: 25 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 50 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SEVEN PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.			J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED			P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.			VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE		
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:		
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF: SERIES 6000			0672532	0672537	
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV
							53	50	4


SPEC SHEET

SAP MATERIAL No.:	0672539								
SHORT DESCRIPTION:	PADLOCK:MASTER STL OPER YELLOW KZNOU								
TECH. DESCRIPTION: PADLOCK: TYPE: MASTER STL OPER YELLOW KZNOU; SHACKLE DIAMETER: 9 MM; CASE SIZE: WD 50-55 X HT 40-45 X THK 28-32 MM; MATERIAL: PADLOCK BODY: 2MM THICK LAMINATED STEEL WITH QUALITY ZINC PLATING ENCASED IN YELLOW RUBBER CASING; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34-40 MM; HORIZONTAL CLEARANCE: 25 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 50 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FIVE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *									
SAP MATERIAL No.:	0672541								
SHORT DESCRIPTION:	PADLOCK:MASTER STL PROH GREEN KZN OU								
TECH. DESCRIPTION: PADLOCK: TYPE: MASTER STL PROH GREEN KZN OU; SHACKLE DIAMETER: 9 MM; CASE SIZE: WD 50-55 X HT 40-45 X THK 28-32 MM; MATERIAL: PADLOCK BODY: 2MM THICK LAMINATED STEEL WITH QUALITY ZINC PLATING ENCASED IN GREEN RUBBER CASING; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34-40 MM; HORIZONTAL CLEARANCE: 25 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 50 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: FOUR PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *									
SAP MATERIAL No.:	0672542								
SHORT DESCRIPTION:	PADLOCK:MASTER STL RESTR-A ORANGE KZNOU								
TECH. DESCRIPTION: PADLOCK: TYPE: MASTER STL RESTR-A ORANGE KZNOU; SHACKLE DIAMETER: 9 MM; CASE SIZE: WD 50-55 X HT 40-45 X THK 28-32 MM; MATERIAL: PADLOCK BODY: 2MM THICK LAMINATED STEEL WITH QUALITY ZINC PLATING ENCASED IN ORANGE RUBBER CASING; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34-40 MM; HORIZONTAL CLEARANCE: 25 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 50 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *									
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.			J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED			P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.			VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:		
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF: SERIES 6000			0672539 0672541		0672542
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV
							53	51	4

SPEC SHEET

SAP MATERIAL No.:	0672544								
SHORT DESCRIPTION:	PADLOCK:MASTR NYL LIVE CHMBR BLACK KZNOU								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTR NYL LIVE CHMBR BLACK KZNOU; SHACKLE DIAMETER: 9 MM; CASE SIZE: WD 50-55 X HT 40-45 X THK 28-32 MM; MATERIAL: PADLOCK BODY: BLACK FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34-40 MM; HORIZONTAL CLEARANCE: 25 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 50 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY; DUAL STAINLESS STEEL BOLT MECHANISM, SIX PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
SAP MATERIAL No.:	0672548								
SHORT DESCRIPTION:	PADLOCK:MASTR NYLON RESTR-A ORANGE KZNOU								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTR NYLON RESTR-A ORANGE KZNOU; SHACKLE DIAMETER: 9 MM; CASE SIZE: WD 50-55 X HT 40-45 X THK 28-32 MM; MATERIAL: PADLOCK BODY: ORANGE FLAME RESISTANT GLASS RE-INFORCED NYLON; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34-40 MM; HORIZONTAL CLEARANCE: 25 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 50 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: THREE PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
SAP MATERIAL No.:	0672549								
SHORT DESCRIPTION:	PADLOCK:MASTR STL LIVE CHMBR BLACK KZNOU								
TECH. DESCRIPTION:									
<p>PADLOCK: TYPE: MASTR STL LIVE CHMBR BLACK KZNOU; SHACKLE DIAMETER: 9 MM; CASE SIZE: WD 50-55 X HT 40-45 X THK 28-32 MM; MATERIAL: PADLOCK BODY: 2MM THICK LAMINATED STEEL WITH QUALITY ZINC PLATING ENCASED IN BLACK RUBBER CASING; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34-40 MM; HORIZONTAL CLEARANCE: 25 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 50 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SIX PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *</p>									
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537, 0672539, 0672541, 0672542, 0672544, 0672548 AND 0672549 ADDED.			J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED			P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.			VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE NTS	 D-DT-6050		SAP No:		
CHKD:	C.B. CLARK	DATE:	03/98	CAD REF: SERIES 6000			0672544		0672548
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	FILE No: 6050			SET	SHEET	REV
							53	52	4

SPEC SHEET

SAP MATERIAL No.:		0672549							
SHORT DESCRIPTION:		PADLOCK:MASTR STL LIVE CHMBR BLACK KZNOU							
TECH. DESCRIPTION:									
PADLOCK: TYPE: MASTR STL LIVE CHMBR BLACK KZNOU; SHACKLE DIAMETER: 9 MM; CASE SIZE: WD 50-55 X HT 40-45 X THK 28-32 MM; MATERIAL: PADLOCK BODY: 2MM THICK LAMINATED STEEL WITH QUALITY ZINC PLATING ENCASED IN BLACK RUBBER CASING; SPRINGS NICKEL COATED 304-GRADE STAINLESS STEEL DIN 17224; PIN SPRINGS: PHOSPHER BRONZE; VERTICAL CLEARANCE: 34-40 MM; HORIZONTAL CLEARANCE: 25 MM; SPECIFICATION: ESKOM 240-70500896; BODY SIZE: 50 MM; WEATHER PROOF PADLOCK FOR KWAZULU NATAL OPERATING UNIT ONLY; LOCKING BY DUAL STAINLESS STEEL BOLT; MECHANISM: SIX PIN TUMBLER CYLINDER TYPE WITH FOUR ANTI-PICK MUSHROOM PINS AND SECURITY PLATE OR PIN; ESKOM DRAWING No. D-DT-6050 *									
4	VARIOUS ITEMS UPDATED ACCORDING TO PILOG/SAP AND SAP 0665557, 0665631, 0665632, 0665633, 0665634, 0665635, 0665636, 0665637, 0665638, 0672457, 0672463, 0672464, 0672532, 0672534, 0672537,0672539,0672541,0672542, 0672544, 0672548 AND 0672549 ADDED.			J.SHINTA	D. NTOMBELA	Andre Bekker	24/06/2020		
3	ALL OPTIONS ADDED FOR NORTHERN CAPE AND WHITE WEATHER PROOF PADLOCKS ADDED			P.A.T.	D. NTOMBELA	C.D.SMITH	11/09/2013		
2	LOGO IN TITLE BLOCK CHANGED AS PER CORPORATE IDENTITY. SFD's AND LONG TEXT DESCRIPTIONS UPDATED.			VvZ	VvZ	C.D.SMITH	12/08/2004		
REV	REVISION DESCRIPTION			BY	CHKD	AUTH	DATE	REF. DRAWINGS	
AUTH:	PHIL CROWDY	DATE:	03/98	SCALE			SAP No:		
CHKD:	C.B. CLARK	DATE:	03/98	NTS			0672549		
				CAD REF:					
DRAWN:	J.F.SCHOLTZ	DATE:	02/98	SERIES 6000	D-DT-6050		SET	SHEET	REV
				FILE No:			53	53	4
				6050					

Unique Identifier:240-48887441

Revision 1