

TRANSNET NATIONAL PORT AUTHORITY

PORT OF EAST LONDON

SOFTWOOD PACKING

1. DESCRIPTION

Softwood Packing is placed on top of the hardwood blocks and because they are softer, they give a little more thus protecting the vessel from sitting too hard on both the keel and bilge blocks when dry docked. Unlike the hardwood blocks the softwood comes in various thicknesses so that the correct height can be achieved according to the vessel docking plan.

Softwood packing is paramount in the use of dry docking as good quality wood is required that is able to tolerate high loads of compression and being submerged in saltwater during docking and undocking operations.


2. SCOPE OF WORK

Softwood packing: Oregon Pine

LENGTH (MM)	WIDTH(MM)	THICKNESS (MM)	QUANTITIES
1700	300	100	65
1700	300	50	65
1700	300	20	60
1700	300	10	60

3. EXPECTATIONS FROM THE SUPPLIER

- Wood to be cut to exact sizes as requested.
- No wedge cuts will be accepted.
- Keel dried



- No warped pieces of wood will be accepted.
- Wood landed not in satisfactory condition as stated will be returned at the suppliers cost.
- Lead time from purchase order date ideally not longer than 5 weeks.

4. TNPA COORDINATOR

- With matters regarding procurement, the supplier is to contact
Siphelele Shezi
Tel: 043 700 2921
Email: siphelele.shezi@trandnet.net

Item	Scope Of Work	Quantity
1	<p>LUMBER; TYPE: OREGON-SOFT WOOD PACKING FOR DOCK BLOCKS,</p> <p>DIMENSIONS: H - 100MM;W - 300MM;L - 1700MM, LENGTH: 1.7 M,</p> <p>MATERIAL: OREGON</p> <p>MATERIAL GRADE: OREGON PINE WOOD</p> <p>FINISH: TREATED, CUT SQUARELY AND ACCURATELY</p>	65
2	<p>LUMBER; TYPE: OREGON-SOFT WOOD PACKING FOR DOCK BLOCKS</p> <p>DIMENSIONS: H - 50MM;W - 300MM;L - 1700MM, LENGTH: 1.7 M</p> <p>MATERIAL: OREGON</p> <p>MATERIAL GRADE: OREGON PINE WOOD</p> <p>FINISH: TREATED, CUT SQUARELY AND ACCURATELY.</p>	65
3	<p>LUMBER; TYPE: OREGON-SOFT WOOD PACKING FOR DOCK BLOCKS</p> <p>DIMENSIONS: H - 20MM;W - 300MM;L - 1700MM, LENGTH: 1.7 M</p> <p>MATERIAL: OREGON</p> <p>MATERIAL GRADE: OREGON PINE WOOD</p> <p>FINISH: TREATED, CUT SQUARELY AND ACCURATELY.</p>	60
4	<p>LUMBER; TYPE: OREGON-SOFT WOOD PACKING FOR DOCK BLOCKS</p> <p>DIMENSIONS: H - 10MM;W - 300MM;L - 1700MM, LENGTH: 1.7 M,</p> <p>MATERIAL: OREGON</p> <p>MATERIAL GRADE: OREGON PINE WOOD</p> <p>FINISH: TREATED, CUT SQUARELY AND ACCURATELY.</p>	60