

**PART A
INVITATION TO BID**

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE DEPARTMENT OF PUBLIC WORKS ROADS AND INFRASTRUCTURE					
BID NUMBER:	LDPWRI-P/20582	CLOSING DATE:	17 NOVEMBER 2025	CLOSING TIME:	11H00
DESCRIPTION	SUPPLY, DELIVERY AND OFFLOADING OF BUILDING MATERIAL FOR ALL FIVE(05) DISTRICTS AT THE DEPARTMENT OF PUBLIC WORKS, ROADS AND INFRASTRUCTURE FOR A PERIOD OF 36 MONTHS .				
BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT (STREET ADDRESS)					
CORNER BLAAUWBERG & RIVER STREET					
LADANNA					
0699					
BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO			TECHNICAL ENQUIRIES MAY BE DIRECTED TO:		
CONTACT PERSON	MOTSOPYE NJ	CONTACT PERSON	MATHABATHA N.C		
TELEPHONE NUMBER	015 284 7126	TELEPHONE NUMBER	015 632 8359		
E-MAIL ADDRESS	MotsopyeNJ@dpw.limpopo.gov.za	E-MAIL ADDRESS	mathabathanc@dpw.limpopo.gov.za		
SUPPLIER INFORMATION					
NAME OF BIDDER					
POSTAL ADDRESS					
STREET ADDRESS					
TELEPHONE NUMBER	CODE		NUMBER		
CELLPHONE NUMBER					
E-MAIL ADDRESS					
VAT REGISTRATION NUMBER					
SUPPLIER COMPLIANCE STATUS	TAX COMPLIANCE SYSTEM PIN:		OR	CENTRAL SUPPLIER DATABASE No:	MAAA
ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	☐ Yes ☐ No [IF YES ENCLOSE PROOF]		ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?	☐ Yes ☐ No [IF YES, ANSWER THE QUESTIONNAIRE BELOW]	
QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS					
IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? ☐ YES ☐ NO DOES THE ENTITY HAVE A BRANCH IN THE RSA? ☐ YES ☐ NO DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA ☐ YES ☐ NO DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA ☐ YES ☐ NO					

IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?

☐ YES ☐ NO

IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW.

TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:
1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED-(NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
1.4. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).
2. TAX COMPLIANCE REQUIREMENTS
2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

SIGNATURE OF BIDDER:

.....

CAPACITY UNDER WHICH THIS BID IS SIGNED:

.....

(Proof of authority must be submitted e.g. company resolution)

DATE:

.....

PRICING SCHEDULE – NON-FIRM PRICES (PURCHASES)

NOTE: PRICE ADJUSTMENTS WILL BE ALLOWED AT THE PERIODS AND TIMES SPECIFIED IN THE BIDDING DOCUMENTS.

IN CASES WHERE DIFFERENT DELIVERY POINTS INFLUENCE THE PRICING, A SEPARATE PRICING SCHEDULE MUST BE SUBMITTED FOR EACH DELIVERY POINT

Name of Bidder.....	Bid number... LDPWRI-P/20582
Closing Time 11:00	Closing date 17 NOVEMBER 2025

OFFER TO BE VALID FOR **120** DAYS FROM THE CLOSING DATE OF BID.

ITEM NO. INCLUDED)	QUANTITY	DESCRIPTION	BID PRICE IN RSA CURRENCY **(ALL APPLICABLE TAXES
--------------------------	----------	-------------	--

-
- Required by:
 - At:
 - Brand and model:.....
 - Country of origin:
 - Does the offer comply with the specification(s)? *YES/NO
 - If not to specification, indicate deviation(s):
 - Period required for delivery:
 - Delivery: *Firm/not firm

** "all applicable taxes" includes value- added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies.

*Delete if not applicable

PRICE ADJUSTMENTS

A NON-FIRM PRICES SUBJECT TO ESCALATION

1. IN CASES OF PERIOD CONTRACTS, NON FIRM PRICES WILL BE ADJUSTED (LOADED) WITH THE ASSESSED CONTRACT PRICE ADJUSTMENTS IMPLICIT IN NON FIRM PRICES WHEN CALCULATING THE COMPARATIVE PRICES
2. IN THIS CATEGORY PRICE ESCALATIONS WILL ONLY BE CONSIDERED IN TERMS OF THE FOLLOWING FORMULA:

$$Pa = (1 - V)Pt \left(D1 \frac{R1t}{R1o} + D2 \frac{R2t}{R2o} + D3 \frac{R3t}{R3o} + D4 \frac{R4t}{R4o} \right) + VPt$$

Where:

Pa	=	The new escalated price to be calculated.
(1-V)Pt	=	85% of the original bid price. Note that Pt must always be the original bid price and not an escalated price.
D1, D2..	=	Each factor of the bid price eg. labour, transport, clothing, footwear, etc. The total of the various factors D1, D2...etc. must add up to 100%.
R1t, R2t.....	=	Index figure obtained from new index (depends on the number of factors used).
R1o, R2o	=	Index figure at time of bidding.
VPt	=	15% of the original bid price. This portion of the bid price remains firm i.e. it is not subject to any price escalations.

3. The following index/indices must be used to calculate your bid price:

Index..... Dated..... Index..... Dated..... Index..... Dated.....
 Index..... Dated..... Index..... Dated..... Index..... Dated.....

4. FURNISH A BREAKDOWN OF YOUR PRICE IN TERMS OF ABOVE-MENTIONED FORMULA. THE TOTAL OF THE VARIOUS FACTORS MUST ADD UP TO 100%.

FACTOR (D1, D2 etc. eg. Labour, transport etc.)	PERCENTAGE OF BID PRICE

B PRICES SUBJECT TO RATE OF EXCHANGE VARIATIONS

1. Please furnish full particulars of your financial institution, state the currencies used in the conversion of the prices of the items to South African currency, which portion of the price is subject to rate of exchange variations and the amounts remitted abroad.

PARTICULARS OF FINANCIAL INSTITUTION	ITEM NO	PRICE	CURRENCY	RATE	PORTION OF PRICE SUBJECT TO ROE	AMOUNT IN FOREIGN CURRENCY REMITTED ABROAD
				ZAR=		
				ZAR=		
				ZAR=		
				ZAR=		
				ZAR=		
				ZAR=		

2. Adjustments for rate of exchange variations during the contract period will be calculated by using the average monthly exchange rates as issued by your commercial bank for the periods indicated hereunder: (Proof from bank required)

AVERAGE MONTHLY EXCHANGE RATES FOR THE PERIOD:	DATE DOCUMENTATION MUST BE SUBMITTED TO THIS OFFICE	DATE FROM WHICH NEW CALCULATED PRICES WILL BECOME EFFECTIVE	DATE UNTIL WHICH NEW CALCULATED PRICE WILL BE EFFECTIVE

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

- 2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest¹ in the enterprise, employed by the state? **YES/NO**

- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

- 2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? **YES/NO**

- 2.2.1 If so, furnish particulars:

.....

- 2.3 Does the bidder or any of its directors / trustees / shareholders / members /

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract?
YES/NO

2.3.1 If so, furnish particulars:

.....
.....

3 DECLARATION

I, _____ the _____ undersigned,
(name)..... in submitting
the accompanying bid, do hereby make the following statements that I certify to
be true and complete in every respect:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium² will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....
Signature Date

.....
Position Name of bidder

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 **To be completed by the organ of state**

(delete whichever is not applicable for this tender).

- a) The applicable preference point system for this tender is the 80/20 preference point system.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

- (a) Price; and
(b) Specific Goals.

1.4 **To be completed by the organ of state:**

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. DEFINITIONS

- (a) **“tender”** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) **“price”** means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) **“rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) **“tender for income-generating contracts”** means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) **“the Act”** means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

$$Ps = 80 \left(1 - \frac{Pt - P_{min}}{P_{min}} \right) \quad \text{or} \quad Ps = 90 \left(1 - \frac{Pt - P_{min}}{P_{min}} \right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$\begin{array}{ccc} 80/20 & \text{or} & 90/10 \\ P_s = 80 \left(1 + \frac{P_t - P_{max}}{P_{max}} \right) & \text{or} & P_s = 90 \left(1 + \frac{P_t - P_{max}}{P_{max}} \right) \end{array}$$

Where

- P_s = Points scored for price of tender under consideration
 P_t = Price of tender under consideration
 P_{max} = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
- (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.)

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Enterprises owned by People with Disabilities (Submit: Disability certificate issued by health professionals)		2	-	
Enterprises owned by Women (Submit: Central Supplier Database (CSD).		7	-	
Small, Medium and Micro Enterprises (SMMEs). (Submit: Central Supplier Database (CSD).		2	-	
Enterprises owned by Youth. (Central Supplier Database (CSD).		4	-	
Enterprises located in Limpopo Province (Municipal Utility Bills or Lease Agreement or Proof of Residence from Tribal Authority/Municipal Council		5	-	

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3. Name of company/firm.....

4.4. Company registration number:

4.5. TYPE OF COMPANY/ FIRM

- ☐ Partnership/Joint Venture / Consortium
- ☐ One-person business/sole propriety
- ☐ Close corporation
- ☐ Public Company
- ☐ Personal Liability Company

- ☐ (Pty) Limited
☐ Non-Profit Company
☐ State Owned Company

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
 - (a) disqualify the person from the tendering process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution, if deemed necessary.

	 SIGNATURE(S) OF TENDERER(S)
SURNAME AND NAME:	
DATE:	
ADDRESS:	
	
	
	

Special Conditions Contract (SCC) relevant to a specific bid, should be compiled separately for bid (if applicable) and will supplement the General Conditions of Contract. Whenever there is a conflict, the provisions in the SCC shall prevail.

TABLE OF CLAUSES

1. Definitions
2. Applications
3. General
4. Standards
5. Use of contract document and information; inspection
6. Patent rights
7. Performance security
8. Inspections, tests and analysis
9. Packing
10. Delivery and documents
11. Insurance
12. Transportation
13. Incident services
14. Spare parts
15. Payments
16. Prices
17. Contract amendments
18. Assignment
19. Sub-contractors
20. Delays in the supplier's performance
21. Penalties
22. Termination for default
23. Dumping and countervailing duties
24. Force Majeure
25. Termination for insolvency
26. Settlement of disputes
27. Limitation of liability
28. Governing language
29. Applicable law
30. Notices
31. Taxes and duties
32. National Industrial Participation Programme (NIPP)
33. Prohibition of restrictive practices

General Conditions of Contract

1. Definitions	The following terms shall be interpreted as indicated: 1.1 "Closing time" means the date and hour specified in the bidding documents for the receipt of bids.
-----------------------	---

THE NATIONAL TREASURY

Republic of South Africa



GOVERNMENT PROCUREMENT

GENERAL CONDITIONS OF CONTRACT

NOTES

The purpose of this document is to:

- (i) Draw special attention to certain general conditions applicable to government bids, contracts and orders; and
- (ii) To ensure that clients be familiar with regard to the rights and obligations of all parties involved in doing business with government.

In this document words in the singular also mean in the plural and vice versa and words in the masculine also mean in the feminine and neuter.

. The General Conditions of Contract will form part of all bid documents and may not be amended.

	1.2 "Contract" means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein. 1.3 "Contract price" means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations. 1.4 "Corrupt practice" means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution. 1.5 "Countervailing duties" are imposed in cases where an enterprise abroad is subsidised by its government and encouraged to market its products internationally. 1.6 "Country of origin" means the place where the goods were mined, grown or produced, or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognised new product results that is substantially different in basic characteristics or in purpose or utility from its components. 1.7 "Day" means calendar day. 1.8 "Delivery" means delivery in compliance of the conditions of the contract or order. 1.9 "Delivery ex stock" means immediate delivery directly from stock actually on hand. 1.10 "Delivery into consignees store or to his site" means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained. 1.11 "Dumping" occurs when a private enterprise abroad markets its goods on own initiative in the RSA at
--	--

	lower prices than that of the country of origin and which have the potential to harm the local industries in the RSA. 1.12 "Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes. 1.13 "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid process at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition. 1.14 "GCC" means the General Conditions of Contract 1.15 "Goods" means all the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract. 1.16 "Imported content" means the portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his sub-contractors) and which costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured. 1.17 "Local content" means that portion of the bidding price which is not included in the imported content provided that local manufacture does not take place. 1.18 "Manufacture" means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.
--	--

	1.19 "Order" means an official written purchase order issued for the supply of goods or works or the rendering of a services. 1.20 "Project site" where applicable, means the place indicated in bidding documents. 1.21 "Purchaser" means the organisation purchasing the goods. 1.22 "Republic" means the Republic of South Africa. 1.23 "SCC" means Special Conditions of Contract. 1.24 "Services" means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such obligations of the supplier covered under the contract. 1.25 "Written" or "in writing" means handwritten in ink or any other form of electronic or mechanical writing. 1.26 IATA means International Air Transport Association 1.27 ASATA means Association of Southern African Travel Agents
2. Application	2.1 These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents. 2.2 Where applicable, special conditions of the contract are also laid down to cover specific supplies, services or works. 2.3 Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.
3. General	3.1 Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where

	applicable a non-refundable fee or documents may be charged. 3.2 With certain exceptions, invitations to bid are only published in the Government Bid Bulletin. The Government Bid Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretoria 0001, or accessed electronically from www.treasury.gov.za
4. Standards	4.1 The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.
5. Use of contract documents and information; inspection.	5.1 The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance. 5.2 The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in the GCC clause 5.1 except for purposes of performing the contract. 5.3 Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser. 5.4 The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.
6. Patent rights	6.1 The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or

	industrial design rights arising from use of the goods or any part thereof by the purchaser.
7. Performance security.	7.1 Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in the SCC. 7.2 The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract. 7.3 The performance security shall be denominated in the currency of the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms: (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad acceptable to the purchaser, in the form provided in the bidding documents or another form of acceptable to the purchaser, or (b) a cashier's certified cheque 7.4 The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in SCC.
8. Inspections, tests and analyses	8.1 All pre-bidding testing will be for the account of the bidder. 8.2 If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organisation acting on behalf of the Department.

	8.3 If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make necessary arrangements, including payment arrangements with the testing authority concerned. 8.4 If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the costs of the inspections, tests and analyses shall be defrayed by the purchaser. 8.5 Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier. 8.6 Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected. 8.7 Any contract supplies may on or after delivery be inspected, tested or analysed and may be rejected if found not to comply with the requirements of the contract. Such rejected supplies shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirement of the contract. Failing such removal, the rejected supplies shall be returned at the supplier's cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier. 8.8 The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on
--	--

	account of a breach of the conditions thereof, or to act in terms of Clause 23 of GCC.
9. Packing	9.1 The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit. 9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the purchaser.
10. Delivery and documents	10.1 Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The details of shipping and/or other documents to be furnished by the supplier are specified in SCC. 10.2 Documents to be submitted by the supplier are specified in SCC.
11. Insurance	11.1 The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the SCC.
12. Transportation	12.1 Should a price other than an all-inclusive delivered price be required, this shall be specified in the SCC.
13. Incidental services	10.1. The supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:

	(a) performance or supervision of on-site assembly and/or commissioning of the supplied goods; (b) furnishing of tools required for assembly and/or maintenance of the supplied goods; (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods; (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and (e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods. 13.2 Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.
14 Spare parts	14.1 As specified in SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier: (a) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and (b) in the event of termination of production of the spare parts: (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and

	(ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.
15 Warranty	15.1 The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination. 15.2 This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC. 15.3 The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty. 15.4 Upon receipt of such notice, the supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser. 15.5 If the supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

16 Payment	16.1 The method and conditions of payment to be made to the supplier under this contract shall be specified in SCC. 16.2 The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfilment of other obligations stipulated in the contract. 16.3 Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier. 16.4 Payment will be made in Rand unless otherwise stipulated in SCC.
17 Prices	17.1 Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized in SCC or in the purchaser's request for bid validity extension, as the case may be.
18 Contract amendments	18.1 No variation in or modification of the terms of the contract shall be made except by written amendment signed by the parties concerned.
19 Assignment	19.1 The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.
20 Subcontracts	20.1 The supplier shall notify the purchaser in writing of all subcontracts awarded under this contract if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.
21 Delays in the supplier's performance	21.1 Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract. 21.2 If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its

	cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract. 21.3 No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local authority. 21.4 The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available. 21.5 Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 21.2 without the application of penalties. 21.6 Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without cancelling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.
--	--

22 Penalties	22.1 Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.
23 Termination for default	23.1 The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part: a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2; b) if the Supplier fails to perform any other obligation(s) under the contract; or c) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract. 23.2 In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated. 23.3 Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from

	doing business with the public sector for a period not exceeding 10 years. 23.4 If a purchaser intends imposing a restriction on a supplier or any person associated with the supplier, the supplier will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated fourteen (14) days the purchaser may regard the intended penalty as not objected against and may impose it on the supplier. 23.5 Any restriction imposed on any person by the Accounting Officer Authority will, at the discretion of the Accounting Officer / Authority, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the Accounting Officer / Authority actively associated. 23.6 If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information: a) the name and address of the supplier and / or person restricted by the purchaser. b) the date of commencement of the restriction c) the period of restriction; and d) the reasons for the restriction. These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.
--	--

	23.7 If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.
24 Anti-dumping and countervailing duties and rights	24.1 When, after the date of bid, provisional payments are required, or antidumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such anti-dumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall on demand be paid forthwith by the contractor to the State or the State may deduct such amounts from moneys (if any) which may otherwise be due to the contractor in regard to supplies or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other contract or any other amount which may be due to him.
25 Force Majeure	25.1 Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other

	failure to perform his obligations under the contract is the result of an event of force majeure. 25.2 If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.
26 Termination for insolvency	26.1 The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.
27 Settlement of Disputes	27.1 If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation. 27.2 If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party. 27.3 Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law. 27.4 Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SCC.

	27.5 Notwithstanding any reference to mediation and/or court proceedings herein, (a) The parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and (b) The purchaser shall pay the supplier any monies due the supplier.
28. Limitation of liability	28.1 Except in cases of criminal negligence or wilful misconduct, and in the case of infringement pursuant to Clause 6; a. the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and b. the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.
29. Governing language	29.1 The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.
30. Applicable law	30.1 The contract shall be interpreted in accordance with South African laws, unless otherwise specified in SCC.
31. Notices	31.1 Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to

	him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice. 31.2 The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.
32 Taxes and duties	32.1 A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country. 32.2 A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser. 32.3 No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate, submitted by the bidder. This certificate must be an original issued by the South African Revenue Services.
33 National Industrial Participation (NIP) Programme	33.1 The NIP Programme administered by the Department of Trade and Industry shall be applicable to all contracts that are subject to the NIP obligation.
34 Prohibition of Restrictive practices	34.1 In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder (s) is / are or a contractor(s) was / were involved in collusive bidding (or bid rigging). 34.2 If a bidder(s) or contractor(s), based on reasonable grounds or evidence obtained by the purchaser, has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible

	imposition of administrative penalties as contemplated in the Competition Act No. 89 of 1998. 34.3 If a bidder(s) or contractor(s), has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s) concerned.
--	---

DECLARATION OF ACCEPTANCE OF GENERAL CONDITIONS OF CONTRACT (GCC)

The bidder declares to accept all the Conditions as outlined in the GCC as specified above by indication with an "X" in the "ACCEPT ALL" column.	ACCEPT ALL	DO NOT ACCEPT ALL
NOTE: FAILURE TO ACCPET ALL THE GENERAL CONDITIONS OF CONTRACT AS SPECIFIED IN THE ABOVE WILL RESULT IN DISQUALIFICATION OF YOUR BID. Signature..... Names (in print) Date		

EVALUATION CRITERIA**STAGE 1: ADMINISTRATIVE REQUIREMENTS/COMPLIANCE**

	ADMINISTRATIVE REQUIREMENTS/COMPLIANCE	
1.1	▪ Non-submission of the following will lead to bids being disqualified: ▪ Fully completed SBD forms (SBDs 1, 3.2, 4, 6.1) ▪ Bidders must be registered on CSD. ▪ Forms must be completed in full, with black ink. ▪ Usage of correction fluid is not allowed. ▪ An authorized person must sign off the document and must initial any correction made on the document. (Attach Power of Attorney/authority for signatory). ▪ Prices must be written in both figures and in word on the Form of Offer. ▪ Form of Offer must be duly signed and completed. ▪ Bid Document must be completed in full using a black ink and not typed. ▪ Inclusion of VAT by non-VAT vendors will be regarded as non-compliance	

1.2	The following are regarded as disqualifying factors and non-compliance to administrative requirements: • Failure to complete the Bid Document in full. • Price amendments without signature. • Usage of correction fluid. • Completion of the bid document with a pencil. • Inclusion of VAT by non-VAT vendors. • Non completion and/or non-alignment with specified variables of rate adjustment table (SBD 3.2) • Variables should be added up to total of 100% and should not exceed 100%.	
-----	--	--

STAGE 2: FUNCTIONALITY CRITERIA

- Only bid proposals complied with Stage 1 of administrative requirement will be considered to be evaluated further on Stage 2 of Functionality Criteria.
- Bids will be evaluated based on the following criteria for functionality:
- The bidder must score a minimum of 75% during Stage 2 (Functionality Criteria) of the evaluation to qualify for further evaluation on Stage 3 of the evaluation where only points for Price and Specific goals will be considered.
- The following values/ indicators will be applicable when evaluating Functionality Criteria:

0 = Non-compliance, 1 = Poor; 2 = Fair; 3 = Average; 4 = Good; 5 = Excellent

CRITERIA FOR FUNCTIONALITY AND POINTS WEIGHT ALLOCATION FOR THE PROCUREMENT OF BUILDING MATERIAL

No.	Category	Weight/Value 100 points	Score	Total (Weight X Value awarded)

1.	Company/entity established in Limpopo Province (Attach relevant documentation: lease agreement/ title deed, Municipal Bill and proof of business address from Traditional Authority)	30	0=un-established business premises in Limpopo 5= Established business premises in Limpopo.	
2.	Experience / track record of Company in Supplying and Delivering Building Material For the purpose of this bid the Service Provider will need to provide details of previous service rendered.			
2.1	Previous experience of the company in supplying Building Material.	40	0 - Up to the value of R500k = (1 point) Above R500k up to the value of 1 million = (3 points) Above the value of 1 million= (5 points) Attach appointment letters/orders and delivery note/confirmation letter(s) of all previous supply of Building Material which were successfully	

			delivered as proof.	
3.	Financial strength	30	A=5 points B= 4 points C=3 points D=2 points E=1 point Bidder to submit financial institution ratings or letters.	

NB: A BIDDER MUST OBTAIN A MINIMUM OF 75% UNDER FUNCTIONALITY TO QUALIFY FOR FINAL EVALUATION

STAGE 3: PREFERENCE POINTS SYSTEM (80/20)

Preference points claim in terms of Preferential Procurement Regulation 2022 will be as follows:

A maximum of 80 points is allocated for price on the following basis:

80/20

$$P_s = 80 \left(1 - \frac{P_t - P_{\min}}{P_{\min}} \right)$$

Where

P_s = Points scored for price of bid under consideration

P_t = Price of bid under consideration

$P_{\min}$ = Price of lowest acceptable bid

Points scored must be rounded off to the nearest 2 decimal places.

Step 3: Calculation of points for Specific goals

Points shall be awarded to a bidder for attaining points for specific goals in accordance with the table below

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Enterprises owned by People with Disabilities (Attach Disability certificate issued by health professionals)	2	
Enterprises owned by Women (Attach Central Supplier Database (CSD).)	7	
Small, Medium and Micro Enterprises (SMMEs). (Attach Central Supplier Database (CSD).)	2	
Enterprises owned by Youth. (Attach Central Supplier Database (CSD).)	4	
Enterprises located in Limpopo Province (Attach Municipal Utility Bills or Lease Agreement or Proof of Residence from Tribal Authority/Municipal Council)	5	

ALL BID CONDITIONS AND/OR INSTRUCTIONS SET OUT BELOW MUST BE STRICTLY ADHERED TO; FAILING WHICH THIS BID SUBMISSION WILL BE DECLARED NON-RESPONSIVE.

1. No bid will be considered unless deposited on Departmental Bid Box before the closing date and time.
2. Bids documents must properly be deposited and received on or before the closing date and before the closing time, in the relevant bid box at Cnr River & Blaauwberg Street, Ladanna, 0699.
3. The department reserves the right to negotiate the price were deemed necessary.
4. The department shall not consider bids that are received after the closing date and time for such a bid.
5. The department will not be held responsible for any expenses incurred by Bidders in preparing and submitting bids.
6. The department may, after the closing date, request additional information or clarification of bids in writing.
7. The total bid price should be written in both figures and in words on the Form of Offer.
8. Bid Document should be fully completed.
9. The successful bidder would be required to bring a sample of each item before delivery.
10. The Department will award the bid to the highest points scoring bidders per district.

11. No alteration, erasure or addition is to be made in the text of the Bid Document,
Should any alteration, erasure or addition be made, it will not be recognised; the original wording of the Bid Document will be adhered to.
12. The contract will run for a period of 36 months from the signature date of the Service Level Agreement by the Department.
13. Price adjustments will be allowed annually, and the following formula shall apply:

$$Pa = (1 - V)Pt \left(D1 \frac{R1t}{R1o} + D2 \frac{R2t}{R2o} + D3 \frac{R3t}{R3o} + D4 \frac{D4t}{D4o} \right) + VPt$$

Where:

- | | | |
|---------------|---|--|
| Pa | = | The new escalated price to be calculated. |
| (1-V)Pt | = | 85% of the original bid price. note that Pt must always be the original bid price and not an escalated price. |
| D1, D2.. | = | Each factor of the bid price e.g. labour, transport, clothing, footwear, etc. The total of the various factors D1,D2...etc. must add up to 100%. |
| R1t, R2t..... | = | Index figure obtained from new index (depends on the number of factors used). |
| R1o, R2o | = | Index figure at time of bidding. |
| VPt | = | 15% of the original bid price. This portion of the bid price remains firm i.e. it is not subject to any price escalations. |

BIDDER/SUPPLIER ACCEPT THE ABOVE

NAME OF BIDDER _____

SIGNATURE _____

DATE _____

COMPULSORY BRIEFING SESSION

(Bidders will be provided with the attendance register and must sign it in the name of the tendering entity on the date of the briefing session).

There will be a **compulsory** briefing session for this bid.

- Venue: **Capricorn District Office**
(Next to Correctional Services Office)
- Date: **04 November 2025**
- Time: **11 H00 AM**

Signed:.....

Bidder:.....

Capacity:.....



LIMPOPO
PROVINCIAL GOVERNMENT
REPUBLIC OF SOUTH AFRICA

**DEPARTMENT OF
PUBLIC WORKS, ROADS & INFRASTRUCTURE**

**SUPPLY, DELIVERY AND OFF-LOADING
OF BUILDING MATERIAL FOR ALL FIVE
DISTRICTS AT THE DEPARTMENT OF
PUBLIC WORKS, ROADS AND
INFRASTRUCTURE FOR A PERIOD OF 36
MONTHS (CAPRICORN DISTRICT)**

SUPPLY AND DELIVERY OF BUILDING MATERIAL

ITEM NO	DESCRIPTION	UOM	UNIT PRICE
1	52.5 Ordinary Portland Cement SABS Approved in bags of 50kg	No	
2	42.5 Ordinary Portland Cement SABS Approved in bags of 50kg	No	
3	32.5 Ordinary Portland Cement SABS Approved in bags of 50kg	No	
4	110mm x 40m x 375micron DPC SABS	No	
5	225mm x 40m x 375micron DPC SABS	No	
6	75mm x 2.8mm x 20m Roll Brick Force.	No	
7	150mm x 2.8mm x 20m Roll Brick Force.	No	
8	Welded Mesh Ref 193 (200 x 200 x 5.6mm) 6m x 2.4m	No	
9	Welded Mesh Ref 395 (200 x 200 x 6.3mm) 6m x 2.4m	No	
10	Welded Mesh Ref 245 (200 x 200 x 8.0mm) 6m x 2.4m	No	
11	3.15mm Galvanised Wire	Kg	
12	4mm Galvanised Wire	Kg	
13	2032mm x 1613mm x 115mm x 1.2mm Heavy Duty Steel Door Frames	No	
14	2032mm x 813mm x 115mm x 1.2mm Heavy Duty Steel Door Frames	No	
15	2032mm x 760mm x 115mm x 1.2mm Heavy Duty Steel Door Frames	No	
16	2032mm x 900mm x 115mm x 1.2mm Heavy Duty Steel Door Frames (Suitable for disabled toilet)	No	
17	Mutual DS3 CAT2 Strongroom door and frame 775mm x 1875mm with a mass of 380kg	No	
18	NE1 Heavy Duty Steel Window Frame (F7).	No	
19	NE2 Heavy Duty Steel Window Frame (F7).	No	
20	NE4 Heavy Duty Steel Window Frame (F7).	No	
21	TD75 Heavy Duty Steel Window Frame (F7).	No	
22	TD678 Heavy Duty Steel Window Frame (F7).	No	

23	TD57S5 Heavy Duty Steel Window Frame (F7).	No	
24	TD57S8 Heavy Duty Steel Window Frame (F7).	No	
25	TD678 Heavy Duty Steel Window Frame (F7).	No	
26	NCT1S Heavy Duty Steel Window Frame (F7).	No	
27	ND2 Heavy Duty Steel Window Frame (F7).	No	
28	ND4 Heavy Duty Steel Window Frame (F7).	No	
29	NE8 Heavy Duty Steel Window Frame (F7).	No	
30	NG2 Heavy Duty Steel Window Frame (F7).	No	
31	ND512 Heavy Duty Steel Window Frame (F7).	No	
32	ND11F Heavy Duty Steel Window Frame (F7).	No	
33	ND54 Heavy Duty Steel Window Frame (F7).	No	
34	NC4 Heavy Duty Steel Window Frame (F7).	No	
35	SAP Timber Branderings Grade 4 (Red Cross) SABS Approved 5.4m x 38mm x 38mm	M	
36	SAP Timber Branderings Grade 4 (Red Cross) SABS Approved 4.5m x 38mm x 38mm	M	
37	SAP Timber Branderings Grade 4 (Red Cross) SABS Approved 3.6m x 38mm x 38mm	M	
38	SAP Timber Purlins Grade 4 (Red Cross) SABS Approved 6m x 76mm x 50mm	M	
39	SAP Timber Purlins Grade 4 (Red Cross) SABS Approved 5.4m x 76mm x 50mm	M	
40	SAP Timber Purlins Grade 4 (Red Cross) SABS Approved 4.5m x 76mm x 50mm	M	
41	SAP Timber Purlins Grade 4 (Red Cross) SABS Approved 3.6m x 76mm x 50mm	M	
42	SAP Timber Rafter Grade 4 (Red Cross) SABS Approved 6m x 114mm x 38mm	M	
43	SAP Timber Rafter Grade 4 (Red Cross) SABS Approved 5.4m x 114mm x 38mm	M	
44	SAP Timber Rafter Grade 4 (Red Cross) SABS Approved 4.5m x 114mm x 38mm	M	
45	SAP Timber Rafter Grade 4 (Red Cross) SABS Approved 3.6m x 114mm x 38mm	M	
46	SAP Timber Wall Plate Grade 4 (Red Cross) SABS Approved 6m x 76mm x 38mm	M	

47	SAP Timber Wall Plate Grade 4 (Red Cross) SABS Approved 5.4m x 76mm x 38mm	M	
48	SAP Timber Wall Plate Grade 4 (Red Cross) SABS Approved 4.5m x 76mm x 38mm	M	
49	SAP Timber Wall Plate Grade 4 (Red Cross) SABS Approved 3.6m x 76mm x 38mm	M	
50	SAP Timber Rafters Grade 4 (Red Cross) SABS Approved 6m x 152mm x 50mm	M	
51	SAP timber Grade 4 (Red Cross) SABS 38mm x 152mm x 6m	M	
52	SAP Timber Grade 4 (Red Cross) SABS 38mm x 152mm x 4m	M	
53	SAP Timber Grade 4 (Red Cross) SABS 38mm x 220mm x 4m	M	
54	SAP Timber Grade 4 (Red Cross) SABS 38mm x 152mm x 3.6m	M	
55	Everite Nutec Ceiling Board 3.6m x 1.2m x 4mm	No	
56	Everite Nutec Ceiling Board 3.0m x 1.2m x 4mm	No	
57	Everite Nutec Ceiling Board 2.4m x 1.2m x 4mm	No	
58	Everite Nutec Ceiling Board 3.6m x 900mm x 4mm	No	
59	Everite Nutec Ceiling Board 3.0m x 900mm x 4mm	No	
60	Everite Nutec Ceiling Board 2.46m x 900mm x 4mm	No	
61	Nutec Facia Board 250mm x 8mm x 3m	No	
62	Nutec Barge Board 250mm x 8mm x 3m	No	
63	Nutec Facia Board Pressed Steel Joints	No	
64	Nutec Barge Board Pressed Steel Joints	No	
65	Nutec Corner Pressed Steel Joints	No	
66	H Type Pressed Steel Cover Strips 3.6m	No	
67	H Type Pressed Steel Cover Strips 3.0m	No	
68	H Type Pressed Steel Cover Strips 2.4m	No	
69	Coved Cornice 6m x 76mm x 19mm	No	

70	Coved Cornice 4.2m x 76mm x 19mm	No	
71	Coved Cornice 3.m x 76mm x 19mm	No	
72	Coved Cornice 3.6m x 76mm x 19mm	No	
73	Coved Cornice 3m x 76mm x 19mm	No	
74	Steel Trap Door 610mm x 610mm	No	
75	Hardwood Meranti Skirting 6m x 75mm x 19mm	No	
76	Hardwood Meranti Skirting 4.2m x 75mm x 19mm	No	
77	Hardwood Meranti Skirting 3.6m x 75mm x 19mm	No	
78	Hardwood Meranti Quateround 6m x 75mm x 19mm	No	
79	Hardwood Meranti Quateround 4.2m x 75mm x 19mm	No	
80	Hardwood Meranti Quateround 3.6m x 75mm x 19mm	No	
81	2032mm x 813mm Sapele Heavy Duty Internal Solid Doors	No	
82	2032mm x 760mm Sapele Heavy Duty Internal Solid Doors	No	
83	2032mm x 900mm Sapele Heavy Duty Internal Solid Doors (Suitable for disabled toilet)	No	
84	2032mm x 813mm Framed, Legged, Braced, Back Flush External Meranti Door.	No	
85	2032mm x 813mm Four Panel Meranti External Door	No	
86	1436mm x 2032mm External Meranti Double Doors Concealed Hardware Edges	No	
87	1830mm x 2750mm x 16mm White Melamine Chip Board.	No	
88	1830mm x 2750mm x 16mm Red Oak Chip Board.	No	
89	1830mm x 2750mm x 16mm White Oak Chip Board.	No	
90	1830mm x 2750mm x 16mm Mahogany Chip Board.	No	
91	2440mm x 1220mm x 18mm Plywood Board	No	
92	2440mm x 1220mm x 16mm Plywood Board	No	
93	2440mm x 1220mm x 14mm Plywood Board	No	

94	2440mm x 1220mm x 12mm Plywood Board	No	
95	2440mm x 1220mm x 10mm Plywood Board	No	
96	38mm x 228mm x 6m SA Pine Untreated (Timber Beam)	No	
97	Hinges Pot 90 ⁰	No	
98	Hinges Pot 180 ⁰	No	
99	10mm Thick Pastel Base	No	
100	5kg Base Coat	No	
101	5L Key Coat	No	
102	5000mm x 20 mm White Builders Wood PG Edging Roll	No	
103	16mm Veneer Edging in Standard Colours.	No	
104	2400mm x 1200mm x 4mm Thick Brown Masonite Board	No	
105	2400mm x 1200mm x 4mm Thick White Masonite Board	No	
106	Pine Cleats 3000mm x 35mm x 22mm	No	
107	Standard Steel Drawer Locks	No	
108	Standard Drawer Handles	No	
109	300mm Steel Wall Brackets	No	
110	450mm Steel Wall Brackets	No	
111	530mm Steel Wall Brackets	No	
112	600mm Steel Wall Brackets	No	
113	6000mm x 600mm x 32mm Post Form Top (All standard colours).	No	
114	3530mm x 600mm x 32mm Post Form Top (All standard colours).	No	
115	6000mm x 900mm x 32mm Post Form Top (All standard colours).	No	
116	3530mm x 900mm x 32mm Post Form Top (All standard colours).	No	
117	600mm Kitchen Top Steel Jointer.	No	

118	900mm Kitchen Top Steel Jointer.	No	
119	100mm Butt Hinges for Wooden Doors	No	
120	1 200mm x 1 800mm Vitrex Pinning Boards Complete with plugs.	No	
121	1 200mm x 2 400mm Vitrex Pinning Boards Complete with plugs.	No	
122	High Quality 4 Lever Mortice Lock SABS Approved Complete with Handles	No	
123	60mm High Quality Cylinder Lock SABS Approved Complete with Handles in all Standard Colours	No	
124	65mm High Quality Cylinder Lock SABS Approved Complete with Handles in all Standard Colours	No	
125	32mm High Quality Padlock Brass in Colour	No	
126	38mm High Quality Padlock Brass in Colour	No	
127	50mm High Quality Padlock Brass in Colour	No	
128	60mm High Quality Padlock Brass in Colour	No	
129	63mm High Quality Padlock Brass in Colour	No	
130	20L High Quality PVA Paint (All Standard Colours)	No	
131	20L High Quality Eggshell Enamel Paint (All Standard Colours)	No	
132	20L High Quality Roof Paint (All Standard Colours)	No	
133	5L ABE Super Lycryl (All Standard Colours)	No	
134	5L Road Mark High Quality Green Paint	No	
135	5L Bitumen Seal	No	
136	5L Road Mark Quick Dry Reflective Quality Paint (Standard Colours) Suitable for marking on Tar and Paving	No	
137	20L Road Mark High Quality Green Paint	No	
138	5L High Quality Enamel Paint (All Standard Colours)	No	
139	5L PVA Paint (All Standard Colours)	No	
140	20L High Quality Kalahari Colour Paint	No	
141	5L Linseed Oil (All Colours)	No	

142	750ML Linseed Oil (All Colours)	No	
143	5L High Quality Universal Undercoat Paint	No	
144	5L Carbolinium	No	
145	5L High Quality Roof Seal and Mesh Cloth in Standard Colours	No	
146	5L High Quality Damp Seal	No	
147	10m x250mm Laykold Tape Silver Colour	No	
148	10m x 200mm Waterproofing Membrane	No	
149	5L High Quality Brick Dressing	No	
150	2kg Exterior Polly Filler	No	
151	2kg Interior Polly Filler	No	
156	12Kg Exterior Polly Filler	No	
157	12Kg Interior Poly Filler	No	
158	2.5m x75mm Laykold Tape Silver Colour	No	
159	5L High Quality Galvogrip Metal Primer (Steel Primer)	No	
160	5L High Quality Red Oxide Steel Primer	No	
161	5L Turpentine	No	
162	5L Thinners	No	
163	5L Power Paraffin	No	
164	5L Road Mark High Quality White Paint	No	
165	5L Road Mark High Quality Red Paint	No	
166	5L Road Mark High Quality Yellow Paint	No	
167	20L Road Mark High Quality White Paint	No	
168	20L Road Mark High Quality Red Paint	No	
169	20L Road Mark High Quality Yellow Paint	No	

170	1L High Quality Varnish All Standard Colours	No	
171	5L High Quality Varnish All Standard Colours	No	
172	1L High Quality Clear Varnish	No	
173	5L High Quality Clear Varnish	No	
174	20L High Quality Stoep Paint (All Standard Colours)	No	
175	500ml Wood Glue	No	
176	1L Wood Glue	No	
177	5L High Quality Cornice Glue	No	
178	5L Contact Glue	No	
179	12mm High Quality Paint Brush	No	
180	25mm High Quality Paint Brush	No	
181	38mm High Quality Paint Brush	No	
182	50mm High Quality Paint Brush	No	
183	75mm High Quality Paint Brush	No	
184	100mm High Quality Paint Brush	No	
185	225mm Classic Paint Roller Tray Set	No	
186	225mm Morehair Paint Roller Tray Set	No	
187	5L Paint Remover/Stripper	No	
188	Masking Tape 48mm x 50m	No	
189	5L Wood Sealer Paint	No	
190	Industrial Putty Knife Set 25mm	No	
191	Industrial Putty Knife Set 50mm	No	
192	Industrial Putty Knife Set 75mm	No	
193	Stanley Heavy Duty Utility Knife Blades 100-Piece Set	No	

194	788 Instant Front Load Retractable Trimming Knife	No	
195	Mutton Cloth 400g	No	
196	Heavy Duty Paint Drop Sheet 2 x 3m	No	
197	Paint -Zipper Hooded Non-Woven Coverall Polypropylene	No	
198	Extension Pole Paint Roller	No	
199	500g Hand Grit Cleaner	No	
200	100ML Paint Colour Tint Dye (All Standard Colour)	No	
201	Sandpaper Grit50 300mm x 1m Roll	No	
202	Sandpaper Grit80 300mm x 1m Roll	No	
203	5L Wood Primer	No	
204	5L Wood Seal	No	
205	Stone Sealer Gloss Solvent Floor Coating Paint (5 L)	No	
206	A.B.E. Mastic Sealer Epoxy Floor Coating Paint (1000 g)	No	
207	Epoxy Floor Paint Light Grey Epoxy Floor Coating Paint (5 L)	No	
208	Protective Topcoat Clear Epoxy Floor Coating Paint (5 L)	No	
209	20L Plastered Wall Primer	No	
210	Spray Paint Rustol Bathtub and Tile Aerosol White 340 g	No	
211	NFX High Quality Stock Bricks All Standard Stock Bricks) (Per Thousand)	1000	
212	FBS High Quality Face Bricks (All Standard Face Brick Types) (Per Thousand)	1000	
213	110mm x75mm x 1200mm Concrete Lintel	No	
214	110mm x75mm x 1800mm Concrete Lintel	No	
215	110mm x75mm x 2100mm Concrete Lintel	No	
216	140mm x75mm x 1500mm Concrete Lintel	No	
217	140mm x75mm x 2400mm Concrete Lintel	No	

218	140mm x75mm x 2700mm Concrete Lintel	No	
219	140mm x75mm x 3000mm Concrete Lintel	No	
220	Floral Retain Blocks Interlocking 300mm x 410mm x 250mm Grey in Colour	1000	
221	60mm Interlocking Herringbone Type Grey Concrete Paving Bricks	1000	
222	80mm Interlocking Herringbone Type Grey Concrete Paving Bricks	1000	
223	River Sand (High quality well sieved and cleaned)	M ³	
224	Building Sand (High quality well sieved and cleaned)	M ³	
225	Plastering Sand (High quality well sieved and cleaned)	M ³	
226	19mm Grey Crusher Stone, High quality cleaned (Concrete Stones)	M ³	
227	6.7mm Grey Crusher Stone, High quality cleaned (Concrete Stones)	M ³	
228	6mm Grey Crusher Dust, High quality cleaned (Crusher Dust)	M ³	
229	210L Heavy Duty Plastic Drum	No	
230	30m x 20mm Reinforced High Quality Garden Hose Pipe Tap Connector Included.	No	
231	30m x 15mm Reinforced High Quality Garden Hose Pipe Tap Connector Included.	No	
232	200mm x 200mm x 5mm 1 st Grade Shiny and Rough Textured Ceramic Wall Tiles in Standard Colours	M ²	
233	200mm x 300mm x 5mm 1 st Grade Shiny and Rough Textured Ceramic Wall Tiles in Standard Colours	M ²	
234	350mm x 350mm x 8mm 1 st Grade Shiny and Rough Textured Ceramic Floor Tiles in Standard Colours	M ²	
235	408mm x 408mm x 8mm 1 st Grade Shiny and Rough Textured Ceramic Floor Tiles in Standard Colours	M ²	
236	430mm x 430mm x 8mm 1 st Grade Shiny and Rough Textured Ceramic Floor Tiles in Standard Colours	M ²	
237	330mm x 330mm x 10mm High Quality Clay Floor Tiles in Standard Colours	M ²	
238	350mm x 350mm x 10mm High Quality Clay Floor Tiles in Standard Colours	M ²	
239	400mm x 400mm x 10mm High Quality Clay Floor Tiles in Standard Colours	M ²	
240	450mm x 900mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
241	600mm x 600mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
242	800mm x 800mm x 12mm 1 st Grade Fully Polished Rough	M ²	

	Textured Porcelain Floor Tiles in Standard Colours		
243	600mm x 600mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
244	600mm x 1200mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
245	750mm x 1500mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
246	Tile, Floor, vinyl, 2.5mm x 300mm x 300mm	M ²	
247	3mm Tile Spacers	No	
248	5mm Tile Spacers	No	
249	5kg Tile Grout Standard Colours	No	
250	20kg Tile Grout Standard Colours	No	
251	20kg Porcelain tile cement	No	
252	20kg Ceramic Tile Adhesive	No	
253	2500m x 20mm x 7mm PVC Tile Trimmer.	No	
254	2500m x 10mm Alluminium Tile Trimmer.	No	
255	Grout off in 5 litres	No	
256	Tile Bonding Liquid in 5 litres	No	
257	IBR Roof sheeting steel inverted box ribbed, with ribs not less than 30 mm deep and not more than 172 mm centered which has a coating of Z275 and subject to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934 unpacked. 0,58 mm thickness 686 mm effective width: 3,6m long	No	
258	IBR Roof sheeting steel inverted box ribbed, with ribs not less than 30 mm deep and not more than 172 mm centered which has a coating of Z275 and subject to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934 unpacked. 0,58 mm thickness 686 mm effective width: 4,2m long	No	

259	IBR Roof sheeting steel inverted box ribbed, with ribs not less than 30 mm deep and not more than 172 mm centered which has a coating of Z275 and subject to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934 unpacked. 0,58 mm thickness 686 mm effective width: 5,0m long	No	
260	IBR Roof sheeting steel inverted box ribbed, with ribs not less than 30 mm deep and not more than 172 mm centered which has a coating of Z275 and subject to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934 unpacked. 0,58 mm thickness 686 mm effective width: 6,0m long	No	
261	Ridge capping for IBR 462 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness 3,6m long	No	
262	Ridge capping for IBR 462 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness 4,2 mm long	No	
263	Ridge capping for IBR 462 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness 5,0 mm long	No	
264	Ridge capping for IBR 462 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	

	6,0 mm long		
265	IBR ridge capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The Zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
266	IBR ridge capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
267	IBR ridge capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The Zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
268	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The Zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
269	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
270	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
271	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934.	No	

	0,58 mm thickness		
272	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
273	Galvanised corrugated iron sheets, commercial quality, which has a coating of Z275 and subjected to anti-white rust, treatment in various lengths from 1000 mm as required. The zinc coating must be in accordance with the latest issue of SABS specification 934. Effective width 610 mm. Overall width 690mm. 0.58 mm thickness 3,6m long	No	
274	Galvanised corrugated iron sheets, commercial quality, which has a coating of Z275 and subjected to anti-white rust, treatment in various lengths from 1000 mm as required. The zinc coating must be in accordance with the latest issue of SABS specification 934. Effective width 610 mm. Overall width 690mm. 0.58 mm thickness 4,2m long	No	
275	Galvanised corrugated iron sheets, commercial quality, which has a coating of Z275 and subjected to anti-white rust, treatment in various lengths from 1000 mm as required. The zinc coating must be in accordance with the latest issue of SABS specification 934. Effective width 610 mm. Overall width 690mm. 0.58 mm thickness 5,0m long	No	
276	Galvanised corrugated iron sheets, commercial quality, which has a coating of Z275 and subjected to anti-white rust, treatment in various lengths from 1000 mm as required. The zinc coating must be in accordance with the latest issue of SABS specification 934. Effective width 610 mm. Overall width 690mm. 0.58 mm thickness 6,0m long	No	
277	Ridge capping for corrugated iron sheeting 450 mm girth,	No	

	which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness		
278	Ridge capping for corrugated iron sheeting 450 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	
279	Ridge capping for corrugated iron sheeting 450 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	
280	Ridge capping for corrugated iron sheeting 450 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	
281	Ridge capping for corrugated iron sheeting 450 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	
282	Under tile Membrane SABS Approved	No	
283	Hip Starter for Double Roman Roof Concrete	No	
284	Double Roman Roof Concrete Tile Standard Colours SABS equivalent to Marley Tile	No	
285	Tile Taper Ridge for Double Roman Roof Concrete Tile Standard Colours SABS equivalent to Marley Tile	No	
286	Tile Hip for Double Roman Roof Concrete Tile Standard Colours SABS equivalent to Marley Tile	No	
287	Harvey Tile SABS in all Standard Colours	No	
288	Harvey Tile Angle Ridge SABS in all Standard Colours	No	
289	45mm Harvey Tiles Nails	Kg	

290	Cement Paving Bricks Interlocking 200mm x 80mm x 60mm Grey in Colours	No	
291	Roof Acrylic All Weather Resistant (All Standard Colours) in 20l	No	
292	10mm x 90mm Cup square Bolt + Nuts	No	
293	290mm x 290mm Toilets Sign, Male/Female/Disabled Standard Colours	No	
294	290mm x 290mm Arrows Sign Standard Colours	No	
295	125mm x 5mm Wire Nails SABS	Kg	
296	100mm x 4mm Wire Nails SABS	Kg	
297	75mm x 3.5mm Wire Nails SABS	Kg	
298	40mm x 2mm Wire Nails SABS	Kg	
299	32mm x 2mm Wire Nails SABS	Kg	
300	25mm x 2mm Wire Nails SABS	Kg	
301	32mm X 2.8mm Serrated Clout Nails	Kg	
302	75mm x 3.5mm Fluted Nails	Kg	
303	65mm x 3.5mm Fluted Nails	Kg	
304	50mm x 3.15mm Fluted Nails	Kg	
305	40mm x 2.8mm Fluted Nails	Kg	
306	32mm x 2.8mm Fluted Nails	Kg	
307	40mm x 4mm Steel Wood Screws	Kg	
308	32mm x 4mm Steel Wood Screws	Kg	
309	38mm x 5mm Steel Wood Screws	Kg	
310	30mm x 5mm Steel Wood Screws	Kg	
311	50mm x 5mm Steel Wood Screws	Kg	
312	25mm x 4mm Steel Wood Screws	Kg	
313	50mm x 4mm Steel Wood Screws	Kg	

314	38mm x 4mm Steel Wood Screws	Kg	
315	38mm x 5mm Brass Wood Screws	Kg	
316	30mm x 5mm Brass Wood Screws	Kg	
317	38mm x 4mm Brass Wood Screws	Kg	
318	19mm x 4mm Brass Wood Screws	Kg	
319	30mm x 3.5mm Brass Wood Screws	Kg	
320	50mm x 8mm Nylon Fisher Plugs and Screws	Kg	
321	40mm x 6mm Nylon Fisher Plugs and Screws	Kg	
322	16mm x 4mm Chipboard screws	Kg	
323	16mm Panel Pins	Kg	
324	32mm Panel Pins	Kg	
325	50mm Panel Pins	Kg	
326	45mm x 5mm Nylon Fisher Plugs and Screws	Kg	
327	35mm x 5mm Nylon Fisher Plugs and Screws	Kg	
328	70mm x 6mm Nylon Fisher Plugs and Screws	Kg	
329	60mm x 8mm Nylon Fisher Plugs and Screws	Kg	
330	80mm x 8mm Nylon Fisher Plugs and Screws	Kg	
331	38mm x 5mm Chipboard Screws	Kg	
332	30mm x 5mm Chipboard Screws	Kg	
333	75mm x 5mm Chipboard Screws	Kg	
334	38mm x 4mm Chipboard Screws	Kg	
335	19mm x 4mm Chipboard Screws	Kg	
336	30mm x 4mm Chipboard Screws	Kg	
337	65mm Roof Screws in a Box of 100	No	

338	75mm Roof Screws in a Box of 100	No	
339	90mm Roof Screws in a Box of 100	No	
340	120mm Roof Screws in a Box of 100	No	
341	Wood Tek Screws 50mm (2 inches) in quantity of 100 per box	No	
342	Wood Tek Screws 100mm (4 inches) in quantity of 100 per box	No	
343	Wood Tek Screws 125mm (5 inches) in quantity of 100 per box	No	
344	150mm Window Sliding Stay and Screws	No	
345	178mm Window Sliding Stay and Screws	No	
346	270mm Window Sliding Stay and Screws	No	
347	Right Hand Window Handle with Screw and Bush	No	
348	Left Hand Window Handle with Screw and Bush	No	
349	200mm Window Peg Stay and Screw	No	
350	250mm Window Peg Stay and Screw	No	
351	25mm x 50mm x 2mm Square Tubing Steel	No	
352	Mini Ultra Lock	No	
353	Large Ultra Lock	No	
354	6m x 10mm Steel Square Bar	No	
355	6m x 12mm Steel Square Bar	No	
356	6m x 16mm Steel Square Bar	No	
357	6m x 10mm Steel Round Bar	No	
358	6m x 12mm Steel Round Bar	No	
359	6m x 16mm Steel Round Bar	No	
360	6m x 16mm x 3mm Steel Flat Bar	No	
361	6m x 25mm x 5mm Steel Flat Bar	No	

362	6m x 50mm x 5mm Steel Flat Bar	No	
363	6m x 16mm x 16mm x 1.6mm Steel Square Tubing	No	
364	6m x 25mm x 25mm x 2mm Steel Square Tubing	No	
365	6m x 32mm x 32mm x 2mm Steel Square Tubing	No	
366	6m x 50mm x 50mm x 2mm Steel Square Tubing	No	
367	6m x 76mm x 76mm x 2mm Steel Square Tubing	No	
368	6m x 100mm x 100mm x 2mm Steel Square Tubing	No	
367	6m x 75mm x 50mm x 20mm x 2mm Lipped Channel	No	
368	6m x 100mm x 50mm x 20mm x 2mm Lipped Channel	No	
369	6m x 125mm x 50mm x 20mm x 2mm Lipped Channel	No	
370	6m x 150mm x 75mm x 20mm x 2mm Lipped Channel	No	
371	6m x 175mm x 75mm x 20mm x 2mm Lipped Channel	No	
372	25mm x 25mm x 2.5mm thickness x 6m Angle Iron	No	
373	30mm x 30mm x 2.5mm thickness x 6m Angle Iron	No	
374	50mm x 50mm x 5mm thickness x 6m Angle Iron	No	
375	50mm x 50mm x 2mm thickness x 6m Angle Iron	No	
376	100mm x 100mm x 5mm thickness x 6m Angle Iron	No	
377	76mm x 76mm x 3mm thickness x 6m Square tubing	No	
378	32mm x 2mm x 6m Steel round pipes	No	
379	50mm x 2mm x 6m Steel Round Tube	No	
380	100mm x 2mm x 6m Steel Round Tube	No	
381	152 x 3.0mm x 6m Steel Round tube	No	
382	Rectangular tubing 25mm x 50mm x 2mm x 6m	No	
383	Rectangular tubing 25mm x 76mm x 2mm x 6m	No	

384	Rectangular tubing 38mm x 76mm x 2mm x 6m		
385	38mm x 50mm x 2mm thickness x 6m Rectangular tubing	No	
386	Steel Channel 6m x 76mm x 38mm	No	
387	Steel Channel 6m x 100mm x 50mm	No	
388	Steel Channel 6m x 152mm x 76mm	No	
389	Steel I Beam AA 100 x 55	No	
390	Steel I Beam AA 140 x 76	No	
391	Steel I Beam AA 200 x 100	No	
392	2,5mm Vitemax Welding Rods	Kg	
393	3,15mm Vitemax Welding Rods	Kg	
394	115mm Steel Cutting Disk	No	
395	230mm Steel Cutting Disk	No	
396	350mm Steel Cutting Disk	No	
397	230mm Masonary Cutting Disk	No	
398	350mm Masonary Cutting Disk	No	
399	230mm Diamond Cutting Disc	No	
340	110mm Diamond Cutting Disc	No	
341	Circular Saw Blade 250 mm Universal	No	
342	Table Saw Blade for- 250mm Universal	No	
343	Circular Saw Blade 190mm Universal	No	
344	Table Saw Blade - 210 x 30mm – Universal	No	
345	500m Standard Danger Tape Roll	No	
346	60mm Roller Kit for Steel Gate	No	
347	80mm Roller Kit for Steel Gate	No	

348	100mm x 100mm Heavy Duty Steel Butt Hinges.	No	
349	Builders Straight Econo 1,2mm Hinge (Pack) Heavy duty	No	
350	Builders Bullet Hinge 50 x 10 mm /Pair	No	
351	Builders Bullet Hinge 100 x 16 /Pair	No	
352	Self-Closing Hinge, 3 Knuckle, Brass Plated / Pair	No	
353	3000mm x 1800mm x 40mm x 40mm x 2mm Steel Devils Fork Panels.	No	
354	3000mm x 2000mm x 40mm x 40mm x 2mm Steel Devils Fork Panels.	No	
355	3000mm x 2400mm x 40mm x 40mm x 2mm Steel Devils Fork Panels.	No	
356	3m Wide x 2,4m High Steel Fence Panel made with Angle Irons of 40mmx40mmx3mm Thick pal pan a v –pun sp	No	
357	3m Wide x 1,8m High Steel Fence Panel made with Angle Irons of 40mmx40mmx3mm Thick pal pan a v –pun sp	No	
358	Square tubing 25mm x 25mm x 6m	No	
359	Refill 9kg Oxy-Acetylene Bottles	No	
360	Oxygen Refill Technical Industrial 11,5Kg. 8,6m ³	No	
361	Acetylene Refill Technical Industrial 40Kg, 9,5Kg	No	
362	Brazing Rods	No	
363	Copper to Copper Brazing Rods	Kg	
364	500g Brazing Flux	No	
365	76mm x 76mm Pyramid Steel Cap	No	
366	8mm Thick Galvanized Chain	M	
367	10mm Thick Galvanized Chain	M	
368	100mm Steel Pyramid Caps	No	
369	2450mm x 1225mm x 1mm Hot Rolled Steel Sheets	No	

340	2450mm x 1225mm x 2mm Hot Rolled Steel Sheets	No	
341	2450mm x 1225mm x 3mm Hot Rolled Steel Sheets	No	
342	2450mm x 1225mm x 4mm Hot Rolled Steel Sheets	No	
343	Galvinised Garage Door Roll Up 2450mm x 1830mm	No	
344	Chromadek Garage Door Roll Up 2450mm x 1830mm	No	
345	Aluminium Four Panels Garage Door Roll Up 2450mm x 1830mm Standard Colours	No	
346	Meranti Wooden Six Panels Garage Door Roll Up 2450mm x 1830mm Standard Colours	No	
347	2400 x 1200mm (8mm x 50mm x 50mm) Specimesh	No	
348	2400 x 1200mm (5mm x 25mm x 50mm) Specimesh	No	
349	2400 x 1200mm (10mm x 50mm x 50mm) Specimesh	No	
350	Insect Screen Fiber Glass 900mm x 30m	No	
351	6mm Steel Rawl Bolts	No	
352	8mm Steel Rawl Bolts	No	
353	10mm Steel Rawl Bolts	No	
354	12mm Steel Rawl Bolts	No	
355	40mm Steel Tek Screws packet of 200	No	
356	65mm Steel Tek Screws packet of 200	No	
357	75mm Tek Screws packet of 200	No	
358	70mm Wood Tek Screws packet of 200	No	
359	90mm Wood Tek Screws packet of 200	No	
360	120mm Wood Tek Screws packet of 200	No	
361	Roof Washer	Kg	
362	Stainless Steel Toilet Paper Holder	No	
363	Lockable Toilet Paper Holder	No	

364	150mm Barrel Bolts (big door shooters)	No	
365	Aluminium Door Stopper	No	
366	1220mm x 1830mm x 3mm Clear Glazing Sheet	No	
367	1220mm x 1830mm x 4mm Clear Glazing Sheet	No	
368	1220mm x 1830mm x 4mm Obscured Glazing Sheet	No	
369	280mm Silicon in Standard Colours	No	
370	1kg Window Putty	No	
371	5kg Window Putty	No	
372	Glass Cutter Tungsten Carbide Wheel	No	
373	Glass Cutter	No	
374	Diamond Glass Cutter	No	
375	132mm Steel Glass Cutter with 6 cutting wheels	No	
376	150mm Steel Glass Cutter with 2 Cutter Heads	No	
377	1500mm Aluminium Single Curtain Rail	No	
378	2000mm Aluminium Double Curtain Rail	No	
379	2500mm Aluminium Double Curtain Rail	No	
380	3000mm Aluminium Double Curtain Rail	No	
381	3500mm Aluminium Double Curtain Rail	No	
382	4000mm Aluminium Double Curtain Rail	No	
383	4500mm Aluminium Double Curtain Rail	No	
384	5000mm Aluminium Double Curtain Rail	No	
385	6000mm Aluminium Double Curtain Rail	No	
386	Drawer Runner FIT Ball Bearing Slide Runner 450 x 45 mm	No	
387	Drawer Runner FIT Ball Bearing Slide Runner 600 x 45 mm	No	

388	Builders 2 x Drawer Runners White 350 x 35 x 10 mm	No	
389	Builders 2 x Drawer Runners White 450 x 35 x 10 mm	No	
390	Cupboard Sliding Door Top Profile (Double)	M	
391	Cupboard Sliding Door Bottom Profile (Double)	M	
392	Cupboard Sliding Door Top Profile (Single)	No	
393	Cupboard Sliding Door Bottom Profile (Single)	No	
394	Sliding Door Roller, Stainless Steel, 20kg	No	
395	Sliding Door Rollet Back Hanger Double	No	
396	Wall drop Heavy-Duty Silent Gliding Door Roller Track System	No	
397	Wall drop D60 Front Hanger / Pair	No	
398	Stainless Steel Hollow Bar Handle Silver 160 mm / Pair	No	
399	Stainless Steel Hollow Bar Handle Silver 288 mm / Pair	No	
400	Stainless Steel Hollow Bar Handle Silver 384 mm / Pair	No	
401	Cornice Adhesive 5L Adhesive	No	
402	Cornice Polystyrene 2m x 110mm X 50 mm	No	
403	Fascia Board 300mm 3.0M	No	
404	Standard Barge Boards – Socketless 275 x 80 x 3000	No	
405	Fascia Board 300mm 3.0M Jointer	No	
406	Standard Barge Boards – Socketless 275 x 80 x 3000 Jointer	No	
407	Aluminium venetian blind Silver 25mm. 2,2m x 1,6m	No	
408	Aluminium venetian blind Silver 25mm. 1,2m x 1,6m	No	
409	Aluminium venetian blind Silver 25mm. 1m x 1,6m	No	
410	Aluminium venetian blind Silver 25mm. 1,8m x 2,1m	No	
411	Grip Heavy Duty Caulking Gun 225 mm	No	

412	Garage Door Roll Up 2450mm x 1830mm	No	
413	R22 Refrigerants Gas 13.6Kg	No	
414	R134A Refrigerants Gas 13.6Kg	No	
415	R404A Refrigerant Gas	No	
416	R410A Refrigerant Gas 11.4Kg	No	
417	R507A Refrigerant Gas 11.4Kg	No	
418	Domestic Refrigeration compressor	No	
419	Industrial Refrigeration Compressor	No	
420	1/4inch Copper Pipe coil 30m	No	
421	3/8inch Copper Pipe coil 30m	No	
422	1/2inch Copper Pipe coil 30m	No	
423	8/8Inch Copper Pipe Coil 30m	No	
424	Refrigeration Recharging Guages	No	
425	Refrigeration flaring Kit	No	
426	Multi-Purpose Folding Aluminium Ladder	No	
427	1.8m Heavy Duty Aluminium Step Ladder	No	
428	2.4m Heavy Duty Aluminium Step Ladder	No	
429	2.4m Heavy Duty Aluminium Straight Ladder	No	
430	20mm x 1 200mm Chrome Round Shower/Bath Rail	No	
431	20mm x 1 500mm Chrome Round Shower/Bath Rail	No	

SUPPLY AND DELIVERY OF ELECTRICAL MATERIAL

ITEM NO	DESCRIPTION	UOM	UNIT PRICE
---------	-------------	-----	------------

1	16A Single Switch plug plus cover (SABS) approved	No	
2	16A Double switch plug plus cover (SABS) approved	No	
3	16A Single Switch plug industrial (SABS) approved	No	
4	16A Double switch plug industrial (SABS) approved	No	
5	16A Single lever switch plus cover (SABS) approved	No	
6	16A Two lever switch plus cover (SABS) approved	No	
7	16A Single lever switch industrial (SABS) approved	No	
8	16A Single lever switch industrial (SABS) approved	No	
9	16A Two lever switch industrial (SABS) approved	No	
10	16A two-way switch plus cover (SABS) approved	No	
11	16A Intermediate switch plus cover (SABS) approved	No	
12	SU1 distribution board	No	
13	SU1 tray	No	
14	SU2 distribution board	No	
15	SU2 tray	No	
16	SU3 distribution board	No	
17	SU3 tray	No	
18	12way distribution board flush type	No	
19	16way distribution board flush type	No	

20	20way distribution board flush type	No	
21	20A Geyser thermostat (VKF11)	No	
22	20A Geyser thermostat MK2	No	
23	Geyser element with pocket	No	
24	Geyser econo element	No	
25	8" solid stove plate with red mark	No	
26	6" solid stove plate with red mark	No	
27	16A Three lever industrial switch (SABS) approved	No	
28	8way PVC looping box (SABS) approved	No	
29	20mm PVC female adaptors (SABS) approved	No	
30	20mm male adaptors (SABS) approved	No	
31	20mm PVC couplings	No	
32	20mm PVC saddles (SABS) approved	No	
33	1way PVC inspection box (SABS) approved	No	
34	2way PVC inspection box (SABS) approved	No	
35	3way PVC inspection box (SABS) approved	No	
36	4way PVC inspection box (SABS) approved	No	
37	50mm round cover (SABS) approved	No	
38	250ml PVC pipe welder	No	
39	25mm PVC pipe (SABS) approved	M	
40	25mm male PVC adaptors (SABS) approved	No	
41	25mm PVC female adaptors (SABS) approved	No	
42	50mm PVC male adaptors (SABS) approved	No	
43	50mm PVC coupling (SABS) approved	No	

44	50mm PVC pipe (SABS) approved	M	
45	50mm 90° degrees bend	No	
46	63A 3ka earth leakage circuit breaker	No	
47	40A 3ka circuit breaker	No	
48	30A 3ka circuit breaker	No	
49	20A 3ka circuit breaker	No	
50	15A 3ka circuit breaker	No	
51	10A 3ka circuit breaker	No	
52	60A 3ka double pole isolator	No	
53	60A industrial double pole isolator (SABS) approved	No	
54	40A industrial double pole isolator (SABS) approved	No	
55	30A industrial double isolator (SABS) approved	No	
56	20A industrial isolator (SABS) approved	No	
57	60A three phase isolator 3ka	No	
58	100A three phase isolator 3ka	No	
59	60A double pole isolator plus cover (SABS) approved	No	
60	60A double pole isolator plus cover (SABS) approved	No	
61	30A double pole isolator plus cover (SABS) approved	No	
62	50A double pole isolator plus cover (SABS) approved	No	
63	40A double pole isolator plus cover (SABS) approved	No	
64	30A double pole isolator plus cover (SABS) approved	No	
65	20A double pole isolator plus cover (SABS) approved	No	
66	10A 5ka circuit breaker	No	
67	20A 5ka circuit breaker	No	

68	25A 5ka circuit breaker	No	
69	30A 5ka circuit breaker	No	
70	20A 5ka circuit breaker	No	
71	10A 5ka circuit breaker	No	
72	Flush White 13mm DB 11-Way Pre Wired	Np	
73	Distribution board safety blank covers	No	
75	DB labels assorted	No	
76	DB label emergency	No	
77	20mm PVC flexible conduit	No	
78	Size0 PVC compression gland	No	
79	Size0 PVC push-in gland	No	
80	1.2m x 36w double fluorescent fittings with electronic ballast	No	
79	1.2m x 36w fluorescent tubes energy saver	No	
81	1.5m x 58w double fluorescent fittings with electronic ballast	No	
82	1.5m x 58w fluorescent tubes energy savers	No	
83	0.6m x 18w fluorescent fittings with four tubes electronic ballast(Louvers)	No	
84	0.6m x 18w fluorescent fittings energy savers with three tubes with electronic ballast(Louvers)	No	
85	0.6m x 18w x 3 fluorescent fittings energy savers with four tubes with electronic ballast(Diffuse)	No	
86	0.6m x 18w x 4 fluorescent fittings energy savers with three tubes with electronic ballast(Diffuse)	No	
87	0.6m x 18w fluorescent tubes energy savers	No	
88	21w energy saver globes ES	No	
89	21w energy saver globes BC	No	
90	18w energy saver globes ES	No	

91	18w energy saver globes BC	No	
92	15w energy saver globes ES	No	
93	15w energy saver globes BC	No	
94	14w energy saver globes ES	No	
95	14w energy saver globes BC	No	
96	13w energy saver globes ES	No	
97	13w energy saver globes BC	No	
98	PL9w two pin globes	No	
99	PL7w two pin globes	No	
100	16w 2D with two pin globes	No	
101	400w HPS globes ES	No	
102	250w HPS globes ES	No	
103	80w MV globes ES	No	
104	250w MV globes ES	No	
105	400w MV globes ES	No	
106	20mm galvanized saddles	No	
107	20mm galvanized adaptor	No	
108	4x2 galvanized boxes	No	
109	4x4 galvanized boxes	No	
110	4x2 extension boxes	No	
111	4x4 extension boxes	No	
112	25mm galvanized saddles	No	
114	55mm x M5 machine screws	No	
115	40mm x M5 machine screws	No	

116	55mm butterfly screws	No	
117	55mm x M4 screws	No	
118	40mm x M4 screws	No	
119	30mm x M5 machine screws	No	
120	30mm x M4 machine screws	No	
121	20mm x M4 machine screws	No	
122	25mm x M4 machine screws	No	
123	100mm x M4 machine screws	No	
124	70mm x M4 machine screws	No	
125	Nitto insulation tape assorted colours	No	
126	Steel cable gland size 2 + shrouds	No	
127	Steel cable gland size 3 + shrouds	No	
128	Steel cable gland size 4 + shrouds	No	
129	Steel cable gland size 5 + shrouds	No	
130	Steel cable gland size 6 + shrouds	No	
131	2.5mm x 2core surfix cable (2+E)	M	
132	1.5mm x 2cores surfix cable (2+E)	M	
133	2.5mm ² x 3ore surfix cable (3+E)	M	
134	4mm ² x 2core surfix cable (2+E)	M	
135	6mm ² x 2core surfix cable (2+E)	M	
136	4mm x 3core surfix cable (3+E)	M	
137	10mm ² x 2core airdac cable (2+E) without pilot	M	
138	16mm ² x 2core airdac cable (2+E) without pilot	M	
139	10mm ² x 2core PVC underground cable (2+E)	M	

140	16mm ² x 2core PVC underground cable (2+E)	M	
141	25mm x 4core PVC underground cable	M	
142	35mm x 4core PVC underground cable	M	
143	16mm x 4core PVC underground cable	No	
144	10mm cable lug	No	
145	16mm cable lug	No	
146	25mm cable lug	No	
147	35mm cable lug	No	
148	10mm furels	No	
149	16mm furels	No	
150	25mm furels	No	
151	35mm furels	No	
152	2.5mm-16mm joining kits	No	
153	10mm-35mm joining kits	No	
154	B10 bulkhead light fitting with 2 x PL9w energy saver globes	No	
155	18w light fitting with 2 x 18w energy saver globes	No	
156	1.2m double fluorescent channel dust & moisture approved x 36w	No	
157	1.5m x double fluorescent channel dust & moisture approved x 58w	No	
158	1.2m x Single fluorescent channel dust & moisture approved	No	
159	1.5m x single fluorescent channel dust & moisture approved	No	
160	1.2m x 36w single fluorescent fitting with electronic ballast	No	
161	1.5m x 58w single fluorescent fittings with electronic ballast	No	
162	100w DTC bulkhead light fittings (Round) white ES	No	
163	100w DTC bulkhead light fittings (Square) white ES	No	

164	18w 2D globes with two pin	No	
165	380v coil complete with thee phase contactor	No	
166	220v coil complete with three phase contactors	No	
167	Pedant light fitting with three lights (Brass)	No	
168	Rondo Maxi Prismatic Clear bulkhead light fitting	No	
169	Rondo Maxi Opal bulkhead light fitting	No	
170	Rondo Maxi Raindrop clear bulkhead light fitting	No	
171	Rondo Mini "Birdseye" Clear bulkhead light fitting	No	
172	Rondo Mini Shallow Opal bulkhead light fitting	No	
173	Bulkhead with Opal Bowl Lens	No	
174	Bulkhead with Prismatic Lens	No	
175	Bulkhead with Flat Opal Bowl Lens	No	
176	Highbay light fitting mercury vapour	No	
177	Econobay light fitting mercury vapour	No	
178	Odyssey Series light fitting 125w	No	
179	125w MV globes ES	No	
180	400W Floodlight Cool White	No	
181	USB (A + C) Combo Socket 4 x 4 with Graphite Cover plate (Bag)	No	
182	10mm x 2Core Airdac Cable + 2 Comms	M	
183	8" ball fitting light with porcelain gallery and lamp holder	No	
184	6" ball fitting light with porcelain lamp holder and gallery	No	
185	Down light fitting(50w)	No	
186	50w globes	No	
187	8w fluorescent tubes	No	

188	1.2m x 36w double fluorescent fitting with louver (electronic ballast).	No	
189	1.2m x 36w double fluorescent fittings diffuse (electronic ballast).	No	
190	1.2m x 3x 36w fluorescent fittings louvers with electronic ballast (Energy saver).	No	
191	1.2mx 4 x 36w fluorescent fittings diffuse with electronic ballast (Energy savers).	No	
192	Fluorescent fittings LED Channel Fitting1500mm	No	
193	Fluorescent fittings LED Channel Fitting1200mm	No	
194	LED Fluorescent Tube 1200mm	No	
195	LED Fluorescent Tube 1500mm	No	
196	Down light fitting 2 x 18w	No	
197	Down light fitting 2 x 9w	No	
198	16A daylight switch National	No	
199	16A day light switch Roy Thompson	No	
200	1.5mm2 PVC red wire roll	M	
201	1.5mm2 PVC black wire roll	M	
202	1.5mm2 PVC blue wire roll	M	
203	1.5mm2 PVC green & yellow earth wire	M	
204	1.5mm2 PVC bare copper wire	M	
205	2.5mm2 PVC red wire roll	M	
206	2.5mm2 PVC black wire roll	M	
207	2.5mm2 PVC blue wire roll	M	
208	2.5mm PVC green & yellow wire roll	M	
209	4mm2 PVC red PVC wire roll	M	
210	4mm2 PVC black wire roll	M	
211	4mm2 PVC green & yellow wire roll	M	

212	6mm2 PVC red wire roll	M	
213	6mm2 PVC black wire roll	M	
216	6mm2 PVC green & yellow wire roll	M	
217	10mm2 PVC black wire roll	M	
218	10mm2 PVC red wire roll	M	
219	10mm2 PVC green & yellow.	M	
220	Cabtyre – 1.5mm 3 Core Black / 100m	No	
221	Cabtyre – 2.5mm 3 Core Black / 100m	No	
222	Cabtyre – 2.5mm 5 Core Black / 100m	No	
223	1.2m blank double fluorescent fitting	No	
224	1.5m blank double fluorescent fitting	No	
225	1.2m blank single fluorescent fitting	No	
226	1.5m blank single fluorescent fitting	No	
227	Ecolight T5/28w electronic adaptor with wing (energy saver fittings)	No	
228	Ecolight T5/28 electronic adaptor without wing (energy saver fittings)	No	
229	Ecotube 28w/840	No	
230	Ecolight T	No	
231	Ecolight T5/35w electronic adaptor fitting with wing	No	
233	Ecolight T5/14w electronic adaptor fitting with wing	No	
234	Ecolight T5/14w electronic adaptor fitting without wing	No	
235	Ecotube 35w	No	
237	Ecotube 14w	No	
238	6way industrial DB board	No	
239	8way industrial DB board	No	

240	10way industrial DB board	No	
241	12way industrial DB board	No	
242	18way industrial DB board	No	
243	20 way industrial DB board	No	
244	24way industrial DB board	No	
245	24way distribution board flush type (samitte)	No	
246	16A industrial switch plug weather approved	No	
247	20A double industrial isolator weather approved	No	
248	30A double industrial isolator weather approved	No	
249	Screw jet small	No	
250	Screw jet medium	No	
251	Screw jet big	No	
252	16A block connector	No	
253	20A block connector	No	
254	30A block connector	No	
255	60A Three Phase Isolator 5ka	No	
256	100A Three Phase Isolator 5ka	No	
257	12 Mode Distribution Box	No	
258	20mm PVC Pipe	No	
260	Inspection Box Cover	No	
261	Cable Entrance	No	
262	Double Switch Plug Crabtree 4x4 (100mm x 100mm)	No	
263	24 Mode DB Flush	No	
264	63A Main Switch 5ka (Three Phase)	No	

265	Earth Spike	No	
266	24 Mode DB Flush	No	
267	6 Mode Distribution Box	No	
268	Day Light Switch	No	
269	25mm Coupling PVC	No	
270	Tree Lever Switch	No	
271	4x4 York Box or Weatherproof	No	
272	30A Stove Isolator	No	
273	Surge Protective Device	No	
274	Box Ram Set 6mm x 35mm	No	
275	4 2 Power Skirting White	No	
276	Tee Ester Oak for two Compartments	No	
277	Bamba Strips	No	
278	320mm x 4.7mm Cable Ties	No	
279	320mm x 4.7mm Cable Ties	No	
280	320mm x 4.7mm Cable Ties	No	
281	Under and Over Voltage Relay 380V	No	
282	380V Contactor	No	
283	100mm x 100mm York Box	No	
284	PVC Trunking 16mm x 16mm	No	
285	6mm x 35mm Ramset	No	
286	150mm Watertight Fitting	No	
287	11w BC Energy Saver	No	
288	Fluorescent Ballast for 1.5m Fluorescent Fitting	No	

289	25mm Hole Saw	No	
281	20mm Hole Saw	No	
290	5KA Circuit Breaker 60A CBI	No	
291	M5 x 25mm Steel Screws	No	
293	Four Lever Switch (Crab Tree)	No	
294	85W Energy Saver GES	No	
295	220V Contactor	No	
296	4 x 2 Blank Switch Cover	No	
297	20mm PVC Pipes	No	
298	Hand Dryer (Automatic Electrical Connected)	No	
299	Recessed Downlight	No	
300	6 Mode D. B	No	
301	GU10 220v 6w LED globes.	No	
302	GU10 220v 10w LED globe.	No	
303	100w LED flood light fitting.	No	
304	250w LED flood light fitting.	No	
305	100w LED Highbay light fitting.	No	
306	16A three lever switch plus cover.	No	
307	200w LED High mast floodlight fittings.	No	
308	Three phase Contactor 11kw 220v coil complete.	No	
309	Contactor Thermal overload relay, TeSys LRD, 23...32 A, class 10A	No	
310	Three phase Contactor 11kw 220v coil complete.	No	
311	Contactor Thermal overload relay, TeSys LRD, 23...32 A, class 10A	No	
312	220V 25A 50/60HZ Coil Normally Open 3 Pole AC Contactor	No	

313	Enclosed DOL starter – 9 A – 230 V AC coil – Schneider Electric	No	
314	24HR 3MOD Analog Timer Switch NO Reserve EH110	No	
315	11w Edison Screw energy saver globes.	No	
315	11w BC energy saver globes.	No	
316	100w DTR bulkhead light fitting.	No	
317	Recessed double T8 LED light fittings 1.2m x 600 x 3 lamps.	No	
319	Surface double T8 bevelled edge 2 x 36w LED light fitting.	No	
320	LED Dust proof fittings 600mm x 20w.	No	
321	LED dust proof fittings 1200mm x 40w.	No	
322	LED dust proof fittings 1500mm x 60w.	No	
323	10w LED flood light fitting.	No	
324	20w LED flood light fitting.	No	
325	50w LED flood light fitting.	No	
326	400w LED Flood Lights	No	
327	600W Solar Flood Lights	No	
328	7w energy saver two pin CFL globes.	No	
329	9w energy saver two pin CFL globes.	No	
330	18w energy saver two pin CFL globes.	No	
331	26w energy saver two pin CFL globes.	No	
332	5w LED Edison Screw globes.	No	
333	5w LED BC globes.	No	
334	13w energy save two pin CFL globes.	No	
335	1,5m x 2x22w LED channel.	No	
336	1.2m x 2x18w LED channel.	No	

338	1.2m x 18w LED T8 fluorescent tube G13.	No	
339	1.5m x 22w LED T8 fluorescent tube G13.	No	
340	200A 3 Pole Circuit Breaker 35A	No	
341	150A 3 Pole Circuit Breaker 25A	No	
342	16A Pull Switch	No	
343	2,5mm Silicon Wire	No	
344	Scosh Cust Joint A1	No	
345	Scosh Cust Joint A2	No	
346	Scosh Cust Joint A3	No	
347	2.5mm x 4core surfix cable round white in colour SANS Approved.	M	
348	3m fibreglass pole, with mounted circuit breaker complete.	No.	
350	40w LED light fitting head	No.	
351	4mm x 4core surfix cable round white in colour SANS approved	M	
352	25A daylight switch equivalent to National daylight switch	No.	
353	20A 6kA circuit breaker CBI	No.	
354	3m double compartment power skirting royal oak complete with cover	No.	
355	Double compartment Royal Oak end cap	No.	
356	Power skirting cover plate 4x2 Royal Oak	No.	
357	4x2 ordinary Power skirting plug	No.	
358	4x2 dedicated power skirting plug	No.	
359	Power skirting ZEZ clips	No.	
360	Double external elbow power skirting Royal Oak	No.	
361	Double internal elbow power skirting Royal Oak	No.	
362	3m x 16mm x 25mm PVC trunking	No.	

363	63A 3kA earth leakage protection unit	No.	
364	8mm x 80mm easy-drive screws	No.	
365	P2000 steel 5m x 40mm x 40mm including covers	No.	
366	2.5mm x 4core suffix cable (4+E)	M	
367	4mm x 4core suffix cable (4+E)	M	
368	2,5mm x 4core suffix cable round <i>white in colour</i> SANS Approved	M	
369	3m fiberglass pole, with mounted circuit breaker complete	No.	
370	40w LED light fitting head.	No.	
371	4mm x 4core suffix cable round white in colour SANS Approved	M	
372	25A daylight switch equivalent to National day light switch	No.	
373	2,5mm -10mm connector block 10 PCS	No.	
374	Insulation Tape red	No.	
375	Insulation Tape blue	No.	
376	Insulation Tape white	No.	
377	Insulation Tape black	No.	
378	220v contactor coil complete	No.	
379	20A 6kA circuit breaker CBI	No.	
380	20mm Bosal conduit pipe	No.	
381	20mm Galvanized hospital saddles	No.	
382	20mm bosal female adaptors	No.	
383	20mm Bosal couplings	No.	
384	Onestro FB-SPU-5S Aluminum 3 module Pop-Up floor socket	No.	
385	100 x 50mm x3m metal trunking and cover	No.	
386	90° Bosal conduit bend	No.	

387	25KA x 150A Triple Pole Circuit Breaker	No	
388	63A x 6KA Triple Pole Circuit Breaker	No	
389	2.5mm x 30m x 3 Core Extension (Roller)	No	
390	Armoured Cable 10mm x 4 Core	No	
391	Armoured Cable 6mm x 4 Core	No	

SUPPLY AND DELIVERY OF PLUMBING MATERIAL

ITEM NO	DESCRIPTION	UOM	UNIT PRICE
1	Male adapter 15mm copper	No	
2	Coupling 15mm	No	
3	Reducing coupling 22mm-15mm	No	
4	Male elbow 15mm	No	
5	PVC Plugs 15mm	No	
6	Female elbow 15mm	No	
7	Tee Copper 22mm	No	
8	Elbow Copper 15mm	No	
9	Male Elbows 22mm	No	
10	Tee Reducer 22mm x 15mm	No	
11	Reducing Tee 22mm x 15mm	No	
12	Corner Tee 15mm	No	
13	Female Adapter 22mm	No	
14	Female Corner 15mm	No	

15	Male Adapter 22mm	No	
16	Flexi Connector 15mm	No	
17	Copper Pipe 22mm x 6m	M	
18	Copper Pipe 15mm x 6m	M	
19	Copper Connector 15mm	M	
20	Galvanised Pipe 15mm x 6m	M	
21	Galvanised Pipe 20mm x 6m	M	
22	Galvanised Pipe 25mm x 6m	M	
23	Galvanised Pipe 50mm x 6m	M	
24	Stop Cork/Wheel Valve 15mm	No	
25	Stop Cork/Wheel Valve 20mm	No	
26	Stop Cork/Wheel Valve 40mm	No	
27	Stop Cork/Wheel Valve 50mm	No	
28	J and J Coupling 90mm	No	
29	J and J Coupling 110mm	No	
30	J and J Coupling 160mm	No	
31	Garden Tap 15mm High Quality	No	
32	Garden Tap 20mm High Quality	No	
33	Reduce bush Galvanised 80mm x 50mm	No	
34	Reduce bush Galvanised 15mm x 20mm	No	
35	Reduce bush Galvanised 40mm x 32mm	No	
36	Reduce bush Galvanised 50mm x 25mm	No	
37	Toilet Seat Cover Hard Wood All Colours	No	
38	Female Elbow 15mm	No	

39	Female Tee 15mm	No	
40	Foot Valve 32mm x 40mm	No	
41	None Return Valve 50mm	No	
42	None Return Valve 40mm	No	
43	None Return Valve 32mm	No	
44	None Return Valve 25mm	No	
45	None Return Valve 20mm	No	
46	Nylon None Return Valve 32mm x 40mm	No	
47	Pillar Tap 15mm	No	
48	Basin Tap 15mm	No	
49	Shower Valve 15mm	No	
50	Galvanised Socket Nipple 20mm	No	
51	Galvanised Valve 50mm	No	
52	Galvanised Valve 20mm	No	
53	Galvanised Valve 20mm	No	
54	Galvanised Valve 15mm	No	
55	Beta Valve 40mm x 25mm	No	
56	Beta Valve 15mm	No	
57	Beta Valve 20mm	No	
58	Galvanised Elbow 100mm	No	
59	Galvanised Elbow 80mm	No	
60	Galvanised Elbow 63mm	No	
61	Galvanised Elbow 50mm	No	
62	Galvanised Elbow 40mm	No	

63	Galvanised Elbow 32mm	No	
64	Galvanised Elbow 25mm	No	
65	Galvanised Elbow 20mm	No	
66	Galvanised Elbow 15mm	No	
67	Master Flow Galvanised Elbow 32mm	No	
68	Master Flow Galvanised Elbow 15mm	No	
69	Master Flow Galvanised Elbow 15mm	No	
70	Holder Bats Nylon 15mm	No	
71	Galvanised Socket 100mm	No	
72	Galvanised Socket 80mm	No	
73	Galvanised Socket 40mm	No	
74	Galvanised Socket 32mm	No	
75	Galvanised Socket 15mm	No	
76	Flush Master 15mm Arm	No	
77	Galvanised Nipple 15mm	No	
78	Galvanised Nipple 20mm	No	
79	Galvanised Nipple 25mm	No	
80	Galvanised Nipple 32mm	No	
81	Galvanised Nipple 40mm	No	
82	Galvanised Nipple 50mm	No	
83	Galvanised Union 63mm	No	
84	Galvanised Union 50mm	No	
85	Galvanised Union 40mm	No	
86	Galvanised Union 15mm	No	

87	Single & double zinc 800mm x 500mm	No	
88	Single & double zinc 1200mm x 500mm	No	
89	Traps 38mm x 38mm High Quality	No	
90	Bath Mixer 15mm High Quality	No	
91	Bath Mixer 20mm High Quality	No	
92	Sink Mixer 15mm High Quality	No	
93	PVC Reducer 50mm x 75mm Cleaning Eye	No	
94	PVC Pipe 50mm x 6m	M	
95	PVC 50mm x 45 Junction/90	No	
96	PVC 50mm T-piece	No	
97	PVC 50mm elbow	No	
98	PVC 50mm IE Bend	No	
99	PVC 50mm Plain Bend	No	
100	PVC 50mm 2Way Vent Valve	No	
101	PVC 110mm left junction with IE	No	
102	PVC 110mm left junction with Plain	No	
103	PVC 110mm right junction with IE	No	
104	PVC 110mm right junction with Plain	No	
105	PVC 50mm IE Y Junction	No	
106	PVC 110mm 2Way Vent Valve	No	
107	PVC 50mm IE bend 90 Degree	No	
108	PVC 110mm Socket-Double	No	
109	PVC 110mm bend 45 Degree	No	
110	PVC 110mm bend IE bend	No	

111	PVC 110mm bend 90 Degree	No	
112	PVC 110mm Gulley Trap	No	
113	PVC 110mm x 6m Waste Pipe	No	
114	PVC 110mm Plain Junction	No	
115	PVC 110mm I.E Junction	No	
116	PVC 110mm Rodding Eye	No	
117	Straight Corner 15mm	No	
118	Straight Corner 20mm	No	
119	PVC Pipe Class A 110mm x 6m	M	
120	PVC Pipe Class A 75mm x 6m	M	
121	PVC Pipe Class A 90mm x 6m	M	
122	Adaptor 50mm x 90mm	No	
123	Adaptor 50mm x 75mm	No	
124	Adaptor 110mm x 75mm	No	
125	Adaptor 110mm x 90mm	No	
126	Female PVC Class A 90 Degree Elbow 110mm	No	
127	Female PVC Class A 90 Degree Elbow 90mm	No	
128	Female PVC Class A 90 Degree Elbow 75mm	No	
129	Male PVC Class A 90 Degree Elbow 110mm	No	
130	Male PVC Class A 90 Degree Elbow 90mm	No	
131	Male PVC Class A 90 Degree Elbow 75mm	No	
132	Traditional Plumbing Hemp	No	
133	Raw Bolt M6	No	
134	Raw Bolt M8	No	

135	Raw Bolt M10	No	
136	Raw Bolt M12	No	
137	PVC 110mm T Junction	No	
138	PVC 110mm x 45 Degree Bend	No	
139	Waste Fitting 32mm	No	
140	PVC 110mm x 110mm x 50mm Reduce	No	
141	Shower Rose	No	
142	Shower Trap 40mm	No	
143	Cleaning Eye Sables 50mm	No	
144	Cleaning Eye Sables 75mm	No	
145	Chrome Tap 15mm Sink	No	
146	Chrome Tap 20mm Sink	No	
147	Chrome Tap 15mm Basin	No	
148	Chrome Tap 20mm Basin	No	
149	S-Trap 38mm x 40mm	No	
150	P-Trap 38mm x 40mm	No	
151	P-Trap 38mm x 32mm	No	
152	PVC Trap-Combination 40mm	No	
153	Gulley Top Concrete	No	
154	Gulley Head PVC 110mm	No	
155	Gulley Trap	No	
156	Gulley Grid	No	
157	Pan Connector 110mm	No	
158	Flexible Pan Connector 110mm	No	

159	Rubber Cone Inside and Outside	No	
160	Double Trap 40mm	No	
161	PVC 110mm Elbow Bend With IE Vent Horn 50mm x 90 Degree	No	
162	Silicon Sealant White	No	
163	ABC Cover	No	
164	PVC Glue Adhesive	No	
165	Toilet Pan	No	
166	Hand Wash Basin Pedestal	No	
167	Urinal Flat Pan	No	
168	Lower Lever Cistern	No	
169	Single Socket 110mm	No	
170	Sink Waste	No	
171	Pan Seal	No	
172	Manhole Cover and Frame 600mm x 450mm	No	
173	Manhole Cover and Frame 500mm x 450mm	No	
174	Manhole Cover and Frame 200mm x 200mm	No	
175	Poly Pipe (Red) 15mm	No	
176	Poly Pipe (Red) 20mm	No	
177	Aqualock 32mm	No	
178	Aqualock 40mm	No	
179	Aqualock 50mm	No	
180	Aqualock 80mm	No	
181	Aqualock 110mm	No	
182	Aqualock 160mm	No	

183	Aluminum Sockets 50mm	No	
184	Aluminum Sockets 75mm	No	
185	Aluminum Sockets 90mm	No	
186	Aluminum Sockets 110mm	No	
187	Aluminum Sockets 160mm	No	
188	PVC Double Socket Class 9 50mm	No	
189	PVC Double Socket Class 9 75mm	No	
189	PVC Double Socket Class 9 90mm	No	
190	PVC Double Socket Class 9 110mm	No	
191	PVC Double Socket Class 9 160mm	No	
192	Elbow Compression Fitting 15mm	No	
193	Elbow Compression Fitting 22mm	No	
193	Female Compression Fitting 15mm	No	
194	Female Compression Fitting 22mm	No	
195	Male Compression Fitting 15mm	No	
196	Male Compression Fitting 22mm	No	
197	T-Piece Compression Fitting 15mm	No	
198	T-Piece Compression Fitting 22mm	No	
199	Reducing Socket Compression 15mm x 22mm	No	
200	Plason Fitting Elbow 15mm	No	
201	Plason Fitting Elbow 20mm	No	
202	Plason Fitting Elbow 32mm	No	
203	Plason Fitting Elbow 40mm	No	
204	Plason Fitting Elbow 50mm	No	

205	Plason Fitting Male Adaptor 15mm	No	
206	Plason Fitting Male Adaptor 20mm	No	
207	Plason Fitting Male Adaptor 32mm	No	
208	Plason Fitting Male Adaptor 40mm	No	
209	Plason Fitting Male Adaptor 50mm	No	
210	Plason Fitting Female Adaptor 15mm	No	
211	Plason Fitting Female Adaptor 20mm	No	
212	Plason Fitting Female Adaptor 32mm	No	
213	Plason Fitting Female Adaptor 40mm	No	
214	Plason Fitting Female Adaptor 50mm	No	
215	Plason Fitting Straight Coupling 15mm	No	
216	Plason Fitting Straight Coupling 20mm	No	
217	Plason Fitting Straight Coupling 32mm	No	
218	Plason Fitting Straight Coupling 40mm	No	
219	Plason Fitting Straight Coupling 50mm	No	
220	Female Elbowplason Fitting 15mm	No	
221	Female Elbow Plason Fitting 20mm	No	
222	PVC Class 12 Pipe 32mm x 6m	No	
223	PVC Class 9 Pipe x 6m 50mm	No	
224	PVC Class 9 Pipe x 6m 75mm	No	
225	PVC Class 9 Pipe x 6m 90mm	No	
226	PVC Class 9 Pipe x 6m 110mm	No	
227	PVC Class 9 Pipe x 6m	No	
228	PVC Class 9 Elbow 50mm	No	

229	PVC Class 9 Elbow 75mm	No	
230	PVC Class 9 Elbow 90mm	No	
231	PVC Class 9 Elbow 110mm	No	
232	PVC Class 9 Elbow 160mm	No	
233	M&F Reducing Socket 50mm x 75mm	No	
234	Class 9 M&F Reducing Socket 50mm x 75mm	No	
235	Class 9 M&F Reducing Socket 75mm x 90mm M&F Reducing Socket	No	
236	Class 9 M&F Reducing Socket 90mm x 110mm	No	
237	Class 9 M&F Reducing Socket 110mm x 160mm	No	
238	Class 9 M&F Reducing Socket 110mm x 75mm	No	
239	Class 9 M&F Reducing Socket 90mm x 50mm	No	
240	PVC Class 12 Pipe 40mm x 6m	No	
241	PVC Class 12 Pipe 50mm x 6m	No	
242	Ceramic Cistern Kits Complete	No	
243	Coupled Closet Toilet Set	No	
244	Cistern Float Valve	No	
245	Cistern Ball Valve	No	
246	Beta Valve Kits 32mm	No	
247	Beta Valve Kits 40mm	No	
248	Vacuum Breaker Compression Fitting 22mm	No	
249	Latco Acetal Pressure Control Valves	No	
250	Latco Quadro Pressure Control Valve	No	
251	Master Flow Valve 400kpa	No	
252	PVC Cement Glue 500g	No	

253	Urinal Master Flow	No	
254	Sink Mixer 15mm	No	
255	Sink Mixer Elbow Action 15mm	No	
256	Wheel Valve 80mm	No	
257	Wheel Valve 110mm	No	
258	Basket Steiner Waist 32mm	No	
259	PVC Reducing Junction Single Plain 110 X 50mm Sw40	No	
260	Wheel Valve 80mm	No	
261	Wheel Valve 110mm	No	
262	Wheel Valve 160 mm	No	
263	Tap Washer 15mm	No	
264	Tap Washer 20mm	No	
265	Tap Washer 25mm	No	
266	Basin Fixed Bolts	No	
267	Reducing Bush Galvanised 15mm X 20mm	No	
268	Reducing Bush Galvanised 20mm X 25mm	No	
269	Reducing Bush Galvanised 25mm X 32mm	No	
270	Reducing Bush Galvanised 32mm X 40mm	No	
271	Reducing Bush Galvanised 40mm X 50mm	No	
272	Reducing Bush Galvanised 50mm X 80mm	No	
273	PVC Saddle 75mm X 20mm	No	
274	PVC Saddle 90mm X 50mm	No	
275	PVC Saddle 110mm X 520mm	No	
276	PVC Saddle 160mm X 50mm	No	

277	PVC Saddle 50mm X 20mm	No	
278	Soldering Wire	No	
279	Soldering Flux	No	
280	Gas Cartridge	No	
281	Urinal Flush Master	No	
282	Toilet Flush Master	No	
283	P-Trap 38mm X 38mm	No	
284	S-Trap 38mm X 38mm	No	
285	P-Trap 32mm X 38mm	No	
286	P-Trap 32mm X 38mm	No	
287	PVC Socket 50mm	No	
288	15mm Copper Tee	No	
289	22mm Straight Coupling Female Conex	No	
290	110mm Flexible Pan Connectors PVC	No	
291	Toilet Cistern Bottom Inlet (White)	No	
292	15mm Straight Coupling Male Conex	No	
293	Paraplegic Toilet + Cistern Complete	No	
294	Cistern Kit 15mm Bottom Inlet	No	
295	15mm Straight Coupling Male Conex	No	
296	50mm X 40mm PVC Straight Male Adaptors	No	
297	22mm Copper Holder Bats	No	
298	15mm Copper Holder Bats	No	
299	15mm Extension Piece	No	
300	15mm Extension Piece	No	

301	45-55mm Cascade Clamp	No	
302	69-76mm Cascade Clamp	No	
303	95-104mm Cascade Clamp	No	
303	22mm Straight Coupling Male Conex	No	
304	22mm Straight Coupling Female Conex	No	
305	Basin Chain and 32mm Plug	No	
306	20mm Galvanised T- Piece	No	
307	15mm Basin Sint Press Tap	No	
308	15mm Zink Sint Press Tap	No	
309	100 KPA Latco Valve	No	
310	100 mm x 100mm Equal Cross Flanged All Sides and Enamelled.	No	
311	12mm x 60mm Bolts with Spring Washers Zink Plated	Kg	
312	110mm Resilient Seal Gate Valves.	No	
313	90mm Resilient Seal Gate Valves.	No	
314	75mm SG Iron Repair Coupling.	No	
315	110mm x 90mm Male/Female Reducer (Spigot and Socket) Long Type.	No	
316	110mm x 75mm Male/Female Reducer (Spigot and Socket) Long Type.	No	
317	110mm x 50mm Male/Female Reducer (Spigot and Socket) Long Type.	No	
318	90mm x 75mm Male/Female Reducer (Spigot and Socket) Bush.	No	
319	1m x 3m Rubber Packing.	No	
310	Stop End Plug Male 15mm	No	
311	Stop End Plug Female 15mm	No	
312	Stop End Plug Male 20mm	No	
313	Stop End Plug Female 20mm	No	

314	White Duroplast standard toilet seat	No	
315	15mm Junior Urinal Flush Master	No	
316	Urinal Spreader and Flush pipe	No	
317	Cistern Mechanism Top Flush	No	
318	Cistern Handle for Toilets	No	
319	25mm x 20mm Galv reducing Bush	No	
320	Pan Seal Ring	No	
321	15mm Spare Ring Compression	No	
322	20mm Spare Ring Compression	No	
323	30cm Long Flexi Connector	No	
324	30cm Long Male and Female Flexi Connector	No	
325	40cm Long Male and Female Flexi Connector	No	
326	40cm Long Flexi connector	No	
327	15mm Copper Saddle	No	
328	20mm Copper Saddle	No	
329	20mm J and J Coupling	No	
330	25mm J and J Coupling	No	
331	32mm J and J Coupling	No	
332	40mm J and J Coupling	No	
333	50mm J and J Coupling	No	
334	15mm Shower Rose	No	
335	15mm Shower Arm	No	
336	50mm Shower Trap	No	
337	20mm Galvanised Union	No	

338	32mm Galvanised Union	No	
339	15mm Galvanised Plug	No	
310	20mm Galvanised Plug	No	
311	32mm Galvanised Plug	No	
312	40mm Galvanised Plug	No	
313	50mm Galvanised Plug	No	
314	80mm Galvanised Plug	No	
315	40mm Sink Waste	No	
316	32mm Basin Waste	No	
317	32mm Urinal Waste	No	
318	40mm Urinal Waste	No	
319	32mm Bottle Trap	No	
320	40mm Bottle Trap	No	
321	40mm x 20mm Galvanised Reduce bush	No	
322	50mm x 32mm Galvanised Reduce bush	No	
323	32mm x 20mm Galvanised Reduce socket	No	
324	32mm Male adaptor nylon	No	
325	32mm Female T-Piece nylon	No	
326	Class 10 x 32mm x 250m roll	No	
327	32mm Male elbow plason	No	
328	32mm T-Piece plason	No	
329	25mm Male adaptor compression	No	
330	25mm Elbow plason compression	No	
331	25mm Female adaptor plason compression	No	

332	25mm Male adaptor plason compression	No	
333	25mm Stop cork PVC	No	
334	25mm x 50m x Class 10 PVC pipe	No	
335	22mm Elbow plate compression fitting	No	
336	6mm x 80mm fisher plugs	No	
337	Screw clamp	No	
338	300mm Cable tie packet of 100	No	
339	Geyser Packing Edge	No	
340	50L SABS High Quality Geyser Complete with Accessories	No	
341	100L SABS High Quality Geyser Complete with Accessories	No	
342	150L SABS High Quality Geyser Complete with Accessories	No	
343	200L SABS High Quality Geyser Complete with Accessories	No	
344	40mm flexible connector	No	
345	2 500L Black Septic tank	No	
346	5 000L Black Septic tank	No	
437	5 000L Vertical water storage tank equivalent to Jojo tank	No	
348	10 000L Vertical water storage tank equivalent to Jojo tank	No	
349	1.5kw 220V Centrifugal Pressure pump	No	
350	0.75kw 220V Centrifugal Pressure pump	No	
351	32mm x 20mm Galvanized reduce bush	No	
352	32mm Waste	No	
353	110mm Plain elbow 90°	No	
354	110mm Elbow with IE and 50mm vent horn	No	
355	110mm PVC Y- junction to right	No	

356	32mm x 50mm P-trap	No	
357	50mm Elbow 90°PVC	No	
358	Lockable toilet paper holder	No.	
359	0,75KW Pressure Pump	No	
360	0,37KW Pressure Pump	No	
361	Hacksaw Blade	No	
362	22mm Poly Copper Pipe 100m	No	
363	110mm x 50mm T-Piece Junction Surface	No	
364	25mm Female Coupling Plasson Elbow Compression	No	
365	40mm x 25mm Plasson Male Coupling Compression	No	
366	40mm Beta Valve	No	
367	40mm Female Plasson Elbow Compression	No	
368	40mm Male Plasson Elbow Compression	No	
369	40mm Plasson Male Coupling Compression	No	
370	15mm Male adaptor compression brass	No	
371	22mm Wheel valve compression	No	
372	15mm Brass Tee compression	No	
373	22mm Brass Female adaptor compression	No	
374	15mm Female adaptor brass compression	No	
375	15mm Straight couple compress	No	
376	22mm Straight couple compression brass	No	
377	110mm x 110mm x 110mm Junction with access	No	
378	110mm Acentric junction	No	
379	Bath waste 40mm	No	

380	Bath trap	No	
381	40mm Basin waste	No	
382	40mm Plasson Class 10 Pipe 100m	No	
383	SDS Drill Bit 8mm x 110mm	No	
384	SDS Drill B4 16mm x 260mm	No	
385	450mm x 600mm Manhole Cover	No	
386	15mm Angle Valve	No	
387	22mm Beta Valve Compression	No	
388	22mm Beta Valve	No	
389	22mm Connex Elbow	No	
390	P-Trap 32mm x 40mm	No	
391	P-Trap 38mm x 40mm	No	
392	110mm PVC elbow 90°	No	
393	110mm PVC Bend 45° underground	No	
394	Float valve 50mm pipe	No	
395	1700mm x 800mm White fibre oval bathtub	No	
396	1800mm x 800mm White fibre standard bathtub	No	
397	S-Trap 40mm x 40mm	No	
398	P-Trap 40mm x 40mm	No	
399	P-Trap 15mm	No	
400	15mm Tap extension	No	
401	50mm Elbow IE	No	
402	50mm Bend 45°	No	
403	22mm Bib Tap	No	

404	20mm Bib Tap	No	
405	15mm Coupling connex	No	
406	15mm Elbow connex	No	
407	15mm T-Piece	No	
408	15mm Female coupling Conex	No	
409	15mm Aqua lock galvanised equivalent to Jonson Aqua lock	No	
410	22mm Aqua lock galvanised equivalent to Jonson Aqua lock	No	
411	22mm Elbow Conex	No	
412	15mm Male coupling Conex	No	
413	50mm PVC Female socket	No	
414	110mm Socket equivalent to Kimberly socket	No	
415	50mm 90° Bend plain	No	
416	20mm Joint equivalent to Jonson joint	No	
417	Fixed manual Fire Hose Reel 25mm(diameter) x 30m(length) Hose	No.	
418	PVC UG Pipe 160mm x 6m Plain Normal Duty 100kPa	No	
419	PVC UG Socket 160mm Double S/Weld	No	
420	PVC UG Bend 160mm x 45 Plain Short 1/8 Moulded RR	No	
421	PVC UG Junction 160 x 45 Access Left Fabricated S/Weld	No	
422	Junction PVC Marley UG Single Reducing 160mm x 110mm 1/8 (45 Deg) IE	No	
423	Water Purification Tablets/10	No	
424	Flexible 80mm Suction Helix Hose Pipe	No	
425	Flexible 50mm Suction Helix Hose Pipe	M	
426	Aquamats high pressure Descaler Crystal, Maximum Pressure of 5.8 bar with 5 – 7 kg of crystals	M	
427	Builders Shower Tray Square Floor Pan STM14 - White	No	

428	Builders Corner Entry Shower Enclosure Chrome 885 x 885 mm	No	
429	Shower Semi Frameless Pivot Door Chrome 1000 x 1000 x 1900mm	No	
430	Urinal Flush Master 22mm	No	
431	Urinal Flush Master 15mm	No	
432	Toilet Flush Master 22mm	No	
433	Rothenberg Multi Gas 300	No	
434	Copper Ring Seal 32mm	No	
435	Copper Ring Seal 40mm	No	
436	Waterproof Tape Roll	No	
437	Space Saving Trap for Triple Bowls	No	
438	Sink Mixer O Ring	No	
439	WS 90 Basket Strainer	No	
440	Prately Steel Quick Set	No	
441	Kitchen Sink Mixer Tap Head Cover	No	
	SUB TOTAL		
	VAT		
	GRAND TOTAL		

NB : (i) THE SERVICE PROVIDER MUST PROVIDE ON BUILDING, ELECTRICAL AND PLUMBING MATERIAL ITEMS NOT MENTIONED ON THE MATERIAL LIST AT MARK-UP OF NO GREATER THAN 15%.

(ii) RATE PRICES ARE INCLUSIVE OF TRANSPORTATION COST.

(iii) RATE PRICES ARE INCLUSIVE OF OFFLOADING COST.

(iv) RATE PRICES ARE EXCLUSIVE OF VAT

(v) ALL MATERIAL TO BE SABS COMPLIANT

(vi) 2nd and 3rd Years Prices to be increased by the CPI approved by National Treasury for the particular year.

PRICE SCHEDULE

FORM OF TENDER / OFFER

The offered total price (inclusive or exclusive) of value added tax is (contact price)

Price in words
.....

Price in figures R
VAT

GRAND TOTAL

Signed:.....

Bidder:.....

Capacity:.....



LIMPOPO

PROVINCIAL GOVERNMENT
REPUBLIC OF SOUTH AFRICA

**DEPARTMENT OF
PUBLIC WORKS, ROADS & INFRASTRUCTURE**

**SUPPLY, DELIVERY AND OFF-LOADING
OF BUILDING MATERIAL FOR ALL FIVE
DISTRICTS AT THE DEPARTMENT OF
PUBLIC WORKS, ROADS AND
INFRASTRUCTURE FOR A PERIOD OF 36
MONTHS (MOPANI DISTRICT)**

SUPPLY AND DELIVERY OF BUILDING MATERIAL

ITEM NO	DESCRIPTION	UOM	UNIT PRICE
1	52.5 Ordinary Portland Cement SABS Approved in bags of 50kg	No	
2	42.5 Ordinary Portland Cement SABS Approved in bags of 50kg	No	
3	32.5 Ordinary Portland Cement SABS Approved in bags of 50kg	No	
4	110mm x 40m x 375micron DPC SABS	No	
5	225mm x 40m x 375micron DPC SABS	No	
6	75mm x 2.8mm x 20m Roll Brick Force.	No	
7	150mm x 2.8mm x 20m Roll Brick Force.	No	
8	Welded Mesh Ref 193 (200 x 200 x 5.6mm) 6m x 2.4m	No	
9	Welded Mesh Ref 395 (200 x 200 x 6.3mm) 6m x 2.4m	No	
10	Welded Mesh Ref 245 (200 x 200 x 8.0mm) 6m x 2.4m	No	
11	3.15mm Galvanised Wire	Kg	
12	4mm Galvanised Wire	Kg	
13	2032mm x 1613mm x 115mm x 1.2mm Heavy Duty Steel Door Frames	No	
14	2032mm x 813mm x 115mm x 1.2mm Heavy Duty Steel Door Frames	No	
15	2032mm x 760mm x 115mm x 1.2mm Heavy Duty Steel Door Frames	No	
16	2032mm x 900mm x 115mm x 1.2mm Heavy Duty Steel Door Frames (Suitable for disabled toilet)	No	
17	Mutual DS3 CAT2 Strongroom door and frame 775mm x 1875mm with a mass of 380kg	No	
18	NE1 Heavy Duty Steel Window Frame (F7).	No	
19	NE2 Heavy Duty Steel Window Frame (F7).	No	
20	NE4 Heavy Duty Steel Window Frame (F7).	No	
21	TD75 Heavy Duty Steel Window Frame (F7).	No	
22	TD678 Heavy Duty Steel Window Frame (F7).	No	

23	TD57S5 Heavy Duty Steel Window Frame (F7).	No	
24	TD57S8 Heavy Duty Steel Window Frame (F7).	No	
25	TD678 Heavy Duty Steel Window Frame (F7).	No	
26	NCT1S Heavy Duty Steel Window Frame (F7).	No	
27	ND2 Heavy Duty Steel Window Frame (F7).	No	
28	ND4 Heavy Duty Steel Window Frame (F7).	No	
29	NE8 Heavy Duty Steel Window Frame (F7).	No	
30	NG2 Heavy Duty Steel Window Frame (F7).	No	
31	ND512 Heavy Duty Steel Window Frame (F7).	No	
32	ND11F Heavy Duty Steel Window Frame (F7).	No	
33	ND54 Heavy Duty Steel Window Frame (F7).	No	
34	NC4 Heavy Duty Steel Window Frame (F7).	No	
35	SAP Timber Branderings Grade 4 (Red Cross) SABS Approved 5.4m x 38mm x 38mm	M	
36	SAP Timber Branderings Grade 4 (Red Cross) SABS Approved 4.5m x 38mm x 38mm	M	
37	SAP Timber Branderings Grade 4 (Red Cross) SABS Approved 3.6m x 38mm x 38mm	M	
38	SAP Timber Purlins Grade 4 (Red Cross) SABS Approved 6m x 76mm x 50mm	M	
39	SAP Timber Purlins Grade 4 (Red Cross) SABS Approved 5.4m x 76mm x 50mm	M	
40	SAP Timber Purlins Grade 4 (Red Cross) SABS Approved 4.5m x 76mm x 50mm	M	
41	SAP Timber Purlins Grade 4 (Red Cross) SABS Approved 3.6m x 76mm x 50mm	M	
42	SAP Timber Rafter Grade 4 (Red Cross) SABS Approved 6m x 114mm x 38mm	M	
43	SAP Timber Rafter Grade 4 (Red Cross) SABS Approved 5.4m x 114mm x 38mm	M	
44	SAP Timber Rafter Grade 4 (Red Cross) SABS Approved 4.5m x 114mm x 38mm	M	
45	SAP Timber Rafter Grade 4 (Red Cross) SABS Approved 3.6m x 114mm x 38mm	M	
46	SAP Timber Wall Plate Grade 4 (Red Cross) SABS Approved 6m x 76mm x 38mm	M	

47	SAP Timber Wall Plate Grade 4 (Red Cross) SABS Approved 5.4m x 76mm x 38mm	M	
48	SAP Timber Wall Plate Grade 4 (Red Cross) SABS Approved 4.5m x 76mm x 38mm	M	
49	SAP Timber Wall Plate Grade 4 (Red Cross) SABS Approved 3.6m x 76mm x 38mm	M	
50	SAP Timber Rafters Grade 4 (Red Cross) SABS Approved 6m x 152mm x 50mm	M	
51	SAP timber Grade 4 (Red Cross) SABS 38mm x 152mm x 6m	M	
52	SAP Timber Grade 4 (Red Cross) SABS 38mm x 152mm x 4m	M	
53	SAP Timber Grade 4 (Red Cross) SABS 38mm x 220mm x 4m	M	
54	SAP Timber Grade 4 (Red Cross) SABS 38mm x 152mm x 3.6m	M	
55	Everite Nutec Ceiling Board 3.6m x 1.2m x 4mm	No	
56	Everite Nutec Ceiling Board 3.0m x 1.2m x 4mm	No	
57	Everite Nutec Ceiling Board 2.4m x 1.2m x 4mm	No	
58	Everite Nutec Ceiling Board 3.6m x 900mm x 4mm	No	
59	Everite Nutec Ceiling Board 3.0m x 900mm x 4mm	No	
60	Everite Nutec Ceiling Board 2.46m x 900mm x 4mm	No	
61	Nutec Facia Board 250mm x 8mm x 3m	No	
62	Nutec Barge Board 250mm x 8mm x 3m	No	
63	Nutec Facia Board Pressed Steel Joints	No	
64	Nutec Barge Board Pressed Steel Joints	No	
65	Nutec Corner Pressed Steel Joints	No	
66	H Type Pressed Steel Cover Strips 3.6m	No	
67	H Type Pressed Steel Cover Strips 3.0m	No	
68	H Type Pressed Steel Cover Strips 2.4m	No	
69	Coved Cornice 6m x 76mm x 19mm	No	

70	Coved Cornice 4.2m x 76mm x 19mm	No	
71	Coved Cornice 3.m x 76mm x 19mm	No	
72	Coved Cornice 3.6m x 76mm x 19mm	No	
73	Coved Cornice 3m x 76mm x 19mm	No	
74	Steel Trap Door 610mm x 610mm	No	
75	Hardwood Meranti Skirting 6m x 75mm x 19mm	No	
76	Hardwood Meranti Skirting 4.2m x 75mm x 19mm	No	
77	Hardwood Meranti Skirting 3.6m x 75mm x 19mm	No	
78	Hardwood Meranti Quateround 6m x 75mm x 19mm	No	
79	Hardwood Meranti Quateround 4.2m x 75mm x 19mm	No	
80	Hardwood Meranti Quateround 3.6m x 75mm x 19mm	No	
81	2032mm x 813mm Sapele Heavy Duty Internal Solid Doors	No	
82	2032mm x 760mm Sapele Heavy Duty Internal Solid Doors	No	
83	2032mm x 900mm Sapele Heavy Duty Internal Solid Doors (Suitable for disabled toilet)	No	
84	2032mm x 813mm Framed, Legged, Braced, Back Flush External Meranti Door.	No	
85	2032mm x 813mm Four Panel Meranti External Door	No	
86	1436mm x 2032mm External Meranti Double Doors Concealed Hardware Edges	No	
87	1830mm x 2750mm x 16mm White Melamine Chip Board.	No	
88	1830mm x 2750mm x 16mm Red Oak Chip Board.	No	
89	1830mm x 2750mm x 16mm White Oak Chip Board.	No	
90	1830mm x 2750mm x 16mm Mahogany Chip Board.	No	
91	2440mm x 1220mm x 18mm Plywood Board	No	
92	2440mm x 1220mm x 16mm Plywood Board	No	
93	2440mm x 1220mm x 14mm Plywood Board	No	

94	2440mm x 1220mm x 12mm Plywood Board	No	
95	2440mm x 1220mm x 10mm Plywood Board	No	
96	38mm x 228mm x 6m SA Pine Untreated (Timber Beam)	No	
97	Hinges Pot 90 ⁰	No	
98	Hinges Pot 180 ⁰	No	
99	10mm Thick Pastel Base	No	
100	5kg Base Coat	No	
101	5L Key Coat	No	
102	5000mm x 20 mm White Builders Wood PG Edging Roll	No	
103	16mm Veneer Edging in Standard Colours.	No	
104	2400mm x 1200mm x 4mm Thick Brown Masonite Board	No	
105	2400mm x 1200mm x 4mm Thick White Masonite Board	No	
106	Pine Cleats 3000mm x 35mm x 22mm	No	
107	Standard Steel Drawer Locks	No	
108	Standard Drawer Handles	No	
109	300mm Steel Wall Brackets	No	
110	450mm Steel Wall Brackets	No	
111	530mm Steel Wall Brackets	No	
112	600mm Steel Wall Brackets	No	
113	6000mm x 600mm x 32mm Post Form Top (All standard colours).	No	
114	3530mm x 600mm x 32mm Post Form Top (All standard colours).	No	
115	6000mm x 900mm x 32mm Post Form Top (All standard colours).	No	
116	3530mm x 900mm x 32mm Post Form Top (All standard colours).	No	
117	600mm Kitchen Top Steel Jointer.	No	

118	900mm Kitchen Top Steel Jointer.	No	
119	100mm Butt Hinges for Wooden Doors	No	
120	1 200mm x 1 800mm Vitrex Pinning Boards Complete with plugs.	No	
121	1 200mm x 2 400mm Vitrex Pinning Boards Complete with plugs.	No	
122	High Quality 4 Lever Mortice Lock SABS Approved Complete with Handles	No	
123	60mm High Quality Cylinder Lock SABS Approved Complete with Handles in all Standard Colours	No	
124	65mm High Quality Cylinder Lock SABS Approved Complete with Handles in all Standard Colours	No	
125	32mm High Quality Padlock Brass in Colour	No	
126	38mm High Quality Padlock Brass in Colour	No	
127	50mm High Quality Padlock Brass in Colour	No	
128	60mm High Quality Padlock Brass in Colour	No	
129	63mm High Quality Padlock Brass in Colour	No	
130	20L High Quality PVA Paint (All Standard Colours)	No	
131	20L High Quality Eggshell Enamel Paint (All Standard Colours)	No	
132	20L High Quality Roof Paint (All Standard Colours)	No	
133	5L ABE Super Lycryl (All Standard Colours)	No	
134	5L Road Mark High Quality Green Paint	No	
135	5L Bitumen Seal	No	
136	5L Road Mark Quick Dry Reflective Quality Paint (Standard Colours) Suitable for marking on Tar and Paving	No	
137	20L Road Mark High Quality Green Paint	No	
138	5L High Quality Enamel Paint (All Standard Colours)	No	
139	5L PVA Paint (All Standard Colours)	No	
140	20L High Quality Kalahari Colour Paint	No	
141	5L Linseed Oil (All Colours)	No	

142	750ML Linseed Oil (All Colours)	No	
143	5L High Quality Universal Undercoat Paint	No	
144	5L Carbolinium	No	
145	5L High Quality Roof Seal and Mesh Cloth in Standard Colours	No	
146	5L High Quality Damp Seal	No	
147	10m x250mm Laykold Tape Silver Colour	No	
148	10m x 200mm Waterproofing Membrane	No	
149	5L High Quality Brick Dressing	No	
150	2kg Exterior Polly Filler	No	
151	2kg Interior Polly Filler	No	
156	12Kg Exterior Polly Filler	No	
157	12Kg Interior Poly Filler	No	
158	2.5m x75mm Laykold Tape Silver Colour	No	
159	5L High Quality Galvogrip Metal Primer (Steel Primer)	No	
160	5L High Quality Red Oxide Steel Primer	No	
161	5L Turpentine	No	
162	5L Thinners	No	
163	5L Power Paraffin	No	
164	5L Road Mark High Quality White Paint	No	
165	5L Road Mark High Quality Red Paint	No	
166	5L Road Mark High Quality Yellow Paint	No	
167	20L Road Mark High Quality White Paint	No	
168	20L Road Mark High Quality Red Paint	No	
169	20L Road Mark High Quality Yellow Paint	No	

170	1L High Quality Varnish All Standard Colours	No	
171	5L High Quality Varnish All Standard Colours	No	
172	1L High Quality Clear Varnish	No	
173	5L High Quality Clear Varnish	No	
174	20L High Quality Stoep Paint (All Standard Colours)	No	
175	500ml Wood Glue	No	
176	1L Wood Glue	No	
177	5L High Quality Cornice Glue	No	
178	5L Contact Glue	No	
179	12mm High Quality Paint Brush	No	
180	25mm High Quality Paint Brush	No	
181	38mm High Quality Paint Brush	No	
182	50mm High Quality Paint Brush	No	
183	75mm High Quality Paint Brush	No	
184	100mm High Quality Paint Brush	No	
185	225mm Classic Paint Roller Tray Set	No	
186	225mm Morehair Paint Roller Tray Set	No	
187	5L Paint Remover/Stripper	No	
188	Masking Tape 48mm x 50m	No	
189	5L Wood Sealer Paint	No	
190	Industrial Putty Knife Set 25mm	No	
191	Industrial Putty Knife Set 50mm	No	
192	Industrial Putty Knife Set 75mm	No	
193	Stanley Heavy Duty Utility Knife Blades 100-Piece Set	No	

194	788 Instant Front Load Retractable Trimming Knife	No	
195	Mutton Cloth 400g	No	
196	Heavy Duty Paint Drop Sheet 2 x 3m	No	
197	Paint -Zipper Hooded Non-Woven Coverall Polypropylene	No	
198	Extension Pole Paint Roller	No	
199	500g Hand Grit Cleaner	No	
200	100ML Paint Colour Tint Dye (All Standard Colour)	No	
201	Sandpaper Grit50 300mm x 1m Roll	No	
202	Sandpaper Grit80 300mm x 1m Roll	No	
203	5L Wood Primer	No	
204	5L Wood Seal	No	
205	Stone Sealer Gloss Solvent Floor Coating Paint (5 L)	No	
206	A.B.E. Mastic Sealer Epoxy Floor Coating Paint (1000 g)	No	
207	Epoxy Floor Paint Light Grey Epoxy Floor Coating Paint (5 L)	No	
208	Protective Topcoat Clear Epoxy Floor Coating Paint (5 L)	No	
209	20L Plastered Wall Primer	No	
210	Spray Paint Rustol Bathtub and Tile Aerosol White 340 g	No	
211	NFX High Quality Stock Bricks All Standard Stock Bricks) (Per Thousand)	1000	
212	FBS High Quality Face Bricks (All Standard Face Brick Types) (Per Thousand)	1000	
213	110mm x75mm x 1200mm Concrete Lintel	No	
214	110mm x75mm x 1800mm Concrete Lintel	No	
215	110mm x75mm x 2100mm Concrete Lintel	No	
216	140mm x75mm x 1500mm Concrete Lintel	No	
217	140mm x75mm x 2400mm Concrete Lintel	No	

218	140mm x75mm x 2700mm Concrete Lintel	No	
219	140mm x75mm x 3000mm Concrete Lintel	No	
220	Floral Retain Blocks Interlocking 300mm x 410mm x 250mm Grey in Colour	1000	
221	60mm Interlocking Herringbone Type Grey Concrete Paving Bricks	1000	
222	80mm Interlocking Herringbone Type Grey Concrete Paving Bricks	1000	
223	River Sand (High quality well sieved and cleaned)	M ³	
224	Building Sand (High quality well sieved and cleaned)	M ³	
225	Plastering Sand (High quality well sieved and cleaned)	M ³	
226	19mm Grey Crusher Stone, High quality cleaned (Concrete Stones)	M ³	
227	6.7mm Grey Crusher Stone, High quality cleaned (Concrete Stones)	M ³	
228	6mm Grey Crusher Dust, High quality cleaned (Crusher Dust)	M ³	
229	210L Heavy Duty Plastic Drum	No	
230	30m x 20mm Reinforced High Quality Garden Hose Pipe Tap Connector Included.	No	
231	30m x 15mm Reinforced High Quality Garden Hose Pipe Tap Connector Included.	No	
232	200mm x 200mm x 5mm 1 st Grade Shiny and Rough Textured Ceramic Wall Tiles in Standard Colours	M ²	
233	200mm x 300mm x 5mm 1 st Grade Shiny and Rough Textured Ceramic Wall Tiles in Standard Colours	M ²	
234	350mm x 350mm x 8mm 1 st Grade Shiny and Rough Textured Ceramic Floor Tiles in Standard Colours	M ²	
235	408mm x 408mm x 8mm 1 st Grade Shiny and Rough Textured Ceramic Floor Tiles in Standard Colours	M ²	
236	430mm x 430mm x 8mm 1 st Grade Shiny and Rough Textured Ceramic Floor Tiles in Standard Colours	M ²	
237	330mm x 330mm x 10mm High Quality Clay Floor Tiles in Standard Colours	M ²	
238	350mm x 350mm x 10mm High Quality Clay Floor Tiles in Standard Colours	M ²	
239	400mm x 400mm x 10mm High Quality Clay Floor Tiles in Standard Colours	M ²	
240	450mm x 900mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
241	600mm x 600mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
242	800mm x 800mm x 12mm 1 st Grade Fully Polished Rough	M ²	

	Textured Porcelain Floor Tiles in Standard Colours		
243	600mm x 600mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
244	600mm x 1200mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
245	750mm x 1500mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
246	Tile, Floor, vinyl, 2.5mm x 300mm x 300mm	M ²	
247	3mm Tile Spacers	No	
248	5mm Tile Spacers	No	
249	5kg Tile Grout Standard Colours	No	
250	20kg Tile Grout Standard Colours	No	
251	20kg Porcelain tile cement	No	
252	20kg Ceramic Tile Adhesive	No	
253	2500m x 20mm x 7mm PVC Tile Trimmer.	No	
254	2500m x 10mm Alluminium Tile Trimmer.	No	
255	Grout off in 5 litres	No	
256	Tile Bonding Liquid in 5 litres	No	
257	IBR Roof sheeting steel inverted box ribbed, with ribs not less than 30 mm deep and not more than 172 mm centered which has a coating of Z275 and subject to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934 unpacked. 0,58 mm thickness 686 mm effective width: 3,6m long	No	
258	IBR Roof sheeting steel inverted box ribbed, with ribs not less than 30 mm deep and not more than 172 mm centered which has a coating of Z275 and subject to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934 unpacked. 0,58 mm thickness 686 mm effective width: 4,2m long	No	

259	IBR Roof sheeting steel inverted box ribbed, with ribs not less than 30 mm deep and not more than 172 mm centered which has a coating of Z275 and subject to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934 unpacked. 0,58 mm thickness 686 mm effective width: 5,0m long	No	
260	IBR Roof sheeting steel inverted box ribbed, with ribs not less than 30 mm deep and not more than 172 mm centered which has a coating of Z275 and subject to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934 unpacked. 0,58 mm thickness 686 mm effective width: 6,0m long	No	
261	Ridge capping for IBR 462 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness 3,6m long	No	
262	Ridge capping for IBR 462 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness 4,2 mm long	No	
263	Ridge capping for IBR 462 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness 5,0 mm long	No	
264	Ridge capping for IBR 462 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	

	6,0 mm long		
265	IBR ridge capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The Zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
266	IBR ridge capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
267	IBR ridge capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The Zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
268	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The Zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
269	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
270	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
271	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934.	No	

	0,58 mm thickness		
272	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
273	Galvanised corrugated iron sheets, commercial quality, which has a coating of Z275 and subjected to anti-white rust, treatment in various lengths from 1000 mm as required. The zinc coating must be in accordance with the latest issue of SABS specification 934. Effective width 610 mm. Overall width 690mm. 0.58 mm thickness 3,6m long	No	
274	Galvanised corrugated iron sheets, commercial quality, which has a coating of Z275 and subjected to anti-white rust, treatment in various lengths from 1000 mm as required. The zinc coating must be in accordance with the latest issue of SABS specification 934. Effective width 610 mm. Overall width 690mm. 0.58 mm thickness 4,2m long	No	
275	Galvanised corrugated iron sheets, commercial quality, which has a coating of Z275 and subjected to anti-white rust, treatment in various lengths from 1000 mm as required. The zinc coating must be in accordance with the latest issue of SABS specification 934. Effective width 610 mm. Overall width 690mm. 0.58 mm thickness 5,0m long	No	
276	Galvanised corrugated iron sheets, commercial quality, which has a coating of Z275 and subjected to anti-white rust, treatment in various lengths from 1000 mm as required. The zinc coating must be in accordance with the latest issue of SABS specification 934. Effective width 610 mm. Overall width 690mm. 0.58 mm thickness 6,0m long	No	
277	Ridge capping for corrugated iron sheeting 450 mm girth,	No	

	which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness		
278	Ridge capping for corrugated iron sheeting 450 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	
279	Ridge capping for corrugated iron sheeting 450 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	
280	Ridge capping for corrugated iron sheeting 450 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	
281	Ridge capping for corrugated iron sheeting 450 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	
282	Under tile Membrane SABS Approved	No	
283	Hip Starter for Double Roman Roof Concrete	No	
284	Double Roman Roof Concrete Tile Standard Colours SABS equivalent to Marley Tile	No	
285	Tile Taper Ridge for Double Roman Roof Concrete Tile Standard Colours SABS equivalent to Marley Tile	No	
286	Tile Hip for Double Roman Roof Concrete Tile Standard Colours SABS equivalent to Marley Tile	No	
287	Harvey Tile SABS in all Standard Colours	No	
288	Harvey Tile Angle Ridge SABS in all Standard Colours	No	
289	45mm Harvey Tiles Nails	Kg	

290	Cement Paving Bricks Interlocking 200mm x 80mm x 60mm Grey in Colours	No	
291	Roof Acrylic All Weather Resistant (All Standard Colours) in 20l	No	
292	10mm x 90mm Cup square Bolt + Nuts	No	
293	290mm x 290mm Toilets Sign, Male/Female/Disabled Standard Colours	No	
294	290mm x 290mm Arrows Sign Standard Colours	No	
295	125mm x 5mm Wire Nails SABS	Kg	
296	100mm x 4mm Wire Nails SABS	Kg	
297	75mm x 3.5mm Wire Nails SABS	Kg	
298	40mm x 2mm Wire Nails SABS	Kg	
299	32mm x 2mm Wire Nails SABS	Kg	
300	25mm x 2mm Wire Nails SABS	Kg	
301	32mm X 2.8mm Serrated Clout Nails	Kg	
302	75mm x 3.5mm Fluted Nails	Kg	
303	65mm x 3.5mm Fluted Nails	Kg	
304	50mm x 3.15mm Fluted Nails	Kg	
305	40mm x 2.8mm Fluted Nails	Kg	
306	32mm x 2.8mm Fluted Nails	Kg	
307	40mm x 4mm Steel Wood Screws	Kg	
308	32mm x 4mm Steel Wood Screws	Kg	
309	38mm x 5mm Steel Wood Screws	Kg	
310	30mm x 5mm Steel Wood Screws	Kg	
311	50mm x 5mm Steel Wood Screws	Kg	
312	25mm x 4mm Steel Wood Screws	Kg	
313	50mm x 4mm Steel Wood Screws	Kg	

314	38mm x 4mm Steel Wood Screws	Kg	
315	38mm x 5mm Brass Wood Screws	Kg	
316	30mm x 5mm Brass Wood Screws	Kg	
317	38mm x 4mm Brass Wood Screws	Kg	
318	19mm x 4mm Brass Wood Screws	Kg	
319	30mm x 3.5mm Brass Wood Screws	Kg	
320	50mm x 8mm Nylon Fisher Plugs and Screws	Kg	
321	40mm x 6mm Nylon Fisher Plugs and Screws	Kg	
322	16mm x 4mm Chipboard screws	Kg	
323	16mm Panel Pins	Kg	
324	32mm Panel Pins	Kg	
325	50mm Panel Pins	Kg	
326	45mm x 5mm Nylon Fisher Plugs and Screws	Kg	
327	35mm x 5mm Nylon Fisher Plugs and Screws	Kg	
328	70mm x 6mm Nylon Fisher Plugs and Screws	Kg	
329	60mm x 8mm Nylon Fisher Plugs and Screws	Kg	
330	80mm x 8mm Nylon Fisher Plugs and Screws	Kg	
331	38mm x 5mm Chipboard Screws	Kg	
332	30mm x 5mm Chipboard Screws	Kg	
333	75mm x 5mm Chipboard Screws	Kg	
334	38mm x 4mm Chipboard Screws	Kg	
335	19mm x 4mm Chipboard Screws	Kg	
336	30mm x 4mm Chipboard Screws	Kg	
337	65mm Roof Screws in a Box of 100	No	

338	75mm Roof Screws in a Box of 100	No	
339	90mm Roof Screws in a Box of 100	No	
340	120mm Roof Screws in a Box of 100	No	
341	Wood Tek Screws 50mm (2 inches) in quantity of 100 per box	No	
342	Wood Tek Screws 100mm (4 inches) in quantity of 100 per box	No	
343	Wood Tek Screws 125mm (5 inches) in quantity of 100 per box	No	
344	150mm Window Sliding Stay and Screws	No	
345	178mm Window Sliding Stay and Screws	No	
346	270mm Window Sliding Stay and Screws	No	
347	Right Hand Window Handle with Screw and Bush	No	
348	Left Hand Window Handle with Screw and Bush	No	
349	200mm Window Peg Stay and Screw	No	
350	250mm Window Peg Stay and Screw	No	
351	25mm x 50mm x 2mm Square Tubing Steel	No	
352	Mini Ultra Lock	No	
353	Large Ultra Lock	No	
354	6m x 10mm Steel Square Bar	No	
355	6m x 12mm Steel Square Bar	No	
356	6m x 16mm Steel Square Bar	No	
357	6m x 10mm Steel Round Bar	No	
358	6m x 12mm Steel Round Bar	No	
359	6m x 16mm Steel Round Bar	No	
360	6m x 16mm x 3mm Steel Flat Bar	No	
361	6m x 25mm x 5mm Steel Flat Bar	No	

362	6m x 50mm x 5mm Steel Flat Bar	No	
363	6m x 16mm x 16mm x 1.6mm Steel Square Tubing	No	
364	6m x 25mm x 25mm x 2mm Steel Square Tubing	No	
365	6m x 32mm x 32mm x 2mm Steel Square Tubing	No	
366	6m x 50mm x 50mm x 2mm Steel Square Tubing	No	
367	6m x 76mm x 76mm x 2mm Steel Square Tubing	No	
368	6m x 100mm x 100mm x 2mm Steel Square Tubing	No	
367	6m x 75mm x 50mm x 20mm x 2mm Lipped Channel	No	
368	6m x 100mm x 50mm x 20mm x 2mm Lipped Channel	No	
369	6m x 125mm x 50mm x 20mm x 2mm Lipped Channel	No	
370	6m x 150mm x 75mm x 20mm x 2mm Lipped Channel	No	
371	6m x 175mm x 75mm x 20mm x 2mm Lipped Channel	No	
372	25mm x 25mm x 2.5mm thickness x 6m Angle Iron	No	
373	30mm x 30mm x 2.5mm thickness x 6m Angle Iron	No	
374	50mm x 50mm x 5mm thickness x 6m Angle Iron	No	
375	50mm x 50mm x 2mm thickness x 6m Angle Iron	No	
376	100mm x 100mm x 5mm thickness x 6m Angle Iron	No	
377	76mm x 76mm x 3mm thickness x 6m Square tubing	No	
378	32mm x 2mm x 6m Steel round pipes	No	
379	50mm x 2mm x 6m Steel Round Tube	No	
380	100mm x 2mm x 6m Steel Round Tube	No	
381	152 x 3.0mm x 6m Steel Round tube	No	
382	Rectangular tubing 25mm x 50mm x 2mm x 6m	No	
383	Rectangular tubing 25mm x 76mm x 2mm x 6m	No	

384	Rectangular tubing 38mm x 76mm x 2mm x 6m		
385	38mm x 50mm x 2mm thickness x 6m Rectangular tubing	No	
386	Steel Channel 6m x 76mm x 38mm	No	
387	Steel Channel 6m x 100mm x 50mm	No	
388	Steel Channel 6m x 152mm x 76mm	No	
389	Steel I Beam AA 100 x 55	No	
390	Steel I Beam AA 140 x 76	No	
391	Steel I Beam AA 200 x 100	No	
392	2,5mm Vitemax Welding Rods	Kg	
393	3,15mm Vitemax Welding Rods	Kg	
394	115mm Steel Cutting Disk	No	
395	230mm Steel Cutting Disk	No	
396	350mm Steel Cutting Disk	No	
397	230mm Masonary Cutting Disk	No	
398	350mm Masonary Cutting Disk	No	
399	230mm Diamond Cutting Disc	No	
340	110mm Diamond Cutting Disc	No	
341	Circular Saw Blade 250 mm Universal	No	
342	Table Saw Blade for- 250mm Universal	No	
343	Circular Saw Blade 190mm Universal	No	
344	Table Saw Blade - 210 x 30mm – Universal	No	
345	500m Standard Danger Tape Roll	No	
346	60mm Roller Kit for Steel Gate	No	
347	80mm Roller Kit for Steel Gate	No	

348	100mm x 100mm Heavy Duty Steel Butt Hinges.	No	
349	Builders Straight Econo 1,2mm Hinge (Pack) Heavy duty	No	
350	Builders Bullet Hinge 50 x 10 mm /Pair	No	
351	Builders Bullet Hinge 100 x 16 /Pair	No	
352	Self-Closing Hinge, 3 Knuckle, Brass Plated / Pair	No	
353	3000mm x 1800mm x 40mm x 40mm x 2mm Steel Devils Fork Panels.	No	
354	3000mm x 2000mm x 40mm x 40mm x 2mm Steel Devils Fork Panels.	No	
355	3000mm x 2400mm x 40mm x 40mm x 2mm Steel Devils Fork Panels.	No	
356	3m Wide x 2,4m High Steel Fence Panel made with Angle Irons of 40mmx40mmx3mm Thick pal pan a v –pun sp	No	
357	3m Wide x 1,8m High Steel Fence Panel made with Angle Irons of 40mmx40mmx3mm Thick pal pan a v –pun sp	No	
358	Square tubing 25mm x 25mm x 6m	No	
359	Refill 9kg Oxy-Acetylene Bottles	No	
360	Oxygen Refill Technical Industrial 11,5Kg. 8,6m ³	No	
361	Acetylene Refill Technical Industrial 40Kg, 9,5Kg	No	
362	Brazing Rods	No	
363	Copper to Copper Brazing Rods	Kg	
364	500g Brazing Flux	No	
365	76mm x 76mm Pyramid Steel Cap	No	
366	8mm Thick Galvanized Chain	M	
367	10mm Thick Galvanized Chain	M	
368	100mm Steel Pyramid Caps	No	
369	2450mm x 1225mm x 1mm Hot Rolled Steel Sheets	No	

340	2450mm x 1225mm x 2mm Hot Rolled Steel Sheets	No	
341	2450mm x 1225mm x 3mm Hot Rolled Steel Sheets	No	
342	2450mm x 1225mm x 4mm Hot Rolled Steel Sheets	No	
343	Galvinised Garage Door Roll Up 2450mm x 1830mm	No	
344	Chromadek Garage Door Roll Up 2450mm x 1830mm	No	
345	Aluminium Four Panels Garage Door Roll Up 2450mm x 1830mm Standard Colours	No	
346	Meranti Wooden Six Panels Garage Door Roll Up 2450mm x 1830mm Standard Colours	No	
347	2400 x 1200mm (8mm x 50mm x 50mm) Specimesh	No	
348	2400 x 1200mm (5mm x 25mm x 50mm) Specimesh	No	
349	2400 x 1200mm (10mm x 50mm x 50mm) Specimesh	No	
350	Insect Screen Fiber Glass 900mm x 30m	No	
351	6mm Steel Rawl Bolts	No	
352	8mm Steel Rawl Bolts	No	
353	10mm Steel Rawl Bolts	No	
354	12mm Steel Rawl Bolts	No	
355	40mm Steel Tek Screws packet of 200	No	
356	65mm Steel Tek Screws packet of 200	No	
357	75mm Tek Screws packet of 200	No	
358	70mm Wood Tek Screws packet of 200	No	
359	90mm Wood Tek Screws packet of 200	No	
360	120mm Wood Tek Screws packet of 200	No	
361	Roof Washer	Kg	
362	Stainless Steel Toilet Paper Holder	No	
363	Lockable Toilet Paper Holder	No	

364	150mm Barrel Bolts (big door shooters)	No	
365	Aluminium Door Stopper	No	
366	1220mm x 1830mm x 3mm Clear Glazing Sheet	No	
367	1220mm x 1830mm x 4mm Clear Glazing Sheet	No	
368	1220mm x 1830mm x 4mm Obscured Glazing Sheet	No	
369	280mm Silicon in Standard Colours	No	
370	1kg Window Putty	No	
371	5kg Window Putty	No	
372	Glass Cutter Tungsten Carbide Wheel	No	
373	Glass Cutter	No	
374	Diamond Glass Cutter	No	
375	132mm Steel Glass Cutter with 6 cutting wheels	No	
376	150mm Steel Glass Cutter with 2 Cutter Heads	No	
377	1500mm Aluminium Single Curtain Rail	No	
378	2000mm Aluminium Double Curtain Rail	No	
379	2500mm Aluminium Double Curtain Rail	No	
380	3000mm Aluminium Double Curtain Rail	No	
381	3500mm Aluminium Double Curtain Rail	No	
382	4000mm Aluminium Double Curtain Rail	No	
383	4500mm Aluminium Double Curtain Rail	No	
384	5000mm Aluminium Double Curtain Rail	No	
385	6000mm Aluminium Double Curtain Rail	No	
386	Drawer Runner FIT Ball Bearing Slide Runner 450 x 45 mm	No	
387	Drawer Runner FIT Ball Bearing Slide Runner 600 x 45 mm	No	

388	Builders 2 x Drawer Runners White 350 x 35 x 10 mm	No	
389	Builders 2 x Drawer Runners White 450 x 35 x 10 mm	No	
390	Cupboard Sliding Door Top Profile (Double)	M	
391	Cupboard Sliding Door Bottom Profile (Double)	M	
392	Cupboard Sliding Door Top Profile (Single)	No	
393	Cupboard Sliding Door Bottom Profile (Single)	No	
394	Sliding Door Roller, Stainless Steel, 20kg	No	
395	Sliding Door Rollet Back Hanger Double	No	
396	Wall drop Heavy-Duty Silent Gliding Door Roller Track System	No	
397	Wall drop D60 Front Hanger / Pair	No	
398	Stainless Steel Hollow Bar Handle Silver 160 mm / Pair	No	
399	Stainless Steel Hollow Bar Handle Silver 288 mm / Pair	No	
400	Stainless Steel Hollow Bar Handle Silver 384 mm / Pair	No	
401	Cornice Adhesive 5L Adhesive	No	
402	Cornice Polystyrene 2m x 110mm X 50 mm	No	
403	Fascia Board 300mm 3.0M	No	
404	Standard Barge Boards – Socketless 275 x 80 x 3000	No	
405	Fascia Board 300mm 3.0M Joints	No	
406	Standard Barge Boards – Socketless 275 x 80 x 3000 Joints	No	
407	Aluminium venetian blind Silver 25mm. 2,2m x 1,6m	No	
408	Aluminium venetian blind Silver 25mm. 1,2m x 1,6m	No	
409	Aluminium venetian blind Silver 25mm. 1m x 1,6m	No	
410	Aluminium venetian blind Silver 25mm. 1,8m x 2,1m	No	
411	Grip Heavy Duty Caulking Gun 225 mm	No	

412	Garage Door Roll Up 2450mm x 1830mm	No	
413	R22 Refrigerants Gas 13.6Kg	No	
414	R134A Refrigerants Gas 13.6Kg	No	
415	R404A Refrigerant Gas	No	
416	R410A Refrigerant Gas 11.4Kg	No	
417	R507A Refrigerant Gas 11.4Kg	No	
418	Domestic Refrigeration compressor	No	
419	Industrial Refrigeration Compressor	No	
420	1/4inch Copper Pipe coil 30m	No	
421	3/8inch Copper Pipe coil 30m	No	
422	1/2inch Copper Pipe coil 30m	No	
423	8/8Inch Copper Pipe Coil 30m	No	
424	Refrigeration Recharging Guages	No	
425	Refrigeration flaring Kit	No	
426	Multi-Purpose Folding Aluminium Ladder	No	
427	1.8m Heavy Duty Aluminium Step Ladder	No	
428	2.4m Heavy Duty Aluminium Step Ladder	No	
429	2.4m Heavy Duty Aluminium Straight Ladder	No	
430	20mm x 1 200mm Chrome Round Shower/Bath Rail	No	
431	20mm x 1 500mm Chrome Round Shower/Bath Rail	No	

SUPPLY AND DELIVERY OF ELECTRICAL MATERIAL

ITEM NO	DESCRIPTION	UOM	UNIT PRICE
---------	-------------	-----	------------

1	16A Single Switch plug plus cover (SABS) approved	No	
2	16A Double switch plug plus cover (SABS) approved	No	
3	16A Single Switch plug industrial (SABS) approved	No	
4	16A Double switch plug industrial (SABS) approved	No	
5	16A Single lever switch plus cover (SABS) approved	No	
6	16A Two lever switch plus cover (SABS) approved	No	
7	16A Single lever switch industrial (SABS) approved	No	
8	16A Single lever switch industrial (SABS) approved	No	
9	16A Two lever switch industrial (SABS) approved	No	
10	16A two-way switch plus cover (SABS) approved	No	
11	16A Intermediate switch plus cover (SABS) approved	No	
12	SU1 distribution board	No	
13	SU1 tray	No	
14	SU2 distribution board	No	
15	SU2 tray	No	
16	SU3 distribution board	No	
17	SU3 tray	No	
18	12way distribution board flush type	No	
19	16way distribution board flush type	No	

20	20way distribution board flush type	No	
21	20A Geyser thermostat (VKF11)	No	
22	20A Geyser thermostat MK2	No	
23	Geyser element with pocket	No	
24	Geyser econo element	No	
25	8" solid stove plate with red mark	No	
26	6" solid stove plate with red mark	No	
27	16A Three lever industrial switch (SABS) approved	No	
28	8way PVC looping box (SABS) approved	No	
29	20mm PVC female adaptors (SABS) approved	No	
30	20mm male adaptors (SABS) approved	No	
31	20mm PVC couplings	No	
32	20mm PVC saddles (SABS) approved	No	
33	1way PVC inspection box (SABS) approved	No	
34	2way PVC inspection box (SABS) approved	No	
35	3way PVC inspection box (SABS) approved	No	
36	4way PVC inspection box (SABS) approved	No	
37	50mm round cover (SABS) approved	No	
38	250ml PVC pipe welder	No	
39	25mm PVC pipe (SABS) approved	M	
40	25mm male PVC adaptors (SABS) approved	No	
41	25mm PVC female adaptors (SABS) approved	No	
42	50mm PVC male adaptors (SABS) approved	No	
43	50mm PVC coupling (SABS) approved	No	

44	50mm PVC pipe (SABS) approved	M	
45	50mm 90° degrees bend	No	
46	63A 3ka earth leakage circuit breaker	No	
47	40A 3ka circuit breaker	No	
48	30A 3ka circuit breaker	No	
49	20A 3ka circuit breaker	No	
50	15A 3ka circuit breaker	No	
51	10A 3ka circuit breaker	No	
52	60A 3ka double pole isolator	No	
53	60A industrial double pole isolator (SABS) approved	No	
54	40A industrial double pole isolator (SABS) approved	No	
55	30A industrial double isolator (SABS) approved	No	
56	20A industrial isolator (SABS) approved	No	
57	60A three phase isolator 3ka	No	
58	100A three phase isolator 3ka	No	
59	60A double pole isolator plus cover (SABS) approved	No	
60	60A double pole isolator plus cover (SABS) approved	No	
61	30A double pole isolator plus cover (SABS) approved	No	
62	50A double pole isolator plus cover (SABS) approved	No	
63	40A double pole isolator plus cover (SABS) approved	No	
64	30A double pole isolator plus cover (SABS) approved	No	
65	20A double pole isolator plus cover (SABS) approved	No	
66	10A 5ka circuit breaker	No	
67	20A 5ka circuit breaker	No	

68	25A 5ka circuit breaker	No	
69	30A 5ka circuit breaker	No	
70	20A 5ka circuit breaker	No	
71	10A 5ka circuit breaker	No	
72	Flush White 13mm DB 11-Way Pre Wired	Np	
73	Distribution board safety blank covers	No	
75	DB labels assorted	No	
76	DB label emergency	No	
77	20mm PVC flexible conduit	No	
78	Size0 PVC compression gland	No	
79	Size0 PVC push-in gland	No	
80	1.2m x 36w double fluorescent fittings with electronic ballast	No	
79	1.2m x 36w fluorescent tubes energy saver	No	
81	1.5m x 58w double fluorescent fittings with electronic ballast	No	
82	1.5m x 58w fluorescent tubes energy savers	No	
83	0.6m x 18w fluorescent fittings with four tubes electronic ballast(Louvers)	No	
84	0.6m x 18w fluorescent fittings energy savers with three tubes with electronic ballast(Louvers)	No	
85	0.6m x 18w x 3 fluorescent fittings energy savers with four tubes with electronic ballast(Diffuse)	No	
86	0.6m x 18w x 4 fluorescent fittings energy savers with three tubes with electronic ballast(Diffuse)	No	
87	0.6m x 18w fluorescent tubes energy savers	No	
88	21w energy saver globes ES	No	
89	21w energy saver globes BC	No	
90	18w energy saver globes ES	No	

91	18w energy saver globes BC	No	
92	15w energy saver globes ES	No	
93	15w energy saver globes BC	No	
94	14w energy saver globes ES	No	
95	14w energy saver globes BC	No	
96	13w energy saver globes ES	No	
97	13w energy saver globes BC	No	
98	PL9w two pin globes	No	
99	PL7w two pin globes	No	
100	16w 2D with two pin globes	No	
101	400w HPS globes ES	No	
102	250w HPS globes ES	No	
103	80w MV globes ES	No	
104	250w MV globes ES	No	
105	400w MV globes ES	No	
106	20mm galvanized saddles	No	
107	20mm galvanized adaptor	No	
108	4x2 galvanized boxes	No	
109	4x4 galvanized boxes	No	
110	4x2 extension boxes	No	
111	4x4 extension boxes	No	
112	25mm galvanized saddles	No	
114	55mm x M5 machine screws	No	
115	40mm x M5 machine screws	No	

116	55mm butterfly screws	No	
117	55mm x M4 screws	No	
118	40mm x M4 screws	No	
119	30mm x M5 machine screws	No	
120	30mm x M4 machine screws	No	
121	20mm x M4 machine screws	No	
122	25mm x M4 machine screws	No	
123	100mm x M4 machine screws	No	
124	70mm x M4 machine screws	No	
125	Nitto insulation tape assorted colours	No	
126	Steel cable gland size 2 + shrouds	No	
127	Steel cable gland size 3 + shrouds	No	
128	Steel cable gland size 4 + shrouds	No	
129	Steel cable gland size 5 + shrouds	No	
130	Steel cable gland size 6 + shrouds	No	
131	2.5mm x 2core surfix cable (2+E)	M	
132	1.5mm x 2cores surfix cable (2+E)	M	
133	2.5mm ² x 3ore surfix cable (3+E)	M	
134	4mm ² x 2core surfix cable (2+E)	M	
135	6mm ² x 2core surfix cable (2+E)	M	
136	4mm x 3core surfix cable (3+E)	M	
137	10mm ² x 2core airdac cable (2+E) without pilot	M	
138	16mm ² x 2core airdac cable (2+E) without pilot	M	
139	10mm ² x 2core PVC underground cable (2+E)	M	

140	16mm ² x 2core PVC underground cable (2+E)	M	
141	25mm x 4core PVC underground cable	M	
142	35mm x 4core PVC underground cable	M	
143	16mm x 4core PVC underground cable	No	
144	10mm cable lug	No	
145	16mm cable lug	No	
146	25mm cable lug	No	
147	35mm cable lug	No	
148	10mm furels	No	
149	16mm furels	No	
150	25mm furels	No	
151	35mm furels	No	
152	2.5mm-16mm joining kits	No	
153	10mm-35mm joining kits	No	
154	B10 bulkhead light fitting with 2 x PL9w energy saver globes	No	
155	18w light fitting with 2 x 18w energy saver globes	No	
156	1.2m double fluorescent channel dust & moisture approved x 36w	No	
157	1.5m x double fluorescent channel dust & moisture approved x 58w	No	
158	1.2m x Single fluorescent channel dust & moisture approved	No	
159	1.5m x single fluorescent channel dust & moisture approved	No	
160	1.2m x 36w single fluorescent fitting with electronic ballast	No	
161	1.5m x 58w single fluorescent fittings with electronic ballast	No	
162	100w DTC bulkhead light fittings (Round) white ES	No	
163	100w DTC bulkhead light fittings (Square) white ES	No	

164	18w 2D globes with two pin	No	
165	380v coil complete with thee phase contactor	No	
166	220v coil complete with three phase contactors	No	
167	Pedant light fitting with three lights (Brass)	No	
168	Rondo Maxi Prismatic Clear bulkhead light fitting	No	
169	Rondo Maxi Opal bulkhead light fitting	No	
170	Rondo Maxi Raindrop clear bulkhead light fitting	No	
171	Rondo Mini "Birdseye" Clear bulkhead light fitting	No	
172	Rondo Mini Shallow Opal bulkhead light fitting	No	
173	Bulkhead with Opal Bowl Lens	No	
174	Bulkhead with Prismatic Lens	No	
175	Bulkhead with Flat Opal Bowl Lens	No	
176	Highbay light fitting mercury vapour	No	
177	Econobay light fitting mercury vapour	No	
178	Oddey Series light fitting 125w	No	
179	125w MV globes ES	No	
180	400W Floodlight Cool White	No	
181	USB (A + C) Combo Socket 4 x 4 with Graphite Cover plate (Bag)	No	
182	10mm x 2Core Airdac Cable + 2 Comms	M	
183	8" ball fitting light with porcelain gallery and lamp holder	No	
184	6" ball fitting light with porcelain lamp holder and gallery	No	
185	Down light fitting(50w)	No	
186	50w globes	No	
187	8w fluorescent tubes	No	

188	1.2m x 36w double fluorescent fitting with louver (electronic ballast).	No	
189	1.2m x 36w double fluorescent fittings diffuse (electronic ballast).	No	
190	1.2m x 3x 36w fluorescent fittings louvers with electronic ballast (Energy saver).	No	
191	1.2mx 4 x 36w fluorescent fittings diffuse with electronic ballast (Energy savers).	No	
192	Fluorescent fittings LED Channel Fitting1500mm	No	
193	Fluorescent fittings LED Channel Fitting1200mm	No	
194	LED Fluorescent Tube 1200mm	No	
195	LED Fluorescent Tube 1500mm	No	
196	Down light fitting 2 x 18w	No	
197	Down light fitting 2 x 9w	No	
198	16A daylight switch National	No	
199	16A day light switch Roy Thompson	No	
200	1.5mm2 PVC red wire roll	M	
201	1.5mm2 PVC black wire roll	M	
202	1.5mm2 PVC blue wire roll	M	
203	1.5mm2 PVC green & yellow earth wire	M	
204	1.5mm2 PVC bare copper wire	M	
205	2.5mm2 PVC red wire roll	M	
206	2.5mm2 PVC black wire roll	M	
207	2.5mm2 PVC blue wire roll	M	
208	2.5mm PVC green & yellow wire roll	M	
209	4mm2 PVC red PVC wire roll	M	
210	4mm2 PVC black wire roll	M	
211	4mm2 PVC green & yellow wire roll	M	

212	6mm2 PVC red wire roll	M	
213	6mm2 PVC black wire roll	M	
216	6mm2 PVC green & yellow wire roll	M	
217	10mm2 PVC black wire roll	M	
218	10mm2 PVC red wire roll	M	
219	10mm2 PVC green & yellow.	M	
220	Cabtyre – 1.5mm 3 Core Black / 100m	No	
221	Cabtyre – 2.5mm 3 Core Black / 100m	No	
222	Cabtyre – 2.5mm 5 Core Black / 100m	No	
223	1.2m blank double fluorescent fitting	No	
224	1.5m blank double fluorescent fitting	No	
225	1.2m blank single fluorescent fitting	No	
226	1.5m blank single fluorescent fitting	No	
227	Ecolight T5/28w electronic adaptor with wing (energy saver fittings)	No	
228	Ecolight T5/28 electronic adaptor without wing (energy saver fittings)	No	
229	Ecotube 28w/840	No	
230	Ecolight T	No	
231	Ecolight T5/35w electronic adaptor fitting with wing	No	
233	Ecolight T5/14w electronic adaptor fitting with wing	No	
234	Ecolight T5/14w electronic adaptor fitting without wing	No	
235	Ecotube 35w	No	
237	Ecotube 14w	No	
238	6way industrial DB board	No	
239	8way industrial DB board	No	

240	10way industrial DB board	No	
241	12way industrial DB board	No	
242	18way industrial DB board	No	
243	20 way industrial DB board	No	
244	24way industrial DB board	No	
245	24way distribution board flush type (samitte)	No	
246	16A industrial switch plug weather approved	No	
247	20A double industrial isolator weather approved	No	
248	30A double industrial isolator weather approved	No	
249	Screw jet small	No	
250	Screw jet medium	No	
251	Screw jet big	No	
252	16A block connector	No	
253	20A block connector	No	
254	30A block connector	No	
255	60A Three Phase Isolator 5ka	No	
256	100A Three Phase Isolator 5ka	No	
257	12 Mode Distribution Box	No	
258	20mm PVC Pipe	No	
260	Inspection Box Cover	No	
261	Cable Entrance	No	
262	Double Switch Plug Crabtree 4x4 (100mm x 100mm)	No	
263	24 Mode DB Flush	No	
264	63A Main Switch 5ka (Three Phase)	No	

265	Earth Spike	No	
266	24 Mode DB Flush	No	
267	6 Mode Distribution Box	No	
268	Day Light Switch	No	
269	25mm Coupling PVC	No	
270	Tree Lever Switch	No	
271	4x4 York Box or Weatherproof	No	
272	30A Stove Isolator	No	
273	Surge Protective Device	No	
274	Box Ram Set 6mm x 35mm	No	
275	4 2 Power Skirting White	No	
276	Tee Ester Oak for two Compartments	No	
277	Bamba Strips	No	
278	320mm x 4.7mm Cable Ties	No	
279	320mm x 4.7mm Cable Ties	No	
280	320mm x 4.7mm Cable Ties	No	
281	Under and Over Voltage Relay 380V	No	
282	380V Contactor	No	
283	100mm x 100mm York Box	No	
284	PVC Trunking 16mm x 16mm	No	
285	6mm x 35mm Ramset	No	
286	150mm Watertight Fitting	No	
287	11w BC Energy Saver	No	
288	Fluorescent Ballast for 1.5m Fluorescent Fitting	No	

289	25mm Hole Saw	No	
281	20mm Hole Saw	No	
290	5KA Circuit Breaker 60A CBI	No	
291	M5 x 25mm Steel Screws	No	
293	Four Lever Switch (Crab Tree)	No	
294	85W Energy Saver GES	No	
295	220V Contactor	No	
296	4 x 2 Blank Switch Cover	No	
297	20mm PVC Pipes	No	
298	Hand Dryer (Automatic Electrical Connected)	No	
299	Recessed Downlight	No	
300	6 Mode D. B	No	
301	GU10 220v 6w LED globes.	No	
302	GU10 220v 10w LED globe.	No	
303	100w LED flood light fitting.	No	
304	250w LED flood light fitting.	No	
305	100w LED Highbay light fitting.	No	
306	16A three lever switch plus cover.	No	
307	200w LED High mast floodlight fittings.	No	
308	Three phase Contactor 11kw 220v coil complete.	No	
309	Contactor Thermal overload relay, TeSys LRD, 23...32 A, class 10A	No	
310	Three phase Contactor 11kw 220v coil complete.	No	
311	Contactor Thermal overload relay, TeSys LRD, 23...32 A, class 10A	No	
312	220V 25A 50/60HZ Coil Normally Open 3 Pole AC Contactor	No	

313	Enclosed DOL starter – 9 A – 230 V AC coil – Schneider Electric	No	
314	24HR 3MOD Analog Timer Switch NO Reserve EH110	No	
315	11w Edison Screw energy saver globes.	No	
315	11w BC energy saver globes.	No	
316	100w DTR bulkhead light fitting.	No	
317	Recessed double T8 LED light fittings 1.2m x 600 x 3 lamps.	No	
319	Surface double T8 bevelled edge 2 x 36w LED light fitting.	No	
320	LED Dust proof fittings 600mm x 20w.	No	
321	LED dust proof fittings 1200mm x 40w.	No	
322	LED dust proof fittings 1500mm x 60w.	No	
323	10w LED flood light fitting.	No	
324	20w LED flood light fitting.	No	
325	50w LED flood light fitting.	No	
326	400w LED Flood Lights	No	
327	600W Solar Flood Lights	No	
328	7w energy saver two pin CFL globes.	No	
329	9w energy saver two pin CFL globes.	No	
330	18w energy saver two pin CFL globes.	No	
331	26w energy saver two pin CFL globes.	No	
332	5w LED Edison Screw globes.	No	
333	5w LED BC globes.	No	
334	13w energy save two pin CFL globes.	No	
335	1,5m x 2x22w LED channel.	No	
336	1.2m x 2x18w LED channel.	No	

338	1.2m x 18w LED T8 fluorescent tube G13.	No	
339	1.5m x 22w LED T8 fluorescent tube G13.	No	
340	200A 3 Pole Circuit Breaker 35A	No	
341	150A 3 Pole Circuit Breaker 25A	No	
342	16A Pull Switch	No	
343	2,5mm Silicon Wire	No	
344	Scosh Cust Joint A1	No	
345	Scosh Cust Joint A2	No	
346	Scosh Cust Joint A3	No	
347	2.5mm x 4core surfix cable round white in colour SANS Approved.	M	
348	3m fibreglass pole, with mounted circuit breaker complete.	No.	
350	40w LED light fitting head	No.	
351	4mm x 4core surfix cable round white in colour SANS approved	M	
352	25A daylight switch equivalent to National daylight switch	No.	
353	20A 6kA circuit breaker CBI	No.	
354	3m double compartment power skirting royal oak complete with cover	No.	
355	Double compartment Royal Oak end cap	No.	
356	Power skirting cover plate 4x2 Royal Oak	No.	
357	4x2 ordinary Power skirting plug	No.	
358	4x2 dedicated power skirting plug	No.	
359	Power skirting ZEZ clips	No.	
360	Double external elbow power skirting Royal Oak	No.	
361	Double internal elbow power skirting Royal Oak	No.	
362	3m x 16mm x 25mm PVC trunking	No.	

363	63A 3kA earth leakage protection unit	No.	
364	8mm x 80mm easy-drive screws	No.	
365	P2000 steel 5m x 40mm x 40mm including covers	No.	
366	2.5mm x 4core suffix cable (4+E)	M	
367	4mm x 4core suffix cable (4+E)	M	
368	2,5mm x 4core suffix cable round <i>white in colour SANS Approved</i>	M	
369	3m fiberglass pole, with mounted circuit breaker complete	No.	
370	40w LED light fitting head.	No.	
371	4mm x 4core suffix cable round white in colour SANS Approved	M	
372	25A daylight switch equivalent to National day light switch	No.	
373	2,5mm -10mm connector block 10 PCS	No.	
374	Insulation Tape red	No.	
375	Insulation Tape blue	No.	
376	Insulation Tape white	No.	
377	Insulation Tape black	No.	
378	220v contactor coil complete	No.	
379	20A 6kA circuit breaker CBI	No.	
380	20mm Bosal conduit pipe	No.	
381	20mm Galvanized hospital saddles	No.	
382	20mm bosal female adaptors	No.	
383	20mm Bosal couplings	No.	
384	Onestro FB-SPU-5S Aluminum 3 module Pop-Up floor socket	No.	
385	100 x 50mm x3m metal trunking and cover	No.	
386	90° Bosal conduit bend	No.	

387	25KA x 150A Triple Pole Circuit Breaker	No	
388	63A x 6KA Triple Pole Circuit Breaker	No	
389	2.5mm x 30m x 3 Core Extension (Roller)	No	
390	Armoured Cable 10mm x 4 Core	No	
391	Armoured Cable 6mm x 4 Core	No	

SUPPLY AND DELIVERY OF PLUMBING MATERIAL

ITEM NO	DESCRIPTION	UOM	UNIT PRICE
1	Male adapter 15mm copper	No	
2	Coupling 15mm	No	
3	Reducing coupling 22mm-15mm	No	
4	Male elbow 15mm	No	
5	PVC Plugs 15mm	No	
6	Female elbow 15mm	No	
7	Tee Copper 22mm	No	
8	Elbow Copper 15mm	No	
9	Male Elbows 22mm	No	
10	Tee Reducer 22mm x 15mm	No	
11	Reducing Tee 22mm x 15mm	No	
12	Corner Tee 15mm	No	
13	Female Adapter 22mm	No	
14	Female Corner 15mm	No	

15	Male Adapter 22mm	No	
16	Flexi Connector 15mm	No	
17	Copper Pipe 22mm x 6m	M	
18	Copper Pipe 15mm x 6m	M	
19	Copper Connector 15mm	M	
20	Galvanised Pipe 15mm x 6m	M	
21	Galvanised Pipe 20mm x 6m	M	
22	Galvanised Pipe 25mm x 6m	M	
23	Galvanised Pipe 50mm x 6m	M	
24	Stop Cork/Wheel Valve 15mm	No	
25	Stop Cork/Wheel Valve 20mm	No	
26	Stop Cork/Wheel Valve 40mm	No	
27	Stop Cork/Wheel Valve 50mm	No	
28	J and J Coupling 90mm	No	
29	J and J Coupling 110mm	No	
30	J and J Coupling 160mm	No	
31	Garden Tap 15mm High Quality	No	
32	Garden Tap 20mm High Quality	No	
33	Reduce bush Galvanised 80mm x 50mm	No	
34	Reduce bush Galvanised 15mm x 20mm	No	
35	Reduce bush Galvanised 40mm x 32mm	No	
36	Reduce bush Galvanised 50mm x 25mm	No	
37	Toilet Seat Cover Hard Wood All Colours	No	
38	Female Elbow 15mm	No	

39	Female Tee 15mm	No	
40	Foot Valve 32mm x 40mm	No	
41	None Return Valve 50mm	No	
42	None Return Valve 40mm	No	
43	None Return Valve 32mm	No	
44	None Return Valve 25mm	No	
45	None Return Valve 20mm	No	
46	Nylon None Return Valve 32mm x 40mm	No	
47	Pillar Tap 15mm	No	
48	Basin Tap 15mm	No	
49	Shower Valve 15mm	No	
50	Galvanised Socket Nipple 20mm	No	
51	Galvanised Valve 50mm	No	
52	Galvanised Valve 20mm	No	
53	Galvanised Valve 20mm	No	
54	Galvanised Valve 15mm	No	
55	Beta Valve 40mm x 25mm	No	
56	Beta Valve 15mm	No	
57	Beta Valve 20mm	No	
58	Galvanised Elbow 100mm	No	
59	Galvanised Elbow 80mm	No	
60	Galvanised Elbow 63mm	No	
61	Galvanised Elbow 50mm	No	
62	Galvanised Elbow 40mm	No	

63	Galvanised Elbow 32mm	No	
64	Galvanised Elbow 25mm	No	
65	Galvanised Elbow 20mm	No	
66	Galvanised Elbow 15mm	No	
67	Master Flow Galvanised Elbow 32mm	No	
68	Master Flow Galvanised Elbow 15mm	No	
69	Master Flow Galvanised Elbow 15mm	No	
70	Holder Bats Nylon 15mm	No	
71	Galvanised Socket 100mm	No	
72	Galvanised Socket 80mm	No	
73	Galvanised Socket 40mm	No	
74	Galvanised Socket 32mm	No	
75	Galvanised Socket 15mm	No	
76	Flush Master 15mm Arm	No	
77	Galvanised Nipple 15mm	No	
78	Galvanised Nipple 20mm	No	
79	Galvanised Nipple 25mm	No	
80	Galvanised Nipple 32mm	No	
81	Galvanised Nipple 40mm	No	
82	Galvanised Nipple 50mm	No	
83	Galvanised Union 63mm	No	
84	Galvanised Union 50mm	No	
85	Galvanised Union 40mm	No	
86	Galvanised Union 15mm	No	

87	Single & double zinc 800mm x 500mm	No	
88	Single & double zinc 1200mm x 500mm	No	
89	Traps 38mm x 38mm High Quality	No	
90	Bath Mixer 15mm High Quality	No	
91	Bath Mixer 20mm High Quality	No	
92	Sink Mixer 15mm High Quality	No	
93	PVC Reducer 50mm x 75mm Cleaning Eye	No	
94	PVC Pipe 50mm x 6m	M	
95	PVC 50mm x 45 Junction/90	No	
96	PVC 50mm T-piece	No	
97	PVC 50mm elbow	No	
98	PVC 50mm IE Bend	No	
99	PVC 50mm Plain Bend	No	
100	PVC 50mm 2Way Vent Valve	No	
101	PVC 110mm left junction with IE	No	
102	PVC 110mm left junction with Plain	No	
103	PVC 110mm right junction with IE	No	
104	PVC 110mm right junction with Plain	No	
105	PVC 50mm IE Y Junction	No	
106	PVC 110mm 2Way Vent Valve	No	
107	PVC 50mm IE bend 90 Degree	No	
108	PVC 110mm Socket-Double	No	
109	PVC 110mm bend 45 Degree	No	
110	PVC 110mm bend IE bend	No	

111	PVC 110mm bend 90 Degree	No	
112	PVC 110mm Gulley Trap	No	
113	PVC 110mm x 6m Waste Pipe	No	
114	PVC 110mm Plain Junction	No	
115	PVC 110mm I.E Junction	No	
116	PVC 110mm Rodding Eye	No	
117	Straight Corner 15mm	No	
118	Straight Corner 20mm	No	
119	PVC Pipe Class A 110mm x 6m	M	
120	PVC Pipe Class A 75mm x 6m	M	
121	PVC Pipe Class A 90mm x 6m	M	
122	Adaptor 50mm x 90mm	No	
123	Adaptor 50mm x 75mm	No	
124	Adaptor 110mm x 75mm	No	
125	Adaptor 110mm x 90mm	No	
126	Female PVC Class A 90 Degree Elbow 110mm	No	
127	Female PVC Class A 90 Degree Elbow 90mm	No	
128	Female PVC Class A 90 Degree Elbow 75mm	No	
129	Male PVC Class A 90 Degree Elbow 110mm	No	
130	Male PVC Class A 90 Degree Elbow 90mm	No	
131	Male PVC Class A 90 Degree Elbow 75mm	No	
132	Traditional Plumbing Hemp	No	
133	Raw Bolt M6	No	
134	Raw Bolt M8	No	

135	Raw Bolt M10	No	
136	Raw Bolt M12	No	
137	PVC 110mm T Junction	No	
138	PVC 110mm x 45 Degree Bend	No	
139	Waste Fitting 32mm	No	
140	PVC 110mm x 110mm x 50mm Reduce	No	
141	Shower Rose	No	
142	Shower Trap 40mm	No	
143	Cleaning Eye Sables 50mm	No	
144	Cleaning Eye Sables 75mm	No	
145	Chrome Tap 15mm Sink	No	
146	Chrome Tap 20mm Sink	No	
147	Chrome Tap 15mm Basin	No	
148	Chrome Tap 20mm Basin	No	
149	S-Trap 38mm x 40mm	No	
150	P-Trap 38mm x 40mm	No	
151	P-Trap 38mm x 32mm	No	
152	PVC Trap-Combination 40mm	No	
153	Gulley Top Concrete	No	
154	Gulley Head PVC 110mm	No	
155	Gulley Trap	No	
156	Gulley Grid	No	
157	Pan Connector 110mm	No	
158	Flexible Pan Connector 110mm	No	

159	Rubber Cone Inside and Outside	No	
160	Double Trap 40mm	No	
161	PVC 110mm Elbow Bend With IE Vent Horn 50mm x 90 Degree	No	
162	Silicon Sealant White	No	
163	ABC Cover	No	
164	PVC Glue Adhesive	No	
165	Toilet Pan	No	
166	Hand Wash Basin Pedestal	No	
167	Urinal Flat Pan	No	
168	Lower Lever Cistern	No	
169	Single Socket 110mm	No	
170	Sink Waste	No	
171	Pan Seal	No	
172	Manhole Cover and Frame 600mm x 450mm	No	
173	Manhole Cover and Frame 500mm x 450mm	No	
174	Manhole Cover and Frame 200mm x 200mm	No	
175	Poly Pipe (Red) 15mm	No	
176	Poly Pipe (Red) 20mm	No	
177	Aqualock 32mm	No	
178	Aqualock 40mm	No	
179	Aqualock 50mm	No	
180	Aqualock 80mm	No	
181	Aqualock 110mm	No	
182	Aqualock 160mm	No	

183	Aluminum Sockets 50mm	No	
184	Aluminum Sockets 75mm	No	
185	Aluminum Sockets 90mm	No	
186	Aluminum Sockets 110mm	No	
187	Aluminum Sockets 160mm	No	
188	PVC Double Socket Class 9 50mm	No	
189	PVC Double Socket Class 9 75mm	No	
189	PVC Double Socket Class 9 90mm	No	
190	PVC Double Socket Class 9 110mm	No	
191	PVC Double Socket Class 9 160mm	No	
192	Elbow Compression Fitting 15mm	No	
193	Elbow Compression Fitting 22mm	No	
193	Female Compression Fitting 15mm	No	
194	Female Compression Fitting 22mm	No	
195	Male Compression Fitting 15mm	No	
196	Male Compression Fitting 22mm	No	
197	T-Piece Compression Fitting 15mm	No	
198	T-Piece Compression Fitting 22mm	No	
199	Reducing Socket Compression 15mm x 22mm	No	
200	Plason Fitting Elbow 15mm	No	
201	Plason Fitting Elbow 20mm	No	
202	Plason Fitting Elbow 32mm	No	
203	Plason Fitting Elbow 40mm	No	
204	Plason Fitting Elbow 50mm	No	

205	Plason Fitting Male Adaptor 15mm	No	
206	Plason Fitting Male Adaptor 20mm	No	
207	Plason Fitting Male Adaptor 32mm	No	
208	Plason Fitting Male Adaptor 40mm	No	
209	Plason Fitting Male Adaptor 50mm	No	
210	Plason Fitting Female Adaptor 15mm	No	
211	Plason Fitting Female Adaptor 20mm	No	
212	Plason Fitting Female Adaptor 32mm	No	
213	Plason Fitting Female Adaptor 40mm	No	
214	Plason Fitting Female Adaptor 50mm	No	
215	Plason Fitting Straight Coupling 15mm	No	
216	Plason Fitting Straight Coupling 20mm	No	
217	Plason Fitting Straight Coupling 32mm	No	
218	Plason Fitting Straight Coupling 40mm	No	
219	Plason Fitting Straight Coupling 50mm	No	
220	Female Elbowplason Fitting 15mm	No	
221	Female Elbow Plason Fitting 20mm	No	
222	PVC Class 12 Pipe 32mm x 6m	No	
223	PVC Class 9 Pipe x 6m 50mm	No	
224	PVC Class 9 Pipe x 6m 75mm	No	
225	PVC Class 9 Pipe x 6m 90mm	No	
226	PVC Class 9 Pipe x 6m 110mm	No	
227	PVC Class 9 Pipe x 6m	No	
228	PVC Class 9 Elbow 50mm	No	

229	PVC Class 9 Elbow 75mm	No	
230	PVC Class 9 Elbow 90mm	No	
231	PVC Class 9 Elbow 110mm	No	
232	PVC Class 9 Elbow 160mm	No	
233	M&F Reducing Socket 50mm x 75mm	No	
234	Class 9 M&F Reducing Socket 50mm x 75mm	No	
235	Class 9 M&F Reducing Socket 75mm x 90mm M&F Reducing Socket	No	
236	Class 9 M&F Reducing Socket 90mm x 110mm	No	
237	Class 9 M&F Reducing Socket 110mm x 160mm	No	
238	Class 9 M&F Reducing Socket 110mm x 75mm	No	
239	Class 9 M&F Reducing Socket 90mm x 50mm	No	
240	PVC Class 12 Pipe 40mm x 6m	No	
241	PVC Class 12 Pipe 50mm x 6m	No	
242	Ceramic Cistern Kits Complete	No	
243	Coupled Closet Toilet Set	No	
244	Cistern Float Valve	No	
245	Cistern Ball Valve	No	
246	Beta Valve Kits 32mm	No	
247	Beta Valve Kits 40mm	No	
248	Vacuum Breaker Compression Fitting 22mm	No	
249	Latco Acetal Pressure Control Valves	No	
250	Latco Quadro Pressure Control Valve	No	
251	Master Flow Valve 400kpa	No	
252	PVC Cement Glue 500g	No	

253	Urinal Master Flow	No	
254	Sink Mixer 15mm	No	
255	Sink Mixer Elbow Action 15mm	No	
256	Wheel Valve 80mm	No	
257	Wheel Valve 110mm	No	
258	Basket Steiner Waist 32mm	No	
259	PVC Reducing Junction Single Plain 110 X 50mm Sw40	No	
260	Wheel Valve 80mm	No	
261	Wheel Valve 110mm	No	
262	Wheel Valve 160 mm	No	
263	Tap Washer 15mm	No	
264	Tap Washer 20mm	No	
265	Tap Washer 25mm	No	
266	Basin Fixed Bolts	No	
267	Reducing Bush Galvanised 15mm X 20mm	No	
268	Reducing Bush Galvanised 20mm X 25mm	No	
269	Reducing Bush Galvanised 25mm X 32mm	No	
270	Reducing Bush Galvanised 32mm X 40mm	No	
271	Reducing Bush Galvanised 40mm X 50mm	No	
272	Reducing Bush Galvanised 50mm X 80mm	No	
273	PVC Saddle 75mm X 20mm	No	
274	PVC Saddle 90mm X 50mm	No	
275	PVC Saddle 110mm X 520mm	No	
276	PVC Saddle 160mm X 50mm	No	

277	PVC Saddle 50mm X 20mm	No	
278	Soldering Wire	No	
279	Soldering Flux	No	
280	Gas Cartridge	No	
281	Urinal Flush Master	No	
282	Toilet Flush Master	No	
283	P-Trap 38mm X 38mm	No	
284	S-Trap 38mm X 38mm	No	
285	P-Trap 32mm X 38mm	No	
286	P-Trap 32mm X 38mm	No	
287	PVC Socket 50mm	No	
288	15mm Copper Tee	No	
289	22mm Straight Coupling Female Conex	No	
290	110mm Flexible Pan Connectors PVC	No	
291	Toilet Cistern Bottom Inlet (White)	No	
292	15mm Straight Coupling Male Conex	No	
293	Paraplegic Toilet + Cistern Complete	No	
294	Cistern Kit 15mm Bottom Inlet	No	
295	15mm Straight Coupling Male Conex	No	
296	50mm X 40mm PVC Straight Male Adaptors	No	
297	22mm Copper Holder Bats	No	
298	15mm Copper Holder Bats	No	
299	15mm Extension Piece	No	
300	15mm Extension Piece	No	

301	45-55mm Cascade Clamp	No	
302	69-76mm Cascade Clamp	No	
303	95-104mm Cascade Clamp	No	
303	22mm Straight Coupling Male Conex	No	
304	22mm Straight Coupling Female Conex	No	
305	Basin Chain and 32mm Plug	No	
306	20mm Galvanised T- Piece	No	
307	15mm Basin Sint Press Tap	No	
308	15mm Zink Sint Press Tap	No	
309	100 KPA Latco Valve	No	
310	100 mm x 100mm Equal Cross Flanged All Sides and Enamelled.	No	
311	12mm x 60mm Bolts with Spring Washers Zink Plated	Kg	
312	110mm Resilient Seal Gate Valves.	No	
313	90mm Resilient Seal Gate Valves.	No	
314	75mm SG Iron Repair Coupling.	No	
315	110mm x 90mm Male/Female Reducer (Spigot and Socket) Long Type.	No	
316	110mm x 75mm Male/Female Reducer (Spigot and Socket) Long Type.	No	
317	110mm x 50mm Male/Female Reducer (Spigot and Socket) Long Type.	No	
318	90mm x 75mm Male/Female Reducer (Spigot and Socket) Bush.	No	
319	1m x 3m Rubber Packing.	No	
310	Stop End Plug Male 15mm	No	
311	Stop End Plug Female 15mm	No	
312	Stop End Plug Male 20mm	No	
313	Stop End Plug Female 20mm	No	

314	White Duroplast standard toilet seat	No	
315	15mm Junior Urinal Flush Master	No	
316	Urinal Spreader and Flush pipe	No	
317	Cistern Mechanism Top Flush	No	
318	Cistern Handle for Toilets	No	
319	25mm x 20mm Galv reducing Bush	No	
320	Pan Seal Ring	No	
321	15mm Spare Ring Compression	No	
322	20mm Spare Ring Compression	No	
323	30cm Long Flexi Connector	No	
324	30cm Long Male and Female Flexi Connector	No	
325	40cm Long Male and Female Flexi Connector	No	
326	40cm Long Flexi connector	No	
327	15mm Copper Saddle	No	
328	20mm Copper Saddle	No	
329	20mm J and J Coupling	No	
330	25mm J and J Coupling	No	
331	32mm J and J Coupling	No	
332	40mm J and J Coupling	No	
333	50mm J and J Coupling	No	
334	15mm Shower Rose	No	
335	15mm Shower Arm	No	
336	50mm Shower Trap	No	
337	20mm Galvanised Union	No	

338	32mm Galvanised Union	No	
339	15mm Galvanised Plug	No	
310	20mm Galvanised Plug	No	
311	32mm Galvanised Plug	No	
312	40mm Galvanised Plug	No	
313	50mm Galvanised Plug	No	
314	80mm Galvanised Plug	No	
315	40mm Sink Waste	No	
316	32mm Basin Waste	No	
317	32mm Urinal Waste	No	
318	40mm Urinal Waste	No	
319	32mm Bottle Trap	No	
320	40mm Bottle Trap	No	
321	40mm x 20mm Galvanised Reduce bush	No	
322	50mm x 32mm Galvanised Reduce bush	No	
323	32mm x 20mm Galvanised Reduce socket	No	
324	32mm Male adaptor nylon	No	
325	32mm Female T-Piece nylon	No	
326	Class 10 x 32mm x 250m roll	No	
327	32mm Male elbow plason	No	
328	32mm T-Piece plason	No	
329	25mm Male adaptor compression	No	
330	25mm Elbow plason compression	No	
331	25mm Female adaptor plason compression	No	

332	25mm Male adaptor plason compression	No	
333	25mm Stop cork PVC	No	
334	25mm x 50m x Class 10 PVC pipe	No	
335	22mm Elbow plate compression fitting	No	
336	6mm x 80mm fisher plugs	No	
337	Screw clamp	No	
338	300mm Cable tie packet of 100	No	
339	Geyser Packing Edge	No	
340	50L SABS High Quality Geyser Complete with Accessories	No	
341	100L SABS High Quality Geyser Complete with Accessories	No	
342	150L SABS High Quality Geyser Complete with Accessories	No	
343	200L SABS High Quality Geyser Complete with Accessories	No	
344	40mm flexible connector	No	
345	2 500L Black Septic tank	No	
346	5 000L Black Septic tank	No	
437	5 000L Vertical water storage tank equivalent to Jojo tank	No	
348	10 000L Vertical water storage tank equivalent to Jojo tank	No	
349	1.5kw 220V Centrifugal Pressure pump	No	
350	0.75kw 220V Centrifugal Pressure pump	No	
351	32mm x 20mm Galvanized reduce bush	No	
352	32mm Waste	No	
353	110mm Plain elbow 90°	No	
354	110mm Elbow with IE and 50mm vent horn	No	
355	110mm PVC Y- junction to right	No	

356	32mm x 50mm P-trap	No	
357	50mm Elbow 90°PVC	No	
358	Lockable toilet paper holder	No.	
359	0,75KW Pressure Pump	No	
360	0,37KW Pressure Pump	No	
361	Hacksaw Blade	No	
362	22mm Poly Copper Pipe 100m	No	
363	110mm x 50mm T-Piece Junction Surface	No	
364	25mm Female Coupling Plasson Elbow Compression	No	
365	40mm x 25mm Plasson Male Coupling Compression	No	
366	40mm Beta Valve	No	
367	40mm Female Plasson Elbow Compression	No	
368	40mm Male Plasson Elbow Compression	No	
369	40mm Plasson Male Coupling Compression	No	
370	15mm Male adaptor compression brass	No	
371	22mm Wheel valve compression	No	
372	15mm Brass Tee compression	No	
373	22mm Brass Female adaptor compression	No	
374	15mm Female adaptor brass compression	No	
375	15mm Straight couple compress	No	
376	22mm Straight couple compression brass	No	
377	110mm x 110mm x 110mm Junction with access	No	
378	110mm Acentric junction	No	
379	Bath waste 40mm	No	

380	Bath trap	No	
381	40mm Basin waste	No	
382	40mm Plasson Class 10 Pipe 100m	No	
383	SDS Drill Bit 8mm x 110mm	No	
384	SDS Drill B4 16mm x 260mm	No	
385	450mm x 600mm Manhole Cover	No	
386	15mm Angle Valve	No	
387	22mm Beta Valve Compression	No	
388	22mm Beta Valve	No	
389	22mm Connex Elbow	No	
390	P-Trap 32mm x 40mm	No	
391	P-Trap 38mm x 40mm	No	
392	110mm PVC elbow 90°	No	
393	110mm PVC Bend 45° underground	No	
394	Float valve 50mm pipe	No	
395	1700mm x 800mm White fibre oval bathtub	No	
396	1800mm x 800mm White fibre standard bathtub	No	
397	S-Trap 40mm x 40mm	No	
398	P-Trap 40mm x 40mm	No	
399	P-Trap 15mm	No	
400	15mm Tap extension	No	
401	50mm Elbow IE	No	
402	50mm Bend 45°	No	
403	22mm Bib Tap	No	

404	20mm Bib Tap	No	
405	15mm Coupling connex	No	
406	15mm Elbow connex	No	
407	15mm T-Piece	No	
408	15mm Female coupling Conex	No	
409	15mm Aqua lock galvanised equivalent to Jonson Aqua lock	No	
410	22mm Aqua lock galvanised equivalent to Jonson Aqua lock	No	
411	22mm Elbow Conex	No	
412	15mm Male coupling Conex	No	
413	50mm PVC Female socket	No	
414	110mm Socket equivalent to Kimberly socket	No	
415	50mm 90° Bend plain	No	
416	20mm Joint equivalent to Jonson joint	No	
417	Fixed manual Fire Hose Reel 25mm(diameter) x 30m(length) Hose	No	
418	PVC UG Pipe 160mm x 6m Plain Normal Duty 100kPa	No	
419	PVC UG Socket 160mm Double S/Weld	No	
420	PVC UG Bend 160mm x 45 Plain Short 1/8 Moulded RR	No	
421	PVC UG Junction 160 x 45 Access Left Fabricated S/Weld	No	
422	Junction PVC Marley UG Single Reducing 160mm x 110mm 1/8 (45 Deg) IE	No	
423	Water Purification Tablets/10	No	
424	Flexible 80mm Suction Helix Hose Pipe	No	
425	Flexible 50mm Suction Helix Hose Pipe	M	
426	Aquamats high pressure Descaler Crystal, Maximum Pressure of 5.8 bar with 5 – 7 kg of crystals	M	
427	Builders Shower Tray Square Floor Pan STM14 - White	No	

428	Builders Corner Entry Shower Enclosure Chrome 885 x 885 mm	No	
429	Shower Semi Frameless Pivot Door Chrome 1000 x 1000 x 1900mm	No	
430	Urinal Flush Master 22mm	No	
431	Urinal Flush Master 15mm	No	
432	Toilet Flush Master 22mm	No	
433	Rothenberg Multi Gas 300	No	
434	Copper Ring Seal 32mm	No	
435	Copper Ring Seal 40mm	No	
436	Waterproof Tape Roll	No	
437	Space Saving Trap for Triple Bowls	No	
438	Sink Mixer O Ring	No	
439	WS 90 Basket Strainer	No	
440	Prately Steel Quick Set	No	
441	Kitchen Sink Mixer Tap Head Cover	No	
	SUB TOTAL		
	VAT		
	GRAND TOTAL		

- NB : (i) THE SERVICE PROVIDER MUST PROVIDE ON BUILDING, ELECTRICAL AND PLUMBING MATERIAL ITEMS NOT MENTIONED ON THE MATERIAL LIST AT MARK-UP OF NO GREATER THAN 15%.**
- (ii) RATE PRICES ARE INCLUSIVE OF TRANSPORTATION COST.**
- (iii) RATE PRICES ARE INCLUSIVE OF OFFLOADING COST.**
- (iv) RATE PRICES ARE EXCLUSIVE OF VAT**
- (v) ALL MATERIAL TO BE SABS COMPLIANT**
- (vi) 2nd and 3rd Years Prices to be increased by the CPI approved by National Treasury for the particular year.**

PRICE SCHEDULE

FORM OF TENDER / OFFER

The offered total price (inclusive or exclusive) of value added tax is (contact price)

Price in words
.....

Price in figures R
VAT

GRAND TOTAL

Signed:.....

Bidder:.....

Capacity:.....



LIMPOPO

PROVINCIAL GOVERNMENT
REPUBLIC OF SOUTH AFRICA

**DEPARTMENT OF
PUBLIC WORKS, ROADS & INFRASTRUCTURE**

**SUPPLY, DELIVERY AND OFF-LOADING
OF BUILDING MATERIAL FOR ALL FIVE
DISTRICTS AT THE DEPARTMENT OF
PUBLIC WORKS, ROADS AND
INFRASTRUCTURE FOR A PERIOD OF 36
MONTHS (SEKHUKHUNE DISTRICT)**

SUPPLY AND DELIVERY OF BUILDING MATERIAL

ITEM NO	DESCRIPTION	UOM	UNIT PRICE
1	52.5 Ordinary Portland Cement SABS Approved in bags of 50kg	No	
2	42.5 Ordinary Portland Cement SABS Approved in bags of 50kg	No	
3	32.5 Ordinary Portland Cement SABS Approved in bags of 50kg	No	
4	110mm x 40m x 375micron DPC SABS	No	
5	225mm x 40m x 375micron DPC SABS	No	
6	75mm x 2.8mm x 20m Roll Brick Force.	No	
7	150mm x 2.8mm x 20m Roll Brick Force.	No	
8	Welded Mesh Ref 193 (200 x 200 x 5.6mm) 6m x 2.4m	No	
9	Welded Mesh Ref 395 (200 x 200 x 6.3mm) 6m x 2.4m	No	
10	Welded Mesh Ref 245 (200 x 200 x 8.0mm) 6m x 2.4m	No	
11	3.15mm Galvanised Wire	Kg	
12	4mm Galvanised Wire	Kg	
13	2032mm x 1613mm x 115mm x 1.2mm Heavy Duty Steel Door Frames	No	
14	2032mm x 813mm x 115mm x 1.2mm Heavy Duty Steel Door Frames	No	
15	2032mm x 760mm x 115mm x 1.2mm Heavy Duty Steel Door Frames	No	
16	2032mm x 900mm x 115mm x 1.2mm Heavy Duty Steel Door Frames (Suitable for disabled toilet)	No	
17	Mutual DS3 CAT2 Strongroom door and frame 775mm x 1875mm with a mass of 380kg	No	
18	NE1 Heavy Duty Steel Window Frame (F7).	No	
19	NE2 Heavy Duty Steel Window Frame (F7).	No	
20	NE4 Heavy Duty Steel Window Frame (F7).	No	
21	TD75 Heavy Duty Steel Window Frame (F7).	No	
22	TD678 Heavy Duty Steel Window Frame (F7).	No	

23	TD57S5 Heavy Duty Steel Window Frame (F7).	No	
24	TD57S8 Heavy Duty Steel Window Frame (F7).	No	
25	TD678 Heavy Duty Steel Window Frame (F7).	No	
26	NCT1S Heavy Duty Steel Window Frame (F7).	No	
27	ND2 Heavy Duty Steel Window Frame (F7).	No	
28	ND4 Heavy Duty Steel Window Frame (F7).	No	
29	NE8 Heavy Duty Steel Window Frame (F7).	No	
30	NG2 Heavy Duty Steel Window Frame (F7).	No	
31	ND512 Heavy Duty Steel Window Frame (F7).	No	
32	ND11F Heavy Duty Steel Window Frame (F7).	No	
33	ND54 Heavy Duty Steel Window Frame (F7).	No	
34	NC4 Heavy Duty Steel Window Frame (F7).	No	
35	SAP Timber Branderings Grade 4 (Red Cross) SABS Approved 5.4m x 38mm x 38mm	M	
36	SAP Timber Branderings Grade 4 (Red Cross) SABS Approved 4.5m x 38mm x 38mm	M	
37	SAP Timber Branderings Grade 4 (Red Cross) SABS Approved 3.6m x 38mm x 38mm	M	
38	SAP Timber Purlins Grade 4 (Red Cross) SABS Approved 6m x 76mm x 50mm	M	
39	SAP Timber Purlins Grade 4 (Red Cross) SABS Approved 5.4m x 76mm x 50mm	M	
40	SAP Timber Purlins Grade 4 (Red Cross) SABS Approved 4.5m x 76mm x 50mm	M	
41	SAP Timber Purlins Grade 4 (Red Cross) SABS Approved 3.6m x 76mm x 50mm	M	
42	SAP Timber Rafter Grade 4 (Red Cross) SABS Approved 6m x 114mm x 38mm	M	
43	SAP Timber Rafter Grade 4 (Red Cross) SABS Approved 5.4m x 114mm x 38mm	M	
44	SAP Timber Rafter Grade 4 (Red Cross) SABS Approved 4.5m x 114mm x 38mm	M	
45	SAP Timber Rafter Grade 4 (Red Cross) SABS Approved 3.6m x 114mm x 38mm	M	
46	SAP Timber Wall Plate Grade 4 (Red Cross) SABS Approved 6m x 76mm x 38mm	M	

47	SAP Timber Wall Plate Grade 4 (Red Cross) SABS Approved 5.4m x 76mm x 38mm	M	
48	SAP Timber Wall Plate Grade 4 (Red Cross) SABS Approved 4.5m x 76mm x 38mm	M	
49	SAP Timber Wall Plate Grade 4 (Red Cross) SABS Approved 3.6m x 76mm x 38mm	M	
50	SAP Timber Rafters Grade 4 (Red Cross) SABS Approved 6m x 152mm x 50mm	M	
51	SAP timber Grade 4 (Red Cross) SABS 38mm x 152mm x 6m	M	
52	SAP Timber Grade 4 (Red Cross) SABS 38mm x 152mm x 4m	M	
53	SAP Timber Grade 4 (Red Cross) SABS 38mm x 220mm x 4m	M	
54	SAP Timber Grade 4 (Red Cross) SABS 38mm x 152mm x 3.6m	M	
55	Everite Nutec Ceiling Board 3.6m x 1.2m x 4mm	No	
56	Everite Nutec Ceiling Board 3.0m x 1.2m x 4mm	No	
57	Everite Nutec Ceiling Board 2.4m x 1.2m x 4mm	No	
58	Everite Nutec Ceiling Board 3.6m x 900mm x 4mm	No	
59	Everite Nutec Ceiling Board 3.0m x 900mm x 4mm	No	
60	Everite Nutec Ceiling Board 2.46m x 900mm x 4mm	No	
61	Nutec Facia Board 250mm x 8mm x 3m	No	
62	Nutec Barge Board 250mm x 8mm x 3m	No	
63	Nutec Facia Board Pressed Steel Joints	No	
64	Nutec Barge Board Pressed Steel Joints	No	
65	Nutec Corner Pressed Steel Joints	No	
66	H Type Pressed Steel Cover Strips 3.6m	No	
67	H Type Pressed Steel Cover Strips 3.0m	No	
68	H Type Pressed Steel Cover Strips 2.4m	No	
69	Coved Cornice 6m x 76mm x 19mm	No	

70	Coved Cornice 4.2m x 76mm x 19mm	No	
71	Coved Cornice 3.m x 76mm x 19mm	No	
72	Coved Cornice 3.6m x 76mm x 19mm	No	
73	Coved Cornice 3m x 76mm x 19mm	No	
74	Steel Trap Door 610mm x 610mm	No	
75	Hardwood Meranti Skirting 6m x 75mm x 19mm	No	
76	Hardwood Meranti Skirting 4.2m x 75mm x 19mm	No	
77	Hardwood Meranti Skirting 3.6m x 75mm x 19mm	No	
78	Hardwood Meranti Quateround 6m x 75mm x 19mm	No	
79	Hardwood Meranti Quateround 4.2m x 75mm x 19mm	No	
80	Hardwood Meranti Quateround 3.6m x 75mm x 19mm	No	
81	2032mm x 813mm Sapele Heavy Duty Internal Solid Doors	No	
82	2032mm x 760mm Sapele Heavy Duty Internal Solid Doors	No	
83	2032mm x 900mm Sapele Heavy Duty Internal Solid Doors (Suitable for disabled toilet)	No	
84	2032mm x 813mm Framed, Legged, Braced, Back Flush External Meranti Door.	No	
85	2032mm x 813mm Four Panel Meranti External Door	No	
86	1436mm x 2032mm External Meranti Double Doors Concealed Hardware Edges	No	
87	1830mm x 2750mm x 16mm White Melamine Chip Board.	No	
88	1830mm x 2750mm x 16mm Red Oak Chip Board.	No	
89	1830mm x 2750mm x 16mm White Oak Chip Board.	No	
90	1830mm x 2750mm x 16mm Mahogany Chip Board.	No	
91	2440mm x 1220mm x 18mm Plywood Board	No	
92	2440mm x 1220mm x 16mm Plywood Board	No	
93	2440mm x 1220mm x 14mm Plywood Board	No	

94	2440mm x 1220mm x 12mm Plywood Board	No	
95	2440mm x 1220mm x 10mm Plywood Board	No	
96	38mm x 228mm x 6m SA Pine Untreated (Timber Beam)	No	
97	Hinges Pot 90 ⁰	No	
98	Hinges Pot 180 ⁰	No	
99	10mm Thick Pastel Base	No	
100	5kg Base Coat	No	
101	5L Key Coat	No	
102	5000mm x 20 mm White Builders Wood PG Edging Roll	No	
103	16mm Veneer Edging in Standard Colours.	No	
104	2400mm x 1200mm x 4mm Thick Brown Masonite Board	No	
105	2400mm x 1200mm x 4mm Thick White Masonite Board	No	
106	Pine Cleats 3000mm x 35mm x 22mm	No	
107	Standard Steel Drawer Locks	No	
108	Standard Drawer Handles	No	
109	300mm Steel Wall Brackets	No	
110	450mm Steel Wall Brackets	No	
111	530mm Steel Wall Brackets	No	
112	600mm Steel Wall Brackets	No	
113	6000mm x 600mm x 32mm Post Form Top (All standard colours).	No	
114	3530mm x 600mm x 32mm Post Form Top (All standard colours).	No	
115	6000mm x 900mm x 32mm Post Form Top (All standard colours).	No	
116	3530mm x 900mm x 32mm Post Form Top (All standard colours).	No	
117	600mm Kitchen Top Steel Jointer.	No	

118	900mm Kitchen Top Steel Jointer.	No	
119	100mm Butt Hinges for Wooden Doors	No	
120	1 200mm x 1 800mm Vitrex Pinning Boards Complete with plugs.	No	
121	1 200mm x 2 400mm Vitrex Pinning Boards Complete with plugs.	No	
122	High Quality 4 Lever Mortice Lock SABS Approved Complete with Handles	No	
123	60mm High Quality Cylinder Lock SABS Approved Complete with Handles in all Standard Colours	No	
124	65mm High Quality Cylinder Lock SABS Approved Complete with Handles in all Standard Colours	No	
125	32mm High Quality Padlock Brass in Colour	No	
126	38mm High Quality Padlock Brass in Colour	No	
127	50mm High Quality Padlock Brass in Colour	No	
128	60mm High Quality Padlock Brass in Colour	No	
129	63mm High Quality Padlock Brass in Colour	No	
130	20L High Quality PVA Paint (All Standard Colours)	No	
131	20L High Quality Eggshell Enamel Paint (All Standard Colours)	No	
132	20L High Quality Roof Paint (All Standard Colours)	No	
133	5L ABE Super Lycryl (All Standard Colours)	No	
134	5L Road Mark High Quality Green Paint	No	
135	5L Bitumen Seal	No	
136	5L Road Mark Quick Dry Reflective Quality Paint (Standard Colours) Suitable for marking on Tar and Paving	No	
137	20L Road Mark High Quality Green Paint	No	
138	5L High Quality Enamel Paint (All Standard Colours)	No	
139	5L PVA Paint (All Standard Colours)	No	
140	20L High Quality Kalahari Colour Paint	No	
141	5L Linseed Oil (All Colours)	No	

142	750ML Linseed Oil (All Colours)	No	
143	5L High Quality Universal Undercoat Paint	No	
144	5L Carbolinium	No	
145	5L High Quality Roof Seal and Mesh Cloth in Standard Colours	No	
146	5L High Quality Damp Seal	No	
147	10m x250mm Laykold Tape Silver Colour	No	
148	10m x 200mm Waterproofing Membrane	No	
149	5L High Quality Brick Dressing	No	
150	2kg Exterior Polly Filler	No	
151	2kg Interior Polly Filler	No	
156	12Kg Exterior Polly Filler	No	
157	12Kg Interior Poly Filler	No	
158	2.5m x75mm Laykold Tape Silver Colour	No	
159	5L High Quality Galvogrip Metal Primer (Steel Primer)	No	
160	5L High Quality Red Oxide Steel Primer	No	
161	5L Turpentine	No	
162	5L Thinners	No	
163	5L Power Paraffin	No	
164	5L Road Mark High Quality White Paint	No	
165	5L Road Mark High Quality Red Paint	No	
166	5L Road Mark High Quality Yellow Paint	No	
167	20L Road Mark High Quality White Paint	No	
168	20L Road Mark High Quality Red Paint	No	
169	20L Road Mark High Quality Yellow Paint	No	

170	1L High Quality Varnish All Standard Colours	No	
171	5L High Quality Varnish All Standard Colours	No	
172	1L High Quality Clear Varnish	No	
173	5L High Quality Clear Varnish	No	
174	20L High Quality Stoep Paint (All Standard Colours)	No	
175	500ml Wood Glue	No	
176	1L Wood Glue	No	
177	5L High Quality Cornice Glue	No	
178	5L Contact Glue	No	
179		No	
	12mm High Quality Paint Brush		
180	25mm High Quality Paint Brush	No	
181	38mm High Quality Paint Brush	No	
182	50mm High Quality Paint Brush	No	
183	75mm High Quality Paint Brush	No	
184	100mm High Quality Paint Brush	No	
185		No	
	225mm Classic Paint Roller Tray Set		
186		No	
	225mm Morehair Paint Roller Tray Set		
187		No	
	5L Paint Remover/Stripper		
188		No	
	Masking Tape 48mm x 50m		
189		No	
	5L Wood Sealer Paint		
190		No	
	Industrial Putty Knife Set 25mm		
191		No	
	Industrial Putty Knife Set 50mm		
192		No	
	Industrial Putty Knife Set 75mm		
193		No	
	Stanley Heavy Duty Utility Knife Blades 100-Piece Set		

194	788 Instant Front Load Retractable Trimming Knife	No	
195	Mutton Cloth 400g	No	
196	Heavy Duty Paint Drop Sheet 2 x 3m	No	
197	Paint -Zipper Hooded Non-Woven Coverall Polypropylene	No	
198	Extension Pole Paint Roller	No	
199	500g Hand Grit Cleaner	No	
200	100ML Paint Colour Tint Dye (All Standard Colour)	No	
201	Sandpaper Grit50 300mm x 1m Roll	No	
202	Sandpaper Grit80 300mm x 1m Roll	No	
203	5L Wood Primer	No	
204	5L Wood Seal	No	
205	Stone Sealer Gloss Solvent Floor Coating Paint (5 L)	No	
206	A.B.E. Mastic Sealer Epoxy Floor Coating Paint (1000 g)	No	
207	Epoxy Floor Paint Light Grey Epoxy Floor Coating Paint (5 L)	No	
208	Protective Topcoat Clear Epoxy Floor Coating Paint (5 L)	No	
209	20L Plastered Wall Primer	No	
210	Spray Paint Rustol Bathtub and Tile Aerosol White 340 g	No	
211	NFX High Quality Stock Bricks All Standard Stock Bricks) (Per Thousand)	1000	
212	FBS High Quality Face Bricks (All Standard Face Brick Types) (Per Thousand)	1000	
213	110mm x75mm x 1200mm Concrete Lintel	No	
214	110mm x75mm x 1800mm Concrete Lintel	No	
215	110mm x75mm x 2100mm Concrete Lintel	No	
216	140mm x75mm x 1500mm Concrete Lintel	No	
217	140mm x75mm x 2400mm Concrete Lintel	No	

218	140mm x75mm x 2700mm Concrete Lintel	No	
219	140mm x75mm x 3000mm Concrete Lintel	No	
220	Floral Retain Blocks Interlocking 300mm x 410mm x 250mm Grey in Colour	1000	
221	60mm Interlocking Herringbone Type Grey Concrete Paving Bricks	1000	
222	80mm Interlocking Herringbone Type Grey Concrete Paving Bricks	1000	
223	River Sand (High quality well sieved and cleaned)	M ³	
224	Building Sand (High quality well sieved and cleaned)	M ³	
225	Plastering Sand (High quality well sieved and cleaned)	M ³	
226	19mm Grey Crusher Stone, High quality cleaned (Concrete Stones)	M ³	
227	6.7mm Grey Crusher Stone, High quality cleaned (Concrete Stones)	M ³	
228	6mm Grey Crusher Dust, High quality cleaned (Crusher Dust)	M ³	
229	210L Heavy Duty Plastic Drum	No	
230	30m x 20mm Reinforced High Quality Garden Hose Pipe Tap Connector Included.	No	
231	30m x 15mm Reinforced High Quality Garden Hose Pipe Tap Connector Included.	No	
232	200mm x 200mm x 5mm 1 st Grade Shiny and Rough Textured Ceramic Wall Tiles in Standard Colours	M ²	
233	200mm x 300mm x 5mm 1 st Grade Shiny and Rough Textured Ceramic Wall Tiles in Standard Colours	M ²	
234	350mm x 350mm x 8mm 1 st Grade Shiny and Rough Textured Ceramic Floor Tiles in Standard Colours	M ²	
235	408mm x 408mm x 8mm 1 st Grade Shiny and Rough Textured Ceramic Floor Tiles in Standard Colours	M ²	
236	430mm x 430mm x 8mm 1 st Grade Shiny and Rough Textured Ceramic Floor Tiles in Standard Colours	M ²	
237	330mm x 330mm x 10mm High Quality Clay Floor Tiles in Standard Colours	M ²	
238	350mm x 350mm x 10mm High Quality Clay Floor Tiles in Standard Colours	M ²	
239	400mm x 400mm x 10mm High Quality Clay Floor Tiles in Standard Colours	M ²	
240	450mm x 900mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
241	600mm x 600mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
242	800mm x 800mm x 12mm 1 st Grade Fully Polished Rough	M ²	

	Textured Porcelain Floor Tiles in Standard Colours		
243	600mm x 600mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
244	600mm x 1200mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
245	750mm x 1500mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
246	Tile, Floor, vinyl, 2.5mm x 300mm x 300mm	M ²	
247	3mm Tile Spacers	No	
248	5mm Tile Spacers	No	
249	5kg Tile Grout Standard Colours	No	
250	20kg Tile Grout Standard Colours	No	
251	20kg Porcelain tile cement	No	
252	20kg Ceramic Tile Adhesive	No	
253	2500m x 20mm x 7mm PVC Tile Trimmer.	No	
254	2500m x 10mm Alluminium Tile Trimmer.	No	
255	Grout off in 5 litres	No	
256	Tile Bonding Liquid in 5 litres	No	
257	IBR Roof sheeting steel inverted box ribbed, with ribs not less than 30 mm deep and not more than 172 mm centered which has a coating of Z275 and subject to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934 unpacked. 0,58 mm thickness 686 mm effective width: 3,6m long	No	
258	IBR Roof sheeting steel inverted box ribbed, with ribs not less than 30 mm deep and not more than 172 mm centered which has a coating of Z275 and subject to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934 unpacked. 0,58 mm thickness 686 mm effective width: 4,2m long	No	

259	IBR Roof sheeting steel inverted box ribbed, with ribs not less than 30 mm deep and not more than 172 mm centered which has a coating of Z275 and subject to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934 unpacked. 0,58 mm thickness 686 mm effective width: 5,0m long	No	
260	IBR Roof sheeting steel inverted box ribbed, with ribs not less than 30 mm deep and not more than 172 mm centered which has a coating of Z275 and subject to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934 unpacked. 0,58 mm thickness 686 mm effective width: 6,0m long	No	
261	Ridge capping for IBR 462 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness 3,6m long	No	
262	Ridge capping for IBR 462 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness 4,2 mm long	No	
263	Ridge capping for IBR 462 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness 5,0 mm long	No	
264	Ridge capping for IBR 462 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	

	6,0 mm long		
265	IBR ridge capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The Zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
266	IBR ridge capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
267	IBR ridge capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The Zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
268	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The Zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
269	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
270	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
271	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934.	No	

	0,58 mm thickness		
272	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
273	Galvanised corrugated iron sheets, commercial quality, which has a coating of Z275 and subjected to anti-white rust, treatment in various lengths from 1000 mm as required. The zinc coating must be in accordance with the latest issue of SABS specification 934. Effective width 610 mm. Overall width 690mm. 0.58 mm thickness 3,6m long	No	
274	Galvanised corrugated iron sheets, commercial quality, which has a coating of Z275 and subjected to anti-white rust, treatment in various lengths from 1000 mm as required. The zinc coating must be in accordance with the latest issue of SABS specification 934. Effective width 610 mm. Overall width 690mm. 0.58 mm thickness 4,2m long	No	
275	Galvanised corrugated iron sheets, commercial quality, which has a coating of Z275 and subjected to anti-white rust, treatment in various lengths from 1000 mm as required. The zinc coating must be in accordance with the latest issue of SABS specification 934. Effective width 610 mm. Overall width 690mm. 0.58 mm thickness 5,0m long	No	
276	Galvanised corrugated iron sheets, commercial quality, which has a coating of Z275 and subjected to anti-white rust, treatment in various lengths from 1000 mm as required. The zinc coating must be in accordance with the latest issue of SABS specification 934. Effective width 610 mm. Overall width 690mm. 0.58 mm thickness 6,0m long	No	
277	Ridge capping for corrugated iron sheeting 450 mm girth,	No	

	which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness		
278	Ridge capping for corrugated iron sheeting 450 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	
279	Ridge capping for corrugated iron sheeting 450 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	
280	Ridge capping for corrugated iron sheeting 450 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	
281	Ridge capping for corrugated iron sheeting 450 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	
282	Under tile Membrane SABS Approved	No	
283	Hip Starter for Double Roman Roof Concrete	No	
284	Double Roman Roof Concrete Tile Standard Colours SABS equivalent to Marley Tile	No	
285	Tile Taper Ridge for Double Roman Roof Concrete Tile Standard Colours SABS equivalent to Marley Tile	No	
286	Tile Hip for Double Roman Roof Concrete Tile Standard Colours SABS equivalent to Marley Tile	No	
287	Harvey Tile SABS in all Standard Colours	No	
288	Harvey Tile Angle Ridge SABS in all Standard Colours	No	
289	45mm Harvey Tiles Nails	Kg	

290	Cement Paving Bricks Interlocking 200mm x 80mm x 60mm Grey in Colours	No	
291	Roof Acrylic All Weather Resistant (All Standard Colours) in 20l	No	
292	10mm x 90mm Cup square Bolt + Nuts	No	
293	290mm x 290mm Toilets Sign, Male/Female/Disabled Standard Colours	No	
294	290mm x 290mm Arrows Sign Standard Colours	No	
295	125mm x 5mm Wire Nails SABS	Kg	
296	100mm x 4mm Wire Nails SABS	Kg	
297	75mm x 3.5mm Wire Nails SABS	Kg	
298	40mm x 2mm Wire Nails SABS	Kg	
299	32mm x 2mm Wire Nails SABS	Kg	
300	25mm x 2mm Wire Nails SABS	Kg	
301	32mm X 2.8mm Serrated Clout Nails	Kg	
302	75mm x 3.5mm Fluted Nails	Kg	
303	65mm x 3.5mm Fluted Nails	Kg	
304	50mm x 3.15mm Fluted Nails	Kg	
305	40mm x 2.8mm Fluted Nails	Kg	
306	32mm x 2.8mm Fluted Nails	Kg	
307	40mm x 4mm Steel Wood Screws	Kg	
308	32mm x 4mm Steel Wood Screws	Kg	
309	38mm x 5mm Steel Wood Screws	Kg	
310	30mm x 5mm Steel Wood Screws	Kg	
311	50mm x 5mm Steel Wood Screws	Kg	
312	25mm x 4mm Steel Wood Screws	Kg	
313	50mm x 4mm Steel Wood Screws	Kg	

314	38mm x 4mm Steel Wood Screws	Kg	
315	38mm x 5mm Brass Wood Screws	Kg	
316	30mm x 5mm Brass Wood Screws	Kg	
317	38mm x 4mm Brass Wood Screws	Kg	
318	19mm x 4mm Brass Wood Screws	Kg	
319	30mm x 3.5mm Brass Wood Screws	Kg	
320	50mm x 8mm Nylon Fisher Plugs and Screws	Kg	
321	40mm x 6mm Nylon Fisher Plugs and Screws	Kg	
322	16mm x 4mm Chipboard screws	Kg	
323	16mm Panel Pins	Kg	
324	32mm Panel Pins	Kg	
325	50mm Panel Pins	Kg	
326	45mm x 5mm Nylon Fisher Plugs and Screws	Kg	
327	35mm x 5mm Nylon Fisher Plugs and Screws	Kg	
328	70mm x 6mm Nylon Fisher Plugs and Screws	Kg	
329	60mm x 8mm Nylon Fisher Plugs and Screws	Kg	
330	80mm x 8mm Nylon Fisher Plugs and Screws	Kg	
331	38mm x 5mm Chipboard Screws	Kg	
332	30mm x 5mm Chipboard Screws	Kg	
333	75mm x 5mm Chipboard Screws	Kg	
334	38mm x 4mm Chipboard Screws	Kg	
335	19mm x 4mm Chipboard Screws	Kg	
336	30mm x 4mm Chipboard Screws	Kg	
337	65mm Roof Screws in a Box of 100	No	

338	75mm Roof Screws in a Box of 100	No	
339	90mm Roof Screws in a Box of 100	No	
340	120mm Roof Screws in a Box of 100	No	
341	Wood Tek Screws 50mm (2 inches) in quantity of 100 per box	No	
342	Wood Tek Screws 100mm (4 inches) in quantity of 100 per box	No	
343	Wood Tek Screws 125mm (5 inches) in quantity of 100 per box	No	
344	150mm Window Sliding Stay and Screws	No	
345	178mm Window Sliding Stay and Screws	No	
346	270mm Window Sliding Stay and Screws	No	
347	Right Hand Window Handle with Screw and Bush	No	
348	Left Hand Window Handle with Screw and Bush	No	
349	200mm Window Peg Stay and Screw	No	
350	250mm Window Peg Stay and Screw	No	
351	25mm x 50mm x 2mm Square Tubing Steel	No	
352	Mini Ultra Lock	No	
353	Large Ultra Lock	No	
354	6m x 10mm Steel Square Bar	No	
355	6m x 12mm Steel Square Bar	No	
356	6m x 16mm Steel Square Bar	No	
357	6m x 10mm Steel Round Bar	No	
358	6m x 12mm Steel Round Bar	No	
359	6m x 16mm Steel Round Bar	No	
360	6m x 16mm x 3mm Steel Flat Bar	No	
361	6m x 25mm x 5mm Steel Flat Bar	No	

362	6m x 50mm x 5mm Steel Flat Bar	No	
363	6m x 16mm x 16mm x 1.6mm Steel Square Tubing	No	
364	6m x 25mm x 25mm x 2mm Steel Square Tubing	No	
365	6m x 32mm x 32mm x 2mm Steel Square Tubing	No	
366	6m x 50mm x 50mm x 2mm Steel Square Tubing	No	
367	6m x 76mm x 76mm x 2mm Steel Square Tubing	No	
368	6m x 100mm x 100mm x 2mm Steel Square Tubing	No	
367	6m x 75mm x 50mm x 20mm x 2mm Lipped Channel	No	
368	6m x 100mm x 50mm x 20mm x 2mm Lipped Channel	No	
369	6m x 125mm x 50mm x 20mm x 2mm Lipped Channel	No	
370	6m x 150mm x 75mm x 20mm x 2mm Lipped Channel	No	
371	6m x 175mm x 75mm x 20mm x 2mm Lipped Channel	No	
372	25mm x 25mm x 2.5mm thickness x 6m Angle Iron	No	
373	30mm x 30mm x 2.5mm thickness x 6m Angle Iron	No	
374	50mm x 50mm x 5mm thickness x 6m Angle Iron	No	
375	50mm x 50mm x 2mm thickness x 6m Angle Iron	No	
376	100mm x 100mm x 5mm thickness x 6m Angle Iron	No	
377	76mm x 76mm x 3mm thickness x 6m Square tubing	No	
378	32mm x 2mm x 6m Steel round pipes	No	
379	50mm x 2mm x 6m Steel Round Tube	No	
380	100mm x 2mm x 6m Steel Round Tube	No	
381	152 x 3.0mm x 6m Steel Round tube	No	
382	Rectangular tubing 25mm x 50mm x 2mm x 6m	No	
383	Rectangular tubing 25mm x 76mm x 2mm x 6m	No	

384	Rectangular tubing 38mm x 76mm x 2mm x 6m		
385	38mm x 50mm x 2mm thickness x 6m Rectangular tubing	No	
386	Steel Channel 6m x 76mm x 38mm	No	
387	Steel Channel 6m x 100mm x 50mm	No	
388	Steel Channel 6m x 152mm x 76mm	No	
389	Steel I Beam AA 100 x 55	No	
390	Steel I Beam AA 140 x 76	No	
391	Steel I Beam AA 200 x 100	No	
392	2,5mm Vitemax Welding Rods	Kg	
393	3,15mm Vitemax Welding Rods	Kg	
394	115mm Steel Cutting Disk	No	
395	230mm Steel Cutting Disk	No	
396	350mm Steel Cutting Disk	No	
397	230mm Masonary Cutting Disk	No	
398	350mm Masonary Cutting Disk	No	
399	230mm Diamond Cutting Disc	No	
340	110mm Diamond Cutting Disc	No	
341	Circular Saw Blade 250 mm Universal	No	
342	Table Saw Blade for- 250mm Universal	No	
343	Circular Saw Blade 190mm Universal	No	
344	Table Saw Blade - 210 x 30mm – Universal	No	
345	500m Standard Danger Tape Roll	No	
346	60mm Roller Kit for Steel Gate	No	
347	80mm Roller Kit for Steel Gate	No	

348	100mm x 100mm Heavy Duty Steel Butt Hinges.	No	
349	Builders Straight Econo 1,2mm Hinge (Pack) Heavy duty	No	
350	Builders Bullet Hinge 50 x 10 mm /Pair	No	
351	Builders Bullet Hinge 100 x 16 /Pair	No	
352	Self-Closing Hinge, 3 Knuckle, Brass Plated / Pair	No	
353	3000mm x 1800mm x 40mm x 40mm x 2mm Steel Devils Fork Panels.	No	
354	3000mm x 2000mm x 40mm x 40mm x 2mm Steel Devils Fork Panels.	No	
355	3000mm x 2400mm x 40mm x 40mm x 2mm Steel Devils Fork Panels.	No	
356	3m Wide x 2,4m High Steel Fence Panel made with Angle Irons of 40mmx40mmx3mm Thick pal pan a v –pun sp	No	
357	3m Wide x 1,8m High Steel Fence Panel made with Angle Irons of 40mmx40mmx3mm Thick pal pan a v –pun sp	No	
358	Square tubing 25mm x 25mm x 6m	No	
359	Refill 9kg Oxy-Acetylene Bottles	No	
360	Oxygen Refill Technical Industrial 11,5Kg. 8,6m ³	No	
361	Acetylene Refill Technical Industrial 40Kg, 9,5Kg	No	
362	Brazing Rods	No	
363	Copper to Copper Brazing Rods	Kg	
364	500g Brazing Flux	No	
365	76mm x 76mm Pyramid Steel Cap	No	
366	8mm Thick Galvanized Chain	M	
367	10mm Thick Galvanized Chain	M	
368	100mm Steel Pyramid Caps	No	
369	2450mm x 1225mm x 1mm Hot Rolled Steel Sheets	No	

340	2450mm x 1225mm x 2mm Hot Rolled Steel Sheets	No	
341	2450mm x 1225mm x 3mm Hot Rolled Steel Sheets	No	
342	2450mm x 1225mm x 4mm Hot Rolled Steel Sheets	No	
343	Galvinised Garage Door Roll Up 2450mm x 1830mm	No	
344	Chromadek Garage Door Roll Up 2450mm x 1830mm	No	
345	Aluminium Four Panels Garage Door Roll Up 2450mm x 1830mm Standard Colours	No	
346	Meranti Wooden Six Panels Garage Door Roll Up 2450mm x 1830mm Standard Colours	No	
347	2400 x 1200mm (8mm x 50mm x 50mm) Specimesh	No	
348	2400 x 1200mm (5mm x 25mm x 50mm) Specimesh	No	
349	2400 x 1200mm (10mm x 50mm x 50mm) Specimesh	No	
350	Insect Screen Fiber Glass 900mm x 30m	No	
351	6mm Steel Rawl Bolts	No	
352	8mm Steel Rawl Bolts	No	
353	10mm Steel Rawl Bolts	No	
354	12mm Steel Rawl Bolts	No	
355	40mm Steel Tek Screws packet of 200	No	
356	65mm Steel Tek Screws packet of 200	No	
357	75mm Tek Screws packet of 200	No	
358	70mm Wood Tek Screws packet of 200	No	
359	90mm Wood Tek Screws packet of 200	No	
360	120mm Wood Tek Screws packet of 200	No	
361	Roof Washer	Kg	
362	Stainless Steel Toilet Paper Holder	No	
363	Lockable Toilet Paper Holder	No	

364	150mm Barrel Bolts (big door shooters)	No	
365	Aluminium Door Stopper	No	
366	1220mm x 1830mm x 3mm Clear Glazing Sheet	No	
367	1220mm x 1830mm x 4mm Clear Glazing Sheet	No	
368	1220mm x 1830mm x 4mm Obscured Glazing Sheet	No	
369	280mm Silicon in Standard Colours	No	
370	1kg Window Putty	No	
371	5kg Window Putty	No	
372	Glass Cutter Tungsten Carbide Wheel	No	
373	Glass Cutter	No	
374	Diamond Glass Cutter	No	
375	132mm Steel Glass Cutter with 6 cutting wheels	No	
376	150mm Steel Glass Cutter with 2 Cutter Heads	No	
377	1500mm Aluminium Single Curtain Rail	No	
378	2000mm Aluminium Double Curtain Rail	No	
379	2500mm Aluminium Double Curtain Rail	No	
380	3000mm Aluminium Double Curtain Rail	No	
381	3500mm Aluminium Double Curtain Rail	No	
382	4000mm Aluminium Double Curtain Rail	No	
383	4500mm Aluminium Double Curtain Rail	No	
384	5000mm Aluminium Double Curtain Rail	No	
385	6000mm Aluminium Double Curtain Rail	No	
386	Drawer Runner FIT Ball Bearing Slide Runner 450 x 45 mm	No	
387	Drawer Runner FIT Ball Bearing Slide Runner 600 x 45 mm	No	

388	Builders 2 x Drawer Runners White 350 x 35 x 10 mm	No	
389	Builders 2 x Drawer Runners White 450 x 35 x 10 mm	No	
390	Cupboard Sliding Door Top Profile (Double)	M	
391	Cupboard Sliding Door Bottom Profile (Double)	M	
392	Cupboard Sliding Door Top Profile (Single)	No	
393	Cupboard Sliding Door Bottom Profile (Single)	No	
394	Sliding Door Roller, Stainless Steel, 20kg	No	
395	Sliding Door Rollet Back Hanger Double	No	
396	Wall drop Heavy-Duty Silent Gliding Door Roller Track System	No	
397	Wall drop D60 Front Hanger / Pair	No	
398	Stainless Steel Hollow Bar Handle Silver 160 mm / Pair	No	
399	Stainless Steel Hollow Bar Handle Silver 288 mm / Pair	No	
400	Stainless Steel Hollow Bar Handle Silver 384 mm / Pair	No	
401	Cornice Adhesive 5L Adhesive	No	
402	Cornice Polystyrene 2m x 110mm X 50 mm	No	
403	Fascia Board 300mm 3.0M	No	
404	Standard Barge Boards – Socketless 275 x 80 x 3000	No	
405	Fascia Board 300mm 3.0M Jointer	No	
406	Standard Barge Boards – Socketless 275 x 80 x 3000 Jointer	No	
407	Aluminium venetian blind Silver 25mm. 2,2m x 1,6m	No	
408	Aluminium venetian blind Silver 25mm. 1,2m x 1,6m	No	
409	Aluminium venetian blind Silver 25mm. 1m x 1,6m	No	
410	Aluminium venetian blind Silver 25mm. 1,8m x 2,1m	No	
411	Grip Heavy Duty Caulking Gun 225 mm	No	

412	Garage Door Roll Up 2450mm x 1830mm	No	
413	R22 Refrigerants Gas 13.6Kg	No	
414	R134A Refrigerants Gas 13.6Kg	No	
415	R404A Refrigerant Gas	No	
416	R410A Refrigerant Gas 11.4Kg	No	
417	R507A Refrigerant Gas 11.4Kg	No	
418	Domestic Refrigeration compressor	No	
419	Industrial Refrigeration Compressor	No	
420	1/4inch Copper Pipe coil 30m	No	
421	3/8inch Copper Pipe coil 30m	No	
422	1/2inch Copper Pipe coil 30m	No	
423	8/8Inch Copper Pipe Coil 30m	No	
424	Refrigeration Recharging Guages	No	
425	Refrigeration flaring Kit	No	
426	Multi-Purpose Folding Aluminium Ladder	No	
427	1.8m Heavy Duty Aluminium Step Ladder	No	
428	2.4m Heavy Duty Aluminium Step Ladder	No	
429	2.4m Heavy Duty Aluminium Straight Ladder	No	
430	20mm x 1 200mm Chrome Round Shower/Bath Rail	No	
431	20mm x 1 500mm Chrome Round Shower/Bath Rail	No	

SUPPLY AND DELIVERY OF ELECTRICAL MATERIAL

ITEM NO	DESCRIPTION	UOM	UNIT PRICE
---------	-------------	-----	------------

1	16A Single Switch plug plus cover (SABS) approved	No	
2	16A Double switch plug plus cover (SABS) approved	No	
3	16A Single Switch plug industrial (SABS) approved	No	
4	16A Double switch plug industrial (SABS) approved	No	
5	16A Single lever switch plus cover (SABS) approved	No	
6	16A Two lever switch plus cover (SABS) approved	No	
7	16A Single lever switch industrial (SABS) approved	No	
8	16A Single lever switch industrial (SABS) approved	No	
9	16A Two lever switch industrial (SABS) approved	No	
10	16A two-way switch plus cover (SABS) approved	No	
11	16A Intermediate switch plus cover (SABS) approved	No	
12	SU1 distribution board	No	
13	SU1 tray	No	
14	SU2 distribution board	No	
15	SU2 tray	No	
16	SU3 distribution board	No	
17	SU3 tray	No	
18	12way distribution board flush type	No	
19	16way distribution board flush type	No	

20	20way distribution board flush type	No	
21	20A Geyser thermostat (VKF11)	No	
22	20A Geyser thermostat MK2	No	
23	Geyser element with pocket	No	
24	Geyser econo element	No	
25	8" solid stove plate with red mark	No	
26	6" solid stove plate with red mark	No	
27	16A Three lever industrial switch (SABS) approved	No	
28	8way PVC looping box (SABS) approved	No	
29	20mm PVC female adaptors (SABS) approved	No	
30	20mm male adaptors (SABS) approved	No	
31	20mm PVC couplings	No	
32	20mm PVC saddles (SABS) approved	No	
33	1way PVC inspection box (SABS) approved	No	
34	2way PVC inspection box (SABS) approved	No	
35	3way PVC inspection box (SABS) approved	No	
36	4way PVC inspection box (SABS) approved	No	
37	50mm round cover (SABS) approved	No	
38	250ml PVC pipe welder	No	
39	25mm PVC pipe (SABS) approved	M	
40	25mm male PVC adaptors (SABS) approved	No	
41	25mm PVC female adaptors (SABS) approved	No	
42	50mm PVC male adaptors (SABS) approved	No	
43	50mm PVC coupling (SABS) approved	No	

44	50mm PVC pipe (SABS) approved	M	
45	50mm 90° degrees bend	No	
46	63A 3ka earth leakage circuit breaker	No	
47	40A 3ka circuit breaker	No	
48	30A 3ka circuit breaker	No	
49	20A 3ka circuit breaker	No	
50	15A 3ka circuit breaker	No	
51	10A 3ka circuit breaker	No	
52	60A 3ka double pole isolator	No	
53	60A industrial double pole isolator (SABS) approved	No	
54	40A industrial double pole isolator (SABS) approved	No	
55	30A industrial double isolator (SABS) approved	No	
56	20A industrial isolator (SABS) approved	No	
57	60A three phase isolator 3ka	No	
58	100A three phase isolator 3ka	No	
59	60A double pole isolator plus cover (SABS) approved	No	
60	60A double pole isolator plus cover (SABS) approved	No	
61	30A double pole isolator plus cover (SABS) approved	No	
62	50A double pole isolator plus cover (SABS) approved	No	
63	40A double pole isolator plus cover (SABS) approved	No	
64	30A double pole isolator plus cover (SABS) approved	No	
65	20A double pole isolator plus cover (SABS) approved	No	
66	10A 5ka circuit breaker	No	
67	20A 5ka circuit breaker	No	

68	25A 5ka circuit breaker	No	
69	30A 5ka circuit breaker	No	
70	20A 5ka circuit breaker	No	
71	10A 5ka circuit breaker	No	
72	Flush White 13mm DB 11-Way Pre Wired	Np	
73	Distribution board safety blank covers	No	
75	DB labels assorted	No	
76	DB label emergency	No	
77	20mm PVC flexible conduit	No	
78	Size0 PVC compression gland	No	
79	Size0 PVC push-in gland	No	
80	1.2m x 36w double fluorescent fittings with electronic ballast	No	
79	1.2m x 36w fluorescent tubes energy saver	No	
81	1.5m x 58w double fluorescent fittings with electronic ballast	No	
82	1.5m x 58w fluorescent tubes energy savers	No	
83	0.6m x 18w fluorescent fittings with four tubes electronic ballast(Louvers)	No	
84	0.6m x 18w fluorescent fittings energy savers with three tubes with electronic ballast(Louvers)	No	
85	0.6m x 18w x 3 fluorescent fittings energy savers with four tubes with electronic ballast(Diffuse)	No	
86	0.6m x 18w x 4 fluorescent fittings energy savers with three tubes with electronic ballast(Diffuse)	No	
87	0.6m x 18w fluorescent tubes energy savers	No	
88	21w energy saver globes ES	No	
89	21w energy saver globes BC	No	
90	18w energy saver globes ES	No	

91	18w energy saver globes BC	No	
92	15w energy saver globes ES	No	
93	15w energy saver globes BC	No	
94	14w energy saver globes ES	No	
95	14w energy saver globes BC	No	
96	13w energy saver globes ES	No	
97	13w energy saver globes BC	No	
98	PL9w two pin globes	No	
99	PL7w two pin globes	No	
100	16w 2D with two pin globes	No	
101	400w HPS globes ES	No	
102	250w HPS globes ES	No	
103	80w MV globes ES	No	
104	250w MV globes ES	No	
105	400w MV globes ES	No	
106	20mm galvanized saddles	No	
107	20mm galvanized adaptor	No	
108	4x2 galvanized boxes	No	
109	4x4 galvanized boxes	No	
110	4x2 extension boxes	No	
111	4x4 extension boxes	No	
112	25mm galvanized saddles	No	
114	55mm x M5 machine screws	No	
115	40mm x M5 machine screws	No	

116	55mm butterfly screws	No	
117	55mm x M4 screws	No	
118	40mm x M4 screws	No	
119	30mm x M5 machine screws	No	
120	30mm x M4 machine screws	No	
121	20mm x M4 machine screws	No	
122	25mm x M4 machine screws	No	
123	100mm x M4 machine screws	No	
124	70mm x M4 machine screws	No	
125	Nitto insulation tape assorted colours	No	
126	Steel cable gland size 2 + shrouds	No	
127	Steel cable gland size 3 + shrouds	No	
128	Steel cable gland size 4 + shrouds	No	
129	Steel cable gland size 5 + shrouds	No	
130	Steel cable gland size 6 + shrouds	No	
131	2.5mm x 2core surfix cable (2+E)	M	
132	1.5mm x 2cores surfix cable (2+E)	M	
133	2.5mm ² x 3ore surfix cable (3+E)	M	
134	4mm ² x 2core surfix cable (2+E)	M	
135	6mm ² x 2core surfix cable (2+E)	M	
136	4mm x 3core surfix cable (3+E)	M	
137	10mm ² x 2core airdac cable (2+E) without pilot	M	
138	16mm ² x 2core airdac cable (2+E) without pilot	M	
139	10mm ² x 2core PVC underground cable (2+E)	M	

140	16mm ² x 2core PVC underground cable (2+E)	M	
141	25mm x 4core PVC underground cable	M	
142	35mm x 4core PVC underground cable	M	
143	16mm x 4core PVC underground cable	No	
144	10mm cable lug	No	
145	16mm cable lug	No	
146	25mm cable lug	No	
147	35mm cable lug	No	
148	10mm furels	No	
149	16mm furels	No	
150	25mm furels	No	
151	35mm furels	No	
152	2.5mm-16mm joining kits	No	
153	10mm-35mm joining kits	No	
154	B10 bulkhead light fitting with 2 x PL9w energy saver globes	No	
155	18w light fitting with 2 x 18w energy saver globes	No	
156	1.2m double fluorescent channel dust & moisture approved x 36w	No	
157	1.5m x double fluorescent channel dust & moisture approved x 58w	No	
158	1.2m x Single fluorescent channel dust & moisture approved	No	
159	1.5m x single fluorescent channel dust & moisture approved	No	
160	1.2m x 36w single fluorescent fitting with electronic ballast	No	
161	1.5m x 58w single fluorescent fittings with electronic ballast	No	
162	100w DTC bulkhead light fittings (Round) white ES	No	
163	100w DTC bulkhead light fittings (Square) white ES	No	

164	18w 2D globes with two pin	No	
165	380v coil complete with thee phase contactor	No	
166	220v coil complete with three phase contactors	No	
167	Pedant light fitting with three lights (Brass)	No	
168	Rondo Maxi Prismatic Clear bulkhead light fitting	No	
169	Rondo Maxi Opal bulkhead light fitting	No	
170	Rondo Maxi Raindrop clear bulkhead light fitting	No	
171	Rondo Mini "Birdseye" Clear bulkhead light fitting	No	
172	Rondo Mini Shallow Opal bulkhead light fitting	No	
173	Bulkhead with Opal Bowl Lens	No	
174	Bulkhead with Prismatic Lens	No	
175	Bulkhead with Flat Opal Bowl Lens	No	
176	Highbay light fitting mercury vapour	No	
177	Econobay light fitting mercury vapour	No	
178	Odyssey Series light fitting 125w	No	
179	125w MV globes ES	No	
180	400W Floodlight Cool White	No	
181	USB (A + C) Combo Socket 4 x 4 with Graphite Cover plate (Bag)	No	
182	10mm x 2Core Airdac Cable + 2 Comms	M	
183	8" ball fitting light with porcelain gallery and lamp holder	No	
184	6" ball fitting light with porcelain lamp holder and gallery	No	
185	Down light fitting(50w)	No	
186	50w globes	No	
187	8w fluorescent tubes	No	

188	1.2m x 36w double fluorescent fitting with louver (electronic ballast).	No	
189	1.2m x 36w double fluorescent fittings diffuse (electronic ballast).	No	
190	1.2m x 3x 36w fluorescent fittings louvers with electronic ballast (Energy saver).	No	
191	1.2mx 4 x 36w fluorescent fittings diffuse with electronic ballast (Energy savers).	No	
192	Fluorescent fittings LED Channel Fitting1500mm	No	
193	Fluorescent fittings LED Channel Fitting1200mm	No	
194	LED Fluorescent Tube 1200mm	No	
195	LED Fluorescent Tube 1500mm	No	
196	Down light fitting 2 x 18w	No	
197	Down light fitting 2 x 9w	No	
198	16A daylight switch National	No	
199	16A day light switch Roy Thompson	No	
200	1.5mm2 PVC red wire roll	M	
201	1.5mm2 PVC black wire roll	M	
202	1.5mm2 PVC blue wire roll	M	
203	1.5mm2 PVC green & yellow earth wire	M	
204	1.5mm2 PVC bare copper wire	M	
205	2.5mm2 PVC red wire roll	M	
206	2.5mm2 PVC black wire roll	M	
207	2.5mm2 PVC blue wire roll	M	
208	2.5mm PVC green & yellow wire roll	M	
209	4mm2 PVC red PVC wire roll	M	
210	4mm2 PVC black wire roll	M	
211	4mm2 PVC green & yellow wire roll	M	

212	6mm2 PVC red wire roll	M	
213	6mm2 PVC black wire roll	M	
216	6mm2 PVC green & yellow wire roll	M	
217	10mm2 PVC black wire roll	M	
218	10mm2 PVC red wire roll	M	
219	10mm2 PVC green & yellow.	M	
220	Cabtyre – 1.5mm 3 Core Black / 100m	No	
221	Cabtyre – 2.5mm 3 Core Black / 100m	No	
222	Cabtyre – 2.5mm 5 Core Black / 100m	No	
223	1.2m blank double fluorescent fitting	No	
224	1.5m blank double fluorescent fitting	No	
225	1.2m blank single fluorescent fitting	No	
226	1.5m blank single fluorescent fitting	No	
227	Ecolight T5/28w electronic adaptor with wing (energy saver fittings)	No	
228	Ecolight T5/28 electronic adaptor without wing (energy saver fittings)	No	
229	Ecotube 28w/840	No	
230	Ecolight T	No	
231	Ecolight T5/35w electronic adaptor fitting with wing	No	
233	Ecolight T5/14w electronic adaptor fitting with wing	No	
234	Ecolight T5/14w electronic adaptor fitting without wing	No	
235	Ecotube 35w	No	
237	Ecotube 14w	No	
238	6way industrial DB board	No	
239	8way industrial DB board	No	

240	10way industrial DB board	No	
241	12way industrial DB board	No	
242	18way industrial DB board	No	
243	20 way industrial DB board	No	
244	24way industrial DB board	No	
245	24way distribution board flush type (samitte)	No	
246	16A industrial switch plug weather approved	No	
247	20A double industrial isolator weather approved	No	
248	30A double industrial isolator weather approved	No	
249	Screw jet small	No	
250	Screw jet medium	No	
251	Screw jet big	No	
252	16A block connector	No	
253	20A block connector	No	
254	30A block connector	No	
255	60A Three Phase Isolator 5ka	No	
256	100A Three Phase Isolator 5ka	No	
257	12 Mode Distribution Box	No	
258	20mm PVC Pipe	No	
260	Inspection Box Cover	No	
261	Cable Entrance	No	
262	Double Switch Plug Crabtree 4x4 (100mm x 100mm)	No	
263	24 Mode DB Flush	No	
264	63A Main Switch 5ka (Three Phase)	No	

265	Earth Spike	No	
266	24 Mode DB Flush	No	
267	6 Mode Distribution Box	No	
268	Day Light Switch	No	
269	25mm Coupling PVC	No	
270	Tree Lever Switch	No	
271	4x4 York Box or Weatherproof	No	
272	30A Stove Isolator	No	
273	Surge Protective Device	No	
274	Box Ram Set 6mm x 35mm	No	
275	4 2 Power Skirting White	No	
276	Tee Ester Oak for two Compartments	No	
277	Bamba Strips	No	
278	320mm x 4.7mm Cable Ties	No	
279	320mm x 4.7mm Cable Ties	No	
280	320mm x 4.7mm Cable Ties	No	
281	Under and Over Voltage Relay 380V	No	
282	380V Contactor	No	
283	100mm x 100mm York Box	No	
284	PVC Trunking 16mm x 16mm	No	
285	6mm x 35mm Ramset	No	
286	150mm Watertight Fitting	No	
287	11w BC Energy Saver	No	
288	Fluorescent Ballast for 1.5m Fluorescent Fitting	No	

289	25mm Hole Saw	No	
281	20mm Hole Saw	No	
290	5KA Circuit Breaker 60A CBI	No	
291	M5 x 25mm Steel Screws	No	
293	Four Lever Switch (Crab Tree)	No	
294	85W Energy Saver GES	No	
295	220V Contactor	No	
296	4 x 2 Blank Switch Cover	No	
297	20mm PVC Pipes	No	
298	Hand Dryer (Automatic Electrical Connected)	No	
299	Recessed Downlight	No	
300	6 Mode D. B	No	
301	GU10 220v 6w LED globes.	No	
302	GU10 220v 10w LED globe.	No	
303	100w LED flood light fitting.	No	
304	250w LED flood light fitting.	No	
305	100w LED Highbay light fitting.	No	
306	16A three lever switch plus cover.	No	
307	200w LED High mast floodlight fittings.	No	
308	Three phase Contactor 11kw 220v coil complete.	No	
309	Contactors Thermal overload relay, TeSys LRD, 23...32 A, class 10A	No	
310	Three phase Contactor 11kw 220v coil complete.	No	
311	Contactors Thermal overload relay, TeSys LRD, 23...32 A, class 10A	No	
312	220V 25A 50/60HZ Coil Normally Open 3 Pole AC Contactor	No	

313	Enclosed DOL starter – 9 A – 230 V AC coil – Schneider Electric	No	
314	24HR 3MOD Analog Timer Switch NO Reserve EH110	No	
315	11w Edison Screw energy saver globes.	No	
315	11w BC energy saver globes.	No	
316	100w DTR bulkhead light fitting.	No	
317	Recessed double T8 LED light fittings 1.2m x 600 x 3 lamps.	No	
319	Surface double T8 bevelled edge 2 x 36w LED light fitting.	No	
320	LED Dust proof fittings 600mm x 20w.	No	
321	LED dust proof fittings 1200mm x 40w.	No	
322	LED dust proof fittings 1500mm x 60w.	No	
323	10w LED flood light fitting.	No	
324	20w LED flood light fitting.	No	
325	50w LED flood light fitting.	No	
326	400w LED Flood Lights	No	
327	600W Solar Flood Lights	No	
328	7w energy saver two pin CFL globes.	No	
329	9w energy saver two pin CFL globes.	No	
330	18w energy saver two pin CFL globes.	No	
331	26w energy saver two pin CFL globes.	No	
332	5w LED Edison Screw globes.	No	
333	5w LED BC globes.	No	
334	13w energy save two pin CFL globes.	No	
335	1,5m x 2x22w LED channel.	No	
336	1.2m x 2x18w LED channel.	No	

338	1.2m x 18w LED T8 fluorescent tube G13.	No	
339	1.5m x 22w LED T8 fluorescent tube G13.	No	
340	200A 3 Pole Circuit Breaker 35A	No	
341	150A 3 Pole Circuit Breaker 25A	No	
342	16A Pull Switch	No	
343	2,5mm Silicon Wire	No	
344	Scosh Cust Joint A1	No	
345	Scosh Cust Joint A2	No	
346	Scosh Cust Joint A3	No	
347	2.5mm x 4core surfix cable round white in colour SANS Approved.	M	
348	3m fibreglass pole, with mounted circuit breaker complete.	No.	
350	40w LED light fitting head	No.	
351	4mm x 4core surfix cable round white in colour SANS approved	M	
352	25A daylight switch equivalent to National daylight switch	No.	
353	20A 6kA circuit breaker CBI	No.	
354	3m double compartment power skirting royal oak complete with cover	No.	
355	Double compartment Royal Oak end cap	No.	
356	Power skirting cover plate 4x2 Royal Oak	No.	
357	4x2 ordinary Power skirting plug	No.	
358	4x2 dedicated power skirting plug	No.	
359	Power skirting ZEZ clips	No.	
360	Double external elbow power skirting Royal Oak	No.	
361	Double internal elbow power skirting Royal Oak	No.	
362	3m x 16mm x 25mm PVC trunking	No.	

363	63A 3kA earth leakage protection unit	No.	
364	8mm x 80mm easy-drive screws	No.	
365	P2000 steel 5m x 40mm x 40mm including covers	No.	
366	2.5mm x 4core suffix cable (4+E)	M	
367	4mm x 4core suffix cable (4+E)	M	
368	2,5mm x 4core suffix cable round <i>white in colour</i> SANS Approved	M	
369	3m fiberglass pole, with mounted circuit breaker complete	No.	
370	40w LED light fitting head.	No.	
371	4mm x 4core suffix cable round white in colour SANS Approved	M	
372	25A daylight switch equivalent to National day light switch	No.	
373	2,5mm -10mm connector block 10 PCS	No.	
374	Insulation Tape red	No.	
375	Insulation Tape blue	No.	
376	Insulation Tape white	No.	
377	Insulation Tape black	No.	
378	220v contactor coil complete	No.	
379	20A 6kA circuit breaker CBI	No.	
380	20mm Bosal conduit pipe	No.	
381	20mm Galvanized hospital saddles	No.	
382	20mm bosal female adaptors	No.	
383	20mm Bosal couplings	No.	
384	Onestro FB-SPU-5S Aluminum 3 module Pop-Up floor socket	No.	
385	100 x 50mm x3m metal trunking and cover	No.	
386	90° Bosal conduit bend	No.	

387	25KA x 150A Triple Pole Circuit Breaker	No	
388	63A x 6KA Triple Pole Circuit Breaker	No	
389	2.5mm x 30m x 3 Core Extension (Roller)	No	
390	Armoured Cable 10mm x 4 Core	No	
391	Armoured Cable 6mm x 4 Core	No	

SUPPLY AND DELIVERY OF PLUMBING MATERIAL

ITEM NO	DESCRIPTION	UOM	UNIT PRICE
1	Male adapter 15mm copper	No	
2	Coupling 15mm	No	
3	Reducing coupling 22mm-15mm	No	
4	Male elbow 15mm	No	
5	PVC Plugs 15mm	No	
6	Female elbow 15mm	No	
7	Tee Copper 22mm	No	
8	Elbow Copper 15mm	No	
9	Male Elbows 22mm	No	
10	Tee Reducer 22mm x 15mm	No	
11	Reducing Tee 22mm x 15mm	No	
12	Corner Tee 15mm	No	
13	Female Adapter 22mm	No	
14	Female Corner 15mm	No	

15	Male Adapter 22mm	No	
16	Flexi Connector 15mm	No	
17	Copper Pipe 22mm x 6m	M	
18	Copper Pipe 15mm x 6m	M	
19	Copper Connector 15mm	M	
20	Galvanised Pipe 15mm x 6m	M	
21	Galvanised Pipe 20mm x 6m	M	
22	Galvanised Pipe 25mm x 6m	M	
23	Galvanised Pipe 50mm x 6m	M	
24	Stop Cork/Wheel Valve 15mm	No	
25	Stop Cork/Wheel Valve 20mm	No	
26	Stop Cork/Wheel Valve 40mm	No	
27	Stop Cork/Wheel Valve 50mm	No	
28	J and J Coupling 90mm	No	
29	J and J Coupling 110mm	No	
30	J and J Coupling 160mm	No	
31	Garden Tap 15mm High Quality	No	
32	Garden Tap 20mm High Quality	No	
33	Reduce bush Galvanised 80mm x 50mm	No	
34	Reduce bush Galvanised 15mm x 20mm	No	
35	Reduce bush Galvanised 40mm x 32mm	No	
36	Reduce bush Galvanised 50mm x 25mm	No	
37	Toilet Seat Cover Hard Wood All Colours	No	
38	Female Elbow 15mm	No	

39	Female Tee 15mm	No	
40	Foot Valve 32mm x 40mm	No	
41	None Return Valve 50mm	No	
42	None Return Valve 40mm	No	
43	None Return Valve 32mm	No	
44	None Return Valve 25mm	No	
45	None Return Valve 20mm	No	
46	Nylon None Return Valve 32mm x 40mm	No	
47	Pillar Tap 15mm	No	
48	Basin Tap 15mm	No	
49	Shower Valve 15mm	No	
50	Galvanised Socket Nipple 20mm	No	
51	Galvanised Valve 50mm	No	
52	Galvanised Valve 20mm	No	
53	Galvanised Valve 20mm	No	
54	Galvanised Valve 15mm	No	
55	Beta Valve 40mm x 25mm	No	
56	Beta Valve 15mm	No	
57	Beta Valve 20mm	No	
58	Galvanised Elbow 100mm	No	
59	Galvanised Elbow 80mm	No	
60	Galvanised Elbow 63mm	No	
61	Galvanised Elbow 50mm	No	
62	Galvanised Elbow 40mm	No	

63	Galvanised Elbow 32mm	No	
64	Galvanised Elbow 25mm	No	
65	Galvanised Elbow 20mm	No	
66	Galvanised Elbow 15mm	No	
67	Master Flow Galvanised Elbow 32mm	No	
68	Master Flow Galvanised Elbow 15mm	No	
69	Master Flow Galvanised Elbow 15mm	No	
70	Holder Bats Nylon 15mm	No	
71	Galvanised Socket 100mm	No	
72	Galvanised Socket 80mm	No	
73	Galvanised Socket 40mm	No	
74	Galvanised Socket 32mm	No	
75	Galvanised Socket 15mm	No	
76	Flush Master 15mm Arm	No	
77	Galvanised Nipple 15mm	No	
78	Galvanised Nipple 20mm	No	
79	Galvanised Nipple 25mm	No	
80	Galvanised Nipple 32mm	No	
81	Galvanised Nipple 40mm	No	
82	Galvanised Nipple 50mm	No	
83	Galvanised Union 63mm	No	
84	Galvanised Union 50mm	No	
85	Galvanised Union 40mm	No	
86	Galvanised Union 15mm	No	

87	Single & double zinc 800mm x 500mm	No	
88	Single & double zinc 1200mm x 500mm	No	
89	Traps 38mm x 38mm High Quality	No	
90	Bath Mixer 15mm High Quality	No	
91	Bath Mixer 20mm High Quality	No	
92	Sink Mixer 15mm High Quality	No	
93	PVC Reducer 50mm x 75mm Cleaning Eye	No	
94	PVC Pipe 50mm x 6m	M	
95	PVC 50mm x 45 Junction/90	No	
96	PVC 50mm T-piece	No	
97	PVC 50mm elbow	No	
98	PVC 50mm IE Bend	No	
99	PVC 50mm Plain Bend	No	
100	PVC 50mm 2Way Vent Valve	No	
101	PVC 110mm left junction with IE	No	
102	PVC 110mm left junction with Plain	No	
103	PVC 110mm right junction with IE	No	
104	PVC 110mm right junction with Plain	No	
105	PVC 50mm IE Y Junction	No	
106	PVC 110mm 2Way Vent Valve	No	
107	PVC 50mm IE bend 90 Degree	No	
108	PVC 110mm Socket-Double	No	
109	PVC 110mm bend 45 Degree	No	
110	PVC 110mm bend IE bend	No	

111	PVC 110mm bend 90 Degree	No	
112	PVC 110mm Gulley Trap	No	
113	PVC 110mm x 6m Waste Pipe	No	
114	PVC 110mm Plain Junction	No	
115	PVC 110mm I.E Junction	No	
116	PVC 110mm Rodding Eye	No	
117	Straight Corner 15mm	No	
118	Straight Corner 20mm	No	
119	PVC Pipe Class A 110mm x 6m	M	
120	PVC Pipe Class A 75mm x 6m	M	
121	PVC Pipe Class A 90mm x 6m	M	
122	Adaptor 50mm x 90mm	No	
123	Adaptor 50mm x 75mm	No	
124	Adaptor 110mm x 75mm	No	
125	Adaptor 110mm x 90mm	No	
126	Female PVC Class A 90 Degree Elbow 110mm	No	
127	Female PVC Class A 90 Degree Elbow 90mm	No	
128	Female PVC Class A 90 Degree Elbow 75mm	No	
129	Male PVC Class A 90 Degree Elbow 110mm	No	
130	Male PVC Class A 90 Degree Elbow 90mm	No	
131	Male PVC Class A 90 Degree Elbow 75mm	No	
132	Traditional Plumbing Hemp	No	
133	Raw Bolt M6	No	
134	Raw Bolt M8	No	

135	Raw Bolt M10	No	
136	Raw Bolt M12	No	
137	PVC 110mm T Junction	No	
138	PVC 110mm x 45 Degree Bend	No	
139	Waste Fitting 32mm	No	
140	PVC 110mm x 110mm x 50mm Reduce	No	
141	Shower Rose	No	
142	Shower Trap 40mm	No	
143	Cleaning Eye Sables 50mm	No	
144	Cleaning Eye Sables 75mm	No	
145	Chrome Tap 15mm Sink	No	
146	Chrome Tap 20mm Sink	No	
147	Chrome Tap 15mm Basin	No	
148	Chrome Tap 20mm Basin	No	
149	S-Trap 38mm x 40mm	No	
150	P-Trap 38mm x 40mm	No	
151	P-Trap 38mm x 32mm	No	
152	PVC Trap-Combination 40mm	No	
153	Gulley Top Concrete	No	
154	Gulley Head PVC 110mm	No	
155	Gulley Trap	No	
156	Gulley Grid	No	
157	Pan Connector 110mm	No	
158	Flexible Pan Connector 110mm	No	

159	Rubber Cone Inside and Outside	No	
160	Double Trap 40mm	No	
161	PVC 110mm Elbow Bend With IE Vent Horn 50mm x 90 Degree	No	
162	Silicon Sealant White	No	
163	ABC Cover	No	
164	PVC Glue Adhesive	No	
165	Toilet Pan	No	
166	Hand Wash Basin Pedestal	No	
167	Urinal Flat Pan	No	
168	Lower Lever Cistern	No	
169	Single Socket 110mm	No	
170	Sink Waste	No	
171	Pan Seal	No	
172	Manhole Cover and Frame 600mm x 450mm	No	
173	Manhole Cover and Frame 500mm x 450mm	No	
174	Manhole Cover and Frame 200mm x 200mm	No	
175	Poly Pipe (Red) 15mm	No	
176	Poly Pipe (Red) 20mm	No	
177	Aqualock 32mm	No	
178	Aqualock 40mm	No	
179	Aqualock 50mm	No	
180	Aqualock 80mm	No	
181	Aqualock 110mm	No	
182	Aqualock 160mm	No	

183	Aluminum Sockets 50mm	No	
184	Aluminum Sockets 75mm	No	
185	Aluminum Sockets 90mm	No	
186	Aluminum Sockets 110mm	No	
187	Aluminum Sockets 160mm	No	
188	PVC Double Socket Class 9 50mm	No	
189	PVC Double Socket Class 9 75mm	No	
189	PVC Double Socket Class 9 90mm	No	
190	PVC Double Socket Class 9 110mm	No	
191	PVC Double Socket Class 9 160mm	No	
192	Elbow Compression Fitting 15mm	No	
193	Elbow Compression Fitting 22mm	No	
193	Female Compression Fitting 15mm	No	
194	Female Compression Fitting 22mm	No	
195	Male Compression Fitting 15mm	No	
196	Male Compression Fitting 22mm	No	
197	T-Piece Compression Fitting 15mm	No	
198	T-Piece Compression Fitting 22mm	No	
199	Reducing Socket Compression 15mm x 22mm	No	
200	Plason Fitting Elbow 15mm	No	
201	Plason Fitting Elbow 20mm	No	
202	Plason Fitting Elbow 32mm	No	
203	Plason Fitting Elbow 40mm	No	
204	Plason Fitting Elbow 50mm	No	

205	Plason Fitting Male Adaptor 15mm	No	
206	Plason Fitting Male Adaptor 20mm	No	
207	Plason Fitting Male Adaptor 32mm	No	
208	Plason Fitting Male Adaptor 40mm	No	
209	Plason Fitting Male Adaptor 50mm	No	
210	Plason Fitting Female Adaptor 15mm	No	
211	Plason Fitting Female Adaptor 20mm	No	
212	Plason Fitting Female Adaptor 32mm	No	
213	Plason Fitting Female Adaptor 40mm	No	
214	Plason Fitting Female Adaptor 50mm	No	
215	Plason Fitting Straight Coupling 15mm	No	
216	Plason Fitting Straight Coupling 20mm	No	
217	Plason Fitting Straight Coupling 32mm	No	
218	Plason Fitting Straight Coupling 40mm	No	
219	Plason Fitting Straight Coupling 50mm	No	
220	Female Elbowplason Fitting 15mm	No	
221	Female Elbow Plason Fitting 20mm	No	
222	PVC Class 12 Pipe 32mm x 6m	No	
223	PVC Class 9 Pipe x 6m 50mm	No	
224	PVC Class 9 Pipe x 6m 75mm	No	
225	PVC Class 9 Pipe x 6m 90mm	No	
226	PVC Class 9 Pipe x 6m 110mm	No	
227	PVC Class 9 Pipe x 6m	No	
228	PVC Class 9 Elbow 50mm	No	

229	PVC Class 9 Elbow 75mm	No	
230	PVC Class 9 Elbow 90mm	No	
231	PVC Class 9 Elbow 110mm	No	
232	PVC Class 9 Elbow 160mm	No	
233	M&F Reducing Socket 50mm x 75mm	No	
234	Class 9 M&F Reducing Socket 50mm x 75mm	No	
235	Class 9 M&F Reducing Socket 75mm x 90mm M&F Reducing Socket	No	
236	Class 9 M&F Reducing Socket 90mm x 110mm	No	
237	Class 9 M&F Reducing Socket 110mm x 160mm	No	
238	Class 9 M&F Reducing Socket 110mm x 75mm	No	
239	Class 9 M&F Reducing Socket 90mm x 50mm	No	
240	PVC Class 12 Pipe 40mm x 6m	No	
241	PVC Class 12 Pipe 50mm x 6m	No	
242	Ceramic Cistern Kits Complete	No	
243	Coupled Closet Toilet Set	No	
244	Cistern Float Valve	No	
245	Cistern Ball Valve	No	
246	Beta Valve Kits 32mm	No	
247	Beta Valve Kits 40mm	No	
248	Vacuum Breaker Compression Fitting 22mm	No	
249	Latco Acetal Pressure Control Valves	No	
250	Latco Quadro Pressure Control Valve	No	
251	Master Flow Valve 400kpa	No	
252	PVC Cement Glue 500g	No	

253	Urinal Master Flow	No	
254	Sink Mixer 15mm	No	
255	Sink Mixer Elbow Action 15mm	No	
256	Wheel Valve 80mm	No	
257	Wheel Valve 110mm	No	
258	Basket Steiner Waist 32mm	No	
259	PVC Reducing Junction Single Plain 110 X 50mm Sw40	No	
260	Wheel Valve 80mm	No	
261	Wheel Valve 110mm	No	
262	Wheel Valve 160 mm	No	
263	Tap Washer 15mm	No	
264	Tap Washer 20mm	No	
265	Tap Washer 25mm	No	
266	Basin Fixed Bolts	No	
267	Reducing Bush Galvanised 15mm X 20mm	No	
268	Reducing Bush Galvanised 20mm X 25mm	No	
269	Reducing Bush Galvanised 25mm X 32mm	No	
270	Reducing Bush Galvanised 32mm X 40mm	No	
271	Reducing Bush Galvanised 40mm X 50mm	No	
272	Reducing Bush Galvanised 50mm X 80mm	No	
273	PVC Saddle 75mm X 20mm	No	
274	PVC Saddle 90mm X 50mm	No	
275	PVC Saddle 110mm X 520mm	No	
276	PVC Saddle 160mm X 50mm	No	

277	PVC Saddle 50mm X 20mm	No	
278	Soldering Wire	No	
279	Soldering Flux	No	
280	Gas Cartridge	No	
281	Urinal Flush Master	No	
282	Toilet Flush Master	No	
283	P-Trap 38mm X 38mm	No	
284	S-Trap 38mm X 38mm	No	
285	P-Trap 32mm X 38mm	No	
286	P-Trap 32mm X 38mm	No	
287	PVC Socket 50mm	No	
288	15mm Copper Tee	No	
289	22mm Straight Coupling Female Conex	No	
290	110mm Flexible Pan Connectors PVC	No	
291	Toilet Cistern Bottom Inlet (White)	No	
292	15mm Straight Coupling Male Conex	No	
293	Paraplegic Toilet + Cistern Complete	No	
294	Cistern Kit 15mm Bottom Inlet	No	
295	15mm Straight Coupling Male Conex	No	
296	50mm X 40mm PVC Straight Male Adaptors	No	
297	22mm Copper Holder Bats	No	
298	15mm Copper Holder Bats	No	
299	15mm Extension Piece	No	
300	15mm Extension Piece	No	

301	45-55mm Cascade Clamp	No	
302	69-76mm Cascade Clamp	No	
303	95-104mm Cascade Clamp	No	
303	22mm Straight Coupling Male Conex	No	
304	22mm Straight Coupling Female Conex	No	
305	Basin Chain and 32mm Plug	No	
306	20mm Galvanised T- Piece	No	
307	15mm Basin Sint Press Tap	No	
308	15mm Zink Sint Press Tap	No	
309	100 KPA Latco Valve	No	
310	100 mm x 100mm Equal Cross Flanged All Sides and Enamelled.	No	
311	12mm x 60mm Bolts with Spring Washers Zink Plated	Kg	
312	110mm Resilient Seal Gate Valves.	No	
313	90mm Resilient Seal Gate Valves.	No	
314	75mm SG Iron Repair Coupling.	No	
315	110mm x 90mm Male/Female Reducer (Spigot and Socket) Long Type.	No	
316	110mm x 75mm Male/Female Reducer (Spigot and Socket) Long Type.	No	
317	110mm x 50mm Male/Female Reducer (Spigot and Socket) Long Type.	No	
318	90mm x 75mm Male/Female Reducer (Spigot and Socket) Bush.	No	
319	1m x 3m Rubber Packing.	No	
310	Stop End Plug Male 15mm	No	
311	Stop End Plug Female 15mm	No	
312	Stop End Plug Male 20mm	No	
313	Stop End Plug Female 20mm	No	

314	White Duroplast standard toilet seat	No	
315	15mm Junior Urinal Flush Master	No	
316	Urinal Spreader and Flush pipe	No	
317	Cistern Mechanism Top Flush	No	
318	Cistern Handle for Toilets	No	
319	25mm x 20mm Galv reducing Bush	No	
320	Pan Seal Ring	No	
321	15mm Spare Ring Compression	No	
322	20mm Spare Ring Compression	No	
323	30cm Long Flexi Connector	No	
324	30cm Long Male and Female Flexi Connector	No	
325	40cm Long Male and Female Flexi Connector	No	
326	40cm Long Flexi connector	No	
327	15mm Copper Saddle	No	
328	20mm Copper Saddle	No	
329	20mm J and J Coupling	No	
330	25mm J and J Coupling	No	
331	32mm J and J Coupling	No	
332	40mm J and J Coupling	No	
333	50mm J and J Coupling	No	
334	15mm Shower Rose	No	
335	15mm Shower Arm	No	
336	50mm Shower Trap	No	
337	20mm Galvanised Union	No	

338	32mm Galvanised Union	No	
339	15mm Galvanised Plug	No	
310	20mm Galvanised Plug	No	
311	32mm Galvanised Plug	No	
312	40mm Galvanised Plug	No	
313	50mm Galvanised Plug	No	
314	80mm Galvanised Plug	No	
315	40mm Sink Waste	No	
316	32mm Basin Waste	No	
317	32mm Urinal Waste	No	
318	40mm Urinal Waste	No	
319	32mm Bottle Trap	No	
320	40mm Bottle Trap	No	
321	40mm x 20mm Galvanised Reduce bush	No	
322	50mm x 32mm Galvanised Reduce bush	No	
323	32mm x 20mm Galvanised Reduce socket	No	
324	32mm Male adaptor nylon	No	
325	32mm Female T-Piece nylon	No	
326	Class 10 x 32mm x 250m roll	No	
327	32mm Male elbow plason	No	
328	32mm T-Piece plason	No	
329	25mm Male adaptor compression	No	
330	25mm Elbow plason compression	No	
331	25mm Female adaptor plason compression	No	

332	25mm Male adaptor plason compression	No	
333	25mm Stop cork PVC	No	
334	25mm x 50m x Class 10 PVC pipe	No	
335	22mm Elbow plate compression fitting	No	
336	6mm x 80mm fisher plugs	No	
337	Screw clamp	No	
338	300mm Cable tie packet of 100	No	
339	Geyser Packing Edge	No	
340	50L SABS High Quality Geyser Complete with Accessories	No	
341	100L SABS High Quality Geyser Complete with Accessories	No	
342	150L SABS High Quality Geyser Complete with Accessories	No	
343	200L SABS High Quality Geyser Complete with Accessories	No	
344	40mm flexible connector	No	
345	2 500L Black Septic tank	No	
346	5 000L Black Septic tank	No	
437	5 000L Vertical water storage tank equivalent to Jojo tank	No	
348	10 000L Vertical water storage tank equivalent to Jojo tank	No	
349	1.5kw 220V Centrifugal Pressure pump	No	
350	0.75kw 220V Centrifugal Pressure pump	No	
351	32mm x 20mm Galvanized reduce bush	No	
352	32mm Waste	No	
353	110mm Plain elbow 90°	No	
354	110mm Elbow with IE and 50mm vent horn	No	
355	110mm PVC Y- junction to right	No	

356	32mm x 50mm P-trap	No	
357	50mm Elbow 90°PVC	No	
358	Lockable toilet paper holder	No.	
359	0,75KW Pressure Pump	No	
360	0,37KW Pressure Pump	No	
361	Hacksaw Blade	No	
362	22mm Poly Copper Pipe 100m	No	
363	110mm x 50mm T-Piece Junction Surface	No	
364	25mm Female Coupling Plasson Elbow Compression	No	
365	40mm x 25mm Plasson Male Coupling Compression	No	
366	40mm Beta Valve	No	
367	40mm Female Plasson Elbow Compression	No	
368	40mm Male Plasson Elbow Compression	No	
369	40mm Plasson Male Coupling Compression	No	
370	15mm Male adaptor compression brass	No	
371	22mm Wheel valve compression	No	
372	15mm Brass Tee compression	No	
373	22mm Brass Female adaptor compression	No	
374	15mm Female adaptor brass compression	No	
375	15mm Straight couple compress	No	
376	22mm Straight couple compression brass	No	
377	110mm x 110mm x 110mm Junction with access	No	
378	110mm Acentric junction	No	
379	Bath waste 40mm	No	

380	Bath trap	No	
381	40mm Basin waste	No	
382	40mm Plasson Class 10 Pipe 100m	No	
383	SDS Drill Bit 8mm x 110mm	No	
384	SDS Drill B4 16mm x 260mm	No	
385	450mm x 600mm Manhole Cover	No	
386	15mm Angle Valve	No	
387	22mm Beta Valve Compression	No	
388	22mm Beta Valve	No	
389	22mm Connex Elbow	No	
390	P-Trap 32mm x 40mm	No	
391	P-Trap 38mm x 40mm	No	
392	110mm PVC elbow 90°	No	
393	110mm PVC Bend 45° underground	No	
394	Float valve 50mm pipe	No	
395	1700mm x 800mm White fibre oval bathtub	No	
396	1800mm x 800mm White fibre standard bathtub	No	
397	S-Trap 40mm x 40mm	No	
398	P-Trap 40mm x 40mm	No	
399	P-Trap 15mm	No	
400	15mm Tap extension	No	
401	50mm Elbow IE	No	
402	50mm Bend 45°	No	
403	22mm Bib Tap	No	

404	20mm Bib Tap	No	
405	15mm Coupling connex	No	
406	15mm Elbow connex	No	
407	15mm T-Piece	No	
408	15mm Female coupling Conex	No	
409	15mm Aqua lock galvanised equivalent to Jonson Aqua lock	No	
410	22mm Aqua lock galvanised equivalent to Jonson Aqua lock	No	
411	22mm Elbow Conex	No	
412	15mm Male coupling Conex	No	
413	50mm PVC Female socket	No	
414	110mm Socket equivalent to Kimberly socket	No	
415	50mm 90° Bend plain	No	
416	20mm Joint equivalent to Jonson joint	No	
417	Fixed manual Fire Hose Reel 25mm(diameter) x 30m(length) Hose	No.	
418	PVC UG Pipe 160mm x 6m Plain Normal Duty 100kPa	No	
419	PVC UG Socket 160mm Double S/Weld	No	
420	PVC UG Bend 160mm x 45 Plain Short 1/8 Moulded RR	No	
421	PVC UG Junction 160 x 45 Access Left Fabricated S/Weld	No	
422	Junction PVC Marley UG Single Reducing 160mm x 110mm 1/8 (45 Deg) IE	No	
423	Water Purification Tablets/10	No	
424	Flexible 80mm Suction Helix Hose Pipe	No	
425	Flexible 50mm Suction Helix Hose Pipe	M	
426	Aquamats high pressure Descaler Crystal, Maximum Pressure of 5.8 bar with 5 – 7 kg of crystals	M	
427	Builders Shower Tray Square Floor Pan STM14 - White	No	

428	Builders Corner Entry Shower Enclosure Chrome 885 x 885 mm	No	
429	Shower Semi Frameless Pivot Door Chrome 1000 x 1000 x 1900mm	No	
430	Urinal Flush Master 22mm	No	
431	Urinal Flush Master 15mm	No	
432	Toilet Flush Master 22mm	No	
433	Rothenberg Multi Gas 300	No	
434	Copper Ring Seal 32mm	No	
435	Copper Ring Seal 40mm	No	
436	Waterproof Tape Roll	No	
437	Space Saving Trap for Triple Bowls	No	
438	Sink Mixer O Ring	No	
439	WS 90 Basket Strainer	No	
440	Prately Steel Quick Set	No	
441	Kitchen Sink Mixer Tap Head Cover	No	
	SUB TOTAL		
	VAT		
	GRAND TOTAL		

NB : (i) THE SERVICE PROVIDER MUST PROVIDE ON BUILDING, ELECTRICAL AND PLUMBING MATERIAL ITEMS NOT MENTIONED ON THE MATERIAL LIST AT MARK-UP OF NO GREATER THAN 15%.

(ii) RATE PRICES ARE INCLUSIVE OF TRANSPORTATION COST.

(iii) RATE PRICES ARE INCLUSIVE OF OFFLOADING COST.

(iv) RATE PRICES ARE EXCLUSIVE OF VAT

(v) ALL MATERIAL TO BE SABS COMPLIANT

(vi) 2nd and 3rd Years Prices to be increased by the CPI approved by National Treasury for the particular year.

PRICE SCHEDULE

FORM OF TENDER / OFFER

The offered total price (inclusive or exclusive) of value added tax is (contact price)

Price in words

.....

Price in figures R

VAT

GRAND TOTAL

Signed:.....

Bidder:.....

Capacity:.....



LIMPOPO

PROVINCIAL GOVERNMENT
REPUBLIC OF SOUTH AFRICA

**DEPARTMENT OF
PUBLIC WORKS, ROADS & INFRASTRUCTURE**

**SUPPLY, DELIVERY AND OFF-LOADING
OF BUILDING MATERIAL FOR ALL FIVE
DISTRICTS AT THE DEPARTMENT OF
PUBLIC WORKS, ROADS AND
INFRASTRUCTURE FOR A PERIOD OF 36
MONTHS (VHEMBE DISTRICT)**

SUPPLY AND DELIVERY OF BUILDING MATERIAL

ITEM NO	DESCRIPTION	UOM	UNIT PRICE
1	52.5 Ordinary Portland Cement SABS Approved in bags of 50kg	No	
2	42.5 Ordinary Portland Cement SABS Approved in bags of 50kg	No	
3	32.5 Ordinary Portland Cement SABS Approved in bags of 50kg	No	
4	110mm x 40m x 375micron DPC SABS	No	
5	225mm x 40m x 375micron DPC SABS	No	
6	75mm x 2.8mm x 20m Roll Brick Force.	No	
7	150mm x 2.8mm x 20m Roll Brick Force.	No	
8	Welded Mesh Ref 193 (200 x 200 x 5.6mm) 6m x 2.4m	No	
9	Welded Mesh Ref 395 (200 x 200 x 6.3mm) 6m x 2.4m	No	
10	Welded Mesh Ref 245 (200 x 200 x 8.0mm) 6m x 2.4m	No	
11	3.15mm Galvanised Wire	Kg	
12	4mm Galvanised Wire	Kg	
13	2032mm x 1613mm x 115mm x 1.2mm Heavy Duty Steel Door Frames	No	
14	2032mm x 813mm x 115mm x 1.2mm Heavy Duty Steel Door Frames	No	
15	2032mm x 760mm x 115mm x 1.2mm Heavy Duty Steel Door Frames	No	
16	2032mm x 900mm x 115mm x 1.2mm Heavy Duty Steel Door Frames (Suitable for disabled toilet)	No	
17	Mutual DS3 CAT2 Strongroom door and frame 775mm x 1875mm with a mass of 380kg	No	
18	NE1 Heavy Duty Steel Window Frame (F7).	No	
19	NE2 Heavy Duty Steel Window Frame (F7).	No	
20	NE4 Heavy Duty Steel Window Frame (F7).	No	
21	TD75 Heavy Duty Steel Window Frame (F7).	No	
22	TD678 Heavy Duty Steel Window Frame (F7).	No	

23	TD57S5 Heavy Duty Steel Window Frame (F7).	No	
24	TD57S8 Heavy Duty Steel Window Frame (F7).	No	
25	TD678 Heavy Duty Steel Window Frame (F7).	No	
26	NCT1S Heavy Duty Steel Window Frame (F7).	No	
27	ND2 Heavy Duty Steel Window Frame (F7).	No	
28	ND4 Heavy Duty Steel Window Frame (F7).	No	
29	NE8 Heavy Duty Steel Window Frame (F7).	No	
30	NG2 Heavy Duty Steel Window Frame (F7).	No	
31	ND512 Heavy Duty Steel Window Frame (F7).	No	
32	ND11F Heavy Duty Steel Window Frame (F7).	No	
33	ND54 Heavy Duty Steel Window Frame (F7).	No	
34	NC4 Heavy Duty Steel Window Frame (F7).	No	
35	SAP Timber Branderings Grade 4 (Red Cross) SABS Approved 5.4m x 38mm x 38mm	M	
36	SAP Timber Branderings Grade 4 (Red Cross) SABS Approved 4.5m x 38mm x 38mm	M	
37	SAP Timber Branderings Grade 4 (Red Cross) SABS Approved 3.6m x 38mm x 38mm	M	
38	SAP Timber Purlins Grade 4 (Red Cross) SABS Approved 6m x 76mm x 50mm	M	
39	SAP Timber Purlins Grade 4 (Red Cross) SABS Approved 5.4m x 76mm x 50mm	M	
40	SAP Timber Purlins Grade 4 (Red Cross) SABS Approved 4.5m x 76mm x 50mm	M	
41	SAP Timber Purlins Grade 4 (Red Cross) SABS Approved 3.6m x 76mm x 50mm	M	
42	SAP Timber Rafter Grade 4 (Red Cross) SABS Approved 6m x 114mm x 38mm	M	
43	SAP Timber Rafter Grade 4 (Red Cross) SABS Approved 5.4m x 114mm x 38mm	M	
44	SAP Timber Rafter Grade 4 (Red Cross) SABS Approved 4.5m x 114mm x 38mm	M	
45	SAP Timber Rafter Grade 4 (Red Cross) SABS Approved 3.6m x 114mm x 38mm	M	
46	SAP Timber Wall Plate Grade 4 (Red Cross) SABS Approved 6m x 76mm x 38mm	M	

47	SAP Timber Wall Plate Grade 4 (Red Cross) SABS Approved 5.4m x 76mm x 38mm	M	
48	SAP Timber Wall Plate Grade 4 (Red Cross) SABS Approved 4.5m x 76mm x 38mm	M	
49	SAP Timber Wall Plate Grade 4 (Red Cross) SABS Approved 3.6m x 76mm x 38mm	M	
50	SAP Timber Rafters Grade 4 (Red Cross) SABS Approved 6m x 152mm x 50mm	M	
51	SAP timber Grade 4 (Red Cross) SABS 38mm x 152mm x 6m	M	
52	SAP Timber Grade 4 (Red Cross) SABS 38mm x 152mm x 4m	M	
53	SAP Timber Grade 4 (Red Cross) SABS 38mm x 220mm x 4m	M	
54	SAP Timber Grade 4 (Red Cross) SABS 38mm x 152mm x 3.6m	M	
55	Everite Nutec Ceiling Board 3.6m x 1.2m x 4mm	No	
56	Everite Nutec Ceiling Board 3.0m x 1.2m x 4mm	No	
57	Everite Nutec Ceiling Board 2.4m x 1.2m x 4mm	No	
58	Everite Nutec Ceiling Board 3.6m x 900mm x 4mm	No	
59	Everite Nutec Ceiling Board 3.0m x 900mm x 4mm	No	
60	Everite Nutec Ceiling Board 2.46m x 900mm x 4mm	No	
61	Nutec Facia Board 250mm x 8mm x 3m	No	
62	Nutec Barge Board 250mm x 8mm x 3m	No	
63	Nutec Facia Board Pressed Steel Joints	No	
64	Nutec Barge Board Pressed Steel Joints	No	
65	Nutec Corner Pressed Steel Joints	No	
66	H Type Pressed Steel Cover Strips 3.6m	No	
67	H Type Pressed Steel Cover Strips 3.0m	No	
68	H Type Pressed Steel Cover Strips 2.4m	No	
69	Coved Cornice 6m x 76mm x 19mm	No	

70	Coved Cornice 4.2m x 76mm x 19mm	No	
71	Coved Cornice 3.m x 76mm x 19mm	No	
72	Coved Cornice 3.6m x 76mm x 19mm	No	
73	Coved Cornice 3m x 76mm x 19mm	No	
74	Steel Trap Door 610mm x 610mm	No	
75	Hardwood Meranti Skirting 6m x 75mm x 19mm	No	
76	Hardwood Meranti Skirting 4.2m x 75mm x 19mm	No	
77	Hardwood Meranti Skirting 3.6m x 75mm x 19mm	No	
78	Hardwood Meranti Quateround 6m x 75mm x 19mm	No	
79	Hardwood Meranti Quateround 4.2m x 75mm x 19mm	No	
80	Hardwood Meranti Quateround 3.6m x 75mm x 19mm	No	
81	2032mm x 813mm Sapele Heavy Duty Internal Solid Doors	No	
82	2032mm x 760mm Sapele Heavy Duty Internal Solid Doors	No	
83	2032mm x 900mm Sapele Heavy Duty Internal Solid Doors (Suitable for disabled toilet)	No	
84	2032mm x 813mm Framed, Legged, Braced, Back Flush External Meranti Door.	No	
85	2032mm x 813mm Four Panel Meranti External Door	No	
86	1436mm x 2032mm External Meranti Double Doors Concealed Hardware Edges	No	
87	1830mm x 2750mm x 16mm White Melamine Chip Board.	No	
88	1830mm x 2750mm x 16mm Red Oak Chip Board.	No	
89	1830mm x 2750mm x 16mm White Oak Chip Board.	No	
90	1830mm x 2750mm x 16mm Mahogany Chip Board.	No	
91	2440mm x 1220mm x 18mm Plywood Board	No	
92	2440mm x 1220mm x 16mm Plywood Board	No	
93	2440mm x 1220mm x 14mm Plywood Board	No	

94	2440mm x 1220mm x 12mm Plywood Board	No	
95	2440mm x 1220mm x 10mm Plywood Board	No	
96	38mm x 228mm x 6m SA Pine Untreated (Timber Beam)	No	
97	Hinges Pot 90°	No	
98	Hinges Pot 180°	No	
99	10mm Thick Pastel Base	No	
100	5kg Base Coat	No	
101	5L Key Coat	No	
102	5000mm x 20 mm White Builders Wood PG Edging Roll	No	
103	16mm Veneer Edging in Standard Colours.	No	
104	2400mm x 1200mm x 4mm Thick Brown Masonite Board	No	
105	2400mm x 1200mm x 4mm Thick White Masonite Board	No	
106	Pine Cleats 3000mm x 35mm x 22mm	No	
107	Standard Steel Drawer Locks	No	
108	Standard Drawer Handles	No	
109	300mm Steel Wall Brackets	No	
110	450mm Steel Wall Brackets	No	
111	530mm Steel Wall Brackets	No	
112	600mm Steel Wall Brackets	No	
113	6000mm x 600mm x 32mm Post Form Top (All standard colours).	No	
114	3530mm x 600mm x 32mm Post Form Top (All standard colours).	No	
115	6000mm x 900mm x 32mm Post Form Top (All standard colours).	No	
116	3530mm x 900mm x 32mm Post Form Top (All standard colours).	No	
117	600mm Kitchen Top Steel Jointer.	No	

118	900mm Kitchen Top Steel Jointer.	No	
119	100mm Butt Hinges for Wooden Doors	No	
120	1 200mm x 1 800mm Vitrex Pinning Boards Complete with plugs.	No	
121	1 200mm x 2 400mm Vitrex Pinning Boards Complete with plugs.	No	
122	High Quality 4 Lever Mortice Lock SABS Approved Complete with Handles	No	
123	60mm High Quality Cylinder Lock SABS Approved Complete with Handles in all Standard Colours	No	
124	65mm High Quality Cylinder Lock SABS Approved Complete with Handles in all Standard Colours	No	
125	32mm High Quality Padlock Brass in Colour	No	
126	38mm High Quality Padlock Brass in Colour	No	
127	50mm High Quality Padlock Brass in Colour	No	
128	60mm High Quality Padlock Brass in Colour	No	
129	63mm High Quality Padlock Brass in Colour	No	
130	20L High Quality PVA Paint (All Standard Colours)	No	
131	20L High Quality Eggshell Enamel Paint (All Standard Colours)	No	
132	20L High Quality Roof Paint (All Standard Colours)	No	
133	5L ABE Super Lycryl (All Standard Colours)	No	
134	5L Road Mark High Quality Green Paint	No	
135	5L Bitumen Seal	No	
136	5L Road Mark Quick Dry Reflective Quality Paint (Standard Colours) Suitable for marking on Tar and Paving	No	
137	20L Road Mark High Quality Green Paint	No	
138	5L High Quality Enamel Paint (All Standard Colours)	No	
139	5L PVA Paint (All Standard Colours)	No	
140	20L High Quality Kalahari Colour Paint	No	
141	5L Linseed Oil (All Colours)	No	

142	750ML Linseed Oil (All Colours)	No	
143	5L High Quality Universal Undercoat Paint	No	
144	5L Carbolinium	No	
145	5L High Quality Roof Seal and Mesh Cloth in Standard Colours	No	
146	5L High Quality Damp Seal	No	
147	10m x250mm Laykold Tape Silver Colour	No	
148	10m x 200mm Waterproofing Membrane	No	
149	5L High Quality Brick Dressing	No	
150	2kg Exterior Polly Filler	No	
151	2kg Interior Polly Filler	No	
156	12Kg Exterior Polly Filler	No	
157	12Kg Interior Poly Filler	No	
158	2.5m x75mm Laykold Tape Silver Colour	No	
159	5L High Quality Galvogrip Metal Primer (Steel Primer)	No	
160	5L High Quality Red Oxide Steel Primer	No	
161	5L Turpentine	No	
162	5L Thinners	No	
163	5L Power Paraffin	No	
164	5L Road Mark High Quality White Paint	No	
165	5L Road Mark High Quality Red Paint	No	
166	5L Road Mark High Quality Yellow Paint	No	
167	20L Road Mark High Quality White Paint	No	
168	20L Road Mark High Quality Red Paint	No	
169	20L Road Mark High Quality Yellow Paint	No	

170	1L High Quality Varnish All Standard Colours	No	
171	5L High Quality Varnish All Standard Colours	No	
172	1L High Quality Clear Varnish	No	
173	5L High Quality Clear Varnish	No	
174	20L High Quality Stoep Paint (All Standard Colours)	No	
175	500ml Wood Glue	No	
176	1L Wood Glue	No	
177	5L High Quality Cornice Glue	No	
178	5L Contact Glue	No	
179	12mm High Quality Paint Brush	No	
180	25mm High Quality Paint Brush	No	
181	38mm High Quality Paint Brush	No	
182	50mm High Quality Paint Brush	No	
183	75mm High Quality Paint Brush	No	
184	100mm High Quality Paint Brush	No	
185	225mm Classic Paint Roller Tray Set	No	
186	225mm Morehair Paint Roller Tray Set	No	
187	5L Paint Remover/Stripper	No	
188	Masking Tape 48mm x 50m	No	
189	5L Wood Sealer Paint	No	
190	Industrial Putty Knife Set 25mm	No	
191	Industrial Putty Knife Set 50mm	No	
192	Industrial Putty Knife Set 75mm	No	
193	Stanley Heavy Duty Utility Knife Blades 100-Piece Set	No	

194	788 Instant Front Load Retractable Trimming Knife	No	
195	Mutton Cloth 400g	No	
196	Heavy Duty Paint Drop Sheet 2 x 3m	No	
197	Paint -Zipper Hooded Non-Woven Coverall Polypropylene	No	
198	Extension Pole Paint Roller	No	
199	500g Hand Grit Cleaner	No	
200	100ML Paint Colour Tint Dye (All Standard Colour)	No	
201	Sandpaper Grit50 300mm x 1m Roll	No	
202	Sandpaper Grit80 300mm x 1m Roll	No	
203	5L Wood Primer	No	
204	5L Wood Seal	No	
205	Stone Sealer Gloss Solvent Floor Coating Paint (5 L)	No	
206	A.B.E. Mastic Sealer Epoxy Floor Coating Paint (1000 g)	No	
207	Epoxy Floor Paint Light Grey Epoxy Floor Coating Paint (5 L)	No	
208	Protective Topcoat Clear Epoxy Floor Coating Paint (5 L)	No	
209	20L Plastered Wall Primer	No	
210	Spray Paint Rustol Bathtub and Tile Aerosol White 340 g	No	
211	NFX High Quality Stock Bricks All Standard Stock Bricks) (Per Thousand)	1000	
212	FBS High Quality Face Bricks (All Standard Face Brick Types) (Per Thousand)	1000	
213	110mm x75mm x 1200mm Concrete Lintel	No	
214	110mm x75mm x 1800mm Concrete Lintel	No	
215	110mm x75mm x 2100mm Concrete Lintel	No	
216	140mm x75mm x 1500mm Concrete Lintel	No	
217	140mm x75mm x 2400mm Concrete Lintel	No	

218	140mm x75mm x 2700mm Concrete Lintel	No	
219	140mm x75mm x 3000mm Concrete Lintel	No	
220	Floral Retain Blocks Interlocking 300mm x 410mm x 250mm Grey in Colour	1000	
221	60mm Interlocking Herringbone Type Grey Concrete Paving Bricks	1000	
222	80mm Interlocking Herringbone Type Grey Concrete Paving Bricks	1000	
223	River Sand (High quality well sieved and cleaned)	M ³	
224	Building Sand (High quality well sieved and cleaned)	M ³	
225	Plastering Sand (High quality well sieved and cleaned)	M ³	
226	19mm Grey Crusher Stone, High quality cleaned (Concrete Stones)	M ³	
227	6.7mm Grey Crusher Stone, High quality cleaned (Concrete Stones)	M ³	
228	6mm Grey Crusher Dust, High quality cleaned (Crusher Dust)	M ³	
229	210L Heavy Duty Plastic Drum	No	
230	30m x 20mm Reinforced High Quality Garden Hose Pipe Tap Connector Included.	No	
231	30m x 15mm Reinforced High Quality Garden Hose Pipe Tap Connector Included.	No	
232	200mm x 200mm x 5mm 1 st Grade Shiny and Rough Textured Ceramic Wall Tiles in Standard Colours	M ²	
233	200mm x 300mm x 5mm 1 st Grade Shiny and Rough Textured Ceramic Wall Tiles in Standard Colours	M ²	
234	350mm x 350mm x 8mm 1 st Grade Shiny and Rough Textured Ceramic Floor Tiles in Standard Colours	M ²	
235	408mm x 408mm x 8mm 1 st Grade Shiny and Rough Textured Ceramic Floor Tiles in Standard Colours	M ²	
236	430mm x 430mm x 8mm 1 st Grade Shiny and Rough Textured Ceramic Floor Tiles in Standard Colours	M ²	
237	330mm x 330mm x 10mm High Quality Clay Floor Tiles in Standard Colours	M ²	
238	350mm x 350mm x 10mm High Quality Clay Floor Tiles in Standard Colours	M ²	
239	400mm x 400mm x 10mm High Quality Clay Floor Tiles in Standard Colours	M ²	
240	450mm x 900mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
241	600mm x 600mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
242	800mm x 800mm x 12mm 1 st Grade Fully Polished Rough	M ²	

	Textured Porcelain Floor Tiles in Standard Colours		
243	600mm x 600mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
244	600mm x 1200mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
245	750mm x 1500mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
246	Tile, Floor, vinyl, 2.5mm x 300mm x 300mm	M ²	
247	3mm Tile Spacers	No	
248	5mm Tile Spacers	No	
249	5kg Tile Grout Standard Colours	No	
250	20kg Tile Grout Standard Colours	No	
251	20kg Porcelain tile cement	No	
252	20kg Ceramic Tile Adhesive	No	
253	2500m x 20mm x 7mm PVC Tile Trimmer.	No	
254	2500m x 10mm Alluminium Tile Trimmer.	No	
255	Grout off in 5 litres	No	
256	Tile Bonding Liquid in 5 litres	No	
257	IBR Roof sheeting steel inverted box ribbed, with ribs not less than 30 mm deep and not more than 172 mm centered which has a coating of Z275 and subject to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934 unpacked. 0,58 mm thickness 686 mm effective width: 3,6m long	No	
258	IBR Roof sheeting steel inverted box ribbed, with ribs not less than 30 mm deep and not more than 172 mm centered which has a coating of Z275 and subject to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934 unpacked. 0,58 mm thickness 686 mm effective width: 4,2m long	No	

259	IBR Roof sheeting steel inverted box ribbed, with ribs not less than 30 mm deep and not more than 172 mm centered which has a coating of Z275 and subject to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934 unpacked. 0,58 mm thickness 686 mm effective width: 5,0m long	No	
260	IBR Roof sheeting steel inverted box ribbed, with ribs not less than 30 mm deep and not more than 172 mm centered which has a coating of Z275 and subject to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934 unpacked. 0,58 mm thickness 686 mm effective width: 6,0m long	No	
261	Ridge capping for IBR 462 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness 3,6m long	No	
262	Ridge capping for IBR 462 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness 4,2 mm long	No	
263	Ridge capping for IBR 462 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness 5,0 mm long	No	
264	Ridge capping for IBR 462 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	

	6,0 mm long		
265	IBR ridge capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The Zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
266	IBR ridge capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
267	IBR ridge capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The Zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
268	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The Zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
269	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
270	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
271	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934.	No	

	0,58 mm thickness		
272	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
273	Galvanised corrugated iron sheets, commercial quality, which has a coating of Z275 and subjected to anti-white rust, treatment in various lengths from 1000 mm as required. The zinc coating must be in accordance with the latest issue of SABS specification 934. Effective width 610 mm. Overall width 690mm. 0.58 mm thickness 3,6m long	No	
274	Galvanised corrugated iron sheets, commercial quality, which has a coating of Z275 and subjected to anti-white rust, treatment in various lengths from 1000 mm as required. The zinc coating must be in accordance with the latest issue of SABS specification 934. Effective width 610 mm. Overall width 690mm. 0.58 mm thickness 4,2m long	No	
275	Galvanised corrugated iron sheets, commercial quality, which has a coating of Z275 and subjected to anti-white rust, treatment in various lengths from 1000 mm as required. The zinc coating must be in accordance with the latest issue of SABS specification 934. Effective width 610 mm. Overall width 690mm. 0.58 mm thickness 5,0m long	No	
276	Galvanised corrugated iron sheets, commercial quality, which has a coating of Z275 and subjected to anti-white rust, treatment in various lengths from 1000 mm as required. The zinc coating must be in accordance with the latest issue of SABS specification 934. Effective width 610 mm. Overall width 690mm. 0.58 mm thickness 6,0m long	No	
277	Ridge capping for corrugated iron sheeting 450 mm girth,	No	

	which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness		
278	Ridge capping for corrugated iron sheeting 450 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	
279	Ridge capping for corrugated iron sheeting 450 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	
280	Ridge capping for corrugated iron sheeting 450 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	
281	Ridge capping for corrugated iron sheeting 450 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	
282	Under tile Membrane SABS Approved	No	
283	Hip Starter for Double Roman Roof Concrete	No	
284	Double Roman Roof Concrete Tile Standard Colours SABS equivalent to Marley Tile	No	
285	Tile Taper Ridge for Double Roman Roof Concrete Tile Standard Colours SABS equivalent to Marley Tile	No	
286	Tile Hip for Double Roman Roof Concrete Tile Standard Colours SABS equivalent to Marley Tile	No	
287	Harvey Tile SABS in all Standard Colours	No	
288	Harvey Tile Angle Ridge SABS in all Standard Colours	No	
289	45mm Harvey Tiles Nails	Kg	

290	Cement Paving Bricks Interlocking 200mm x 80mm x 60mm Grey in Colours	No	
291	Roof Acrylic All Weather Resistant (All Standard Colours) in 20l	No	
292	10mm x 90mm Cup square Bolt + Nuts	No	
293	290mm x 290mm Toilets Sign, Male/Female/Disabled Standard Colours	No	
294	290mm x 290mm Arrows Sign Standard Colours	No	
295	125mm x 5mm Wire Nails SABS	Kg	
296	100mm x 4mm Wire Nails SABS	Kg	
297	75mm x 3.5mm Wire Nails SABS	Kg	
298	40mm x 2mm Wire Nails SABS	Kg	
299	32mm x 2mm Wire Nails SABS	Kg	
300	25mm x 2mm Wire Nails SABS	Kg	
301	32mm X 2.8mm Serrated Clout Nails	Kg	
302	75mm x 3.5mm Fluted Nails	Kg	
303	65mm x 3.5mm Fluted Nails	Kg	
304	50mm x 3.15mm Fluted Nails	Kg	
305	40mm x 2.8mm Fluted Nails	Kg	
306	32mm x 2.8mm Fluted Nails	Kg	
307	40mm x 4mm Steel Wood Screws	Kg	
308	32mm x 4mm Steel Wood Screws	Kg	
309	38mm x 5mm Steel Wood Screws	Kg	
310	30mm x 5mm Steel Wood Screws	Kg	
311	50mm x 5mm Steel Wood Screws	Kg	
312	25mm x 4mm Steel Wood Screws	Kg	
313	50mm x 4mm Steel Wood Screws	Kg	

314	38mm x 4mm Steel Wood Screws	Kg	
315	38mm x 5mm Brass Wood Screws	Kg	
316	30mm x 5mm Brass Wood Screws	Kg	
317	38mm x 4mm Brass Wood Screws	Kg	
318	19mm x 4mm Brass Wood Screws	Kg	
319	30mm x 3.5mm Brass Wood Screws	Kg	
320	50mm x 8mm Nylon Fisher Plugs and Screws	Kg	
321	40mm x 6mm Nylon Fisher Plugs and Screws	Kg	
322	16mm x 4mm Chipboard screws	Kg	
323	16mm Panel Pins	Kg	
324	32mm Panel Pins	Kg	
325	50mm Panel Pins	Kg	
326	45mm x 5mm Nylon Fisher Plugs and Screws	Kg	
327	35mm x 5mm Nylon Fisher Plugs and Screws	Kg	
328	70mm x 6mm Nylon Fisher Plugs and Screws	Kg	
329	60mm x 8mm Nylon Fisher Plugs and Screws	Kg	
330	80mm x 8mm Nylon Fisher Plugs and Screws	Kg	
331	38mm x 5mm Chipboard Screws	Kg	
332	30mm x 5mm Chipboard Screws	Kg	
333	75mm x 5mm Chipboard Screws	Kg	
334	38mm x 4mm Chipboard Screws	Kg	
335	19mm x 4mm Chipboard Screws	Kg	
336	30mm x 4mm Chipboard Screws	Kg	
337	65mm Roof Screws in a Box of 100	No	

338	75mm Roof Screws in a Box of 100	No	
339	90mm Roof Screws in a Box of 100	No	
340	120mm Roof Screws in a Box of 100	No	
341	Wood Tek Screws 50mm (2 inches) in quantity of 100 per box	No	
342	Wood Tek Screws 100mm (4 inches) in quantity of 100 per box	No	
343	Wood Tek Screws 125mm (5 inches) in quantity of 100 per box	No	
344	150mm Window Sliding Stay and Screws	No	
345	178mm Window Sliding Stay and Screws	No	
346	270mm Window Sliding Stay and Screws	No	
347	Right Hand Window Handle with Screw and Bush	No	
348	Left Hand Window Handle with Screw and Bush	No	
349	200mm Window Peg Stay and Screw	No	
350	250mm Window Peg Stay and Screw	No	
351	25mm x 50mm x 2mm Square Tubing Steel	No	
352	Mini Ultra Lock	No	
353	Large Ultra Lock	No	
354	6m x 10mm Steel Square Bar	No	
355	6m x 12mm Steel Square Bar	No	
356	6m x 16mm Steel Square Bar	No	
357	6m x 10mm Steel Round Bar	No	
358	6m x 12mm Steel Round Bar	No	
359	6m x 16mm Steel Round Bar	No	
360	6m x 16mm x 3mm Steel Flat Bar	No	
361	6m x 25mm x 5mm Steel Flat Bar	No	

362	6m x 50mm x 5mm Steel Flat Bar	No	
363	6m x 16mm x 16mm x 1.6mm Steel Square Tubing	No	
364	6m x 25mm x 25mm x 2mm Steel Square Tubing	No	
365	6m x 32mm x 32mm x 2mm Steel Square Tubing	No	
366	6m x 50mm x 50mm x 2mm Steel Square Tubing	No	
367	6m x 76mm x 76mm x 2mm Steel Square Tubing	No	
368	6m x 100mm x 100mm x 2mm Steel Square Tubing	No	
367	6m x 75mm x 50mm x 20mm x 2mm Lipped Channel	No	
368	6m x 100mm x 50mm x 20mm x 2mm Lipped Channel	No	
369	6m x 125mm x 50mm x 20mm x 2mm Lipped Channel	No	
370	6m x 150mm x 75mm x 20mm x 2mm Lipped Channel	No	
371	6m x 175mm x 75mm x 20mm x 2mm Lipped Channel	No	
372	25mm x 25mm x 2.5mm thickness x 6m Angle Iron	No	
373	30mm x 30mm x 2.5mm thickness x 6m Angle Iron	No	
374	50mm x 50mm x 5mm thickness x 6m Angle Iron	No	
375	50mm x 50mm x 2mm thickness x 6m Angle Iron	No	
376	100mm x 100mm x 5mm thickness x 6m Angle Iron	No	
377	76mm x 76mm x 3mm thickness x 6m Square tubing	No	
378	32mm x 2mm x 6m Steel round pipes	No	
379	50mm x 2mm x 6m Steel Round Tube	No	
380	100mm x 2mm x 6m Steel Round Tube	No	
381	152 x 3.0mm x 6m Steel Round tube	No	
382	Rectangular tubing 25mm x 50mm x 2mm x 6m	No	
383	Rectangular tubing 25mm x 76mm x 2mm x 6m	No	

384	Rectangular tubing 38mm x 76mm x 2mm x 6m		
385	38mm x 50mm x 2mm thickness x 6m Rectangular tubing	No	
386	Steel Channel 6m x 76mm x 38mm	No	
387	Steel Channel 6m x 100mm x 50mm	No	
388	Steel Channel 6m x 152mm x 76mm	No	
389	Steel I Beam AA 100 x 55	No	
390	Steel I Beam AA 140 x 76	No	
391	Steel I Beam AA 200 x 100	No	
392	2,5mm Vitemax Welding Rods	Kg	
393	3,15mm Vitemax Welding Rods	Kg	
394	115mm Steel Cutting Disk	No	
395	230mm Steel Cutting Disk	No	
396	350mm Steel Cutting Disk	No	
397	230mm Masonary Cutting Disk	No	
398	350mm Masonary Cutting Disk	No	
399	230mm Diamond Cutting Disc	No	
340	110mm Diamond Cutting Disc	No	
341	Circular Saw Blade 250 mm Universal	No	
342	Table Saw Blade for- 250mm Universal	No	
343	Circular Saw Blade 190mm Universal	No	
344	Table Saw Blade - 210 x 30mm – Universal	No	
345	500m Standard Danger Tape Roll	No	
346	60mm Roller Kit for Steel Gate	No	
347	80mm Roller Kit for Steel Gate	No	

348	100mm x 100mm Heavy Duty Steel Butt Hinges.	No	
349	Builders Straight Econo 1,2mm Hinge (Pack) Heavy duty	No	
350	Builders Bullet Hinge 50 x 10 mm /Pair	No	
351	Builders Bullet Hinge 100 x 16 /Pair	No	
352	Self-Closing Hinge, 3 Knuckle, Brass Plated / Pair	No	
353	3000mm x 1800mm x 40mm x 40mm x 2mm Steel Devils Fork Panels.	No	
354	3000mm x 2000mm x 40mm x 40mm x 2mm Steel Devils Fork Panels.	No	
355	3000mm x 2400mm x 40mm x 40mm x 2mm Steel Devils Fork Panels.	No	
356	3m Wide x 2,4m High Steel Fence Panel made with Angle Irons of 40mmx40mmx3mm Thick pal pan a v –pun sp	No	
357	3m Wide x 1,8m High Steel Fence Panel made with Angle Irons of 40mmx40mmx3mm Thick pal pan a v –pun sp	No	
358	Square tubing 25mm x 25mm x 6m	No	
359	Refill 9kg Oxy-Acetylene Bottles	No	
360	Oxygen Refill Technical Industrial 11,5Kg. 8,6m ³	No	
361	Acetylene Refill Technical Industrial 40Kg, 9,5Kg	No	
362	Brazing Rods	No	
363	Copper to Copper Brazing Rods	Kg	
364	500g Brazing Flux	No	
365	76mm x 76mm Pyramid Steel Cap	No	
366	8mm Thick Galvanized Chain	M	
367	10mm Thick Galvanized Chain	M	
368	100mm Steel Pyramid Caps	No	
369	2450mm x 1225mm x 1mm Hot Rolled Steel Sheets	No	

340	2450mm x 1225mm x 2mm Hot Rolled Steel Sheets	No	
341	2450mm x 1225mm x 3mm Hot Rolled Steel Sheets	No	
342	2450mm x 1225mm x 4mm Hot Rolled Steel Sheets	No	
343	Galvinised Garage Door Roll Up 2450mm x 1830mm	No	
344	Chromadek Garage Door Roll Up 2450mm x 1830mm	No	
345	Aluminium Four Panels Garage Door Roll Up 2450mm x 1830mm Standard Colours	No	
346	Meranti Wooden Six Panels Garage Door Roll Up 2450mm x 1830mm Standard Colours	No	
347	2400 x 1200mm (8mm x 50mm x 50mm) Specimesh	No	
348	2400 x 1200mm (5mm x 25mm x 50mm) Specimesh	No	
349	2400 x 1200mm (10mm x 50mm x 50mm) Specimesh	No	
350	Insect Screen Fiber Glass 900mm x 30m	No	
351	6mm Steel Rawl Bolts	No	
352	8mm Steel Rawl Bolts	No	
353	10mm Steel Rawl Bolts	No	
354	12mm Steel Rawl Bolts	No	
355	40mm Steel Tek Screws packet of 200	No	
356	65mm Steel Tek Screws packet of 200	No	
357	75mm Tek Screws packet of 200	No	
358	70mm Wood Tek Screws packet of 200	No	
359	90mm Wood Tek Screws packet of 200	No	
360	120mm Wood Tek Screws packet of 200	No	
361	Roof Washer	Kg	
362	Stainless Steel Toilet Paper Holder	No	
363	Lockable Toilet Paper Holder	No	

364	150mm Barrel Bolts (big door shooters)	No	
365	Aluminium Door Stopper	No	
366	1220mm x 1830mm x 3mm Clear Glazing Sheet	No	
367	1220mm x 1830mm x 4mm Clear Glazing Sheet	No	
368	1220mm x 1830mm x 4mm Obscured Glazing Sheet	No	
369	280mm Silicon in Standard Colours	No	
370	1kg Window Putty	No	
371	5kg Window Putty	No	
372	Glass Cutter Tungsten Carbide Wheel	No	
373	Glass Cutter	No	
374	Diamond Glass Cutter	No	
375	132mm Steel Glass Cutter with 6 cutting wheels	No	
376	150mm Steel Glass Cutter with 2 Cutter Heads	No	
377	1500mm Aluminium Single Curtain Rail	No	
378	2000mm Aluminium Double Curtain Rail	No	
379	2500mm Aluminium Double Curtain Rail	No	
380	3000mm Aluminium Double Curtain Rail	No	
381	3500mm Aluminium Double Curtain Rail	No	
382	4000mm Aluminium Double Curtain Rail	No	
383	4500mm Aluminium Double Curtain Rail	No	
384	5000mm Aluminium Double Curtain Rail	No	
385	6000mm Aluminium Double Curtain Rail	No	
386	Drawer Runner FIT Ball Bearing Slide Runner 450 x 45 mm	No	
387	Drawer Runner FIT Ball Bearing Slide Runner 600 x 45 mm	No	

388	Builders 2 x Drawer Runners White 350 x 35 x 10 mm	No	
389	Builders 2 x Drawer Runners White 450 x 35 x 10 mm	No	
390	Cupboard Sliding Door Top Profile (Double)	M	
391	Cupboard Sliding Door Bottom Profile (Double)	M	
392	Cupboard Sliding Door Top Profile (Single)	No	
393	Cupboard Sliding Door Bottom Profile (Single)	No	
394	Sliding Door Roller, Stainless Steel, 20kg	No	
395	Sliding Door Rollet Back Hanger Double	No	
396	Wall drop Heavy-Duty Silent Gliding Door Roller Track System	No	
397	Wall drop D60 Front Hanger / Pair	No	
398	Stainless Steel Hollow Bar Handle Silver 160 mm / Pair	No	
399	Stainless Steel Hollow Bar Handle Silver 288 mm / Pair	No	
400	Stainless Steel Hollow Bar Handle Silver 384 mm / Pair	No	
401	Cornice Adhesive 5L Adhesive	No	
402	Cornice Polystyrene 2m x 110mm X 50 mm	No	
403	Fascia Board 300mm 3.0M	No	
404	Standard Barge Boards – Socketless 275 x 80 x 3000	No	
405	Fascia Board 300mm 3.0M Jointer	No	
406	Standard Barge Boards – Socketless 275 x 80 x 3000 Jointer	No	
407	Aluminium venetian blind Silver 25mm. 2,2m x 1,6m	No	
408	Aluminium venetian blind Silver 25mm. 1,2m x 1,6m	No	
409	Aluminium venetian blind Silver 25mm. 1m x 1,6m	No	
410	Aluminium venetian blind Silver 25mm. 1,8m x 2,1m	No	
411	Grip Heavy Duty Caulking Gun 225 mm	No	

412	Garage Door Roll Up 2450mm x 1830mm	No	
413	R22 Refrigerants Gas 13.6Kg	No	
414	R134A Refrigerants Gas 13.6Kg	No	
415	R404A Refrigerant Gas	No	
416	R410A Refrigerant Gas 11.4Kg	No	
417	R507A Refrigerant Gas 11.4Kg	No	
418	Domestic Refrigeration compressor	No	
419	Industrial Refrigeration Compressor	No	
420	1/4inch Copper Pipe coil 30m	No	
421	3/8inch Copper Pipe coil 30m	No	
422	1/2inch Copper Pipe coil 30m	No	
423	8/8Inch Copper Pipe Coil 30m	No	
424	Refrigeration Recharging Guages	No	
425	Refrigeration flaring Kit	No	
426	Multi-Purpose Folding Aluminium Ladder	No	
427	1.8m Heavy Duty Aluminium Step Ladder	No	
428	2.4m Heavy Duty Aluminium Step Ladder	No	
429	2.4m Heavy Duty Aluminium Straight Ladder	No	
430	20mm x 1 200mm Chrome Round Shower/Bath Rail	No	
431	20mm x 1 500mm Chrome Round Shower/Bath Rail	No	

SUPPLY AND DELIVERY OF ELECTRICAL MATERIAL

ITEM NO	DESCRIPTION	UOM	UNIT PRICE
---------	-------------	-----	------------

1	16A Single Switch plug plus cover (SABS) approved	No	
2	16A Double switch plug plus cover (SABS) approved	No	
3	16A Single Switch plug industrial (SABS) approved	No	
4	16A Double switch plug industrial (SABS) approved	No	
5	16A Single lever switch plus cover (SABS) approved	No	
6	16A Two lever switch plus cover (SABS) approved	No	
7	16A Single lever switch industrial (SABS) approved	No	
8	16A Single lever switch industrial (SABS) approved	No	
9	16A Two lever switch industrial (SABS) approved	No	
10	16A two-way switch plus cover (SABS) approved	No	
11	16A Intermediate switch plus cover (SABS) approved	No	
12	SU1 distribution board	No	
13	SU1 tray	No	
14	SU2 distribution board	No	
15	SU2 tray	No	
16	SU3 distribution board	No	
17	SU3 tray	No	
18	12way distribution board flush type	No	
19	16way distribution board flush type	No	

20	20way distribution board flush type	No	
21	20A Geyser thermostat (VKF11)	No	
22	20A Geyser thermostat MK2	No	
23	Geyser element with pocket	No	
24	Geyser econo element	No	
25	8" solid stove plate with red mark	No	
26	6" solid stove plate with red mark	No	
27	16A Three lever industrial switch (SABS) approved	No	
28	8way PVC looping box (SABS) approved	No	
29	20mm PVC female adaptors (SABS) approved	No	
30	20mm male adaptors (SABS) approved	No	
31	20mm PVC couplings	No	
32	20mm PVC saddles (SABS) approved	No	
33	1way PVC inspection box (SABS) approved	No	
34	2way PVC inspection box (SABS) approved	No	
35	3way PVC inspection box (SABS) approved	No	
36	4way PVC inspection box (SABS) approved	No	
37	50mm round cover (SABS) approved	No	
38	250ml PVC pipe welder	No	
39	25mm PVC pipe (SABS) approved	M	
40	25mm male PVC adaptors (SABS) approved	No	
41	25mm PVC female adaptors (SABS) approved	No	
42	50mm PVC male adaptors (SABS) approved	No	
43	50mm PVC coupling (SABS) approved	No	

44	50mm PVC pipe (SABS) approved	M	
45	50mm 90° degrees bend	No	
46	63A 3ka earth leakage circuit breaker	No	
47	40A 3ka circuit breaker	No	
48	30A 3ka circuit breaker	No	
49	20A 3ka circuit breaker	No	
50	15A 3ka circuit breaker	No	
51	10A 3ka circuit breaker	No	
52	60A 3ka double pole isolator	No	
53	60A industrial double pole isolator (SABS) approved	No	
54	40A industrial double pole isolator (SABS) approved	No	
55	30A industrial double isolator (SABS) approved	No	
56	20A industrial isolator (SABS) approved	No	
57	60A three phase isolator 3ka	No	
58	100A three phase isolator 3ka	No	
59	60A double pole isolator plus cover (SABS) approved	No	
60	60A double pole isolator plus cover (SABS) approved	No	
61	30A double pole isolator plus cover (SABS) approved	No	
62	50A double pole isolator plus cover (SABS) approved	No	
63	40A double pole isolator plus cover (SABS) approved	No	
64	30A double pole isolator plus cover (SABS) approved	No	
65	20A double pole isolator plus cover (SABS) approved	No	
66	10A 5ka circuit breaker	No	
67	20A 5ka circuit breaker	No	

68	25A 5ka circuit breaker	No	
69	30A 5ka circuit breaker	No	
70	20A 5ka circuit breaker	No	
71	10A 5ka circuit breaker	No	
72	Flush White 13mm DB 11-Way Pre Wired	Np	
73	Distribution board safety blank covers	No	
75	DB labels assorted	No	
76	DB label emergency	No	
77	20mm PVC flexible conduit	No	
78	Size0 PVC compression gland	No	
79	Size0 PVC push-in gland	No	
80	1.2m x 36w double fluorescent fittings with electronic ballast	No	
79	1.2m x 36w fluorescent tubes energy saver	No	
81	1.5m x 58w double fluorescent fittings with electronic ballast	No	
82	1.5m x 58w fluorescent tubes energy savers	No	
83	0.6m x 18w fluorescent fittings with four tubes electronic ballast(Louvers)	No	
84	0.6m x 18w fluorescent fittings energy savers with three tubes with electronic ballast(Louvers)	No	
85	0.6m x 18w x 3 fluorescent fittings energy savers with four tubes with electronic ballast(Diffuse)	No	
86	0.6m x 18w x 4 fluorescent fittings energy savers with three tubes with electronic ballast(Diffuse)	No	
87	0.6m x 18w fluorescent tubes energy savers	No	
88	21w energy saver globes ES	No	
89	21w energy saver globes BC	No	
90	18w energy saver globes ES	No	

91	18w energy saver globes BC	No	
92	15w energy saver globes ES	No	
93	15w energy saver globes BC	No	
94	14w energy saver globes ES	No	
95	14w energy saver globes BC	No	
96	13w energy saver globes ES	No	
97	13w energy saver globes BC	No	
98	PL9w two pin globes	No	
99	PL7w two pin globes	No	
100	16w 2D with two pin globes	No	
101	400w HPS globes ES	No	
102	250w HPS globes ES	No	
103	80w MV globes ES	No	
104	250w MV globes ES	No	
105	400w MV globes ES	No	
106	20mm galvanized saddles	No	
107	20mm galvanized adaptor	No	
108	4x2 galvanized boxes	No	
109	4x4 galvanized boxes	No	
110	4x2 extension boxes	No	
111	4x4 extension boxes	No	
112	25mm galvanized saddles	No	
114	55mm x M5 machine screws	No	
115	40mm x M5 machine screws	No	

116	55mm butterfly screws	No	
117	55mm x M4 screws	No	
118	40mm x M4 screws	No	
119	30mm x M5 machine screws	No	
120	30mm x M4 machine screws	No	
121	20mm x M4 machine screws	No	
122	25mm x M4 machine screws	No	
123	100mm x M4 machine screws	No	
124	70mm x M4 machine screws	No	
125	Nitto insulation tape assorted colours	No	
126	Steel cable gland size 2 + shrouds	No	
127	Steel cable gland size 3 + shrouds	No	
128	Steel cable gland size 4 + shrouds	No	
129	Steel cable gland size 5 + shrouds	No	
130	Steel cable gland size 6 + shrouds	No	
131	2.5mm x 2core surfix cable (2+E)	M	
132	1.5mm x 2cores surfix cable (2+E)	M	
133	2.5mm ² x 3ore surfix cable (3+E)	M	
134	4mm ² x 2core surfix cable (2+E)	M	
135	6mm ² x 2core surfix cable (2+E)	M	
136	4mm x 3core surfix cable (3+E)	M	
137	10mm ² x 2core airdac cable (2+E) without pilot	M	
138	16mm ² x 2core airdac cable (2+E) without pilot	M	
139	10mm ² x 2core PVC underground cable (2+E)	M	

140	16mm ² x 2core PVC underground cable (2+E)	M	
141	25mm x 4core PVC underground cable	M	
142	35mm x 4core PVC underground cable	M	
143	16mm x 4core PVC underground cable	No	
144	10mm cable lug	No	
145	16mm cable lug	No	
146	25mm cable lug	No	
147	35mm cable lug	No	
148	10mm furels	No	
149	16mm furels	No	
150	25mm furels	No	
151	35mm furels	No	
152	2.5mm-16mm joining kits	No	
153	10mm-35mm joining kits	No	
154	B10 bulkhead light fitting with 2 x PL9w energy saver globes	No	
155	18w light fitting with 2 x 18w energy saver globes	No	
156	1.2m double fluorescent channel dust & moisture approved x 36w	No	
157	1.5m x double fluorescent channel dust & moisture approved x 58w	No	
158	1.2m x Single fluorescent channel dust & moisture approved	No	
159	1.5m x single fluorescent channel dust & moisture approved	No	
160	1.2m x 36w single fluorescent fitting with electronic ballast	No	
161	1.5m x 58w single fluorescent fittings with electronic ballast	No	
162	100w DTC bulkhead light fittings (Round) white ES	No	
163	100w DTC bulkhead light fittings (Square) white ES	No	

164	18w 2D globes with two pin	No	
165	380v coil complete with thee phase contactor	No	
166	220v coil complete with three phase contactors	No	
167	Pedant light fitting with three lights (Brass)	No	
168	Rondo Maxi Prismatic Clear bulkhead light fitting	No	
169	Rondo Maxi Opal bulkhead light fitting	No	
170	Rondo Maxi Raindrop clear bulkhead light fitting	No	
171	Rondo Mini "Birdseye" Clear bulkhead light fitting	No	
172	Rondo Mini Shallow Opal bulkhead light fitting	No	
173	Bulkhead with Opal Bowl Lens	No	
174	Bulkhead with Prismatic Lens	No	
175	Bulkhead with Flat Opal Bowl Lens	No	
176	Highbay light fitting mercury vapour	No	
177	Econobay light fitting mercury vapour	No	
178	Oddey Series light fitting 125w	No	
179	125w MV globes ES	No	
180	400W Floodlight Cool White	No	
181	USB (A + C) Combo Socket 4 x 4 with Graphite Cover plate (Bag)	No	
182	10mm x 2Core Airdac Cable + 2 Comms	M	
183	8" ball fitting light with porcelain gallery and lamp holder	No	
184	6" ball fitting light with porcelain lamp holder and gallery	No	
185	Down light fitting(50w)	No	
186	50w globes	No	
187	8w fluorescent tubes	No	

188	1.2m x 36w double fluorescent fitting with louver (electronic ballast).	No	
189	1.2m x 36w double fluorescent fittings diffuse (electronic ballast).	No	
190	1.2m x 3x 36w fluorescent fittings louvers with electronic ballast (Energy saver).	No	
191	1.2mx 4 x 36w fluorescent fittings diffuse with electronic ballast (Energy savers).	No	
192	Fluorescent fittings LED Channel Fitting1500mm	No	
193	Fluorescent fittings LED Channel Fitting1200mm	No	
194	LED Fluorescent Tube 1200mm	No	
195	LED Fluorescent Tube 1500mm	No	
196	Down light fitting 2 x 18w	No	
197	Down light fitting 2 x 9w	No	
198	16A daylight switch National	No	
199	16A day light switch Roy Thompson	No	
200	1.5mm2 PVC red wire roll	M	
201	1.5mm2 PVC black wire roll	M	
202	1.5mm2 PVC blue wire roll	M	
203	1.5mm2 PVC green & yellow earth wire	M	
204	1.5mm2 PVC bare copper wire	M	
205	2.5mm2 PVC red wire roll	M	
206	2.5mm2 PVC black wire roll	M	
207	2.5mm2 PVC blue wire roll	M	
208	2.5mm PVC green & yellow wire roll	M	
209	4mm2 PVC red PVC wire roll	M	
210	4mm2 PVC black wire roll	M	
211	4mm2 PVC green & yellow wire roll	M	

212	6mm2 PVC red wire roll	M	
213	6mm2 PVC black wire roll	M	
216	6mm2 PVC green & yellow wire roll	M	
217	10mm2 PVC black wire roll	M	
218	10mm2 PVC red wire roll	M	
219	10mm2 PVC green & yellow.	M	
220	Cabtyre – 1.5mm 3 Core Black / 100m	No	
221	Cabtyre – 2.5mm 3 Core Black / 100m	No	
222	Cabtyre – 2.5mm 5 Core Black / 100m	No	
223	1.2m blank double fluorescent fitting	No	
224	1.5m blank double fluorescent fitting	No	
225	1.2m blank single fluorescent fitting	No	
226	1.5m blank single fluorescent fitting	No	
227	Ecolight T5/28w electronic adaptor with wing (energy saver fittings)	No	
228	Ecolight T5/28 electronic adaptor without wing (energy saver fittings)	No	
229	Ecotube 28w/840	No	
230	Ecolight T	No	
231	Ecolight T5/35w electronic adaptor fitting with wing	No	
233	Ecolight T5/14w electronic adaptor fitting with wing	No	
234	Ecolight T5/14w electronic adaptor fitting without wing	No	
235	Ecotube 35w	No	
237	Ecotube 14w	No	
238	6way industrial DB board	No	
239	8way industrial DB board	No	

240	10way industrial DB board	No	
241	12way industrial DB board	No	
242	18way industrial DB board	No	
243	20 way industrial DB board	No	
244	24way industrial DB board	No	
245	24way distribution board flush type (samitte)	No	
246	16A industrial switch plug weather approved	No	
247	20A double industrial isolator weather approved	No	
248	30A double industrial isolator weather approved	No	
249	Screw jet small	No	
250	Screw jet medium	No	
251	Screw jet big	No	
252	16A block connector	No	
253	20A block connector	No	
254	30A block connector	No	
255	60A Three Phase Isolator 5ka	No	
256	100A Three Phase Isolator 5ka	No	
257	12 Mode Distribution Box	No	
258	20mm PVC Pipe	No	
260	Inspection Box Cover	No	
261	Cable Entrance	No	
262	Double Switch Plug Crabtree 4x4 (100mm x 100mm)	No	
263	24 Mode DB Flush	No	
264	63A Main Switch 5ka (Three Phase)	No	

265	Earth Spike	No	
266	24 Mode DB Flush	No	
267	6 Mode Distribution Box	No	
268	Day Light Switch	No	
269	25mm Coupling PVC	No	
270	Tree Lever Switch	No	
271	4x4 York Box or Weatherproof	No	
272	30A Stove Isolator	No	
273	Surge Protective Device	No	
274	Box Ram Set 6mm x 35mm	No	
275	4 2 Power Skirting White	No	
276	Tee Ester Oak for two Compartments	No	
277	Bamba Strips	No	
278	320mm x 4.7mm Cable Ties	No	
279	320mm x 4.7mm Cable Ties	No	
280	320mm x 4.7mm Cable Ties	No	
281	Under and Over Voltage Relay 380V	No	
282	380V Contactor	No	
283	100mm x 100mm York Box	No	
284	PVC Trunking 16mm x 16mm	No	
285	6mm x 35mm Ramset	No	
286	150mm Watertight Fitting	No	
287	11w BC Energy Saver	No	
288	Fluorescent Ballast for 1.5m Fluorescent Fitting	No	

289	25mm Hole Saw	No	
281	20mm Hole Saw	No	
290	5KA Circuit Breaker 60A CBI	No	
291	M5 x 25mm Steel Screws	No	
293	Four Lever Switch (Crab Tree)	No	
294	85W Energy Saver GES	No	
295	220V Contactor	No	
296	4 x 2 Blank Switch Cover	No	
297	20mm PVC Pipes	No	
298	Hand Dryer (Automatic Electrical Connected)	No	
299	Recessed Downlight	No	
300	6 Mode D. B	No	
301	GU10 220v 6w LED globes.	No	
302	GU10 220v 10w LED globe.	No	
303	100w LED flood light fitting.	No	
304	250w LED flood light fitting.	No	
305	100w LED Highbay light fitting.	No	
306	16A three lever switch plus cover.	No	
307	200w LED High mast floodlight fittings.	No	
308	Three phase Contactor 11kw 220v coil complete.	No	
309	Contactors Thermal overload relay, TeSys LRD, 23...32 A, class 10A	No	
310	Three phase Contactor 11kw 220v coil complete.	No	
311	Contactors Thermal overload relay, TeSys LRD, 23...32 A, class 10A	No	
312	220V 25A 50/60HZ Coil Normally Open 3 Pole AC Contactor	No	

313	Enclosed DOL starter – 9 A – 230 V AC coil – Schneider Electric	No	
314	24HR 3MOD Analog Timer Switch NO Reserve EH110	No	
315	11w Edison Screw energy saver globes.	No	
315	11w BC energy saver globes.	No	
316	100w DTR bulkhead light fitting.	No	
317	Recessed double T8 LED light fittings 1.2m x 600 x 3 lamps.	No	
319	Surface double T8 bevelled edge 2 x 36w LED light fitting.	No	
320	LED Dust proof fittings 600mm x 20w.	No	
321	LED dust proof fittings 1200mm x 40w.	No	
322	LED dust proof fittings 1500mm x 60w.	No	
323	10w LED flood light fitting.	No	
324	20w LED flood light fitting.	No	
325	50w LED flood light fitting.	No	
326	400w LED Flood Lights	No	
327	600W Solar Flood Lights	No	
328	7w energy saver two pin CFL globes.	No	
329	9w energy saver two pin CFL globes.	No	
330	18w energy saver two pin CFL globes.	No	
331	26w energy saver two pin CFL globes.	No	
332	5w LED Edison Screw globes.	No	
333	5w LED BC globes.	No	
334	13w energy save two pin CFL globes.	No	
335	1,5m x 2x22w LED channel.	No	
336	1.2m x 2x18w LED channel.	No	

338	1.2m x 18w LED T8 fluorescent tube G13.	No	
339	1.5m x 22w LED T8 fluorescent tube G13.	No	
340	200A 3 Pole Circuit Breaker 35A	No	
341	150A 3 Pole Circuit Breaker 25A	No	
342	16A Pull Switch	No	
343	2,5mm Silicon Wire	No	
344	Scosh Cust Joint A1	No	
345	Scosh Cust Joint A2	No	
346	Scosh Cust Joint A3	No	
347	2.5mm x 4core surfix cable round white in colour SANS Approved.	M	
348	3m fibreglass pole, with mounted circuit breaker complete.	No.	
350	40w LED light fitting head	No.	
351	4mm x 4core surfix cable round white in colour SANS approved	M	
352	25A daylight switch equivalent to National daylight switch	No.	
353	20A 6kA circuit breaker CBI	No.	
354	3m double compartment power skirting royal oak complete with cover	No.	
355	Double compartment Royal Oak end cap	No.	
356	Power skirting cover plate 4x2 Royal Oak	No.	
357	4x2 ordinary Power skirting plug	No.	
358	4x2 dedicated power skirting plug	No.	
359	Power skirting ZEZ clips	No.	
360	Double external elbow power skirting Royal Oak	No.	
361	Double internal elbow power skirting Royal Oak	No.	
362	3m x 16mm x 25mm PVC trunking	No.	

363	63A 3kA earth leakage protection unit	No.	
364	8mm x 80mm easy-drive screws	No.	
365	P2000 steel 5m x 40mm x 40mm including covers	No.	
366	2.5mm x 4core suffix cable (4+E)	M	
367	4mm x 4core suffix cable (4+E)	M	
368	2,5mm x 4core suffix cable round <i>white in colour</i> SANS Approved	M	
369	3m fiberglass pole, with mounted circuit breaker complete	No.	
370	40w LED light fitting head.	No.	
371	4mm x 4core suffix cable round white in colour SANS Approved	M	
372	25A daylight switch equivalent to National day light switch	No.	
373	2,5mm -10mm connector block 10 PCS	No.	
374	Insulation Tape red	No.	
375	Insulation Tape blue	No.	
376	Insulation Tape white	No.	
377	Insulation Tape black	No.	
378	220v contactor coil complete	No.	
379	20A 6kA circuit breaker CBI	No.	
380	20mm Bosal conduit pipe	No.	
381	20mm Galvanized hospital saddles	No.	
382	20mm bosal female adaptors	No.	
383	20mm Bosal couplings	No.	
384	Onestro FB-SPU-5S Aluminum 3 module Pop-Up floor socket	No.	
385	100 x 50mm x3m metal trunking and cover	No.	
386	90° Bosal conduit bend	No.	

387	25KA x 150A Triple Pole Circuit Breaker	No	
388	63A x 6KA Triple Pole Circuit Breaker	No	
389	2.5mm x 30m x 3 Core Extension (Roller)	No	
390	Armoured Cable 10mm x 4 Core	No	
391	Armoured Cable 6mm x 4 Core	No	

SUPPLY AND DELIVERY OF PLUMBING MATERIAL

ITEM NO	DESCRIPTION	UOM	UNIT PRICE
1	Male adapter 15mm copper	No	
2	Coupling 15mm	No	
3	Reducing coupling 22mm-15mm	No	
4	Male elbow 15mm	No	
5	PVC Plugs 15mm	No	
6	Female elbow 15mm	No	
7	Tee Copper 22mm	No	
8	Elbow Copper 15mm	No	
9	Male Elbows 22mm	No	
10	Tee Reducer 22mm x 15mm	No	
11	Reducing Tee 22mm x 15mm	No	
12	Corner Tee 15mm	No	
13	Female Adapter 22mm	No	
14	Female Corner 15mm	No	

15	Male Adapter 22mm	No	
16	Flexi Connector 15mm	No	
17	Copper Pipe 22mm x 6m	M	
18	Copper Pipe 15mm x 6m	M	
19	Copper Connector 15mm	M	
20	Galvanised Pipe 15mm x 6m	M	
21	Galvanised Pipe 20mm x 6m	M	
22	Galvanised Pipe 25mm x 6m	M	
23	Galvanised Pipe 50mm x 6m	M	
24	Stop Cork/Wheel Valve 15mm	No	
25	Stop Cork/Wheel Valve 20mm	No	
26	Stop Cork/Wheel Valve 40mm	No	
27	Stop Cork/Wheel Valve 50mm	No	
28	J and J Coupling 90mm	No	
29	J and J Coupling 110mm	No	
30	J and J Coupling 160mm	No	
31	Garden Tap 15mm High Quality	No	
32	Garden Tap 20mm High Quality	No	
33	Reduce bush Galvanised 80mm x 50mm	No	
34	Reduce bush Galvanised 15mm x 20mm	No	
35	Reduce bush Galvanised 40mm x 32mm	No	
36	Reduce bush Galvanised 50mm x 25mm	No	
37	Toilet Seat Cover Hard Wood All Colours	No	
38	Female Elbow 15mm	No	

39	Female Tee 15mm	No	
40	Foot Valve 32mm x 40mm	No	
41	None Return Valve 50mm	No	
42	None Return Valve 40mm	No	
43	None Return Valve 32mm	No	
44	None Return Valve 25mm	No	
45	None Return Valve 20mm	No	
46	Nylon None Return Valve 32mm x 40mm	No	
47	Pillar Tap 15mm	No	
48	Basin Tap 15mm	No	
49	Shower Valve 15mm	No	
50	Galvanised Socket Nipple 20mm	No	
51	Galvanised Valve 50mm	No	
52	Galvanised Valve 20mm	No	
53	Galvanised Valve 20mm	No	
54	Galvanised Valve 15mm	No	
55	Beta Valve 40mm x 25mm	No	
56	Beta Valve 15mm	No	
57	Beta Valve 20mm	No	
58	Galvanised Elbow 100mm	No	
59	Galvanised Elbow 80mm	No	
60	Galvanised Elbow 63mm	No	
61	Galvanised Elbow 50mm	No	
62	Galvanised Elbow 40mm	No	

63	Galvanised Elbow 32mm	No	
64	Galvanised Elbow 25mm	No	
65	Galvanised Elbow 20mm	No	
66	Galvanised Elbow 15mm	No	
67	Master Flow Galvanised Elbow 32mm	No	
68	Master Flow Galvanised Elbow 15mm	No	
69	Master Flow Galvanised Elbow 15mm	No	
70	Holder Bats Nylon 15mm	No	
71	Galvanised Socket 100mm	No	
72	Galvanised Socket 80mm	No	
73	Galvanised Socket 40mm	No	
74	Galvanised Socket 32mm	No	
75	Galvanised Socket 15mm	No	
76	Flush Master 15mm Arm	No	
77	Galvanised Nipple 15mm	No	
78	Galvanised Nipple 20mm	No	
79	Galvanised Nipple 25mm	No	
80	Galvanised Nipple 32mm	No	
81	Galvanised Nipple 40mm	No	
82	Galvanised Nipple 50mm	No	
83	Galvanised Union 63mm	No	
84	Galvanised Union 50mm	No	
85	Galvanised Union 40mm	No	
86	Galvanised Union 15mm	No	

87	Single & double zinc 800mm x 500mm	No	
88	Single & double zinc 1200mm x 500mm	No	
89	Traps 38mm x 38mm High Quality	No	
90	Bath Mixer 15mm High Quality	No	
91	Bath Mixer 20mm High Quality	No	
92	Sink Mixer 15mm High Quality	No	
93	PVC Reducer 50mm x 75mm Cleaning Eye	No	
94	PVC Pipe 50mm x 6m	M	
95	PVC 50mm x 45 Junction/90	No	
96	PVC 50mm T-piece	No	
97	PVC 50mm elbow	No	
98	PVC 50mm IE Bend	No	
99	PVC 50mm Plain Bend	No	
100	PVC 50mm 2Way Vent Valve	No	
101	PVC 110mm left junction with IE	No	
102	PVC 110mm left junction with Plain	No	
103	PVC 110mm right junction with IE	No	
104	PVC 110mm right junction with Plain	No	
105	PVC 50mm IE Y Junction	No	
106	PVC 110mm 2Way Vent Valve	No	
107	PVC 50mm IE bend 90 Degree	No	
108	PVC 110mm Socket-Double	No	
109	PVC 110mm bend 45 Degree	No	
110	PVC 110mm bend IE bend	No	

111	PVC 110mm bend 90 Degree	No	
112	PVC 110mm Gulley Trap	No	
113	PVC 110mm x 6m Waste Pipe	No	
114	PVC 110mm Plain Junction	No	
115	PVC 110mm I.E Junction	No	
116	PVC 110mm Rodding Eye	No	
117	Straight Corner 15mm	No	
118	Straight Corner 20mm	No	
119	PVC Pipe Class A 110mm x 6m	M	
120	PVC Pipe Class A 75mm x 6m	M	
121	PVC Pipe Class A 90mm x 6m	M	
122	Adaptor 50mm x 90mm	No	
123	Adaptor 50mm x 75mm	No	
124	Adaptor 110mm x 75mm	No	
125	Adaptor 110mm x 90mm	No	
126	Female PVC Class A 90 Degree Elbow 110mm	No	
127	Female PVC Class A 90 Degree Elbow 90mm	No	
128	Female PVC Class A 90 Degree Elbow 75mm	No	
129	Male PVC Class A 90 Degree Elbow 110mm	No	
130	Male PVC Class A 90 Degree Elbow 90mm	No	
131	Male PVC Class A 90 Degree Elbow 75mm	No	
132	Traditional Plumbing Hemp	No	
133	Raw Bolt M6	No	
134	Raw Bolt M8	No	

135	Raw Bolt M10	No	
136	Raw Bolt M12	No	
137	PVC 110mm T Junction	No	
138	PVC 110mm x 45 Degree Bend	No	
139	Waste Fitting 32mm	No	
140	PVC 110mm x 110mm x 50mm Reduce	No	
141	Shower Rose	No	
142	Shower Trap 40mm	No	
143	Cleaning Eye Sables 50mm	No	
144	Cleaning Eye Sables 75mm	No	
145	Chrome Tap 15mm Sink	No	
146	Chrome Tap 20mm Sink	No	
147	Chrome Tap 15mm Basin	No	
148	Chrome Tap 20mm Basin	No	
149	S-Trap 38mm x 40mm	No	
150	P-Trap 38mm x 40mm	No	
151	P-Trap 38mm x 32mm	No	
152	PVC Trap-Combination 40mm	No	
153	Gulley Top Concrete	No	
154	Gulley Head PVC 110mm	No	
155	Gulley Trap	No	
156	Gulley Grid	No	
157	Pan Connector 110mm	No	
158	Flexible Pan Connector 110mm	No	

159	Rubber Cone Inside and Outside	No	
160	Double Trap 40mm	No	
161	PVC 110mm Elbow Bend With IE Vent Horn 50mm x 90 Degree	No	
162	Silicon Sealant White	No	
163	ABC Cover	No	
164	PVC Glue Adhesive	No	
165	Toilet Pan	No	
166	Hand Wash Basin Pedestal	No	
167	Urinal Flat Pan	No	
168	Lower Lever Cistern	No	
169	Single Socket 110mm	No	
170	Sink Waste	No	
171	Pan Seal	No	
172	Manhole Cover and Frame 600mm x 450mm	No	
173	Manhole Cover and Frame 500mm x 450mm	No	
174	Manhole Cover and Frame 200mm x 200mm	No	
175	Poly Pipe (Red) 15mm	No	
176	Poly Pipe (Red) 20mm	No	
177	Aqualock 32mm	No	
178	Aqualock 40mm	No	
179	Aqualock 50mm	No	
180	Aqualock 80mm	No	
181	Aqualock 110mm	No	
182	Aqualock 160mm	No	

183	Aluminum Sockets 50mm	No	
184	Aluminum Sockets 75mm	No	
185	Aluminum Sockets 90mm	No	
186	Aluminum Sockets 110mm	No	
187	Aluminum Sockets 160mm	No	
188	PVC Double Socket Class 9 50mm	No	
189	PVC Double Socket Class 9 75mm	No	
189	PVC Double Socket Class 9 90mm	No	
190	PVC Double Socket Class 9 110mm	No	
191	PVC Double Socket Class 9 160mm	No	
192	Elbow Compression Fitting 15mm	No	
193	Elbow Compression Fitting 22mm	No	
193	Female Compression Fitting 15mm	No	
194	Female Compression Fitting 22mm	No	
195	Male Compression Fitting 15mm	No	
196	Male Compression Fitting 22mm	No	
197	T-Piece Compression Fitting 15mm	No	
198	T-Piece Compression Fitting 22mm	No	
199	Reducing Socket Compression 15mm x 22mm	No	
200	Plason Fitting Elbow 15mm	No	
201	Plason Fitting Elbow 20mm	No	
202	Plason Fitting Elbow 32mm	No	
203	Plason Fitting Elbow 40mm	No	
204	Plason Fitting Elbow 50mm	No	

205	Plason Fitting Male Adaptor 15mm	No	
206	Plason Fitting Male Adaptor 20mm	No	
207	Plason Fitting Male Adaptor 32mm	No	
208	Plason Fitting Male Adaptor 40mm	No	
209	Plason Fitting Male Adaptor 50mm	No	
210	Plason Fitting Female Adaptor 15mm	No	
211	Plason Fitting Female Adaptor 20mm	No	
212	Plason Fitting Female Adaptor 32mm	No	
213	Plason Fitting Female Adaptor 40mm	No	
214	Plason Fitting Female Adaptor 50mm	No	
215	Plason Fitting Straight Coupling 15mm	No	
216	Plason Fitting Straight Coupling 20mm	No	
217	Plason Fitting Straight Coupling 32mm	No	
218	Plason Fitting Straight Coupling 40mm	No	
219	Plason Fitting Straight Coupling 50mm	No	
220	Female Elbowplason Fitting 15mm	No	
221	Female Elbow Plason Fitting 20mm	No	
222	PVC Class 12 Pipe 32mm x 6m	No	
223	PVC Class 9 Pipe x 6m 50mm	No	
224	PVC Class 9 Pipe x 6m 75mm	No	
225	PVC Class 9 Pipe x 6m 90mm	No	
226	PVC Class 9 Pipe x 6m 110mm	No	
227	PVC Class 9 Pipe x 6m	No	
228	PVC Class 9 Elbow 50mm	No	

229	PVC Class 9 Elbow 75mm	No	
230	PVC Class 9 Elbow 90mm	No	
231	PVC Class 9 Elbow 110mm	No	
232	PVC Class 9 Elbow 160mm	No	
233	M&F Reducing Socket 50mm x 75mm	No	
234	Class 9 M&F Reducing Socket 50mm x 75mm	No	
235	Class 9 M&F Reducing Socket 75mm x 90mm M&F Reducing Socket	No	
236	Class 9 M&F Reducing Socket 90mm x 110mm	No	
237	Class 9 M&F Reducing Socket 110mm x 160mm	No	
238	Class 9 M&F Reducing Socket 110mm x 75mm	No	
239	Class 9 M&F Reducing Socket 90mm x 50mm	No	
240	PVC Class 12 Pipe 40mm x 6m	No	
241	PVC Class 12 Pipe 50mm x 6m	No	
242	Ceramic Cistern Kits Complete	No	
243	Coupled Closet Toilet Set	No	
244	Cistern Float Valve	No	
245	Cistern Ball Valve	No	
246	Beta Valve Kits 32mm	No	
247	Beta Valve Kits 40mm	No	
248	Vacuum Breaker Compression Fitting 22mm	No	
249	Latco Acetal Pressure Control Valves	No	
250	Latco Quadro Pressure Control Valve	No	
251	Master Flow Valve 400kpa	No	
252	PVC Cement Glue 500g	No	

253	Urinal Master Flow	No	
254	Sink Mixer 15mm	No	
255	Sink Mixer Elbow Action 15mm	No	
256	Wheel Valve 80mm	No	
257	Wheel Valve 110mm	No	
258	Basket Steiner Waist 32mm	No	
259	PVC Reducing Junction Single Plain 110 X 50mm Sw40	No	
260	Wheel Valve 80mm	No	
261	Wheel Valve 110mm	No	
262	Wheel Valve 160 mm	No	
263	Tap Washer 15mm	No	
264	Tap Washer 20mm	No	
265	Tap Washer 25mm	No	
266	Basin Fixed Bolts	No	
267	Reducing Bush Galvanised 15mm X 20mm	No	
268	Reducing Bush Galvanised 20mm X 25mm	No	
269	Reducing Bush Galvanised 25mm X 32mm	No	
270	Reducing Bush Galvanised 32mm X 40mm	No	
271	Reducing Bush Galvanised 40mm X 50mm	No	
272	Reducing Bush Galvanised 50mm X 80mm	No	
273	PVC Saddle 75mm X 20mm	No	
274	PVC Saddle 90mm X 50mm	No	
275	PVC Saddle 110mm X 520mm	No	
276	PVC Saddle 160mm X 50mm	No	

277	PVC Saddle 50mm X 20mm	No	
278	Soldering Wire	No	
279	Soldering Flux	No	
280	Gas Cartridge	No	
281	Urinal Flush Master	No	
282	Toilet Flush Master	No	
283	P-Trap 38mm X 38mm	No	
284	S-Trap 38mm X 38mm	No	
285	P-Trap 32mm X 38mm	No	
286	P-Trap 32mm X 38mm	No	
287	PVC Socket 50mm	No	
288	15mm Copper Tee	No	
289	22mm Straight Coupling Female Conex	No	
290	110mm Flexible Pan Connectors PVC	No	
291	Toilet Cistern Bottom Inlet (White)	No	
292	15mm Straight Coupling Male Conex	No	
293	Paraplegic Toilet + Cistern Complete	No	
294	Cistern Kit 15mm Bottom Inlet	No	
295	15mm Straight Coupling Male Conex	No	
296	50mm X 40mm PVC Straight Male Adaptors	No	
297	22mm Copper Holder Bats	No	
298	15mm Copper Holder Bats	No	
299	15mm Extension Piece	No	
300	15mm Extension Piece	No	

301	45-55mm Cascade Clamp	No	
302	69-76mm Cascade Clamp	No	
303	95-104mm Cascade Clamp	No	
303	22mm Straight Coupling Male Conex	No	
304	22mm Straight Coupling Female Conex	No	
305	Basin Chain and 32mm Plug	No	
306	20mm Galvanised T- Piece	No	
307	15mm Basin Sint Press Tap	No	
308	15mm Zink Sint Press Tap	No	
309	100 KPA Latco Valve	No	
310	100 mm x 100mm Equal Cross Flanged All Sides and Enamelled.	No	
311	12mm x 60mm Bolts with Spring Washers Zink Plated	Kg	
312	110mm Resilient Seal Gate Valves.	No	
313	90mm Resilient Seal Gate Valves.	No	
314	75mm SG Iron Repair Coupling.	No	
315	110mm x 90mm Male/Female Reducer (Spigot and Socket) Long Type.	No	
316	110mm x 75mm Male/Female Reducer (Spigot and Socket) Long Type.	No	
317	110mm x 50mm Male/Female Reducer (Spigot and Socket) Long Type.	No	
318	90mm x 75mm Male/Female Reducer (Spigot and Socket) Bush.	No	
319	1m x 3m Rubber Packing.	No	
310	Stop End Plug Male 15mm	No	
311	Stop End Plug Female 15mm	No	
312	Stop End Plug Male 20mm	No	
313	Stop End Plug Female 20mm	No	

314	White Duroplast standard toilet seat	No	
315	15mm Junior Urinal Flush Master	No	
316	Urinal Spreader and Flush pipe	No	
317	Cistern Mechanism Top Flush	No	
318	Cistern Handle for Toilets	No	
319	25mm x 20mm Galv reducing Bush	No	
320	Pan Seal Ring	No	
321	15mm Spare Ring Compression	No	
322	20mm Spare Ring Compression	No	
323	30cm Long Flexi Connector	No	
324	30cm Long Male and Female Flexi Connector	No	
325	40cm Long Male and Female Flexi Connector	No	
326	40cm Long Flexi connector	No	
327	15mm Copper Saddle	No	
328	20mm Copper Saddle	No	
329	20mm J and J Coupling	No	
330	25mm J and J Coupling	No	
331	32mm J and J Coupling	No	
332	40mm J and J Coupling	No	
333	50mm J and J Coupling	No	
334	15mm Shower Rose	No	
335	15mm Shower Arm	No	
336	50mm Shower Trap	No	
337	20mm Galvanised Union	No	

338	32mm Galvanised Union	No	
339	15mm Galvanised Plug	No	
310	20mm Galvanised Plug	No	
311	32mm Galvanised Plug	No	
312	40mm Galvanised Plug	No	
313	50mm Galvanised Plug	No	
314	80mm Galvanised Plug	No	
315	40mm Sink Waste	No	
316	32mm Basin Waste	No	
317	32mm Urinal Waste	No	
318	40mm Urinal Waste	No	
319	32mm Bottle Trap	No	
320	40mm Bottle Trap	No	
321	40mm x 20mm Galvanised Reduce bush	No	
322	50mm x 32mm Galvanised Reduce bush	No	
323	32mm x 20mm Galvanised Reduce socket	No	
324	32mm Male adaptor nylon	No	
325	32mm Female T-Piece nylon	No	
326	Class 10 x 32mm x 250m roll	No	
327	32mm Male elbow plason	No	
328	32mm T-Piece plason	No	
329	25mm Male adaptor compression	No	
330	25mm Elbow plason compression	No	
331	25mm Female adaptor plason compression	No	

332	25mm Male adaptor plason compression	No	
333	25mm Stop cork PVC	No	
334	25mm x 50m x Class 10 PVC pipe	No	
335	22mm Elbow plate compression fitting	No	
336	6mm x 80mm fisher plugs	No	
337	Screw clamp	No	
338	300mm Cable tie packet of 100	No	
339	Geyser Packing Edge	No	
340	50L SABS High Quality Geyser Complete with Accessories	No	
341	100L SABS High Quality Geyser Complete with Accessories	No	
342	150L SABS High Quality Geyser Complete with Accessories	No	
343	200L SABS High Quality Geyser Complete with Accessories	No	
344	40mm flexible connector	No	
345	2 500L Black Septic tank	No	
346	5 000L Black Septic tank	No	
437	5 000L Vertical water storage tank equivalent to Jojo tank	No	
348	10 000L Vertical water storage tank equivalent to Jojo tank	No	
349	1.5kw 220V Centrifugal Pressure pump	No	
350	0.75kw 220V Centrifugal Pressure pump	No	
351	32mm x 20mm Galvanized reduce bush	No	
352	32mm Waste	No	
353	110mm Plain elbow 90°	No	
354	110mm Elbow with IE and 50mm vent horn	No	
355	110mm PVC Y- junction to right	No	

356	32mm x 50mm P-trap	No	
357	50mm Elbow 90°PVC	No	
358	Lockable toilet paper holder	No	
359	0,75KW Pressure Pump	No	
360	0,37KW Pressure Pump	No	
361	Hacksaw Blade	No	
362	22mm Poly Copper Pipe 100m	No	
363	110mm x 50mm T-Piece Junction Surface	No	
364	25mm Female Coupling Plasson Elbow Compression	No	
365	40mm x 25mm Plasson Male Coupling Compression	No	
366	40mm Beta Valve	No	
367	40mm Female Plasson Elbow Compression	No	
368	40mm Male Plasson Elbow Compression	No	
369	40mm Plasson Male Coupling Compression	No	
370	15mm Male adaptor compression brass	No	
371	22mm Wheel valve compression	No	
372	15mm Brass Tee compression	No	
373	22mm Brass Female adaptor compression	No	
374	15mm Female adaptor brass compression	No	
375	15mm Straight couple compress	No	
376	22mm Straight couple compression brass	No	
377	110mm x 110mm x 110mm Junction with access	No	
378	110mm Acentric junction	No	
379	Bath waste 40mm	No	

380	Bath trap	No	
381	40mm Basin waste	No	
382	40mm Plasson Class 10 Pipe 100m	No	
383	SDS Drill Bit 8mm x 110mm	No	
384	SDS Drill B4 16mm x 260mm	No	
385	450mm x 600mm Manhole Cover	No	
386	15mm Angle Valve	No	
387	22mm Beta Valve Compression	No	
388	22mm Beta Valve	No	
389	22mm Connex Elbow	No	
390	P-Trap 32mm x 40mm	No	
391	P-Trap 38mm x 40mm	No	
392	110mm PVC elbow 90°	No	
393	110mm PVC Bend 45° underground	No	
394	Float valve 50mm pipe	No	
395	1700mm x 800mm White fibre oval bathtub	No	
396	1800mm x 800mm White fibre standard bathtub	No	
397	S-Trap 40mm x 40mm	No	
398	P-Trap 40mm x 40mm	No	
399	P-Trap 15mm	No	
400	15mm Tap extension	No	
401	50mm Elbow IE	No	
402	50mm Bend 45°	No	
403	22mm Bib Tap	No	

404	20mm Bib Tap	No	
405	15mm Coupling connex	No	
406	15mm Elbow connex	No	
407	15mm T-Piece	No	
408	15mm Female coupling Conex	No	
409	15mm Aqua lock galvanised equivalent to Jonson Aqua lock	No	
410	22mm Aqua lock galvanised equivalent to Jonson Aqua lock	No	
411	22mm Elbow Conex	No	
412	15mm Male coupling Conex	No	
413	50mm PVC Female socket	No	
414	110mm Socket equivalent to Kimberly socket	No	
415	50mm 90° Bend plain	No	
416	20mm Joint equivalent to Jonson joint	No	
417	Fixed manual Fire Hose Reel 25mm(diameter) x 30m(length) Hose	No.	
418	PVC UG Pipe 160mm x 6m Plain Normal Duty 100kPa	No	
419	PVC UG Socket 160mm Double S/Weld	No	
420	PVC UG Bend 160mm x 45 Plain Short 1/8 Moulded RR	No	
421	PVC UG Junction 160 x 45 Access Left Fabricated S/Weld	No	
422	Junction PVC Marley UG Single Reducing 160mm x 110mm 1/8 (45 Deg) IE	No	
423	Water Purification Tablets/10	No	
424	Flexible 80mm Suction Helix Hose Pipe	No	
425	Flexible 50mm Suction Helix Hose Pipe	M	
426	Aquamat high pressure Descaler Crystal, Maximum Pressure of 5.8 bar with 5 – 7 kg of crystals	M	
427	Builders Shower Tray Square Floor Pan STM14 - White	No	

428	Builders Corner Entry Shower Enclosure Chrome 885 x 885 mm	No	
429	Shower Semi Frameless Pivot Door Chrome 1000 x 1000 x 1900mm	No	
430	Urinal Flush Master 22mm	No	
431	Urinal Flush Master 15mm	No	
432	Toilet Flush Master 22mm	No	
433	Rothenberg Multi Gas 300	No	
434	Copper Ring Seal 32mm	No	
435	Copper Ring Seal 40mm	No	
436	Waterproof Tape Roll	No	
437	Space Saving Trap for Triple Bowls	No	
438	Sink Mixer O Ring	No	
439	WS 90 Basket Strainer	No	
440	Prately Steel Quick Set	No	
441	Kitchen Sink Mixer Tap Head Cover	No	
	SUB TOTAL		
	VAT		
	GRAND TOTAL		

NB : (i) THE SERVICE PROVIDER MUST PROVIDE ON BUILDING, ELECTRICAL AND PLUMBING MATERIAL ITEMS NOT MENTIONED ON THE MATERIAL LIST AT MARK-UP OF NO GREATER THAN 15%.

(ii) RATE PRICES ARE INCLUSIVE OF TRANSPORTATION COST.

(iii) RATE PRICES ARE INCLUSIVE OF OFFLOADING COST.

(iv) RATE PRICES ARE EXCLUSIVE OF VAT

(v) ALL MATERIAL TO BE SABS COMPLIANT

(vi) 2nd and 3rd Years Prices to be increased by the CPI approved by National Treasury for the particular year.

PRICE SCHEDULE

FORM OF TENDER / OFFER

The offered total price (inclusive or exclusive) of value added tax is (contact price)

Price in words
.....

Price in figures R
VAT

GRAND TOTAL

Signed:.....

Bidder:.....

Capacity:.....



LIMPOPO

PROVINCIAL GOVERNMENT
REPUBLIC OF SOUTH AFRICA

DEPARTMENT OF PUBLIC WORKS, ROADS & INFRASTRUCTURE

**SUPPLY, DELIVERY AND OFF-LOADING
OF BUILDING MATERIAL FOR ALL FIVE
DISTRICTS AT THE DEPARTMENT OF
PUBLIC WORKS, ROADS AND
INFRASTRUCTURE FOR A PERIOD OF 36
MONTHS (WATERBERG DISTRICT)**

SUPPLY AND DELIVERY OF BUILDING MATERIAL

ITEM NO	DESCRIPTION	UOM	UNIT PRICE
1	52.5 Ordinary Portland Cement SABS Approved in bags of 50kg	No	
2	42.5 Ordinary Portland Cement SABS Approved in bags of 50kg	No	
3	32.5 Ordinary Portland Cement SABS Approved in bags of 50kg	No	
4	110mm x 40m x 375micron DPC SABS	No	
5	225mm x 40m x 375micron DPC SABS	No	
6	75mm x 2.8mm x 20m Roll Brick Force.	No	
7	150mm x 2.8mm x 20m Roll Brick Force.	No	
8	Welded Mesh Ref 193 (200 x 200 x 5.6mm) 6m x 2.4m	No	
9	Welded Mesh Ref 395 (200 x 200 x 6.3mm) 6m x 2.4m	No	
10	Welded Mesh Ref 245 (200 x 200 x 8.0mm) 6m x 2.4m	No	
11	3.15mm Galvanised Wire	Kg	
12	4mm Galvanised Wire	Kg	
13	2032mm x 1613mm x 115mm x 1.2mm Heavy Duty Steel Door Frames	No	
14	2032mm x 813mm x 115mm x 1.2mm Heavy Duty Steel Door Frames	No	
15	2032mm x 760mm x 115mm x 1.2mm Heavy Duty Steel Door Frames	No	
16	2032mm x 900mm x 115mm x 1.2mm Heavy Duty Steel Door Frames (Suitable for disabled toilet)	No	
17	Mutual DS3 CAT2 Strongroom door and frame 775mm x 1875mm with a mass of 380kg	No	
18	NE1 Heavy Duty Steel Window Frame (F7).	No	
19	NE2 Heavy Duty Steel Window Frame (F7).	No	
20	NE4 Heavy Duty Steel Window Frame (F7).	No	
21	TD75 Heavy Duty Steel Window Frame (F7).	No	
22	TD678 Heavy Duty Steel Window Frame (F7).	No	

23	TD57S5 Heavy Duty Steel Window Frame (F7).	No	
24	TD57S8 Heavy Duty Steel Window Frame (F7).	No	
25	TD678 Heavy Duty Steel Window Frame (F7).	No	
26	NCT1S Heavy Duty Steel Window Frame (F7).	No	
27	ND2 Heavy Duty Steel Window Frame (F7).	No	
28	ND4 Heavy Duty Steel Window Frame (F7).	No	
29	NE8 Heavy Duty Steel Window Frame (F7).	No	
30	NG2 Heavy Duty Steel Window Frame (F7).	No	
31	ND512 Heavy Duty Steel Window Frame (F7).	No	
32	ND11F Heavy Duty Steel Window Frame (F7).	No	
33	ND54 Heavy Duty Steel Window Frame (F7).	No	
34	NC4 Heavy Duty Steel Window Frame (F7).	No	
35	SAP Timber Branderings Grade 4 (Red Cross) SABS Approved 5.4m x 38mm x 38mm	M	
36	SAP Timber Branderings Grade 4 (Red Cross) SABS Approved 4.5m x 38mm x 38mm	M	
37	SAP Timber Branderings Grade 4 (Red Cross) SABS Approved 3.6m x 38mm x 38mm	M	
38	SAP Timber Purlins Grade 4 (Red Cross) SABS Approved 6m x 76mm x 50mm	M	
39	SAP Timber Purlins Grade 4 (Red Cross) SABS Approved 5.4m x 76mm x 50mm	M	
40	SAP Timber Purlins Grade 4 (Red Cross) SABS Approved 4.5m x 76mm x 50mm	M	
41	SAP Timber Purlins Grade 4 (Red Cross) SABS Approved 3.6m x 76mm x 50mm	M	
42	SAP Timber Rafter Grade 4 (Red Cross) SABS Approved 6m x 114mm x 38mm	M	
43	SAP Timber Rafter Grade 4 (Red Cross) SABS Approved 5.4m x 114mm x 38mm	M	
44	SAP Timber Rafter Grade 4 (Red Cross) SABS Approved 4.5m x 114mm x 38mm	M	
45	SAP Timber Rafter Grade 4 (Red Cross) SABS Approved 3.6m x 114mm x 38mm	M	
46	SAP Timber Wall Plate Grade 4 (Red Cross) SABS Approved 6m x 76mm x 38mm	M	

47	SAP Timber Wall Plate Grade 4 (Red Cross) SABS Approved 5.4m x 76mm x 38mm	M	
48	SAP Timber Wall Plate Grade 4 (Red Cross) SABS Approved 4.5m x 76mm x 38mm	M	
49	SAP Timber Wall Plate Grade 4 (Red Cross) SABS Approved 3.6m x 76mm x 38mm	M	
50	SAP Timber Rafters Grade 4 (Red Cross) SABS Approved 6m x 152mm x 50mm	M	
51	SAP timber Grade 4 (Red Cross) SABS 38mm x 152mm x 6m	M	
52	SAP Timber Grade 4 (Red Cross) SABS 38mm x 152mm x 4m	M	
53	SAP Timber Grade 4 (Red Cross) SABS 38mm x 220mm x 4m	M	
54	SAP Timber Grade 4 (Red Cross) SABS 38mm x 152mm x 3.6m	M	
55	Everite Nutec Ceiling Board 3.6m x 1.2m x 4mm	No	
56	Everite Nutec Ceiling Board 3.0m x 1.2m x 4mm	No	
57	Everite Nutec Ceiling Board 2.4m x 1.2m x 4mm	No	
58	Everite Nutec Ceiling Board 3.6m x 900mm x 4mm	No	
59	Everite Nutec Ceiling Board 3.0m x 900mm x 4mm	No	
60	Everite Nutec Ceiling Board 2.46m x 900mm x 4mm	No	
61	Nutec Facia Board 250mm x 8mm x 3m	No	
62	Nutec Barge Board 250mm x 8mm x 3m	No	
63	Nutec Facia Board Pressed Steel Joints	No	
64	Nutec Barge Board Pressed Steel Joints	No	
65	Nutec Corner Pressed Steel Joints	No	
66	H Type Pressed Steel Cover Strips 3.6m	No	
67	H Type Pressed Steel Cover Strips 3.0m	No	
68	H Type Pressed Steel Cover Strips 2.4m	No	
69	Coved Cornice 6m x 76mm x 19mm	No	

70	Coved Cornice 4.2m x 76mm x 19mm	No	
71	Coved Cornice 3.m x 76mm x 19mm	No	
72	Coved Cornice 3.6m x 76mm x 19mm	No	
73	Coved Cornice 3m x 76mm x 19mm	No	
74	Steel Trap Door 610mm x 610mm	No	
75	Hardwood Meranti Skirting 6m x 75mm x 19mm	No	
76	Hardwood Meranti Skirting 4.2m x 75mm x 19mm	No	
77	Hardwood Meranti Skirting 3.6m x 75mm x 19mm	No	
78	Hardwood Meranti Quateround 6m x 75mm x 19mm	No	
79	Hardwood Meranti Quateround 4.2m x 75mm x 19mm	No	
80	Hardwood Meranti Quateround 3.6m x 75mm x 19mm	No	
81	2032mm x 813mm Sapele Heavy Duty Internal Solid Doors	No	
82	2032mm x 760mm Sapele Heavy Duty Internal Solid Doors	No	
83	2032mm x 900mm Sapele Heavy Duty Internal Solid Doors (Suitable for disabled toilet)	No	
84	2032mm x 813mm Framed, Legged, Braced, Back Flush External Meranti Door.	No	
85	2032mm x 813mm Four Panel Meranti External Door	No	
86	1436mm x 2032mm External Meranti Double Doors Concealed Hardware Edges	No	
87	1830mm x 2750mm x 16mm White Melamine Chip Board.	No	
88	1830mm x 2750mm x 16mm Red Oak Chip Board.	No	
89	1830mm x 2750mm x 16mm White Oak Chip Board.	No	
90	1830mm x 2750mm x 16mm Mahogany Chip Board.	No	
91	2440mm x 1220mm x 18mm Plywood Board	No	
92	2440mm x 1220mm x 16mm Plywood Board	No	
93	2440mm x 1220mm x 14mm Plywood Board	No	

94	2440mm x 1220mm x 12mm Plywood Board	No	
95	2440mm x 1220mm x 10mm Plywood Board	No	
96	38mm x 228mm x 6m SA Pine Untreated (Timber Beam)	No	
97	Hinges Pot 90 ⁰	No	
98	Hinges Pot 180 ⁰	No	
99	10mm Thick Pastel Base	No	
100	5kg Base Coat	No	
101	5L Key Coat	No	
102	5000mm x 20 mm White Builders Wood PG Edging Roll	No	
103	16mm Veneer Edging in Standard Colours.	No	
104	2400mm x 1200mm x 4mm Thick Brown Masonite Board	No	
105	2400mm x 1200mm x 4mm Thick White Masonite Board	No	
106	Pine Cleats 3000mm x 35mm x 22mm	No	
107	Standard Steel Drawer Locks	No	
108	Standard Drawer Handles	No	
109	300mm Steel Wall Brackets	No	
110	450mm Steel Wall Brackets	No	
111	530mm Steel Wall Brackets	No	
112	600mm Steel Wall Brackets	No	
113	6000mm x 600mm x 32mm Post Form Top (All standard colours).	No	
114	3530mm x 600mm x 32mm Post Form Top (All standard colours).	No	
115	6000mm x 900mm x 32mm Post Form Top (All standard colours).	No	
116	3530mm x 900mm x 32mm Post Form Top (All standard colours).	No	
117	600mm Kitchen Top Steel Jointer.	No	

118	900mm Kitchen Top Steel Jointer.	No	
119	100mm Butt Hinges for Wooden Doors	No	
120	1 200mm x 1 800mm Vitrex Pinning Boards Complete with plugs.	No	
121	1 200mm x 2 400mm Vitrex Pinning Boards Complete with plugs.	No	
122	High Quality 4 Lever Mortice Lock SABS Approved Complete with Handles	No	
123	60mm High Quality Cylinder Lock SABS Approved Complete with Handles in all Standard Colours	No	
124	65mm High Quality Cylinder Lock SABS Approved Complete with Handles in all Standard Colours	No	
125	32mm High Quality Padlock Brass in Colour	No	
126	38mm High Quality Padlock Brass in Colour	No	
127	50mm High Quality Padlock Brass in Colour	No	
128	60mm High Quality Padlock Brass in Colour	No	
129	63mm High Quality Padlock Brass in Colour	No	
130	20L High Quality PVA Paint (All Standard Colours)	No	
131	20L High Quality Eggshell Enamel Paint (All Standard Colours)	No	
132	20L High Quality Roof Paint (All Standard Colours)	No	
133	5L ABE Super Lycryl (All Standard Colours)	No	
134	5L Road Mark High Quality Green Paint	No	
135	5L Bitumen Seal	No	
136	5L Road Mark Quick Dry Reflective Quality Paint (Standard Colours) Suitable for marking on Tar and Paving	No	
137	20L Road Mark High Quality Green Paint	No	
138	5L High Quality Enamel Paint (All Standard Colours)	No	
139	5L PVA Paint (All Standard Colours)	No	
140	20L High Quality Kalahari Colour Paint	No	
141	5L Linseed Oil (All Colours)	No	

142	750ML Linseed Oil (All Colours)	No	
143	5L High Quality Universal Undercoat Paint	No	
144	5L Carbolinium	No	
145	5L High Quality Roof Seal and Mesh Cloth in Standard Colours	No	
146	5L High Quality Damp Seal	No	
147	10m x250mm Laykold Tape Silver Colour	No	
148	10m x 200mm Waterproofing Membrane	No	
149	5L High Quality Brick Dressing	No	
150	2kg Exterior Polly Filler	No	
151	2kg Interior Polly Filler	No	
156	12Kg Exterior Polly Filler	No	
157	12Kg Interior Poly Filler	No	
158	2.5m x75mm Laykold Tape Silver Colour	No	
159	5L High Quality Galvogrip Metal Primer (Steel Primer)	No	
160	5L High Quality Red Oxide Steel Primer	No	
161	5L Turpentine	No	
162	5L Thinners	No	
163	5L Power Paraffin	No	
164	5L Road Mark High Quality White Paint	No	
165	5L Road Mark High Quality Red Paint	No	
166	5L Road Mark High Quality Yellow Paint	No	
167	20L Road Mark High Quality White Paint	No	
168	20L Road Mark High Quality Red Paint	No	
169	20L Road Mark High Quality Yellow Paint	No	

170	1L High Quality Varnish All Standard Colours	No	
171	5L High Quality Varnish All Standard Colours	No	
172	1L High Quality Clear Varnish	No	
173	5L High Quality Clear Varnish	No	
174	20L High Quality Stoep Paint (All Standard Colours)	No	
175	500ml Wood Glue	No	
176	1L Wood Glue	No	
177	5L High Quality Cornice Glue	No	
178	5L Contact Glue	No	
179	12mm High Quality Paint Brush	No	
180	25mm High Quality Paint Brush	No	
181	38mm High Quality Paint Brush	No	
182	50mm High Quality Paint Brush	No	
183	75mm High Quality Paint Brush	No	
184	100mm High Quality Paint Brush	No	
185	225mm Classic Paint Roller Tray Set	No	
186	225mm Morehair Paint Roller Tray Set	No	
187	5L Paint Remover/Stripper	No	
188	Masking Tape 48mm x 50m	No	
189	5L Wood Sealer Paint	No	
190	Industrial Putty Knife Set 25mm	No	
191	Industrial Putty Knife Set 50mm	No	
192	Industrial Putty Knife Set 75mm	No	
193	Stanley Heavy Duty Utility Knife Blades 100-Piece Set	No	

194	788 Instant Front Load Retractable Trimming Knife	No	
195	Mutton Cloth 400g	No	
196	Heavy Duty Paint Drop Sheet 2 x 3m	No	
197	Paint -Zipper Hooded Non-Woven Coverall Polypropylene	No	
198	Extension Pole Paint Roller	No	
199	500g Hand Grit Cleaner	No	
200	100ML Paint Colour Tint Dye (All Standard Colour)	No	
201	Sandpaper Grit50 300mm x 1m Roll	No	
202	Sandpaper Grit80 300mm x 1m Roll	No	
203	5L Wood Primer	No	
204	5L Wood Seal	No	
205	Stone Sealer Gloss Solvent Floor Coating Paint (5 L)	No	
206	A.B.E. Mastic Sealer Epoxy Floor Coating Paint (1000 g)	No	
207	Epoxy Floor Paint Light Grey Epoxy Floor Coating Paint (5 L)	No	
208	Protective Topcoat Clear Epoxy Floor Coating Paint (5 L)	No	
209	20L Plastered Wall Primer	No	
210	Spray Paint Rustol Bathtub and Tile Aerosol White 340 g	No	
211	NFX High Quality Stock Bricks All Standard Stock Bricks) (Per Thousand)	1000	
212	FBS High Quality Face Bricks (All Standard Face Brick Types) (Per Thousand)	1000	
213	110mm x75mm x 1200mm Concrete Lintel	No	
214	110mm x75mm x 1800mm Concrete Lintel	No	
215	110mm x75mm x 2100mm Concrete Lintel	No	
216	140mm x75mm x 1500mm Concrete Lintel	No	
217	140mm x75mm x 2400mm Concrete Lintel	No	

218	140mm x75mm x 2700mm Concrete Lintel	No	
219	140mm x75mm x 3000mm Concrete Lintel	No	
220	Floral Retain Blocks Interlocking 300mm x 410mm x 250mm Grey in Colour	1000	
221	60mm Interlocking Herringbone Type Grey Concrete Paving Bricks	1000	
222	80mm Interlocking Herringbone Type Grey Concrete Paving Bricks	1000	
223	River Sand (High quality well sieved and cleaned)	M ³	
224	Building Sand (High quality well sieved and cleaned)	M ³	
225	Plastering Sand (High quality well sieved and cleaned)	M ³	
226	19mm Grey Crusher Stone, High quality cleaned (Concrete Stones)	M ³	
227	6.7mm Grey Crusher Stone, High quality cleaned (Concrete Stones)	M ³	
228	6mm Grey Crusher Dust, High quality cleaned (Crusher Dust)	M ³	
229	210L Heavy Duty Plastic Drum	No	
230	30m x 20mm Reinforced High Quality Garden Hose Pipe Tap Connector Included.	No	
231	30m x 15mm Reinforced High Quality Garden Hose Pipe Tap Connector Included.	No	
232	200mm x 200mm x 5mm 1 st Grade Shiny and Rough Textured Ceramic Wall Tiles in Standard Colours	M ²	
233	200mm x 300mm x 5mm 1 st Grade Shiny and Rough Textured Ceramic Wall Tiles in Standard Colours	M ²	
234	350mm x 350mm x 8mm 1 st Grade Shiny and Rough Textured Ceramic Floor Tiles in Standard Colours	M ²	
235	408mm x 408mm x 8mm 1 st Grade Shiny and Rough Textured Ceramic Floor Tiles in Standard Colours	M ²	
236	430mm x 430mm x 8mm 1 st Grade Shiny and Rough Textured Ceramic Floor Tiles in Standard Colours	M ²	
237	330mm x 330mm x 10mm High Quality Clay Floor Tiles in Standard Colours	M ²	
238	350mm x 350mm x 10mm High Quality Clay Floor Tiles in Standard Colours	M ²	
239	400mm x 400mm x 10mm High Quality Clay Floor Tiles in Standard Colours	M ²	
240	450mm x 900mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
241	600mm x 600mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
242	800mm x 800mm x 12mm 1 st Grade Fully Polished Rough	M ²	

	Textured Porcelain Floor Tiles in Standard Colours		
243	600mm x 600mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
244	600mm x 1200mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
245	750mm x 1500mm x 12mm 1 st Grade Fully Polished Rough Textured Porcelain Floor Tiles in Standard Colours	M ²	
246	Tile, Floor, vinyl, 2.5mm x 300mm x 300mm	M ²	
247	3mm Tile Spacers	No	
248	5mm Tile Spacers	No	
249	5kg Tile Grout Standard Colours	No	
250	20kg Tile Grout Standard Colours	No	
251	20kg Porcelain tile cement	No	
252	20kg Ceramic Tile Adhesive	No	
253	2500m x 20mm x 7mm PVC Tile Trimmer.	No	
254	2500m x 10mm Alluminium Tile Trimmer.	No	
255	Grout off in 5 litres	No	
256	Tile Bonding Liquid in 5 litres	No	
257	IBR Roof sheeting steel inverted box ribbed, with ribs not less than 30 mm deep and not more than 172 mm centered which has a coating of Z275 and subject to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934 unpacked. 0,58 mm thickness 686 mm effective width: 3,6m long	No	
258	IBR Roof sheeting steel inverted box ribbed, with ribs not less than 30 mm deep and not more than 172 mm centered which has a coating of Z275 and subject to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934 unpacked. 0,58 mm thickness 686 mm effective width: 4,2m long	No	

259	IBR Roof sheeting steel inverted box ribbed, with ribs not less than 30 mm deep and not more than 172 mm centered which has a coating of Z275 and subject to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934 unpacked. 0,58 mm thickness 686 mm effective width: 5,0m long	No	
260	IBR Roof sheeting steel inverted box ribbed, with ribs not less than 30 mm deep and not more than 172 mm centered which has a coating of Z275 and subject to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934 unpacked. 0,58 mm thickness 686 mm effective width: 6,0m long	No	
261	Ridge capping for IBR 462 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness 3,6m long	No	
262	Ridge capping for IBR 462 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness 4,2 mm long	No	
263	Ridge capping for IBR 462 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness 5,0 mm long	No	
264	Ridge capping for IBR 462 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	

	6,0 mm long		
265	IBR ridge capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The Zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
266	IBR ridge capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
267	IBR ridge capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The Zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
268	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The Zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
269	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
270	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
271	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934.	No	

	0,58 mm thickness		
272	IBR eaves capping (closures), 686 mm long, with a coating of Z275 both sided included and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issue of SABS specification 934. 0,58 mm thickness	No	
273	Galvanised corrugated iron sheets, commercial quality, which has a coating of Z275 and subjected to anti-white rust, treatment in various lengths from 1000 mm as required. The zinc coating must be in accordance with the latest issue of SABS specification 934. Effective width 610 mm. Overall width 690mm. 0.58 mm thickness 3,6m long	No	
274	Galvanised corrugated iron sheets, commercial quality, which has a coating of Z275 and subjected to anti-white rust, treatment in various lengths from 1000 mm as required. The zinc coating must be in accordance with the latest issue of SABS specification 934. Effective width 610 mm. Overall width 690mm. 0.58 mm thickness 4,2m long	No	
275	Galvanised corrugated iron sheets, commercial quality, which has a coating of Z275 and subjected to anti-white rust, treatment in various lengths from 1000 mm as required. The zinc coating must be in accordance with the latest issue of SABS specification 934. Effective width 610 mm. Overall width 690mm. 0.58 mm thickness 5,0m long	No	
276	Galvanised corrugated iron sheets, commercial quality, which has a coating of Z275 and subjected to anti-white rust, treatment in various lengths from 1000 mm as required. The zinc coating must be in accordance with the latest issue of SABS specification 934. Effective width 610 mm. Overall width 690mm. 0.58 mm thickness 6,0m long	No	
277	Ridge capping for corrugated iron sheeting 450 mm girth,	No	

	which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness		
278	Ridge capping for corrugated iron sheeting 450 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	
279	Ridge capping for corrugated iron sheeting 450 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	
280	Ridge capping for corrugated iron sheeting 450 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	
281	Ridge capping for corrugated iron sheeting 450 mm girth, which has a coating of Z275 and subjected to anti-white-rust treatment. The zinc coating must be in accordance with the latest issues of SABS specification 934 unpacked 0,58 mm thickness	No	
282	Under tile Membrane SABS Approved	No	
283	Hip Starter for Double Roman Roof Concrete	No	
284	Double Roman Roof Concrete Tile Standard Colours SABS equivalent to Marley Tile	No	
285	Tile Taper Ridge for Double Roman Roof Concrete Tile Standard Colours SABS equivalent to Marley Tile	No	
286	Tile Hip for Double Roman Roof Concrete Tile Standard Colours SABS equivalent to Marley Tile	No	
287	Harvey Tile SABS in all Standard Colours	No	
288	Harvey Tile Angle Ridge SABS in all Standard Colours	No	
289	45mm Harvey Tiles Nails	Kg	

290	Cement Paving Bricks Interlocking 200mm x 80mm x 60mm Grey in Colours	No	
291	Roof Acrylic All Weather Resistant (All Standard Colours) in 20l	No	
292	10mm x 90mm Cup square Bolt + Nuts	No	
293	290mm x 290mm Toilets Sign, Male/Female/Disabled Standard Colours	No	
294	290mm x 290mm Arrows Sign Standard Colours	No	
295	125mm x 5mm Wire Nails SABS	Kg	
296	100mm x 4mm Wire Nails SABS	Kg	
297	75mm x 3.5mm Wire Nails SABS	Kg	
298	40mm x 2mm Wire Nails SABS	Kg	
299	32mm x 2mm Wire Nails SABS	Kg	
300	25mm x 2mm Wire Nails SABS	Kg	
301	32mm X 2.8mm Serrated Clout Nails	Kg	
302	75mm x 3.5mm Fluted Nails	Kg	
303	65mm x 3.5mm Fluted Nails	Kg	
304	50mm x 3.15mm Fluted Nails	Kg	
305	40mm x 2.8mm Fluted Nails	Kg	
306	32mm x 2.8mm Fluted Nails	Kg	
307	40mm x 4mm Steel Wood Screws	Kg	
308	32mm x 4mm Steel Wood Screws	Kg	
309	38mm x 5mm Steel Wood Screws	Kg	
310	30mm x 5mm Steel Wood Screws	Kg	
311	50mm x 5mm Steel Wood Screws	Kg	
312	25mm x 4mm Steel Wood Screws	Kg	
313	50mm x 4mm Steel Wood Screws	Kg	

314	38mm x 4mm Steel Wood Screws	Kg	
315	38mm x 5mm Brass Wood Screws	Kg	
316	30mm x 5mm Brass Wood Screws	Kg	
317	38mm x 4mm Brass Wood Screws	Kg	
318	19mm x 4mm Brass Wood Screws	Kg	
319	30mm x 3.5mm Brass Wood Screws	Kg	
320	50mm x 8mm Nylon Fisher Plugs and Screws	Kg	
321	40mm x 6mm Nylon Fisher Plugs and Screws	Kg	
322	16mm x 4mm Chipboard screws	Kg	
323	16mm Panel Pins	Kg	
324	32mm Panel Pins	Kg	
325	50mm Panel Pins	Kg	
326	45mm x 5mm Nylon Fisher Plugs and Screws	Kg	
327	35mm x 5mm Nylon Fisher Plugs and Screws	Kg	
328	70mm x 6mm Nylon Fisher Plugs and Screws	Kg	
329	60mm x 8mm Nylon Fisher Plugs and Screws	Kg	
330	80mm x 8mm Nylon Fisher Plugs and Screws	Kg	
331	38mm x 5mm Chipboard Screws	Kg	
332	30mm x 5mm Chipboard Screws	Kg	
333	75mm x 5mm Chipboard Screws	Kg	
334	38mm x 4mm Chipboard Screws	Kg	
335	19mm x 4mm Chipboard Screws	Kg	
336	30mm x 4mm Chipboard Screws	Kg	
337	65mm Roof Screws in a Box of 100	No	

338	75mm Roof Screws in a Box of 100	No	
339	90mm Roof Screws in a Box of 100	No	
340	120mm Roof Screws in a Box of 100	No	
341	Wood Tek Screws 50mm (2 inches) in quantity of 100 per box	No	
342	Wood Tek Screws 100mm (4 inches) in quantity of 100 per box	No	
343	Wood Tek Screws 125mm (5 inches) in quantity of 100 per box	No	
344	150mm Window Sliding Stay and Screws	No	
345	178mm Window Sliding Stay and Screws	No	
346	270mm Window Sliding Stay and Screws	No	
347	Right Hand Window Handle with Screw and Bush	No	
348	Left Hand Window Handle with Screw and Bush	No	
349	200mm Window Peg Stay and Screw	No	
350	250mm Window Peg Stay and Screw	No	
351	25mm x 50mm x 2mm Square Tubing Steel	No	
352	Mini Ultra Lock	No	
353	Large Ultra Lock	No	
354	6m x 10mm Steel Square Bar	No	
355	6m x 12mm Steel Square Bar	No	
356	6m x 16mm Steel Square Bar	No	
357	6m x 10mm Steel Round Bar	No	
358	6m x 12mm Steel Round Bar	No	
359	6m x 16mm Steel Round Bar	No	
360	6m x 16mm x 3mm Steel Flat Bar	No	
361	6m x 25mm x 5mm Steel Flat Bar	No	

362	6m x 50mm x 5mm Steel Flat Bar	No	
363	6m x 16mm x 16mm x 1.6mm Steel Square Tubing	No	
364	6m x 25mm x 25mm x 2mm Steel Square Tubing	No	
365	6m x 32mm x 32mm x 2mm Steel Square Tubing	No	
366	6m x 50mm x 50mm x 2mm Steel Square Tubing	No	
367	6m x 76mm x 76mm x 2mm Steel Square Tubing	No	
368	6m x 100mm x 100mm x 2mm Steel Square Tubing	No	
367	6m x 75mm x 50mm x 20mm x 2mm Lipped Channel	No	
368	6m x 100mm x 50mm x 20mm x 2mm Lipped Channel	No	
369	6m x 125mm x 50mm x 20mm x 2mm Lipped Channel	No	
370	6m x 150mm x 75mm x 20mm x 2mm Lipped Channel	No	
371	6m x 175mm x 75mm x 20mm x 2mm Lipped Channel	No	
372	25mm x 25mm x 2.5mm thickness x 6m Angle Iron	No	
373	30mm x 30mm x 2.5mm thickness x 6m Angle Iron	No	
374	50mm x 50mm x 5mm thickness x 6m Angle Iron	No	
375	50mm x 50mm x 2mm thickness x 6m Angle Iron	No	
376	100mm x 100mm x 5mm thickness x 6m Angle Iron	No	
377	76mm x 76mm x 3mm thickness x 6m Square tubing	No	
378	32mm x 2mm x 6m Steel round pipes	No	
379	50mm x 2mm x 6m Steel Round Tube	No	
380	100mm x 2mm x 6m Steel Round Tube	No	
381	152 x 3.0mm x 6m Steel Round tube	No	
382	Rectangular tubing 25mm x 50mm x 2mm x 6m	No	
383	Rectangular tubing 25mm x 76mm x 2mm x 6m	No	

384	Rectangular tubing 38mm x 76mm x 2mm x 6m		
385	38mm x 50mm x 2mm thickness x 6m Rectangular tubing	No	
386	Steel Channel 6m x 76mm x 38mm	No	
387	Steel Channel 6m x 100mm x 50mm	No	
388	Steel Channel 6m x 152mm x 76mm	No	
389	Steel I Beam AA 100 x 55	No	
390	Steel I Beam AA 140 x 76	No	
391	Steel I Beam AA 200 x 100	No	
392	2,5mm Vitemax Welding Rods	Kg	
393	3,15mm Vitemax Welding Rods	Kg	
394	115mm Steel Cutting Disk	No	
395	230mm Steel Cutting Disk	No	
396	350mm Steel Cutting Disk	No	
397	230mm Masonary Cutting Disk	No	
398	350mm Masonary Cutting Disk	No	
399	230mm Diamond Cutting Disc	No	
340	110mm Diamond Cutting Disc	No	
341	Circular Saw Blade 250 mm Universal	No	
342	Table Saw Blade for– 250mm Universal	No	
343	Circular Saw Blade 190mm Universal	No	
344	Table Saw Blade - 210 x 30mm – Universal	No	
345	500m Standard Danger Tape Roll	No	
346	60mm Roller Kit for Steel Gate	No	
347	80mm Roller Kit for Steel Gate	No	

348	100mm x 100mm Heavy Duty Steel Butt Hinges.	No	
349	Builders Straight Econo 1,2mm Hinge (Pack) Heavy duty	No	
350	Builders Bullet Hinge 50 x 10 mm /Pair	No	
351	Builders Bullet Hinge 100 x 16 /Pair	No	
352	Self-Closing Hinge, 3 Knuckle, Brass Plated / Pair	No	
353	3000mm x 1800mm x 40mm x 40mm x 2mm Steel Devils Fork Panels.	No	
354	3000mm x 2000mm x 40mm x 40mm x 2mm Steel Devils Fork Panels.	No	
355	3000mm x 2400mm x 40mm x 40mm x 2mm Steel Devils Fork Panels.	No	
356	3m Wide x 2,4m High Steel Fence Panel made with Angle Irons of 40mmx40mmx3mm Thick pal pan a v –pun sp	No	
357	3m Wide x 1,8m High Steel Fence Panel made with Angle Irons of 40mmx40mmx3mm Thick pal pan a v –pun sp	No	
358	Square tubing 25mm x 25mm x 6m	No	
359	Refill 9kg Oxy-Acetylene Bottles	No	
360	Oxygen Refill Technical Industrial 11,5Kg. 8,6m ³	No	
361	Acetylene Refill Technical Industrial 40Kg, 9,5Kg	No	
362	Brazing Rods	No	
363	Copper to Copper Brazing Rods	Kg	
364	500g Brazing Flux	No	
365	76mm x 76mm Pyramid Steel Cap	No	
366	8mm Thick Galvanized Chain	M	
367	10mm Thick Galvanized Chain	M	
368	100mm Steel Pyramid Caps	No	
369	2450mm x 1225mm x 1mm Hot Rolled Steel Sheets	No	

340	2450mm x 1225mm x 2mm Hot Rolled Steel Sheets	No	
341	2450mm x 1225mm x 3mm Hot Rolled Steel Sheets	No	
342	2450mm x 1225mm x 4mm Hot Rolled Steel Sheets	No	
343	Galvinised Garage Door Roll Up 2450mm x 1830mm	No	
344	Chromadek Garage Door Roll Up 2450mm x 1830mm	No	
345	Aluminium Four Panels Garage Door Roll Up 2450mm x 1830mm Standard Colours	No	
346	Meranti Wooden Six Panels Garage Door Roll Up 2450mm x 1830mm Standard Colours	No	
347	2400 x 1200mm (8mm x 50mm x 50mm) Specimesh	No	
348	2400 x 1200mm (5mm x 25mm x 50mm) Specimesh	No	
349	2400 x 1200mm (10mm x 50mm x 50mm) Specimesh	No	
350	Insect Screen Fiber Glass 900mm x 30m	No	
351	6mm Steel Rawl Bolts	No	
352	8mm Steel Rawl Bolts	No	
353	10mm Steel Rawl Bolts	No	
354	12mm Steel Rawl Bolts	No	
355	40mm Steel Tek Screws packet of 200	No	
356	65mm Steel Tek Screws packet of 200	No	
357	75mm Tek Screws packet of 200	No	
358	70mm Wood Tek Screws packet of 200	No	
359	90mm Wood Tek Screws packet of 200	No	
360	120mm Wood Tek Screws packet of 200	No	
361	Roof Washer	Kg	
362	Stainless Steel Toilet Paper Holder	No	
363	Lockable Toilet Paper Holder	No	

364	150mm Barrel Bolts (big door shooters)	No	
365	Aluminium Door Stopper	No	
366	1220mm x 1830mm x 3mm Clear Glazing Sheet	No	
367	1220mm x 1830mm x 4mm Clear Glazing Sheet	No	
368	1220mm x 1830mm x 4mm Obscured Glazing Sheet	No	
369	280mm Silicon in Standard Colours	No	
370	1kg Window Putty	No	
371	5kg Window Putty	No	
372	Glass Cutter Tungsten Carbide Wheel	No	
373	Glass Cutter	No	
374	Diamond Glass Cutter	No	
375	132mm Steel Glass Cutter with 6 cutting wheels	No	
376	150mm Steel Glass Cutter with 2 Cutter Heads	No	
377	1500mm Aluminium Single Curtain Rail	No	
378	2000mm Aluminium Double Curtain Rail	No	
379	2500mm Aluminium Double Curtain Rail	No	
380	3000mm Aluminium Double Curtain Rail	No	
381	3500mm Aluminium Double Curtain Rail	No	
382	4000mm Aluminium Double Curtain Rail	No	
383	4500mm Aluminium Double Curtain Rail	No	
384	5000mm Aluminium Double Curtain Rail	No	
385	6000mm Aluminium Double Curtain Rail	No	
386	Drawer Runner FIT Ball Bearing Slide Runner 450 x 45 mm	No	
387	Drawer Runner FIT Ball Bearing Slide Runner 600 x 45 mm	No	

388	Builders 2 x Drawer Runners White 350 x 35 x 10 mm	No	
389	Builders 2 x Drawer Runners White 450 x 35 x 10 mm	No	
390	Cupboard Sliding Door Top Profile (Double)	M	
391	Cupboard Sliding Door Bottom Profile (Double)	M	
392	Cupboard Sliding Door Top Profile (Single)	No	
393	Cupboard Sliding Door Bottom Profile (Single)	No	
394	Sliding Door Roller, Stainless Steel, 20kg	No	
395	Sliding Door Rollet Back Hanger Double	No	
396	Wall drop Heavy-Duty Silent Gliding Door Roller Track System	No	
397	Wall drop D60 Front Hanger / Pair	No	
398	Stainless Steel Hollow Bar Handle Silver 160 mm / Pair	No	
399	Stainless Steel Hollow Bar Handle Silver 288 mm / Pair	No	
400	Stainless Steel Hollow Bar Handle Silver 384 mm / Pair	No	
401	Cornice Adhesive 5L Adhesive	No	
402	Cornice Polystyrene 2m x 110mm X 50 mm	No	
403	Fascia Board 300mm 3.0M	No	
404	Standard Barge Boards – Socketless 275 x 80 x 3000	No	
405	Fascia Board 300mm 3.0M Jointer	No	
406	Standard Barge Boards – Socketless 275 x 80 x 3000 Jointer	No	
407	Aluminium venetian blind Silver 25mm. 2,2m x 1,6m	No	
408	Aluminium venetian blind Silver 25mm. 1,2m x 1,6m	No	
409	Aluminium venetian blind Silver 25mm. 1m x 1,6m	No	
410	Aluminium venetian blind Silver 25mm. 1,8m x 2,1m	No	
411	Grip Heavy Duty Caulking Gun 225 mm	No	

412	Garage Door Roll Up 2450mm x 1830mm	No	
413	R22 Refrigerants Gas 13.6Kg	No	
414	R134A Refrigerants Gas 13.6Kg	No	
415	R404A Refrigerant Gas	No	
416	R410A Refrigerant Gas 11.4Kg	No	
417	R507A Refrigerant Gas 11.4Kg	No	
418	Domestic Refrigeration compressor	No	
419	Industrial Refrigeration Compressor	No	
420	1/4inch Copper Pipe coil 30m	No	
421	3/8inch Copper Pipe coil 30m	No	
422	1/2inch Copper Pipe coil 30m	No	
423	8/8Inch Copper Pipe Coil 30m	No	
424	Refrigeration Recharging Guages	No	
425	Refrigeration flaring Kit	No	
426	Multi-Purpose Folding Aluminium Ladder	No	
427	1.8m Heavy Duty Aluminium Step Ladder	No	
428	2.4m Heavy Duty Aluminium Step Ladder	No	
429	2.4m Heavy Duty Aluminium Straight Ladder	No	
430	20mm x 1 200mm Chrome Round Shower/Bath Rail	No	
431	20mm x 1 500mm Chrome Round Shower/Bath Rail	No	

SUPPLY AND DELIVERY OF ELECTRICAL MATERIAL

ITEM NO	DESCRIPTION	UOM	UNIT PRICE
---------	-------------	-----	------------

1	16A Single Switch plug plus cover (SABS) approved	No	
2	16A Double switch plug plus cover (SABS) approved	No	
3	16A Single Switch plug industrial (SABS) approved	No	
4	16A Double switch plug industrial (SABS) approved	No	
5	16A Single lever switch plus cover (SABS) approved	No	
6	16A Two lever switch plus cover (SABS) approved	No	
7	16A Single lever switch industrial (SABS) approved	No	
8	16A Single lever switch industrial (SABS) approved	No	
9	16A Two lever switch industrial (SABS) approved	No	
10	16A two-way switch plus cover (SABS) approved	No	
11	16A Intermediate switch plus cover (SABS) approved	No	
12	SU1 distribution board	No	
13	SU1 tray	No	
14	SU2 distribution board	No	
15	SU2 tray	No	
16	SU3 distribution board	No	
17	SU3 tray	No	
18	12way distribution board flush type	No	
19	16way distribution board flush type	No	

20	20way distribution board flush type	No	
21	20A Geyser thermostat (VKF11)	No	
22	20A Geyser thermostat MK2	No	
23	Geyser element with pocket	No	
24	Geyser econo element	No	
25	8" solid stove plate with red mark	No	
26	6" solid stove plate with red mark	No	
27	16A Three lever industrial switch (SABS) approved	No	
28	8way PVC looping box (SABS) approved	No	
29	20mm PVC female adaptors (SABS) approved	No	
30	20mm male adaptors (SABS) approved	No	
31	20mm PVC couplings	No	
32	20mm PVC saddles (SABS) approved	No	
33	1way PVC inspection box (SABS) approved	No	
34	2way PVC inspection box (SABS) approved	No	
35	3way PVC inspection box (SABS) approved	No	
36	4way PVC inspection box (SABS) approved	No	
37	50mm round cover (SABS) approved	No	
38	250ml PVC pipe welder	No	
39	25mm PVC pipe (SABS) approved	M	
40	25mm male PVC adaptors (SABS) approved	No	
41	25mm PVC female adaptors (SABS) approved	No	
42	50mm PVC male adaptors (SABS) approved	No	
43	50mm PVC coupling (SABS) approved	No	

44	50mm PVC pipe (SABS) approved	M	
45	50mm 90° degrees bend	No	
46	63A 3ka earth leakage circuit breaker	No	
47	40A 3ka circuit breaker	No	
48	30A 3ka circuit breaker	No	
49	20A 3ka circuit breaker	No	
50	15A 3ka circuit breaker	No	
51	10A 3ka circuit breaker	No	
52	60A 3ka double pole isolator	No	
53	60A industrial double pole isolator (SABS) approved	No	
54	40A industrial double pole isolator (SABS) approved	No	
55	30A industrial double isolator (SABS) approved	No	
56	20A industrial isolator (SABS) approved	No	
57	60A three phase isolator 3ka	No	
58	100A three phase isolator 3ka	No	
59	60A double pole isolator plus cover (SABS) approved	No	
60	60A double pole isolator plus cover (SABS) approved	No	
61	30A double pole isolator plus cover (SABS) approved	No	
62	50A double pole isolator plus cover (SABS) approved	No	
63	40A double pole isolator plus cover (SABS) approved	No	
64	30A double pole isolator plus cover (SABS) approved	No	
65	20A double pole isolator plus cover (SABS) approved	No	
66	10A 5ka circuit breaker	No	
67	20A 5ka circuit breaker	No	

68	25A 5ka circuit breaker	No	
69	30A 5ka circuit breaker	No	
70	20A 5ka circuit breaker	No	
71	10A 5ka circuit breaker	No	
72	Flush White 13mm DB 11-Way Pre Wired	Np	
73	Distribution board safety blank covers	No	
75	DB labels assorted	No	
76	DB label emergency	No	
77	20mm PVC flexible conduit	No	
78	Size0 PVC compression gland	No	
79	Size0 PVC push-in gland	No	
80	1.2m x 36w double fluorescent fittings with electronic ballast	No	
79	1.2m x 36w fluorescent tubes energy saver	No	
81	1.5m x 58w double fluorescent fittings with electronic ballast	No	
82	1.5m x 58w fluorescent tubes energy savers	No	
83	0.6m x 18w fluorescent fittings with four tubes electronic ballast(Louvers)	No	
84	0.6m x 18w fluorescent fittings energy savers with three tubes with electronic ballast(Louvers)	No	
85	0.6m x 18w x 3 fluorescent fittings energy savers with four tubes with electronic ballast(Diffuse)	No	
86	0.6m x 18w x 4 fluorescent fittings energy savers with three tubes with electronic ballast(Diffuse)	No	
87	0.6m x 18w fluorescent tubes energy savers	No	
88	21w energy saver globes ES	No	
89	21w energy saver globes BC	No	
90	18w energy saver globes ES	No	

91	18w energy saver globes BC	No	
92	15w energy saver globes ES	No	
93	15w energy saver globes BC	No	
94	14w energy saver globes ES	No	
95	14w energy saver globes BC	No	
96	13w energy saver globes ES	No	
97	13w energy saver globes BC	No	
98	PL9w two pin globes	No	
99	PL7w two pin globes	No	
100	16w 2D with two pin globes	No	
101	400w HPS globes ES	No	
102	250w HPS globes ES	No	
103	80w MV globes ES	No	
104	250w MV globes ES	No	
105	400w MV globes ES	No	
106	20mm galvanized saddles	No	
107	20mm galvanized adaptor	No	
108	4x2 galvanized boxes	No	
109	4x4 galvanized boxes	No	
110	4x2 extension boxes	No	
111	4x4 extension boxes	No	
112	25mm galvanized saddles	No	
114	55mm x M5 machine screws	No	
115	40mm x M5 machine screws	No	

116	55mm butterfly screws	No	
117	55mm x M4 screws	No	
118	40mm x M4 screws	No	
119	30mm x M5 machine screws	No	
120	30mm x M4 machine screws	No	
121	20mm x M4 machine screws	No	
122	25mm x M4 machine screws	No	
123	100mm x M4 machine screws	No	
124	70mm x M4 machine screws	No	
125	Nitto insulation tape assorted colours	No	
126	Steel cable gland size 2 + shrouds	No	
127	Steel cable gland size 3 + shrouds	No	
128	Steel cable gland size 4 + shrouds	No	
129	Steel cable gland size 5 + shrouds	No	
130	Steel cable gland size 6 + shrouds	No	
131	2.5mm x 2core surfix cable (2+E)	M	
132	1.5mm x 2cores surfix cable (2+E)	M	
133	2.5mm ² x 3ore surfix cable (3+E)	M	
134	4mm ² x 2core surfix cable (2+E)	M	
135	6mm ² x 2core surfix cable (2+E)	M	
136	4mm x 3core surfix cable (3+E)	M	
137	10mm ² x 2core airdac cable (2+E) without pilot	M	
138	16mm ² x 2core airdac cable (2+E) without pilot	M	
139	10mm ² x 2core PVC underground cable (2+E)	M	

140	16mm ² x 2core PVC underground cable (2+E)	M	
141	25mm x 4core PVC underground cable	M	
142	35mm x 4core PVC underground cable	M	
143	16mm x 4core PVC underground cable	No	
144	10mm cable lug	No	
145	16mm cable lug	No	
146	25mm cable lug	No	
147	35mm cable lug	No	
148	10mm furrels	No	
149	16mm furrels	No	
150	25mm furrels	No	
151	35mm furrels	No	
152	2.5mm-16mm joining kits	No	
153	10mm-35mm joining kits	No	
154	B10 bulkhead light fitting with 2 x PL9w energy saver globes	No	
155	18w light fitting with 2 x 18w energy saver globes	No	
156	1.2m double fluorescent channel dust & moisture approved x 36w	No	
157	1.5m x double fluorescent channel dust & moisture approved x 58w	No	
158	1.2m x Single fluorescent channel dust & moisture approved	No	
159	1.5m x single fluorescent channel dust & moisture approved	No	
160	1.2m x 36w single fluorescent fitting with electronic ballast	No	
161	1.5m x 58w single fluorescent fittings with electronic ballast	No	
162	100w DTC bulkhead light fittings (Round) white ES	No	
163	100w DTC bulkhead light fittings (Square) white ES	No	

164	18w 2D globes with two pin	No	
165	380v coil complete with thee phase contactor	No	
166	220v coil complete with three phase contactors	No	
167	Pedant light fitting with three lights (Brass)	No	
168	Rondo Maxi Prismatic Clear bulkhead light fitting	No	
169	Rondo Maxi Opal bulkhead light fitting	No	
170	Rondo Maxi Raindrop clear bulkhead light fitting	No	
171	Rondo Mini "Birdseye" Clear bulkhead light fitting	No	
172	Rondo Mini Shallow Opal bulkhead light fitting	No	
173	Bulkhead with Opal Bowl Lens	No	
174	Bulkhead with Prismatic Lens	No	
175	Bulkhead with Flat Opal Bowl Lens	No	
176	Highbay light fitting mercury vapour	No	
177	Econobay light fitting mercury vapour	No	
178	Odyssey Series light fitting 125w	No	
179	125w MV globes ES	No	
180	400W Floodlight Cool White	No	
181	USB (A + C) Combo Socket 4 x 4 with Graphite Cover plate (Bag)	No	
182	10mm x 2Core Airdac Cable + 2 Comms	M	
183	8" ball fitting light with porcelain gallery and lamp holder	No	
184	6" ball fitting light with porcelain lamp holder and gallery	No	
185	Down light fitting(50w)	No	
186	50w globes	No	
187	8w fluorescent tubes	No	

188	1.2m x 36w double fluorescent fitting with louver (electronic ballast).	No	
189	1.2m x 36w double fluorescent fittings diffuse (electronic ballast).	No	
190	1.2m x 3x 36w fluorescent fittings louvers with electronic ballast (Energy saver).	No	
191	1.2mx 4 x 36w fluorescent fittings diffuse with electronic ballast (Energy savers).	No	
192	Fluorescent fittings LED Channel Fitting1500mm	No	
193	Fluorescent fittings LED Channel Fitting1200mm	No	
194	LED Fluorescent Tube 1200mm	No	
195	LED Fluorescent Tube 1500mm	No	
196	Down light fitting 2 x 18w	No	
197	Down light fitting 2 x 9w	No	
198	16A daylight switch National	No	
199	16A day light switch Roy Thompson	No	
200	1.5mm2 PVC red wire roll	M	
201	1.5mm2 PVC black wire roll	M	
202	1.5mm2 PVC blue wire roll	M	
203	1.5mm2 PVC green & yellow earth wire	M	
204	1.5mm2 PVC bare copper wire	M	
205	2.5mm2 PVC red wire roll	M	
206	2.5mm2 PVC black wire roll	M	
207	2.5mm2 PVC blue wire roll	M	
208	2.5mm PVC green & yellow wire roll	M	
209	4mm2 PVC red PVC wire roll	M	
210	4mm2 PVC black wire roll	M	
211	4mm2 PVC green & yellow wire roll	M	

212	6mm2 PVC red wire roll	M	
213	6mm2 PVC black wire roll	M	
216	6mm2 PVC green & yellow wire roll	M	
217	10mm2 PVC black wire roll	M	
218	10mm2 PVC red wire roll	M	
219	10mm2 PVC green & yellow.	M	
220	Cabtyre – 1.5mm 3 Core Black / 100m	No	
221	Cabtyre – 2.5mm 3 Core Black / 100m	No	
222	Cabtyre – 2.5mm 5 Core Black / 100m	No	
223	1.2m blank double fluorescent fitting	No	
224	1.5m blank double fluorescent fitting	No	
225	1.2m blank single fluorescent fitting	No	
226	1.5m blank single fluorescent fitting	No	
227	Ecolight T5/28w electronic adaptor with wing (energy saver fittings)	No	
228	Ecolight T5/28 electronic adaptor without wing (energy saver fittings)	No	
229	Ecotube 28w/840	No	
230	Ecolight T	No	
231	Ecolight T5/35w electronic adaptor fitting with wing	No	
233	Ecolight T5/14w electronic adaptor fitting with wing	No	
234	Ecolight T5/14w electronic adaptor fitting without wing	No	
235	Ecotube 35w	No	
237	Ecotube 14w	No	
238	6way industrial DB board	No	
239	8way industrial DB board	No	

240	10way industrial DB board	No	
241	12way industrial DB board	No	
242	18way industrial DB board	No	
243	20 way industrial DB board	No	
244	24way industrial DB board	No	
245	24way distribution board flush type (samitte)	No	
246	16A industrial switch plug weather approved	No	
247	20A double industrial isolator weather approved	No	
248	30A double industrial isolator weather approved	No	
249	Screw jet small	No	
250	Screw jet medium	No	
251	Screw jet big	No	
252	16A block connector	No	
253	20A block connector	No	
254	30A block connector	No	
255	60A Three Phase Isolator 5ka	No	
256	100A Three Phase Isolator 5ka	No	
257	12 Mode Distribution Box	No	
258	20mm PVC Pipe	No	
260	Inspection Box Cover	No	
261	Cable Entrance	No	
262	Double Switch Plug Crabtree 4x4 (100mm x 100mm)	No	
263	24 Mode DB Flush	No	
264	63A Main Switch 5ka (Three Phase)	No	

265	Earth Spike	No	
266	24 Mode DB Flush	No	
267	6 Mode Distribution Box	No	
268	Day Light Switch	No	
269	25mm Coupling PVC	No	
270	Tree Lever Switch	No	
271	4x4 York Box or Weatherproof	No	
272	30A Stove Isolator	No	
273	Surge Protective Device	No	
274	Box Ram Set 6mm x 35mm	No	
275	4 2 Power Skirting White	No	
276	Tee Ester Oak for two Compartments	No	
277	Bamba Strips	No	
278	320mm x 4.7mm Cable Ties	No	
279	320mm x 4.7mm Cable Ties	No	
280	320mm x 4.7mm Cable Ties	No	
281	Under and Over Voltage Relay 380V	No	
282	380V Contactor	No	
283	100mm x 100mm York Box	No	
284	PVC Trunking 16mm x 16mm	No	
285	6mm x 35mm Ramset	No	
286	150mm Watertight Fitting	No	
287	11w BC Energy Saver	No	
288	Fluorescent Ballast for 1.5m Fluorescent Fitting	No	

289	25mm Hole Saw	No	
281	20mm Hole Saw	No	
290	5KA Circuit Breaker 60A CBI	No	
291	M5 x 25mm Steel Screws	No	
293	Four Lever Switch (Crab Tree)	No	
294	85W Energy Saver GES	No	
295	220V Contactor	No	
296	4 x 2 Blank Switch Cover	No	
297	20mm PVC Pipes	No	
298	Hand Dryer (Automatic Electrical Connected)	No	
299	Recessed Downlight	No	
300	6 Mode D. B	No	
301	GU10 220v 6w LED globes.	No	
302	GU10 220v 10w LED globe.	No	
303	100w LED flood light fitting.	No	
304	250w LED flood light fitting.	No	
305	100w LED Highbay light fitting.	No	
306	16A three lever switch plus cover.	No	
307	200w LED High mast floodlight fittings.	No	
308	Three phase Contactor 11kw 220v coil complete.	No	
309	Contactor Thermal overload relay, TeSys LRD, 23...32 A, class 10A	No	
310	Three phase Contactor 11kw 220v coil complete.	No	
311	Contactor Thermal overload relay, TeSys LRD, 23...32 A, class 10A	No	
312	220V 25A 50/60HZ Coil Normally Open 3 Pole AC Contactor	No	

313	Enclosed DOL starter – 9 A – 230 V AC coil – Schneider Electric	No	
314	24HR 3MOD Analog Timer Switch NO Reserve EH110	No	
315	11w Edison Screw energy saver globes.	No	
315	11w BC energy saver globes.	No	
316	100w DTR bulkhead light fitting.	No	
317	Recessed double T8 LED light fittings 1.2m x 600 x 3 lamps.	No	
319	Surface double T8 bevelled edge 2 x 36w LED light fitting.	No	
320	LED Dust proof fittings 600mm x 20w.	No	
321	LED dust proof fittings 1200mm x 40w.	No	
322	LED dust proof fittings 1500mm x 60w.	No	
323	10w LED flood light fitting.	No	
324	20w LED flood light fitting.	No	
325	50w LED flood light fitting.	No	
326	400w LED Flood Lights	No	
327	600W Solar Flood Lights	No	
328	7w energy saver two pin CFL globes.	No	
329	9w energy saver two pin CFL globes.	No	
330	18w energy saver two pin CFL globes.	No	
331	26w energy saver two pin CFL globes.	No	
332	5w LED Edison Screw globes.	No	
333	5w LED BC globes.	No	
334	13w energy save two pin CFL globes.	No	
335	1,5m x 2x22w LED channel.	No	
336	1.2m x 2x18w LED channel.	No	

338	1.2m x 18w LED T8 fluorescent tube G13.	No	
339	1.5m x 22w LED T8 fluorescent tube G13.	No	
340	200A 3 Pole Circuit Breaker 35A	No	
341	150A 3 Pole Circuit Breaker 25A	No	
342	16A Pull Switch	No	
343	2,5mm Silicon Wire	No	
344	Scosh Cust Joint A1	No	
345	Scosh Cust Joint A2	No	
346	Scosh Cust Joint A3	No	
347	2.5mm x 4core surfix cable round white in colour SANS Approved.	M	
348	3m fibreglass pole, with mounted circuit breaker complete.	No.	
350	40w LED light fitting head	No.	
351	4mm x 4core surfix cable round white in colour SANS approved	M	
352	25A daylight switch equivalent to National daylight switch	No.	
353	20A 6kA circuit breaker CBI	No.	
354	3m double compartment power skirting royal oak complete with cover	No.	
355	Double compartment Royal Oak end cap	No.	
356	Power skirting cover plate 4x2 Royal Oak	No.	
357	4x2 ordinary Power skirting plug	No.	
358	4x2 dedicated power skirting plug	No.	
359	Power skirting ZEZ clips	No.	
360	Double external elbow power skirting Royal Oak	No.	
361	Double internal elbow power skirting Royal Oak	No.	
362	3m x 16mm x 25mm PVC trunking	No.	

363	63A 3kA earth leakage protection unit	No.	
364	8mm x 80mm easy-drive screws	No.	
365	P2000 steel 5m x 40mm x 40mm including covers	No.	
366	2.5mm x 4core suffix cable (4+E)	M	
367	4mm x 4core suffix cable (4+E)	M	
368	2,5mm x 4core suffix cable round <i>white in colour</i> SANS Approved	M	
369	3m fiberglass pole, with mounted circuit breaker complete	No.	
370	40w LED light fitting head.	No.	
371	4mm x 4core suffix cable round white in colour SANS Approved	M	
372	25A daylight switch equivalent to National day light switch	No.	
373	2,5mm -10mm connector block 10 PCS	No.	
374	Insulation Tape red	No.	
375	Insulation Tape blue	No.	
376	Insulation Tape white	No.	
377	Insulation Tape black	No.	
378	220v contactor coil complete	No.	
379	20A 6kA circuit breaker CBI	No.	
380	20mm Bosal conduit pipe	No.	
381	20mm Galvanized hospital saddles	No.	
382	20mm bosal female adaptors	No.	
383	20mm Bosal couplings	No.	
384	Onestiro FB-SPU-5S Aluminum 3 module Pop-Up floor socket	No.	
385	100 x 50mm x3m metal trunking and cover	No.	
386	90° Bosal conduit bend	No.	

387	25KA x 150A Triple Pole Circuit Breaker	No	
388	63A x 6KA Triple Pole Circuit Breaker	No	
389	2.5mm x 30m x 3 Core Extension (Roller)	No	
390	Armoured Cable 10mm x 4 Core	No	
391	Armoured Cable 6mm x 4 Core	No	

SUPPLY AND DELIVERY OF PLUMBING MATERIAL

ITEM NO	DESCRIPTION	UOM	UNIT PRICE
1	Male adapter 15mm copper	No	
2	Coupling 15mm	No	
3	Reducing coupling 22mm-15mm	No	
4	Male elbow 15mm	No	
5	PVC Plugs 15mm	No	
6	Female elbow 15mm	No	
7	Tee Copper 22mm	No	
8	Elbow Copper 15mm	No	
9	Male Elbows 22mm	No	
10	Tee Reducer 22mm x 15mm	No	
11	Reducing Tee 22mm x 15mm	No	
12	Corner Tee 15mm	No	
13	Female Adapter 22mm	No	
14	Female Corner 15mm	No	

15	Male Adapter 22mm	No	
16	Flexi Connector 15mm	No	
17	Copper Pipe 22mm x 6m	M	
18	Copper Pipe 15mm x 6m	M	
19	Copper Connector 15mm	M	
20	Galvanised Pipe 15mm x 6m	M	
21	Galvanised Pipe 20mm x 6m	M	
22	Galvanised Pipe 25mm x 6m	M	
23	Galvanised Pipe 50mm x 6m	M	
24	Stop Cork/Wheel Valve 15mm	No	
25	Stop Cork/Wheel Valve 20mm	No	
26	Stop Cork/Wheel Valve 40mm	No	
27	Stop Cork/Wheel Valve 50mm	No	
28	J and J Coupling 90mm	No	
29	J and J Coupling 110mm	No	
30	J and J Coupling 160mm	No	
31	Garden Tap 15mm High Quality	No	
32	Garden Tap 20mm High Quality	No	
33	Reduce bush Galvanised 80mm x 50mm	No	
34	Reduce bush Galvanised 15mm x 20mm	No	
35	Reduce bush Galvanised 40mm x 32mm	No	
36	Reduce bush Galvanised 50mm x 25mm	No	
37	Toilet Seat Cover Hard Wood All Colours	No	
38	Female Elbow 15mm	No	

39	Female Tee 15mm	No	
40	Foot Valve 32mm x 40mm	No	
41	None Return Valve 50mm	No	
42	None Return Valve 40mm	No	
43	None Return Valve 32mm	No	
44	None Return Valve 25mm	No	
45	None Return Valve 20mm	No	
46	Nylon None Return Valve 32mm x 40mm	No	
47	Pillar Tap 15mm	No	
48	Basin Tap 15mm	No	
49	Shower Valve 15mm	No	
50	Galvanised Socket Nipple 20mm	No	
51	Galvanised Valve 50mm	No	
52	Galvanised Valve 20mm	No	
53	Galvanised Valve 20mm	No	
54	Galvanised Valve 15mm	No	
55	Beta Valve 40mm x 25mm	No	
56	Beta Valve 15mm	No	
57	Beta Valve 20mm	No	
58	Galvanised Elbow 100mm	No	
59	Galvanised Elbow 80mm	No	
60	Galvanised Elbow 63mm	No	
61	Galvanised Elbow 50mm	No	
62	Galvanised Elbow 40mm	No	

63	Galvanised Elbow 32mm	No	
64	Galvanised Elbow 25mm	No	
65	Galvanised Elbow 20mm	No	
66	Galvanised Elbow 15mm	No	
67	Master Flow Galvanised Elbow 32mm	No	
68	Master Flow Galvanised Elbow 15mm	No	
69	Master Flow Galvanised Elbow 15mm	No	
70	Holder Bats Nylon 15mm	No	
71	Galvanised Socket 100mm	No	
72	Galvanised Socket 80mm	No	
73	Galvanised Socket 40mm	No	
74	Galvanised Socket 32mm	No	
75	Galvanised Socket 15mm	No	
76	Flush Master 15mm Arm	No	
77	Galvanised Nipple 15mm	No	
78	Galvanised Nipple 20mm	No	
79	Galvanised Nipple 25mm	No	
80	Galvanised Nipple 32mm	No	
81	Galvanised Nipple 40mm	No	
82	Galvanised Nipple 50mm	No	
83	Galvanised Union 63mm	No	
84	Galvanised Union 50mm	No	
85	Galvanised Union 40mm	No	
86	Galvanised Union 15mm	No	

87	Single & double zinc 800mm x 500mm	No	
88	Single & double zinc 1200mm x 500mm	No	
89	Traps 38mm x 38mm High Quality	No	
90	Bath Mixer 15mm High Quality	No	
91	Bath Mixer 20mm High Quality	No	
92	Sink Mixer 15mm High Quality	No	
93	PVC Reducer 50mm x 75mm Cleaning Eye	No	
94	PVC Pipe 50mm x 6m	M	
95	PVC 50mm x 45 Junction/90	No	
96	PVC 50mm T-piece	No	
97	PVC 50mm elbow	No	
98	PVC 50mm IE Bend	No	
99	PVC 50mm Plain Bend	No	
100	PVC 50mm 2Way Vent Valve	No	
101	PVC 110mm left junction with IE	No	
102	PVC 110mm left junction with Plain	No	
103	PVC 110mm right junction with IE	No	
104	PVC 110mm right junction with Plain	No	
105	PVC 50mm IE Y Junction	No	
106	PVC 110mm 2Way Vent Valve	No	
107	PVC 50mm IE bend 90 Degree	No	
108	PVC 110mm Socket-Double	No	
109	PVC 110mm bend 45 Degree	No	
110	PVC 110mm bend IE bend	No	

111	PVC 110mm bend 90 Degree	No	
112	PVC 110mm Gulley Trap	No	
113	PVC 110mm x 6m Waste Pipe	No	
114	PVC 110mm Plain Junction	No	
115	PVC 110mm I.E Junction	No	
116	PVC 110mm Rodding Eye	No	
117	Straight Corner 15mm	No	
118	Straight Corner 20mm	No	
119	PVC Pipe Class A 110mm x 6m	M	
120	PVC Pipe Class A 75mm x 6m	M	
121	PVC Pipe Class A 90mm x 6m	M	
122	Adaptor 50mm x 90mm	No	
123	Adaptor 50mm x 75mm	No	
124	Adaptor 110mm x 75mm	No	
125	Adaptor 110mm x 90mm	No	
126	Female PVC Class A 90 Degree Elbow 110mm	No	
127	Female PVC Class A 90 Degree Elbow 90mm	No	
128	Female PVC Class A 90 Degree Elbow 75mm	No	
129	Male PVC Class A 90 Degree Elbow 110mm	No	
130	Male PVC Class A 90 Degree Elbow 90mm	No	
131	Male PVC Class A 90 Degree Elbow 75mm	No	
132	Traditional Plumbing Hemp	No	
133	Raw Bolt M6	No	
134	Raw Bolt M8	No	

135	Raw Bolt M10	No	
136	Raw Bolt M12	No	
137	PVC 110mm T Junction	No	
138	PVC 110mm x 45 Degree Bend	No	
139	Waste Fitting 32mm	No	
140	PVC 110mm x 110mm x 50mm Reduce	No	
141	Shower Rose	No	
142	Shower Trap 40mm	No	
143	Cleaning Eye Sables 50mm	No	
144	Cleaning Eye Sables 75mm	No	
145	Chrome Tap 15mm Sink	No	
146	Chrome Tap 20mm Sink	No	
147	Chrome Tap 15mm Basin	No	
148	Chrome Tap 20mm Basin	No	
149	S-Trap 38mm x 40mm	No	
150	P-Trap 38mm x 40mm	No	
151	P-Trap 38mm x 32mm	No	
152	PVC Trap-Combination 40mm	No	
153	Gulley Top Concrete	No	
154	Gulley Head PVC 110mm	No	
155	Gulley Trap	No	
156	Gulley Grid	No	
157	Pan Connector 110mm	No	
158	Flexible Pan Connector 110mm	No	

159	Rubber Cone Inside and Outside	No	
160	Double Trap 40mm	No	
161	PVC 110mm Elbow Bend With IE Vent Horn 50mm x 90 Degree	No	
162	Silicon Sealant White	No	
163	ABC Cover	No	
164	PVC Glue Adhesive	No	
165	Toilet Pan	No	
166	Hand Wash Basin Pedestal	No	
167	Urinal Flat Pan	No	
168	Lower Lever Cistern	No	
169	Single Socket 110mm	No	
170	Sink Waste	No	
171	Pan Seal	No	
172	Manhole Cover and Frame 600mm x 450mm	No	
173	Manhole Cover and Frame 500mm x 450mm	No	
174	Manhole Cover and Frame 200mm x 200mm	No	
175	Poly Pipe (Red) 15mm	No	
176	Poly Pipe (Red) 20mm	No	
177	Aqualock 32mm	No	
178	Aqualock 40mm	No	
179	Aqualock 50mm	No	
180	Aqualock 80mm	No	
181	Aqualock 110mm	No	
182	Aqualock 160mm	No	

183	Aluminum Sockets 50mm	No	
184	Aluminum Sockets 75mm	No	
185	Aluminum Sockets 90mm	No	
186	Aluminum Sockets 110mm	No	
187	Aluminum Sockets 160mm	No	
188	PVC Double Socket Class 9 50mm	No	
189	PVC Double Socket Class 9 75mm	No	
189	PVC Double Socket Class 9 90mm	No	
190	PVC Double Socket Class 9 110mm	No	
191	PVC Double Socket Class 9 160mm	No	
192	Elbow Compression Fitting 15mm	No	
193	Elbow Compression Fitting 22mm	No	
193	Female Compression Fitting 15mm	No	
194	Female Compression Fitting 22mm	No	
195	Male Compression Fitting 15mm	No	
196	Male Compression Fitting 22mm	No	
197	T-Piece Compression Fitting 15mm	No	
198	T-Piece Compression Fitting 22mm	No	
199	Reducing Socket Compression 15mm x 22mm	No	
200	Plason Fitting Elbow 15mm	No	
201	Plason Fitting Elbow 20mm	No	
202	Plason Fitting Elbow 32mm	No	
203	Plason Fitting Elbow 40mm	No	
204	Plason Fitting Elbow 50mm	No	

205	Plason Fitting Male Adaptor 15mm	No	
206	Plason Fitting Male Adaptor 20mm	No	
207	Plason Fitting Male Adaptor 32mm	No	
208	Plason Fitting Male Adaptor 40mm	No	
209	Plason Fitting Male Adaptor 50mm	No	
210	Plason Fitting Female Adaptor 15mm	No	
211	Plason Fitting Female Adaptor 20mm	No	
212	Plason Fitting Female Adaptor 32mm	No	
213	Plason Fitting Female Adaptor 40mm	No	
214	Plason Fitting Female Adaptor 50mm	No	
215	Plason Fitting Straight Coupling 15mm	No	
216	Plason Fitting Straight Coupling 20mm	No	
217	Plason Fitting Straight Coupling 32mm	No	
218	Plason Fitting Straight Coupling 40mm	No	
219	Plason Fitting Straight Coupling 50mm	No	
220	Female Elbowplason Fitting 15mm	No	
221	Female Elbow Plason Fitting 20mm	No	
222	PVC Class 12 Pipe 32mm x 6m	No	
223	PVC Class 9 Pipe x 6m 50mm	No	
224	PVC Class 9 Pipe x 6m 75mm	No	
225	PVC Class 9 Pipe x 6m 90mm	No	
226	PVC Class 9 Pipe x 6m 110mm	No	
227	PVC Class 9 Pipe x 6m	No	
228	PVC Class 9 Elbow 50mm	No	

229	PVC Class 9 Elbow 75mm	No	
230	PVC Class 9 Elbow 90mm	No	
231	PVC Class 9 Elbow 110mm	No	
232	PVC Class 9 Elbow 160mm	No	
233	M&F Reducing Socket 50mm x 75mm	No	
234	Class 9 M&F Reducing Socket 50mm x 75mm	No	
235	Class 9 M&F Reducing Socket 75mm x 90mm M&F Reducing Socket	No	
236	Class 9 M&F Reducing Socket 90mm x 110mm	No	
237	Class 9 M&F Reducing Socket 110mm x 160mm	No	
238	Class 9 M&F Reducing Socket 110mm x 75mm	No	
239	Class 9 M&F Reducing Socket 90mm x 50mm	No	
240	PVC Class 12 Pipe 40mm x 6m	No	
241	PVC Class 12 Pipe 50mm x 6m	No	
242	Ceramic Cistern Kits Complete	No	
243	Coupled Closet Toilet Set	No	
244	Cistern Float Valve	No	
245	Cistern Ball Valve	No	
246	Beta Valve Kits 32mm	No	
247	Beta Valve Kits 40mm	No	
248	Vacuum Breaker Compression Fitting 22mm	No	
249	Latco Acetal Pressure Control Valves	No	
250	Latco Quadro Pressure Control Valve	No	
251	Master Flow Valve 400kpa	No	
252	PVC Cement Glue 500g	No	

253	Urinal Master Flow	No	
254	Sink Mixer 15mm	No	
255	Sink Mixer Elbow Action 15mm	No	
256	Wheel Valve 80mm	No	
257	Wheel Valve 110mm	No	
258	Basket Steiner Waist 32mm	No	
259	PVC Reducing Junction Single Plain 110 X 50mm Sw40	No	
260	Wheel Valve 80mm	No	
261	Wheel Valve 110mm	No	
262	Wheel Valve 160 mm	No	
263	Tap Washer 15mm	No	
264	Tap Washer 20mm	No	
265	Tap Washer 25mm	No	
266	Basin Fixed Bolts	No	
267	Reducing Bush Galvanised 15mm X 20mm	No	
268	Reducing Bush Galvanised 20mm X 25mm	No	
269	Reducing Bush Galvanised 25mm X 32mm	No	
270	Reducing Bush Galvanised 32mm X 40mm	No	
271	Reducing Bush Galvanised 40mm X 50mm	No	
272	Reducing Bush Galvanised 50mm X 80mm	No	
273	PVC Saddle 75mm X 20mm	No	
274	PVC Saddle 90mm X 50mm	No	
275	PVC Saddle 110mm X 520mm	No	
276	PVC Saddle 160mm X 50mm	No	

277	PVC Saddle 50mm X 20mm	No	
278	Soldering Wire	No	
279	Soldering Flux	No	
280	Gas Cartridge	No	
281	Urinal Flush Master	No	
282	Toilet Flush Master	No	
283	P-Trap 38mm X 38mm	No	
284	S-Trap 38mm X 38mm	No	
285	P-Trap 32mm X 38mm	No	
286	P-Trap 32mm X 38mm	No	
287	PVC Socket 50mm	No	
288	15mm Copper Tee	No	
289	22mm Straight Coupling Female Conex	No	
290	110mm Flexible Pan Connectors PVC	No	
291	Toilet Cistern Bottom Inlet (White)	No	
292	15mm Straight Coupling Male Conex	No	
293	Paraplegic Toilet + Cistern Complete	No	
294	Cistern Kit 15mm Bottom Inlet	No	
295	15mm Straight Coupling Male Conex	No	
296	50mm X 40mm PVC Straight Male Adaptors	No	
297	22mm Copper Holder Bats	No	
298	15mm Copper Holder Bats	No	
299	15mm Extension Piece	No	
300	15mm Extension Piece	No	

301	45-55mm Cascade Clamp	No	
302	69-76mm Cascade Clamp	No	
303	95-104mm Cascade Clamp	No	
303	22mm Straight Coupling Male Conex	No	
304	22mm Straight Coupling Female Conex	No	
305	Basin Chain and 32mm Plug	No	
306	20mm Galvanised T- Piece	No	
307	15mm Basin Sint Press Tap	No	
308	15mm Zink Sint Press Tap	No	
309	100 KPA Latco Valve	No	
310	100 mm x 100mm Equal Cross Flanged All Sides and Enamelled.	No	
311	12mm x 60mm Bolts with Spring Washers Zink Plated	Kg	
312	110mm Resilient Seal Gate Valves.	No	
313	90mm Resilient Seal Gate Valves.	No	
314	75mm SG Iron Repair Coupling.	No	
315	110mm x 90mm Male/Female Reducer (Spigot and Socket) Long Type.	No	
316	110mm x 75mm Male/Female Reducer (Spigot and Socket) Long Type.	No	
317	110mm x 50mm Male/Female Reducer (Spigot and Socket) Long Type.	No	
318	90mm x 75mm Male/Female Reducer (Spigot and Socket) Bush.	No	
319	1m x 3m Rubber Packing.	No	
310	Stop End Plug Male 15mm	No	
311	Stop End Plug Female 15mm	No	
312	Stop End Plug Male 20mm	No	
313	Stop End Plug Female 20mm	No	

314	White Duroplast standard toilet seat	No	
315	15mm Junior Urinal Flush Master	No	
316	Urinal Spreader and Flush pipe	No	
317	Cistern Mechanism Top Flush	No	
318	Cistern Handle for Toilets	No	
319	25mm x 20mm Galv reducing Bush	No	
320	Pan Seal Ring	No	
321	15mm Spare Ring Compression	No	
322	20mm Spare Ring Compression	No	
323	30cm Long Flexi Connector	No	
324	30cm Long Male and Female Flexi Connector	No	
325	40cm Long Male and Female Flexi Connector	No	
326	40cm Long Flexi connector	No	
327	15mm Copper Saddle	No	
328	20mm Copper Saddle	No	
329	20mm J and J Coupling	No	
330	25mm J and J Coupling	No	
331	32mm J and J Coupling	No	
332	40mm J and J Coupling	No	
333	50mm J and J Coupling	No	
334	15mm Shower Rose	No	
335	15mm Shower Arm	No	
336	50mm Shower Trap	No	
337	20mm Galvanised Union	No	

338	32mm Galvanised Union	No	
339	15mm Galvanised Plug	No	
310	20mm Galvanised Plug	No	
311	32mm Galvanised Plug	No	
312	40mm Galvanised Plug	No	
313	50mm Galvanised Plug	No	
314	80mm Galvanised Plug	No	
315	40mm Sink Waste	No	
316	32mm Basin Waste	No	
317	32mm Urinal Waste	No	
318	40mm Urinal Waste	No	
319	32mm Bottle Trap	No	
320	40mm Bottle Trap	No	
321	40mm x 20mm Galvanised Reduce bush	No	
322	50mm x 32mm Galvanised Reduce bush	No	
323	32mm x 20mm Galvanised Reduce socket	No	
324	32mm Male adaptor nylon	No	
325	32mm Female T-Piece nylon	No	
326	Class 10 x 32mm x 250m roll	No	
327	32mm Male elbow plason	No	
328	32mm T-Piece plason	No	
329	25mm Male adaptor compression	No	
330	25mm Elbow plason compression	No	
331	25mm Female adaptor plason compression	No	

332	25mm Male adaptor plason compression	No	
333	25mm Stop cork PVC	No	
334	25mm x 50m x Class 10 PVC pipe	No	
335	22mm Elbow plate compression fitting	No	
336	6mm x 80mm fisher plugs	No	
337	Screw clamp	No	
338	300mm Cable tie packet of 100	No	
339	Geyser Packing Edge	No	
340	50L SABS High Quality Geyser Complete with Accessories	No	
341	100L SABS High Quality Geyser Complete with Accessories	No	
342	150L SABS High Quality Geyser Complete with Accessories	No	
343	200L SABS High Quality Geyser Complete with Accessories	No	
344	40mm flexible connector	No	
345	2 500L Black Septic tank	No	
346	5 000L Black Septic tank	No	
437	5 000L Vertical water storage tank equivalent to Jojo tank	No	
348	10 000L Vertical water storage tank equivalent to Jojo tank	No	
349	1.5kw 220V Centrifugal Pressure pump	No	
350	0.75kw 220V Centrifugal Pressure pump	No	
351	32mm x 20mm Galvanized reduce bush	No	
352	32mm Waste	No	
353	110mm Plain elbow 90°	No	
354	110mm Elbow with IE and 50mm vent horn	No	
355	110mm PVC Y- junction to right	No	

356	32mm x 50mm P-trap	No	
357	50mm Elbow 90°PVC	No	
358	Lockable toilet paper holder	No.	
359	0,75KW Pressure Pump	No	
360	0,37KW Pressure Pump	No	
361	Hacksaw Blade	No	
362	22mm Poly Copper Pipe 100m	No	
363	110mm x 50mm T-Piece Junction Surface	No	
364	25mm Female Coupling Plasson Elbow Compression	No	
365	40mm x 25mm Plasson Male Coupling Compression	No	
366	40mm Beta Valve	No	
367	40mm Female Plasson Elbow Compression	No	
368	40mm Male Plasson Elbow Compression	No	
369	40mm Plasson Male Coupling Compression	No	
370	15mm Male adaptor compression brass	No	
371	22mm Wheel valve compression	No	
372	15mm Brass Tee compression	No	
373	22mm Brass Female adaptor compression	No	
374	15mm Female adaptor brass compression	No	
375	15mm Straight couple compress	No	
376	22mm Straight couple compression brass	No	
377	110mm x 110mm x 110mm Junction with access	No	
378	110mm Acentric junction	No	
379	Bath waste 40mm	No	

380	Bath trap	No	
381	40mm Basin waste	No	
382	40mm Plasson Class 10 Pipe 100m	No	
383	SDS Drill Bit 8mm x 110mm	No	
384	SDS Drill B4 16mm x 260mm	No	
385	450mm x 600mm Manhole Cover	No	
386	15mm Angle Valve	No	
387	22mm Beta Valve Compression	No	
388	22mm Beta Valve	No	
389	22mm Connex Elbow	No	
390	P-Trap 32mm x 40mm	No	
391	P-Trap 38mm x 40mm	No	
392	110mm PVC elbow 90°	No	
393	110mm PVC Bend 45° underground	No	
394	Float valve 50mm pipe	No	
395	1700mm x 800mm White fibre oval bathtub	No	
396	1800mm x 800mm White fibre standard bathtub	No	
397	S-Trap 40mm x 40mm	No	
398	P-Trap 40mm x 40mm	No	
399	P-Trap 15mm	No	
400	15mm Tap extension	No	
401	50mm Elbow IE	No	
402	50mm Bend 45°	No	
403	22mm Bib Tap	No	

404	20mm Bib Tap	No	
405	15mm Coupling connex	No	
406	15mm Elbow connex	No	
407	15mm T-Piece	No	
408	15mm Female coupling Conex	No	
409	15mm Aqua lock galvanised equivalent to Jonson Aqua lock	No	
410	22mm Aqua lock galvanised equivalent to Jonson Aqua lock	No	
411	22mm Elbow Conex	No	
412	15mm Male coupling Conex	No	
413	50mm PVC Female socket	No	
414	110mm Socket equivalent to Kimberly socket	No	
415	50mm 90° Bend plain	No	
416	20mm Joint equivalent to Jonson joint	No	
417	Fixed manual Fire Hose Reel 25mm(diameter) x 30m(length) Hose	No.	
418	PVC UG Pipe 160mm x 6m Plain Normal Duty 100kPa	No	
419	PVC UG Socket 160mm Double S/Weld	No	
420	PVC UG Bend 160mm x 45 Plain Short 1/8 Moulded RR	No	
421	PVC UG Junction 160 x 45 Access Left Fabricated S/Weld	No	
422	Junction PVC Marley UG Single Reducing 160mm x 110mm 1/8 (45 Deg) IE	No	
423	Water Purification Tablets/10	No	
424	Flexible 80mm Suction Helix Hose Pipe	No	
425	Flexible 50mm Suction Helix Hose Pipe	M	
426	Aquamatt high pressure Descaler Crystal, Maximum Pressure of 5.8 bar with 5 – 7 kg of crystals	M	
427	Builders Shower Tray Square Floor Pan STM14 - White	No	

428	Builders Corner Entry Shower Enclosure Chrome 885 x 885 mm	No	
429	Shower Semi Frameless Pivot Door Chrome 1000 x 1000 x 1900mm	No	
430	Urinal Flush Master 22mm	No	
431	Urinal Flush Master 15mm	No	
432	Toilet Flush Master 22mm	No	
433	Rothenberg Multi Gas 300	No	
434	Copper Ring Seal 32mm	No	
435	Copper Ring Seal 40mm	No	
436	Waterproof Tape Roll	No	
437	Space Saving Trap for Triple Bowls	No	
438	Sink Mixer O Ring	No	
439	WS 90 Basket Strainer	No	
440	Prately Steel Quick Set	No	
441	Kitchen Sink Mixer Tap Head Cover	No	
	SUB TOTAL		
	VAT		
	GRAND TOTAL		

NB : (i) THE SERVICE PROVIDER MUST PROVIDE ON BUILDING, ELECTRICAL AND PLUMBING MATERIAL ITEMS NOT MENTIONED ON THE MATERIAL LIST AT MARK-UP OF NO GREATER THAN 15%.

(ii) RATE PRICES ARE INCLUSIVE OF TRANSPORTATION COST.

(iii) RATE PRICES ARE INCLUSIVE OF OFFLOADING COST.

(iv) RATE PRICES ARE EXCLUSIVE OF VAT

(v) ALL MATERIAL TO BE SABS COMPLIANT

(vi) 2nd and 3rd Years Prices to be increased by the CPI approved by National Treasury for the particular year.

PRICE SCHEDULE

FORM OF TENDER / OFFER

The offered total price (inclusive or exclusive) of value added tax is (contact price)

Price in words
.....

Price in figures R
VAT

GRAND TOTAL

Signed:.....

Bidder:.....

Capacity:.....

SUMMARY OF THE SCHEDULE OF QUANTITIES

DISTRICT	BID PRICE
CAPRICORN	
VHEMBE	
MOPANI	
SEKHUKHUNE	
WATERBERG	
TOTAL BID PRICE	

SIGNED:.....

BIDDER:.....