



GROUND FLOOR PLAN – ZONE B WAITING AREA 6
LIGHTING LAYOUT
SCALE 1:100

LEGEND	
	TYPE L08: SURFACE MOUNTED FITTING, 43W LED LAMP WITH 0,8mm POWDER-COATED MILD / ROLLED STEEL LUMINAIRE BODY AND COVER, COLOUR WHITE. THE COVER SHALL BE ATTACHED TO THE MAIN BODY. ELECTRONIC BALLAST TO BE INTEGRAL TO LUMINAIRE. OUTPUT TO BE MIN. FITTINGS TO COMPLY AND BEAR SANS 60598 -2-3 SAFETY MARK THE LAMP HOLDERS TO BE IP65 RATING..
	TYPE L13: SURFACE-MOUNTED LUMINAIRE WITH A DIE-CAST ALUMINIUM BASE AND TRIM RING AND A HIGH-IMPACT OPAL ACRYLIC DIFFUSER. BASE-MOUNTED CONTROL GEAR. BOTH THE BASE AND TRIM RING ARE TO BE POWDER COATED. SIZE: PLUS MINUS 280mm DIAMETER. OUTPUT TO BE 20W, 2000LM, 4000K AND CRI OF 80 PLUS. FITTINGS TO COMPLY WITH SANS 60508 CODES AND OR CE AND ROHS CERTIFICATION, WITH AN IP65 RATING FOR THE LAMP COMPARTMENT
	TYPE L12: SURFACE MOUNTED LUMINAIRE, 18W LED WITH 2400LM, 4000K AND CRI OF 70 PLUS, FROM A DIE-CAST ALUMINIUM BODY AND HIGH-IMPACT ACRYLIC DIFFUSER. THE GEAR TRAY TO BE MADE FROM GALVANIZED AND PASSIVATED STEEL AND POWDER COATED. FITTINGS TO COMPLY WITH THE SANS 60598 CODES AND OR CE AND ROHS CERTIFICATION WITH AN IP65 RATING FOR THE LAMP COMPARTMENT.
	OCCUPANCY SENSOR
	16A 1GANG 1WAY LIGHT SWITCH
	16A 1GANG 2WAY LIGHT SWITCH
	16A 2GANG 2WAY LIGHT SWITCH
	ELECTRICAL DISTRIBUTION BOX
	PHOTO CELL
	CIRCUIT NUMBER
	DISTRIBUTION BOARD NUMBER

AMENDMENTS				
NR	DATE	APPROVED	DESCRIPTION	PAR

CLIENT DETAIL

CONSULTANT DETAIL

CONSULTANT DRAWING NUMBER: KB077_PRASA_EL_LL_204

PROJECT STATUS

DESIGNED: NAME: P. THSBALALA, Prof Reg No: [blank], SIGNATURE: [blank], DATE: [blank]

DRAWN: NAME: B. MDLULI, Prof Reg No: [blank], SIGNATURE: [blank], DATE: [blank]

CHECKED: NAME: F. MPOFU, Prof Reg No: 20170265, SIGNATURE: [blank], DATE: [blank]

AUTHORISED: NAME: F. MPOFU, Prof Reg No: 20070013, SIGNATURE: [blank], DATE: [blank]

PROJECT ENGINEER OF PRASA: NAME: [blank], SIGNATURE: [blank], DATE: [blank]

INSPECTOR OF WORKS: NAME: [blank], SIGNATURE: [blank], DATE: [blank]

CONTRACT No. [blank]

PROJECT No. KB077

SHEET No. 1 OF 1

PAPER SIZE A1

SCALE AS INDICATED

DATE: SEP 2022

LOCATION OF PROJECT: CAPE TOWN TO STRAND - SUB CORRIDOR 1

DESCRIPTION OF PROJECT: REFURBISHMENT OF PAROW STATION

DRAWING NAME: ZONE B WAITING AREA 6 LIGHTING LAYOUT

WBS No: [blank]

PRASA DRAWING NUMBER: KB077_PRASA_EL_LL_204