

PLEASE INCLUDE PICTURES / BROCURE OF ALL THE ITEMS REQUIRED FOR YOUR QUOTATION TO BE CONSIDERED.

1 x Rotary hammer drill - Three modes - drilling, hammering, and chiseling

Length: 334mm - Height: 205mm - Width: 88mm - Weight: 2.3kg

Power input: 720W - Impact energy: 2J

Tool holder: SDS plus

Drilling diameter concrete, hammer drill bits 4-22mm

Maximum drilling diameter in metal: 13mm

Maximum drilling diameter in wood: 30mm

Hammer drilling on concrete - Vibration emission value ah: 14.7 m/s²

Hammer drilling on concrete - Uncertainty K: 1.5 m/s²

Chiseling on concrete - Vibration emission value ah: 11.9 m/s²

Chiseling on concrete - Uncertainty K: 1.5 m/s²

Powerful motor and 2.0 joules impact energy for efficient drilling in concrete (up to 22 mm diameter)

1 x Leaf Blower

Power: Electric

Cordless: No

Handling: Handheld

Vacuum: Yes

Amp: 12 Amp

Mulcher: Yes

MPH: Up to 260

Weight: 11.27 lbs

CFM: Up to 450

Speed Settings: 1 Speed

2 x Lawn mower

Power: Electric - 2600w electric motor - Grass box capacity: 55L

Chassis type: Steel

Cutting width: 46cm - Grass cut: 20-85mm - Weight: 31kg

Wheels: 17 cm (Front) and 20 cm (Back)

3 x Battery operated knapsack sprayer

16L battery-operated cordless sprayer

Lance length: 110cm

Telescopic brass connector

Hose length: 1.3m

Adjustable heavy-duty belt

Four different function nozzles included

Continuous use averages 30 tanks

Battery storage 12v 9ah. Li lithium

2 x Brush cutters

Capacity: 340,2 cm

Performance: 1,55 kW

Cutting Attachment: GB 230-2 blade and Auto Cut C 26-2

Tank volume: 0,81L

5 x Cultivator hoe

Fast seedbed preparation / weeding

Depth control (150mm stainless steel wheels)

Blade mode: fixed / pivot Width: 100mm / 210mm

Weight: 1kg / 1.7kg (without handle)

Must have the handle

1 x Chain saw

Capacity: 38cc

Motor power output: 1.2kW

Drive motor: Petrol

Size: 16" Oregon bar/chain

Dimensions: 430mm (L) x 280mm (W) x 270mm (H)

1 x Air Compressor

Power: 1.5kW/2HP

Voltage: 230V

Frequency: 50Hz

Motor poles: 2P

Rated speed: 2850r/min

Current: 6.5A

Delivery: 206L/min

Discharge pressure: 115/8 Bar

Air tank capacity: 50L

Fan cover

Safety valve

Discharge pipe

Drain cock

2 Wheels

Non-return valve

Pressure gauge

Regulating valve

Outlet valve

Pressure switch

Main compressor