



REQUEST FOR QUOTATION (RFQ)

RFQ NUMBER: 10344952

REQUEST FOR QUOTATION (RFQ) FOR THE
TEST LAB GAUTENG

Name of bidder:			From:	Zakhele Motha Supply Chain Management UMJANTSHI HOUSE 10 th Floor 30 Wolmaran's Street Braamfontein Johannesburg
To be completed by the supplier			Tel:	(011) 013 0059
Tel:	Cell		Tel:	
Date:	13 NOVEMBER 2023			
e-mail:			e-mail:	
Attention:	TO WHOM IT MAY CONCERN		RFQ Ref No:	10344952
Subject:	TEST LAB GAUTENG			

A quotation(s) **MUST** be hand delivered by **17 NOVEMBER 2023 at 10h00**. Quotation(s) must be addressed to PRASA SCM HEAD OFFICE before or on the closing date and time shown above.

ITEM NO.	DESCRIPTION	QTY	Unit of Measure	UNIT PRICE (EXCL. VAT)	TOTAL PRICE (INCL. VAT)
1	TEST LAB GAUTENG	1	EA		

SPECIFICATION ATTACHED IN RFQ

PROJECT SPECIFICATION AND BILL OF QUANTITY
FOR:
SUPPLY AND DELIVERY OF TEST LAB EQUIPMENT FOR GAUTENG PRASA REGION

TABLE OF CONTENTS

Contents

1. <i>INTRODUCTION</i>	33
2. <i>DESCRIPTION OF WORKS/SCOPE OF WORKS</i>	33
3. <i>DURATION</i>	3
4. <i>GUARANTEE</i>	4
5. <i>PENALTY</i>	4
6. <i>DELIVERY</i>	4
7. <i>BILL OF QUANTITIES</i>	5

1. *INTRODUCTION*

The purpose of this project is to provide a service to supply and deliver test lab equipment for Gauteng Region.

2. **DESCRIPTION OF WORKS/SCOPE OF WORKS**

The contractor must supply and deliver the following test lab equipment with their specification.

2.1 Three Phase Generator specification

• AC Frequency (Hz):	50
• AC Output (V):	220
• Max AC Output (Kva):	5.5
• Rated Output (Kva):	5
• Fuel tank (litre):	17
• Rated continuous operating time (h):	Approx. 14 -5.7
• Dry weight (kg):	95
• Starting system:	Recoil/Electric

2.2 Transformer turn ratio TTR Tester three Phase specification.

• Rating:	Variable Ratio – 0.9~10000 Angle – 0-360 degrees
• Output voltage:	Automatically adjusted according to load.
• Resolution	Minimum is 0.0001, Angle-0.01 degrees.
• Working power supply:	AC 220V+/-10% 50Hz

2.3 Secondary injection SET (Variable 0-100A) Tessel or equivalent.

2.3.1 FEATURES:

- Switch Selectable current ranges for quick and easy testing.
- SET facility practically eliminates the possibility of damaging relay while adjusting the current.
- Built in choke for sinusoidal current waveform and improved control when testing electro-mechanical relays.
- No need to carry extra instruments - built in 3 1/2-digit ammeter.
- Built in Timer for measuring relay tripping time. Operates from normally open or normally closed contacts.
- Built in auxiliary supply for energizing electronic relays, trip coils etc, controlled by separate variable transformer.
- Built in 3 1/2 digit voltmeter on auxiliary supply.
- Robust powder-coated steel enclosure.

2.3.2 Specification

- Supply voltage: 230V AC 50Hz
- Current Injection Transformer: (Choke switched to bypass)

MAXIMUM CURRENT

RANGE	MAXIMUM VOLTS	CONTINUOUS CURRENT	1 MIN ON OFF	30 SEC ON 3 MIN OFF	10 SEC ON 2.5 MIN OFF
2 A	220 V	3,5 A	7 A	12	16
5 A	120 V	5 A	10 A	15	20
10 A	60 V	10 A	20 A	30	40
25 A	24 V	25 A	50 A	75	100
50 A	12 V	50 A	100 A	150	200

CHOKE RATINGS

RANGE	MAXIMUM CURRENT	(5 Minutes)
2 A		2.6 A
5 A		6.5 A
10 A		13.0 A
25 A		32.5 A
50 A		65 A

AUXILIARY SUPPLY VOLTAGE

VOLTS AC	AC CURRENT	VOLTS DC	DC CURRENT
0 - 55	4 A	0 - 77	2,0 A
0 - 110	2 A	0 - 155	1,0 A
0 - 220	1 A	0 - 311	0,5 A

VOLTS OUTPUT	PK - PK RIPPLE	CURRENT	PK - PK RIPPLE	CURRENT
50	10%	650 mA	5%	290 mA
110	5,9%	1,0 A	5%	800 mA

Ammeter: 3 1/2 digit True RMS. responding
Accuracy: 0,5% of reading + 3 digits
Linearity: 0,05% Temperature coefficient:
30ppm/oC typ.

Voltmeter: 3 1/2 digit True RMS. responding
Accuracy: 0,5% of reading + 2 digits
Linearity: 0,05% Temperature coefficient:
30ppm/oC typ.

Timer: Crystal time base microprocessor
controlled. Auto ranging: 99,999; 999,99
and 9999,9 seconds. Accuracy: 1 digit
Frequency error: 75ppm Temperature
coefficient: 25ppm from 0 - 40 oC.

Capacitor: 10 microfarad 440 V AC

Resistors

2 K ohm	-	220 mA	-	100 W
200 ohm	-	0,7 Amp	-	100 W
20 ohm	-	2,2 Amp	-	100 W
1,5 ohm	-	8 Amp	-	100 W
0,5 ohm	-	14 Amp	-	100 W

2.4 Primary Injection SET (CPC 100 or equivalent)

2.4.1 **FEATURES:**

- Lightweight and compact so one person can handle the test set
- SET High output rating - 500A at 6 volts, so long test lead can be used.
- Switch selectable voltage output for good control of the output current.
- No need to carry extra instruments - built in 3 1/2-digit ammeter.
- Robust powder-coated aluminium enclosure to reduce mass.

2.4.2 Specification



Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001

Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

Supply Voltage:

240 V 50Hz. Supply current 14 A with a load of 500 A on the high range.

Output:

0 - 500 A at 4 or 6 volts at a duty cycle of 5 minutes on and 15 minutes off.

Ammeter:

3 1/2 digit True RMS. responding
Accuracy: 0,5% of reading + 3 digits
Linearity: 0,05% Temperature coefficient: 30ppm/°C typ.

Enclosure:

Robust powder coated aluminium enclosure removeable lid and rubber feet.

Dimensions:

420mm X 325mm X 410mm

Weight:

Approximately 32 Kg.

2.5 AC/DC Injection SET 200A.

2.5.1 Application

- Primary injection tests
- Protective Relay Testing
- Circuit Breaker Testing
- Recloser and Sectionalizer
- Switchgear Testing
- Ground Grid Testing

2.5.2 Features

- Permanent current up to 200 A, 2KVA
- Max current output up to 250A
- Built-in digital ammeter 0.2% accuracy
- Built-in digital timer resolution 1ms
- Small size, light weight, easy to test on-site.
- Thermal and short-circuit protection.

2.5.3 Specification

Electrical Parameters	
Accuracy	±0.5%
Power Supply (AC)	220V±10%·2000VA, 50Hz/60Hz or 110V±10%·2000VA, 50Hz/60Hz
Current Output (AC)	200A·5V or 100A·10V
Capacity	2KVA
The current output waveform distortion	<=5%



Umjantshi House Private Bag X101
30 Wolmarans Str. Braamfontein, 2107
Braamfontein
Johannesburg
2001
T +27 11 013 1667

Dual protection	overload electronic protection and software protection
Primary current	
Range	0-250A
AC Voltage Output	
Range	0-250V AC
DC Voltage Output	
Range	0-300V DC
Current Output duration	
200A range	200A 1-2minutes 100A 3-6minutes 50A Continuous
10A range	10A Continuous

2.6 LCR multi-meter.

2.6.1 Features and Benefits:

- 20,000 counts resolution
- 0.2% basic accuracy
- Wide LCR ranges
- Auto identification (Ai) automatically determines and displays component type and measurements.
- Detailed component analysis
- IR-to-USB connectivity for data logging to PC
- Test frequency up to 100kHz

2.6.2 Specification

Attribute	Value
Maximum Capacitance	20mF
Measurement	
Maximum Resistance	200 MΩ
Measurement	
Maximum Inductance	2000H
Measurement	
Battery Life	16 h



Umjantshi House Private Bag X101
30 Wolmarans Str. Braamfontein, 2107
Braamfontein
Johannesburg
2001
T +27 11 013 1667

2.7 DC Milli-Volt Injection SET 100mV.

Specification is based on a one-year calibration cycle and apply from +18°C to +28°C unless stated otherwise. "Counts" means number of increments or decrements of the least significant digit.

2.7.1 DC V Input and Output

Range	Resolution	Accuracy \pm (% of reading + Counts)
100 mV	0.01 mV	0.02 % + 2
10 V	0.001 V	0.02 % + 2

Input impedance: 2ohms (nominal) < 100pF
Over voltage protection: 30V
Voltage driver capability: 1mA

2.7.2 General Specifications

Maximum voltage applied between any jack and earth ground or between any tow jack :
30V

Storage temperature : -40°C~60°C

Operating temperature : -10°C~ 55°C

Operating altitude : 3000 meters maximum

Temperature coefficient : $\pm 0.005\%$ of range per°C

for the temperature range -10 to 18°C °C and 28 to 55°C °C

Relative humidity : 95% up to 30°C, 75% up to 40°C, 45% up to 50°C, 35% up to 55

Shock : Random 2g , 5Hz to 500Hz

Safety : 1 meter drop test

Power requirements : 9VDC, 006P or 1604A

Size : 190mm L x 89mm W x 42mm H

Weight: 350g (include battery)

2.8 Emergency portable light.

- The light must be rechargeable with 24 LED
- Lumens: 2400Lumens
- Power: 30W
- LED Lifespan: over 50 000Hours
- Batteries, removable

3. DURATION

Umjantshi House 30 Wolmarans Str. Braamfontein Johannesburg 2001	Private Bag X101 Braamfontein, 2107 T +27 11 013 1667
--	---

Three months

4. GUARANTEE

- 4.1. Prasa reserves the right to visually inspect the material during delivery for any defects or damages.
- 4.2. The material shall be subjected to a guarantee period of one year. The guarantee period shall commence the day it is formally handed over to and accepted by Metrorail.
- 4.3. Any defects that may become apparent during the guarantees period shall be rectified to the satisfaction of the client at a free cost.
- 4.4. Should the contractor fail to comply with the above, Prasa is entitled to take effective replacement of the defective material. The contractor must reimburse Prasa Metrorail the total cost for replacement of materials.

5. PENALTY

Should the Contractor fail to complete delivery on/before the stipulated completion dates, a penalty fee of R5000 per week will be charged.

6. DELIVERY

All the material supplied must be delivered to Pretoria Capital Park Depot.



Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001

Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

7. BILL OF QUANTITIES

ITEM NO.	DESCRIPTION	QTY	RATE PER METER	UNIT PRICE (INCL. VAT)	TOTAL PRICE (INCL. VAT)
1	Supply and deliver Three Phase Generator	1	EACH		
2	Supply and deliver Transformer turn ratio TTR Tester three Phase	1	EACH		
3	Supply and deliver Secondary injection SET (Variable 0-100A) Tessel or equivalent.	1	EACH		
4	Supply and deliver Primary Injection SET (CPC 100 or equivalent)	1	EACH		
5	Supply and deliver AC/DC Injection SET 200A.	1	EACH		
6	Supply and deliver LCR multi-meter.	1	EACH		
7	Supply and deliver DC Milli-Volt Injection SET 100mV.	1	EACH		
8	Supply and Deliver Emergency portable light	1	EACH		
Total					

Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001

Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

SECTION 1: SBD1

PART A INVITATION TO BID

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF PASSENGER RAIL AGENCY (PRASA)

BID NUMBER:	CLOSING DATE:	CLOSING TIME::00
-------------	-------	---------------	-------	---------------	---------

DESCRIPTION	
-------------	--

BID RESPONSE DOCUMENTS SHALL BE ADDRESSED AS FOLLOWS:

BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT (STREET ADDRESS):

30 Wolmarans Street

Braamfontein

Johannesburg

BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO

CONTACT PERSON	ZAKHELE MOTHA
----------------	---------------

TELEPHONE NUMBER	011 013 0059
------------------	--------------

E-MAIL ADDRESS	
----------------	--

SUPPLIER INFORMATION

NAME OF BIDDER				
----------------	--	--	--	--

POSTAL ADDRESS				
----------------	--	--	--	--

STREET ADDRESS				
----------------	--	--	--	--

TELEPHONE NUMBER	CODE		NUMBER	
------------------	------	--	--------	--

CELLPHONE NUMBER				
------------------	--	--	--	--

FACSIMILE NUMBER	CODE		NUMBER	
------------------	------	--	--------	--

E-MAIL ADDRESS				
----------------	--	--	--	--

VAT REGISTRATION NUMBER				
-------------------------	--	--	--	--

SUPPLIER COMPLIANCE STATUS	TAX COMPLIANCE SYSTEM PIN:		OR	CENTRAL SUPPLIER DATABASE No:	MAAA..... ..
----------------------------	-------------------------------	--	----	----------------------------------	-----------------

Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001

Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

<p>2.1 ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <small>[IF YES ENCLOSE PROOF]</small>	<p>2.2 ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <small>[IF YES, ANSWER THE QUESTIONNAIRE BELOW]</small>
--	---	---	---

QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS

IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? YES NO

DOES THE ENTITY HAVE A BRANCH IN THE RSA? YES NO

DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA? YES NO

DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA? YES NO

IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION? YES NO

IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW.

PART B: TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. **ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED-(NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.**
- 1.3. **PRESCRIBED IN THE BID DOCUMENT.**
- 1.4. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.

Umjantshi House Private Bag X101
30 Wolmarans Str. Braamfontein, 2107
Braamfontein T +27 11 013 1667
Johannesburg
2001

- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

SIGNATURE OF BIDDER:

CAPACITY UNDER WHICH THIS BID IS SIGNED:

(Proof of authority must be submitted e.g. company resolution)

DATE:

NB:

- *Quotation(s) must be addressed to PRASA before the closing date and time shown above.*
- *PRASA General Conditions of Purchase shall apply.*

SECTION 2

NOTICE TO BIDDERS

1. RESPONSES TO RFQ

Responses to this RFQ [Quotations] must not include documents or reference relating to any other quotation or proposal. Any additional conditions must be embodied in an accompanying letter.

Proposals must reach the PRASA before the closing hour on the date shown on SBD1 above, and must be enclosed in a sealed envelope.

2 COMMUNICATION

Respondent/s are warned that a response will be liable for disqualification should any attempt be made either directly or indirectly to canvass any SCM Officer(s) or PRASA employee in respect of this RFQ between the closing date and the date of the award of the business.

Umjantshi House Private Bag X101
30 Wolmarans Str. Braamfontein, 2107
Braamfontein T +27 11 013 1667
Johannesburg
2001

3 BIDDERS COMPLAINTS PROCESS

3.1 Bidders are advised utilize this email address (SCM.Complaints@prasa.co.za) for lodging of complains to PRASA in relation to this bid process. The following minimum information about the bidder must be included in the complaint:

- 3.1.1 Bid/Tender Description
- 3.1.2 Bid/Tender Reference Number
- 3.1.3 Closing date of Bid/Tender
- 3.1.4 Supplier Name;
- 3.1.5 Supplier Contact details
- 3.1.6 The detailed compliant

4 LEGAL COMPLIANCE

The successful Respondent shall be in full and complete compliance with any and all applicable national and local laws and regulations.

5 CHANGES TO QUOTATIONS

Changes by the Respondent to its submission will not be considered after the closing date and time.

6 PRICING

All prices must be quoted in South African Rand on a fixed price basis, including all applicable taxes.

7 BINDING OFFER

Any Quotation furnished pursuant to this Request shall be deemed to be an offer. Any exceptions to this statement must be clearly and specifically indicated.

Umjantshi House Private Bag X101
30 Wolmarans Str. Braamfontein, 2107
Braamfontein T +27 11 013 1667
Johannesburg
2001

8 DISCLAIMERS

PRASA is not committed to any course of action as a result of its issuance of this RFQ and/or its receipt of a Quotation in response to it. Please note that PRASA reserves the right to:

- Modify the RFQ's goods / service(s) and request Respondents to re-bid on any changes;
- Reject any Quotation which does not conform to instructions and specifications which are detailed herein;
- Reject Quotations submitted after the stated submission deadline or at the incorrect venue ;

Should a contract be awarded on the strength of information furnished by the Respondent, which after conclusion of the contract, is proved to have been incorrect, PRASA reserves the right to cancel the contract.

PRASA reserves the right to award business to the highest scoring bidder/s unless objective criteria justify the award to another Respondent.

Should the preferred fail to sign or commence with the contract within a reasonable period after being requested to do so, PRASA reserves the right to award the business to the next highest ranked Respondent provided that he/she is still prepared to provide the required goods at the quoted price.

9 LEGAL REVIEW

Proposed contractual terms and conditions submitted by a Respondent will be subjected to review and acceptance or rejection by PRASA's Legal Counsel, prior to consideration for an award of business.

10 NATIONAL TREASURY'S CENTRAL SUPPLIER DATABASE

Respondents are required to self-register on National Treasury's Central Supplier Database (CSD) which has been established to centrally administer supplier information for all organs of state and facilitate the verification of certain key supplier information. PRASA is required to ensure that price quotations are invited and accepted from prospective bidders listed on the CSD. Business may not be awarded to a respondent who has failed to register on the CSD. Only foreign suppliers with no local

Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001

Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

registered entity need not register on the CSD. The CSD can be accessed at <https://secure.csd.gov.za/>.

11 PROTECTION OF PERSONAL DATA

In responding to this bid, PRASA acknowledges that it may obtain and have access to personal data of the Respondents. PRASA agrees that it shall only process the information disclosed by Respondents in their response to this bid for the purpose of evaluating and subsequent award of business and in accordance with any applicable law.

Furthermore, PRASA will not otherwise modify, amend or alter any personal data submitted by Respondents or disclose or permit the disclosure of any personal data to any Third Party without the prior written consent from the Respondents. Similarly, PRASA requires Respondents to process any personal information disclosed by PRASA in the bidding process in the same manner.

12 EVALUATION METHODOLOGY

PRASA will utilise the following criteria [not necessarily in this order] in choosing a Supplier/Service Provider, if so required: (Amend where applicable)

EVALUATION CRITERIA	WEIGHTING
Stage 1 – Compliance	
Stage 1A	Mandatory Requirements
Stage 1B	Other Mandatory Requirements
Stage 2	
Technical/Functional Requirements	Threshold of 80% (Insert Applicable threshold)
Stage 3	
Price	80
Specific Goals	20
TOTAL	100

13 ADMINISTRATIVE RESPONSIVENESS

The test for administrative responsiveness will include completeness of response and whether all returnable and/or required documents, certificates; verify completeness of warranties and other bid requirements and formalities have been complied with. Incomplete Bids will be disqualified.

Umjantshi House Private Bag X101
30 Wolmarans Str. Braamfontein, 2107
Braamfontein T +27 11 013 1667
Johannesburg
2001

14 VALIDITY PERIOD

14.1 PRASA requires a validity period of**Working Days** from the closing date.

14.2 Respondents are to note that they may be requested to extend the validity period of their response, on the same terms and conditions, if the internal processes are not finalized within the validity period. However, once the delegated authority has approved the process the validity of the successful respondent(s)' bid will be deemed to remain valid until finalization of the award.),

15 PUBLICATION OF INFORMATION ON THE NATIONAL TREASURY E-TENDER PORTAL

Respondents are to note that, bid awards, amendments and cancellations will be published on the e-tender portal and or media used to advertise the bid. For the award of business, PRASA is required to publish the prices and preferences claimed of the successful and unsuccessful Respondents *inter alia* on the National Treasury e-Tender Publication Portal, (www.etenders.gov.za), on CIDB website for construction related RFQ's. (*Where applicable*).

16 RETURNABLE DOCUMENTS

Returnable Documents means all the documents, Sections and Annexures, as listed in the tables below. There are three types of returnable documents as indicated below and Respondents are urged to ensure that these documents are returned with the quotation based on the consequences of non-submission as indicated below:

15.1. Mandatory Returnable Documents

Failure to provide Mandatory Returnable Documents at the Closing Date and time of this RFQ will result in a Respondent's disqualification. Respondents are therefore urged to ensure that all documents are returned with their Quotations.

SECTION 3

1 EVALUATION CRITERIA:

Bidders are to comply with the following requirements and failure to comply may lead to disqualification.

Stage 1A – Mandatory Requirements

If you do not submit/meet the following mandatory documents/requirements, your be will be automatically disqualified.

Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001
Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

Only bidders who comply with stage 1A will be evaluated further.

No.	Description of requirement
a)	Completion of ALL RFQ documentation (includes ALL declarations)
b)	Quotation on a company letterhead Briefing Session Form D. Bidders must also reflect on the Compulsory Briefing Session Attendance Register (Delete if not applicable)
c)	Joint Venture , Consortium Agreement or Partnering Agreement signed by all parties. The agreement should indicate the leading bidder where applicable. (Delete if not applicable)
d)	Proof of CIDB grading or higher (Delete if not applicable)
e)	Supply SARS tax Pin, BEE sworn affidavit and current/latest CSD report

Stage 1B –Other Mandatory Requirements

If you do not submit/meet the following mandatory documents/requirements, PRASA may request the bidder to submit the information within five (5) working days. Should this information not be provided, your bid proposal will be disqualified.

Only bidders who comply with stage 1B will be evaluated further.

No.	Description of requirement
a)	Letter of Good Standing: COID. (Delete if not applicable)
b)	Supply of valid SARS Pin
e)	CSD Report latest

2.1 Stage 2

Technical / Functionality Requirements (If applicable)

Scoring of Functionality:

The minimum threshold for the Technical/functionality criteria is **(80%) (insert applicable threshold)** and bidders who score below this minimum will not be considered for further evaluation in terms of price and Specific Goals.

CRITERIA	INDICATOR	WEIGHT (%)	SCORES
E.G COMPANY EXPERIENCE	BIDDERS MUST SUBMIT REFERENCE	40	0. - 1. - 2. - 3. -

Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001

Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

	LETTERS FOR SIMILAR WORK.		4. – 5. -
TOTAL		100	

2.2 Stage 3- Price and Specific Goals

The following formula, shall be used to allocate scores to the interested bidders :

The maximum points for this tender are allocated as follows:

DETAILS	POINTS
PRICE	80
SPECIFIC GOALS	20
TOTAL POINTS FOR PRICE AND SPECIFIC GOALS	100

FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

POINTS AWARDED FOR PRICE

THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of **80** points is allocated for price on the following basis:

80/20

$$PS = 80 \left(1 - \frac{Pt - P_{min}}{P_{min}} \right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001

Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

POINTS AWARDED FOR SPECIFIC GOALS

3.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)

Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001

Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

SECTION 4

PRICING AND DELIVERY SCHEDULE

Respondents are required to complete the attached Pricing Schedule **Annexure:**

- 1 Prices must be quoted in South African Rand, inclusive of all applicable taxes.
- 2 Price offer is firm and clearly indicate the basis thereof.
- 3 Pricing Bill of Quantity is completed in line with schedule if applicable.
- 4 Cost breakdown must be indicated.
- 5 Price escalation basis and formula must be indicated.
- 6 To facilitate like-for like comparison bidders must submit pricing strictly in accordance with this price schedule and not utilise a different format. Deviation from this pricing schedule could result in a bid being declared non-responsive.
- 7 Please note that should you have offered a discounted price(s), PRASA will only consider such price discount(s) in the final evaluation stage on an unconditional basis.
- 8 Respondents are to note that if price offered by the highest scoring bidder is not market related, PRASA may not award the contract to the Respondent. PRASA may:
 - 9 negotiate a market-related price with the Respondent scoring the highest points;;
 - 10 if that Respondent does not agree to a market-related price, negotiate a market-related price with the Respondent scoring the second highest points;
 - 11 if the Respondent scoring the second highest points does not agree to a market-related price, negotiate a market-related price with the Respondent scoring the third highest points;
 - 12 If a market-related price is not agreed with the Respondent scoring the third highest points, PRASA must cancel the RFQ.

I / We _____ (Insert Name of
Bidding Entity) _____ of

_____ code

(Full address) _____ conducting business under the style or title of:

represented by:
_____ in my capacity as:

_____ being duly
authorised, hereby offer to undertake and complete the above-mentioned work/services at the prices

Umjantshi House Private Bag X101
30 Wolmarans Str. Braamfontein, 2107
Braamfontein T +27 11 013 1667
Johannesburg
2001

quoted in the bills of quantities / schedule of quantities or, where these do not form part of the contract,
at a lumpsum, of

_____ R
(amount in numbers);

_____ (amount in words) Incl. VAT.

DELIVERY PERIOD: Suppliers are requested to offer their earliest delivery period possible.

Delivery will be effected within working days from date of order. (To be completed by Service provider)

SECTION 5

PRASA GENERAL CONDITIONS OF PURCHASE

General

PRASA and the Supplier enter into an order/contract on these conditions to supply the items (goods/services/works) as described in the order/contract.

Conditions

These conditions form the basis of the contract between PRASA and the Supplier. Notwithstanding anything to the contrary in any document issued or sent by the Supplier, these conditions apply except as expressly agreed in writing by PRASA.

No servant or agent of PRASA has authority to vary these conditions orally. These general conditions of purchase are subject to such further special conditions as may be prescribed in writing by PRASA in the order/contract.

Price and payment

The price or rates for the items stated in the order/contract may include an amount for price adjustment, which is calculated in accordance with the formula stated in the order/contract.

The Supplier may be paid in one currency other than South African Rand. Only one exchange rate is used to convert from this currency to South African Rand. Payment to the Supplier in this currency

Umjantshi House Private Bag X101
30 Wolmarans Str. Braamfontein, 2107
Braamfontein T +27 11 013 1667
Johannesburg
2001

other than South African Rand, does not exceed the amounts stated in the order/contract. PRASA pays for the item within 30 days of receipt of the Suppliers correct tax invoice.

Delivery and documents

The Supplier's obligation is to deliver the items on or before the date stated in the order/contract. Late deliveries or late completion of the items may be subject to a penalty if this is imposed in the order/contract. No payment is made if the Supplier does not provide the item as stated in order/contract.

Where items are to be delivered the Supplier:

Clearly marks the outside of each consignment or package with the Supplier's name and full details of the destination in accordance with the order and includes a packing note stating the contents thereof; On dispatch of each consignment, sends to PRASA at the address for delivery of the items, an advice note specifying the means of transport, weight, number of volume as appropriate and the point and date of dispatch; Sends to PRASA a detailed priced invoice as soon as is reasonably practical after dispatch of the items, and states on all communications in respect of the order the order number and code number (if any).

Containers / packing material

Unless otherwise stated in the order/contract, no payment is made for containers or packing materials or return to the Supplier.

Title and risk

Without prejudice to rights of rejection under these conditions, title to and risk in the items passes to PRASA when accepted by PRASA.

Rejection

If the Supplier fails to comply with his obligations under the order/contract, PRASA may reject any part of the items by giving written notice to the Supplier specifying the reason for rejection and whether and within what period replacement of items or re-work are required.

In the case of items delivered, PRASA may return the rejected items to the Supplier at the Supplier's risk and expense. Any money paid to the Supplier in respect of the items not replaced within the time required, together with the costs of returning rejected items to the Supplier and obtaining replacement items from a third party, are paid by the Supplier to PRASA.

In the case of service, the Supplier corrects non-conformances as indicated by PRASA.

Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001

Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

Warranty

Without prejudice to any other rights of PRASA under these conditions, the Supplier warrants that the items are in accordance with PRASA's requirements, and fit for the purpose for which they are intended, and will remain free from defects for a period of one year (unless another period is stated in the Order) from acceptance of the items by PRASA.

Indemnity

The Supplier indemnifies PRASA against all actions, suits, claims, demands, costs, charges and expenses arising in connection therewith arising from the negligence, infringement of intellectual or legal rights or breach of statutory duty of the Supplier, his subcontractors, agents or servants, or from the Supplier's defective design, materials or workmanship.

The Supplier indemnifies PRASA against claims, proceedings, compensation and costs payable arising out of infringement by the Supplier of the rights of others, except an infringement which arose out of the use by the Supplier of things provided by PRASA.

Assignment and sub-contracting

The successful Respondent awarded the contract may only enter into a subcontracting arrangement with PRASA's prior approval. The contract will be concluded between the successful Respondent and PRASA, therefore, the successful Respondent and not the sub-contractor will be held liable for performance in terms of its contractual obligations.

Governing law

The order/contract is governed by the law of the Republic of South Africa and the parties hereby submit to the non-exclusive jurisdiction of the South African courts.

Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001

Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

COMMISSIONER OF OATH

I certify that the above has acknowledged that he/she knows and understands the contents of this document, that he/she does not have any objection to taking the oath, and that he/she considers it to be binding on his/her conscience, and which was sworn to and signed before me at _____ on this the _____ day of _____ 20____, and that the administering oath complied with the regulations contained in Government Gazette No. R 1258 of 21 July 1972, as amended.

_____ (Sign – SERVICE PROVIDER)

_____ (Name – SERVICE PROVIDER)

COMMISSIONER OF OATHS STAMP AND DETAILS OF PERSON



prasa

PASSENGER RAIL AGENCY
OF SOUTH AFRICA

www.prasa.com

Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001

Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

STAMP:

NAME & SURNAME:

DESIGNATION/RANK:

PERSAL/EMPLOYEE NO:

PLACE/DATE:

Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001

Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

SECTION 6

SBD4

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest¹ in the enterprise, employed by the state? **YES/NO**

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? **YES/NO**

2.2.1 If so, furnish particulars:

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001

Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? **YES/NO**

2.3.1 If so, furnish particulars:

.....
.....

3 DECLARATION

I, the undersigned, (name)..... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

3.1 I have read and I understand the contents of this disclosure;

3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;

3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium² will not be construed as collusive bidding.

3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.

3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.

3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.

3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001

Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....
Signature

.....
Date

.....
Position

.....
Name of bidder

SBD 6.1

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 **To be completed by the organ of state**

(delete whichever is not applicable for this tender).

Umjantshi House Private Bag X101
30 Wolmarans Str. Braamfontein, 2107
Braamfontein T +27 11 013 1667
Johannesburg
2001

- a) The applicable preference point system for this tender is the **90/10** preference point system.
- b) The applicable preference point system for this tender is the **80/20** preference point system.
- c) Either the **90/10 or 80/20 preference point system** will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

- (a) Price; and
- (b) Specific Goals.

Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001

Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	
SPECIFIC GOALS	
Total points for Price and Specific Goals	100

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. DEFINITIONS

- (a) **“tender”** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) **“price”** means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) **“rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) **“tender for income-generating contracts”** means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) **“the Act”** means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.2. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001

Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

80/20

or

90/10

$$Ps = 80 \left(1 - \frac{Pt - P_{min}}{P_{min}} \right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

3.3. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.3.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20

or

90/10

$$Ps = 80 \left(1 + \frac{Pt - P_{max}}{P_{max}} \right)$$

or

$$Ps = 90 \left(1 + \frac{Pt - P_{max}}{P_{max}} \right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
 - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or

Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001

Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

(b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)	Evidence
B-BBEE Level 1 or 2	5		Sworn Affidavit or B-BBEE Certificate issued by a SANAS approved agency
At least 51% owned by black Women	4		Certified copies of ID Documents of the Owners
At least 51% owned by black persons with disabilities	5		Certified copies of ID Documents of the Owners and Doctor's note confirming the disability
At least 51% owned by black youth	3		Certified copy of ID Documents of the Owners
At least 51% owned by people in the rural areas	3		Municipal/ESKOM bill or letter from Induna/chief confirming residential

Umjantshi House Private Bag X101
 30 Wolmarans Str. Braamfontein, 2107
 Braamfontein T +27 11 013 1667
 Johannesburg
 2001

			address not older than 3 months
--	--	--	------------------------------------

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3. Name of company/firm.....

4.4. Company registration number:

4.5. **TYPE OF COMPANY/ FIRM**

- Partnership/Joint Venture / Consortium
- One-person business/sole proprietor
- Close corporation
- Public Company
- Personal Liability Company
- (Pty) Limited
- Non-Profit Company
- State Owned Company

[TICK APPLICABLE BOX]

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –

Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001

Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

- (a) disqualify the person from the tendering process;
- (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
- (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
- (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
- (e) forward the matter for criminal prosecution, if deemed necessary.

.....
SIGNATURE(S) OF TENDERER(S)

SURNAME AND NAME:
DATE:

ADDRESS:
.....
.....
.....

SECTION 9

CERTIFICATE OF ATTENDANCE OF COMPULSORY RFQ BRIEFING

Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001

Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

Request number:	
Request for Proposal:	

Attendance

This is to certify that _____ has / have today attended the site inspection / RFQ briefing session to which this enquiry relates.

THUS DONE and SIGNED at _____ on this _____ day of _____

_____ for / on behalf of PRASA

Designation

Acknowledgement

This is to certify that the Bidder attended the above mentioned briefing session/ site inspection and has / have acquainted himself / themselves with the Contract, Project Specification / Special Conditions, Specifications and / or Bills of Quantities / Schedule of Quantities / Schedule of Prices, together with the drawings enumerated therein, as laid down by the PRASA for the carrying out of the proposed WORKS to which the enquiry relates

THUS DONE and SIGNED at _____

on this _____ day of _____

DULY AUTHORISED SIGNATORY(IES) WITNESSES

1. _____ 1. _____

2. _____ 2. _____

3. _____ 3. _____

Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001

Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

SECTION 11

SPECIFICATION/SCOPE OF WORK

Insert Specification / Scope of Work here

PROJECT SPECIFICATION AND BILL OF QUANTITY

FOR:

SUPPLY AND DELIVERY OF TEST LAB EQUIPMENT FOR GAUTENG PRASA REGION

TABLE OF CONTENTS

Contents

1. INTRODUCTION	33
2. DESCRIPTION OF WORKS/SCOPE OF WORKS	33
3. DURATION	3
4. GUARANTEE	4
5. PENALTY	4
6. DELIVERY	4
7. BILL OF QUANTITIES	5

Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001

Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

8. **INTRODUCTION**

The purpose of this project is to provide a service to supply and deliver test lab equipment for Gauteng Region.

9. **DESCRIPTION OF WORKS/SCOPE OF WORKS**

The contractor must supply and deliver the following test lab equipment with their specification.

2.7 Three Phase Generator specification

- AC Frequency (Hz): 50
- AC Output (V): 220
- Max AC Output (Kva): 5.5
- Rated Output (Kva): 5
- Fuel tank (litre): 17
- Rated continuous operating time (h): Approx. 14 -5.7
- Dry weight (kg): 95
- Starting system: Recoil/Electric

2.8 Transformer turn ratio TTR Tester three Phase specification.

- Rating: Variable Ratio – 0.9~10000 Angle – 0-360 degrees
- Output voltage: Automatically adjusted according to load.
- Resolution Minimum is 0.0001, Angle-0.01 degrees.
- Working power supply: AC 220V+/-10% 50Hz

2.9 Secondary injection SET (Variable 0-100A) Tessel or equivalent.

2.3.1 FEATURES:

Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001

Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

- Switch Selectable current ranges for quick and easy testing.
- SET facility practically eliminates the possibility of damaging relay while adjusting the current.
- Built in choke for sinusoidal current waveform and improved control when testing electro-mechanical relays.
- No need to carry extra instruments - built in 3 1/2-digit ammeter.
- Built in Timer for measuring relay tripping time. Operates from normally open or normally closed contacts.
- Built in auxiliary supply for energizing electronic relays, trip coils etc, controlled by separate variable transformer.
- Built in 3 1/2 digit voltmeter on auxiliary supply.
- Robust powder-coated steel enclosure.

2.3.2 Specification

- Supply voltage: 230V AC 50Hz
- Current Injection Transformer: (Choke switched to bypass)

MAXIMUM CURRENT

RANGE	MAXIMUM VOLTS	CONTINUOUS CURRENT	1 MIN ON CURRENT	30 SEC ON 3 MIN OFF	10 SEC MIN OFF
2 A	220 V	3,5 A	7 A	12	16
5 A	120 V	5 A	10 A	15	20
10 A	60 V	10 A	20 A	30	40
25 A	24 V	25 A	50 A	75	100
50 A	12 V	50 A	100 A	150	200

CHOKE RATINGS

RANGE	MAXIMUM CURRENT	(5 Minutes)
2 A		2.6 A
5 A		6.5 A
10 A		13.0 A
25 A		32.5 A
50 A		65 A

AUXILIARY SUPPLY VOLTAGE

VOLTS AC	AC	VOLTS DC	DC CURRENT
			CURRENT

Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001

Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

0 - 55	4 A	0 - 77	2,0 A
0 - 110	2 A	0 - 155	1,0 A
0 - 220	1 A	0 - 311	0,5 A

VOLTS	Pk - Pk	CURRENT	Pk - Pk	CURRENT
50	10%	650 mA	5%	290 mA
110	5,9%	1,0 A	5%	800 mA

Ammeter:	3 1/2 digit True RMS. responding Accuracy: 0,5% of reading + 3 digits Linearity: 0,05% Temperature coefficient: 30ppm/oC typ.
Voltmeter:	3 1/2 digit True RMS. responding Accuracy: 0,5% of reading + 2 digits Linearity: 0,05% Temperature coefficient: 30ppm/oC typ.
Timer:	Crystal time base microprocessor controlled. Auto ranging: 99,999; 999,99 and 9999,9 seconds. Accuracy: 1 digit Frequency error: 75ppm Temperature coefficient: 25ppm from 0 - 40 oC.
Capacitor:	10 microfarad 440 V AC

Resistors

2 K ohm	-	220 mA	-	100 W
200 ohm	-	0,7 Amp	-	100 W
20 ohm	-	2,2 Amp	-	100 W
1,5 ohm	-	8 Amp	-	100 W
0,5 ohm	-	14 Amp	-	100 W

2.10 Primary Injection SET (CPC 100 or equivalent)

2.10.1 FEATURES:

- Lightweight and compact so one person can handle the test set
- SET High output rating - 500A at 6 volts, so long test lead can be used.
- Switch selectable voltage output for good control of the output current.
- No need to carry extra instruments - built in 3 1/2-digit ammeter.

Umjantshi House Private Bag X101
30 Wolmarans Str. Braamfontein, 2107
Braamfontein T +27 11 013 1667
Johannesburg
2001

- Robust powder-coated aluminium enclosure to reduce mass.

2.4.2 Specification



Umjantshi House
30 Wolmarans Str.
Braamfontein
Johannesburg
2001

Private Bag X101
Braamfontein, 2107
T +27 11 013 1667

Supply Voltage:

240 V 50Hz. Supply current 14 A with a load of 500 A on the high range.

Output:

0 - 500 A at 4 or 6 volts at a duty cycle of 5 minutes on and 15 minutes off.

Ammeter:

3 1/2 digit True RMS. responding
Accuracy: 0,5% of reading + 3 digits
Linearity: 0,05% Temperature
coefficient: 30ppm/°C typ.

Enclosure:

Robust powder coated aluminium enclosure removeable lid and rubber feet.

Dimensions:

420mm X 325mm X 410mm

Weight:

Approximately 32 Kg.

2.11 AC/DC Injection SET 200A.

2.5.1 Application

- Primary injection tests
- Protective Relay Testing
- Circuit Breaker Testing
- Recloser and Sectionalizer
- Switchgear Testing
- Ground Grid Testing

2.5.2 Features

- Permanent current up to 200 A, 2KVA
- Max current output up to 250A
- Built-in digital ammeter 0.2% accuracy
- Built-in digital timer resolution 1ms
- Small size, light weight, easy to test on-site.
- Thermal and short-circuit protection.

2.5.3 Specification

Electrical Parameters	
Accuracy	±0.5%
Power Supply (AC)	220V±10%·2000VA, 50Hz/60Hz or 110V±10%·2000VA, 50Hz/60Hz
Current Output (AC)	200A·5V or 100A·10V
Capacity	2KVA
The current output waveform distortion	<=5%



Umjantshi House Private Bag X101
30 Wolmarans Str. Braamfontein, 2107
Braamfontein
Johannesburg
2001
T +27 11 013 1667

Dual protection	overload electronic protection and software protection
Primary current	
Range	0-250A
AC Voltage Output	
Range	0-250V AC
DC Voltage Output	
Range	0-300V DC
Current Output duration	
200A range	200A 1-2minutes 100A 3-6minutes 50A Continuous
10A range	10A Continuous

2.12 LCR multi-meter.

2.6.1 Features and Benefits:

- 20,000 counts resolution
- 0.2% basic accuracy
- Wide LCR ranges
- Auto identification (Ai) automatically determines and displays component type and measurements.
- Detailed component analysis
- IR-to-USB connectivity for data logging to PC
- Test frequency up to 100kHz

2.6.2 Specification

Attribute	Value
Maximum Capacitance	20mF
Measurement	
Maximum Resistance	200 MΩ
Measurement	
Maximum Inductance	2000H
Measurement	
Battery Life	16 h



Umjantshi House Private Bag X101
30 Wolmarans Str. Braamfontein, 2107
Braamfontein
Johannesburg
2001
T +27 11 013 1667

2.7 DC Milli-Volt Injection SET 100mV.

Specification is based on a one-year calibration cycle and apply from +18°C to +28°C unless stated otherwise. "Counts" means number of increments or decrements of the least significant digit.

2.8.1 DC V Input and Output

Range	Resolution	Accuracy \pm (% of reading + Counts)
100 mV	0.01 mV	0.02 % + 2
10 V	0.001 V	0.02 % + 2

Input impedance: 2ohms (nominal) < 100pF
Over voltage protection: 30V
Voltage driver capability: 1mA

2.8.2 General Specifications

Maximum voltage applied between any jack and earth ground or between any tow jack :
30V

Storage temperature : -40°C~60°C

Operating temperature : -10°C~ 55°C

Operating altitude : 3000 meters maximum

Temperature coefficient : $\pm 0.005\%$ of range per°C

for the temperature range -10 to 18°C °C and 28 to 55°C °C

Relative humidity : 95% up to 30°C, 75% up to 40°C, 45% up to 50°C, 35% up to 55

Shock : Random 2g , 5Hz to 500Hz

Safety : 1 meter drop test

Power requirements : 9VDC, 006P or 1604A

Size : 190mm L x 89mm W x 42mm H

Weight: 350g (include battery)

2.9 Emergency portable light.

- The light must be rechargeable with 24 LED
- Lumens: 2400Lumens
- Power: 30W
- LED Lifespan: over 50 000Hours
- Batteries, removable

10. DURATION

Umjantshi House 30 Wolmarans Str. Braamfontein Johannesburg 2001	Private Bag X101 Braamfontein, 2107 T +27 11 013 1667
--	---

Three months

11. GUARANTEE

- 11.1. Prasa reserves the right to visually inspect the material during delivery for any defects or damages.
- 11.2. The material shall be subjected to a guarantee period of one year. The guarantee period shall commence the day it is formally handed over to and accepted by Metrorail.
- 11.3. Any defects that may become apparent during the guarantees period shall be rectified to the satisfaction of the client at a free cost.
- 11.4. Should the contractor fail to comply with the above, Prasa is entitled to take effective replacement of the defective material. The contractor must reimburse Prasa Metrorail the total cost for replacement of materials.

12. PENALTY

Should the Contractor fail to complete delivery on/before the stipulated completion dates, a penalty fee of R5000 per week will be charged.

13. DELIVERY

All the material supplied must be delivered to Pretoria Capital Park Depot.

14. BILL OF QUANTITIES

ITEM NO.	DESCRIPTION	QTY	RATE PER METER	UNIT PRICE (INCL. VAT)	TOTAL PRICE (INCL. VAT)
1	Supply and deliver Three Phase Generator	1	EACH		
2	Supply and deliver Transformer turn ratio TTR Tester three Phase	1	EACH		
3	Supply and deliver Secondary injection SET (Variable 0-100A) Tessel or equivalent.	1	EACH		
4	Supply and deliver Primary Injection SET (CPC 100 or equivalent)	1	EACH		
5	Supply and deliver AC/DC Injection SET 200A.	1	EACH		
6	Supply and deliver LCR multi-meter.	1	EACH		
7	Supply and deliver DC Milli-Volt Injection SET 100mV.	1	EACH		
8	Supply and Deliver Emergency portable light	1	EACH		
Total					