



CAPE TOWN INTERNATIONAL AIRPORT (CTIA)

TENDER NO.: CIA RFQ 7897-2025

TERM SERVICE CONTRACT FOR THE MAINTENANCE OF AIRSIDE & LANDSIDE PAVEMENTS WORKS AT CAPE TOWN INTERNATIONAL AIRPORT: 60-MONTHS TERM CONTRACT

CONTRACT

VOLUME 2



AIRPORTS COMPANY SOUTH AFRICA SOC LIMITED

PROJECT NAME: Term service contract for the Maintenance of Airside & Landside Pavements works at CIA RFQ -60-month term contract

PROJECT NUMBER: CIA RFQ 7896-2025

NEC 3: TERM SERVICE CONTRACT (TSC 3)

Between AIRPORTS COMPANY SOUTH AFRICA SOC LIMITED

Applicable at CAPE TOWN INTERNATIONAL AIRPORT

(Registration Number: 1993/004149/30)

and _____

(Registration Number: _____)

for **Term service contract for the Maintenance of Airside & Landside Pavements at CTIA: 60-months term contract**

Contents:	Page No.
Part C1 Agreements & Contract Data	[3]
Part C2 Pricing Data	[20]
Part C3 Service information	[25]
Part C4 Site Information	[78]



Part C1: Agreements and Contract Data
C1.1: Form of Offer and Acceptance

OFFER

The Employer, identified in the Acceptance signature block, has solicited offers to enter into a contract for the procurement of Maintenance of Airside & Landside Pavements works at CTIA: 60- **months** term contract.

The tenderer, identified in the Offer signature block, has examined the documents listed in the Tender Data and addenda thereto as listed in the Returnable Schedules, and by submitting this Offer has accepted the Conditions of Tender.

By the representative of the tenderer, deemed to be duly authorised, signing this part of this Form of Offer and Acceptance, the tenderer offers to perform all the obligations and liabilities of the **Contractor** under the contract, including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the conditions of contract identified in the Contract Data.

THE OFFERED TOTAL OF THE PRICES INCLUSIVE OF VAT IS:

R..... (in figures)

.....

..... (in words).

THE OFFERED PRICES ARE AS STATED IN THE PRICING SCHEDULE

This Offer may be accepted by the Employer by signing the Acceptance part of this Form of Offer and Acceptance and returning one copy of this document, including the Schedule of Deviations (if any), to the tenderer before the end of the period of validity stated in the Tender Data, or other period as agreed, whereupon the tenderer becomes the party named as the **Contractor** in the conditions of contract identified in the Contract Data.

Signature(s)

Name(s)

Capacity

**For the
Bidder:**

.....
(Insert name and address of organisation)

Date

Name &
signature of
witness

.....



ACCEPTANCE

By signing this part of this Form of Offer and Acceptance, the Employer identified below accepts the tenderer's Offer. In consideration thereof, the Employer shall pay the **Contractor** the amount due in accordance with the conditions of contract identified in the Contract Data. Acceptance of the tenderer's Offer shall form an agreement between the Employer and the tenderer upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.

The terms of the contract are contained in the following:

Part C1	Agreements and Contract Data (which includes this Form of Offer and Acceptance)
Part C2	Pricing Data
Part C3	Scope of Work: Service Information
Part C4	Site Information

and drawings and documents (or parts thereof), which may be incorporated by reference into the above-listed Parts.

Deviations from and amendments to the documents listed in the Tender Data and any addenda thereto listed in the Returnable Schedules, as well as any changes to the terms of the Offer agreed by the tenderer and the Employer during this process of offer and acceptance, are contained in the Schedule of Deviations attached to and forming part of this Form of Offer and Acceptance. No amendments to or deviations from said documents are valid unless contained in this Schedule.

The tenderer shall, within two weeks of receiving a completed copy of this agreement, including the Schedule of Deviations (if any), contact the Employer's agent (whose details are given in the Contract Data) to arrange the delivery of any securities bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the conditions of contract identified in the Contract Data. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.

Notwithstanding anything contained herein, this agreement comes into effect on the date when the tenderer receives one fully completed original copy of this document, including the Schedule of Deviations (if any). Unless the tenderer (now **Contractor**) within five working days of the date of such receipt notifies the Employer in writing of any reason why he cannot accept the contents of this agreement, this agreement shall constitute a binding contract between the Parties.

Signature(s)

Name(s)

Capacity

**for the
Employer**

Airports Company South Africa SOC Limited,
3rd Floor ACSA, Southern Office Block
Cape Town International Airport
7525

Name &
signature of
witness

Date

**Schedule of Deviations**

1 Subject	
Details	
.....	
.....	
2 Subject	
Details	
.....	
.....	
3 Subject	
Details	
.....	
.....	
4 Subject	
Details	
.....	
.....	
.....	

By the duly authorised representatives signing this agreement, the Employer and the Tenderer agree and accept the foregoing schedule of deviations as the only deviations from and amendments to the documents listed in the Tender Data and addenda thereto as listed in the returnable schedules, as well as any confirmation, clarification or changes to the terms of the offer agreed by the Tenderer and the Employer during this process of offer and acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the tender documents and the receipt by the tenderer of a completed signed copy of this Agreement shall have any meaning or effect in the contract between the parties arising from this agreement.

For the Employer**For the Bidder**

Signature (s)

Name (s)

Capacity

**Name and
Address***(Insert name and address of organisation)**(Insert name and address of organisation)*Name &
Signature of
witness

Date

**Part C1.2a Contract Data****Part one – Data provided by the Employer**

The Conditions of contract are selected from the NEC3 Terms Service Contract, April 2013.

Each item of data given below is cross-referenced to the NEC3 Term Service Contract which requires it.

Clause	Statement	Data
1	General	
	The <i>conditions of contract</i> are the core clauses and the clauses for Main Option	
	Main Option Dispute resolution Option	A: Priced contract with Activity Schedule W1: Dispute resolution procedure
	Secondary Options (incorporating amendments)	X1: Price Adjustment X2: Changes in the law X17: Low service damages X18: Limitation of liability X19: Task order Z: Additional conditions of contract of the NEC3 Term Service Contract, April 2013
10.1	The <i>Employer</i> is (Name)	Airports Company South Africa SOC Limited, applicable at Cape Town International Airport
	Address	3rd Floor ACSA, Southern Office Block Cape Town International Airport 7525
10.1	The <i>Service Manager</i> is	Senior Civil Technician
	Address	Airports Company South Africa SOC Limited, applicable at Cape Town International Airport 3rd Floor ACSA, Southern Office Block Cape Town International Airport 7525
	Telephone	021 937 1200
	E-mail address	TBC
11.2	The <i>works</i> are	Maintenance of Airside & Landside pavements works at CTIA: 60- months term contract as fully detailed in the Scope of Work Part C3.



11.2	The following matters will be included in the Risk Register	• Availability of As-Built information. • Access to Site • Statutory approvals and ACSA approvals • Site Constraints and Constructability • Notification of Claims • Financial and Procurement
11.2	The <i>service Information</i> is in	Part C3 'Service information' section of this contract
11.2	The <i>Site Information</i> is in	Part C4 'Site Information' section of this contract
11.2	The <i>boundary of the site</i> is	Cape Town International Airport Landside and Airside Precinct
12.2	The <i>law of the contract</i> is the law of	the Republic of South Africa
13.1	The <i>language of this contract</i> is	English
13.3	The <i>period of reply</i> is	7(seven) business days
3	Time	
30.1	The <i>starting date</i> is	on signing of the contract by ACSA
30.2	The <i>completion date</i> is	60 months from starting date as per 30.1
32.2	The <i>Contractor</i> submits revised programmes at intervals no longer than	2 (two) weeks
4	Testing and Defects	
42.2	The <i>defects date</i> is	12 (twelve) months after Completion of the whole of the <i>works</i>
43.1	The <i>defects correction period</i> is	As determined by the Service manager for each incident
5	Payment	
50.1	The <i>assessment interval</i> is	15th day of each successive month
50.1	The <i>currency of this contract</i> is the	South African Rand
51.2	The period within which payment is made is	4 (four) weeks
51.4	The <i>interest rate</i> is	The prime lending rate of the Nedbank Bank as determined from time to time
8	Risks and Insurance	
83.1	The <i>Employer</i> provides these insurances	Refer to the Insurance Clauses which are attached at the end of the Contract Data
83.2	The <i>Contractor</i> provides the insurance stated in	The Insurance Clauses, which are attached at the end of the Contract Data. The insurances are in the joint names of the Parties and provide cover for events which are at the Contractor's risk from the starting date until the Defects Certificate or a termination certificate has been issued.



The minimum limit of indemnity for insurance in respect of death of or bodily injury to employees of the Contractor arising out of and in the course of their employment in connection with this contract for any one event is:

As prescribed by the Compensation for Occupational Injuries and Diseases Act No. 130 of 1993

9	Termination	No data required for this section of the conditions of contract
Clause 9 as contained in the NEC3 TSC will remain unchanged		
Data for Main Option clause		
A	Priced contract with Price list	as detailed in Part C2
20.5	The <i>Contractor</i> prepares forecasts of the final total of the Prices for the whole of the <i>service</i> at intervals no longer than	2 weeks.
11	Data for Option W1	
W1.1	The <i>Adjudicator</i> is	The person appointed jointly by the parties from the list of adjudicators contained below
W1.2	The <i>Adjudicator nominating body</i> is	The current Chairman of Johannesburg Advocate's Bar Council
W1.4	The <i>tribunal</i> is	Arbitration
W1.4	If the <i>tribunal</i> is arbitration, the arbitration procedure is	The <i>arbitration procedure</i> is set out in The Rules for the Conduct of Arbitrations 2013 Edition, 7th Edition, published by The Association of Arbitrators, (Southern Africa)
W1.4	The place where arbitration is to be held is	Johannesburg, South Africa.
W1.4	The person or organisation who will choose an arbitrator	The Arbitrator is the person selected by the Parties as and when a dispute arises in terms of the relevant Z Clause, from the Panel of Arbitrators provided under the relevant Z clause if the arbitration procedure does not state who selects an arbitrator. The Arbitrator nominating body is the Chairman of the Johannesburg Advocates Bar Council.
12	Data for Secondary Option Clauses	
X1	Price Adjustment	



X1.1	Defined term X1	a) The Base Date Index (B) is the latest available index before the base date. (b) The Latest Index (L) is the latest available index before the date of assessment of an amount due. (c) The Price Adjustment Factor is the total of the products of each of the proportions stated in the Contract Data multiplied by $(L - B)/B$ for the index linked to it.
X1.2	Price Adjustment Factor	X1.2 If an index is changed after it has been used in calculating a Price Adjustment Factor, the calculation is repeated, and a correction is included in the next assessment of the amount due.
X 1.3	Compensation events	- Defined Cost current at the time of assessing the compensation event adjusted to base date by dividing by one plus the Price Adjustment Factor for the last assessment of the amount due and - Defined Cost at base date levels for amounts calculated from rates and prices in the Price List.
X1.4	Price Adjustment Option A	Each amount due includes an amount for price adjustment which is the sum of - the change in the Price for Services Provided to Date since the last assessment of the amount due multiplied by the Price Adjustment Factor for the date of the current assessment, - the amount for price adjustment included in the previous amount due and, - correcting amounts, not included elsewhere, which arise from changes to indices used for assessing previous amounts for price adjustment.
X17	Low Service Damages:	
	Low service damages of the services are	Annexure C
X18	Limitation of Liability	
X18.1	The <i>Contractor's</i> liability to the <i>Employer</i> for indirect or consequential loss is limited to	Nil - Neither Party is liable to the other for any consequential or indirect loss, including but not limited to loss of profit, loss of income or loss of revenue
X18.2	For any one event, the <i>Contractor's</i> liability to the <i>Employer</i> for loss of or damage to the <i>Employer's</i> property is limited to	The total cost of the incurred losses and or repairs to the damages caused.
X18.3	The <i>Contractor's</i> total liability to the Employer for defects due to his design which are not listed on the Defects Certificate is limited to	The total cost of the incurred losses and or repairs to the damages caused.



X18.4	The <i>Contractor's</i> total liability to the <i>Employer</i> for all matters arising under or in connection with this contract, other than excluded matters, is limited to	The Contractor's total direct liability to the Employer for all matters arising under or in connection with this contract, other than the excluded matters, unlimited and applies in contract, tort or delict and otherwise to the extent allowed under the law of the contract. The e excluded matters are amounts payable by the Contractor as stated in this contract for - Loss of or damage to the Employer's property, - Delay damages, - Defects liability, - Insurance liability to the extent of the Contractor's risks - loss of or damage to property (other than the <i>works</i>, Plant and Materials), - death of or injury to a person; - damage to third party property; and - infringement of an intellectual property right
X19	Task Order	
X19.1	Identified and Defined terms	(1) A task is work within the service that the service manager may instruct the contractor to carry out within a stated period. (2) A Task Order is the Service Manager's instruction to carry out a Task. (3) Task Completion is when the Contractor has done all the work in the Task and corrected Defects which would have prevented the Employer or Others from using the Affected Property and Others from doing their work. (4) Task Completion Date is the date for completion stated in the Task Order unless later changed in accordance with this contract
X19.2	Providing the service	X19.2 A Task Order includes: • a detailed description of the work in the Task, • a priced list of items of work in the Task in which items taken from the Price List are identified, • the starting and completion dates for the Task, • the amount of delay damages for the late completion of the Task and • the total of Prices for the Task, which is Option A, used
X 19.3		The delay damages in a Task Order, if any, are not more than the estimated cost to the Employer of late completion of the Task. If Task Completion is later than the Task Completion Date, the Contractor pays delay damages at the rate stated in the Task Order from the Task Completion Date until Task Completion. The Prices for items in the Task price list which are not taken from the Price List are assessed in the same way as compensation events
X19.4	Time	The Contractor does not start any work included in the Task until the Service Manager has instructed him to carry out the Task and does the work so that Task Completion is on or before the Task Completion Date. No Task Order is issued after the end of the service period.
X19.5	Task Order Programme	The Contractor submits a Task Order programme to the Service Manager for acceptance within the period stated in the Contract Data.
Z	The Additional conditions of contract are	Z1 – Z20



Amendments to the Core Clauses	
Z1	Interpretation of the law
Z1.1	Add to core clause 12.3: Any extension, concession, waiver or relaxation of any action stated in this contract by the Parties, the <i>Project Manager</i> , the <i>Supervisor</i> , or the <i>Adjudicator</i> does not constitute a waiver of rights and does not give rise to an estoppel unless the Parties agree otherwise and confirm such agreement in writing.
Z2	Disallowed Cost
Z2.1	Add the following before the full stop at the end of clause 11.2(8) (definition of "Fee") ", in each case excluding the Defined Cost of correcting Defects (where the cost is not a Disallowed Cost)
Z2.2	Amend clause 11.2(6) (definition of "Disallowed Cost") to read as follows
Z2.2.1	"Disallowed Cost is a cost which the Service Manager decides
Z2.2.1.1	is not justified by the <i>Contractor's</i> accounts and records,
Z2.2.1.2	should not have been paid to a Subcontractor or supplier in accordance with his contract or
Z2.2.1.3	was incurred only because the <i>Contractor</i> did not
Z2.2.1.3.1	follow an acceptance or procurement procedure stated in the Service Information
Z2.2.1.3.2	comply with a procedure set out in his quality plan or
Z2.2.1.3.3	give an early warning which this contract required him to give; and the cost of
Z2.2.1.4	correcting Defects after Completion;
Z2.2.1.5	correcting Defects caused by the <i>Contractor</i> not complying with a constraint on how he is to Provide the Services stated in the Service Information;
Z2.2.1.6	correcting Defects caused by the <i>Contractor</i> not exercising reasonable skill, care and diligence in the design of Equipment;
Z2.2.1.7	correcting Defects caused by the <i>Contractor's</i> failure to comply with a procedure set out in his quality plan;
Z2.2.1.8	correcting Defects which the <i>Contractor</i> has previously corrected;
Z2.2.1.9	Plant and Materials not used to Provide the Service (after allowing for reasonable wastage) unless resulting from a change in the Service Information;
Z2.2.1.10	resources not used to Provide the Services (after allowing for reasonable availability and utilisation); and
Z2.2.1.11	preparation for and conduct of an adjudication or proceedings of the tribunal."
Z4	Extending the defects date:
Z4.1	Providing the Service: Delete core clause 20.1 and replace with the following: The <i>Contractor</i> provides the <i>Services</i> in accordance with the <i>Service Information</i> and warrants that the results of the <i>Services</i> , when complete, shall be fit for their intended purpose.
Z5	Termination
Z5.1	Add the following to core clause 91.1, at the second main bullet, fifth sub-bullet point, after the words "assets or": "business rescue proceedings are initiated, or steps are taken to initiate business rescue proceedings".
Amendment to the Secondary Option Clauses	
Z7	Limitation of liability:



Z7.1	Insert the following new clause as Option X18.6: The <i>Employer's</i> liability to the <i>Contractor</i> for the <i>Contractor's</i> indirect or consequential loss is limited to R0.00
Z7.2	Notwithstanding any other clause in this contract, any proceeds received from any insurances or any proceeds which would have been received from any insurances but for the conduct of the <i>Contractor</i> shall be excluded from the calculation of the limitations of liability listed in the contract
Additional Z Clauses	
Z8	Cession, delegation and assignment
Z8.1	The <i>Contractor</i> shall not cede, delegate or assign any of its rights or obligations to any person without the written consent of the <i>Employer</i> , which consent shall not be unreasonably withheld. This clause shall be binding on the liquidator/business rescue practitioner /trustee (whether provisional or not) of the <i>Contractor</i>
Z8.2	The <i>Employer</i> may cede and delegate its rights and obligations under this contract to any person or entity
Z9	Joint and several liabilities
Z9.1	If the <i>Contractor</i> constitutes a joint venture, consortium or other unincorporated grouping of two or more persons, these persons are deemed to be jointly and severally liable to the <i>Employer</i> for the performance of the Contract.
Z9.2	The <i>Contractor</i> shall, within 1 week of the Contract Date, notify the <i>Project Manager</i> and the <i>Employer</i> of the key person who has the authority to bind the <i>Contractor</i> on their behalf.
Z9.3	The <i>Contractor</i> does not materially alter the composition of the joint venture, consortium or other unincorporated grouping of two or more persons without prior written consent of the <i>Employer</i> .
Z10	Ethics
Z10.1	The <i>Contractor</i> undertakes:
Z10.1.1	not to give any offer, payment, consideration, or benefit of any kind, which constitutes or could be construed as an illegal or corrupt practice, either directly or indirectly, as an inducement or reward for the award or in execution of this contract;
Z10.1.2	to comply with all laws, regulations or policies relating to the prevention and combating of bribery, corruption and money laundering to which it or the <i>Employer</i> is subject, including but not limited to the Prevention and Combating of Corrupt Activities Act, 12 of 2004.
Z10.2	The <i>Contractor's</i> breach of this clause constitutes grounds for terminating the <i>Contractor's</i> obligation to Provide the Works or taking any other action as appropriate against the <i>Contractor</i> (including civil or criminal action). However, lawful inducements and rewards shall not constitute grounds for termination.
Z10.3	If the <i>Contractor</i> is found guilty by a competent court, administrative or regulatory body of participating in illegal or corrupt practices, including but not limited to the making of offers (directly or indirectly), payments, gifts, gratuity, commission or benefits of any kind, which are in any way whatsoever in connection with the contract with the <i>Employer</i> , the <i>Employer</i> shall be entitled to terminate the contract in accordance with the procedures stated in core clause 92.2. the amount due on termination is A1.
Z11	Confidentiality
Z11.1	All information obtained in terms of this contract or arising from the implementation of this contract shall be treated as confidential by the <i>Contractor</i> . It shall not be used, divulged, or published to any person not being a party to this contract without the prior written consent of the <i>Project Manager</i> or the <i>Employer</i> , which consent shall not be unreasonably withheld.
Z11.2	If the <i>Contractor</i> is uncertain about whether any such information is confidential, it is to be regarded as such until otherwise notified by the <i>Project Manager</i> .
Z11.3	This undertaking shall not apply to –
Z11.3.1	Information disclosed to the employees of the <i>Contractor</i> for the purposes of the implementation of this agreement. The <i>Contractor</i> undertakes to procure that its employees are aware of the confidential nature of the information so disclosed and that they comply with the provisions of this clause;



Z11.3.2	Information which the <i>Contractor</i> is required by law to disclose, provided that the <i>Contractor</i> notifies the <i>Employer</i> prior to disclosure so as to enable the <i>Employer</i> to take the appropriate action to protect such information. The <i>Contractor</i> may disclose such information only to the extent required by law and shall use reasonable efforts to obtain assurances that confidential treatment will be afforded to the information so disclosed;
Z11.3.3	Information which at the time of disclosure or thereafter, without default on the part of the <i>Contractor</i> , enters the public domain or to information which was already in the possession of the <i>Contractor</i> at the time of disclosure (evidenced by written records in existence at that time);
Z11.4	The taking of images (whether photographs, video footage or otherwise) of the <i>works</i> or any portion thereof in the course of providing the Works and after completion requires the prior written consent of the <i>Project Manager</i> . All rights in and to all such images vests exclusively in the <i>Employer</i>
Z11.5	The <i>Contractor</i> ensures that all his Subcontractors abide by the undertakings in this clause.
Z12	<i>Employer's Step-in rights</i>
Z12.1	If the <i>Contractor</i> defaults by failing to comply with his obligations and fails to remedy such default within 2 weeks of the notification of the default by the <i>Project Manager</i> , the <i>Employer</i> , without prejudice to his other rights, powers and remedies under the contract, may remedy the default either himself or procure a third party (including any subcontractor or supplier of the <i>Contractor</i>) to do so on his behalf. The reasonable costs of such remedial works shall be borne by the <i>Contractor</i>
Z12.2	The <i>Contractor</i> co-operates with the <i>Employer</i> and facilitates and permits the use of all required information, materials and other matters (including but not limited to documents and all other drawings, CAD materials, data, software, models, plans, designs, programs, diagrams, evaluations, materials, specifications, schedules, reports, calculations, manuals or other documents or recorded information (electronic or otherwise) which have been or are at any time prepared by or on behalf of the <i>Contractor</i> under the contract or otherwise for and/or in connection with the <i>works</i>) and generally does all things required by the <i>Project Manager</i> to achieve this end.
Z13	<i>Liens and Encumbrances</i>
Z13.1	The <i>Contractor</i> keeps the Equipment used to provide the Services free of all liens and other encumbrances at all times. The <i>Contractor</i> , vis-a-vis the <i>Employer</i> , waives all and any liens which he may from time to time have, or become entitled to over such Equipment and any part thereof and procures that his Subcontractors similarly, vis-a-vis the <i>Employer</i> , waive all liens they may have or become entitled to over such Equipment from time to time
Z14	<i>Intellectual Property</i>
Z14.1	Intellectual Property ("IP") rights means all rights in and to any patent, design, copyright, trademark, trade name, trade secret or other intellectual or industrial property right relating to the Works.
Z14.2	IP rights remain vested in the originator and shall not be used for any reason whatsoever other than carrying out the <i>works</i> .
Z14.3	The <i>Contractor</i> gives the <i>Employer</i> an irrevocable, transferrable, non-exclusive, royalty-free licence to use and copy all IP related to the <i>works</i> for the purposes of constructing, repairing, demolishing, operating and maintaining the works
Z14.4	The written approval of the <i>Contractor</i> is to be obtained before the <i>Contractor's</i> IP made available to any third party which approval will not be unreasonably withheld or delayed. Prior to making any <i>Contractor's</i> IP available to any third party, the <i>Employer</i> shall obtain a written confidentiality undertaking from any such third party on terms no less onerous than the terms the <i>Employer</i> would use to protect its IP
Z14.5	The <i>Contractor</i> shall indemnify and hold the <i>Employer</i> harmless against and from any claim alleging an infringement of IP rights (" the claim ") which arises out of or in relation to:
Z14.5.1	the <i>Contractor's</i> design, manufacture, construction or execution of the Works
Z14.5.2	the use of the <i>Contractor's</i> Equipment, or
Z14.5.3	the proper use of the Works.
Z14.6	The <i>Employer</i> shall, at the request and cost of the <i>Contractor</i> , assist in contesting the claim and the <i>Contractor</i> may (at its cost) conduct negotiations for the settlement of the claim, and any litigation or arbitration which may arise from it.



Z16	Dispute resolution:																								
Z16.1	Appointment of the Adjudicator																								
	An <i>Adjudicator</i> is appointed when a dispute arises, from the Panel of Adjudicators below. The referring party nominates an Adjudicator, which nomination is either accepted or rejected by the other party. In the instance of a rejection of the nominated <i>Adjudicator</i>, the referring Party refers the appointment deadlock to the Chairman of the Johannesburg Bar Council, who appoints an <i>Adjudicator</i> listed in the Panel of Adjudicators below The Parties appoint the <i>Adjudicator</i> under the NEC3 Adjudicator's Contract, April 2013 Panel of Adjudicators <table><tr><th>Name</th><th>Location</th><th>Contact details (phone & e-mail)</th></tr><tr><td>Adv. Ghandi Badela</td><td>Gauteng</td><td>+27 11 282 3700 gbandi@badela.co.za</td></tr><tr><td>Mr. Errol Tate Pr. Eng.</td><td>Durban</td><td>+27 11 262 4001 Errol.tate@mweb.co.za</td></tr><tr><td>Adv. Saleem Ebrahim</td><td>Gauteng</td><td>+27 11 535-1800 salimebrahim@mweb.co.za</td></tr><tr><td>Mr. Sebe Msutwana Pr. Eng.</td><td>Gauteng</td><td>+27 11 442 8555 sebe@civilprojects.co.za</td></tr><tr><td>Mr. Sam Amod</td><td>Gauteng</td><td>sam@samamod.com</td></tr><tr><td>Adv. Sias Ryneke SC</td><td>Gauteng</td><td>083 653 2281 reyneke@duma.nokwe.co.za</td></tr><tr><td>Mr. Emeka Ogbugo (Quantity Surveyor)</td><td>Pretoria</td><td>+27 12 349 2027 emeka@gosiame.co.za</td></tr></table>	Name	Location	Contact details (phone & e-mail)	Adv. Ghandi Badela	Gauteng	+27 11 282 3700 gbandi@badela.co.za	Mr. Errol Tate Pr. Eng.	Durban	+27 11 262 4001 Errol.tate@mweb.co.za	Adv. Saleem Ebrahim	Gauteng	+27 11 535-1800 salimebrahim@mweb.co.za	Mr. Sebe Msutwana Pr. Eng.	Gauteng	+27 11 442 8555 sebe@civilprojects.co.za	Mr. Sam Amod	Gauteng	sam@samamod.com	Adv. Sias Ryneke SC	Gauteng	083 653 2281 reyneke@duma.nokwe.co.za	Mr. Emeka Ogbugo (Quantity Surveyor)	Pretoria	+27 12 349 2027 emeka@gosiame.co.za
Name	Location	Contact details (phone & e-mail)																							
Adv. Ghandi Badela	Gauteng	+27 11 282 3700 gbandi@badela.co.za																							
Mr. Errol Tate Pr. Eng.	Durban	+27 11 262 4001 Errol.tate@mweb.co.za																							
Adv. Saleem Ebrahim	Gauteng	+27 11 535-1800 salimebrahim@mweb.co.za																							
Mr. Sebe Msutwana Pr. Eng.	Gauteng	+27 11 442 8555 sebe@civilprojects.co.za																							
Mr. Sam Amod	Gauteng	sam@samamod.com																							
Adv. Sias Ryneke SC	Gauteng	083 653 2281 reyneke@duma.nokwe.co.za																							
Mr. Emeka Ogbugo (Quantity Surveyor)	Pretoria	+27 12 349 2027 emeka@gosiame.co.za																							
Z16.2	Appointment of the Arbitrator																								
	An <i>Arbitrator</i> is appointed when a dispute arises from the Panel of Arbitrators below. The referring party nominates an Arbitrator, which nomination is either accepted or rejected by the other party. In the instance of a rejection of the nominated <i>Arbitrator</i>, the referring Party refers the appointment deadlock to the Chairman of the Johannesburg Bar Council, who appoints an <i>Arbitrator</i> listed in the Panel of Arbitrators below Panel of Arbitrators <table><tr><th>Name</th><th>Location</th><th>Contact details (phone & e-mail)</th></tr><tr><td>Adv. Ghandi Badela</td><td>Gauteng</td><td>+27 11 282 3700 gbandi@badela.co.za</td></tr><tr><td>Mr. Errol Tate Pr. Eng.</td><td>Durban</td><td>+27 11 262 4001 Errol.tate@mweb.co.za</td></tr><tr><td>Adv. Saleem Ebrahim</td><td>Gauteng</td><td>+27 11 535-1800 salimebrahim@mweb.co.za</td></tr><tr><td>Mr. Sebe Msutwana Pr. Eng.</td><td>Gauteng</td><td>+27 11 442 8555 sebe@civilprojects.co.za</td></tr><tr><td>Mr. Sam Amod</td><td>Gauteng</td><td>sam@samamod.com</td></tr><tr><td>Adv. Sias Ryneke SC</td><td>Gauteng</td><td>083 653 2281 reyneke@duma.nokwe.co.za</td></tr><tr><td>Mr. Emeka Ogbugo (Quantity Surveyor)</td><td>Pretoria</td><td>+27 12 349 2027 emeka@gosiame.co.za</td></tr></table>	Name	Location	Contact details (phone & e-mail)	Adv. Ghandi Badela	Gauteng	+27 11 282 3700 gbandi@badela.co.za	Mr. Errol Tate Pr. Eng.	Durban	+27 11 262 4001 Errol.tate@mweb.co.za	Adv. Saleem Ebrahim	Gauteng	+27 11 535-1800 salimebrahim@mweb.co.za	Mr. Sebe Msutwana Pr. Eng.	Gauteng	+27 11 442 8555 sebe@civilprojects.co.za	Mr. Sam Amod	Gauteng	sam@samamod.com	Adv. Sias Ryneke SC	Gauteng	083 653 2281 reyneke@duma.nokwe.co.za	Mr. Emeka Ogbugo (Quantity Surveyor)	Pretoria	+27 12 349 2027 emeka@gosiame.co.za
Name	Location	Contact details (phone & e-mail)																							
Adv. Ghandi Badela	Gauteng	+27 11 282 3700 gbandi@badela.co.za																							
Mr. Errol Tate Pr. Eng.	Durban	+27 11 262 4001 Errol.tate@mweb.co.za																							
Adv. Saleem Ebrahim	Gauteng	+27 11 535-1800 salimebrahim@mweb.co.za																							
Mr. Sebe Msutwana Pr. Eng.	Gauteng	+27 11 442 8555 sebe@civilprojects.co.za																							
Mr. Sam Amod	Gauteng	sam@samamod.com																							
Adv. Sias Ryneke SC	Gauteng	083 653 2281 reyneke@duma.nokwe.co.za																							
Mr. Emeka Ogbugo (Quantity Surveyor)	Pretoria	+27 12 349 2027 emeka@gosiame.co.za																							
Z17	Notification of a compensation event																								
Z17.1	Delete “eight weeks” in clause 61.3 and replace it with “four weeks”. Delete the words “unless the event arises from the Project Manager or the Supervisor giving instructions, issuing a certificate, changing an earlier decision or correcting an assumption.”																								
Z18	BBBEE Certificate																								
Z18.1	The <i>Contractor</i> shall be expected to annually present a compliant BEE Certificate. Failure to adhere to these requirements shall be considered a material breach of the conditions of this Contract, the sanction for which may be a cancellation of this Contract.																								
Z19	Communication																								
Z19.1	Add a new Core Clause 14.5 and 14.6 to read as follows: The <i>Service Manager</i> requires the written consent of the Employer if an action will result in a change to the design, scope, and Works information that is 10% or more																								



Z19.2	The <i>Service Manager</i> requires the written consent of the Employer if an action will result in the Completion Date being extended by more than 30 days.
Z20	Delegation
	As stipulated by Section 37(2) of the Occupational Health and Safety Act No. 85 of 1993, as amended, the <i>Contractor</i> agrees to the following:
Z20.1	As part of this contract, the <i>Contractor</i> acknowledges that it (mandatory) is an employer with duties as prescribed in the Occupational Health and Safety Act No 85 of 1993 as amended and agrees to ensure that all work being performed, or Equipment, Plant and Materials being used, are in accordance with the provisions of the said Act, and in particular with regard to the Construction Regulations
Z21	Health, safety and the environment
Z21.1	The <i>Contractor</i> undertakes to take all reasonable precautions to maintain the health and safety of persons in and about the execution of the <i>works</i> and shall complete the "S37(2) Appointment in terms of the Occupational Health & Safety Act 85 of 1993, attached to this contract as Annexure D.
Z21.2	Without limitation, the <i>Contractor</i> :
Z21.2.1	accepts that the <i>Employer</i> may appoint him as the "Principal Contractor" (as defined and provided for under the Construction Regulations 2003 (promulgated under the Occupational Health & Safety Act 85 of 1993) (" the Construction Regulations ") for the Site;
Z21.2.2	undertakes, in and about the execution of the <i>Services</i> , to comply with the Construction Regulations and with all applicable health & safety laws and regulations and rules, guidelines and procedures otherwise provided for under this contract and ensures that his Subcontractors, employees and others under the <i>Contractor's</i> direction and control, likewise observe and comply with the foregoing.
Z21.3	The <i>Contractor</i> , in and about the execution of the <i>Services</i> , complies with all applicable environmental laws and regulations and rules, guidelines and procedures otherwise provided for under this contract and ensures that his Subcontractors, employees and others under the <i>Contractor's</i> direction and control, likewise observe and comply with the foregoing.

**PART C1.2b CONTRACT DATA****PART TWO – DATA PROVIDED BY THE CONTRACTOR**

Clause	Statement	Data
10.1	The Contractor is (Name): Address: Telephone No. Fax No.	
11.2	The <i>working areas</i> are	Cape Town International Airport -Landside and Airside Precinct
24.1	The <i>Contractor's Key people</i> are:	CVs to be appended to the Tender Schedule
	Name:	
	Job Title for this Project:	
	Responsibility:	
	Qualifications:	
	Experience:	
	Name:	
	Job Title for this Project:	Contract Manager
	Responsibility:	
	Qualifications:	
	Experience:	
	Name:	
	Job Title for this Project:	Supervisor/Technician
	Responsibility:	
	Qualifications:	
	Experience:	
	Name:	
	Job Title for this Project:	Health & Safety Officer
	Responsibility:	
	Qualifications:	
	Experience:	

**PART C1: AGREEMENTS AND CONTRACT DATA****C1.3: OCCUPATIONAL HEALTH AND SAFETY AGREEMENT – OHS 040****AGREEMENT IN TERMS OF SECTION 37(2) OF THE OCCUPATIONAL HEALTH & SAFETY ACT (ACT 85 OF 1993), AS AMENDED & CONSTRUCTION REGULATION 5.1(k)****OBJECTIVES**

To assist Airport Company South Africa SOC Limited in order to comply with the requirements of:

1. The Occupational Health & Safety (Act 85 of 1993), as amended and its regulations and
2. The Compensation for Occupational Injuries & Diseases Act (Act 130 of 1993) also known as the (COID Act).
3. Construction Regulations 2014

To this end an Agreement must be concluded before any contractor/ subcontracted work may commence

The parties to this Agreement are:

Name of Organisation: AIRPORTS COMPANY SOUTH AFRICA SOC LIMITED
Physical Address: Airport Company South Africa South Africa SOC Limited The Maples, Riverwoods, 24 Johnson Road, Bedfordview, Gauteng, South Africa, 2008 P O Box 75480, Gardenview, Gauteng, South Africa, 2047

Hereinafter referred to as "Client"

Name of organisation:
Physical Address

Hereinafter referred to as "the Mandatary/ Principal Contractor"

1. Definitions

- 1.1 "Mandatary" is defined as an agent, a principal contractor or a contractor for work, or service provider appointed by the Client to execute a scope of work on its behalf, but WITHOUT DEROGATING FROM HIS/HER STATUS IN HIS/HER RIGHT AS AN EMPLOYER or user of the plant.
- 2.1 "Client" refers to the Company;
- 3.1 "Parties" means the company and the Contractor, and "Party" shall mean either one of them, as the context indicates;
- 4.1 "Services" means the services provided by the Contractor or Stakeholder to the company;
- 5.1 "Stakeholder" refers to companies conducting business at the company premises or within close proximity where there is an interface with company operations;
- 6.1 "The OHS Act" refers to Occupational Health and Safety Act 85 of 1993, as amended;

"The COID Act" refers to Compensation for Occupational Injuries and Diseases Act 61 of 1997, as amended; and

- 7.1 "SHE" means Safety, Health and Environment.



GENERAL INFORMATION FORMING PART OF THIS AGREEMENT
--

- a) The Occupational Health & Safety Act comprises of SECTION 1-50 and all unrepealed REGULATIONS promulgated in terms of the former Machinery and Occupational Safety Act No.6 of 1983 as amended as well as other REGULATIONS which may be promulgated in terms of the Act and other relevant Acts pertaining to the job in hand.
- b) Section 37 of the Occupational Health & Safety Act potentially punishes Employers for unlawful acts or omissions of Mandatories where a Written Agreement between the parties has not been concluded containing arrangements and procedures to ensure compliance with the said Act BY THE MANDATORY.
- c) All documents attached or refer to in the above Agreement form an integral part of the Agreement.
- d) To perform in terms of this agreement Mandatories must be familiar and conversant with the relevant provisions of the Occupational Health & Safety Act 85 of 1993 (OHS Act) and applicable Regulations.
- e) Mandatories who utilise the services of other contractors must conclude a similar Written Agreement with those companies.
- f) Be advised that this Agreement places the onus on the Mandatory to contact the CLIENT in the event of inability to perform as per this Agreement.
- g) This Agreement shall be binding for all work the Mandatory undertakes for the Client and remains in force for the duration of the contracted period as per Main Contract signed by both parties.
- h) The contractor shall submit all necessary documentation as per SHE File Index to the Client seven days prior to starting with any work.

THE UNDERTAKING

The Mandatory undertakes to comply with:

2. REPORTING

The Mandatory and/or his / her designated person shall report to the Client prior to commencing any work at the airports as well as when the activities change from the original scope of work.

3. WARRANTY OF COMPLIANCE

- 1.1 In terms of this agreement the Mandatory warrants that he / she agrees to the arrangements and procedures as prescribed by the Client and as provided for in terms of Section 37(2) of the OHS Act for the purposes of compliance with the Act.
- 2.1 The Mandatory further warrants that he / she and / or his / her employees undertake to maintain such compliance with the OHS Act. Without derogating from the generality of the above, or from the provisions of the said agreement, the Mandatory shall ensure that the clauses as hereunder described are at all times adhered to by himself / herself and his / her employees.
- 3.1 The Mandatory hereby undertakes to ensure that the health and safety of any other person on the premises is not endangered by the conduct of his / her activities and that of his / her employees.

4. SHE Risk Management

- 1.1 The Mandatory shall ensure that a baseline risk assessment is performed by a competent person before commencement of any work in the Client's premises. A baseline risk assessment document shall include identification of hazards and risk, analysis and evaluation of the risks and hazards identified, a documented plan and safe work procedures to mitigate, reduce or control the risks identified, and a monitoring and review plan of the risks and hazards.
- 2.1 The Mandatory shall review the risk registers as and when the scope of work changes and keep the latest version on the SHE File.

5. MEDICAL EMERGENCY RESPONSE

The Mandatory shall submit a detailed emergency response procedure to the Client OHS Department as part of the SHE File prior to start of work. The procedure shall stipulate how the Mandatory intends to attend to medical emergencies. In the sites where the Client has onsite clinic services, the medical staff can provide first line response and stabilise the



patient however the Mandatary shall then activate its own medical response procedure and transport the patient to the medical facilities for further medical attention.

6. APPOINTMENTS AND TRAINING

- 1.1 The Mandatary shall appoint competent persons as per Section 16(2) of the OHS Act. Any such appointed person shall be trained on any occupational health and safety matter and the OHS Act provisions pertinent to the work that is to be performed under his / her responsibility. Copies of any appointments and certificates made by the Mandatary shall immediately be provided to the Client.
- 2.1 The Mandatary shall at the beginning of the project or activities where there are 5 people and more people working appoint a full-time dedicated Health and Safety resource whom shall be dedicated to the project to ensure that Safety, Health and Environmental Requirements are met at all times. The allocated resource shall be based where the project is undertaken for the duration of the project or scope of work execution. The resource shall be trained and qualified on Occupational Health and Safety matters and the OHS Act provisions pertinent to the work that is to be carried out.
- 3.1 The Mandatary shall further ensure that all his / her employees are trained on the health and safety aspects relating to the work and that they understand the hazards associated with such work being carried out on the airports. Without derogating from the foregoing, the Mandatary shall, in particular, ensure that all his / her users or operators of any materials, machinery or equipment are properly trained in the use of such materials, machinery or equipment.
- 4.1 Notwithstanding the provisions of the above, the Mandatary shall ensure that he / she, his / her appointed responsible persons and his / her employees are at all times familiar with the provisions of the OHS Act, and that they comply with the provisions of the Act.
- 5.1 The Mandatary shall at all material times be responsible for all costs associated with the performance of its own obligations and compliance with the terms of this Agreement, unless otherwise expressly agreed by the Parties in writing.

7. SUPERVISION, DISCIPLINE AND REPORTING

- 1.1 The Mandatary shall ensure that all work performed on the Clients premises is done under strict supervision and that no unsafe or unhealthy work practices are permitted. Discipline regarding health and safety matters shall be strictly enforced against any of his / her employees regarding non-compliance by such employee with any health and safety matters.
- 2.1 The Mandatary shall further ensure that his / her employees report to him / her all unsafe or unhealthy work situations immediately after they become aware of the same and that he / she in turn immediately reports these to the Client within 48 hours with the action taken to mitigate the risk.
- 3.1 Where the hazard or risk identified is the responsibility of the Client to action, the Mandatary shall notify the Client OHS and Safety Department within 24 hours of becoming aware of the hazard or risk for prompt action to mitigate.

8. COOPERATION

- 1.1 The Mandatary and his/her employees shall provide full co-operation and information if and when the Client or his / her representative enquires into occupational health and safety issues concerning the Mandatary. It is hereby recorded that the Client and his / her representative shall at all times be entitled to make such an inquiry.
- 2.1 Without derogating from the generality of the above, the Mandatary and his / her responsible persons shall make available to the Client and his / her representative, on request, all and any checklists and inspection registers required to be kept by him / her in respect of any of his / her materials, machinery or equipment and facilities.

9. WORK PROCEDURES

- 1.1 The Mandatary shall, after having established the dangers associated with the work performed, develop and implement mitigation measures to minimize or eliminate such dangers for the purpose of ensuring a healthy and safe working environment.



- 2.1 The Mandatary shall then ensure that his / her responsible persons and employees are familiar with such mitigation measures. This includes the lock out tag out processes relating to the use of machinery.
- 3.1 The Mandatary shall implement any other safe work practices as prescribed by the Employer and shall ensure that his / her responsible persons and employees are made conversant with and adhere to such safe work practices.
- 4.1 The Mandatary shall ensure that work for which a permit is required by the Employer or any statute is not performed by his / her employees prior to the obtaining of such a permit.

10. HEALTH AND SAFETY MEETINGS

- 1.1 OHS Act requires that Health and Safety Committees be established in case where employee count exceeds 20 onsite, however due to the duration and the nature of the scope of work executed by the contractors and stakeholders enforces that regardless of employees at the airports. The Mandatary shall establish his / her own health and safety committee(s) and ensure that his / her employees, being the committee members, hold health and safety representatives to attend the Employer's health and safety committee meetings on monthly basis.
- 2.1 The Mandatary Section 16(2) appointed and SHE resource shall attend the Client SHE meetings as per the schedule communicated. In cases where the Mandatary delegated resources are not able to attend the meeting, an apology shall be submitted to the Client OHS Manager 24 hours before the meeting. An alternative representative shall be deployed to attend the meeting on the half of the Mandatary.
- 3.1 The Mandatary appointed Section 16(2) and SHE resource shall not skip more than three SHE Committee meetings a year.

11. COMPENSATION REGISTRATION/INSURANCE

- 1.1 The Mandatary warrants that all their employees and/or their contractor's employees if any are covered in terms of the COID Act, which shall remain in force whilst any such employees are present on the Client's premises. A letter is required prior commencing any work on site confirming that the Principal contractor or contractor or stakeholder is in good standing with the Compensation Fund or Licensed Insurer.
- 2.1 The Mandatary warrants that they are in possession of the following insurance cover, which cover shall remain in force whilst they and /or their employees are present on the Client's premises, or which shall remain in force for that duration of their contractual relationship with the Client, whichever period is the longest.
- 3.1 The Mandatary shall provide the Client with Public Liability Insurance Cover as required by the Main Contract
- 4.1 Any other Insurance cover that shall adequately makes provision for any possible losses and/or claims arising from their and /or their Subcontractors and/or their respective employee's acts and/or omissions on the Client's premises.
- 5.1 The Mandatary shall send updated Letter of Good Standing to the Client as and when the Mandatary receives it to ensure that the most valid version is available.

12. MEDICAL EXAMINATIONS

- 1.1 The Mandatary shall ensure that all his / her employees undergo routine medical examinations and that they are medically fit for the purposes of the work they are to perform.
- 2.1 Copies of such medical fitness certificates shall be made available to Client as part of the SHE file for review to ensure that they have been conducted by a reputable Occupational Health Practitioner registered with Health Professions Council of South Africa (HPCSA) as a doctor and specialist Occupational Medical Practitioner. Any other additional medical assessment shall be conducted in line with risk exposures.



3.1 Standard (Basic) medical tests shall constitute the following assessments as minimum:

- Individual's history of general and previous occupational health
- Comprehensive physical examination for evaluation of systemic function
- Blood Pressure Measurement
- Weight, Height and Body Mass Index
- Urine screening
- Drug screening
- Audio screening
- Lung Function Test
- Keystone eye test
- Work at Height Questionnaire
- Muscular skeletal questionnaire

13. INCIDENT REPORTING AND INVESTIGATION

- 1.1 All Safety, Health and Environmental Incidents shall be reported to the Client OHS and Safety Department within two hours from the time of occurrence via a phone call, SMS or email or before end of shift. This shall be followed by a formal report in a form of a preliminary report within forty-eight (48) hours.
- 2.1 All incidents referred to in Section 24 of the OHS Act shall be reported by the Mandatary to the Department of Labour and copies of such reporting to be sent to the Client. The Mandatary shall further be provided with copies of any written documentation and medical reports relating to any incident.
- 3.1 The Client retains an interest in the reporting of any incident as described above as well as in any formal investigation and/or inquiry conducted in terms of section 32 of the OHS-Act into such incident.
- 4.1 The Client reserves a right to hold its own investigation into any incident where it deems it is not satisfied with the incident investigation or where the severity of the incident is fatal or damage beyond a value of 1 million and above.

14. SUB CONTRACTORS

- 1.1 The Mandatary shall notify the Client of any subcontractor he / she may wish to source to perform work on his / her behalf on the Client premises. It is hereby recorded that all the terms and provisions contained in this clause shall be equally binding upon the subcontractor prior to the subcontractor commencing with the work. Without derogating from the generality of this paragraph:
- 2.1 The Mandatary shall ensure that the sub-contractor meets all the requirements and is competent for the scope of work contracted for. This includes that approval of the SHE file, SHE Plans associated with the work.

15. SECURITY AND ACCESS

The Mandatary shall request and familiarise its employees with the Client security rules which is not included in this agreement.

16. FIRE PRECAUTIONS AND FACILITIES

- 1.1 The Mandatary shall ensure that all his / her employees are familiar with fire precautions at the site(s), which includes fire-alarm signals and emergency exits, and that such precautions are adhered to.
- 2.1 This includes participating on planned and unplanned emergency drills organised the Client.

17. FACILITIES

The Mandatary shall have a program to upkeep and maintain the facilities leased out to it /shared with/ by the Client as stipulated on lease agreement.

18. HYGIENE AND CLEANLINESS



The Mandatary shall ensure that the work site, ablution, offices and surround area is at all times maintained to the reasonably practicable level of hygiene and cleanliness. In this regard, no loose materials shall be left lying about unnecessarily and the work site shall be cleared of waste material regularly and on completion of the work.

19. INTOXICATION AND SUBSTANCE ABUSE

- 1.1 Entry to the airside is subjected to Aviation Safety Requirements in line with Client Substance Abuse Policy. No intoxicating substance of any form shall be allowed on site where airside or land side. Any person suspected of being intoxicated shall not be allowed on the site. Any person required to take medication shall notify the relevant responsible person thereof, as well as the potential side effects of the medication.
- 2.1 The Client reserves a right to do substance abuse testing and main entry points for the Mandatary employees.
- 3.1 Intoxication limits shall be adhered to as stipulated on Client Substance Abuse Policy.
- 4.1 Records of substance abuse testing shall be filed on the SHE File and made available to the Employer on request.

20. PERSONAL PROTECTIVE EQUIPMENT

- 1.1 The Mandatary shall ensure that his / her responsible persons and employees are provided with adequate personal protective equipment (PPE) for the work they may perform and in accordance with the requirements of General Safety Regulation 2 (1) of the OHS Act. The Mandatary shall further ensure that his / her responsible persons and employees wear the PPE issued to them at all times.
- 2.1 The Mandatary shall monitor compliance to PPE of his/her own employees at all times, The Client can at its discretion conduct random PPE compliance inspections and these can be recorded officially on the Client non-conformance reporting tool.
- 3.1 The Mandatary shall keep records PPE Control cards of each employee those shall be kept on SHE File.

21. PLANT, MACHINERY AND EQUIPMENT

- 1.1 The Mandatary shall ensure that all the plant, machinery, equipment and/or vehicles he / she may wish to utilize on the Client premises is/are at all times of sound order and fit for the purpose for which it/they is/are attended to, and that it/they complies/comply with the requirements of Section 10 of the OHS Act.
- 2.1 Where the Mandatary equipment's interface to the Client's equipment's, a joint risk assessment shall be conducted by the Mandatary and the Client OHS department in order for the risks to be mitigated prior to the use of such equipment's. It is the responsibility of the Mandatary to notify the Client OHS department of such equipment's and machinery.
- 3.1 In accordance with the provisions of Section 10(4) of the OHS Act, the Mandatary hereby assumes the liability for taking the necessary steps to ensure that any article or substance that it erects or installs at the sites, or manufactures, sells or supplies to or for the Client, complies with all the prescribed requirements and shall be safe and without risks to health and safety when properly used.

22. USAGE OF THE CLIENT'S EQUIPMENT

- 1.1 The Mandatary hereby acknowledge that his / her employees are not permitted to use any materials, machinery or equipment of the Employer unless the prior written consent of the Client has been obtained, in which case the Mandatary shall ensure that only those persons authorized to make use of same, have access thereto.
- 2.1 The Client shall ensure that it isolates and apply LOTO on any equipment's and machinery where there is an unexpected start up or flow of energy. The Mandatary has a responsibility to apply its own LOTO procedures before starting with work and post the use of the equipment and machinery.

23. PERMIT MANAGEMENT



1.1 The Mandatary shall ensure that work for which the issuing of permit to work is required shall not be performed prior to the obtaining of a duly completed approved permit by the Client or relevant Authority.

2.1 The Mandatary shall notify the Client of any work to be undertaken on site in order for the Permit to Work to be issued.

24. TRANSPORTATION

1.1 The Mandatary shall ensure that all road vehicles used on the sites are in a roadworthy condition and are licensed and insured. All drivers shall have relevant and valid driving licenses and vehicle shall carry passengers unless it is specifically designed to do so. All drivers shall adhere to the speed limits and road signs on the premises at all times.

2.1 No employees on premises permitted in back of LDV (bakkie) and in front of LDV each driver and passenger must have a separate seat belt.

3.1 In the event that any hazardous substances are to be transported on the premises, the Mandatary shall ensure that the requirements of the Hazardous Substances Act 15 of 1973 are complied with fully all times.

25. CLARIFICATION

In the event that the Mandatary requires clarification of any of the terms or provisions of this agreement, he / she should contact the Client OHS Department.

26. DURATION OF AGREEMENT

This agreement shall remain in force for the duration of the work to be performed by the Mandatary and/or while any of the Mandatary's employees are present on the Client site.

27. NON-COMPLIANCE WITH THE AGREEMENT

If Mandatary fails to comply with any provisions of this agreement, the Client shall be entitled to give the Fourteen (14) days' notice in writing to remedy such non compliance and if the Mandatary fails to comply with such notice, then the Client shall forthwith be entitled but not obliged, without prejudice to any other rights or remedies which the Mandatary may have in law,

- Apply penalties as stipulated on the main contract between Mandatary and the Client.
- To claim immediate performance and/or payment of such obligations.
- Should Mandatary continue to breach the contract on three occasions for the same deviation, then the Client is authorised to suspend the main contract without complying with the condition stated in clause above.

28. INDEMNITY

The Mandatary hereby indemnifies the Client against any liability, loss, claims or proceedings whatsoever, whether arising in Common Law or by Statute; consequent personal injuries or the death of any person whomsoever (including claims by employees of the Mandatary and their dependents); or consequent loss of or damage to any moveable or immovable property arising out of or caused by or in connection with the execution of the Mandatary's contract with the Client, unless such liabilities, losses, claims or proceedings whatsoever are attributable to the Client's faults. The Mandatary or his/her employees is liable to prove without reasonable doubt that the loss is due to the Client's fault or negligence.

Compliance with the Occupational Health & Safety Act 85 of 1993

The Mandatary undertakes to ensure that they and/or their subcontractors if any and/or their respective employees shall at all times comply with the following conditions:

- All work performed by the Mandatary on the Client's premises must be performed under the close supervision of the Mandatary's employees who are to be trained to understand the hazards associated with any work that the Mandatary performs on the Client's premises.



- The Mandatary shall be assigned the responsibility in terms of Section 16(1) of the OHS Act 85 of 1993, if the Mandatary assigns any duty in terms of Section 16(2), a copy of such written assignment shall immediately be forwarded to the Client.
- The Mandatary shall ensure that he/she familiarise himself/herself with the requirements of the OHS Act 85 of 1993 and that s/he and his/her employees and any of his subcontractors comply with the requirements.

29. FURTHER UNDERTAKING

Only a duly authorised representative appointed in terms of Section 16.2 of the OHS Act is eligible to sign this agreement on behalf of the Mandatary. The signing power of this representative must be designated in writing. A copy of this letter must be made available to the Client.

The Contract/Project Manager shall sign this agreement as the Client's representative.



ACCEPTANCE BY MANDATARY

In terms of section 37(2) of the Occupational Health & Safety Act 85 of 1993 and section 5.1(k) of the Construction Regulations 2014,

I a duly authorised 16.2 Appointee acting for and on behalf of
.....(company name) undertake to ensure that the requirements and the provision
of the OHS Act 85 of 1993 and its regulations are complied with.

Mandatarý – WCA/ Federated Employers Mutual No.....

Expiry date

SIGNATURE ON BEHALF OF MANDATARY
(Warrant his authority to sign)

DATE

Witnesses:

1. _____
2. _____

SIGNATURE ON BEHALF OF THE CLIENT
AIRPORT COMPANY SOUTH AFRICA SOC LIMITED

DATE

Witnesses:

3. _____
4. _____



C1.7 Insurance Schedule

Summary of Terms and other Matters Applicable to Employer Provided Insurance

The successful bidder must source the following insurance cover, which is the deductible in the ACSA insurance cover:

- Aviation liability insurance cover for an indemnity limit not less than R300 000 (three hundred thousand rands).
- Submit proof of insurance to ACSA before the work starts, and annually for the duration of the project.



Part C2: Pricing

C2.1 Pricing Assumptions

C2.2 Pricing Data



Part C2: Pricing Data

TSC3 Option A

Document reference	Title	No of pages
C2.1	Pricing assumptions: Option A	[•]
C2.2	Pricing Instructions	[•]
C2.3	The price list	[•]

C2.1. Pricing Assumptions: Option A

Option A is a priced contract where the Prices are derived from a list of items of service, which can be priced as lump sums or as expected quantities of service multiplied by a rate or a mix of both. Quantity of 1 is not the actual quantity of product/service required by this contract but intended to obtain rate for each item. Quantities will vary according to service requirements during this contract.

C2.1.1 Identified and Defined terms

11

11.1 (12) The Price List is the *price list* unless later changed in accordance with this contract.

(17) The Price for Services Provided to Date is the total of

- the Price for each lump sum item in the Price List which the *Contractor* has completed and
- where a quantity is stated for an item in the Price List, an amount calculated by multiplying the quantity which the *Contractor* has completed by the rate.

(19) The Prices are the amounts stated in the Price column of the Price List. Where a quantity is stated for an item in the Price List, the Price is calculated by multiplying the quantity by the rate.

C2.2. Pricing Instructions

C2.2.1 Measurement and payment shall be in accordance with the relevant provisions of the COTO Standard Specification for Road and Bridge Works for State Authorities, 2020 edition, as amended in the Scope of Works.



C2.2.2 The units of measurement described in the Pricing Schedule are metric units. Abbreviations used in the Pricing Schedule are as follows:

%	=	percent
h	=	hour
ha	=	hectare
km	=	kilometer
m	=	metre
m ²	=	square metre
m ³	=	cubic metre
No.	=	number
Prov sum	=	Provisional sum
PC Sum	=	Prime Cost sum
R/only	=	Rate only
sum	=	lump sum
t	=	ton (1000 kg)
W/day	=	Work day

C2.2.3 For the purpose of the Price list, the following words shall have the meanings assigned to them:

Unit: The unit of measurement for each item of work as defined in the COTO Standard Specification for Road and Bridge Works for State Authorities, 2020 edition or in the project-specific specifications.

Quantity: The number of units of work for each item.

Rate: The payment per unit of work for which the Service Provider tenders to do the work.

Amount: The product of the quantity and the rate tendered for an item.

Lump Sum: An amount tendered for an item, the extent described in the Pricing Schedule, the Scope of Work or elsewhere, but of which the quantity of work is not measured in units.

Provisional Sum: is **an allowance**, usually estimated by the client, that is inserted into the tender documents for a specific element of the works that is not yet defined in enough detail for tenderers to price

Prime Cost Sum: is **an allowance, usually calculated** for the supply of work or materials to be provided by a contractor

hr: Is sixty (60) minutes spent by workers or equipment doing work, intended for the Employer (ACSA) or work requested by the Employer/Service Manager/His representative. Workers may be directly or indirectly employed by the Contractor. Equipment may be directly or indirectly owned by the Contractor or equipment can be hired by the Contractor from hiring outlets of the Contractor's choice.

Day: Is nine (9) hours spent by workers or equipment or time spent doing work intended for the Employer or doing work requested by the Employer. Workers may be directly or indirectly employed by the Contractor.



Equipment may be directly or indirectly owned by the Contractor or equipment can be hired by the Contractor from hiring outlets of the Contractor's choice.

Each: The whole work to be done under an item per specific intervals as may be requested by the Service Manager or his representative.

Item: An individual unit which includes several tasks to form one activity.

Visit: Visiting any areas at the airport as may be requested by the Service Manager or his representative for the purpose of doing work as may be specified and agreed between the Contractor and The Service Manager or His representative.

Weekends: Refer to Saturday and Sunday.

Public Holidays: A Day generally established by the South African government as a non-working day during the year.

Builders holiday/break: Builders holiday/break may start from the 2nd week of December of the current year until the first week of January of the following year, as may be nationally published amongst the South African construction industry. The dates shall be discussed and agreed with the Service Manager. The builder's holiday is usually not greater than 4 weeks.

Night Work: Refers to all the work that needs to be conducted at night on airside or landside, i.e.. Maintenance work conducted after the last flight at CTIA to avoid any operation disruptions. **Night is usually between 00h00 – 4h00 or after the last departure until 5h00am**

C2.2.4 Unless otherwise stated, items are measured net by measurements agreed with the service manager, and no allowance is made for waste.

C2.2.5 The prices and rates in the Price list are fully inclusive prices for the work described under the items. Such prices and rates cover all costs and expenses that may be required in and for the execution of the work described in accordance with the provisions of the Service Information and shall cover, "inter alia" all general risks, liabilities, obligations, profit, expenses, costs, bonuses, all allowances such as shift and standby allowances, sick-leave, other leave, brackets, fixings, incidentals, consumables etc. that will be required to successfully complete this contract as set forth or as implied in the documents on which this Contract is based. These prices will be used as a basis for payment assessment for additional work that may have to be carried out.

C2.2.6 The contractor must plan the work in this contract as a set of activities. These should be the same activities as he shows on his programme.

C2.2.7 The contractor is to take note that payment is made for each activity only when it is complete. "Complete, " as used in this schedule, means the complete system or unit as specified in the document.



- C2.2.8 Unless a separate rate for the supply and for the installation of any item is specifically called for, the supply and installation costs of any item shall be fully included in the price.
- C2.2.9 The description of each item shall, unless otherwise stated herein, be held to include making, conveying and delivering, unloading, storing, unpacking, hoisting, setting, fitting and fixing in position, cutting and waste, patterns, models and templates, plant, temporary works, return of packaging, establishment charges, profit and all other obligations arising out of the contractual conditions.
- C2.2.10 No alterations to the original text shall be allowed. If any alterations are made, it shall be ignored, and the original wording will apply.
- C2.2.11 No alterations to the original text shall be allowed. If any alterations are made, it shall be ignored, and the original wording will apply.
- C2.2.12 Variations in the scope and extent of the service shall be allowed to meet the Employer's requirements and shall be measured and priced at the rates entered in the Price list, where appropriate, and shall form an addition to or deduction from the total of the Accepted Contract Amount. Any items or variations for which rates have not been included in the Price list shall be agreed and priced as non-scheduled items.
- C2.2.13 All provisional sums and contingency amounts shall be expended as directed by the Employer, and any balance remaining shall be deducted from the contract sum.
- C2.2.7 All items described as "provisional" shall be measured as executed and paid for according to prices in the Price list, and any amounts not spent shall be deducted from the contract price. No work for which "provisional" items are provided shall commence without written instructions from the Service Manager.
- C2.2.14 No commitment to expending any portion of the contingency amounts and/or provisional sums are made or implied by the Employer.
- C2.2.15 The Contractor shall not be entitled to any claim in instances where provisional sums are partially or in total removed from the contract.
- C2.2.16 Where the Service information requires detailed drawings and designs or other information to be provided, all costs associated therewith are deemed to have been provided for and included in the unit rates and sum amount tendered such items.
- C2.2.17 The quantities set out in the Price list are approximate and do not necessarily represent the actual amount of work to be done. The quantities of work accepted and certified for payment will be used to determine payments due, not the quantities given in the Pricing Schedule.
- C2.2.18 The short descriptions of the items of payment given in the Pricing list are only to identify the items. More details regarding the extent of the work entailed under each item appear in the Service information.



C2.2.19 The item numbers appearing in the Pricing list refer to the corresponding item numbers in the COTO Standard Specification for Road and Bridge Works for State Authorities, 2020 edition.

C2.2.20 All prices and rates entered in the Price Schedule must exclude VAT, which will be added last on the summary page of the Price list.

C2.3. The price list.

*This amount should be carried over to the form of offer Part C1. The total tendered amount shall not be fixed, and it is subject to fluctuation due to CPI inflation, foreign exchange rate variation, etc.

Note: The completed BOQ document should be attached to this section when submitting the tender.

**PART C3: SERVICE INFORMATION**

Document reference	Title	No of pages
	This cover page	1
C3.1	<i>Employer's Works Information</i>	
C3.2	Contract Management	
C3.3	Maintenance Specifications: Particular (Project Specifications	
C3.4	Annexures for the Scope of Work	
	Total number of pages	



C3.1: EMPLOYER'S SERVICE INFORMATION

1. Description of the service

In brief, the contractor shall be responsible for the maintenance of airside and landside pavements and paint markings at Cape Town International Airport **as and when required**.

The objective is to maintain the serviceability of the infrastructure at Cape Town International Airport in a sustainable manner at the lowest operating and maintenance costs while ensuring compliance to general safety and aviation related legislation.

The nature of the contract is as follows:

- i. The Service Manager expects the contractor to be available for emergency, scheduled and non-scheduled work as described. Plant and equipment, teams and material supplies shall always be available as and when required. Key personnel meeting requirements as set out in the functional evaluation criteria of this contract and clause 24.1 shall be maintained throughout this contract. Any changes in the personnel information submitted must be reported to the service manager immediately, and replacements meeting original personnel requirements shall be submitted within 2 months of the previous incumbent's departure.

The list of plant and equipment provided for this contract shall be updated as and when any changes in plant and equipment are available and maintained as submitted for this contract's functional evaluation. In the case of an owned plant, when there is a replacement of an old plant/equipment, the contractor shall notify the service manager. This change shall be updated on the list within 30 days of replacement, and new proof of ownership shall be submitted. In the case of a hired plant, if any changes in the hire agreement happen, the contractor must immediately notify the service manager of the change, and the new agreement meeting requirements as per the original agreement submitted for this contract's functional evaluation must be put in place within 7 days from the original agreement changes.

- ii. Work will only take place when needed and upon instruction by the Service manager. In all instances, except those expressly stated as an emergency repair, work shall only be undertaken after a purchase order has been issued. Emergency repairs shall be undertaken only by persons who have been issued permission to do so. In such instances, a manual work order will be issued. The list of persons with the authority to issue an emergency purchase order will be made known by the service manager and updated from time to time at the service manager's discretion.
- iii. It is expected that the contractor makes prior arrangements with material suppliers so that material is made available when an emergency arises, including during weekends, after hours and the December builder's break. The agreement between asphalt supplier and contractor, as contained in the agreement letter/commitment letter supplied for this contract's functional evaluation, must be maintained for the duration of this contract. If any changes in this agreement happen, the contractor must immediately notify the service manager of the change, and the new agreement meeting requirements as per the original agreement must be put in place within 7 days from the original agreement changes. Failure to notify the service manager of changes in the asphalt supplier/contractor agreement and put in place an agreement meeting specified requirements within 7 days may result in termination of this contract. The asphalt supply agreement/commitment letter is annexed to this contract as Annexure E

2. Pavement maintenance

Pavement defects are a safety hazard, with the risk being the production of FOD, resulting in the unplanned temporary closure of the affected runways, taxiways, apron stands, service roads and any other airport pavements. Unplanned closures significantly affect the planned operational capacity at the airport.

The work will take place on an ad hoc basis, and the repairs will address the following, among other things:

- Potholes on the surface of the pavement
- Ravelling of the surface
- Bleeding of the surface
- Rutting of the surface
- Cracking (concrete and asphalt)



- Repair of spalling on concrete pavement
- Repair of deterioration and damage of joints on concrete pavement
- Edge breaks
- Full-depth repairs of concrete pavement up to 365mm deep.

The objective of the work is to maintain the serviceability and safety level of the taxiways, runways, aprons and service roads (landside and airside) to minimize operational disruptions.

ACSA has a separate pavement rehabilitation programme that will, at some stage of this contract, run concurrently with this maintenance contract. It shall be expected of the Contractor to be cognisant of the new developments and plan for alternatives if maintenance works will be affected by the rehabilitation programme.

3. Maintenance of Paint Markings

The work will include re-painting existing paint markings on runways, taxiways, apron stands, airside service roads and landside roads as per the service manager's specifications. The main objectives are

To undertake painting marking maintenance on aprons, service roads, runways, and taxiways as and when required.

To ensure that the Contractor effectively deals with all faded and new markings on all Aprons, Taxiways, Runways, Service Roads and Landside Roads at Cape Town International Airport.

C3.2 CONTRACT MANAGEMENT

Management meetings

The Contractor is expected to attend meetings relating to operations, contract management and other issues that may arise from time to time. As far as is practicable, the Contractor shall make all required persons available for these meetings. The Contractor shall not submit claims for payment for staff attending any of these meetings.

Regular meetings of a general nature may be convened and chaired by the *Service Manager* as follows:

Title and purpose	Approximate time & interval	Location	Attendance by:
Project progress meetings and safety inspections	As and when	Onsite	Contractor, Technician and Employer's safety officers
Risk reduction meetings	As and when	Onsite/telecon/skype	Service Manager, Contractor and Supervisor

Meetings of a specialist nature may be convened as specified elsewhere in this Service Information or if not so specified by persons and at times and locations to suit the Parties, the nature and the progress of the *service*. Records of these meetings shall be submitted to the *Service Manager* by the person convening the meeting within five days of the meeting.

All meetings shall be recorded using minutes or a register prepared and circulated by the person who convened the meeting. Such minutes or registers shall not be used to confirm actions or instructions under the contract as these shall be done separately by the person identified in the *contract conditions* to carry out such actions or instructions.

Duties of Contractor



The duties and responsibilities of the Contractor shall be as follows:

- Preparation of a preventive maintenance programme to the Employer's approval in addition to those specified in the scope of work.
- The execution of preventative maintenance activities as listed in the scope of work. The execution of corrective, breakdown and project maintenance as specified on a maintenance work order.
- Programming and planning of maintenance work to avoid hampering airport operations.
- Attendance at maintenance coordination meetings.
- Preparation of preventative maintenance reporting and corrective or breakdown maintenance reports.
- The holding of all materials necessary for the effective maintenance
- The Contractor shall have available for all maintenance the equipment necessary, including the materials and work equipment, e.g., road marking machines, sandblasting equipment, electricity generator, stencils, etc.
- Reliability reporting as agreed with the Employer.
- The Contractor shall deliver all services within the service levels stipulated in this maintenance contract or were Bided for better service levels at the service level stipulated in the Bid submission.
- Directing and supervising maintenance personnel to ensure efficient and timely execution of the work in cooperation with the Employer.
- The institution (if necessary) and maintenance, on the employer's behalf, of any Record Books in accordance with the Occupational Health and Safety Act or any other legally enforced regulation, rule, law or by-law promulgated by any local authority, State Department or any statutory institution.
- Notifying the employer's representative/ Service Manager of any conditions which may compromise the serviceability of the infrastructure or pose a safety hazard to users of the premises.
- Payment of penalties defined in this contract within one month of receiving the notification of a penalty; failure to pay penalties will give the employer the right to deduct the penalty from the next invoice payment.
- The Contractor may, with approval of the Service Manager, sub-contract to specialist firms the service and maintenance of this site, but without in any way relieving him of this overall contractual responsibility under this Contract.
- The Contractor shall protect the site properly and arrange his operations so that no danger and inconvenience is caused to airport operations. For this purpose, he shall, inter alia, provide and maintain sufficient signs, lights, barricades, fencing and guarding as may be necessary or required by the Employer or by any act, regulation or statutory authorities. All operations required in connection with the contract shall, as far as the provision of the contract permit, not unnecessarily or in an improper manner encroach upon the use of airport facilities. Compensation for such obligations shall be included in the Contractor's prices.
- The Contractor shall (except if and so far as the specifications otherwise provide) indemnify the Employer and keep him indemnified against all losses and claims for injuries or damage to any person or property whatsoever which may arise from or in consequence of and against all claims, demands, lawsuits, damages, costs, including attorney and client costs, charges and expenses whatsoever in respect thereof or pertaining thereto.
- The Contractor shall periodically determine, through his detailed inspections of the site, if additional services are required of him. Should such services be necessary, the Contractor shall advise the Employer in writing, giving full details of the proposed additional services and the proposed contract



price variation based on the Schedule of Rates. Additional services shall only be carried out upon receipt of written instruction from the Employer.

- No existing sites will be replaced, refurbished or declared redundant without the specific or written consent of the Employer. Replaced or redundant equipment remains the Employer's property and shall be delivered to the Employer, and a receipt must be obtained. A copy of all such receipts must accompany the Contractor's invoice for the relevant additional services.
- The award of this maintenance contract implies no benefit to the Contractor other than those set out in the Contract document.
- The Employer reserves to himself the right to dispose of any scheduled items of equipment or to purchase and install new equipment. The Contractor will not be entitled to preferential consideration with respect to such new work.

Health and safety risk management

The *Contractor* shall comply with this document's health and safety requirements.

The Service Manager shall be entitled to fine the Contractor an amount contained in the low service damages table for each non-conformance to Health and Safety matters. This shall not transfer any of the Contractor's responsibilities to the Employer by any means.

The Contractor shall be fully responsible for compliance with the Occupational Health and Safety Act for all persons, equipment, and installations relating to this Contract. The Contractor is expected to sign the undertaking attached in the annexes in this regard.

It shall be the Contractor's responsibility to ensure that all relevant labour and safety legislation is adhered to in rostering staff.

All persons on company premises shall obey all health and safety rules, procedures, and practices. NO SMOKING signs and the prohibition of carrying smoking materials in designated areas shall always be obeyed. A copy of the Safety Rules booklet is available on request from the ACSA Safety Department.

All the applicable requirements of the Occupational Health and Safety Act (1993) and Regulations and any amendments thereto shall be met. Where the OHS Act prescribes certification of competency of persons performing certain tasks, proof of such certification shall be provided to the Service Manager.

The contractor's Workmen's Compensation fees must be up to date. A copy of the Contractor's WCA registration shall be produced on request.

The following areas in the company are declared as "HOT WORKS PERMIT" areas:

All airside areas

All basement areas

All areas accessible to the public

All enclosed areas

The terminal building.

Any process in the above-mentioned areas involving open flames, sparks, or heat shall be authorised by the issue of a permit to work - obtainable from the ACSA Safety Department. Any work done under the protection of a permit to work shall be in strict compliance with every prescription regarding the permit.

Safety equipment shall be used where applicable (e.g., safety, goggles, boots, etc.) The Contractor, at his/her own expense, shall provide such equipment for his/her employees. The Contractor shall apply the necessary discipline and control to ensure compliance by his workers.

All Contractors must ensure that his/her employees are familiar with the existing emergency procedures and must co-operate in any drills or exercises, which might be held. Emergency/fire equipment and extinguishers shall not be obstructed at any time.

No person shall perform an unsafe/unhygienic act or operation whilst on Company premises.



No unsafe/dangerous equipment or tools may be brought onto or used on Company premises. The Company reserves the right to inspect all equipment/tools at any time and to prevent/prohibit their use without any penalty to the Company and without affecting the terms of the Contract in any way.

The Company reserves the right to act in any way to ensure the safety/security of any persons, equipment or goods on its premises and will not be liable for any cost or loss evoked by the action. This includes the right to search all vehicles and persons entering, leaving or on the premises and to inspect any parcel, package, handbag and pockets. Persons unwilling to permit such searches may not bring such items or vehicles onto the premises.

The Contractor shall maintain good housekeeping standards in the area where he is working for the duration of the contract.

At no time must the Contractor interfere with or put at risk the functionality of any fire prevention system. Care must also be taken to prevent fire hazards.

The Contractor is required to issue all staff with standard uniforms. This shall include safety shoes, overalls (clearly marked with Contractor's company logo) and numbered reflective jackets (as per Airport requirements). All costs relating to uniforms shall be for the Contractor's account.
Environmental constraints and management

The Contractor shall comply with the environmental criteria and constraints stated in Annexure [B] to this Service Information

Personnel

A schedule of key personnel to this Contract will be provided to the Project Manager at the commencement of this Contract. This will, as a minimum, include all persons from the technician/artisan level to the management level. For the full duration of this Contract, none of these persons will be replaced by a person of lesser ability or qualification. All on-site staff leaves shall be reported and agreed with the Project Manager. The Project Manager may request the replacement of any person with unsatisfactory performance or fails to comply with this contract.

It is the contractor's responsibility to ensure that there is always sufficient competent staff to perform the work as planned. It shall be the Contractor's responsibility to ensure that all relevant labour and safety legislation is adhered to in rostering staff.

All key personnel are required to have a personal access permit to access the site.

The Contractor shall not be compensated for costs relating to ACSA required permits, nor for labour/time spent obtaining it. An allowance must be made in the tender price in this regard.

The Contractor must ensure that he/she is, at all times, familiar with ACSA's safety and security requirements relating to permits in order for no work to be delayed as a result thereof. This will include the permit application process.

Note that (within reason) the Contractor will have no claim against ACSA in the event that a permit request is refused.



The following table is not all-inclusive but is provided for illustration purposes:

Permit	Required by/for	Department
AVOP – Airside Vehicle Operator Permit	All drivers of vehicles on the airside	ACSA Safety
Airside Vehicle Permit	All vehicles that enter the airside	ACSA Safety
Basement Parking permit	All vehicles allowed to enter the delivery basement	ACSA Parking
Personal permit	All persons employed at the airport	ACSA Security
Cell phone permit	All persons taking cell phones to airside	ACSA Security
Lap top permit	All persons taking laptop computers to the airside	ACSA Security
Camera permit	All persons taking cameras or camera equipment to airside	ACSA Security
Hot Works Permit	All welding and/metal cutting work	ACSA Safety

Proof of having attended the airside induction training course is required for all personal permit applications. Persons applying for an AVOP must provide proof of having attended an AVOP course. Fees are levied for these courses. Fees are further levied for all permit renewals and refresher courses - where applicable.

Subcontracting

Should any part of the work be subcontracted, the Contractor will be responsible for all Works as if it were done by the Contractor.

No casual labour (i.e., “off the street” labour) may be employed by the Contractor unless pre-arranged with ACSA. Whenever this is required, the Contractor shall come to a suitable arrangement with ACSA regarding the sourcing and screening of such individuals.

Quality assurance requirements

All work must be executed in accordance with prevailing industry norms and standards relating to quality, such as ISO9001, SANS and COTO.

Within the period stated in the Contact Data, the *Contractor* submits his complete quality control and assurance system (with all quality control and assurance procedures and manuals) for review and acceptance by the *Employer*. The manual includes pro-forma checklists for all requirements of the *Contractor's* quality control and assurance program and those called for in the Scope.

Acceptance by the *Employer* of the *Contractor's* quality assurance programme, quality plans and/or inspection and/or test plans, or of those of his Subcontractors will not relieve the *Contractor* of his obligation to provide services which meet the requirements of the Contract.

Training workshops and technology transfer

The Contractor shall be responsible for conducting on-site training (or off-site training should the Contractor be in a position of a training facility) on the maintenance, inspection and maintenance of airside asphalt and concrete pavements and painting works.

Invoicing and payment

Within two days of receiving a payment certificate from the *Service Manager* in terms of core clause 51.1, the *Contractor* provides the *Employer* with a tax invoice showing the amount due for payment equal to that stated in the *Service Manager's* payment certificate.



The *Contractor* shall address the tax invoice to the following Address,

Airports Company of South Africa SOC Ltd
Cape Town International Airport
Private Bag X9002
CAPE TOWN, WP
7525

and include on each invoice the following information:

Name and address of the *Contractor* and the *Service Manager*;
The contract number and title;
Contractor's VAT registration number;
The *Employer's* VAT registration number 4930138393;
Description of work done by cross-reference to *Service Manager's* certificate;
Total amount invoiced excluding VAT, the VAT and the invoiced amount including VAT;
Quote purchase order number as a reference

The Contractor should arrange with ACSA's finance department for making all payments electronically.

Invoices should be submitted via email to Invoices.Acsa@airports.co.za

Provision of bonds and guarantees.

The form in which a bond or guarantee required by the *conditions of contract* (if any) is to be provided by the *Contractor* is given in Part 1 Agreements and Contract Data, document C1.3, Sureties.

The *Employer* may withhold payment of amounts due to the *Contractor* until the bond or guarantee required in terms of this contract has been received and accepted by the person notified to the *Contractor* by the *Service Manager* to receive and accept such bond or guarantee. Such withholding of payment due to the *Contractor* does not affect the *Employer's* right to termination stated in this contract.

Employer's expectation:

The nature of the contract is as follows:

The service provider must be available for scheduled work and unscheduled works (*emergency break downs*). The service provider will also ensure that all equipment necessary to perform the service is available. Work will only take place when needed and upon instruction by the Service Manager by the issuing of a Work Order in all instances, except those expressly stated as **emergency work**. Emergency work is any work that needs to be performed immediately without the need to wait for written instructions, and only the service manager may decide if the work is of an emergency nature or not. Emergency work is often unplanned and may be necessary in order to prevent an unsafe condition, i.e., unauthorised access onto the airside or to resolve a non-conformance matter. The Service Manager shall issue the contractor with the work orders (*sometimes referred to as Task Orders*) during or as soon as it is practicable after the completion of the emergency repairs. The Service Manager may instruct the contractor to proceed with emergency work either verbally or in writing.

The contract is a "**as and when required**" meaning there is no fixed monthly forecasted spend. The work will be based on Task Orders as per NEC Contract clause X19 - a Task Order is work within the service which the Service Manager may instruct the Contractor to carry out within a stated period.

Service Level Agreements

The following service levels are the minimum service levels acceptable to the employer; the Contractor must always comply with and be able to match or better the service levels, see Annexure C

Closure Duration

Closure duration is defined as the time elapsed since the maintenance call was logged with the Helpdesk to the time the contractor reports to the Helpdesk that the problem has been resolved. 95% of all breakdowns will be restored to good working condition within **4 hours, unless a special agreement exists with the employer's agent**.



C3.3 MAINTENANCE SPECIFICATIONS: PARTICULAR (PROJECT SPECIFICATIONS)

The Standard Specifications provide, in certain clauses, for a choice to be specified in the Construction Specifications between alternative materials or methods of construction and for additional requirements to be specified to suit a particular contract. Details of such alternatives or additional requirements applicable to this Contract are contained in this part of the Specifications. It also includes some additional specifications required for this particular contract.

The number of each clause and each payment item in Particular (Project) Specifications consists of the prefix followed by a number corresponding to the number of the relevant clause or payment item in the Standard Specifications. The number of a new clause or a new payment item, which does not form part of a clause or a payment item in the standard specifications and is included here, is also prefixed by B, followed by a new number. The new numbers follow the last clause or item number used in the relevant section of the standard specifications.

Definitions and terms

Add the following clauses: -

B1156 AIRPORT

An airport is the ground area, including buildings used partially for landing, take-off, or ground movements of aircraft.

B1157 RUNWAY

A runway is the area usually used by aircraft for landing and take-off.

B1158 TAXIWAY

A taxiway is the area normally used by aircraft for movements between the runway and the apron and includes inactive runways used for other purposes.

B1159 THRESHOLD

The threshold is the beginning of the portion of the runway used for aircraft takeoff and landing, and thresholds may temporarily be displaced. The clearway is the area beyond thresholds.

B1161 AIRSIDE

The airport's airside is the security-controlled area where aircraft movement takes place. For the purpose of this contract, access to the airside is through the contractor's gate.

B1161 LANDSIDE

It is the area of the airport to which the public has unrestricted access.

B1162 APRON

The apron of an airport is the hardened area used for the parking of aircraft and where passengers normally board or disembark cargo is loaded onto or from aircraft, and refuelling or aircraft maintenance takes place.

B1163 CONTROL TOWER

The building is used by personnel to control aircraft and vehicle traffic on the airside of the airport.

B1164 RUNWAY AND TAXIWAY STRIP

It is the area adjacent to the runway extending 75m on either side of the runway's centre line and 47,5m from the centre line on the taxiway.

B1165 MOVEMENT AREA

That part of an airport to be used for the surface movement of aircraft, including maneuvering areas and aprons.

B1166 MARKINGS

Symbols, lines, words, and figures are displayed on the surface of a movement area, and special visual distinguishing features are added to vehicles.

B1167 PERIMETER ROAD

A road within the airside to facilitate the travel of vehicles to various areas and to remain clear of the maneuvering areas.



B1168 RESTRICTED AREA

A part of an airport, designated by notices posted by the airport manager, access to which is restricted to persons holding an authorised identification card valid for that part of the airport.

B1169 VEHICLE

Any self-propelled ground surface vehicle or mobile equipment (including specialised aircraft servicing vehicles and ramp equipment).

B1170 APPROVED ISSUING AUTHORITY

An organisation approved by the airport manager to issue airport security permits and airside vehicle permits.

Specifications of the works

Applicable COTO Standardized Specification for Road and Bridge Works for State Road Authorities

The Standard Specifications forming part of this contract have been written to cover all phases of work usually encountered on civil Service Managing contracts and may, therefore, cover items of work not encountered in this particular contract.

The Contractor is responsible for ensuring that he is thoroughly familiar with all the amendments and corrections before submitting his tender.

Applicable National and International Standards

The Works must comply with certain National and International Standards. The new COTO Standard Specifications for Road and Bridge Works for South African Road Authorities was approved by COTO on 18 August 2020 as a



Draft Standard (DS) and will be replacing the COLTO Standard Specifications for Road and Bridge Works for State Road Authorities (1998 Edition)

Chapter 1-General

Chapter 2-Services (Not Applicable)

Chapter 3- Drainage (Not Applicable)

Chapter 4-Earthworks Pavement Layers Materials

Chapter 5-Earthworks and Pavement Layers Construction (Not Applicable)

Chapter 6-Concrete Layers (Not Applicable)

Chapter 7-Repair Concrete Layers

Chapter 8-Repair Existing Layers

Chapter 9-Asphalt Layers

Chapter 10-Surface Treatments

Chapter 11-Ancillary Roadworks

Chapter 12-Geotechnical (Not Applicable)

Chapter 13-Structures (Not Applicable)

Chapter 14-Repair of Structures (Not Applicable)

COTO Chapter 20 -Quality Assurance

The latest version of COTO shall be used for this Contract. Payments shall be in accordance with new COTO Standard Specifications for Road and Bridge Works for South African Road Authorities



CHAPTER 1: GENERAL REQUIREMENTS AND PROVISIONS

1.1 GENERAL PREAMBLE

Part A of Section A1.1 only contains definitions that are generic and relevant or applicable to the other sections and chapters of this standard specification. The intention is that this Standard Specification should be compatible with the applicable Conditions of Contract. However, due to differences in the terminology and terms of the different standard contract conditions, there are instances where there may be a conflict between the Conditions of the Contract and the requirements given in this Standard Specification. In such instances, the terminology and provisions given in the Conditions of Contract will prevail.

C1.1.1 PREAMBLE

The general measurement and payment conditions which are applicable to all the Chapters of this Standard Specification as well as elsewhere in the Contract Documentation, unless specified differently, are given below.

The measurement and payment of the various items required for the Works are described in the payment items, which are given in Part C of each separate Section contained in the different Chapters of this Standard Specification. Each Part C of each separate Section contains a list of items that are not measured separately, as well as a list of items that are measured and paid for using items specified in other Sections or Chapters.

If additional payment items are required for a particular contract, they will be specified in the Contract Documentation for that contract. The following terms relating to payment shall be applicable as specified in the Conditions of Contract and shall have the meanings given below:

- **Lump sum** - a fixed sum tendered by the Contractor that covers all his costs, incidentals, overheads, and profit for providing materials and supervising and carrying out the work and/or services that are specified under the relevant pay item.
- **Prime cost sum** - a sum to cover the actual cost of the supply of materials and/or work that will be provided by a supplier and/or subcontractor that will be nominated by the Employer or a sum to cover the costs of items and/or services provided by an outside provider where the cost is not known in advance.
- **Provisional sum** - a sum to cover the actual cost of materials and/or work that cannot be clearly defined before the Contract was awarded. The Contractor will usually be asked to obtain several quotations for the materials and/or work required and submit them to the Engineer, who will approve one of the quotations and instruct the Contractor to appoint the selected service provider or subcontractor. Alternatively, the Contractor may be asked to submit a price for providing the materials and carrying the work out himself for approval by the Engineer.

If alternative meanings are given in the Conditions of Contract, those meanings will apply instead of the meanings given above

1.2 GENERAL REQUIREMENTS AND PROVISIONS

This Section covers matters which relate to this Standard Specification and/or the Contract Documentation as a whole. It establishes generic requirements that may also be applicable to other sections of this Standard Specification to avoid repetition in the other sections. It includes payment items for general items that are not included elsewhere in this Chapter 1 or in the other Chapters and for dayworks that are applicable to all the Chapters.

Add the following paragraph under A1.2.3.22 Wayleaves/Agreements and Permits

Add the following subclause: "The cost includes the issue of permits, airside induction course (AVOP and AIT), PARTAC license, and vehicle permits. The cost shall include the complete cost of vehicle compliance (including stickers and amber lights). The cost shall not include expenses incurred due to delays caused by the permit office, non-attendance for the issue of permits, travelling costs for the issue of permits, compensation for wages, salaries, etc.

The tendered lump sum shall represent full compensation for all costs incurred for the attendance of the airside induction course for all the Contractors personnel and for all costs associated with the provision of all necessary



permits as required by ACSA for the enablement of the project. The costs of permits (subject to changes) are as follows:

Permit Type	Duration	Current Price
PERSONAL PERMITS		
Personal permanent permits	6 days-2 years	270
Per Icon		70
Personal temporary permits	2-5 days	270
Personal visitors permits	1 day	270
VEHICLE PERMITS		
AVOP (Airside Vehicle Operator Permit) attached separately as an Annexure		
Vehicle permanent permits	1 year	1141
Vehicle add-on fee	1 year	5105
Vehicle temporary permits	1 – 3 mths	300
Prorated add-on fee	1 – 3 mths	1452
Vehicle temporary permits	3 -6 mths	595
Prorated add-on fee	3 – 6 mths	2900
Vehicle temporary permits	1-3 days	138
Vehicle temporary permits	4-30 days	300
Reprint of Vehicle Disc		138
Change of Registration		138
Contractors Vehicles 1- 3 Months		520
Contractors Vehicles 4 - 6 Months		1035
Permanent Contractors Vehicle Permit	1 year	1975
PARKING PERMITS		
Staff Parking	1 year	95
Taxi Parking	1 year	95
LOST/DAMAGED PERMITS		
1st lost Personal permit		560
2nd loss personal permit		906
3rd loss personal permit		No issue
ACSA 1st lost Personal Permit		300
ACSA 2nd lost Personal Permit		620
ACSA 3rd lost Personal Permit		No issue
1st damaged permit		450
2nd damage permit		570
3rd damaged permit		No issue

Permit + 1 Icon = R 340
 Permit + 2 Icons = R410
 Permit + 3 Icons = R 480
 Permit + 4 Icons = R 550
 Permit + 5 Icons = R 620



C1.2 GENERAL REQUIREMENTS AND PROVISIONS

PART C: MEASUREMENT AND PAYMENT

Add the following payment items:

Item	Unit
C1.2.5.3 Provision for direct costs incurred for obtaining all personal and vehicle permits (i.e. security induction, AVOP, INCLUSION OF THE NECESSARY REQUIREMENTS FOR VEHICLES, etc, to gain airside access, subject to the SERVICE MANAGER'S approval)	
(a) Permits and Induction, for individuals adequate to perform the service (Provisional Sum - Re-measurable)	Provisional Sum

1.3 CONTRACTOR'S SITE ESTABLISHMENT AND GENERAL OBLIGATIONS

This Section covers the establishment of the Contractor's organization, construction camps and constructional plant and their removal on completion of the contract. It also includes payment items to cover certain general obligations, risks and liabilities and general items of cost that are included in, but not covered directly by the payment items in the other chapters.

The work will take place on an ad hoc basis (as and when needed), and this will also include emergencies. The work hours will thus be both day and night. The contractor must price accordingly.

PART C: MEASUREMENT AND PAYMENT

Add the following payment items:

Item	Unit
C1.3.1 The contractor's general obligation	
C1.3.1.3 Fixed obligations	
Camps, Offices, Stores and overheads	Provisional Sum
PC1.3.2 Site Establishment	
(i) Paving Team	Per Establishment
(ii) SMALL TEAM (for cold crack sealing, viasealing,	Per Establishment
(iii) (HAND TEAM (for areas up to 20m2/shift)	Per Establishment
(iv) MILLING TEAM (2m Milling Machine)	Per Establishment

NB: For items above no monthly costs will be paid, these must be included in tendered rates and will be paid for when there is actual work done since the contract **is ad hoc**. All rates must include night work, no additional payment will be made to the Contractor providing and maintaining all extra personnel and equipment for executing night work. Site establishment will be paid once off, only after the completion of work order has been completed.



1.4 ACCOMMODATION OF TRAFFIC

This Section covers the accommodation of vehicular and non-motorised traffic and pedestrians on, over or through the site of the Works. This involves:

- The construction, maintenance and eventual removal of temporary deviations and detours.
- The construction and eventual removal, if required, of temporary gates, fences and other incidental items that may be required.
- The provision, erection, relocation, maintenance and removal of traffic control facilities and traffic safety items.
- Painting and removal, if required, of temporary road markings and placing of temporary road studs.
- The issuing of public notices.
- Liaison with the relevant traffic authorities, motorists and other affected persons.
- The removal and reinstatement/landscaping of temporary deviations when they become redundant.

The purpose of providing the traffic accommodation measures discussed in this Section is to ensure the safety of road users, pedestrians and the Contractor's and Engineer's employees who are engaged on the Works.

This Contract is divided into limited occupation areas in order to allow for the airport to be fully operational during any maintenance. All occupation areas will be over a short duration (e.g., for night shift works). The Contractor shall inform and obtain approval from ATNS and AM prior to closing any runway/RET/taxiway/aprons etc for maintenance.).

The work will take place on an ad hoc basis, and this will also include emergencies. The work hours will thus be both day and night. The contractor must price accordingly.

Add the following new sub-clauses:

Night work

All plants used on site shall be equipped with suitable lights, including flashing amber lights, to enable the work to be properly performed and controlled at night. Night work will only commence if, according to the Service Manager, the Contractor provides all equipment, personnel and stand-by reserves to execute the work at night as if in normal daytime hours.

The Contractor shall provide for artificial lighting to ensure the proper execution of the work in terms of the contract. The artificial lighting shall be subject to the Service Manager's approval and shall consist of at least the following:

- (i) At least 3 floodlight towers per work area shall be provided when works are performed during the night shift. A work area is defined as an area of a radius of 15 m in which night work is being done. The Contractor shall provide adequate lighting at night as specified for every work area. The light in a work area shall be a minimum of 75 lux.
- (ii) The power systems shall comply with the Occupational Health and Safety Act No. 6 of 1993 as amended and the Standard Regulation for Wiring of Premises of the South African Institute of Electrical Engineers.

No additional payment will be made to the Contractor providing and maintaining all extra personnel and equipment for executing night work.

MEASUREMENT AND PAYMENT

Add the following payment items:

The nature of this contract is on an ad hoc basis; therefore, no payments will be made if no work is done. Priced lump sum rates should only be for task order requests where work requires accommodation of traffic.



Item	Unit
------	------

C1.5.7 Temporary traffic control facilities.

C1.5.7.1 Flagmen	Per Shift
C1.5.7.2 Portable STOP and GO-RY signs	No
C1.5.7.3 Moveable barricade/road sign combination.....	No
C1.5.7.4 Traffic Cones, minimum height 750 mm.....	No

Payment for the moving and operation of the lighting equipment and other incidentals necessary for lighting the site shall be included in the tendered rates.”



CHAPTER 4: EARTHWORKS AND PAVEMENT LAYERS: MATERIALS

4.3 EXISTING ROAD MATERIALS

This Section covers the work requirements for sourcing existing road construction materials that are:

- Obtained from reclaiming or from the reconstruction of existing road fills, pavement layers and asphalt materials.
- Used to reconstruct the same road they are obtained from or used on another road project.

This Section also covers the removal of existing concrete pavements and paving blocks from the road, and of materials in urban areas such as road edging, services structures, and paved sidewalk materials.

Chapter 5 – Earthworks and Pavement layers: Construction covers the construction of the road layers.

MEASUREMENT AND PAYMENT

Add the following payment items:

(All items are provisional)

Item	Unit
C4.3.3 Excavating and removing existing bituminous material (except milled material):	
(a) Material intended for recycling with the average depth of excavation:	
(i) Not exceeding 30mm	m ²
(ii) depth between 30mm and 60mm	m ²
(iii) depth between 60mm and 100mm	m ²
C4.3.4 Sawing or cutting asphalt or cemented pavement layers:	
(a) Sawing asphalt	
(i) Not exceeding 30mm	m ²
(ii) depth between 30mm and 60mm	m ²
(iii) depth between 60mm and 100mm	m ²
C.4.3.6 Milling out existing bituminous materials with an average milling depth	
(a) Not Exceeding 30 mm	m ³
(b) Exceeding 30 mm but not exceeding 60mm	m ³
(c) Not Exceeding 30 mm	m ³
C4.3.8 Excavate out cemented crushed stone base:	
(a) Average milling depth exceeding 50mm but up to 100mm	
(i) Compressive strength of 10 Mpa up to and including 20 Mpa	m ³
C4.3.9 Excavation and spoiling materials from existing pavements	
(a) Non-cemented materials	m ³
(b) Cemented Materials	m ³
(c) Cemented Crushed stone	m ³



CHAPTER 7: MAINTENANCE AND REPAIR OF CONCRETE LAYERS

7.1 REPLACEMENT OF EXISTING JOINT SEALANT

This Section covers work related to: - The removal and replacement of existing joint sealants in concrete pavements where no repairs to the adjacent concrete are required. - Joint sealant installed under a Performance Based System with extended warranties is covered under Part D of this Chapter.

MEASUREMENT AND PAYMENT

Item	Unit
C7.1.1 Replacing of joint sealant in existing concrete pavement as follows:	
C7.1.1.1 Removal of existing seal and backing material	(m)
C7.1.1.2 Reaming of existing joints (indicate width and depth)	(m)

7.2 REPAIR TO EXISTING JOINTS AND UNCONTROLLED CRACKS IN CONCRETE PAVEMENTS

This Section covers work related to the repair of pavements across isolated uncontrolled cracks as well as repair of existing joints in concrete pavements in the following instances: - Repair of joints as well as uncontrolled cracking as part of the periodic maintenance/repair of existing pavements which includes repair to the adjacent concrete. It may also require the retrofitting of tie-bars and/or dowel bars in order to provide load transfer capacity over the crack or joint as identified. This instance the area of repair shall be limited to only a portion of a panel adjacent to a joint but may also traverse an existing joint into a portion of an adjacent panel. In JCP pavements where the area covers a total existing panel area, the repairs shall be carried out in conformance to the requirements specified in Section 7.3 as relevant.

MEASUREMENT AND PAYMENT

Item	Unit
C7.2.1 Transverse and longitudinal crack and joint repairs incorporating the following treatments.	
C7.2.1.1 Routing of active cracks (indicate width and depth)	(m)
C7.2.1.2 Routing of non-active cracks (indicate width and depth)	(m)

7.3 REMOVAL AND REINSTATEMENT OF EXISTING CONCRETE LAYERS

This Section covers work related to the removal and replacement of concrete pavements in the following instances: - Sections where the newly placed concrete layer as completed in accordance with Chapter 6: Concrete Layers has been rejected by the Engineer as a result of poor construction, finishing or uncontrolled cracking. This work shall not be subject to any payment. - Where isolated non-continuous panels, or part of a panel, require replacement as part of the periodic maintenance/repair of an existing pavement as described in the Contract Documentation. This work shall be subject to payment in accordance with the specifications and rates at tendered in Part C: Measurement and Payment of this Section A7.3. Where concrete pavements have to be widened, or where long continuous sections of concrete pavement have to be replaced, and the concrete can be placed with pavers, the work shall be regarded and be measured and paid for as new work in accordance with the requirements of Chapter 6: Concrete Layers, Part A or B as may be prescribed.

MEASUREMENT AND PAYMENT

Item	Unit
C7.3.1 Removal of concrete in rehabilitation work	
C7.3.1.1 Concrete without reinforcing	cubic metre (m ³)
C7.3.1.2 Reinforced concrete	cubic metre (m ³)
C7.3.1.3 Underlying layers	cubic metre (m ³)
C7.3.2 Full-depth repairs using hand-placed concrete with CEM I 52,5	cubic metre (m ³)
C7.3.3 Partial Depth Repairs using hand placed fine concrete	cubic metre (m ³)



CHAPTER 8: PRETREATMENT AND REPAIR OF EXISTING LAYERS

MEASUREMENT AND PAYMENT

Add the following payment items:

Cracks shall first be blown clean with compressed air (750 kPa) and all foreign and loose matter shall be removed from cracks. Bitumen rubber at approximately 185 OC must be injected into the cracks by means of hand-operated lance. Immediately after the cracks have been sealed, a scraper is to follow to remove all excess material.

Item	Unit
C8.5 Standard crack sealing	
(a) Anionic stable grade emulsion mixed with synthetic modifiers	l
(b) Hot Bitumen Rubber	l
(c) Hot Crack sealing	l
(d) Sealing Compound	l

C8.8.2 Excavation in existing pavements for patching (non-milling)

C8.8.2.1 Asphalt layers

(a) Not exceeding 10 m ² , including for edge repairs wider than 250 mm	cubic metre (m ³)
(b) Exceeding 10 m ² but not exceeding 50 m ² including for edge repairs wider than 250 mm	cubic metre (m ³)
(c) Exceeding 50 m ² up to 100 m ² including for edge repairs wider than 250 mm	cubic metre (m ³)

C8.8.4 Backfilling of excavations for patching with:

C8.8.4.1 Asphalt cold mix.....t

The item shall cover the labour cost and purchase of cold mix asphalt for applications such as pothole repairs. The cold mix is intended to serve as a temporary backfill in case of plant breakdown. The mix shall be replaced as soon as hot mix asphalt becomes available.

Item	Unit
------	------

C8.8.4.2 Backfilling of excavations for pothole repairs or patching with:

(a) Service Roads and landside roads: Patching and Pothole repairs complete, including all excavation and transport to spoil to approved dumping sites and including the transport of the asphalt material to the site, labour costs, asphalt material and plant costs, using:

(i) BTB	t
---------------	---



- | | | |
|-------|--|---|
| (ii) | 50mm medium AC surface (50/70 grade bitumen) | t |
| (iii) | Cold Mix Asphalt | t |

Add the following to this subclause:

“This item shall relate to addressing failures at service roads. The depth of the repair shall depend on the depth of failure. The depth of the BTB will cover the depth of the excavation, less the depth of the 50mm wearing course. This application shall apply to service roads and landside roads”.

The contractor is to note that this item covers both material and labour costs and is to make provisions for the use of the necessary plant in the excavation (or removal of material by suitable means) and backfilling of material. “The material removed during maintenance works taking place on airside is to be stockpiled at the allocated stockpile area located on airside, as recommended by the services manager. For work which takes place on the landside, the material is to be disposed of at the site and disposal certificates are provided to the client.

- | Item | Unit |
|---|------|
| (b) Taxiways and Runways: Patching and Pothole repairs complete, including all excavation and transport to spoil to approved dumping sites and including the transport of the asphalt material to the site, labour costs, asphalt material and plant costs, using: | |

- | | | |
|-------|--|---|
| (i) | AC (AP1) | t |
| (ii) | BTB..... | t |
| (iii) | 50mm medium AC surface (50/70 grade bitumen) | t |

This item shall relate to addressing failures at taxiways and runways. The depth of the repair shall depend on the depth of failure. The depth of the BTB will cover the full depth of the excavation less the depth of the wearing course.

The contractor is to note that this item covers both material and labour costs and is to make provisions for the use of the necessary plant in the excavation (or removal of material by suitable means) and backfilling of material.

The usage of item (i) or (ii) above will depend on the severity of the defect, the traffic conditions and the service manager’s determination.

Add the following to this subclause:

“The material removed during maintenance works taking place on airside is to be stockpiled at the allocated stockpile area located on airside, as recommended by the services manager. For work which takes place on landside, the material is to be disposed of site and disposal certificates provided to the client.

Should the depth of the excavation exceed 80mm, then the contractor is required to provide information for the reasons for the depth of the excavation. Such information shall include measurements on site, including photos. Should this information not be provided, then payment for this item will be withheld until the information is provided to the service manager’s satisfaction.”



CHAPTER 9: ASPHALT LAYERS

This Chapter covers the following work: All work in connection with the construction of asphalt base and surfacing layers in accordance with current good practice and any other specific work as may be prescribed. It includes the: - Design of the specified mix type, procuring and furnishing of aggregate, active fillers and bituminous binder, mixing at a central mixing plant, transport, placement and compaction of the product. - Widening of asphalt bases and surfacing, placing of asphalt in restricted areas and placing asphalt reinforcing where specified - Recycling of asphalt by reprocessing reclaimed asphaltic materials, adding new aggregate, bituminous binders and rejuvenating agents to obtain an asphalt mix which will comply in all respects with the standard final product requirements for a particular mix as specified. - General provisions and requirements of Chapter 9 shall apply throughout to recycled asphalt, except where explicitly specified otherwise in the Contract Documentation. Asphalt layers constructed utilising certified products with, or without, extended performance guarantees, are covered in Part D of this Chapter.

MEASUREMENT AND PAYMENT

Add the following payment items.

Item	Unit
C9.1.5 Asphalt surfacing	
(a) Continuously graded (100mm)	
(i) Medium Grade	m2
(b) Gab-graded (100 mm)	
(i) Intermediate stone content	m2
(c) Open-graded (100 mm)	
(i) Fine Course	m2
(ii) Semi Open Graded	m2
C9.1.3 Application of bond coat	
C9.1.3 .1 Tack Coat at 60% stable grade emulsion (SS60 or similar) at 0.6l/m2	L
C9.1.10 Variation rates	
(i) Penetration Grade Bitumen	t
(ii) Cement	t
(ii) Lime	t

CHAPTER 10: SURFACE TREATMENTS

10.1 GENERAL REQUIREMENTS FOR SURFACE TREATMENTS *(Attached Separately)*

CHAPTER 11: ANCILLARY ROAD WORKS

11.4 ROAD RESTRAINT SYSTEMS

This Section covers the supplying, installing and maintaining of various types of Road Restraint Systems (RRS) at locations and in accordance with the specifications and details, dimensions and design shown on the drawings; or specified by the Engineer; or as specified by the performance-based system manufacturer. There are two types of Road Restraint Systems, namely Vehicle Restraint Systems (VRS) and Pedestrian Restraint Systems (PRS), these systems may either be rigid, semi rigid or flexible, with transitions between the different types.

MEASUREMENT AND PAYMENT

Add the following payment items.

Item	Unit
C11.4.1 Erecting of guardrails at 3,81 m spacing	
C11.4.1.1 Complete galvanized system compliant to SANS 1350:	
(a) On timber posts (Drawing reference)	(m)



11.6 ROAD SIGNS

This Section covers the supply of permanent and temporary road signs and the erection of permanent and temporary traffic signs alongside and over the carriageway, ramps and crossroads at intersections, and interchanges, and at the locations and TAXIWAYS, RUNWAYS, APRONS or as specified by the Engineer. All road signs and traffic signals shall be of the applicable standard regulatory, warning, guidance and information signs or traffic signal requirements shall be in accordance with the ICAO Annex 14, SADC and the South African Road Traffic Signs Manual; as applicable, except where otherwise indicated on the drawings or in the Contract Documentation, or as specified by the Engineer. The installation or relocation of permanent traffic signals, cabling and controllers, if required, shall be as specified in the Contract Documentation and undertaken by specialist sub-contractors. Provision for payment is provided under Part C under this Section. The construction of ducting and concrete footings shall be constructed as specified in Section A2.2 of Chapter 2 and Chapter 13 respectively. The provision and operation of temporary or moveable traffic signals for traffic accommodation and other purposes shall be the undertaken by the Contractor as priced items. The manufacture and erection of overhead road sign gantries including footings shall be as detailed in Section A13.10 of Chapter 13. The installation or attachment of road signs thereto shall be undertaken under this Section.

The supply and erection of permanent Regulatory, Warning and Hazard Traffic signs as required.

MEASUREMENT AND PAYMENT

Add the following payment item.

Item	Unit
C11.6.1.13 New airside signage to convey a mandatory instruction, information on a location or destination on a movement area:	
(a) Mandatory instruction signs (in accordance to ICAO Annex 14 - 5.4.2)	
(i) Location/runway designation	No
(ii) Runway designation/location	No
(b) Information signs (in accordance to ICAO Annex 14 - 5.4.3)	
(i) Location/runway vacated	No
(ii) Runway vacated/location	No
C11.6.1.14 Roadside furniture dismantling, storing and re-erecting signage at new positions (mandatory & information signs)	PC Sum

11.7 ROAD MARKINGS

APPLYING THE PAINT

Add the following:

"Where the runway or taxiway is to be re-opened to traffic after shifts, the Contractor will be required to apply all necessary paint markings at completion of each such shift within a designated area. The paint shall be non-reflectorised and applied strictly in accordance with the manufacturer's instructions. The paint shall be normal road marking paint complying with SABS 731. Solvent-based paints will be used for temporary paint markings and water-based paint for all permanent paint markings. At the start of the project, the Contractor will supply samples of the paint he intends to use and apply trial sections to the satisfaction of the Service Manager which will also include environmental risk mitigation measures to be implemented and maintained as well as waste management.



Item		Unit
-------------	--	-------------

C11.7.2 Retro – Reflective road-paint marking.

- | | | |
|-------|--------------------------------------|----------------|
| (a) | Retro- Reflective Road marking paint | |
| (i) | Total length of paint markings | km |
| (ii) | Painted signage | m ² |
| (iii) | Arrows..... | m ² |

Add the following to the subclause: 'The rate shall cover the cost of painting, both on airside and landside.

- (i) The total length of paint markings includes the length of the centreline, shoulders, lead-in lines and other directional lines. The width of paint markings ranges from 100mm to 200mm. The rate shall cover the cost of broken or unbroken lines. The line type (solid or dashed) shall depend on the existing paint markings or the instruction of the service manager.
- (ii) Painted signage: These markings shall include letters and numbering, stop signs, jet blast, fire hydrant signs, fuel line signs, and all other airport related signage.
- (iii) Arrows: The size of arrows and the rate shall cover the variation in the size of the arrows.

The work shall take place both on airside and landside. The frequency on airside is as follows:

- Runways: Centreline to be done 3-4 times a month. The rest of the runway paint markings are done once in 3 months.
- Taxiways: Paint markings to be done twice a year. The length incorporates the centreline, shoulders, lead in lines and all other directional lines.
- Landside paint markings: To be done as and when instructed by the services manager.

The colour of the paint markings has not been specified. The paint colours used on airside and landside are red, yellow and white and the tender should be priced accordingly. The rate shall also include the blacking out of existing paint markings using black paint and glass beads “

Applicable Standards and norms:

NB: The latest standards will take precedence.

The below list should be used as a guide; however, it is not exhaustive. The Contractor shall ensure compliance to current and relevant industry standards and norms pertaining to the Works.

Note: in a case where a stringent standard was used than the below mentioned, a stringent standard shall take precedence.

- o TMH 9: Standard Visual Assessment Manual for Flexible Pavements
- o Draft TMH 11: Standard Survey Methods
- o Draft TRH 12: Flexible Pavement Rehabilitation and Design
- o Draft TRH 19: 1989 Standard Nomenclature and Methods for Describing the Condition of Jointed Concrete Pavements
- o The Employer's M1 Manual: Code of Procedure Manual for Geotechnical and Materials Investigation, Design and Documentation
- o Standard Specifications for Road and Bridge Works: COLTO, 1998
- o ICAO Annex 14_Aerodromes – Volume 1: Aerodrome Design and Operations
- o ICAO Doc-9137_Airport Services Manual – Part 2 Pavement Surface Conditions
- o ICAO Doc-9137_Airport Services Manual – Part 9 Airport Maintenance Practices
- o ICAO Doc-9157_Aerodrome Design Manual – Part 1 Runways
- o ICAO Doc-9157_Aerodrome Design Manual – Part 2 Taxiways, Aprons and Holding Bays



- ICAO Doc-9157_Aerodrome Design Manual – Part 3 Pavements
- ICAO Doc-9157_Aerodrome Design Manual – Part 4 Visual Aids
- ICAO Doc-9157_Aerodrome Design Manual – Part 6 Frangibility
- ICAO Annex 14_AIP Update
- ACI Apron Markings and Signs Handbook
- ASTM 5340 – Standard Test Method for Airport Pavement Condition Index Surveys

CHAPTER 20: QUALITY ASSURANCE

COTO Chapter 20 -Quality Assurance October 2020 (attached separately)



AIRPORTS COMPANY SOUTH AFRICA

SCHEDULE OF QUANTITIES

SCHEDULE OF QUANTITIES					
ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
					(R)
	CHAPTER 1 GENERAL				
	(All items are provisional)				
C1.2	GENERAL REQUIREMENTS AND PROVISIONS				
C1.2.5.3	Permits, and Induction, for individuals adequate to perform the service (Provisional Sum - Re-measurable)	Prov. Sum:	1	60000	R 60 000,00
C1.2.8	DAYWORKS: Dayworks refer to construction work carried out without a prior agreed price or rate, usually because the work is unforeseen or too urgent to be priced in the traditional manner				
C1.2.8.1	Personnel				
	(i) Labourer	hr	1		Rate Only
	(ii) Supervisor	hr	1		Rate Only
	(iii) Driver	hr	1		Rate Only
	(iv) Operator	hr	1		Rate Only
C1.2.8.2	Vehicles, plant and equipment				
	Front Wheel Loader 60kW	shift	1		Rate Only
	Backhoe/ Loader 55kW	shift	1		Rate Only
	Tracked Excavator 120kW	shift	1		Rate Only
	Grader 110kW	shift	1		Rate Only
	Tip Truck 6m ³	shift	1		Rate Only
	Tip Truck 10m ³	shift	1		Rate Only
	Self-propelled vibrating roller (>9t)	shift	1		Rate Only
	Walk-behind Vibrating Roller (>1t)	shift	1		Rate Only
	Plate Compactor	shift	1		Rate Only
	Water Cart	shift	1		Rate Only
	Compressor	shift	1		Rate Only
	Hoses	shift	1		Rate Only
	Jackhammer	shift	1		Rate Only
	7-ton Flat Truck	shift	1		Rate Only
	LDV	shift	1		Rate Only
	Road Marking Machine	shift	1		Rate Only
	Generator and lighting system	shift	1		Rate Only
	Paver Machine	shift	1		Rate Only
	Milling Machine	shift	1		Rate Only
C1.2.8.4	Materials				



AIRPORTS COMPANY SOUTH AFRICA

	(a) Actual cost of Material - materials approved by the Manager or representative Service	Prov Sum	1	50000	R 50 000,00
	(b) Contractor's handling costs, profit and all other charges in respect of item C1.2.8.4(a)	%		50000	
C1.3	CONTRACTORS SITE ESTABLISHMENT AND GENERAL OBLIGATIONS				
C1.3.1	The contractors general obligation				
C1.3.1.1	Fixed obligations (Camps, Offices, Stores and overheads)	Lump sum	1		
C1.3.1.2	Value-related obligations	Lump sum	1		
PC1.3.2	Site Establishment (Per Establishment)				
(i)	Paving Team	Per Establishment	3		
(ii)	SMALL TEAM (for cold crack sealing, viasealing,	Per Establishment	3		
(iii)	HAND TEAM (for areas up to 20m2/shift)	Per Establishment	3		
(iv)	MILLING TEAM (2m Milling Machine)	Per Establishment	3		
C1.5	ACCOMMODATION OF TRAFFIC				
C1.5.7	Temporary traffic control facilities.				
C1.5.7.1	Flagmen	man-shift	1		
C1.5.7.2	Portable STOP and GO-RY signs	Number	1		
C1.5.7.3	Moveable barricade/road sign combination	Number	1		
C1.5.7.4	Traffic cones, minimum height 750 mm	Number	1		
CHAPTER 1	TOTAL CARRIED TO SUMMARY				



AIRPORTS COMPANY

SOUTH AFRICA

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
					(R)
	CHAPTER 4: EARTHWORKS AND PAVEMENT LAYERS: MATERIALS				
	(All items are provisional)				
C4.2	CUT MATERIALS				
C4.2.2	Additional trial pits and/or drilling and laboratory testing				
C4.2.2.1	Cost of additional trial pits and / or drilling and laboratory testing	Prov. Sum	1	35000	R 35 000,00
C4.2.2.2	Handling costs and profit in respect of item C4.2.2.1	%		35000	
C4.3	EXISTING ROAD MATERIALS				
C4.3.3	Excavating and removing existing bituminous material (except milled material):				
(a)	Material intended for recycling with the average depth of excavation:				
	(i) Not exceeding 30mm	m ²	60		
	(ii) depth between 30mm and 60mm	m ²	60		
	(iii) depth between 60mm and 100mm	m ²	60		
C4.3.4	Sawing or cutting asphalt or cemented pavement layers:				
(a)	Sawing asphalt				
	(i) Not exceeding 30mm	m ²	60		
	(ii) depth between 30mm and 60mm	m ²	60		
	(iii) depth between 60mm and 100mm	m ²	60		
C4.3.6	Milling out existing bituminous materials with an average milling depth				
(a)	Not Exceeding 30 mm	m ³	30		
(b)	Exceeding 30 mm but not exceeding 60mm	m ³	30		
(c)	Exceeding 60 mm	m ³	30		
C4.3.8	Excavate out cemented crushed stone base:				
(a)	Average milling depth exceeding 50mm but up to 100mm				
	(i) Compressive strength of 10 Mpa up to and including 20 Mpa	m ³	20		
C4.3.9	Excavation and spoiling materials from existing pavements				
(a)	Non-Cemented Materials	m ³	20		
(b)	Cemented Materials	m ³	20		
(c)	Cemented Crushed stone	m ³	20		
C4.3.14	Removing of existing road edging and services structures:				
	(a) Kerbing and edge beams:				
	(i) In-situ concrete kerbing and edge beams	m ³	20		Rate Only
	(ii) Precast concrete kerbing (specify type or figure)	m	80		Rate Only



AIRPORTS COMPANY SOUTH AFRICA

	(iii) Precast concrete kerbing (specify type or figure) and situ concrete channel (specify dimensions)	m	80		Rate Only
	(b) Kerb inlets	No	10		Rate Only
	(c) Grid inlets	No	10		Rate Only
	(d) Etc., for other services structures	No	5		Rate Only
CHAPTER 4	TOTAL CARRIED TO SUMMARY				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
					(R)
	CHAPTER 6: CONCRETE LAYERS				
	(All items are provisional)				
C6.1	PAVER LAID CONCRETE LAYERS				
6.1.4	Texturing and curing the concrete pavement:				
C6.1.4.1	Burlap-dragged and grooved texture:				
	(a) Paver constructed	m ²	50		
C6.1.4.3	Curing:				
	(a) Paver constructed	m ²	50		
C6.1.5	Variation in the rate of application of the curing compound	ℓ	60		
C6.1.6	Joints:				
C6.1.6.1	Expansion joints complete (excluding dowels)	m	100		
C6.2	Segmental block paving layers:				
C6.2.1.1	Concrete block paving (80mm blocks) Supply and install 80mm brick pavers on 50mm sand filling and 150mm G5 base.	m ²	80		
C6.2.2	Casti-in-situ concrete edge and intermediate beams	m ³	25		
C6.2.3	Provision and application of approved herbicide and ant poison:				
C6.2.3.1	Provision of materials	PC sum	1	35000	R 35 000,00
C6.2.3.2	Contractor's charges and profit added to the prime cost sum	%		35000	
C6.2.4	Re-sanding of joints in segmental block paving:				
C6.2.4.1	Concrete block paving (80mm blocks)	m ²	80		
CHAPTER 6	TOTAL CARRIED TO SUMMARY				



AIRPORTS COMPANY
SOUTH AFRICA

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
					(R)
	CHAPTER 7: MAINTENANCE AND REPAIR OF CONCRETE LAYERS				
	(All items are provisional)				
7.1	REPLACEMENT OF EXISTING JOINT SEALANT				
C7.1.1	Replacing of joint sealant in existing concrete pavement as follows:				
C7.1.1.1	Removal of existing seal and backing material	m	20		
C7.1.1.2	Reaming of existing joints	m	20		
7,2	REPAIR TO EXISTING JOINTS AND UNCONTROLLED CRACKS IN CONCRETE PAVEMENTS				
C7.2.1	Transverse and longitudinal crack and joint repairs incorporating the following treatments.				
C7.2.1.1	Routing of active cracks (indicate width and depth)				
(a)	(Less than 15mm wide)	m	20		
(b)	(15mm to 25mm wide)	m	20		
C7.2.1.5	Saw cutting of cracks and joints in one operation	m	20		
C7.2.1.6	Filling joint reservoir with cementitious non-shrink grout	kg	10		
C7.3	REMOVAL AND REINSTATEMENT OF EXISTING CONCRETE LAYERS				
C7.3.1	Removal of concrete in rehabilitation work				
C7.3.1.1	Concrete without reinforcing	m ³	10		
C7.3.1.2	Reinforced concrete	m ³	10		
C7.3.1.3	Underlying layers	m ³	10		
C7.3.2	Full depth repairs using hand placed concrete with CEM I 52,5	m ³	10		
C7.3.3	Partial Depth Repairs using hand placed fine concrete	m ³	10		
C 7.3.5	Partial Depth Repairs using hand placed acrylic resin grout (ABE/SIKA products or approved alternatives) minimum of 50 mm and a maximum of 75 mm.	m ²	10		
CHAPTER 7	TOTAL CARRIED TO SUMMARY				



AIRPORTS COMPANY
SOUTH AFRICA

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
					(R)
	CHAPTER 8: PRETREATMENT AND REPAIR OF EXISTING LAYERS				
	(All items are provisional)				
C8.5	Standard crack sealing				
(a)	Anionic stable grade emulsion mixed with synthetic modifiers	ℓ	20		
(b)	Hot Bitumen Rubber	ℓ	20		
(c)	Hot Crack sealing	ℓ	20		
(d)	Sealing Compound	ℓ	20		
C8.8.2	Excavation in existing pavements for patching (non-milling)				
(a)	Not exceeding 10 m ² including for edge repairs wider than 250 mm	m ³	50		
(b)	Exceeding 10 m ² but not exceeding 50 m ² including for edge repairs wider than 250 mm	m ³	50		
(c)	Exceeding 50 m ² up to 100 m ² including for edge repairs wider than 250 mm	m ³	50		
C8.8.4	Backfilling of excavations for patching with:				
C8.8.4.1	Asphalt cold mix	t	10		
C8.8.4.2	Backfilling of excavations for pothole repairs or patching with:				
(a)	Service Roads and landside roads: Patching and Pothole repairs complete, including all excavation and transport to spoil to approved dumping sites and including the transport of the asphalt material to the site, labour costs, asphalt material and plant costs, using:				
	(i) BTB	t	15		
	(ii) 50 mm AC Surface (50/70 grade bitumen)	t	15		
	(iii) Cold Mix Asphalt	t	15		
(b)	Taxiways and Runways: Patching and Pothole repairs complete, including all excavation and transport to spoil to approved dumping sites and including the transport of the asphalt material to the site, labour costs, asphalt material and plant costs, using:				
	(i) AC (AP1)	t	15		
	(i) BTB	t	15		
	(ii) 50 mm AC Surface (50/70 grade bitumen)	t	15		
CHAPTER 8	TOTAL CARRIED TO SUMMARY				



AIRPORTS COMPANY SOUTH AFRICA

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
					(R)
	CHAPTER 9: ASPHALT LAYERS				
	(All items are provisional)				
C9.1	ASPHALT LAYERS				
C9.1.3	Application of bond coat				
C9.1.3.1	Tack Coat at 60% stable grade emulsion (SS60 or similar) at 0.6l/m2	ℓ	50		
C9.1.5	Asphalt Surfacing				
(a)	Continuously graded (100mm)				
	(i) Medium Grade	m ²	100		
(b)	Gab-graded (100mm)				
	(i) Inter mediate stone content	m ²	100		
(c)	Open-graded (100mm)				
	(i) Fine Course	m ²	100		
	(ii) Semi Open Graded	m ²	100		
C9.1.10	Binder variations:				
	(i) Penetration Grade Bitumen	t	15		Rate Only
	(ii) Cement	t	15		Rate Only
	(ii)Lime	t	15		Rate Only
CHAPTER 9	TOTAL CARRIED TO SUMMARY				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
					(R)
	CHAPTER 11: ANCILLARY ROAD WORKS				
	(All items are provisional)				
C11.4	ROAD RESTRAINT SYSTEMS				
C11.4.1	Erecting of guardrails at 3,81 m spacing				
C11.4.1.1	Complete galvanized system compliant to SANS 1350:				
	(a) On timber posts	m	50		
C11.6	ROAD SIGNS				
C11.6.1.13	New airside signage to convey a mandatory instruction, information on a location or destination on a movement area:				
a	Mandatory instruction signs (in accordance to ICAO Annex 14 - 5.4.2)				
	(i) Location/runway designation	No	1		
	(ii) Runway designation/location	No	1		
b	Information signs (in accordance to ICAO Annex 14- 5.4.3)				



AIRPORTS COMPANY

SOUTH AFRICA

	(i) Location/runway vacated	No	1		
	(ii) Runway vacated/location	No	1		
C11.6.1.14	Roadside furniture dismantling, storing and re-erecting signage at new positions (mandatory & information signs)	PC Sum	1	50000	R 50 000,00
11.7	ROAD MARKINGS				
C11.7.1	Road Marking Paint				
	<i>Supply and apply of non-reflectorised paint applied at nominal rate of 0.42l/m2 including pre-marking and setting out</i>				
(a)	White lines (broken or unbroken)				
	Concrete pavement				
(i)	Width = 100mm	km	1		
(ii)	Width = 150mm	km	1		
(iii)	Width = 200mm	km	1		
(iv)	Width = 300mm	km	1		
(v)	Width = 450mm	km	1		
	Asphalt pavement				
(vi)	Width = 100mm	km	1		
(vii)	Width = 150mm	km	1		
(viii)	Width = 200mm	km	1		
(ix)	Width = 300mm	km	1		
(x)	Width = 450mm	km	1		
(b)	Yellow lines (broken or unbroken)				
	Concrete pavement				
(i)	Width = 100mm	km	1		
(ii)	Width = 150mm	km	1		
(iii)	Width = 200mm	km	1		
(iv)	Width = 300mm	km	1		
	Asphalt pavement				
(v)	Width = 100mm	km	1		
(vi)	Width = 150mm	km	1		
(vii)	Width = 200mm	km	1		
(viii)	Width = 300mm	km	1		
(c)	Black lines (broken or unbroken)				
	Concrete pavement				
(i)	Width = 100mm	km	1		
(ii)	Width = 150mm	km	1		
(iii)	Width = 200mm	km	1		
(iv)	Width = 300mm	km	1		
(d)	Red lines (broken or unbroken)				
	Concrete pavement				
(i)	Width = 100mm	km	1		
(ii)	Width = 150mm	km	1		
(iii)	Width = 200mm	km	1		
(iv)	Width = 300mm	km	1		
	Asphalt pavement				



AIRPORTS COMPANY SOUTH AFRICA

(v)	Width = 100mm	km	1		
(vi)	Width = 150mm	km	1		
(vii)	Width = 200mm	km	1		
(viii)	Width = 300mm	km	1		
(e)	Characters and Symbols as per ACI Handbook and ICAO Annex 14				
(i)	Red characters and symbols	m ²	10		
(ii)	Black characters and symbols	m ²	10		
(iii)	Pedestrian crossing blocks (white)	m ²	100		
(iv)	Rectangular block (red)	m ²	10		
(v)	Red circle	m ²	10		
(f)	Staggered white lines				
(i)	500mm x 100mm	km	1		
(ii)	500mm x 150mm	km	1		
(iii)	500mm x 200mm	km	1		
C11.7.2	Retro- Reflective Road marking paint				
(a)	Main Runway 01/19				
(i)	Runway Centreline – white line 900mm width (water-based paint)	km	18		
(ii)	Edge lines –white line 900mm width	km	1		
(iii)	Threshold blocks (white)	m ²	200		
(iv)	Touchdowns (white)	km	5		
(v)	Aiming blocks (white)	m ²	5		
(b)	Secondary Runway 16/34				
(i)	Runway Centreline – white line 500mm width (water-based paint)	km	3		
(ii)	Edge lines –white line 900mm width	km	1		
(iii)	Threshold blocks (white)	m ²	200		
(iv)	Touchdowns (white)	km	3		
(v)	Aiming blocks (white)	m ²	40		
(c)	Taxiways				
(i)	Centreline and edge lines yellow line 150mm width	km	1		
(ii)	Bay designators blocks (yellow)	km	1		
(iii)	Holding points (yellow) width 300mm	km	1		
(d)	Road marking of Apron Signage/Characters				
(i)	Apron centreline (yellow) 200mm (concrete pavement)	km	1		
(ii)	Bay designators (yellow) (concrete pavement)	No	1		
(iii)	Jet Blast	No	1		
(iv)	Noise Hazard	No	1		
(v)	No Entry	No	1		
(vi)	No smoking	No	1		
(vii)	Give way	No	1		
(viii)	Painted islands	m ²	12		
(ix)	Stop sign	No	1		
(x)	Stoplans	m ²	60		
(xi)	2,5m Yield	m ²	12		



AIRPORTS COMPANY

SOUTH AFRICA

(xii)	FH sign	No	1		
(xiii)	Max speed	No	1		
(xiv)	Max vehicle height	No	1		
(xv)	Mandatory turn	No	1		
(xvi)	Bus turn	No	1		
(xvii)	Directional arrows	No	1		
(e)	Additional markings				
(i)	Speed humps	m ²	20		
(ii)	1,25m EXIT	No	1		
(iii)	2,5m EXIT	No	1		
(iv)	1,25 RAMP UP	No	1		
(v)	2,5m RAMP DOWN	No	1		
(vi)	Black blocks 500 x 1300mm	m ²	60		
(vii)	400mm letters and numbers	No	1		
(viii)	1,25m GPU	No	1		
(ix)	500mm CHOCK	No	1		
(x)	1,25m TUG	No	1		
(xi)	1,25m TECH	No	1		
(xii)	1,25m PAU	No	1		
(xiii)	1,25m STEPS	No	1		
(xiv)	200mm numbering	No	1		
C11.7.5	Variations in rate of application				
C11.7.5.1	White paint	ℓ	100		
C11.7.5.2	Yellow paint	ℓ	100		
C11.7.5.3	Red Paint	ℓ	100		
C11.7.5.4	Retro-reflective beads	kg	50		
C11.7.7	Road studs				
C11.7.7.1	Permanent road studs compliant to SANS 1442 or 1463	No	10		
C11.7.7.3	Temporary road studs compliant to SANS 1442 or 1463	No	10		
C11.7.10	Removal of existing, temporary or final road markings by:				
C11.7.10.1	Sandblasting	m ²	5		
C11.7.10.2	Water-jetting	m ²	5		
C11.7.10.3	Overpainting as temporary measure	m ²	5		
CHAPTER 11	TOTAL CARRIED FORWARD				



Description	Amount R
CHAPTER 1 GENERAL	
CHAPTER 4: EARTHWORKS AND PAVEMENT LAYERS: MATERIALS	
CHAPTER 6: CONCRETE LAYERS	
CHAPTER 7: MAINTENANCE AND REPAIR OF CONCRETE LAYERS	
CHAPTER 8: PRETREATMENT AND REPAIR OF EXISTING LAYERS	
CHAPTER 9: ASPHALT LAYERS	
CHAPTER 11: ANCILLARY ROAD WORKS	
<i>TOTAL SCHEDULE A (Please note: this cost is for 1 Year)</i>	

TOTAL PRICES

Below is the guide that must be used in estimating the contract value. This amount must be reported as the contract value in the corresponding schedules. The pricing will escalate at CPI on the anniversary of the contract (which for illustrative purposes is 6%).

Tenderers are reminded that the 5-year grand total is for illustrative purposes only and that the Employer will not be under any obligation to expend the full or any portion of this amount. Monthly contract expenditure will be strictly calculated according to the Activity Schedule as provided above:



AIRPORTS COMPANY

SOUTH AFRICA

CALCULATION OF TENDER SUM	AMOUNT
TOTAL SCHEDULE A: PAVEMENT MAINTENANCE YEAR 1	
CONTINGENCIES @ 10%	
The sum provided here is under the sole control of the Service Manager and may be deducted in whole or in part	
TOTAL YEAR 1	
TOTAL YEAR 2 = TOTAL YEAR 1 * 1.06 (Escalation on Year 1)	
TOTAL YEAR 3 = TOTAL YEAR 2 * 1.06 (Escalation on Year 2)	
TOTAL YEAR 4 = TOTAL YEAR 3 * 1.06 (Escalation on Year 3)	
TOTAL YEAR 5 = TOTAL YEAR 4 * 1.06 (Escalation on Year 4)	
GRAND TOTAL - 5-YEAR TOTAL OF THE PRICES (Excluding VAT)	
VALUE-ADDED TAX (VAT) The tenderer shall add 15% of the subtotal for VAT	
GRAND TOTAL - 5-YEAR TOTAL OF THE PRICES (Including VAT) TENDER SUM CARRIED TO FORM OF OFFER	
* Contract values will be increased/ decreased per current index stipulated in Statistic SA- Consumer Price Indices- all income groups.	



C.3.4 ANNEXURES TO THE SCOPE OF WORK

Annexures issued by the *Employer*

[This is the list of Annexures to the Scope of Works issued by the Employer at or before the Contract Date and which apply to this contract]

Annexure	Revision	Title
Annexure A	1	Occupational Health and Safety Agreement
Annexure B	1	Environmental Terms and Conditions
Annexure C	1	Service Level Agreements
Annexure D	1	Maintenance Activities and Documentation
Annexure E	1	Letter of commitment/Asphalt supply agreement

**ANNEXURE A:****OCCUPATIONAL HEALTH AND SAFETY AGREEMENT****OCCUPATIONAL HEALTH AND SAFETY AGREEMENT**

AGREEMENT IN TERMS OF SECTION 37(2) OF THE OCCUPATIONAL HEALTH & SAFETY ACT (ACT 85 OF 1993) & CONSTRUCTION REGULATION 5.1(k)

OBJECTIVES

To assist Airport Company South Africa (ACSA) in order to comply with the requirements of:

1. The Occupational Health & Safety (Act 85 of 1993) and its regulations and
2. The Compensation for Occupational Injuries & Diseases Act (Act 130 of 1993) also known as the (COLD Act).

To this end an Agreement must be concluded before any contractor/ subcontracted work may commence.

The parties to this Agreement are:

Name of Organisation: AIRPORTS COMPANY SOUTH AFRICA SOC LIMITED
Physical Address: Airport Company South Africa SOC Limited

Hereinafter referred to as “Client”

Name of organisation:
Physical Address

Hereinafter referred to as “the Mandatary/ Principal Contractor”

MANDATORY’S MAIN SCOPE OF WORK

Land side and Airside Pavement and Road Marking Maintenance

GENERAL INFORMATION FORMING PART OF THIS AGREEMENT

1. The Occupational Health & Safety Act comprises of SECTION 1-50 and all unrepealed REGULATIONS promulgated in terms of the former Machinery and Occupational Safety Act No.6 of 1983 as amended as well as other REGULATIONS which may be promulgated in terms of the Act and other relevant Acts pertaining to the job in hand.
2. “Mandatary” is defined as including as agent, a principal contractor or a contractor for work, but WITHOUT DEROGATING FROM HIS/HER STATUS IN HIS/HER RIGHT AS AN EMPLOYER or user of the plant.
3. Section 37 of the Occupational Health & Safety Act potentially punishes Employers (PRINCIPAL CONTRACTOR) for unlawful acts or omissions of Mandataries (CONTRACTORS) save where a Written Agreement between the parties has been concluded containing arrangements and procedures to ensure compliance with the said Act BY THE MANDATARY.
4. All documents attached or referred to in the above Agreement form an integral part of the Agreement.
5. To perform in terms of this agreement Mandataries must be familiar and conversant with the relevant provisions of the Occupational Health & Safety Act 85 of 1993 (OHS Act) and applicable Regulations.
6. Mandatories who utilise the services of their own Mandatories (contractors) must conclude a similar Written Agreement with them.
7. Be advised that this Agreement places the onus on the Mandatary to contact the CLIENT in the event of inability to perform as per this Agreement.



8. This Agreement shall be binding for all work the Mandatory undertakes for the client.
9. All documentation according to the Safety checklist, including a copy of the written Construction Manager appointment in terms of construction regulation 8, must be submitted 7 days before work commences.

THE UNDERTAKING

The Mandatory undertakes to comply with the following:

INSURANCE

1. The Mandatory warrants that all their employees and/or their contractor's employees if any are covered in terms of the COID Act, which shall remain in force whilst any such employees are present on the Client's premises. A letter is required prior to commencing any work on site confirming that the principal contractor or contractor is in good standing with the Compensation Fund or Licensed Insurer.
2. The Mandatory warrants that they are in possession of the following insurance cover, which cover shall remain in force whilst they and /or their employees are present on the Client's premises or which shall remain in force for that duration of their contractual relationship with the Client, whichever period is the longest.
 - a. Public Liability Insurance Cover as required by the Subcontract Agreement.
 - b. Any other Insurance cover that will adequately make provision for any possible losses and/or claims arising from their and /or their Subcontractors and/or their respective employee's acts and/or omissions on the Client's premises.

COMPLIANCE WITH THE OCCUPATIONAL HEALTH & SAFETY ACT 85 OF 1993

The Mandatory undertakes to ensure that they and/or their subcontractors if any and/or their respective employees, will always comply with the following conditions:

1. All work performed by the Mandatory on the Client's premises must be performed under the close supervision of the Mandatory's employees who are to be trained to understand the hazards associated with any work that the Mandatory performs on the Client's premises.
2. The Mandatory shall be assigned the responsibility in terms of Section 16(1) of the OHS Act 85 of 1993, if the Mandatory assigns any duty in terms of Section 16(2), a copy of such written assignment shall immediately be forwarded to the Client.
3. The Mandatory shall ensure that he/she familiarise himself/herself with the requirements of the OHS Act 85 of 1993 and that s/he and his/her employees and any of his subcontractors comply with the requirements.
4. The Mandatory shall ensure that a baseline risk assessment is performed by a competent person before commencement of any work in the Client's premises. A baseline risk assessment document will include identification of hazards and risk, analysis and evaluation of the risks and hazards identified, a documented plan and safe work procedures to mitigate, reduce or control the risks identified, and a monitoring and review plan of the risks and hazards.
5. The Mandatory shall appoint competent persons who shall be trained on any Occupational Health & Safety aspect pertaining to them or to the work that is to be performed.
6. The Mandatory shall ensure that discipline regarding Occupational Health & Safety shall be strictly enforced.
7. Any personal protective equipment required shall be issued by the Mandatory to his/her employees and shall be always worn.
8. Written safe working practices/procedures and precautionary measures shall be made available and enforced and all employees shall be made conversant with the contents of these practises.
9. No unsafe equipment/machinery and/or articles shall be used by the Mandatory or contractor on the Client's premises.
10. All incidents/accidents referred to in OHS Act shall be reported by the Mandatory to the Provincial Director: Department of Labour as well as to the Client.
11. No user shall be made by the Mandatory and/or their employees and or their subcontractors of any of the Client's machinery/article/substance/plant/personal protective equipment without prior written approval.
12. The Mandatory shall ensure that work for which the issuing of permit is required shall not be performed prior to the obtaining of a duty completed approved permit.
13. The Mandatory shall ensure that no alcohol or any other intoxicating substance shall be allowed on the Client's premises. Anyone suspected to be under the influence of alcohol, or any other intoxicating substance shall not be allowed on the premises. Anyone found on the premises suspected to be under



the influence of alcohol or any other intoxicating substance shall be escorted off the said premises immediately.

14. Full participation by the Mandatary shall be given to the employees of the Client if and when they inquire into Occupational Health & Safety.

FURTHER UNDERTAKING

1. Only a duly authorised representative appointed in terms of Section 16.2 of the OHS Act is eligible to sign this agreement on behalf of the Mandatary. The signing power of this representative must be designated in writing by the Chief Executive Officer of the Mandatary. A copy of this letter must be made available to the Client.
2. The Mandatary confirms that he has been informed that he must report to the Client's management, in writing anything he/she deems to be unhealthy and /or unsafe. He has versed his employees in this regard.
3. The Mandatary warrants that he/she shall not endanger the health & safety of the Client's employees and other persons in any way whilst performing work on the Client's premises.
4. The Mandatary understands that no work may commence on the Client's premises until this procedure is duly completed, signed and received by the Client.
5. Non-compliance with any of the above clauses may lead to an immediate cancellation of the contract.

ACCEPTANCE BY MANDATARY

In terms of section 37(2) of the Occupational Health & Safety Act 85 of 1993 and section 5.1(k) of the Construction Regulations 2014,

I a duly authorised 16.2 Appointee acting for and on behalf of (company name) undertake to ensure that the requirements and the provision of the OHS Act 85 of 1993 and its regulations are complied with.

Mandatary – WCA/ Federated Employers Mutual No.....

Expiry date

SIGNATURE ON BEHALF OF MANDATARY
 (Warrant his authority to sign)

DATE

SIGNATURE ON BEHALF OF THE CLIENT
AIRPORT COMPANY SOUTH AFRICA

DATE

**ANNEXURE B:****ENVIRONMENTAL TERMS AND CONDITIONS - EMS 048**

The following Environmental Terms and Conditions shall be strictly adhered to by all contractors when conducting works for ACSA. ACSA shall audit contractor activities, products and services on an ad hoc basis to ensure compliance to these environmental conditions. Any pollution clean-up costs shall be borne by the contractor.

ISSUE	REQUIREMENT
Environmental Policy	ACSA's Environmental Policy shall be communicated, comprehended and implemented by all ACSA appointed contractor staff.
Storm water, Soil and Groundwater Pollution	- No solid or liquid material may be permitted to contaminate or potentially contaminate storm water, soil or groundwater resources. - Any pollution that risks contamination of these resources must be cleaned-up immediately. Spills must be reported to ACSA immediately. Contractors shall supply their own suitable clean-up materials where required. - Washing, maintenance and refuelling of equipment shall only be allowed in designated service areas on ACSA property. It is the contractor's responsibility to determine the location of these areas. - No leaking equipment or vehicles shall be permitted on the airport.
Air Pollution	- Dust: Dust resulting from work activities that could cause a nuisance to employees, or the public shall be kept to a minimum. - Odours and emissions: All practical measures shall be taken to reduce unpleasant odours and emissions generated from work related activities. - Fires: No open fires shall be permitted on site.
Noise Pollution	- All reasonable measures shall be taken to minimize noise generated on site due to work operations. - The Contractor shall comply with the applicable regulations regarding noise.
Waste Management	- Waste shall be separated as general or hazardous waste. - General and hazardous waste shall be disposed of appropriately at a permitted landfill site should recycling or re-use of waste be not feasible. - Under no circumstances shall solid or liquid waste be dumped, buried or burnt. - Contractors shall maintain a tidy, litter free environment always in their work area. - Contractors must keep on file: - The name of the contracting waste company - Waste disposal site used. - Monthly reports on quantities – separated into general, hazardous and recycled. - Maintained file of all Waste Manifest Documents and Certificates of Safe Disposal - Copy of waste permit for disposal site This information must be available during audits and inspections.
Handling & Storage of Hazardous Chemical Substances (HCS)	- All HCS shall be clearly labelled, stored and handled in accordance to Materials Safety Data Sheets. - Materials Safety Data Sheets shall be stored with all HCS. - All spillages of HCS must be cleaned-up immediately and disposed of as hazardous waste. (HCS spillages must be reported to ACSA immediately). - All contractors shall be adequately informed with regards to the handling and storage of hazardous substances. - Contractors shall comply with all relevant national, regional and local legislation regarding the transport, storage, use and disposal of hazardous substances.
Water and Energy Consumption	ACSA promotes the conservation of water and energy resources. The contractor shall identify and manage those work activities that may result in water and energy wastage.



AIRPORTS COMPANY SOUTH AFRICA

Training Awareness	&	The conditions outlined in this permit shall be communicated to all contractors and their employees prior to commencing works at the airport.
-------------------------------	--------------	---

Penalties

Penalties shall be imposed by ACSA on Contractors who are found to be infringing these requirements and/or legislation. The Contractor shall be advised in writing of the nature of the infringement and the amount of the penalty. The Contractor shall take the necessary steps (e.g., training/remediation) to prevent a recurrence of the infringement and shall advise ACSA accordingly.

The Contractor is also advised that the imposition of penalties does not replace any legal proceedings, the Council, authorities, landowners and/or members of the public may institute against the Contractor.

Penalties shall be between R200 and R20 000, depending upon the severity of the infringement. The decision on how much to impose will be made by ACSA's Airport Environmental Management Representative in consultation with the Airport Manager or his/her designate and will be final. In addition to the penalty, the Contractor shall be required to make good any damage caused due to the infringement at his/her own expense.

I, of agree to the above conditions and acknowledge ACSA's right to impose penalties should I or any of my employees or sub-contractors fail to comply with these conditions.

Signed: _____ on this date: _____ (dd/mm/yyyy)

at:

**ANNEXURE C****LOW SERVICE DAMAGES**

COMPLIANCE ITEM	STANDARD/REQUIREMENTS	METHOD OF MEASUREMENT	TARGET	DAMAGES
OHS Compliance Uniforms and staff personal protective equipment.	No repeat Audit findings from Safety Department or Service Manager. Working safely and following the OHS Plan of the Contractor. Use of correct Personal Protective Equipment. Contractor to comply to all OHS act requirements.	No incidents related to non-use of PPE. Periodic (typically monthly) OHS Audits done by the H&S Dept or inspections by Service Manager. Contractor needs to comply to all OHS act requirement.	100% compliance	First incident - Contractor pays R5000 if staff members found non-compliant. Risk Mitigation Meeting to be held and risk recorded as Early Warnings. Incidents following the first incident - if any staff member from the same company is found non-compliant within 3 months period from first incident, contractor pays R5000 and the permits for those in breach are confiscated for 5 days. Contractor to make own arrangements at own cost to cover delays in work and replacement of employee. - If the same offender commits the same offense more than 3 time within 6 months, from the first incident, the Service Provider must remove the offender permanently from site.
Airport permits	Airport permits must always be displayed by the staff.	Random inspections by ACSA staff member	100 % compliance	First incident - Contractor pays R5000 if staff members found non-compliant. Risk Mitigation Meeting to be held and risk recorded as Early Warnings. Incidents following the first incident - if any staff member from the same company is found non-compliant within 3 months period from first incident, contractor pays R5000 and the permits for those in breach are confiscated for 5 days. Contractor to



AIRPORTS COMPANY SOUTH AFRICA

				make own arrangements at own cost to cover delays in work and replacement of employee. If the same offender commits the same offense more than 3 time within 6 months, from the first incident, the Service Provider must remove the offender permanently from site.
Housekeeping	Housekeeping during and after work- cleaning up after work is done.	Inspection by ACSA Surface maintenance staff	100 % compliance	Contractor pays R10 000 for grass, debris, papers or any other FOD not removed and is notified to clean up immediately. 10% of R10 000 is charged on the contractor on top of the initial R10 000 for every hour passing without contractor reporting to site and cleaning up
Interaction with the employer	Attend monthly meetings Personnel who can make decisions on behalf of the Contractor to attend the monthly meetings	Complete attendance registers Minutes of the Meeting Person attended same as the person on the Delegation of Authority, who is named as the Contractor Service Manager representing the Contractor, as per NEC clause 10.2	100% compliance	Contractor pays R5000 per scheduled meeting not attended. Maximum 3 meetings missed risk reduction meeting is held and early warning is issued. Corrective action is agreed and monitored. 4th meeting missed after risk reduction held and corrective action agreed, the service provider is charged R10 000
Response Times	Contractor must report on site for inspection within 1 hours in case of unforeseeable emergency repairs. For all other repairs which can be picked up through inspections and the nature of damage/failure is gradual, contractor must report to site for inspection with 3 days from when notification is issued. Site establishment and quote submission timelines will be determined by the service manager based on the nature and urgency of the repair work.	From written communication to the time contractor reports on Site with ACSA Service Manager.	100% compliance.	For all late Responses, R 5 000 per occurrence, and R1500 per hour thereafter on top of the initial R 5 000. A risk reduction meeting to be held with the contractor and minuted. Early warning is issued, for all late responses. Following the early warnings and the late response continues more than 50% of the time, based on issued task orders , Contract will be terminated.



AIRPORTS COMPANY SOUTH AFRICA

Work Completion	Work must be completed within agreed time frame for asset handover back to operations. 95% of all breakdowns will be restored to good working condition within 24 hours, unless a special agreement exists with the employer's agent.	Site Inspection of work done to the required quality, in the agreed time. Facility handed over for operations. Site inspection, handover records with fire and rescue.	100% compliance.	R 10 000 per occurrence, and R1500 per hour thereafter on top of the initial R10 000. A risk reduction meeting to be held with the contractor and minuted. Early warning is issued, for all work not completed on time. Following the early warnings and delays in work completion continues more than 30% of the time, based on issued task orders, contract will be terminated.
Quality	Materials must meet specifications requirements as outlined in SANS/SABS standards. Equipment must meet specifications requirements as outlined in SANS/SABS standards. Tolerances must meet specifications requirements as outlined in SANS/SABS standards. Sub-standard work must be corrected by the contractor at own cost. All work shall be in line with the provided/agreed specification.	Site Inspection done by ACSA Service Manager of work done to the required quality, in the agreed time. Contractor to submit the quality assurance documentation to ACSA. All work shall comply to all ACSA requirements/agreed specification.	100% compliance.	First incident – Risk reduction meeting to be held and concerns minuted. hold back payment until works have been rectified and accepted by ACSA. Second incident - Risk reduction meeting to be held and concerns minuted. hold back payment until the works have been rectified and accepted by ACSA. Deduct 20% from invoice. Third incident - Termination
Guarantees	Guarantee period for all works must be 6 months – any failures within guarantee period must be rectified by the contractor at own cost, response and work completion times above apply. This implies that the repair of any failure will be for the contractors own account should the failure having occurred as a direct result of the contractor's deficiency.	Failure experienced during the agreed guarantee period after the work is done	100% compliance	First incident - Risk reduction meeting to be held and concerns recorded. Early Warning issued. Work to be corrected at the Contractor's cost. Second incident - Risk reduction meeting to be held and concerns recorded. Early Warning issued. Work to be corrected at the Contractor's cost. contractor to credit ACSA 20% of invoice already paid. Where the contractor fails to correct the defect within 48 hours, ACSA reserves the right to use an alternative contractor, the cost of which will be withheld from outstanding invoice amounts.



AIRPORTS COMPANY SOUTH AFRICA

				If works continuously fails with guarantee period more than 30% of time based on issued task orders, Contract Termination
Existing Services Protection	Contractor to protect and guard against damage of existing services and infrastructure. Contractor to verify the existing services and take necessary precautions if unclear. Damage to existing services and infrastructure shall be repaired by the Contractor at own cost.	Inspection by ACSA Representative	100% compliance	Risk reduction meeting to be held and concerns recorded. Early Warning issued. Damage to existing services and infrastructure shall be repaired by the Contractor at their cost. The cost of business impact to be passed onto the Contractor. If the damaged existing services are not repaired and the cost incurred by the business is not settled, The service manager may hold the payment of invoices

SERVICE LEVEL AGREEMENTS

Notification of Low Service Damages

The employer's representative will notify the contractor in writing of any penalties and any claims directed at ACSA as a result of the equipment being unavailable will be for the account of the Contractor.

Furthermore, ACSA will hold the Contractor liable for any costs incurred due to additional handling of passengers by the ground handling agents as a result of negligence of the Contractor or as a result of unreasonably poor performance including excessive time taken to effect repairs or maintenance.

The tenderer should also, always, stock materials necessary for the execution of the Works. The principle that applies to stock keeping is that downtime on movement areas should be kept to a minimum. Therefore, all consumables that might be necessary for the execution of the works shall be readily available at the tenderer's disposal.

The tenderer should guarantee the availability of any major materials on site within 8 Hour (calculated from the time the breakdown is reported).

The tenderer should list exclusions, if any, to the above with the maximum time necessary to acquire these consumables.



Evaluation

The successful tenderer performance will be evaluated on the following once appointed:

Safety and House keeping	Safety warning in place. Apology sign in place.
	Toolbox talks to be held at the start of each shift and record keeping of the talks.
	Marking of all loose tools with reflective tape to increase visibility at night.
	Compliance to PPE.
Security	ID card always clearly visible.
	Clear sign of the name of the company on vehicles.
Reliability	No repeat incident on equipment.
	Keep agreed spares available. Competence of staff
Submissions of quotes and invoices on time	Quotes submitted within specific timeframe.
	Invoices submitted to finance department on time and with correct purchase order numbers.
Uniforms	To be properly dressed in overalls with company name on the back for identification.
Quality of workmanship	Work to be done according to correct engineering practices and standards.
	Workmanship to be of a good quality.
Submission of safety documents	Adhering to OHS ACT



ANNEXURE D

Maintenance Activities and Documentation**MAINTENANCE RECORD SHEET****Purpose**

The purpose of this Maintenance Record Sheet is to keep a completed and signed record of the performance, failure and repair history throughout the lifetime of the road network infrastructure.

The Maintenance Record Sheet and related certificates must be returned to the supervising authority for verification and filing once the full range of applicable tasks has been carried out.

Maintenance General

The following is the list of maintenance on CTIA systems that requires to be maintained

<u>Landside Access Routes</u>
Bahrain Road/Borchard's Quarry up to Agent's Road (T-junction)
T-junction (Agent's Road) up to DHL
T-junction (Agent's Road) up to intersection at CTX Freight Park
Tower Road (Traffic signal at BP Garage) to Foxtrot 3 entrance
Foxtrot 3 to Thunder City Entrance
Foxtrot 5 to Foxtrot 3C (General Aviation Area)
Tower Road to end of Fuel Farm Road
Tower Road to Michigan Road (Budget Car Rental's gate)
Elevated Road
Drop & Go Road
Domestic Inner Lane
International Inner Lane
<u>Parking Areas</u>
Multistorey P1
Multistorey P2
Shaded Parking P3, P4 & P5
<u>Airside Asphalt Surfaces</u>
Perimeter Road (along the inside of the fence)
Service Roads
Runway 01/19
Runway 16/34
Alpha Taxiways
Bravo Taxiways
Charlie Taxiway
Delta Taxiways
Echo Taxiway
Golf Taxiway
Hotel Taxiway
Juliet Taxiway
Kilo Taxiway
Lima Taxiway
Mike Taxiway
Sierra Taxiway
Tango Taxiway
Zulu Taxiway
<u>Airside Concrete Surfaces</u>
Alpha Apron
Bravo Apron
Charlie Apron
Runway Thresholds



PART C4: SITE INFORMATION

