

Instruction

Hendrina Power Station

Title: Supply and Deliver Signs, As and

When Required Scope of Work

Document Identifier: 380-136 544

Alternative Reference

Number:

Area of Applicability: Risk and assurance

Functional Area: Risk and Assurance

Revision: 1

Total Pages: 12

Next Review Date: March 2026

Disclosure Classification:

Controlled Disclosure

Unique Identifier: 3

380-136544

Revision:

Page 2 of 10

Content

P	a	q	е

1.	Introduction		
2.	Supporting Clauses		
	2.1	Scope	3
		.1.1 Purpose	3
		.1.2 Applicability	3
		1.1.3 Effective date	3
		1.1.4 Normative References	3
		2.1.5 Informative Reference	
	2.2	Definition	
		Abbreviations	
	2.4	Roles and Responsibilities	
	٥.	2.4.1 Contracts Manager	
	2.5 2.6	Process for MonitoringRelated/Supporting Documents	
_		•	
3.		E OF WORK	5
	3.1	Supply of Fire Fighting signs with night reflection fixture (hard background plastic naterial). x 100 for each type, except for the last one (Diesel filling point)	5
	3.2	Supply of General Information signs with night reflection fixture (hard background slastic material)	5
	3.3	Supply of Safety Mandatory signs with night reflection fixture (hard background slastic material) x50 each type.	7
	3.4	Supply Following Prohibitory signs with night reflection fixture (hard background lastic material x100 for each type.	7
	3.5	Supply of Warning signs with night reflection fixture (hard background plastic naterial)	
	3.6	Supply of Road Traffic signs with night reflection fixture (hard background plastic naterial) x50 for each type.	
	3.7	Supply of Cylinders signs with night reflection fixture (hard background plastic naterial) x50 for each type.	8
5.	Plan	arears to be executed in the Scope.	10
6.	Attac	ments Error! Bookmark not define	ed.
7.	Acce	tanceError! Bookmark not define	ed.
10.	Revi	onsError! Bookmark not define	ed.
11.	. Development Team Error! Bookmark not defir		
12	Acknowledgement Frank Bookmark not do		

CONTROLLED DISCLOSURE

Revision: 1

Page **3** of **10**

1. Introduction

The Occupational Health and Safety Act, Act 85 of 1993 and its regulations require the employer to ensure that safety symbolic signs are provided and maintained in situations where there is a significant risk to health and safety that has not been removed or controlled by any other methods. It is thus of paramount importance that Hendrina Power Station, Generation Division (Gx), meets this legal requirement by placing a contract for the provision of safety symbolic signs and accessories.

2. Supporting Clauses

2.1 Scope

2.1.1 Purpose

The purpose of this document is to provide clear requirements for the provision of safety symbolic safety signs at Hendrina Power Station, Gx. Safety signage's in the Power Station Environment are used to alert workers to potential hazards, such as chemicals, machinery, or high-voltage areas, helping to prevent accidents and injuries. They can also assist in the communication of important instructions, reinforce safety messages, and provide instructions for emergency situations. They can also promote safety culture and promote vigilance among employees.

2.1.2 Applicability

This document applies to all Eskom Hendrina Power Station, Generation Division departments as well as all the employees.

2.1.3 Effective date

The document is effective from date it is authorised.

2.1.4 Normative References

[1] SANS 1186-1

2.1.5 Informative Reference

- [1] Occupational Health and Safety Act, Act 85 of 1993 and Its Regulations.
- [2] Generation Safety Measures against the Thermal Hazard of an Electrical Arc for Metal enclosed Switchgear (up to 15KV) Standard. Doc No: 240-56179027.

CONTROLLED DISCLOSURE

Revision: 1

Page **4** of **10**

[3] Hendrina Power Station Arc Flash Procedure: 240-143167682

2.2 Definitions

Not applicable

2.3 Abbreviations

Abbreviation	Explanation	
AFP	Arc flash Protection	
Cal/cm ²	Calorific per centimetre squared.	
Gx	Generation Division	
OHS Act	Occupational Health and Safety Act	
SANS	South African National Standard	

2.4 Roles and Responsibilities

2.4.1 Contracts Manager

- > The contract's manager shall ensure that the Technical Evaluation score sheet is supplied to the tender evaluation committee.
- > The contract's manager shall verity that the service provider/partner executes this scope of work accordingly.

2.4.2 Supplier

- > Will be given and order of specific signs that is needed at Hendrina PowerStation.
- Signs will be according to Sabs standard.
- > Specific signs will also be made on the Clients request.

2.4.3 Hendrina Health and Safety Departments including the Fire Department

- Identify all signs that is needed.
- > Create a task order for the supplier to supply them.
- > Check Signs against order and verify if signs is done accordingly
- Once the signs are received on site an assessment must be conducted.
- A service entry must be created for the supplier to be paid on the last day of that month.

CONTROLLED DISCLOSURE

Revision: 1

Page **5** of **10**

2.5 Process for Monitoring

- The service provider will do the supply and delivery on safety signs in accordance with section 3; and submit and service report to the contract's manager.
- The contract's manager will conduct a monthly assessment to monitor work progress.

2.6 Related/Supporting Documents

Not Applicable.

3. SCOPE OF WORK

3.1 Supply of Fire Fighting signs with night reflection fixture (hard background plastic material). x 100 for each type, except for the last one (Diesel filling point).

Dimension: 290 X 290MM Fire Alarm

Dimension: 290 X 290MM Fire Blanket

➤ Dimension: 290 X 290MM Fire Equipment Location

> Dimension: 290x 290MM Fire Extinguishers

Dimension: 290 X 290MM Fire Hazards

➤ Dimension: 290 X 290MM Fire Hose

Dimension: 290 X 290MM Fire Pump Connection

Dimension:290 X 290MM Fire System Chain

➤ Dimension: 290 X 290MM Fire Extinguisher Red Arrow Down

Dimension 290 X 290MM Sprinkler System Stop Valve

Dimension: 400 X 300MM Emergency Vehicle

Dimension: 450 X 600MM Fire Station Area

Diesel filling point: NO Cell phones, NO smoking, NO open fires, Switch engine off, NO unauthorised entry x 10 [CSY Diesel tank]

3.2 Supply of General Information signs with night reflection fixture (hard background plastic material)

Dimension: 190 X 190MM Eye Wash x50

Dimension: 190 X190MM Green Arrowx50

Dimension: 190 X 190MM Running Left Sign x50

Dimension: 190 X 190MM) Running Right x50

➤ Dimension: 190 X 190MM Safety Shower x 50

CONTROLLED DISCLOSURE

Supply and Deliver Signs, As and When Required.

Unique Identifier: 380-136544

Revision: 1

Page **6** of **10**

➤ Dimension: 200 X 300MM Emergency Breathing apparatus x 100

- Dimension: 200 X 300MM First Aid Equipment x300
- Dimension: 290 X 290MM Ablution Facility for Males x50
- Dimension: 290 X 290MM Ablution Facility for Females x 50
- Dimension: 290 X 290MM Designated Smoking Area x50
- Dimension: 290 X 290MM Emergency Telephone x50
- Dimension: 290 X 290MM Disabled (Wheelchair) x70
- Dimension: 290 X 290MM Keep the Area Clean x 70
- Dimension: 450 X 600MM Assembly Point x 50
- ➤ Dimension: 300 X 200MM Evacuation Chair x50
- WARNING You are entering a high traffic Zone: Headlights ON, Emergency indicators ON, Buggy whip, Strobe lights ON, Speed limit 20Km/h [CSY Entry] x 50.
- CAUTION, Pedestrians, Spotters, Heavy duty vehicles, Light duty vehicles. [CSY Entry] x 50.
- ➤ Eskom Rotek Industries welcomes you, we are working Safe, please join us [CSY Main offices] x30
- ➤ CAUTION SLIPPERRY WEIGBRIDGE-PROCEED SLOWLY [weighbridge] x 20.
- WARNING- ENSURE BUCKETS ARE LOWERED BEFORE ENTERING THE WEIGH BRIDGE [weighbridge] x 20.
- ▶ PPE Required: Gloves, Goggles, Overalls, Reflective wear, Safety boots, Dust mask [CSY Diesel tank] x 20.
- ➤ No Parking x 50
- ➤ WARNING, Beyond this point: Dust mask, Reflective wear, Goggles, Safety boots, Overalls x50.
- > Reverse park Only x50.
- Waste bins point x 50.
- > Wear correct PPE, Boots, Hard hat, Reflective wear, Dust mask, Overalls, Goggles x50.
- Warning; you are entering a high Noise area, please wear proper hearing protection x 50.
- Designated smoking areas x 50
- Smoking area x50
- ➤ Caution Smoking Tobacco products is harmful to your health, the health of children, pregnant women, and non-smokers x 50.
- > For help on quitting Tel: 011 720 3145 x 50.
- Please put cigarette butts in the designated sand containers x 50.

CONTROLLED DISCLOSURE

Revision: 1

Page **7** of **10**

3.3 Supply of Safety Mandatory signs with night reflection fixture (hard background plastic material) x50 each type.

Dimension: 190 X 190MM Dust Mask

➤ Dimension: 190 X190MM Hearing Protection

Dimension: 190 X 190MM Hair Net

Dimension: 290 X 290MM Apron

➤ Dimension: 290 X 290MM Eye Protection

Dimension: 290 290MM Hand Protection

Dimension: 290 X 290MM Hard Hat

Dimension: 290 X 290MM Gum Boots

Dimension: 290 X 290MM Respiratory protection

Dimension: 290 X 290MM Safety Harnes

Dimension: 290 X 290MM Safety Shoes

> PPE Required: Gloves, Goggles, Overalls, Reflective wear, Safety boots, Dust mask

3.4 Supply Following Prohibitory signs with night reflection fixture (hard background plastic material x100 for each type.

Dimension: 190 X190MM No Cell Phone

Dimension: 190 X 190MM No Entry

➤ Dimension: 190 X190MM No Naked/Open Flames

Dimension: 190 X 190MM Smoking Prohibited

> Dimension: 290 X 290MM Ash Dam No Entry

Dimension: 290 X 290MM No Entry Compressed Air

Dimension: 290 X 290MM No Entry Restricted Area

Dimension: 290 X 290MM No Entry Prohibited Area

3.5 Supply of Warning signs with night reflection fixture (hard background plastic material)

➤ Dimension: 190 X 190MM Asbestos (As per Annexure 1 of the Asbestos Abatement Regulations, 2020) x200

➤ Dimension: 190 X 190MM Danger Life Electricity x100

Dimension: 290 X 290MM Chlorine Gas x20

➤ Dimension: 290 X 290MM **High Voltage Warning** x100

➤ Dimension: 290 X 290MM Keep the Cylinder Chained x100

CONTROLLED DISCLOSURE

Revision: 1

Page 8 of 10

➤ Dimension: 290 X 290MM Hot Work in Progress x100

Dimension: 290 X 290MM Confined Space (Chroma deck) x 200

3.6 Supply of Road Traffic signs with night reflection fixture (hard background plastic material) x50 for each type.

Dimension: 600MM 30km p/h Road Speed

Dimension: 600MM 40km p/h Road Speed

Dimension: 600MM 60km p/h Road Speed

Dimension: 600MM Curve Ahead

> Dimension: 600MM Max Height

Dimension: 600MM No Parking

Dimension: 600MM No Stopping

Dimension: 600MM Parking Area

Dimension: 600MM Pedestrian crossing

Dimension: 600MM Prohibition Sign

> Dimension: 600MM Speed Limit

Dimension: 600MM Stop signs

Dimension: 600X600MM Yield Signs

➤ Dimension: 820 X 410MM Chevron Fire back Plate

Dimension: 600 X 150MM Danger Plate sign to the Left

Dimension: 600 X 150MM Danger Plate Sign to the Right

➤ Dimension: 400 X 2400MM Yellow Chevron

➤ Dimension: 440 X 440MM Sharp Curve Chevron sign

Dimension: 440 X 440MM Disable Parking

Dimension: 200 X 600MM Reverse Parking Only

3.7 Supply of Cylinders signs with night reflection fixture (hard background plastic material) x50 for each type.

Dimension:290 X 290MM High CO2 Level

➤ Dimension: 290 X 290MM Danger confined Space, Entry By Permit only

Dimension: 290 x290MM Danger Rotating Machine Warning

Dimension: 290 X 290MM Argon Full

Dimension: 290 X 290MM Argon Empty

Dimension: 290 X 290MM Nitrogen Full

CONTROLLED DISCLOSURE

Supply and Deliver Signs, As and When Required.

Unique Identifier: 380-136544

Revision: 1

Page **9** of **10**

Dimension: 290 X 290MM Nitrogen Empty

Dimension: 290 X 290MM Oxygen Full

Dimension: 290 X 290MM Oxygen Empty

> Dimension: 290 X 290MM Acetylene Full

Dimension: 290 X 290MM Acetylene Empty

Dimension: 290 X 290MM CO2 Full

> Dimension: 290 X 290MM CO2 Empty

> Dimension: 290 X 290MM Propane Gas Full

➤ Dimension: 290 X 290MM Propane Gas Empty

Dimension: 290 X 290MM Hydrogen Full

Dimension: 290 X 290MM Hydrogen Empty

> Dimension: 290 X 290MM Hazardous Waste

Dimension: 600X300MM lonizing Radiation Notification

3.8 Supply of Arc Flash Hazards warning Stickers Designs with night reflection fixture (hard background plastic material)

Dimension: 20.5cm x 14.6cm -x 200 Stickers

3.9 Eleven (11) point Plan Sticker with night reflection fixture (hard background plastic material)

➤ Dimension: 20.5cm x 25.5cm –x200 Stickers

4.0 Electrical Arc Flash Protection poster Category 2 - 40 Cal/cm² with night reflection fixture (hard background plastic material)

Dimension: 29.5cm x 42cm - 100 Stickers: Category 4- 55 Cal/cm²

4.1 Eleven (11) Point Plan – All in one poster with night reflection fixture (hard background plastic material)

Dimension: 82cm x 110cm -x 100 Stickers

4.2 Unauthorised Entrance Prohibited warning signs.

100.6cm x 50.3cm – Chromadek Material- x 150

4.3 Incomer supply stickers (Red background with white capital letters)

CONTROLLED DISCLOSURE

Revision: 1

Page 10 of 10

> 25cm x 25cm - Chromadek Material- x 100

- 4.4 Arc Flash Protection Labels, Chromadek material with night reflection fixture.
 - > 9cm x 15cm Chromadek Material- x 300

Detailed technical information will be provided separately.

- 5. Plant arears to be executed in the Scope.
 - a) All the Signs installed at Hendrina, unit 1 to 8 and Offices and on the outside plants.
 - b) EMD will install all the Electrical Eleven (11)-point plan related stickers and posters at Hendrina Power Station.