



prasa
PASSENGER RAIL AGENCY
OF SOUTH AFRICA

REQUEST FOR QUOTATION (RFQ)

RFQ NUMBER: CRES/PARK/ 10335716/01/2023

REQUEST FOR QUOTATION (RFQ) SERVICING, REPAIRS, AND MAINTENANCE OF ELECTRICAL INDUSTRIAL ROLLER SHUTTER DOORS AT JOHANNESBURG PARK STATION

SECTION 1: SBD1

PART A INVITATION TO BID

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF PASSENGER RAIL AGENCY (PRASA)

BID NUMBER:	CRES/PARK/ 10335716/01/2023	CLOSING DATE:	27 January 2023	CLOSING TIME:	11:00am
DESCRIPTION	REQUEST FOR QUOTATION (RFQ) SERVICING, REPAIRS, AND MAINTENANCE OF ELECTRICAL INDUSTRIAL ROLLER SHUTTER DOORS AT JOHANNESBURG PARK STATION				

BID RESPONSE DOCUMENTS SHALL BE ADDRESSED AS FOLLOWS:

BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT (STREET ADDRESS):

**PRASA CRES
30 WOLMARANS STREET
UMJANTSHI HOUSE
BRAAMFONTEIN
JOHANNESBURG**

BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO

CONTACT PERSON	Tshifularo Nematatani
TELEPHONE NUMBER	011 085 7428
E-MAIL ADDRESS	tnematatani@prasa.com

SUPPLIER INFORMATION

NAME OF BIDDER					
POSTAL ADDRESS					
STREET ADDRESS					
TELEPHONE NUMBER	CODE		NUMBER		
CELLPHONE NUMBER					
FACSIMILE NUMBER	CODE		NUMBER		
E-MAIL ADDRESS					
VAT REGISTRATION NUMBER					
SUPPLIER COMPLIANCE STATUS	TAX COMPLIANCE SYSTEM PIN:		OR	CENTRAL SUPPLIER DATABASE No:	MAAA.....
B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE	TICK APPLICABLE BOX] <input type="checkbox"/> Yes <input type="checkbox"/> No	B-BBEE STATUS LEVEL SWORN AFFIDAVIT		[TICK APPLICABLE BOX] <input type="checkbox"/> Yes <input type="checkbox"/> No	

[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/ SWORN AFFIDAVIT (FOR EMES & QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]

2.1 ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES ENCLOSE PROOF]	2.2 ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES, ANSWER THE QUESTIONNAIRE BELOW]
---	--	--	---

QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS

- IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? ☐ YES ☐ NO
- DOES THE ENTITY HAVE A BRANCH IN THE RSA? ☐ YES ☐ NO
- DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA? ☐ YES ☐ NO
- DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA? ☐ YES ☐ NO
- IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION? ☐ YES ☐ NO

IF THE ANSWER IS “NO” TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW.

PART B: TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. **ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED–(NOT TO BE RE-TYPED) OR IN THE MANNER**
- 1.3. **PRESCRIBED IN THE BID DOCUMENT.**
- 1.4. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID NVALID.

SIGNATURE OF BIDDER:

CAPACITY UNDER WHICH THIS BID IS SIGNED:

(Proof of authority must be submitted e.g. company resolution)

DATE:

NB:

- ***Quotation(s) must be addressed to PRASA before the closing date and time shown above.***
- ***PRASA General Conditions of Purchase shall apply.***

SECTION 2

NOTICE TO BIDDERS

1. RESPONSES TO RFQ

Responses to this **CRES/PARK/ 10335716/01/2023** must not include documents or reference relating to any other quotation or proposal. Any additional conditions must be embodied in an accompanying letter.

Proposals must reach the PRASA before the closing hour on the date shown on SBD1 above, and must be enclosed in a sealed envelope.

2. PREQUALIFICATION / ELIGIBILITY CRITERIA

2.1 Only those Respondents who satisfy the following pre-qualification or eligibility criteria are eligible to submit quotations as per section 3.

3 CIDB Grading

Only those Respondents who are registered with the CIDB, or are capable of being so prior to the submission of the quotation, in a contractor grading designation equal to or higher than a contractor grading designation determined in accordance with the sum tendered or a value determined in accordance with Regulation 25 (1B) or 25(7A) of the Construction Industry Development Regulations, for a **3ME or higher** class of construction works, are eligible to have their quotations evaluated.

Joint ventures are eligible to submit tenders provided that:

- every member of the joint venture is registered with an active CIDB;
- the lead partner has a higher or equivalent contractor active grading designation in the class of construction work; and
- the combined Contractor active grading designation calculated in accordance with the Construction Industry Development Regulations is equal to or higher than a Contractor grading designation determined in accordance with the sum quoted for a **3ME or higher** class of construction works or a value determined in accordance with Regulation 25(1B) or 25(7A) of the Construction Industry Development Regulations

4 COMMUNICATION

Respondent/s are warned that a response will be liable for disqualification should any attempt be made either directly or indirectly to canvass any SCM Officer(s) or PRASA employee in respect of this RFQ between the closing date and the date of the award of the business.

5 LEGAL COMPLIANCE

The successful Respondent shall be in full and complete compliance with any and all applicable national and local laws and regulations.

6 CHANGES TO QUOTATIONS

Changes by the Respondent to its submission will not be considered after the closing date and time except on condition of correcting arithmetic errors on BOQ

7 PRICING

All prices must be quoted in South African Rand on a fixed price basis, including VAT.

8 BINDING OFFER

Any Quotation furnished pursuant to this Request shall be deemed to be an offer. Any exceptions to this statement must be clearly and specifically indicated.

9 DISCLAIMERS

PRASA is not committed to any course of action as a result of its issuance of this RFQ and/or its receipt of a Quotation in response to it. Please note that PRASA reserves the right to:

- Modify the RFQ's goods / service(s) and request Respondents to re-bid on any changes;
- Reject any Quotation which does not conform to instructions and specifications which are detailed herein;
- Disqualify Quotations submitted after the stated submission deadline;
- Not necessarily accept the lowest priced Quotation or an alternative bid;
- Bids lodged at the incorrect venue that reach the correct venue late will be regarded as late.
- Reject all Quotations, if it so decides;
- Place an order in connection with this Quotation at any time after the RFQ's closing date;
- Make no award at all.
- Award only a portion of the proposed goods / service/s which are reflected in the scope of this RFQ;
- split the award of the order/s between more than one Supplier/Service Provider should it at PRASA's discretion be more advantageous in terms of, amongst others, cost or developmental consideration; or

Should a contract be awarded on the strength of information furnished by the Respondent, which after conclusion of the contract, is proved to have been incorrect, PRASA reserves the right to cancel the contract. PRASA reserves the right to award business to the highest scoring bidder/s unless objective criteria justify the award to another Respondent.

Should the preferred fail to sign or commence with the contract within a reasonable period after being requested to do so, PRASA reserves the right to award the business to the next highest ranked Respondent provided that he/she is still prepared to provide the required goods at the quoted price.

10 LEGAL REVIEW

A Proposal submitted by a Respondent will be subjected to review and acceptance or rejection of its proposed contractual terms and conditions by PRASA's Legal Counsel, prior to consideration for an award of business.

11 NATIONAL TREASURY'S CENTRAL SUPPLIER DATABASE

Respondents are required to self-register on National Treasury's Central Supplier Database (CSD) which has been established to centrally administer supplier information for all organs of state and facilitate the verification of certain key supplier information. PRASA is required to ensure that price quotations are invited and accepted from prospective bidders listed on the CSD. Business may not be awarded to a respondent who has failed to register on the CSD. Only foreign suppliers with no local registered entity need not register on the CSD. The CSD can be accessed at <https://secure.csd.gov.za/>.

12 PROTECTION OF PERSONAL DATA

In responding to this bid, PRASA acknowledges that it may obtain and have access to personal data of the Respondents. PRASA agrees that it shall only process the information disclosed by Respondents in their response to this bid for the purpose of evaluating and subsequent award of business and in accordance with any applicable law.

Furthermore, PRASA will not otherwise modify, amend or alter any personal data submitted by Respondents or disclose or permit the disclosure of any personal data to any Third Party without the prior written consent from the Respondents. Similarly, PRASA requires Respondents to process any personal information disclosed by PRASA in the bidding process in the same manner.

13 EVALUATION METHODOLOGY

PRASA will utilise the following evaluation process in selecting the preferred Supplier/Service Provider.

EVALUATION PROCESS	
Stage 1A	
Mandatory compliance	
Stage 1B and 1C	
Non-Mandatory compliance	
Stage 2	
Technical/Functional Criteria	Testing of capacity – meet minimum threshold of 60%
Stage 3 - Price and B-BBEE	
Price	80
BBBEE	20
TOTAL	100

14 ADMINISTRATIVE RESPONSIVENESS

The test for administrative responsiveness will include completeness of response and whether all returnable and/or required documents, certificates; verify completeness of warranties and other bid requirements and formalities have been complied with. Incomplete Bids will be disqualified.

15 VALIDITY PERIOD

PRASA requires a validity period of **60 Business Days** from the closing date.

Respondents are to note that they may be requested to extend the validity period of their response, on the same terms and conditions, if the internal processes are not finalized within the validity period. However, once the adjudication body has approved the process and award of the business to the successful respondent(s), the validity of the successful respondent(s)' response will be deemed to remain valid until a final contract has been concluded.

16 DISCLOSURE OF PRICES QUOTED

Respondents are to note that, on award of business, PRASA is required to publish the prices and preferences claimed of the successful and unsuccessful Respondents *inter alia* on the National Treasury e-Tender Publication Portal, (www.etenders.gov.za), on CIDB website for construction related RFQ's. (If applicable)

17 RETURNABLE DOCUMENTS

Returnable Documents means all the documents, Sections and Annexures, as listed in the tables below. There are three types of returnable documents as indicated below and Respondents are urged to ensure that these documents are returned with the quotation based on the consequences of non-submission as indicated below:

17.1 PREQUALIFICATION AND MANDATORY RETURNABLE DOCUMENTS

Failure to provide all these Mandatory Returnable Documents at the Closing Date and time of this RFQ will result in a Respondent's disqualification. Respondents are therefore urged to ensure that all these Documents are returned with their Quotations.

17.2 NON -MANDATORY RETURNABLE DOCUMENTS

Failure to provide all these Non -Mandatory Returnable Documents at the Closing Date and time of this RFQ, PRASA may request the documents and must be made available at the time of request: Respondents are therefore urged to ensure that all these Documents are made available at the time of request.

17.3 RETURNABLE DOCUMENTS USED FOR SCORING PURPOSES

Failure to provide these Returnable Documents at the Closing Date and time of this RFQ, will not result in Respondent's disqualification. However, bidders will receive a score of zero for the applicable evaluation criteria.

18 BRIEFING SESSION (NOT APPLICABLE)

SECTION 3

1 EVALUATION CRITERIA:

NB: Compliance Requirements for all Services/Goods and works

Stage 1A: Bidders who fail to meet the below mandatory requirements will be automatically disqualified

NO.	DESCRIPTION OF REQUIREMENT
a)	Price Schedule / Pricing form (Bidders must ensure documents are completed in full).
b)	Completion of ALL RFQ documentation (Completion of ALL RFQ documentation includes SBD documents/forms and must be signed off by Commissioner of Oath)
c)	Certificate of CIDB grading level 3ME or higher and JV CIDB certificates must be consolidated.
d)	Joint Venture / Consortium agreement / Trust Deed/ JV or consortium agreement signed by all parties. SDB 4 must be signed by all the members of the Joint Venture or Consortium (if applicable).
e)	Bidders to fill and sign the closing/ Submission register on submission of tender documents, failure to comply will result into disqualification

Stage 1B: Non - Mandatory Requirements - The following documents are non-mandatory and where not submitted, Prasa may request the documents and must be made available at the time of request:

No.	Description of requirement
a)	Company Registration Documents
b)	Copies of Directors' ID documents;
c)	Valid Tax Clearance Certificate (must be valid on closing date of submission of the proposal) and SARS Issued Pin
d)	CSD report / CSD reference number
e)	Proof of UIF registration
f)	Proof of Bank Account (i.e., cancelled cheque or letter issued by the bank
j)	Valid Letter of Good Standing (i.e. COIDA, Department of Labour or any other accredited Institutions)

Note: In the case of a Joint Venture, each partner must submit required documents.

Non-mandatory to be submitted by each partner

Stage 1C: Documents required for Scoring - The following Non-Mandatory Documents used for purposes of scoring a bid. If not submitted by the closing date and time of this bid will not result in a Respondent's disqualification. However, Bidders will receive a score of zero for the applicable evaluation criterion.:

No.	Description of requirement	
a)	<p>Valid B-BBEE Certificate from SANAS accredited rating agency (Original or certified copy) /DTI B-BBEE certificate (original or certified copy) or sworn affidavit signed and stamped by the commissioner of oath. Joint ventures to submit the consolidated Valid B-BBEE Certificate from SANAS accredited rating agency (Original or certified copy)</p> <p>Consolidated BBBEE certificate for Joint Venture is required. As per the implementation guide preferential procurement regulations 2017 pertaining to the preferential procurement policy framework act no 5 of 2000 march paragraph 9 BROAD BASED BLACK ECONOMIC EMPOWERMENT (B-BBEE) STATUS LEVEL CERTIFICATES sub paragraph 9.3 and 9.4 states that:</p> <p>A trust, consortium or joint venture (including unincorporated consortia and joint ventures) must submit a consolidated B-BBEE status Level Verification certificate for every separate tender.</p>	

STAGE 2 - Technical / Functionality Requirements

Qualifying bidders shall be evaluated on technicality / functionality after meeting all compliance requirements outlined above. The minimum threshold for the technical/functionality requirements is 60%. Bidders who score below the minimum requirement shall not be considered for further evaluation in stage 3 of Price and BBBEE.

CRITERIA FOR TECHNICAL EVALUATION OF A CONTRACTOR

1. COMPANY'S EXPERIENCE

Bidders should indicate the experience of previous work done within the Installation, **Maintenance and Repairs** of Electrical roller shutter door industry in the last 15 years. Only contracts/projects with a minimum value of R500 000 will be considered.

Evidence required:

The bidders are to submit the following documents:

- Provide appointment letter/purchase order/signed contract document.
- Provide a Reference Letter/Completion Certificate corresponding to the Appointment Letter/Purchase Order/Contract document provided. The reference letter to indicate the following: company name, contact person and confirmation that work was completed
- One of the provided documents must indicate value of the contract.
- Points will be awarded only if **both** documents are submitted.

5 Points: Successfully completed 5 and more projects

4 Points: Successfully completed 4 projects

3 Points: Successfully completed 3 projects

2 Points: Successfully completed 2 projects

1 Point: Successfully completed 1 project

0 Point: No submission or irrelevant submission

30%

2. KEY PERSONNEL EXPERIENCE

Years of experience of key personnel to be directly responsible for implementation of this contract.

Provide CV's and qualifications or certificates of key personnel. **2 x Key skilled personnel** will be required, and they need to be qualified, Electrical **Roller door Technicians with Trade Test**

Site Supervisor/Technician 1 -
Artisan Fitter/Millwright (Provide
N3-N6 Mechanical Qualification
Certificates + Trade Test).

NB: Provide SAQA accredited
qualification, failure to do so no
points will be allocated.

5 Points: 5yrs experience with relevant certification provided

4 Points: 4yrs experience with relevant certification provided

3 Points: 3yrs experience with relevant certification provided

2 Points: 2yrs experience with relevant certification provided

1 Point: 1yr experience with relevant certification provided

0 Point: No submission or irrelevant submission

15%

30%

Assistant Site Supervisor - Artisan Fitter/Millwright (Provide N3 OR Above Qualification Certificates and proof of qualification for Assistant.	5 Points: 5yrs experience with relevant certification provided 4 Points: 4yrs experience with relevant certification provided 3 Points: 3yrs experience with relevant certification provided 2 Points: 2yrs experience with relevant certification provided 1 Point: 1yr experience with relevant certification provided 0 Point: No submission or irrelevant submission	15%	
3. Resources Availability The bidder to submit proof of ownership or rental agreement of a list of vehicles suitable for the execution of the work. Suitable vehicles include “bakkies” or light duty pickup trucks. <ul style="list-style-type: none"> For rental of vehicle a letter of intent on the letter head of the rental company or rental agreement will be enough. For ownership of vehicle only proof from Traffic Dept will be accepted. 			
<u>Proof Of Ownership of Vehicles</u> <ul style="list-style-type: none"> For rental of vehicle a letter of intent on the letter head of the rental company or rental agreement will be enough. For ownership of vehicle only proof from Traffic Dept will be accepted. 	5 Points: Proof of ownership for four (4) vehicles 4 Points: Proof of ownership for three (3) vehicles 3 Points: Proof of ownership for two (2) vehicles and rental agreement 2 Points: Proof of ownership for one (1) vehicle and rental agreement 1 Point: Only proof of rental agreement provided, no proof of ownership 0 Point: No proof of ownership /rental agreement provided	20%	
4. Health and Safety The bidder to submit a safety plan that is in accordance with the OHS ACT OF 1993 and Passenger Rail Agency of South Africa Health and safety Specification.			
The following must be provided in order to get points on this criterion i. Operational structure with minimum of two (2) maintenance crew (each crew to comprise of at least a skilled personnel and assistant) ii. First Aider (valid certification required) to be part of the team	5 Points: All five (5) items listed in the left column submitted 4 Points: Only four (4) items submitted from the 5 listed in the left column 3 Points: Only three (3) items submitted from the 5 listed in the left column 2 Points: Only two (2) items submitted from the 5 listed in the left column	20%	

<p>iii. Risk assessment specific to Elevator/Escalator maintenance works.</p> <p>iv. Signed company safety policy</p> <p>v. Valid letter of good standing</p>	<p>1 Point: Only one (1) item submitted from the 4 listed in the left column</p> <p>0 Point: No submission or irrelevant submission</p>	
---	---	--

2.1 Stage 3- Price and B-BBEE

Evaluation criteria	Weighting
BBBEE	20
Price	80
TOTAL	100

$$PS = 80 \left(1 - \frac{Pt - Pmin}{Pmin} \right)$$

Where:

Ps = Score for the Bid under consideration

Pt = Price of Bid under consideration

$Pmin$ = Price of lowest acceptable Bid

Evaluation of Preference

Evaluation and final weighted scoring

- a) Broad-Based Black Economic Empowerment criteria [weighted score 20 points] Preference Points will be awarded to a bidder for attaining the B-BBEE status level contribution in accordance with the table indicated in Section 7 B-BBEE claim form.

SECTION 4

PRICING AND DELIVERY SCHEDULE

Respondents are required to complete the attached Pricing Schedule **Section 9**.

- 1 Prices must be quoted in South African Rand, inclusive of VAT.
- 2 Price offer is firm and clearly indicate the basis thereof.
- 3 Pricing Bill of Quantity is completed in line with schedule if applicable.
- 4 Cost breakdown must be indicated.
- 5 Price escalation basis and formula must be indicated.
- 6 Respondents are to note that if price offered by the highest scoring bidder is not market related, PRASA may not award the contract to the Respondent. PRASA may:
 - 7 negotiate a market-related price with the Respondent scoring the highest points or cancel the RFQ;
 - 8 if that Respondent does not agree to a market-related price, negotiate a market-related price with the Respondent scoring the second highest points or cancel the RFQ;
 - 9 If a market-related price is not agreed with the Respondent scoring the third highest points, PRASA must cancel the RFQ.
 - 10 if the Respondent scoring the second highest points does not agree to a market-related price, negotiate a market-related price with the Respondent scoring the third highest points or cancel the RFQ.

I / We _____ (Insert Name of Bidding Entity)
of _____
_____ code _____

(Full address) conducting business under the style or title of: _____
represented by: _____ in my capacity as:

_____ being duly authorised, hereby
offer to undertake and complete the above-mentioned work/services at the prices quoted in the bills of quantities /
schedule of quantities or, where these do not form part of the contract, at a lumpsum, of
R _____ (amount in numbers);

_____ (amount in words) Incl. VAT

DELIVERY PERIOD: Suppliers are requested to offer their earliest delivery period possible.

Delivery will be effected within working days from date of order. **(To be completed by Service provider)**

SECTION 5

PRASA GENERAL CONDITIONS OF PURCHASE

General

PRASA and the Supplier enter into an order/contract on these conditions to supply the items (goods/services/works) as described in the order/contract.

Conditions

These conditions form the basis of the contract between PRASA and the Supplier. Notwithstanding anything to the contrary in any document issued or sent by the Supplier, these conditions apply except as expressly agreed in writing by PRASA.

No servant or agent of PRASA has authority to vary these conditions orally. These general conditions of purchase are subject to such further special conditions as may be prescribed in writing by PRASA in the order/contract.

Local Content Obligations

Respondents are to note that the Local Content commitments made by the successful Respondent(s) will be incorporated as a term of the contract and monitored for compliance. Should the successful Respondent fail to meet its Local obligations, non-compliance penalties shall be applicable. Breach of Local Content obligations also provide PRASA cause to terminate the contract in certain cases where material non-compliance with Local Content requirements are not achieved.

Price and payment

The price or rates for the items stated in the order/contract may include an amount for price adjustment, which is calculated in accordance with the formula stated in the order/contract.

The Supplier may be paid in one currency other than South African Rand. Only one exchange rate is used to convert from this currency to South African Rand. Payment to the Supplier in this currency other than South African Rand, does not exceed the amounts stated in the order/contract. PRASA pays for the item within 30 days of receipt of the Suppliers correct tax invoice.

Delivery and documents

The Supplier's obligation is to deliver the items on or before the date stated in the order/contract. Late deliveries or late completion of the items may be subject to a penalty if this is imposed in the order/contract. No payment is made if the Supplier does not provide the item as stated in order/contract.

Where items are to be delivered the Supplier:

Clearly marks the outside of each consignment or package with the Supplier's name and full details of the destination in accordance with the order and includes a packing note stating the contents thereof; On dispatch of each

consignment, sends to PRASA at the address for delivery of the items, an advice note specifying the means of transport, weight, number of volume as appropriate and the point and date of dispatch; Sends to PRASA a detailed priced invoice as soon as is reasonably practical after dispatch of the items, and states on all communications in respect of the order the order number and code number (if any).

Containers / packing material

Unless otherwise stated in the order/contract, no payment is made for containers or packing materials or return to the Supplier.

Title and risk

Without prejudice to rights of rejection under these conditions, title to and risk in the items passes to PRASA when accepted by PRASA.

Rejection

If the Supplier fails to comply with his obligations under the order/contract, PRASA may reject any part of the items by giving written notice to the Supplier specifying the reason for rejection and whether and within what period replacement of items or re-work are required.

In the case of items delivered, PRASA may return the rejected items to the Supplier at the Supplier's risk and expense. Any money paid to the Supplier in respect of the items not replaced within the time required, together with the costs of returning rejected items to the Supplier and obtaining replacement items from a third party, are paid by the Supplier to PRASA.

In the case of service, the Supplier corrects non-conformances as indicated by PRASA.

Warranty

Without prejudice to any other rights of PRASA under these conditions, the Supplier warrants that the items are in accordance with PRASA's requirements, and fit for the purpose for which they are intended, and will remain free from defects for a period of one year (unless another period is stated in the Order) from acceptance of the items by PRASA.

Indemnity

The Supplier indemnifies PRASA against all actions, suits, claims, demands, costs, charges and expenses arising in connection therewith arising from the negligence, infringement of intellectual or legal rights or breach of statutory duty of the Supplier, his subcontractors, agents or servants, or from the Supplier's defective design, materials or workmanship.

The Supplier indemnifies PRASA against claims, proceedings, compensation and costs payable arising out of infringement by the Supplier of the rights of others, except an infringement which arose out of the use by the Supplier of things provided by PRASA.

Assignment and sub-contracting

The Supplier may not assign or subcontract any part of this order/contract without the written consent of PRASA.

Termination

PRASA may terminate the order/contract at any time (without prejudice to any right of action or remedy which has accrued or thereafter accrues to PRASA):

If the Supplier defaults in due performance of the order/contract, or if the Supplier becomes bankrupt or otherwise is, in the opinion of PRASA, in such financial circumstances as to prejudice the proper performance of the order/contract, or for any other reason in which case the Supplier will be compensated for all costs incurred.

Governing law

The order/contract is governed by the law of the Republic of South Africa and the parties hereby submit to the non-exclusive jurisdiction of the South African courts.

BIDDER'S DISCLOSURE**1. PURPOSE OF THE FORM**

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest¹ in the enterprise, employed by the state? **YES/NO**

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? **YES/NO**

2.2.1 If so, furnish particulars:

.....

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract?
YES/NO

2.3.1 If so, furnish particulars:

.....
.....

3 DECLARATION

I, the undersigned, (name)..... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium² will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.
I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH
6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE
SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....
Signature

.....
Date

.....
Position

.....
Name of bidder

SECTION 7

B-BBEE PREFERENCE POINTS CLAIM FORM

This preference form must form part of all bids invited. It contains general information and serves as a claim for preference points for Broad-Based Black Economic Empowerment [B-BBEE] Status Level of Contribution.

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to all bids:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and

1.2 The value of this bid is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable.

1.3 Either the **80/20** preference point system shall be applicable to this bid.

1.4 Preference points for this bid shall be awarded for:

- (a) Price; and
- (b) B-BBEE Status Level of Contribution.

1.5 The maximum points for this bid are allocated as follows:

	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTION	20
Total points for Price and B-BBEE must not exceed	100

1.5.1 Failure on the part of a bidder to submit a B-BBEE Verification Certificate from a Verification Agency accredited by the South African Accreditation System [**SANAS**], or a sworn affidavit confirming annual turnover and level of black ownership in case of all EMEs and QSEs with 51% black ownership or more together with the bid, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.

1.6 The purchaser reserves the right to require of a bidder, either before a bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the

purchaser.

2. DEFINITIONS

- 2.1 **“all applicable taxes”** includes value-added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies;
- 2.2 **“B-BBEE”** means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- 2.3 **“B-BBEE status level of contributor”** means the B-BBEE status received by a measured entity based on its overall performance using the relevant scorecard contained in the Codes of Good Practice on Black Economic Empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- 2.4 **“bid”** means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of services, works or goods, through price quotations, advertised competitive bidding processes or proposals;
- 2.5 **“Black designated group”** has meaning assigned to it in codes of good practice issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act.
- 2.6 **“Black People”** meaning assigned to in Section 1 of Broad-Based Black Economic Empowerment Act.
- 2.7 **“Broad-Based Black Economic Empowerment Act”** means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- 2.8 **“CIPC”** means the Companies and Intellectual Property Commission, formerly known as CIPRO, the Companies and Intellectual Property Registration Office.
- 2.9 **“comparative price”** means the price after the factors of a non-firm price and all unconditional discounts that can be utilized have been taken into consideration;
- 2.10 **“consortium or joint venture”** means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract;
- 2.11 **“contract”** means the agreement that results from the acceptance of a bid by an organ of state;
- 2.12 **“co-operative”** means a co-operative registered in terms of section 7 of Cooperatives Act, 2005 (Act No. 14 of 2005)
- 2.13 **“Designated Group”** means - i) Black designated groups; ii) Black People; iii) Women; iv) people with disabilities or v) Small enterprise, as defined in Section 1 of National Small Enterprise Act, (102 of 1996)
- 2.14 **“Designated Sector”** means, sub-sector or industry or product designated in terms of regulation 8(1)(a)
- 2.15 **“EME”** means an Exempted Micro Enterprise as defines by Codes of Good Practice under section 9

- 2.16 (1) of the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- 2.17 **“firm price”** means the price that is only subject to adjustments in accordance with the actual increase or decrease resulting from the change, imposition, or abolition of customs or excise duty and any other duty, levy, or tax, which, in terms of the law or regulation, is binding on the contractor and demonstrably has an influence on the price of any supplies, or the rendering costs of any service, for the execution of the contract;
- 2.18 **“functionality”** means the ability of a bidder to provide goods or services in accordance with specification as set out in the bid documents;
- 2.19 **“Military Veteran”** has meaning assigned to it in Section 1 of Military Veterans Act, 2011 (Act No. 18 of 2011);
- 2.20 **“National Treasury”** has meaning assigned to it in Section 1 of Public Finance Management Act, 1999 (Act No. 1 of 1999);
- 2.21 **“non-firm prices”** means all prices other than “firm” prices;
- 2.22 **“person”** includes a juristic person;
- 2.23 **“People with disabilities”** meaning assigned to it in terms of Section 1 of Employment Equity Act, 1998 (Act No. 55 of 1998)
- 2.24 **“Price”** includes all applicable taxes less all unconditional discounts.
- 2.25 **“Proof of B-BBEE Status Level of Contributor”** i) the B-BBEE status level certificate issued by an unauthorised body or person; ii) a sworn affidavit as prescribed by the B-BBEE Codes of Good Practice; or iii) any other requirement prescribed in terms of the Broad- Based Black Economic Empowerment Act.
- 2.26 **“Rural Area”** i) a sparsely populated area in which people farm or depend on natural resources, including villages and small towns that are dispersed through the area; or ii) an area including a large settlement which depends on migratory labour and remittances and government social grants for survival, and may have traditional land tenure system.
- 2.27 **“QSE”** means a Qualifying Small Enterprise as defines by Codes of Good Practice under section 9 (1) of the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- 2.28 **“rand value”** means the total estimated value of a contract in South African currency, calculated at the time of bid invitations, and includes all applicable taxes and excise duties;
- 2.29 **“sub-contract”** means the primary contractor’s assigning, leasing, making out work to, or employing, another person to support such primary contractor in the execution of part of a project in terms of the

contract;

- 2.30 “**total revenue**” bears the same meaning assigned to this expression in the Codes of Good Practice on Black Economic Empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act and promulgated in the *Government Gazette* on 9 February 2007;
- 2.31
- 2.32 “**Township**” means an urban living area that any time from the late 19th century until 27 April 1994, was reserved for black people, including areas developed for historically disadvantaged individuals post 27 April 1994
- 2.33 “**Treasury**” meaning assigned to it in Section 1 of the Public Finance Management Act, 1999 (Act No. 1 of 1999)
- 2.34 “**trust**” means the arrangement through which the property of one person is made over or bequeathed to a trustee to administer such property for the benefit of another person; and
- 2.35 “**trustee**” means any person, including the founder of a trust, to whom property is bequeathed in order for such property to be administered for the benefit of another person.
- 2.36 “**Youth**” meaning assigned to it in terms of Section 1 of National youth Development Agency Act, 2008 (Act No. 54 of 2008).

3. **ADJUDICATION USING A POINT SYSTEM**

- 3.1 The bidder obtaining the highest number of total points will be awarded the contract.
- 3.2 Preference points shall be calculated after prices have been brought to a comparative basis taking into account all factors of non-firm prices and all unconditional discounts.
- 3.3 Points scored must be rounded off to the nearest 2 decimal places.
- 3.4 In the event that two or more bids have scored equal total points, the successful bid must be the one scoring the highest number of preference points for B-BBEE.
- 3.5 However, when functionality is part of the evaluation process and two or more bids have scored equal points including equal preference points for B-BBEE, the successful bid must be the one scoring the highest score for functionality.
- 3.6 Should two or more bids be equal in all respects, the award shall be decided by the drawing of lots.

4. POINTS AWARDED FOR PRICE

4.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

80/20

$$P_s = 80 \left(1 - \frac{P_t - P_{\min}}{P_{\min}} \right)$$

Where

P_s = Points scored for comparative price of bid under consideration

P_t = Comparative price of bid under consideration

P_{\min} = Comparative price of lowest acceptable bid

5. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTION

5.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points
	(80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

5.2 A bidder who qualifies as an EME in terms of the B-BBEE Act must submit a sworn affidavit confirming Annual Total Revenue and Level of Black Ownership. Furthermore EMEs may also obtain a sworn affidavit from CIPC (formerly CIPRO) Self Service Terminals when registering a business or filing annual returns. In these instances PRASA would require proof of turnover as well as proof of ownership. Sworn affidavits must substantially comply with the format that can be obtained on the DTI's website at www.dti.gov.za/economic_empowerment/bec_codes.jsp

- 5.3 QSEs that are at least 51% Black owned or higher are only required to obtain a sworn affidavit on an annual basis confirming that the entity has an Annual Total Revenue of R50 million or less and the entity's Level of Black ownership.
- 5.4 A Bidder other than EME or a QSE that is at least 51% Black owned must submit their original and valid B-BBEE status level verification certificate or a certified copy thereof, substantiating their B-BBEE rating a Verification Agency accredited by SANAS.
- 5.5 A trust, consortium or joint venture (including unincorporated consortia and joint ventures) must submit a consolidated B-BBEE Status Level verification certificate for every separate bid.
- 5.6 Tertiary Institutions and Public Entities will be required to submit their B-BBEE status level certificates in terms of the specialized scorecard contained in the B-BBEE Codes of Good Practice.
- 5.7 A person will not be awarded points for B-BBEE status level if it is indicated in the bid documents that such a bidder intends sub-contracting more than 25% of the value of the contract to any other enterprise that does not qualify for at least the points that such a bidder qualifies for, unless the intended sub-contractor is an EME that has the capability and ability to execute the sub-contract.
- 5.8 A person awarded a contract may not sub-contract more than 25% of the value of the contract to any other enterprise that does not have an equal or higher B-BBEE status level than the person concerned, unless the contract is sub-contracted to an EME that has the capability and ability to execute the sub-contract.
- 5.9 Bidders are to note that the rules pertaining to B-BBEE verification and other B-BBEE requirements may be changed from time to time by regulatory bodies such as National Treasury or the DTI. It is the Bidder's responsibility to ensure that his/her bid complies fully with all B-BBEE requirements at the time of the submission of the bid.

6. BID DECLARATION

- 6.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

6.1.1 B-BBEE STATUS LEVEL OF CONTRIBUTION CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 5.1

- 6.2 B-BBEE Status Level of Contribution: . = (maximum of 20 points)
(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 5.1 and must be substantiated by means of a B-BBEE certificate issued by a Verification Agency accredited by SANAS or a Registered Auditor approved by IRBA or a sworn affidavit.

7. SUB-CONTRACTING

7.1 Will any portion of the contract be sub-contracted?

(Tick applicable box)

YES		NO	
-----	--	----	--

7.1.1 If yes, indicate:

i) What percentage of the contract will be subcontracted..... %

ii) The name of the sub-contractor.....

iii) The B-BBEE status level of the sub-contractor.....

iv) Whether the sub-contractor is an EME.

(Tick applicable box)

YES		NO	
-----	--	----	--

v) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations, 2017:

Designated Group: An EME or QSE which is at least 51% owned by:	EME <input type="checkbox"/>	QSE <input type="checkbox"/>
Black people		
Black people who are youth		
Black people who are women		
Black people with disabilities		
Black people living in rural or underdeveloped areas or townships		
Cooperative owned by black people		
Black people who are military veterans		
OR		
Any EME		
Any QSE		

8. **DECLARATION WITH REGARD TO COMPANY/FIRM**

8.1 Name of company/firm:.....

8.2 VAT registration number:.....

8.3 Company registration number:.....

8.4 **TYPE OF COMPANY/ FIRM**

☐ Partnership/Joint Venture / Consortium

☐ One person business/sole propriety

☐ Close corporation

☐ Company

☐ (Pty) Limited

[TICK APPLICABLE BOX]

8.5 **DESCRIBE PRINCIPAL BUSINESS ACTIVITIES**

.....
.....
.....

8.6 **COMPANY CLASSIFICATION**

☐ Manufacturer

☐ Supplier

☐ Professional service provider

☐ Other service providers, e.g. transporter, etc.

[TICK APPLICABLE BOX]

8.7 Total number of years the company/firm has been in business:.....

8.8 I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the B-BBE status level of contribution indicated in paragraph 7 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraph 7, the contractor may be required to furnish documentary proof to the satisfaction of the
- iv) purchaser that the claims are correct;
- v) If a bidder submitted false information regarding its B-BBEE status level of contributor, local production and content, or any other matter required in terms of the Preferential Procurement Regulations, 2017 which will affect or has affected the evaluation of a bid, or where a bidder has failed to declare any subcontracting arrangements or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have.
 - (a) disqualify the person from the bidding process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) if the successful bidder subcontracted a portion of the bidder to another person without disclosing it, PRASA reserves the right to penalise the bidder up to 10 percent of the value of the contract;
 - (e) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
 - (f) forward the matter for criminal prosecution.

WITNESSES

- 1.
- 2.

.....
SIGNATURE(S) OF BIDDERS(S)

DATE:

ADDRESS

.....

.....

SECTION 8

COMMISSIONER OF OATH

I certify that the above has acknowledged that he/she knows and understands the contents of this document, that he/she does not have any objection to taking the oath, and that he/she considers it to be binding on his/her conscience, and which was sworn to and signed before me at _____ on this the _____ day of _____ 20____, and that the administering oath complied with the regulations contained in Government Gazette No. R 1258 of 21 July 1972, as amended.

_____ (Sign – SERVICE PROVIDER)

_____ (Name – SERVICE PROVIDER)

COMMISSIONER OF OATHS STAMP AND DETAILS OF PERSON

STAMP :

NAME & SURNAME:

DESIGNATION/RANK :

PERSAL/EMPLOYEE NO:

PLACE/DATE:

SIGNATURE:

SECTION 9

1. SCOPE OF THE DESIRED SOLUTION

To appoint one (1) Service Provider to provide servicing, Repairs, and maintenance of Rollers shutter doors on As and When required basis at Johannesburg Park Station for a period of 36 months.

2. Detailed Scope of works and Specification of the work or Products or Service required: Servicing, Repairs, and maintenance of Electrical Industrial Roller shutter doors on As & When required basis

2.1. The general service provision further covers herein refers to:

- Carry out preventative and corrective maintenance or repairs of Electrical industrial roller shutter doors as listed in this Specification.
- The scope also includes a 24hr, Monday to Sunday emergency service As and When required by PRASA-CRES.
- The contractor will ensure that the unit assigned to him/her works effectively and will point out all equipment defects to PRASA-CRES.

2.2 The scope of work shall further cover Repairs & Maintenance of Roller Shutter doors listed in the BOQ below, and shall include the following:

- Provision of Repair and Maintenance services
- Installation of spare parts for Roller Shutter doors Ass and When recommended by the contractor during quarterly review of repair & maintenance of industrial roller shutter doors.
- Minor Service: All inspections, replacements, and procedures to be done during the Minor Service shall be carried out quarterly or As and When need arises.
- Major Service: All inspections, replacements, and procedures to be done during the Major Service shall be carried out quarterly or As and When need arises

3. Maintenance

3.1 All planned work will be carried out during normal working hours at the cost tendered for in the Bill of Quantities. Visits to the premises will be as scheduled for the contractor to carry out maintenance work as per the specification. Sites have visitors book which is to be properly completed by the Contractor on every visit and the reason for the visit recorded in the book.

3.2 The Contractor shall produce and issue to PRASA-CRES a written comprehensive report or service sheet of any testing, inspection, examination, investigation and/or assessment undertaken and execution of any repairs by the Contractor. Reports will highlight

- the type of work or service done
- problems experienced
- results of inspection
- faults found and their priority thereof

Quotations for any corrective work required shall be submitted to PRASA-CRES and on the approval of such quotations the Contractor will correct or repair accordingly.

3.3 PRASA-CRES reserves the right to conduct an independent safety and quality audit to be carried out on the work completed by the contractor. The contractor shall provide his own quality controls to ensure compliance with the specifications and any changes to legislation or regulations applicable. Possible modernisation products to upgrade or to improve the reliability and performance of the installation will be brought to PRASA-CRES for consideration.

4. Contract performance

4.1 The contractor will sign a service level agreement with the PRASA-CRES. The performance of the Contractor will be discussed on the monthly basis at meetings scheduled. Performance Items to be discussed will include:

- the number of breakdowns for specific period
- the turnaround time to attend to emergency callouts
- planned vs. actual progress
- submission of reports, invoices, and other administration duties
- payment of invoices

4.2 Services Measure And Expectations

Response Times for:

- Emergencies – within 3hrs
- Urgent - within 5hrs
- Non-Urgent - within 24hrs

5. General Information

5.1 The whole service shall be in accordance with the Occupational Health and Safety Act 85/1993 and all regulations framed shall be carried out to the satisfaction of PRASA CRES

5.2 The contractor shall be or have in his employment an accredited person. Proof must be supplied of the above requirements

5.3 The Contractor must have the capacity to be able to work on more than one site at any given time.

5.4 Where day to day repairs is to be undertaken, the Contractor shall first estimate the labor and material cost based on the schedule of prices, before proceeding with the job.

5.5 All material removed to be returned to PRASA-CRES unless otherwise stated.

5.6 Compliance certificates to be issued on completion of all new work done at no cost to PRASA-CRES. Compliance certificates required for existing installations to be priced out at the prescribed set rate.

6. SAFETY AND PROVISION OF MATERIALS:

6.1 The contractor is responsible for supply of all material required to repair the faults as per job cards /work order.

6.2 All material used shall be of high standard (SABS approved)

6.3 The material item price shall be based on standard market related plus the percentage mark-up fee.

6.4 PRASA Cres Maintenance Manager /Supervisor reserve the right to query price of any material that is on the material list. He /she may request that the contractor justifies a copy of the material purchased, invoices or actual quotes from reputable suppliers.

7. Quality Of Work And Workmanship:

- Works with poor workmanship will not be signed off and PRASA Cres reserve the right to hold payments until satisfied with the quality of the works.

8. Non-Compliance:

- **Safety** – the contractor will always ensure that work is performed in accordance with all the prescribed legal prescripts.
- **NB:** No work is to be done without approval of Safety File and valid signed site access certificate being issued to the contractor. No Contractor will be allowed on site without having attended the safety Induction training and proof is to be submitted to the Project Manager
- **Response time** – if an appointed service provider as per the General provisions of the As and When fails to adhere to the priority levels as prescribed PRASA CRES Facilities department hereby reserves the right to penalise the service provider a penalty fee of 10% of the value of the work and if this provision is continually be violated the contract will be terminated.
- **Proof of Work done**> the contractor shall provide photos of before/during and after work completed with claim submitted. Photos can be submitted electronically.
- **Qualified personnel**- It is a requirement that personnel performing/overseeing works issued to the contractor be qualified in specific Trade.

9. Safety Practices & Precautions

9.1 General Safety.

- 9.1.1 It is everybody's responsibility to insure that safety practices are adhered to the maximum to prevent personnel injury and equipment failure.
- 9.1.2 Safety Definitions and Requirements found in operation rules and procedures (OR&P) and operation maintenance manual (O&MM) are designed to provide valuable source for safety. Use them to prevent injuries and illnesses resulting from unsafe acts or unsafe conditions.
- 9.1.3 The service technician must understand the operation of the equipment and the safety measures required to service this equipment.
- 9.1.4 Do not work on any equipment unless you understand how the equipment functions and you have been informed of potential hazards.

- 9.1.5 Make sure that the Station Agent and Central Control are notified that a preventative maintenance (PM) or a service will be performed on the Roller Shutter doors in the station.
- 9.1.6 Barricades are to be use around where a service will be performed.
- 9.2 Electrical.
- 9.2.1 Extreme caution should be exercised when doing any electrical work. Less than one 1 ampere or as low as twelve 12 volts can kill.
- 9.2.2 Prior to working on any electrical circuits, check for live voltage.
- 9.2.3 All electrical circuits must always be treated as live. All voltages can be dangerous. Contact with even low voltages can result in serious injury.
- 9.2.4 To check a circuit, test the live side with a voltage tester set on a higher range, then test the dead side and retest the live side again. This action ensures the good condition of the voltage tester.
- 9.2.5 It is everybody's responsibility to ensure that safety practices are adhered to the maximum to prevent personnel injury and equipment failure.
- 9.2.6 Safety Definitions and Requirements found in operation rules and procedures (OR&P) and operation maintenance manual (O&MM) are designed to provide valuable source for safety. Use them to prevent injuries and illnesses resulting from unsafe acts or unsafe conditions.
- 9.2.7 The service technician must understand the operation of the equipment and the safety measures required to service this equipment.
- 9.2.8 Do not work on any equipment unless you understand how the equipment functions and you have been informed of potential hazards.
- 9.2.9 Barricades are to be use around where a service will be performed.

10. Maintenance References

All electrical and mechanical work will be in accordance with the following publications

- Electrical installation Regulation of 2009
- Electrical Machinery Regulations
- General Machinery Regulation and Driven Machinery Regulations
- No. R828 OHS Act 85 of 1993 as amended, General Health & Safety Regulations of 2005
- Applicable Municipal By-Laws and Regulations
- Electrical work completed to standard (SANS 10142)
- SANS 1253-2016, SANS60335-2-97
- Insurance Requirements

Note: above is the list of minimum regulations and legislative requirements that the contractor needs to adhere to as mandatory requirements (work should be carried out by competent personnel as prescribed in the law and shall be auditable by the employer at any given time)

11. Preventative Maintenance

- 11.1 The service provider shall perform maintenance and part replacement in accordance with the Maintenance Service Schedules for Generators contained in this document, below, to ensure continued operation of the organization and compliance with the maximum downtime for all systems or equipment.
- 11.2 The service provider shall report any trends detected that reflect system or equipment degradation, loss of performance, or frequency of failure to the PM.
- 11.3 The service provider shall arrange with the PM and obtain approval for date, time, and duration when equipment or systems shall be out of service for the purpose of performing preventive maintenance.
- 11.4 In the event of emergency repairs having to be carried out, the need for such repairs shall be reported immediately to the PM for further instructions.
- 11.5 The service provider shall furnish a report to the PM indicating the date and time of the failure, the reason for the failure, date, and time when corrective action was completed, details of corrective action taken, and results of any post maintenance testing performed to ensure satisfactory operation.
- 11.6 The service provider shall draw up the necessary Job Cards from the Maintenance Programme, or in response to emergency call outs, or equipment failure, and hand the completed cards to the PM for verification and acceptance that the work has been duly executed.
- 11.7 Obtaining and recording of quotations for materials or equipment, selecting the most competitive supplier, obtaining approval from the PM before placing orders.
- 11.8 Record complaints and faults with date, time and details and corrective action taken.
- 11.9 Provide and maintain an up-to-date equipment inventory.
- 11.10 All planned work will be carried out during normal working hours at the cost tendered for in the Bill of Quantities. Visits to the premises will be as scheduled for the contractor to carry work on the maintenance units as per this specification.

12. Terms Of Payment

12.1 The terms of payment will be monthly and upon receiving the invoice, PRASA-CRES shall pay the Contractor within 30 days. This is subject to the invoicing being both correct and free from anomalies.

12.2 All pricing information shall be exclusive of VAT.

12.3 No sub-contracting shall be permitted.

12.4 Invoices shall show the period, the lump sum for the maintenance work and the breakdown of all work for which the payment is being claimed for. All non-maintenance invoices shall be presented on a per maintenance unit basis and a fully itemized list of the work being charged for will be incorporated into the invoice. A photocopy of the worksheet which shall indicate entry and exit times from site which shall be signed by the PRASA-CRES representative shall be attached to the invoice and any invoices submitted without this attachment and fully completed to the satisfaction of the PRASA-CRES will be rejected.

12.5 Additional works shall be separately invoiced, and these shall be submitted monthly. Where such works are covered by the Schedules of Rates the schedules shall be strictly adhered to in preparing the invoice. Works authorized by PRASA-CRES representative which falls outside the scope of the contract and the Bill Of Quantities shall be invoiced separately and fully detailed with the works involved and cross referenced to the issued order number. PRASA-CRES reserves the right to request the invoice for the material or spare parts purchased by the Contractor on the works done.

12.6 If invoices are presented which do not fully comply with the format as detailed, they will be rejected. All invoices shall portray the identity number of the maintenance unit involved and site location and VAT as a sum of money shall be included within the total monies being claimed. A schedule of accumulative costs shall be submitted each month showing the expenditure to date of non-contract repair works and misuse / vandalism as two separate totals. PRASA-CRES will accept no liability and/or responsibility for the late payment of the invoices which have been incorrectly addressed by the Contractor.

12.7 No payment shall be made by PRASA-CRES for any unauthorized service performed by the Contractor.

13. **Pricing**

13.1 The Contractor shall familiarize himself/herself with the present conditions of the maintenance units and submit prices; accordingly, changes to the maintenance contract rates will not be accepted.

13.2 The Contractor shall include for all costs associated with the works for his use to include plant, tools, test equipment, chemicals, sundry materials; temporary lighting, small plant and tools; temporary plant and equipment to maintain operations in breakdowns; off-loading, hoisting and handling of all materials and plant; access to the works, administration and security; transport for staff; protecting the Works; safety, health and welfare of people; removing rubbish, protective casings and coverings away from the site and cleaning the works on completion; temporary screens, hoardings, guard rails, landing barriers, scaffolding and similar items; control of noise, pollution and all other statutory obligations; all necessary attendances in connection with examination and/or tests in compliance with OHS Act Regulations and all necessary management and supervision of the Works.

14. **Maintenance service**

The service provider shall perform maintenance services of manual and electrical roller shutter doors, for both commercial and industrial type doors. The maintenance services shall include but not limited to the following:

Manual Roll Up Doors (Industrial Door)

- Clean and remove old grease from tracks and head plates and re-grease lightly.
- Check: Bar and tracks straight and secure.
- Ease of door operation.
- Curtain secures to T-Bar and barrel and canopy to head plates and manual operator in order.
- Clean and lubricate top track and runner.
- Check and remove obstructions from track.
- Ensure bearings in top runners are in good working order.
- Check and adjust ease of door operation.
- Check, adjust and tighten locking mechanism.

Electrical Roller Shutter Doors (Industrial Door)

- Clean and remove old grease from tracks and head plates and re-grease lightly.
- Check: T-Bar and tracks straight and secure
- Ease of door operation
- Curtain secures to T-Bar and barrel and canopy to head plates and manual operator in order.

Electrical check:

Overload settings

- Manual override system
 - Motor mountings
 - Sprockets and drive chain tension
 - Limit switch settings
 - Check, maintain and repair electrical industrial roller shutter door motors and replace when required.
 - Record type of system
 - Clean and lubricate top track and runner.
 - Check and remove obstructions from track.
 - Ensure bearings in top runners are in good working order.
 - Check and adjust ease of door operation.
 - Check, adjust and tighten locking mechanism.
-
- Check key switches, wall switches or wall controls and associated wiring for damages.
Replace if necessary

15. MATERIAL RATES

ITEM	DESCRIPTION	UNIT		YEAR 1 RATE(Excl Vat)	YEAR 2 RATE(Excl Vat)	YEAR 3 RATE(Excl Vat)
1.0	ENTRANCE TO BAKERY: 4265 x 3360mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
1.1	Supply Receiver and 2 Remotes	Ea		R	R	R
1.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
1.3	Supply cover and Sprocket	Ea.		R	R	R
1.4	Supply new guide rail	Ea.		R	R	R
1.5	Supply Control Switch	Ea.		R	R	R
1.6	Supply Canopy Cover	Ea.		R	R	R
1.7	Supply End Plates (Brackets)	Ea		R	R	R
1.8	Supply Barre Assembly	Ea.		R	R	R
1.9	Supply Helical Coil Spring	Ea.		R	R	R
1.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R

1.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
1.12	Supply Crank Handles	Ea.		R	R	R
2.0	ENTRANCE TO KFC: 4000 x 3100mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
2.1	Supply Receiver and 2 Remotes	Ea		R	R	R
2.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
2.3	Supply cover and Sprocket	Ea.		R	R	R
2.4	Supply new guide rail	Ea.		R	R	R
2.5	Supply Control Switch	Ea.		R	R	R
2.6	Supply Canopy Cover	Ea.		R	R	R
2.7	Supply End Plates (Brackets)	Ea		R	R	R
2.8	Supply Barre Assembly	Ea.		R	R	R
2.9	Supply Helical Coil Spring	Ea.		R	R	R
2.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
2.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
2.12	Supply Crank Handles	Ea.		R	R	R
3.0	ENTRANCE TO KFC: 6215 x 3100mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
3.1	Supply Receiver and 2 Remotes	Ea		R	R	R
3.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
3.3	Supply cover and Sprocket	Ea.		R	R	R
3.4	Supply new guide rail	Ea.		R	R	R
3.5	Supply Control Switch	Ea.		R	R	R
3.6	Supply Canopy Cover	Ea.		R	R	R
3.7	Supply End Plates (Brackets)	Ea		R	R	R
3.8	Supply Barre Assembly	Ea.		R	R	R
3.9	Supply Helical Coil Spring	Ea.		R	R	R
3.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
3.11	Supply T – Bar (bottom Rail)	Ea		R	R	R

3.12	Supply Crank Handles	Ea.		R	R	R
4.0	METRORAIL ENTRANCE 1: 4390 x 2420mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
4.1	Supply Receiver and 2 Remotes	Ea		R	R	R
4.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
4.3	Supply cover and Sprocket	Ea.		R	R	R
4.4	Supply new guide rail	Ea.		R	R	R
4.5	Supply Control Switch	Ea.		R	R	R
4.6	Supply Canopy Cover	Ea.		R	R	R
4.7	Supply End Plates (Brackets)	Ea		R	R	R
4.8	Supply Barre Assembly	Ea.		R	R	R
4.9	Supply Helical Coil Spring	Ea.		R	R	R
4.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
4.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
4.12	Supply Crank Handles	Ea.		R	R	R
5	METRORAIL ENTRANCE 1: 2755 x2420mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
5.1	Supply Receiver and 2 Remotes	Ea		R	R	R
5.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
5.3	Supply cover and Sprocket	Ea.		R	R	R
5.4	Supply new guide rail	Ea.		R	R	R
5.5	Supply Control Switch	Ea.		R	R	R
5.6	Supply Canopy Cover	Ea.		R	R	R
5.7	Supply End Plates (Brackets)	Ea		R	R	R
5.8	Supply Barre Assembly	Ea.		R	R	R
5.9	Supply Helical Coil Spring	Ea.		R	R	R
5.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
5.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
5.12	Supply Crank Handles	Ea.		R	R	R

6	METRORAIL ENTRANCE 2: 5880 x 2500mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS				
6.1	Supply Receiver and 2 Remotes	Ea		R	R
6.2	Supply 75 x 1mm Perforated slates	Ea.		R	R
6.3	Supply cover and Sprocket	Ea.		R	R
6.4	Supply new guide rail	Ea.		R	R
6.5	Supply Control Switch	Ea.		R	R
6.6	Supply Canopy Cover	Ea.		R	R
6.7	Supply End Plates (Brackets)	Ea		R	R
6.8	Supply Barre Assembly	Ea.		R	R
6.9	Supply Helical Coil Spring	Ea.		R	R
6.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R
6.11	Supply T – Bar (bottom Rail)	Ea.		R	R
6.12	Supply Crank Handles	Ea.		R	R
7	METRORAIL ENTRANCE 2: 2860 x 2500mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS				
7.1	Supply Receiver and 2 Remotes	Ea		R	R
7.2	Supply 75 x 1mm Perforated slates	Ea.		R	R
7.3	Supply cover and Sprocket	Ea.		R	R
7.4	Supply new guide rail	Ea.		R	R
7.5	Supply Control Switch	Ea.		R	R
7.6	Supply Canopy Cover	Ea.		R	R
7.7	Supply End Plates (Brackets)	Ea		R	R
7.8	Supply Barre Assembly	Ea.		R	R
7.9	Supply Helical Coil Spring	Ea.		R	R
7.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R
7.11	Supply T – Bar (bottom Rail)	Ea.		R	R
7.12	Supply Crank Handles	Ea.		R	R

8	METRORAIL ENTRANCE 2: 3230 x 2500mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS				
8.1	Supply Receiver and 2 Remotes	Ea		R	R
8.2	Supply 75 x 1mm Perforated slates	Ea.		R	R
8.3	Supply cover and Sprocket	Ea.		R	R
8.4	Supply new guide rail	Ea.		R	R
8.5	Supply Control Switch	Ea.		R	R
8.6	Supply Canopy Cover	Ea.		R	R
8.7	Supply End Plates (Brackets)	Ea		R	R
8.8	Supply Barre Assembly	Ea.		R	R
8.9	Supply Helical Coil Spring	Ea.		R	R
8.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R
8.11	Supply T – Bar (bottom Rail)	Ea.		R	R
8.12	Supply Crank Handles	Ea.		R	R
9	METRORAIL ENTRANCE 3: 3450 x 2500mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS				
9.1	Supply Receiver and 2 Remotes	Ea		R	R
9.2	Supply 75 x 1mm Perforated slates	Ea.		R	R
9.3	Supply cover and Sprocket	Ea.		R	R
9.4	Supply new guide rail	Ea.		R	R
9.5	Supply Control Switch	Ea.		R	R
9.6	Supply Canopy Cover	Ea.		R	R
9.7	Supply End Plates (Brackets)	Ea		R	R
9.8	Supply Barre Assembly	Ea.		R	R
9.9	Supply Helical Coil Spring	Ea.		R	R
9.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R
9.11	Supply T – Bar (bottom Rail)	Ea.		R	R
9.12	Supply Crank Handles	Ea.		R	R
10	METRORAIL ENTRANCE 3: 2750 x 2500mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS				

10.1	Supply Receiver and 2 Remotes	Ea		R	R	R
10.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
10.3	Supply cover and Sprocket	Ea.		R	R	R
10.4	Supply new guide rail	Ea.		R	R	R
10.5	Supply Control Switch	Ea.		R	R	R
10.6	Supply Canopy Cover	Ea.		R	R	R
10.7	Supply End Plates (Brackets)	Ea		R	R	R
10.8	Supply Barre Assembly	Ea.		R	R	R
10.9	Supply Helical Coil Spring	Ea.		R	R	R
10.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
10.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
10.12	Supply Crank Handles	Ea.		R	R	R
11	METRORAIL ENTRANCE 3: 3985 x 2500mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
11.1	Supply Receiver and 2 Remotes	Ea		R	R	R
11.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
11.3	Supply cover and Sprocket	Ea.		R	R	R
11.4	Supply new guide rail	Ea.		R	R	R
11.5	Supply Control Switch	Ea.		R	R	R
11.6	Supply Canopy Cover	Ea.		R	R	R
11.7	Supply End Plates (Brackets)	Ea		R	R	R
11.8	Supply Barre Assembly	Ea.		R	R	R
11.9	Supply Helical Coil Spring	Ea.		R	R	R
11.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
11.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
11.12	Supply Crank Handles	Ea.		R	R	R
12	METRORAIL ENTRANCE 4: 4200 x 2500mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
12.1	Supply Receiver and 2 Remotes	Ea		R	R	R

12.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
12.3	Supply cover and Sprocket	Ea.		R	R	R
12.4	Supply new guide rail	Ea.		R	R	R
12.5	Supply Control Switch	Ea.		R	R	R
12.6	Supply Canopy Cover	Ea.		R	R	R
12.7	Supply End Plates (Brackets)	Ea		R	R	R
12.8	Supply Barre Assembly	Ea.		R	R	R
12.9	Supply Helical Coil Spring	Ea.		R	R	R
12.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
12.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
12.12	Supply Crank Handles	Ea.		R	R	R
13	METRORAIL ENTRANCE 4: 2775 x 2500mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
13.1	Supply Receiver and 2 Remotes	Ea		R	R	R
13.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
13.3	Supply cover and Sprocket	Ea.		R	R	R
13.4	Supply new guide rail	Ea.		R	R	R
13.5	Supply Control Switch	Ea.		R	R	R
13.6	Supply Canopy Cover	Ea.		R	R	R
13.7	Supply End Plates (Brackets)	Ea		R	R	R
13.8	Supply Barre Assembly	Ea.		R	R	R
13.9	Supply Helical Coil Spring	Ea.		R	R	R
13.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
13.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
13.12	Supply Crank Handles	Ea.		R	R	R
14.0	CLICKS MAIN ENTRANCE: 5145 x 3380mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
14.1	Supply Receiver and 2 Remotes	Ea		R	R	R

14.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
14.3	Supply cover and Sprocket	Ea.		R	R	R
14.4	Supply new guide rail	Ea.		R	R	R
14.5	Supply Control Switch	Ea.		R	R	R
14.6	Supply Canopy Cover	Ea.		R	R	R
14.7	Supply End Plates (Brackets)	Ea		R	R	R
14.8	Supply Barre Assembly	Ea.		R	R	R
14.9	Supply Helical Coil Spring	Ea.		R	R	R
14.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
14.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
14.12	Supply Crank Handles	Ea.		R	R	R
15.0	CLICKS MAIN ENTRANCE: 6745 x 3380mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
15.1	Supply Receiver and 2 Remotes	Ea		R	R	R
15.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
15.3	Supply cover and Sprocket	Ea.		R	R	R
15.4	Supply new guide rail	Ea.		R	R	R
15.5	Supply Control Switch	Ea.		R	R	R
15.6	Supply Canopy Cover	Ea.		R	R	R
15.7	Supply End Plates (Brackets)	Ea		R	R	R
15.8	Supply Barre Assembly	Ea.		R	R	R
15.9	Supply Helical Coil Spring	Ea.		R	R	R
15.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
15.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
15.12	Supply Crank Handles	Ea.		R	R	R
16.0	MAIN ENTRANCE NEXT TO STD BANK ATM: 6840 x 3100mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
16.1	Supply Receiver and 2 Remotes	Ea		R	R	R

16.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
16.3	Supply cover and Sprocket	Ea.		R	R	R
16.4	Supply new guide rail	Ea.		R	R	R
16.5	Supply Control Switch	Ea.		R	R	R
16.6	Supply Canopy Cover	Ea.		R	R	R
16.7	Supply End Plates (Brackets)	Ea		R	R	R
16.8	Supply Barre Assembly	Ea.		R	R	R
16.9	Supply Helical Coil Spring	Ea.		R	R	R
16.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
16.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
16.12	Supply Crank Handles	Ea.		R	R	R
17.0	BUS EXIT DEPARTURE: 5200 x 3300mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
17.1	Supply Receiver and 2 Remotes	Ea		R	R	R
17.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
17.3	Supply cover and Sprocket	Ea.		R	R	R
17.4	Supply new guide rail	Ea.		R	R	R
17.5	Supply Control Switch	Ea.		R	R	R
17.6	Supply Canopy Cover	Ea.		R	R	R
17.7	Supply End Plates (Brackets)	Ea		R	R	R
17.8	Supply Barre Assembly	Ea.		R	R	R
17.9	Supply Helical Coil Spring	Ea.		R	R	R
17.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
17.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
17.12	Supply Crank Handles	Ea.		R	R	R
17	BUS EXIT DEPARTURE: 4780 x 3300mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
17.1	Supply Receiver and 2 Remotes	Ea		R	R	R

17.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
17.3	Supply cover and Sprocket	Ea.		R	R	R
17.4	Supply new guide rail	Ea.		R	R	R
17.5	Supply Control Switch	Ea.		R	R	R
17.6	Supply Canopy Cover	Ea.		R	R	R
17.7	Supply End Plates (Brackets)	Ea		R	R	R
17.8	Supply Barre Assembly	Ea.		R	R	R
17.9	Supply Helical Coil Spring	Ea.		R	R	R
17.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
17.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
17.12	Supply Crank Handles	Ea.		R	R	R
18	SHOSHOLOZA ENTRANCE: 7000 x 3300mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
18.1	Supply Receiver and 2 Remotes	Ea		R	R	R
18.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
18.3	Supply cover and Sprocket	Ea.		R	R	R
18.4	Supply new guide rail	Ea.		R	R	R
18.5	Supply Control Switch	Ea.		R	R	R
18.6	Supply Canopy Cover	Ea.		R	R	R
18.7	Supply End Plates (Brackets)	Ea		R	R	R
18.8	Supply Barre Assembly	Ea.		R	R	R
18.9	Supply Helical Coil Spring	Ea.		R	R	R
18.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
18.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
18.12	Supply Crank Handles	Ea.		R	R	R
19	SHOSHOLOZA ENTRANCE: 3735 x 3300mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
19.1	Supply Receiver and 2 Remotes	Ea		R	R	R

19.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
19.3	Supply cover and Sprocket	Ea.		R	R	R
19.4	Supply new guide rail	Ea.		R	R	R
19.5	Supply Control Switch	Ea.		R	R	R
19.6	Supply Canopy Cover	Ea.		R	R	R
19.7	Supply End Plates (Brackets)	Ea		R	R	R
19.8	Supply Barre Assembly	Ea.		R	R	R
19.9	Supply Helical Coil Spring	Ea.		R	R	R
19.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
19.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
19.12	Supply Crank Handles	Ea.		R	R	R
20	SHOSHOLZA ABLUTIONS: 1580 x 2440mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
20.1	Supply Receiver and 2 Remotes	Ea		R	R	R
20.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
20.3	Supply cover and Sprocket	Ea.		R	R	R
20.4	Supply new guide rail	Ea.		R	R	R
20.5	Supply Control Switch	Ea.		R	R	R
20.6	Supply Canopy Cover	Ea.		R	R	R
20.7	Supply End Plates (Brackets)	Ea		R	R	R
20.8	Supply Barre Assembly	Ea.		R	R	R
20.9	Supply Helical Coil Spring	Ea.		R	R	R
20.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
20.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
20.12	Supply Crank Handles	Ea.		R	R	R
21	TICKET OFFICE SHOSHOLOZA: 4580 x 2745mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
21.1	Supply Receiver and 2 Remotes	Ea		R	R	R

21.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
21.3	Supply cover and Sprocket	Ea.		R	R	R
21.4	Supply new guide rail	Ea.		R	R	R
21.5	Supply Control Switch	Ea.		R	R	R
21.6	Supply Canopy Cover	Ea.		R	R	R
21.7	Supply End Plates (Brackets)	Ea		R	R	R
21.8	Supply Barre Assembly	Ea.		R	R	R
21.9	Supply Helical Coil Spring	Ea.		R	R	R
21.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
21.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
21.12	Supply Crank Handles	Ea.		R	R	R
22	TICKET OFFICE SHOSHOLOZA: 7320 x 2745mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
22.1	Supply Receiver and 2 Remotes	Ea		R	R	R
22.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
22.3	Supply cover and Sprocket	Ea.		R	R	R
22.4	Supply new guide rail	Ea.		R	R	R
22.5	Supply Control Switch	Ea.		R	R	R
22.6	Supply Canopy Cover	Ea.		R	R	R
22.7	Supply End Plates (Brackets)	Ea		R	R	R
22.8	Supply Barre Assembly	Ea.		R	R	R
22.9	Supply Helical Coil Spring	Ea.		R	R	R
22.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
22.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
22.12	Supply Crank Handles	Ea.		R	R	R
23	TICKET OFFICE SHOSHOLOZA: 5435 x 2710mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
23.1	Supply Receiver and 2 Remotes	Ea		R	R	R

23.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
23.3	Supply cover and Sprocket	Ea.		R	R	R
23.4	Supply new guide rail	Ea.		R	R	R
23.5	Supply Control Switch	Ea.		R	R	R
23.6	Supply Canopy Cover	Ea.		R	R	R
23.7	Supply End Plates (Brackets)	Ea		R	R	R
23.8	Supply Barre Assembly	Ea.		R	R	R
23.9	Supply Helical Coil Spring	Ea.		R	R	R
23.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
23.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
23.12	Supply Crank Handles	Ea.		R	R	R
24	GAUTRAIN ENTRANCE: 5240 x 2910mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
24.1	Supply Receiver and 2 Remotes	Ea		R	R	R
24.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
24.3	Supply cover and Sprocket	Ea.		R	R	R
24.4	Supply new guide rail	Ea.		R	R	R
24.5	Supply Control Switch	Ea.		R	R	R
24.6	Supply Canopy Cover	Ea.		R	R	R
24.7	Supply End Plates (Brackets)	Ea		R	R	R
24.8	Supply Barre Assembly	Ea.		R	R	R
24.9	Supply Helical Coil Spring	Ea.		R	R	R
24.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
24.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
24.12	Supply Crank Handles	Ea.		R	R	R
25	GAUTRAIN ENTRANCE: 7024 x 2910mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
25.1	Supply Receiver and 2 Remotes	Ea		R	R	R

25.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
25.3	Supply cover and Sprocket	Ea.		R	R	R
25.4	Supply new guide rail	Ea.		R	R	R
25.5	Supply Control Switch	Ea.		R	R	R
25.6	Supply Canopy Cover	Ea.		R	R	R
25.7	Supply End Plates (Brackets)	Ea		R	R	R
25.8	Supply Barre Assembly	Ea.		R	R	R
25.9	Supply Helical Coil Spring	Ea.		R	R	R
25.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
25.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
25.12	Supply Crank Handles	Ea.		R	R	R
26	GAUTRAIN ENTRANCE: 3615 x 2910mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
26.1	Supply Receiver and 2 Remotes	Ea		R	R	R
26.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
26.3	Supply cover and Sprocket	Ea.		R	R	R
26.4	Supply new guide rail	Ea.		R	R	R
26.5	Supply Control Switch	Ea.		R	R	R
26.6	Supply Canopy Cover	Ea.		R	R	R
26.7	Supply End Plates (Brackets)	Ea		R	R	R
26.8	Supply Barre Assembly	Ea.		R	R	R
26.9	Supply Helical Coil Spring	Ea.		R	R	R
26.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
26.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
26.12	Supply Crank Handles	Ea.		R	R	R
27	ABLUTIONS: 1820 x 2870mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
27.1	Supply Receiver and 2 Remotes	Ea		R	R	R

27.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
27.3	Supply cover and Sprocket	Ea.		R	R	R
27.4	Supply new guide rail	Ea.		R	R	R
27.5	Supply Control Switch	Ea.		R	R	R
27.6	Supply Canopy Cover	Ea.		R	R	R
27.7	Supply End Plates (Brackets)	Ea		R	R	R
27.8	Supply Barre Assembly	Ea.		R	R	R
27.9	Supply Helical Coil Spring	Ea.		R	R	R
27.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
27.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
27.12	Supply Crank Handles	Ea.		R	R	R
28	ABLUTIONS: 1520 x 3000mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
28.1	Supply Receiver and 2 Remotes	Ea		R	R	R
28.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
28.3	Supply cover and Sprocket	Ea.		R	R	R
28.4	Supply new guide rail	Ea.		R	R	R
28.5	Supply Control Switch	Ea.		R	R	R
28.6	Supply Canopy Cover	Ea.		R	R	R
28.7	Supply End Plates (Brackets)	Ea		R	R	R
28.8	Supply Barre Assembly	Ea.		R	R	R
28.9	Supply Helical Coil Spring	Ea.		R	R	R
28.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
28.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
28.12	Supply Crank Handles	Ea.		R	R	R
29	ABLUTIONS: 2000 x 3000mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
29.1	Supply Receiver and 2 Remotes	Ea		R	R	R

29.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
29.3	Supply cover and Sprocket	Ea.		R	R	R
29.4	Supply new guide rail	Ea.		R	R	R
29.5	Supply Control Switch	Ea.		R	R	R
29.6	Supply Canopy Cover	Ea.		R	R	R
29.7	Supply End Plates (Brackets)	Ea		R	R	R
29.8	Supply Barre Assembly	Ea.		R	R	R
29.9	Supply Helical Coil Spring	Ea.		R	R	R
29.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
29.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
29.12	Supply Crank Handles	Ea.		R	R	R
30	ABLUTIONS: 5260 x 3200mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
30.1	Supply Receiver and 2 Remotes	Ea		R	R	R
30.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
30.3	Supply cover and Sprocket	Ea.		R	R	R
30.4	Supply new guide rail	Ea.		R	R	R
30.5	Supply Control Switch	Ea.		R	R	R
30.6	Supply Canopy Cover	Ea.		R	R	R
30.7	Supply End Plates (Brackets)	Ea		R	R	R
30.8	Supply Barre Assembly	Ea.		R	R	R
30.9	Supply Helical Coil Spring	Ea.		R	R	R
30.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
30.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
30.12	Supply Crank Handles	Ea.		R	R	R
31	ABLUTIONS: 3555 x 3200mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
31.1	Supply Receiver and 2 Remotes	Ea		R	R	R

31.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
31.3	Supply cover and Sprocket	Ea.		R	R	R
31.4	Supply new guide rail	Ea.		R	R	R
31.5	Supply Control Switch	Ea.		R	R	R
31.6	Supply Canopy Cover	Ea.		R	R	R
31.7	Supply End Plates (Brackets)	Ea		R	R	R
31.8	Supply Barre Assembly	Ea.		R	R	R
31.9	Supply Helical Coil Spring	Ea.		R	R	R
31.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
31.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
31.12	Supply Crank Handles	Ea.		R	R	R
32	ABLUTIONS: 4700 x 3200mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
32.1	Supply Receiver and 2 Remotes	Ea		R	R	R
32.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
32.3	Supply cover and Sprocket	Ea.		R	R	R
32.4	Supply new guide rail	Ea.		R	R	R
32.5	Supply Control Switch	Ea.		R	R	R
32.6	Supply Canopy Cover	Ea.		R	R	R
32.7	Supply End Plates (Brackets)	Ea		R	R	R
32.8	Supply Barre Assembly	Ea.		R	R	R
32.9	Supply Helical Coil Spring	Ea.		R	R	R
32.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
32.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
32.12	Supply Crank Handles	Ea.		R	R	R
33	ABLUTIONS: 7680 x 3200mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
33.1	Supply Receiver and 2 Remotes	Ea		R	R	R

33.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
33.3	Supply cover and Sprocket	Ea.		R	R	R
33.4	Supply new guide rail	Ea.		R	R	R
33.5	Supply Control Switch	Ea.		R	R	R
33.6	Supply Canopy Cover	Ea.		R	R	R
33.7	Supply End Plates (Brackets)	Ea		R	R	R
33.8	Supply Barre Assembly	Ea.		R	R	R
33.9	Supply Helical Coil Spring	Ea.		R	R	R
33.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
33.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
33.12	Supply Crank Handles	Ea.		R	R	R
34	MAIN ENTRANCE BAGGAGE: 5520 x 3220mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
34.1	Supply Receiver and 2 Remotes	Ea		R	R	R
34.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
34.3	Supply cover and Sprocket	Ea.		R	R	R
34.4	Supply new guide rail	Ea.		R	R	R
34.5	Supply Control Switch	Ea.		R	R	R
34.6	Supply Canopy Cover	Ea.		R	R	R
34.7	Supply End Plates (Brackets)	Ea		R	R	R
34.8	Supply Barre Assembly	Ea.		R	R	R
34.9	Supply Helical Coil Spring	Ea.		R	R	R
34.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
34.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
34.12	Supply Crank Handles	Ea.		R	R	R
35	ABLUTION BAGGAGE: 1200 x 2440mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
35.1	Supply Receiver and 2 Remotes	Ea		R	R	R

35.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
35.3	Supply cover and Sprocket	Ea.		R	R	R
35.4	Supply new guide rail	Ea.		R	R	R
35.5	Supply Control Switch	Ea.		R	R	R
35.6	Supply Canopy Cover	Ea.		R	R	R
35.7	Supply End Plates (Brackets)	Ea		R	R	R
35.8	Supply Barre Assembly	Ea.		R	R	R
35.9	Supply Helical Coil Spring	Ea.		R	R	R
35.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
35.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
35.12	Supply Crank Handles	Ea.		R	R	R
36	BAGGAGE: 2150 x 2440mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
36.1	Supply Receiver and 2 Remotes	Ea		R	R	R
36.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
36.3	Supply cover and Sprocket	Ea.		R	R	R
36.4	Supply new guide rail	Ea.		R	R	R
36.5	Supply Control Switch	Ea.		R	R	R
36.6	Supply Canopy Cover	Ea.		R	R	R
36.7	Supply End Plates (Brackets)	Ea		R	R	R
36.8	Supply Barre Assembly	Ea.		R	R	R
36.9	Supply Helical Coil Spring	Ea.		R	R	R
36.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
36.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
36.12	Supply Crank Handles	Ea.		R	R	R
37	BAGGAGE: 3180 x 2440mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
37.1	Supply Receiver and 2 Remotes	Ea		R	R	R

37.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
37.3	Supply cover and Sprocket	Ea.		R	R	R
37.4	Supply new guide rail	Ea.		R	R	R
37.5	Supply Control Switch	Ea.		R	R	R
37.6	Supply Canopy Cover	Ea.		R	R	R
37.7	Supply End Plates (Brackets)	Ea		R	R	R
37.8	Supply Barre Assembly	Ea.		R	R	R
37.9	Supply Helical Coil Spring	Ea.		R	R	R
37.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
37.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
37.12	Supply Crank Handles	Ea.		R	R	R
38	BAGGAGE: 5800 x 2440mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
38.1	Supply Receiver and 2 Remotes	Ea		R	R	R
38.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
38.3	Supply cover and Sprocket	Ea.		R	R	R
38.4	Supply new guide rail	Ea.		R	R	R
38.5	Supply Control Switch	Ea.		R	R	R
38.6	Supply Canopy Cover	Ea.		R	R	R
38.7	Supply End Plates (Brackets)	Ea		R	R	R
38.8	Supply Barre Assembly	Ea.		R	R	R
38.9	Supply Helical Coil Spring	Ea.		R	R	R
38.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
38.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
38.12	Supply Crank Handles	Ea.		R	R	R
39	BAGGAGE: 5275 x 2440mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
39.1	Supply Receiver and 2 Remotes	Ea		R	R	R

39.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
39.3	Supply cover and Sprocket	Ea.		R	R	R
39.4	Supply new guide rail	Ea.		R	R	R
39.5	Supply Control Switch	Ea.		R	R	R
39.6	Supply Canopy Cover	Ea.		R	R	R
39.7	Supply End Plates (Brackets)	Ea		R	R	R
39.8	Supply Barre Assembly	Ea.		R	R	R
39.9	Supply Helical Coil Spring	Ea.		R	R	R
39.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
39.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
39.12	Supply Crank Handles	Ea.		R	R	R
40	COOKHOUSE: 3680 x 2910mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
40.1	Supply Receiver and 2 Remotes	Ea		R	R	R
40.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
40.3	Supply cover and Sprocket	Ea.		R	R	R
40.4	Supply new guide rail	Ea.		R	R	R
40.5	Supply Control Switch	Ea.		R	R	R
40.6	Supply Canopy Cover	Ea.		R	R	R
40.7	Supply End Plates (Brackets)	Ea		R	R	R
40.8	Supply Barre Assembly	Ea.		R	R	R
40.9	Supply Helical Coil Spring	Ea.		R	R	R
40.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
40.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
40.12	Supply Crank Handles	Ea.		R	R	R
41	EASTERN COURT: 1500 x 2700mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
41.1	Supply Receiver and 2 Remotes	Ea		R	R	R

41.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
41.3	Supply cover and Sprocket	Ea.		R	R	R
41.4	Supply new guide rail	Ea.		R	R	R
41.5	Supply Control Switch	Ea.		R	R	R
41.6	Supply Canopy Cover	Ea.		R	R	R
41.7	Supply End Plates (Brackets)	Ea		R	R	R
41.8	Supply Barre Assembly	Ea.		R	R	R
41.9	Supply Helical Coil Spring	Ea.		R	R	R
41.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
41.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
41.12	Supply Crank Handles	Ea.		R	R	R
42	EASTERN COURT: 5850 x 2700mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
42.1	Supply Receiver and 2 Remotes	Ea		R	R	R
42.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
42.3	Supply cover and Sprocket	Ea.		R	R	R
42.4	Supply new guide rail	Ea.		R	R	R
42.5	Supply Control Switch	Ea.		R	R	R
42.6	Supply Canopy Cover	Ea.		R	R	R
42.7	Supply End Plates (Brackets)	Ea		R	R	R
42.8	Supply Barre Assembly	Ea.		R	R	R
42.9	Supply Helical Coil Spring	Ea.		R	R	R
42.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
42.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
42.12	Supply Crank Handles	Ea.		R	R	R
43	FISH AND SHIPS: 3255 x 3000mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
43.1	Supply Receiver and 2 Remotes	Ea		R	R	R

43.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
43.3	Supply cover and Sprocket	Ea.		R	R	R
43.4	Supply new guide rail	Ea.		R	R	R
43.5	Supply Control Switch	Ea.		R	R	R
43.6	Supply Canopy Cover	Ea.		R	R	R
43.7	Supply End Plates (Brackets)	Ea		R	R	R
43.8	Supply Barre Assembly	Ea.		R	R	R
43.9	Supply Helical Coil Spring	Ea.		R	R	R
43.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
43.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
43.12	Supply Crank Handles	Ea.		R	R	R
44	FISH AND SHIPS: 7170 x 3000mmH PERFORATED INDUSTRIAL ROLLER SHUTTER DOOR SPARE PARTS					
44.1	Supply Receiver and 2 Remotes	Ea		R	R	R
44.2	Supply 75 x 1mm Perforated slates	Ea.		R	R	R
44.3	Supply cover and Sprocket	Ea.		R	R	R
44.4	Supply new guide rail	Ea.		R	R	R
44.5	Supply Control Switch	Ea.		R	R	R
44.6	Supply Canopy Cover	Ea.		R	R	R
44.7	Supply End Plates (Brackets)	Ea		R	R	R
44.8	Supply Barre Assembly	Ea.		R	R	R
44.9	Supply Helical Coil Spring	Ea.		R	R	R
44.10	Supply Spur Wheel Gear/Bevel Gear	Ea.		R	R	R
44.11	Supply T – Bar (bottom Rail)	Ea.		R	R	R
45.12	Supply Crank Handles	Ea.		R	R	R

					Year 1 Rates		Year 2 Rates		Year 3 Rates	
Item	Description	Unit	Annual Estimated Quantity		Rate (Excl. VAT)	Amount (Excl. VAT)	Rate (Excl. VAT)	Amount (Excl. VAT)	Rate (Excl. VAT)	Amount (Excl. VAT)
1	Provisional Sum (Material)	Material	Sum	Value/Amount	R 100 000.00	R 100 000.00	R 100 000.00	R 100 000.00	R 100 000.00	R 100 000.00
2	Percentage mark-up for materials that are not listed	Material	%	R 100 000.00	%	R	%	R	%	R
3	The Service Provider is to tender their total cost per hour on site per qualified Artisan and an assistant to perform service and repairs during Normal working hours (07:00 – 17:00) . This cost shall exclude material, which has previously been dealt with in this schedule.	Artisan	Rate/hour	500 hours	R	R	R	R	R	R
4		General Worker	Rate/hour	500 hours	R	R	R	R	R	R
5	The Service Provider is to tender their total cost per hour on site per qualified Artisan and an assistant to perform service and repairs during After working hours and Saturdays (17:00 – 07:00) . This cost shall exclude material, which has previously been dealt with in this schedule.	Artisan	Rate/hour	25 hours	R	R	R	R	R	R
6		General Worker	Rate/hour	25 hours	R	R	R	R	R	R
7	The Service Provider is to tender their total cost per hour on site per qualified Artisan and an assistant to perform service and repairs during Sunday and Public Holiday . This cost shall exclude material, which has previously been dealt with in this contract	Artisan	Rate/hour	25 hours	R	R	R	R	R	R
8		General Worker	Rate/hour	25 hours	R	R	R	R	R	R
9	Travel cost		Rate/ km	5000 kilometers	R	R	R	R	R	R
10	Provision of a Safety file	Sum	Value/Amount	R 6000.00	R 6000.00	R 6000.00	R 6000.00	R 6000.00	R 6000.00	R 6000.00
				Totals:						
				Vat (15%)						
				Total Incl vat						