	<b>Informal Tendering Request for Quotation (RFQ) Template for Transactions up to R1M</b>	<b>Document Identifier</b>	240-73269736	<b>Rev</b>	7
		<b>Effective Date</b>	February 2023		
		<b>Review Date</b>	February 2028		
		<b>Enquiry</b>	OLT2060051		

Dear Valued Supplier,

Eskom Holdings SOC Ltd (“Eskom”) hereby invites you to submit a quote on the following goods/works/services as stated below under **point number 5**.

**Please note the following rules with respect to the OLT system (Informal Tendering)**

- Please ensure that the email subject line only contains the OLT2060051 Enquiry number as per heading and no other information. Do not add any text to the subject line. Do not add any space in between the prefix and the enquiry number.
- Ensure that the enquiry number is stipulated in the subject line on all e-mails if multiple emails are sent
- Ensure that you receive a confirmation email after submitting your documentation. Please follow up immediately via the email address of the respective buyer if you did not receive this.
- Maximum attachment size per email is 10MB. It is the supplier’s obligation to ensure that the attachments per email do not exceed this limit.
- Please note closing date and time on the RFQ. Your submission will not be evaluated if it is received after the closing date and time of the RFQ.
- All tender returnables/documentation must be submitted to [Informaltendering@eskom.co.za](mailto:Informaltendering@eskom.co.za) only. E-mails to any other address (except for clarifications) will not be accepted. Failure to comply with these rules will result in your tender being disqualified.
- Requests for Clarifications must be sent in writing to the respective buyer at [hendrial@eskom.co.za](mailto:hendrial@eskom.co.za) and not to [Informaltendering@eskom.co.za](mailto:Informaltendering@eskom.co.za). All requests for clarifications and responses must be in writing. Eskom will respond to requests for clarification received within one (1) – two (2) working days before the tender closing deadline, depending on the enquiry duration and complexity.


**Note:**

- Tenderer to complete sections 5, 6 & 7 and to submit it together with the tender returnables stated in section 3, to [Informaltendering@eskom.co.za](mailto:Informaltendering@eskom.co.za)  
Due to varying requirements, slight changes could be included in each RFQ document, and suppliers are therefore required to read through the document carefully whenever invited to tender.
- ALL Suppliers are required to be registered (except foreign suppliers) on the National Treasury Central Supplier Database (CSD) as at tender response stage and the respective CSD number must be provided with all quotes together with the Eskom vendor registration number. responses that do not comply with the CSD requirement will be regarded as non-responsive(except foreign suppliers)  
For CSD registration: Please register at <https://secure.csd.gov.za/>

**Confidential**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.


	<b>Informal Tendering Request for Quotation (RFQ) Template for Transactions up to R1M</b>	<b>Document Identifier</b>	240-73269736	<b>Rev</b>	7
		<b>Effective Date</b>	February 2023		
		<b>Review Date</b>	February 2028		
		<b>Enquiry</b>	OLT2060051		

- All Suppliers (including Foreign suppliers) are required to complete SBD 1-Invitation to Bid and submit this annexure at the stipulated deadline Local suppliers are required to be tax compliant and must submit CSD Number/ Efiling pin number/ copy of tax clearance certificate as evidence of their tax compliance status.
- Foreign suppliers (even those with no footprint in RSA) are in addition required to answer Part B (3) which is part of the afore-mentioned SBD 1. Should the said Foreign suppliers answer “yes” to any of the questions [Part B (3)]; they are required to be tax compliant and must therefore submit their Efiling pin number or copy of tax clearance certificate which will be verified by Eskom.
- All suppliers are required to refer to [www.eskom.co.za](http://www.eskom.co.za) for the Supplier Integrity Pact that must be downloaded and read. The Integrity Declaration form (attached hereto) and the SBD 4-Bidders Declaration form (attached hereto) are mandatory tender returnables and must be fully completed, signed and submitted at the stipulated deadlines.
- Specify line prices at lines where prices are submitted and indicate no quote at lines where no price is submitted.
- Where “designated sectors” are applicable, ensure that all relevant stipulated returnables are submitted by the stipulated deadline, or the submission will be regarded as non-responsive and ineligible for award.
- It is a requirement to return full specifications with your quotation eg. drawings, dimensions, manufacturer's name, etc (if this is applicable to the RFQ). Where there is a deviation, suppliers are also required to fully complete and submit the deviation schedule /form at RFQ closing deadline. Please ensure that the SAP No, Drawing No, Revision No and Manufacturer is stated on the form. Where there are deviations, but the deviation schedule has not been fully completed and returned at RFQ closing deadline, your offer will be disqualified.
- Eskom Standard Conditions of Tender applies to this tender.

### Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	<b>Informal Tendering Request for Quotation (RFQ) Template for Transactions up to R1M</b>	<b>Document Identifier</b>	240-73269736	<b>Rev</b>	7
		<b>Effective Date</b>	February 2023		
		<b>Review Date</b>	February 2028		
		<b>Enquiry</b>	OLT2060051		

To	To whom it may Concern		Date	09 February 2023	
Eskom Vendor Registration Number			National Treasury Central Supplier Database (CSD) Number		
SARS eFiling Pin number			B-BBEE level		
Attention			Tel No		
E-mail address					
RFQ No	OLT2060051	Closing date	17/02/2023	Closing time At (South African Standard Time)	23:00
Validity period of offers	30 days <i>Please be advised that NO late offers will be considered and all offers must be sent to <a href="mailto:informaltendering@eskom.co.za">informaltendering@eskom.co.za</a></i>				
Eskom contact person	Lorna Hendricks		Tel No	021 941 5728	
E-mail address	hendrial@eskom.co.za				


## ANNEXURES

- Integrity Pact Declaration(applicable for all enquiries)
- SBD 4 - Bidders Declaration (applicable for all RFQs)
- SBD-6.2- Certificate for Local Production and Content and Annexures C,D,E (applicable where there are designated sectors/materials – **N/A**)
- Tax Evaluation questionnaire (applicable for services type of contracts only) – **N/A**
- SBD 1- Invitation to Bid (applicable for all suppliers) This document Is the SBD!
- CPA Requirements for Local Goods/Services (South African) or CPA (IG) for Foreign Goods / Services (where applicable) – **N/A**
- Technical Deviation Schedule (applicable for all enquiries) – **At the Bottom of the Detailed list of Items Required**
- SBD 6.1-Preference Claim Form(applicable for all enquiries)
- Eskom Standard Conditions of Tender(applicable for all enquiries)
- Eskom's General Conditions of Purchase(applicable for all enquiries)

## Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	<b>Informal Tendering Request for Quotation (RFQ) Template for Transactions up to R1M</b>	<b>Document Identifier</b>	240-73269736	<b>Rev</b>	7
		<b>Effective Date</b>	February 2023		
		<b>Review Date</b>	February 2028		
		<b>Enquiry</b>	OLT2060051		

## CONDITIONS OF PURCHASE

Eskom General Conditions of Purchase (as attached) will apply.

## EVALUATION CRITERIA

### Functionality requirements

The following criteria will be applicable for this transaction under functionality criteria:

Please Supply MSDS's where applicable to ensure Technical Compliance

Tenderers who do not meet the threshold for functionality scoring will be disqualified and not be evaluated further

### PPPFA Price and Preference Points

For transactions up to R50M (inclusive of VAT) Price and Preferential Point Scoring will be based on the 80/20 allocation aligned to the PPPFA Regulations 2022;

<b>B-BBEE Status Level of Contributor</b>	<b>Number of points (90/10 system)</b>	<b>Number of points (80/20 system)</b>
1	10	20
2	9	18
3	6	14
4	5	12
5	4	8
6	3	6
7	2	4
8	1	2
Non-compliant contributor	0	0

A tenderer failing to provide documentation for the allocation of preference points will not be disqualified, but-


- (a) may only score points out of 90/80 for price
- (b) scores 0 points out of 10/20 for specific goals.

A tenderer may not be awarded points for specific goals if the tender documents indicate that the tenderer intends to subcontract more than 25% of the value of the contract to any other person not qualifying for at least the points that the tenderer qualifies for, unless the intended subcontractor is an EME that can execute the subcontract.

## Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	<b>Informal Tendering Request for Quotation (RFQ) Template for Transactions up to R1M</b>	<b>Document Identifier</b>	240-73269736	<b>Rev</b>	7
		<b>Effective Date</b>	February 2023		
		<b>Review Date</b>	February 2028		
		<b>Enquiry</b>	OLT2060051		

**\*Note:**

Failure on the part of the supplier to submit supporting documents/proof of specific goals for purposes of evaluation and scoring by RFQ closing will not result in disqualification (if tenderer is otherwise deemed to be responsive/acceptable in all other aspects). The tenderer will, however, be scored zero for Specific goals for purposes of PPPFA scoring and ranking.

Eskom reserves the right to negotiate with preferred bidders after a competitive bidding process or price quotations; should the tendered prices not be deemed market related.

### **TENDER RETURNABLES**

Please ensure that the tender returnables listed hereunder are submitted as per stipulated deadlines as non-compliance with mandatory tender returnables at stipulated deadline will result in disqualification.

**NOTE:**

**\* Returnable required at Tender closing (disqualifiable) - These returnable are required to be fully completed, signed (if required on the returnable) and submitted with the tender at Tender closing date and time. If not fully completed, signed (if required on the returnable) and/or submitted by tender closing the tender must be disqualified.**

**\*\* Returnable required at Tender closing. (Non-disqualifiable) – These returnable are also required to be fully completed, signed (if required on the returnable) and submitted with Tender at Tender closing date and time, however, if not submitted by Tender closing, the Procurement Practitioners must request in writing the outstanding returnable to be submitted within 2 working days. If the requested returnable are not fully completed, signed (if required on the returnable) and/or received by the Procurement Practitioner within 2 working days of the request; the tender must be disqualified.**


**# These returnable are mandatory for evaluation and therefore required at tender closing time and date. These will not be requested by the Procurement Practitioner, however the tenderer will not be disqualified but score zero.**

- **\*\*Integrity Declaration Form**
- **\*\*SBD 4 - Bidders Declaration**
- **SBD 6.2- Certificate for Local Production and Content and Annexures C, D, E (prior to order/contract award). Applicable only where there are designated sectors/materials – N/A**
- **Tax Evaluation questionnaire to determine whether a company, close corporation (CC) or Trust is a personal service provider for purposes of PAYE (prior to order/contract award) Applicable for services contracts only - N/A**

### **Confidential**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	<b>Informal Tendering Request for Quotation (RFQ) Template for Transactions up to R1M</b>	<b>Document Identifier</b>	240-73269736	<b>Rev</b>	7
		<b>Effective Date</b>	February 2023		
		<b>Review Date</b>	February 2028		
		<b>Enquiry</b>	OLT2060051		

- SBD 1- Invitation to Bid
- \*CPA Requirements for Local Goods/Services (South African) or CPA (IG) for Foreign Goods/Services – **N/A**
- \*Technical Deviation schedule. This must be fully completed and submitted **only** where there are deviations - At the Bottom of the Detailed list of Items Required
- # SBD 6.1- Preference Points Claim Form
- Copy of valid current SARS certificate (**prior to order/contract award**) Applicable for Foreign suppliers who are required to be tax compliant but have not submitted a CSD/eFiling Pin number.
- # Valid supporting documents/proof of compliance to Specific Goals – **N/A**
- Letter of Good Standing (COIDA) (**prior to order/contract award**)
- \*\*CIDB certificate – **N/A**
- Audited financial statements (**prior to order/contract award**) where applicable – **N/A**
- Valid B-BBEE certificate issued by a B-BBEE verification professional/sworn affidavit (**prior to order/contract award**) – **if not submitted by tender closing date the Supplier will lose out on the Price and Preference Scoring**


#### DELIVERY DETAILS

<b>Delivery address</b>	Eskom Drakensberg Pump Storage Scheme Off R74 between Bergville and Harrysmith, Bergville 3350  Site contact persons: Hlengiwe Mohale 082 265 9924 Butho Ncube 074 684 9218  Delivery date to be at least by end May 2023	<b>Delivery date</b>	<b>Supplier to advise soonest date :</b>
<b>Attention</b>	<b>TBA</b>	<b>Tel no</b>	<b>TBA</b>

#### Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	<b>Informal Tendering Request for Quotation (RFQ) Template for Transactions up to R1M</b>	<b>Document Identifier</b>	240-73269736	<b>Rev</b>	7
		<b>Effective Date</b>	February 2023		
		<b>Review Date</b>	February 2028		
		<b>Enquiry</b>	OLT2060051		

#### DETAILED LIST OF ITEMS REQUIRED


Nr	Description	Specification	Quantity	Price Per Unit
1	PT PT100 for the PT Guide Bearing	TR10 Industrial RTD Assembly part number ZS4020.01 RTD assembly description TR10-0: Industrial assembly configured Unit of measure: Metric (mm) Insert design: Fixed to the fitting (not removable) Connection head: KNPL-0 (Aluminum) Cable entry: M20 x 1.5 Head instrument connection: BSP 1/2 inch Terminal block/Transmitter: Ceramic terminal block Neck extension: Fixed single threaded hex bushing with additional fitting Neck material: Stainless steel 316 (1.4401), Fitting material: Stainless steel 316 (1.4401) Thread size: BSP 1/2 inch N-Dimension: 60 mm Measuring element: Pt100, class B (IEC 60751), Wiring configuration: Dual 3-wire Temperature range: -50...+500 °C Tip construction: General purpose, sensor construction type to be Thin-UM film for high vibration of up to 50g Sensor diameter: 6.0 mm Sheath material: Stainless steel 316 / 316 L (1.4401 / 1.4435) A-Dimension: 940 mm Additional ordering information: PR5437A transmitter installed and programmed for sensor fail redundancy. Sheath construction: MI-cable	8	
2	PT 100 for the Thrust Guide Bearing	PT 100 size 425mm X 6mm, 3-wire, Pin 1=red Pin 2=red Pin 3=white, Hex Head with Hirschman Plug. Tip construction: General purpose, sensor construction type to be Thin-UM film for high vibration of up to 50g. Please include SS316, 1/4" BSPT adjustable compression fittings. SS316	12	

### Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.



	<b>Informal Tendering Request for Quotation (RFQ) Template for Transactions up to R1M</b>	<b>Document Identifier</b>	240-73269736	<b>Rev</b>	7
		<b>Effective Date</b>	February 2023		
		<b>Review Date</b>	February 2028		
		<b>Enquiry</b>	OLT2060051		


3	PT 100 for the Thrust Bearing	PT 100 size 750mm X 6mm, 3-wire, Pin 1=red Pin 2=red Pin 3=white, Hex Head with Hirschman Plug. Tip construction: General purpose, sensor construction type to be Thin-UM film for high vibration of up to 50g. Please include SS316, 1/2" BSPT adjustable compression fittings.	12	
4	G/M Cooler CW outlet PT100	ZT5513.80 TR10 Industrial RTD Assembly RTD assembly description TR10-0: Industrial assembly configured Unit of measure: Metric (mm) Insert design: Fixed to the fitting (not removable) Connection head: KNPL-0 (Aluminum) Cable entry: M20 x 1.5 Head instrument connection: BSPT 1/2 inch Terminal block/Transmitter: Ceramic terminal block Neck extension: Double threaded hex bushing Neck material: Stainless steel 316 Thread size: BSPT 1/2 inch N-Dimension: 25 mm (approx. 1.0 inch) Measuring element: Pt100, class B (IEC 60751) Wiring configuration: Single 3-wire Temperature range: -50...+500 °C Tip construction: Vibration proof tip, max. 10 g amplitude (20 g, peak to peak) Sensor diameter: 6.0 mm Sheath material: Stainless steel 316 / 316 L (1.4401 / 1.4435) A-Dimension: 100 mm Sheath construction: MI-cable	24	

### Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.




	<b>Informal Tendering Request for Quotation (RFQ) Template for Transactions up to R1M</b>	<b>Document Identifier</b>	240-73269736	<b>Rev</b>	7
		<b>Effective Date</b>	February 2023		
		<b>Review Date</b>	February 2028		
		<b>Enquiry</b>	OLT2060051		

5	G/M Cooler Air outlet PT100	ZT5513.80 TR10 Industrial RTD Assembly RTD assembly description TR10-0: Industrial assembly configured Unit of measure: Metric (mm) Insert design: Fixed to the fitting (not removable) Connection head: KNPL-0 (Aluminum) Cable entry: M20 x 1.5 Head instrument connection: G 1/2 B (BSP 1/2 inch) Terminal block/Transmitter: Ceramic terminal block Neck extension: Double threaded hex bushing Neck material: Stainless steel 316 Thread size: 1/2 BSPT N-Dimension: 25 mm (approx. 1.0 inch) Measuring element: Pt100, class B (IEC 60751) Wiring configuration: Single 3-wire Temperature range: -50...+500 °C Tip construction: Vibration proof tip, max. 10 g amplitude (20 g, peak to peak) Sensor diameter: 6.0 mm Sheath material: Stainless steel 316 / 316 L (1.4401 / 1.4435) A-Dimension: 150 mm Sheath construction: MI-cable	24	
6	G/M Cooler Air inlet PT100	ZT5553.80 TR40 Cable RTD sensor (MI-cable) Specifications according to data sheet: TE 60.40 Design: With lead wires 1xPt100, 3-wire Class B, IEC 60751 Temperature range of selected class: -50...+500°C Probe design: Straight Lead wire insulation: Stainless steel braid over PTFE/PFA, application range -60...+250 °C Cable length [W]: 2000 mm Cable ending: Stripped leads Process connection: Fixed single threaded hex bushing Thread size: BSP 1/2 inch Material process connection: Stainless steel 316 Probe diameter: 6 mm Probe material: Stainless steel 316L A-dimension [A]: 150 mm Dimension [X]: 50 mm Stripped length [L]: 50 mm Lower ambient temperature: -40 °C Mechanical requirements: High vibration proof probe tip (max. 50 g, peak to peak) Ingress protection: IP54, IEC 60529, dust-protected/protection against splashing water	24	

### Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	<b>Informal Tendering Request for Quotation (RFQ) Template for Transactions up to R1M</b>	<b>Document Identifier</b>	240-73269736	<b>Rev</b>	7
		<b>Effective Date</b>	February 2023		
		<b>Review Date</b>	February 2028		
		<b>Enquiry</b>	OLT2060051		

7	Compression fitting	Stainless Steel compression fitting to fit a 6mm PT100 with a 1/2inch male BSPT	30	
8	Compression fitting	Stainless Steel compression fitting to fit a 6mm PT100 with a 3/8inch male BSPT	30	
9	Compression fitting	Stainless Steel compression fitting to fit a 6mm PT100 with a 1/4inch male BSPT	30	

#### Technical Deviations **(To be completed by tenderer)**

- i. Are there any technical Deviations: Yes\_\_\_\_\_ | No \_\_\_\_ (indicate applicable response)
- ii. If “Yes” above, did you complete fully and submit the technical deviation form?  
Yes\_\_\_\_\_ | No \_\_\_\_ (indicate applicable response)
- iii. Please note that if there are technical deviations and the technical deviation form has not been fully completed and submitted at RFQ closing deadline- your offer tender will be deemed non-responsive and disqualified.

#### Comment:

---




---



---



---

Sign  09/02/2023


---

**Lorna Hendricks – Procurement Practitioner, Peaking Operating Unit**

### Confidential

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	<b>Informal Tendering Request for Quotation (RFQ) Template for Transactions up to R1M</b>	<b>Document Identifier</b>	240-73269736	<b>Rev</b>	7
		<b>Effective Date</b>	February 2023		
		<b>Review Date</b>	February 2028		
		<b>Enquiry</b>	OLT2060051		

**TABLE TO BE COMPLETED BY TENDERER**

<b>Warranty period</b>		<b>Prices fixed?</b>	
<b>Eskom's General Conditions of Purchase accepted</b>		<b>Quotation is valid for</b>	
<b>Delivery offered</b>		<b>Days/weeks of delivery duration</b>	
<b>Prices include delivery</b>		<b>FOB value (Ex-stock)</b>	
<b>Delivery cost (if applicable)</b>		<b>Rate of exchange (if applicable)</b>	
<b>Delivery method</b>		<b>Foreign currency</b>	
<b>Discount</b>	<b>Trade</b>	<b>Settlement</b>	
<b>Freight insurance</b>			
<b>Are you registered on the Eskom Vendor Database[please indicate "yes" or "no" and provide a reason if not registered.</b>			
<b>Is Integrity Pact Declaration signed and attached</b>			
<b>Company Registration Number</b>		<b>B-BBEE level</b>	

**Suppliers Must Comply with Eskom's Life Saving Rules while on Eskom site/Eskom Property.**


The supplier will additionally be required to ensure that the following environmental requirements are complied with at all times (while on Eskom site/Eskom property):-

- Zero liquid effluent discharge.
- No chemicals will be dumped into the station drains or on the premises.
- No oil or waste will be dumped on an unauthorized area or unlicensed waste site.
- Asbestos will be handled and stored according to Asbestos Regulation R155 of 2002.
- No materials or waste will be burnt on site.
- Hazardous substances shall be handled and stored according to the Hazardous substances. Regulation GN1179 of 1995 effluent shall not be discharged into public streams.

**Confidential**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.

	<b>Informal Tendering Request for Quotation (RFQ) Template for Transactions up to R1M</b>	<b>Document Identifier</b>	240-73269736	<b>Rev</b>	7
		<b>Effective Date</b>	February 2023		
		<b>Review Date</b>	February 2028		
		<b>Enquiry</b>	OLT2060051		

## **SIGNATORIES**

### **For Supplier:**

The invitee/tenderer hereby confirms that a copy of the Integrity Declaration Pact was obtained, that it understands the provisions thereof and, undertakes to abide by the provisions thereof in any dealings it may have with Eskom and that the signed Integrity Declaration form and SBD 4- Bidders Declaration form have both been fully completed, signed and submitted as tender returnables by the stipulated deadlines.

<b>Name of supplier</b>	<b>Designation</b>	<b>Signature</b>	<b>Date</b>
		<div></div> [duly authorised to sign on behalf of the supplier]	
<b>Telephone number</b>		<b>Fax number and e-mail address</b>	

## **Confidential**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.