

SANRAL



BUILDING SOUTH AFRICA
THROUGH BETTER ROADS

THE SOUTH AFRICAN NATIONAL ROADS AGENCY SOC LIMITED

NRA 2025/0341

CONTRACT SANRAL X.003-106-2026/1

THE URGENT ROUTINE ROAD MAINTENANCE ON NATIONAL ROAD R392 SECTION 3: R58 INTERSECTION – DR8560 INTERSECTION, A DISTANCE OF APPROXIMATELY 44.40KM, NATIONAL ROAD R393 SECTION 2: PALMIETFONTEIN – TELLE BRIDGE BORDER POST, A DISTANCE OF APPROXIMATELY 3.03KM, NATIONAL ROAD R726 SECTION 1: PALMIETFORNTEIN – DR8605 INTERSECTION, A DISTANCE OF APPROXIMATELY 18.77KM

ISSUE DATE:	22 APRIL 2026
TENDER BRIEFING SESSION:	30 APRIL 2026, 10am
CLOSING DATE:	15 MAY 2026
CLOSING TIME:	12:00 PM

LIST OF CONTRACT DOCUMENTS

- VOLUME 1: Conditions of Contract for Construction for Building and Engineering Works Designed by the Employer (1999), published by the Fédération Internationale des Ingénieurs-Conseils (FIDIC) which the tenderer shall purchase himself. (See note 1 below).
- VOLUME 2: The COTO Standard Specifications for Road and Bridge Works for South African Road Authorities (Draft Standard October 2020 edition), issued by the Committee of Transport Officials which the tenderer shall obtain himself. (See Note 2 below).
- VOLUME 3: Project Document, containing the tender notice, Conditions of Tender, Tender Data, Returnable Schedules, general and particular conditions of contract, project specifications, Pricing Schedule, Form of offer and Project Information is issued by the Employer (see note 3 below). The Employer's Form of Acceptance and any correspondence from the selected tenderer, performance security-demand guarantee, and all addenda issued during the period of tender will also form part of this volume once a successful tenderer has been appointed.

The conditions of tender are the Standard Conditions of Tender as contained in Annexure C of the CIDB Standard for Uniformity in Construction Procurement as per Government Notice No. 423 published in Government Gazette No. 42622 of 8 August 2019 and as amended from time to time. (see www.cidb.org.za).

<https://www.cidb.org.za/download/100/procurement-documents-templates-and-guidelines/6157/standard-for-uniformity-august-2019.pdf>

- VOLUME 4: The road works drawings.
- VOLUME 5: The structural drawings.
- VOLUME 6: Materials investigation and utilisation.
- VOLUME 7: Environmental Management Plan report.

REVISION OF CONTRACT NUMBER

CONTRACT SANRAL X.003-106-2016/1

THE URGENT ROUTINE ROAD MAINTENANCE ON NATIONAL ROAD R392 SECTION 3: R58 INTERSECTION – DR8560 INTERSECTION, A DISTANCE OF APPROXIMATELY 44.40KM, NATIONAL ROAD R393 SECTION 2: PALMIETFONTEIN – TELLE BRIDGE BORDER POST, A DISTANCE OF APPROXIMATELY 3.03KM, NATIONAL ROAD R726 SECTION 1: PALMIETFORNTEIN – DR8605 INTERSECTION, A DISTANCE OF APPROXIMATELY 18.77KM

TABLE OF CONTENTS PAGE

PART T1: TENDERING PROCEDURE.....T-1
PART T2: RETURNABLE SCHEDULEST-20
PART C1: AGREEMENTS AND CONTRACT DATAC2-1
PART C2: PRICING DATA.....C2-2
PART C3: SCOPE OF WORKSC2-21
PART C4: SITE INFORMATION.....C4-1
PART C5: ANNEXURESC5-1

PART T1: TENDERING PROCEDURES

**SBD1 FORM
INVITATION TO BID**

BID NUMBER:	NRA 2025/0341	ISSUE DATE:	22 APRIL 2026	CLOSING DATE:	15 MAY 2026	CLOSING TIME:	12pm
DESCRIPTION	CONTRACT SANRAL X.003-106-2026/1 THE URGENT ROUTINE ROAD MAINTENANCE ON NATIONAL ROAD R392 SECTION 3: R58 INTERSECTION – DR8560 INTERSECTION, A DISTANCE OF APPROXIMATELY 44.40KM (H), NATIONAL ROAD R393 SECTION 2: PALMIETFORNTEIN – TELLE BRIDGE BORDER POST, A DISTANCE OF APPROXIMATELY 3.03KM (I), NATIONAL ROAD R726 SECTION 1: PALMIETFORNTEIN – DR8605 INTERSECTION, A DISTANCE OF APPROXIMATELY 18.77 KM						
VALIDITY PERIOD	Twelve (12) weeks.						
BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO							
CONTACT PERSON	ProcurementSR6@sanral.co.za						
TELEPHONE NUMBER	N/A						
E-MAIL ADDRESS	ProcurementSR6@sanral.co.za						
SUPPLIER INFORMATION							
NAME OF TENDERER							
POSTAL ADDRESS							
STREET ADDRESS							
TELEPHONE NUMBER	CODE			NUMBER			
CELLPHONE NUMBER							
E-MAIL ADDRESS							
VAT REGISTRATION NUMBER							
SUPPLIER COMPLIANCE STATUS	TAX COMPLIANCE SYSTEM PIN:		OR	CENTRAL SUPPLIER DATABASE	UNIQUE REGISTRATION REFERENCE NUMBER:	MAAA	
B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE	TICK APPLICABLE BOX]		B-BBEE STATUS LEVEL SWORN AFFIDAVIT		[TICK APPLICABLE BOX]		
	<input type="checkbox"/> Yes	<input type="checkbox"/> No			<input type="checkbox"/> Yes	<input type="checkbox"/> No	
[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/ SWORN AFFIDAVIT MUST BE SUBMITTED FOR PURPOSES OF COMPLIANCE WITH THE B-BBEE ACT]							
ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?					<input type="checkbox"/> Yes <input type="checkbox"/> No		
					[IF YES, ANSWER QUESTIONNAIRE BELOW]		
QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS							
IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?					<input type="checkbox"/> YES <input type="checkbox"/> NO		
DOES THE ENTITY HAVE A BRANCH IN THE RSA?					<input type="checkbox"/> YES <input type="checkbox"/> NO		
DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA?					<input type="checkbox"/> YES <input type="checkbox"/> NO		
DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?					<input type="checkbox"/> YES <input type="checkbox"/> NO		
IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?					<input type="checkbox"/> YES <input type="checkbox"/> NO		
IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 1.3 BELOW.							

**PART B
TERMS AND CONDITIONS FOR BIDDING**

1. TAX COMPLIANCE REQUIREMENTS	
1.1	TENDERERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
1.2	TENDERERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
1.3	APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
1.4	TENDERERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
1.5	IN BIDS WHERE UNINCORPORATED CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
1.6	WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

SIGNATURE OF TENDERER:

CAPACITY UNDER WHICH THIS BID IS SIGNED:

(Proof of authority must be submitted e.g. company resolution)

DATE:

T1.1 TENDER NOTICE AND INVITATION TO TENDER

The South African National Roads Agency SOC Limited (SANRAL) invites tenders for NRA2024/0341 - THE URGENT ROUTINE ROAD MAINTENANCE ON NATIONAL ROAD R392 SECTION 3: R58 INTERSECTION – DR8560 INTERSECTION, A DISTANCE OF APPROXIMATELY 44.40KM (H), NATIONAL ROAD R393 SECTION 2: PALMIETFORNTEIN – TELLE BRIDGE BORDER POST, A DISTANCE OF APPROXIMATELY 3.03KM (I), NATIONAL ROAD R726 SECTION 1: PALMIETFORNTEIN – DR8605 INTERSECTION, A DISTANCE OF APPROXIMATELY 18.77 KM .

This project is in the province of the Eastern Cape in the Enoch Mgijima District Municipality. The approximate duration is twelve (12) months

CIDB Regulation 25(1B) will not be applicable to this contract. Only tenderers who are registered on the National Treasury Central Supplier Database as stated in the Tender Data C.2.1.1 are eligible to tender.

It is estimated that tenderers should have a CIDB **contractor grading designation of 7CE**, however tenderers attention is drawn to clause C.2.1.1 of the Tender Data when submitting their tender offers.

Tenders from tenderers registered as potentially emerging enterprises but with a CIDB contractor grading designation lower than a contractor grading designation determined in accordance with the sum tendered, or a value determined in accordance with Regulation 25(7A) of the Construction Industry Development Regulations, will not be accepted.

It is a requirement of this project that the successful tenderer subcontract a minimum of 30 percent (30%) of the work by the end of the contract to Targeted Enterprise(s) as defined in the Contract Data.

TENDER DOCUMENTS

Tender documents are available from Tuesday: **22 April 2026** free download from the SANRAL website, National Treasury's eTender Publication Portal (<http://www.etenders.gov.za>) and the CIDB Website.

A Compulsory Briefing Session

A compulsory briefing session will be conducted **Virtually** on the **30th of April 2026**, at **10H00am** for a period of **± 2 hours**. The briefing session link will go live an hour before to ensure tenders complete the register. Information will not be repeated for the benefit of Tenderers arriving late.

[Join the meeting now](#)

Microsoft Teams meeting

Join: <https://teams.microsoft.com/meet/320215956366919?p=cuKyonzdlmo6Els8ml>

Meeting ID: 320 215 956 366 919

Passcode: Rp7B5Qc7

The briefing session will start punctually, and information will not be repeated for the benefit of Tenderers arriving late.

A tender representative cannot represent more than one tenderer at the tender briefing meeting.

A tender-class briefing presentation will be sent to all Tenderers who attended the briefing session. It is the responsibility of the Tenderer to ensure they receive the presentation.

Closing Date

The closing date and time for receipt of tenders is **15 May 2026 @ 12 pm** (South African Time).
Tenders must be placed inside the tender box at:

Location of tender box:

The South African National Roads Agency SOC Ltd
20 Shoreward Drive
Baywest, Gqeberha
Eastern Cape
6025

- Telephonic, telegraphic, telex, facsimile, e-mailed tenders will NOT be accepted.
- No late tenders will be accepted after closing date and time.
- Bidders to ensure that their names and contacts details are reflected on the cover page of the bid document.
- Tenders may only be submitted on the tender documentation that is issued.
- Requirements for sealing, addressing, delivery, opening and assessment of tenders are stated in the Tender Data.

T.1.2 TENDER DATA

The conditions of tender are the standard conditions of tender as contained in Annexure C of the CIDB STANDARD FOR UNIFORMITY IN ENGINEERING AND CONSTRUCTION WORKS CONTRACTS as per Government Notice No. 423 published in Government Gazette No. 42622 of 08 AUGUST 2019 and as amended from time to time. (see www.cidb.org.za).

The standard conditions of tender make several references to the tender data for details that apply specifically to this tender. The tender data shall have precedence in the interpretation of any ambiguity or inconsistency between the tender data and the standard conditions of tender.

Each item of data given below is cross-referenced to the clause marked "C" in the above-mentioned Standard Conditions of Tender.

Clause Number	Data
C.1	GENERAL
C.1.1	<p>Actions</p> <p>The Employer is The South African National Road Agency SOC Limited (SANRAL). The Employer's domicilium citandi et executandi (permanent physical business address) is:</p> <p>48 Tambotie Avenue Val de Grace Pretoria, 0184</p>
C.1.2	<p>Tender Document</p> <p>The tender documents issued by the Employer comprise:</p> <p>Part T1: Tendering Procedures T1.1 Tender notice and invitation to tender (White) T1.2 Tender data (white)</p> <p>Part T2: Returnable Schedules T2.1 List of returnable documents (white) T2.2 Returnable schedules (white)</p> <p>Part C1: Agreements and contract data C1.1 Form of offer and acceptance (Yellow) C1.2 Contract data (Yellow)</p>

	<p>Part C2: Pricing data C2.1 Pricing instructions (assumptions) (Yellow) C2.2 Pricing Schedules / Bills of Quantities (Yellow)</p> <p>Part C3: Scope of work C3 Scope of work (Blue)</p> <p>Part C4: Project Information C4 Project Information (Green)</p> <p>Part C5: Annexures (White)</p>
C.1.4	<p>Communication and employer's agent</p> <p>The language for communications is English.</p> <p>The Employer's agent can be contacted at ProcurementSR6@sanral.co.za</p>

C.1.5	Cancellation and Re-Invitation of Tenders
C.1.5.1	<p>An employer may, prior to the award of the tender, cancel a tender if:</p> <ul style="list-style-type: none"> a) due to changed circumstances, there is no longer a need for the engineering and construction works specified in the invitation. b) funds are no longer available to cover the total envisaged expenditure; or c) no acceptable tenders are received. d) there is a material irregularity in the tender process.
C.1.5.2	The decision to cancel a tender invitation must be published in the same manner in which the original tender invitation was advertised.
C.1.5.3	An employer may only with the prior approval of the relevant treasury cancel a tender invitation for the second time.
C.1.6	Procurement procedures
C.1.6.1	<p>General</p> <p>Unless otherwise stated in the tender data, a contract will, subject to C.3.13, be concluded with the tenderer who in terms of C.3.11 is the highest ranked or the tenderer scoring the highest number of tender evaluation points, as relevant, based on the tender submissions that are received at the closing time for tenders.</p>
C.2	Tenderer's Obligations
C.2.1	Eligibility
C.2.1.1	<p>Only tenderers who are registered on the National Treasury Central Supplier Database as stated in the Tender Data C.2.1.1, are eligible to tender</p> <p>Submit a tender offer only if the tenderer satisfies the criteria stated in the tender data and the tenderer, or any of his principles, is not under any restriction to do business with employer</p>
C.2.1.2	Notify the employer of any proposed material change in the capabilities or formation of the tendering entity (or both) or any other criteria which formed part of the qualifying requirements used by the employer as the basis in a prior process to invite the tenderer to submit a tender

	<p>offer and obtain the employer's written approval to do so prior to the closing time for tenders.</p> <p>Only those tenderers who are registered with the CIDB, or are capable of being so prior to the evaluation of submissions, in a contractor grading designation equal to or higher than a contractor grading designation determined in accordance with the sum tendered, or a value determined in accordance with Regulation 25(7A) of the Construction Industry Development Regulations, for a 7CE class of construction work, are eligible to have their tenders evaluated.</p> <p>Joint Ventures are eligible to submit tenders provided that:</p> <ol style="list-style-type: none"> 1. every member of the joint venture is registered with the CIDB. • the lead partner has a required contractor grading of 7CE
C.2.2	<p>Cost of tendering</p> <p>Tender documents are free and made available at no cost.</p>
C.2.3.	<p>Check documents</p> <p>Check the tender documents on receipt for completeness and notify the employer of any discrepancy or omission</p>
C.2.4	<p>Confidentiality and copyright</p> <p>Treat as confidential all matters arising in connection with the tender. Use and copy the documents issued by the employer only for the purpose of preparing and submitting a tender offer in response to the invitation.</p>
C.2.6	<p>Acknowledge addenda</p> <p>Failure to apply instructions contained in addenda may render a tenderer's offer non-responsive in terms of condition of tender C.3.8.</p>
C.2.7	<p>Clarification meeting</p> <p>The arrangements for a compulsory briefing session are as stated in the Tender Notice and Invitation to Tender (T1.1). Tenderers must sign the attendance list in the name of the tendering entity. Addenda will be issued to and tenders will be received only from those tendering entities appearing on the attendance list.</p>
C.2.8	<p>Seek clarification</p> <p>Request clarifications at least five (5) working days before the closing date.</p> <p>Date: 11 May 2026 Time: 17h00</p>
C.2.9	<p>Insurance</p> <p>No insurance is provided by the Employer.</p>
C.2.10	<p>Pricing the tender offer</p>
C.2.10.3	<p>The rates and prices shall be adjusted as specified in the conditions of contract clause 13.8 Adjustments for Changes in Costs.</p>
C.2.10.4	<p>Tenderers are required to state the rates, amounts and currencies in Rand.</p>
C.2.11	<p>Alterations to documents</p>

	Do not make any alterations or additions to the tender documents, except to comply with instructions issued by the employer, or necessary to correct errors made by the tenderer. All signatories to the tender offer shall initial all such alterations
C.2.12	Alternative tender offers will not be considered.
C.2.13	Submitting a tender offer
C.2.13.2	The tenderer is required to submit all returnable schedule as printed copy and in .pdf format (saved on a flash drive)
C.2.13.3	<p>Only the following needs to be submitted:</p> <p>The following information has to be submitted:</p> <ul style="list-style-type: none"> • Volume 3 – Printed copy and flash drive • Completed pricing schedule <p>Alternative offers will not be considered.</p> <p>In the event of any discrepancy between the contents of the electronically priced schedule and the electronically provided pricing schedule in pdf format, the contents of the provided pdf format shall be taken as the valid contents. For the information provided by the tenderer as part of his submission, e.g. rates, the signed print-out shall be taken as the valid submission.</p>
C.2.13.5	<p>The Employer’s address for delivery of tender offers and identification details to be shown on each tender offer package are: As indicated in the Tender Notice</p> <p>Tenders must be submitted during office hours (09:00 to 16:00) Monday to Friday at the Employer’s address.</p> <p>It is in the tenderer’s interest to ensure that the delivery of the tender offer is recorded in the Employer’s tenders received register in the name of the tendering entity. In cases where the tender document is couriered to the regional office clear instructions to the person delivering the document must be given that the register must still be completed in the name of the tendering entity.</p>
C.2.13.7	Place and seal the printed and bound hard copy and flash drive in an envelope clearly marked “TENDER” and bearing the Employer’s name, the contract number and description, the tenderer’s authorised representative’s name, the tenderer’s postal address and contact telephone numbers.
C.2.14	<p>Information and data to be completed in all respects</p> <p>Provided that the omission is not a material omission, the Employer reserves the right to condone the omission and may waive any nonconformities in the tender.</p> <p>Provided that the omission is not a material omission, the Employer reserves the right to condone the omission and may request the tenderer to submit the necessary information or documentation, within a reasonable period of time, to rectify non-material non-conformities in the tender related to documentation requirements.</p>
C.2.15	<p>Closing time</p> <p>The closing time for submission of tender offers is 12h00 on Friday 15TH of May 2026</p>
C.2.16	Tender offer validity
C.2.16.1	Hold the tender offer(s) valid for twelve (12) weeks for acceptance by the employer at any time during the validity period stated after the closing date stated in the tender data.

C.2.17	<p>Clarification of tender offer after submission</p> <p>Provide clarification of a tender offer in response to a request to do so from the employer during the evaluation of tender offers. This may include providing a breakdown of rates or prices and correction of arithmetical errors by the adjustment of certain rates or item prices (or both). No change in the competitive position of tenderers or substance of the tender offer is sought, offered, or permitted.</p>
C.3	The Employer's undertakings
C.3.1	<p>Respond to requests from the tenderer</p>
C.3.1.1	The Employer shall respond to clarifications received up to 3 (three) working days before tender closing date.
C.3.2	<p>Issue Addenda</p> <p>The employer shall issue addenda until 10 (ten) working days before tender closing date.</p>
C.3.3	<p>Return late tender offers</p> <p>Tender offers received after the closing time stated in the Tender Data will be returned, unopened, (unless it is necessary to open a tender submission to obtain a forwarding address), to the tenderer concerned.</p>
C.3.4	<p>Opening of tender submissions</p>
C.3.4.1	There will be no public opening of tenders.
C.3.7	<p>Grounds for rejection and disqualification</p> <p>Determine whether there has been any effort by a tenderer to influence the processing of tender offers and instantly disqualify a tenderer (and his tender offer) if it is established that he engaged in corrupt or fraudulent practices.</p> <p>In the event of disqualification, the Employer may, at its sole discretion, claim damages from the tenderer and impose a specified period during which tender offers will not be accepted from the offending tenderer and, the Employer shall inform the National Treasury and the CIDB in writing.</p>
C.3.8	<p>Test for responsiveness</p> <p>A responsive tender is one that conforms to all the terms, conditions, and specifications of the tender documents without material deviation or qualification.</p>
C.3.8.2	<ul style="list-style-type: none"> • Tenderer has submitted bid on time • Tenderer has submitted bid with fully completed and signed Form of Offer
C.3.9	<p>Arithmetical errors, omissions, discrepancies and imbalanced unit rates</p>
C.3.9.1	Check responsive tenders for discrepancies between amounts in words and amounts in figures. Where there is a discrepancy between the amounts in figures and the amount in words, the amount in words shall govern.
C.3.9.2	<p>Check the highest ranked tender or tenderer with the highest number of tender evaluation points after the evaluation of tender offers in accordance with C.3.11 for:</p> <ol style="list-style-type: none"> a) the gross misplacement of the decimal point in any unit rate; b) omissions made in completing the pricing schedule or bills of quantities; or c) arithmetic errors in: <ol style="list-style-type: none"> i) line item totals resulting from the product of a unit rate and a quantity in bills of quantities or schedules of prices; or

	ii) the summation of the prices.
C.3.9.3	Notify the tenderer of all errors or omissions that are identified in the tender offer and either confirm the tender offer as tendered or accept the corrected total of prices.
C.3.9.4	<p>Where the tenderer elects to confirm the tender offer as tendered, correct the errors as follows:</p> <p>a) If bills of quantities or pricing schedules apply and there is an error in the line item total resulting from the product of the unit rate and the quantity, the line item total shall govern and the rate shall be corrected. Where there is an obviously gross misplacement of the decimal point in the unit rate, the line item total as quoted shall govern, and the unit rate shall be corrected.</p> <p>b) Where there is an error in the total of the prices either as a result of other corrections required by this checking process or in the tenderer's addition of prices, the total of the prices shall govern, and the tenderer will be asked to revise selected item prices (and their rates if bills of quantities apply) to achieve the tendered total of the prices.</p>
C.3.10	<p>Clarification of Tender Offer</p> <p>The Employer shall obtain clarification from a tenderer on any matter that could give rise to ambiguity in a contract arising from the tender offer.</p>

C.3.11

Evaluation of tender offers

Stage 1 Test for responsiveness as outlined by the clause C3.8 above.

Tenderer must pass all criteria for the tender to be eligible for further evaluation.

Stage 2 Mandatory Administration Criteria

1. Fully completed and signed Form of offer.
2. Tenderer is registered with the Central Supplier Database (CSD).
3. Tenderer has a Valid Letter of Good Standing issued in accordance with the Compensation for Occupational Injuries and Diseases Act (COIDA).
4. Attendance of compulsory briefing session.
5. Lead Tenderer is CIDB contractor grading of **7CE** (6CE Emerging Contractors or lower will not be acceptable)
6. **1X Contracts Manager** has an active professional registration with Engineering Council of South Africa as Professional Engineer or Professional Technologist or SACPCMP as Construction Manager/ Construction Project Manager
7. **1X Construction Health and Safety Officer (CHSO)** has an active registered as CHSO with SACPCMP

The tenderer will be eliminated for not meeting the above stated requirements.

Stage 3 Functionality Evaluation Criteria

Functionality is the terminology used to define the technical ability of the Tenderer, based on experience to deliver the required product in accordance with the specialized quality, reliability, and functionality. The functionality evaluation will be conducted by the Evaluation Committee which comprises of various skilled and experienced members from diverse professional disciplines. The evaluation process will be based on functionality criteria. The criteria will be as follows:

Points allocated for Functionality shall be evaluated in accordance with the criteria listed below. Total Quality points allocated shall be 100. **Tenderer must score minimum score per each sub-criterion and an overall minimum threshold of 70 points out of 100 is required to be achieved for the tender to be eligible for further evaluation.**

Should a tender score a minimum of 70 points and score below the minimum in each sub criterion, the Tenderer will be disqualified for further evaluation.

Evaluation Criteria	Minimum points	Maximum points
<p>1. Relevant Company Project Experience</p> <p>Tenderer shall submit list of projects relevant to this tender scope of work which have been successfully completed within the last 15 years. Contactable client reference details/Letter of Awards and/or Certificates of Practical Completion whichever documents that provide all the relevant information to assist with the scoring for the</p> <p>Maximum of 4 projects will be evaluated:</p> <p>i. If project has a construction value of R0 and up to but excluding R40 Million (inclusive of VAT) [0]</p>	<p>20</p>	<p>40</p>

<p>ii. If project has a construction value of R40 Million and up to but excluding R80 Million (Inclusive of VAT) [5]</p> <p>iii. If project has a construction value of R80 Million or more (inclusive of VAT) [10]</p>		
<p>2. Key Personnel</p> <p>Tenderer shall submit list of projects relevant to this tender scope of work which have been successfully completed within the last 15 years.</p>		
<p>Maximum of 3 projects will be evaluated</p> <p>2.1 Contract Manager Relevant Project Experience</p> <p>(i) If project has a construction value of R0 and up to but excluding R40 Million (inclusive of VAT) [0]</p> <p>(ii) If project has a construction value of R40 Million and up to but excluding R80 Million (Inclusive of VAT) [4]</p> <p>(iii) If project has a construction value of R80 Million or more (inclusive of VAT) [8]</p>	<p>20</p>	<p>30</p>
<p>2.2 Contract Manager Qualification</p> <p>(i) Minimum National Diploma in Civil Engineering/NQF 6 in Civil Engineering [3]</p> <p>(ii) NQF 7 in Civil Engineering or higher degree [6]</p> <p>Tenderer shall submit proof of qualification</p>		
<p>2.3 Construction Health and Safety Officer Project experience.</p> <p>Maximum of 3 projects will be evaluated</p> <p>(i) If project has a construction value of R0 and up to but excluding R40 Million (inclusive of VAT) [0]</p> <p>(ii) If project has a construction value of R40 Million and up to but excluding R80 Million (Inclusive of VAT) [5]</p> <p>(iii) If project has a construction value of R80 Million or more (inclusive of VAT) [10]</p>	<p>15</p>	<p>30</p>
<p>Total</p>		<p>100</p>
<p>Stage 4 Price and Preference Scoring</p> <p>This is the final stage of the evaluation process and will be based on the PPPFA preference point system. Bidders will be ranked by applying the preferential point scoring 90/10 for bids with the rand value above R50 million. A maximum of 90 points is allocated for price based on the following formulae:</p>		

$$P_s = 90 \left(1 - \frac{P_t - P_{min}}{P_{min}} \right)$$

Where:

P_s = Score for the Bid under consideration

P_t = Price of Bid under consideration

P_{min} = Price of lowest acceptable Bid

SANRAL will score specific goals out of 10. If a bidder fails to meet the Specific goals as outlined on the table below and to submit proof, the bidder will score zero (0) out of 10. SANRAL will not disqualify the bidder. In terms of this bid/tender, Preference points will be awarded in terms of the table below:

Specific goals	Criteria	10 points	
		Point allocation	Maximum points
B-BBEE Level	Level 1	10.00	10.00
	Level 2	9.00	
	Level 3	6.00	
	Level 4	5.00	
	Level 5	4.00	
	Level 6	3.00	
	Level 7	2.00	
	Level 8	1.00	
	Non-compliant contributor	0.00	

Criteria for breaking deadlock

If two or more tenders score the same number of points and these tenders are also the highest ranked tenders, the tender with the highest preference points will be recommended for award.

If functionality is part of the evaluation process and two or more tenders score equal total points and equal preference points, the tender that scored the highest points for functionality will be recommended for award.

If two or more tenders score the same number of financial points and preference points and these tenders are also the highest ranked tenders, the tenderer to be recommended for award will be decided by the drawing of lots.

C.3.13

Acceptance of tender offer

The conditions stated in clauses C.3.13(a) to (f) of the Conditions of Tender as well as the following additional clauses C.3.13(g) to (l) shall be applied as objective criteria in terms of section 2(1)(f) of the Preferential Procurement Policy Framework Act, 2000 (Act No 5 of 2000) and as compelling and justifiable reasons in terms of Conditions of Tender clause C.3.11:

- g) the tenderer or any of its directors is not listed on National Treasury's Register of Tender Defaulters or Restricted Suppliers, or the Employer's database, in terms of the Prevention and Combating of Corrupt Activities Act, 2004 (Act No 12 of 2004) as a tenderer or person prohibited from doing business with the public sector;
- h) the tenderer has not abused the Employer's supply chain management system; and
- i) the tenderer has not failed to perform on any previous contract and has not been given a written notice to this effect.
- j) the tenderer is tax compliant. The recommended tenderer who becomes non-compliant,

	<p>prior to award, shall be notified and must become compliant within 7 working days of the date of being notified. A recommended tenderer who remains non-compliant after the 7 working days of being notified, shall be declared non-responsive.</p> <p>k) the tenderer is registered and in good standing with the compensation fund or with a licensed compensation insurer. The licensed compensation insurer shall be approved by Department of Labour in terms of Section 80 of the Compensation for Injury and Disease Act, 1993 (Act No. 130 of 1993).</p> <p>l) Price negotiations. If the price offered by a tenderer scoring the highest points is not market related, the Organ of state may not award the tender to that tenderer.</p> <p>The Organs of state may – Negotiate a market related price with the tender scoring the highest points or cancel the tender;</p> <ul style="list-style-type: none"> • If the tenderer does not agree to a market related price, negotiate a market related price with the tenderer scoring the second highest points or cancel the tender; • If the tenderer scoring the second highest points does not agree to a market related price, negotiate a market related price with the tenderer scoring the third highest points or cancel the tender; • If a market related price is not agreed as envisaged in paragraph 2(iii), the organ of state must cancel the tender. <p>(m) Perform a risk analysis on the preferred tenderer to ascertain if any of the following might present an unacceptable commercial risk to the employer:</p> <p>The due diligence will take into consideration the following:</p> <ul style="list-style-type: none"> • Integrity risk evaluation; • Operations, activities, locations and key customers; • Risk rating (i.e. high risk, medium to high risk, medium risk or low risk) of the tenderer. <p>i) It is a requirement of this project that the successful tenderer subcontract a minimum of 30 percent (30%) of the work by the end of the contract to Targeted Enterprise(s) as defined in the Contract Data.</p> <p>ii) The following documents will be required at contract stage:</p> <ul style="list-style-type: none"> • Duly/fully signed Subcontracting Agreement between Main Contractor and Subcontractor/s specifying percentage that will be set aside for the subcontract and the scope of work that will be executed by the subcontract. • Proof of Active Subcontractor CIDB registration number and grading status grading • Valid B-BBEE Certificate/Sworn Affidavit.
C.3.16	<p>Registration of the award</p> <p>Any unsuccessful tenderer may request a debriefing in writing as specified in Clause C.3.18.</p>
C.3.17	<p>Provide copies of the contracts</p> <p>The number of paper copies of the signed contract to be provided by the Employer is 1.</p>
C.3.18	<p>Provide written reasons for actions taken</p> <p>All requests from tenderers shall be in writing.</p>
SPECIAL CONDITIONS OF TENDER CLAUSES:	
SC3.19	<p>Jurisdiction</p> <p>Unless stated otherwise in the tender data, each tenderer and the Employer undertake to accept the jurisdiction of the law courts of the Republic of South Africa.</p>

PART T2: RETURNABLE SCHEDULES

T.2.1 LIST OF RETURNABLE SCHEDULES

The tenderer must complete the following returnable schedules in full:

Notes to tenderer:

1. Failure to submit fully completed relevant returnable documents will render such a tender offer non-responsive.
2. Tenderers shall note that their signature appended to each returnable form represents a declaration that they vouch for the accuracy and correctness of the information provided.
3. Notwithstanding any check or audit conducted by or on behalf of the Employer, the information provided in the returnable documents is accepted in good faith and as justification for entering into a contract with a tenderer. If subsequently any information is found to be incorrect such discovery shall be taken as wilful misrepresentation by that tenderer to induce the contract. In such event:
 - a. if the Employer has already entered into a contract with the Tenderer, the Employer has the discretionary right under FIDIC Particular Condition 15.2(g) to terminate the contract.
4. These forms must be completed in non-erasable ink and any alterations made prior to tender closure countersigned by an authorised signatory.

PART T2.1 LIST OF RETURNABLE DOCUMENTS

The list of returnable documents is shown in the following table, with the status of those documents incorporated into the contract indicated.

FORM	LIST OF RETURNABLE DOCUMENTS	STATUS
INVITATION TO BID	SBD 1 FORM	CONTRACT
FORM A2:	CERTIFICATE OF AUTHORITY FOR SIGNATORY	
FORM A3:	JOINT VENTURES AGREEMENT (WHERE APPLICABLE)	
FORM A4:	DECLARATION OF TENDERER'S CURRENT STATUS OF ANY DEBT OUTSTANDING TO SANRAL	
FORM A5:	DOMESTIC PROMINENT INFLUENTIAL PERSONS, FOREIGN PROMINENT PUBLIC OFFICIALS AND FOREIGN INFLUENTIAL NATIONALS	
FORM A6	CERTIFICATE OF FRONTING PRACTICES	
FORM A7	REGISTRATION ON NATIONAL TREASURY CENTRAL SUPPLIER DATABASE	CONTRACT
FORM A8:	DECLARATION OF TENDERER'S LITIGATION HISTORY	
FORM A9:	CERTIFICATE OF TAX COMPLIANCE STATUS	CONTRACT
FORM A10:	SCHEDULE OF DEVIATIONS OR QUALIFICATIONS BY TENDERER	
FORM A11 (SBD4):	SBD4 TENDERERS DECLARATION OF INTEREST	CONTRACT
FORM A12 (SBD6.1):	PREFERENCING SCHEDULE - TENDERER'S B-BBEE VERIFICATION CERTIFICATE	CONTRACT
FORM A13:	PROTECTION OF PERSONAL INFORMATION ACT	
FORM A14:	CERTIFICATE OF PERMISSION TO CONDUCT DUE DILIGENCE INVESTIGATION	
FORM A15:	DECLARATION OF TENDERER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES	
FORM A16:	SCHEDULE OF ADDENDA TO TENDER DOCUMENTS	
FORM A17:	CERTIFICATE OF INSURANCE COVER	CONTRACT
FORM A18:	TENDERER'S REGISTERED FINANCIAL SERVICE PROVIDER LETTER AND BANK DETAILS	
FORM A19:	SCHEDULE OF CURRENT COMMITMENTS	
FORM A20:	CERTIFICATE OF COMPLIANCE WITH COMPENSATION FOR OCCUPATIONAL INJURIES AND DISEASES ACT, 1993	CONTRACT
FORM A21	REGISTRATION WITH CIDB	CONTRACT
FORM A22:	DECLARATION OF TENDERER'S FINANCIAL SUBMISSION	CONTRACT
FORM A23:	COMPLIANCE WITH LABOUR LEGISLATION DECLARATION	
FORM A24:	CERTIFICATE OF SINGLE TENDER SUBMISSION	
FORM A25 (SBD6.2):	DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS	CONTRACT
FORM A26:	LOCAL CONTENT DECLARATION: SUMMARY SCHEDULE (ANNEXURE C)	CONTRACT
FORM B1	SCHEDULE OF COMPANY WORK EXPERIENCE	
FORM B2:	SCHEDULE OF CONTRACTOR'S EQUIPMENT	

FORM B3:	KEY PERSONNEL EXPERIENCE	
FORM B4:	SCHEDULE OF SPECIALIST SUBCONTRACTORS	CONTRACT
FORM B5:	CONTRACTOR'S ESTABLISHMENT ON SITE AND GENERAL OBLIGATIONS	
FORM B6:	SCHEDULE OF SPECIAL MATERIALS	
FORM B7:	WORK PLAN AND PROPOSED METHODOLOGY	

CONTINUED VALIDITY OF RETURNABLE DOCUMENTS

The successful tenderer will be required to ensure the validity of all returnable documents, including but not limited to its valid proof of B-BBEE status, for the duration of any contract emanating from this tender. Should the tender be awarded the contract [the Agreement] and fail to present SANRAL with such renewals as and when they become due, SANRAL shall be entitled, in addition to any other rights and remedies that it may have in terms of the eventual Agreement, to terminate such Agreement immediately without any liability and without prejudice to any claims which SANRAL may have for damages against the tenderer.

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:.....

FORM A3: JOINT VENTURE AGREEMENT

Tenderer must list details of joint venture partners and percentage shareholding as per the joint venture agreement.

Tenderer Name	Contact Detail (Name, Cellphone, Email)	JV partner role/ responsibilities	Share % in the JV
Lead Tenderer:			
Total			100

Tenderer:

In the event of a Joint Venture, attach to this form a signed and properly completed Joint Venture Agreement
Lead Tenderer shall have Majority share certificate.

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:.....

FORM A4: DECLARATION OF TENDERER'S CURRENT STATUS OF ANY DEBT OUTSTANDING TO SANRAL

Notes to tenderer:

1. The signatory for the tenderer (as per Form A2) shall complete and sign this form declaring the current status of (any) debt outstanding to SANRAL.
2. In the event that the tenderer is a Joint Venture, a declaration is required from each member of the Joint Venture.

I, the undersigned, declare that:

- (i) the tenderer or any of its Directors/Members do not have any debt outstanding to SANRAL, other than what is listed below:

.....
.....
.....
.....

- (ii) the tenderer and/or any of its Directors/Members freely, voluntarily and without undue duress unconditionally authorises SANRAL to set off any debts agreed to which is due and payable by the tenderer or any of its Directors/Members in terms of this declaration against any moneys due to the tenderer or any of its Directors/Members.

- (iii) to the best of my knowledge the above information is true and accurate.

Signed and sworn before me at on the day of
..... 20.....

.....
SIGNATURE

The deponent having:

1. Acknowledged that he/she knows and understands the contents hereof;
2. Confirmed that he/she has not objection to the taking of the prescribed oath;
3. That he/she considered the prescribed oath as binding upon his/her conscience; and
4. The Regulations contained in the Government Gazette Notice R1258 of July 1972 and R 1648 of August 1977 having been complied with.

.....
COMMISSIONER OF OATHS

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:.....

FORM A5: Domestic Prominent Influential Persons (DPIP) OR Foreign Prominent Public Officials (FPPO)

Notes to Tenderer:

1. In line with a policy on the management of Prominent Influential Persons (PIP's), the purpose of this declaration form is to ensure maintenance and monitoring of the business relationships with prominent, influential stakeholders who have domestic and/or foreign influence as far as the procurement under the management of the Employer is concerned. This is done to mitigate the Employer's perceived association, reputational, operational or legal risk, as it strives to foster and maintain fair and transparent business relations. (This policy is available on the Employer's website: www.nra.co.za)
2. It is compulsory that all prospective and existing tenderers conducting business with the Employer, who potentially meet the definition of DPIP's, FPPO's or FIN's, complete this form by supplying credible information as required and submit together with their tender document.
3. Tenderers are required at the tender stage to declare any DPIP's, FPPO's or FIN's involved in their tenders, as part of their submission.
4. Further, that tenderers shall at the tender stage furnish the Employer of all information relating to namely, shareholders names, identity numbers and share certificates of the individual and/or transaction concerned using the form below, for verification purposes, including where applicable, confirmation as it relates to:
 - i. Knowledge of any offence within the meaning of Chapter 2, Section 12 and 13 of Prevention and Combating of Corrupt Practices Act No 4 of 2006; and/or
 - ii. Knowledge of any offence within the meaning of Chapter 3 of Prevention of Organised Crime Act No 121 of 1998 as it relates to any of the shareholders, directors, owners and/or individual link to the tenderer.
5. Tenderers undertake that should it be discovered that the information provided in the table below is fraudulently or negligently misrepresented, then Chapter 9, Section 214 and 216 of Companies Act No 17 of 2008 shall apply to shareholders, directors, owners and/or individual link to the tenderer.
6. Should the tenderer fail to declare or supply the Employer with credible information in the prescribed form, the tender may be rendered invalid.
7. Should the Employer, in the process of conducting verification and investigation of information supplied by the tenderer find out that the information poses a reputational risk, the tender shall be rendered invalid.
8. The following definitions shall apply:
 - i. "Board" means the Board of Directors or the Accounting Authority of the Employer.
 - ii. "Business relationship" means the connection formed between the Employer and external stakeholders for commercial purposes.
 - iii. "DD" means Due Diligence.
 - iv. "Domestic Prominent Influential Person" means an individual who holds an influential position, including in an acting position for a period exceeding 6 (six) months, or has held at any time in the preceding 12 (twelve) months, in the Republic, as defined in the Financial Intelligence Centre Amendment Act No 1 of 2017.
 - v. "DPIP" means a Domestic Prominent Influential Person.
 - vi. "Family members and known close associates" means immediate family members and known close associates of a person in a foreign or domestic prominent position, as the case may be, as defined in the Financial Intelligence Centre Amendment Act No 1 of 2017.
 - vii. "Foreign Influential National" means an individual who is not a South African citizen or does not have a permanent residence permit issued in terms of the Immigration Act No 13 of 2002, who possesses personal power that induces another person to give consideration or to act on any basis other than the merits of the matter.
 - viii. "Foreign Prominent Public Official" means (as defined in the Financial Intelligence Centre Amendment Act No 1 of 2017) an individual who holds or has held at any time in the preceding 12 (twelve) months, in any foreign country a prominent public function.
 - ix. "FPPO" means a Foreign Prominent Public Official.
 - x. "Improper influence" means personal power that induces another person to give consideration or to act on any basis other than the merits of the matter.
 - xi. "The Employer" means the South African National Roads Agency SOC Limited (SANRAL) with registration number 1998/009584/30.
 - xii. "Senior Management" means the Executive Committee or its individual members.
9. A separate declaration is required from each DPIP, FPPO and FIN. In the event that the tenderer is a Joint Venture (JV), a separate declaration from each DPIP, FPPO and Fin from each of the Joint Venture (JV) members, is required.

Prominent Influential Persons (PIP's) Reporting Form

IDENTIFICATION PARTICULARS				
Primary Particulars	First Name	Surname	Middle Name	ID/Passport Number
Country Details	Country of Origin		Citizenship	Current Country of Residence
CURRENT STATUS AND BACKGROUND				
Current Occupation	Occupational Title		Status	
			Active	Non-active
Is the potential/business partner (mark with an "X" whichever is applicable):				
a DPIP	a FPPO	a FIN	Family member or Close Associate of a DPIP/FPPO/FIN?	
KNOWN BUSINESS INTERESTS				
No	Name of Entity	Role in Entity	Status	
1			Active	Non-active
2				
3				
4				
5				

MEDIA REPORTS / OTHER SOURCES OF INFORMATION	
(Please reference all known negative or damaging media reports associated with the DPIP/FPPO/FIN)	

Reporting Person/s:

Full names:		
Designation:		
Department:		
Head of Department:		
Head of Department's signature:	Date:	
Reporting Person's signature:	Date:	

DECLARATION / UNDERTAKING BY THE TENDERER

I, the undersigned,
 declare that:

- i. the information furnished on this declaration form is true and correct.
- ii. I accept that, any action may be taken against me should this declaration prove to be false.

Signed:.....Date:.....
 Name:.....Position.....
 Tenderer:.....

FORM A6: CERTIFICATE OF FRONTING PRACTICES

Fronting Practices

Window-dressing: This includes cases in which black people are appointed or introduced to an enterprise on the basis of tokenism and may be:

- Discouraged or inhibited from substantially participating in the core activities of an enterprise; and
- Discouraged or inhibited from substantially participating in the stated areas and/or levels of their participation.

Benefit Diversion: This includes initiatives implemented where the economic benefits received as a result of the B-BBEE Status of an enterprise do not flow to black people in the ratio as specified in the relevant legal documentation.

Opportunistic Intermediaries: This includes enterprises that have concluded agreements with other enterprises with a view to leveraging the opportunistic intermediary's favourable B-BBEE status in circumstances where the agreement involves:

- Significant limitations or restrictions upon the identity of the opportunistic intermediary's suppliers, Service Providers, clients or customers;
- The maintenance of their business operations in a context reasonably considered improbable having regard to resources; and
- Terms and conditions that are not negotiated at arms-length on a fair and reasonable basis.

Responsibility to Report Fronting

In order to effectively deal with the scourge of Fronting, verification agencies, and/or procurement officers and relevant decision makers are encouraged to obtain a signed declaration from the clients or entities that they verify or provide business opportunities to, which states that the client or entity understands and accepts that the verification agency, procurement officer or relevant decision maker may report Fronting practices to **the dti**. Intentional misrepresentation by measured entities may constitute fraudulent practices, public officials and verification agencies are to report such cases to **the dti**.

Fronting Indicators

<ul style="list-style-type: none"> • The black people identified by an enterprise as its shareholders, executives or management are unaware or uncertain of their role within an enterprise;
<ul style="list-style-type: none"> • The black people identified by an enterprise as its shareholders, executives or management have roles of responsibility that differ significantly from those of their non-black peers;
<ul style="list-style-type: none"> • The black people who serve in executive or management positions in an enterprise are paid significantly lower than the market norm, unless all executives or management of an enterprise are paid at a similar level;
<ul style="list-style-type: none"> • There is no significant indication of active participation by black people identified as top management at strategic decision making level;
<ul style="list-style-type: none"> • An enterprise only conducts peripheral functions and does not perform the core functions reasonably expected of other, similar, enterprises;
<ul style="list-style-type: none"> • An enterprise relies on a third-party to conduct most core functions normally conducted by enterprises similar to it;
<ul style="list-style-type: none"> • An enterprise cannot operate independently without a third-party, because of contractual obligations or the lack of technical or operational competence;
<ul style="list-style-type: none"> • The enterprise displays evidence of circumvention or attempted circumvention;

<ul style="list-style-type: none"> • An enterprise buys goods or services at a significantly different rate than the market from a related person or shareholder;
<ul style="list-style-type: none"> • An enterprise obtains loans, not linked to the good faith share purchases or enterprise development initiatives, from a related person at an excessive rate; and
<ul style="list-style-type: none"> • An enterprise shares all premises and infrastructure with a related person, or with a shareholder with no B-BBEE status or a third-party operating in the same industry where the cost of such premises and infrastructure is disproportionate to market-related costs.

DECLARATION

I, the undersigned,

in submitting the accompanying tender on behalf of the tenderer do hereby make the following statements that I certify to be true and complete in every respect:

1. I have read and understand the contents of this certificate.
2. I accept that the Employer may report fronting practices to the Department of Trade and Industry and the B-BBEE Commissioner.
3. I accept that intentional misrepresentation by measured entities may constitute fraudulent practices that shall be reported to the Department of Trade and Industry and the B-BBEE Commissioner.

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:

FORM A7: REGISTRATION ON NATIONAL TREASURY CENTRAL SUPPLIER DATABASE

The tenderer shall provide a copy supplier registration from the National Treasury Central Supplier Database (www.treasury.gov.za). Tenderers who are not registered on the Central Supplier Database at tender closure will be declared non-responsive. In the case of a Joint Venture a printed copy supplier registration form must be provided for each member of the Joint Venture.

Name of Service Provider:

Central Supplier Database Supplier Number:

Supplier Commodity:

Delivery Location:

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:.....

FORM A8: DECLARATION OF TENDERER'S LITIGATION HISTORY

Note to tenderer:

The tenderer shall list below details of any litigation with which the tenderer (including its directors, shareholders or other senior members in previous companies) has been involved with any organ of state or state department within the last ten years. The details must include the year, the litigating parties, the subject matter of the dispute, the value of any award or estimated award if the litigation is current and in whose favour the award, if any, was made.

CLIENT	OTHER LITIGATING PARTY	DISPUTE	AWARD VALUE	DATE RESOLVED

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:

FORM A9: CERTIFICATES OF TAX COMPLIANCE

The Tenderer shall complete the declaration below.

I, (name)
the undersigned in my capacity as (position)
on behalf of (name of company)
herewith grant consent that SARS may disclose to the South African National Roads Agency SOC Limited
(SANRAL) our tax compliance status.

For this purpose our unique security personal identification number (PIN) is

In the event of a joint venture each member shall comply with the above requirements.

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:

FORM A10: SCHEDULE OF DEVIATIONS OR QUALIFICATIONS BY TENDERER

PAGE	DESCRIPTION

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:.....

FORM A11: SBD4 : TENDERERS DECLARATION OF INTEREST

Notes to tenderer:

- i. Definitions:
 - a) "State" means:
 - any National or Provincial Department, National or Provincial Public Entity or Constitutional Institution within the meaning of the Public Finance Management Act, 1999 (Act No 1 of 1999);
 - any Municipality of Municipal Entity;
 - Provincial Legislature;
 - National Assembly or the National Council of Provinces; or
 - Parliament.
 - b) "Shareholder" means a person who owns shares in the company and is actively involved in the management of the enterprise or business and exercises control over the enterprise.
- ii. In the case of a joint venture (JV), a separate declaration form is to be completed and submitted by each JV member.
- iii. If the Form is omitted or blank; or if the tenderer found to have failed to declare conflict or declare false information, The tender will be declared non-responsive and should it be discovered after the award of a contract, contract may be terminated and tenderer will be ultimately restricted from doing business with the State.

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the Tenderer to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Tenderer's declaration

- 2.1 Is the Tenderer, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest¹ in the enterprise, employed by the state?

YES/NO

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

2.2 Do you, or any person connected with the Tenderer, have a relationship with any person who is employed by the procuring institution? YES/NO

2.2.1 If so, furnish particulars:

.....

2.3 Does the Tenderer or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? YES/NO

If so, furnish particulars:

.....

DECLARATION

I, the undersigned, (name)..... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The Tenderer has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium² will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the Tenderer,

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.

3.5 There have been no consultations, communications, agreements or arrangements made by the Tenderer with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the Tenderer was not involved in the drafting of the specifications or terms of reference for this bid.

3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF

PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND

COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS

DECLARATION PROVE BE FALSE.

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:.....

FORM A12:TENDERER'S B-BBEE VERIFICATION CERTIFICATE (INCORPORATING SBD 6.1)

Notes to Tenderer:

A valid B-BBEE verification certificate must be submitted.

1.The tenderer's scorecard shall be a B-BBEE Certificate issued in accordance with:

the amended Construction Sector Codes published in Notice 931 of 2017 of Government Gazette No. 41287 on 1 December 2017 by the Department of Trade and Industry; or

in the event that the Measured Entity operates in more than one sector or a sub-sector, the scorecard for the sector or sub-sector in which the majority of its core activities (measured in terms of annual revenue) are located will be acceptable. The tenderer must comply with the annual revenue thresholds for EME or QSE or Generic in accordance with the amended Construction Sector Codes; and

i. The scorecard shall be submitted as a certificate attached to Returnable Schedule Form A12; and
ii. The certificate shall:

- be valid at the tender closing date; and
- have been issued by a verification agency accredited by the South African National Accreditation System (SANAS); or
- be in the form of a sworn affidavit or a certificate issued by the Companies and Intellectual Property Commission in the case of an Exempted Micro Enterprise (EME) with a total annual revenue of less than R3 million if issued in accordance with the amended Construction Sector Codes published in Notice 931 of 2017 of Government Gazette No. 41287 on 1 December 2017 by the Department of Trade and Industry; and
- have a date of issue less than 12 (twelve) months prior to the original advertised tender closing date (see Tender Data C.2.15); and

iii. A valid BBBEE Certificates shall contain:

- Name of enterprise as per enterprise registration documents issued by CIPC, and enterprise business address.
- Value-Added Tax number, where applicable.
- The B-BBEE Scorecard against which the certificate is issued, indicating all elements and scores achieved for each element. The actual score achieved must be linked to the total points as per the relevant Codes.
- B-BBEE status with corresponding procurement recognition level.
- The relevant Codes used to issue the B-BBEE verification certificate.
- Date of issue and expiry (e.g. 9 June 2018 to 8 June 2019). Where a measured entity was subjected to a re-verification process, due to material change, the B-BBEE Verification Certificate must reflect the initial date of issue, date of re-issue and the initial date of expiry. Re-verification does not extend the lifespan of the B-BBEE Verification Certificate.

Financial period which was used to issue the B-BBEE Verification Certificate.

iv. A valid Sworn Affidavit shall contain:

- Name/s of deponent as they appear in the identity document and the identity number.
- Designation of the deponent as either the director, owner or member must be indicated in order to know that person is duly authorised to depose of an affidavit.
- Name of enterprise as per enterprise registration documents issued by the CIPC, where applicable, and enterprise business address.
- Percentage black ownership, black female ownership and whether they fall within a designated group.
- Indicate total revenue for the year under review and whether it is based on audited financial statements or management accounts.
- Financial year-end as per the enterprise's registration documents, which was used to determine the total revenue. The valid format of the Financial Year-End is Day/Month/Year

- B-BBEE status level. An enterprise can only have one status level
 - Date deponent signed and date of Commissioner of Oath must be the same.
 - Commissioner of Oath cannot be an employee or ex officio of the enterprise because, a person cannot by law, commission a sworn affidavit in which they have an interest, and compliance with any other information requested to be attached to Returnable Schedule Form C1; and
- vi. In the event of a Joint Venture (JV), a project-specific consolidated (SANRAL project number indicated) valid B-BBEE verification certificate in the name of the JV, issued by a verification agency accredited by the South African National Accreditation System (SANAS) shall be submitted.

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:.....

FORM 13: PROTECTION OF PERSONAL INFORMATION ACT

1. The following terms shall bear the same meaning as contemplated in Section 1 of the Protection of Person information act, No.4 of 2013.(“POPIA”):

consent; data subject; electronic communication; information officer; operator; person; personal information; processing; record; Regulator; responsible party; special information; as well as any terms derived from these terms.
2. SANRAL will process all information by the Tenderer in terms of the requirements contemplated in Section 4(1) of the POPIA:

Accountability; Processing limitation; Purpose specification; Further processing limitation; Information quality; Openness; Security safeguards and Data subject participation.
3. The Parties acknowledge and agree that, in relation to personal information that will be processed pursuant to this tender, the Responsible party is “SANRAL” and the Data subject is the “Tenderer”. SANRAL will process personal information only with the knowledge and authorisation of the Tenderer and will treat personal information which comes to its knowledge as confidential and will not disclose it, unless so required by law or subject to the exceptions contained in the POPIA.
4. SANRAL reserves all the rights afforded to it by the POPIA in the processing of any of its information as contained in this tender and the Tenderer is required to comply with all prescripts as detailed in the POPIA relating to all information concerning SANRAL.
5. In responding to this bid, SANRAL acknowledges that it will obtain and have access to personal information of the Tenderer. SANRAL agrees that it shall only process the information disclosed by Tenderer in their response to this bid for the purpose of evaluating and subsequent award of business and in accordance with any applicable law.
6. SANRAL further agrees that in submitting any information or documentation requested in this tender, the Tenderer is consenting to the further processing of their personal information for the purpose of, but not limited to, risk assessment, assurances, contract award, contract management, auditing, legal opinions/litigations, investigations (if applicable), document storage for the legislatively required period, destruction, de-identification and publishing of personal information by SANRAL and/or its authorised appointed third parties.
7. Furthermore, SANRAL will not otherwise modify, amend or alter any personal data submitted by the Tenderer or disclose or permit the disclosure of any personal data to any third party without the prior written consent from the Tenderer. Similarly, SANRAL requires the Tenderer to process any personal information disclosed by SANRAL in the bidding process in the same manner.
8. SANRAL shall, at all times, ensure compliance with any applicable laws put in place and maintain sufficient measures, policies and systems to manage and secure against all forms of risks to any information that may be shared or accessed pursuant to this tender (physically, through a computer or any other form of electronic communication).

- 9. SANRAL shall notify the Tenderer in writing of any unauthorised access to information, cybercrimes or suspected cybercrimes, in its knowledge and report such crimes or suspected crimes to the relevant authorities in accordance with applicable laws, after becoming aware of such crimes or suspected crime. The Tenderer must take all necessary remedial steps to mitigate the extent of the loss or compromise of personal information and to restore the integrity of the affected personal information as quickly as is possible.
- 10. The Tenderer may, in writing, request SANRAL to confirm and/or make available any personal information in its possession in relation to the Tenderer and if such personal information has been accessed by third parties and the identity thereof in terms of the POPIA. The Tenderer may further request that SANRAL correct (excluding critical/mandatory or evaluation information), delete, destroy, withdraw consent or object to the processing of any personal information relating to the Tenderer in SANRAL’s possession in terms of the provision of the POPIA and utilizing Form 2 of the POPIA Regulations.
- 11. In submitting any information or documentation requested in this tender, the Tenderer is hereby consenting to the processing of their personal information for the purpose of this tender and further confirming that they are aware of their rights in terms of Section 5 of POPIA

Tenderers are required to provide consent below:

YES	NO
-----	----

- 12. Further, the Tenderer declares that they have obtained all consents pertaining to other data subject’s personal information included in its submission and thereby indemnifying SANRAL against any civil or criminal action, administrative fines or other penalty or loss that may arise as a result of the processing of any personal information that the Tenderer submitted.
- 13. The Tenderer declares that the personal information submitted for the purpose of this tender is complete, accurate, not misleading, is up to date and may be updated where applicable.

Signature of Tenderer’s authorised representative: _____

Should a Tenderer have any complaints or objections to processing of its personal information, by SANRAL, the Tenderer can submit a complaint to the Information Regulator on <https://www.justice.gov.za/inforeg/>, click on contact us, click on complaints.IR@justice.gov.za

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:.....

FORM A14: CERTIFICATE OF PERMISSION TO CONDUCT DUE DILIGENCE INVESTIGATION

Notes to tenderer

1. The tenderer shall complete the declaration below.
2. In the event of a Joint Venture (JV), each member of the JV shall comply with the above requirements.

I, _____(name), the undersigned in my capacity as _____(position), on behalf of _____(name of company), herewith grant consent that SANRAL or any of their appointed Service Providers may conduct a due diligence investigation on _____(name of company) to evaluate our ability to perform the contract as stipulated in the Standard Conditions of Tender, Clause C.3.13(b).

In addition, any information in this regard requested by SANRAL or any of their appointed Service Providers, shall be submitted within the timelines of the request.

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:

FORM A15: DECLARATION OF TENDERER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES

Notes to tenderer:

1. This declaration:
 - a) must form part of all tenders submitted.
 - b) in the case of a joint venture (JV), must be completed and submitted by each member of the JV
2. This form serves as a declaration to be used by institutions in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse and/or misused the State's procurement of the supply chain management system.
3. The tender of any tenderer may be disregarded if that tenderer or any of its directors have –
 - a) abused and/or misused the State's procurement and/or supply chain management system;
 - b) committed fraud, corruption, or any other improper conduct in relation to such State system; and/or
 - c) has been charged with fraud, corruption or any other improper conduct whether of a criminal or civil nature during the course and scope of rendering services to the state or any other party and/or entity; or
 - d) failed to perform on any previous contract [with the State].
4. In order to give effect to the above, the following questionnaire must be completed and submitted with this tender.

4.1	Is the tenderer or any of its directors listed on the National Treasury's Database of Restricted Suppliers as companies or persons prohibited from doing business with the public sector? Companies or persons who are listed on this Database were informed in writing of this restriction by the Accounting Officer/ Authority of the institution that imposed the restriction after the <i>audi alteram partem</i> rule was applied. The Database of Restricted Suppliers now resides on the National Treasury website (www.treasury.gov.za) and can be accessed by clicking on its link at the bottom of the home page.	Yes <input type="checkbox"/>	No <input type="checkbox"/>
4.1.1	If Yes, furnish particulars:		
4.2	Is the tenderer or any of its directors listed on the Register for Tender Defaulters in terms of Section 29 of the Prevention and Combatting of Corrupt Activities Act (No. 12 of 2004)? The Register for Tender Defaulters can be accessed on the National Treasury website (www.treasury.gov.za) by clicking on its link at the bottom of the home page.	Yes <input type="checkbox"/>	No <input type="checkbox"/>
4.2.1	If Yes, furnish particulars:		
4.3	Was the tenderer or any of its directors convicted by a court of law (including a court outside the Republic of South Africa) for fraud or corruption during the past five years?	Yes <input type="checkbox"/>	No <input type="checkbox"/>
4.3.1	If Yes, furnish particulars:		
4.4	Was any contract between the tenderer and any organ of State terminated during the past five years on account of failure to perform on or comply with the contract?	Yes <input type="checkbox"/>	No <input type="checkbox"/>
4.4.1	If Yes, furnish particulars:		

CERTIFICATION

I, the undersigned,

certify that the information furnished on this declaration form is true and correct.

I accept that, in addition to cancellation of a contract, action may be taken against me should this declaration prove to be false.

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:

FORM A16: SCHEDULE OF ADDENDA TO TENDER DOCUMENTS

We confirm that the following communications received from the Employer before the submission of this tender offer, amending the tender documents, have been taken into account in this tender offer:		
	Date	Title or Details
1.		
2.		
3.		
4.		
5.		
6.		
7.		
8.		
9.		
10.		

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:

FORM A17: CERTIFICATE OF INSURANCE COVER

Note to Tenderer:

- 1. In the event of the tenderer being a joint venture / consortium the details of the individual members must also be provided.

The tenderer shall provide the following details of this insurance cover:

i.Name of Tenderer:

ii.Period of Validity:

iii.Value of Insurance:

- Insurance for Works and Contractor's Equipment

Company:

Value:

- Insurance for Contractor's Personnel

Company:

Value:

- General public liability

Company:

Value:

- SASRIA

Company:

Value:

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:

FORM A18: TENDERER'S REGISTERED FINANCIAL SERVICE PROVIDER LETTER AND BANK DETAILS

Notes to tenderer:

1. The tenderer shall attach to this form:
 - a) a letter (dated less than 3 months prior to the tender closing date) from a registered Financial Service Provider (registered with the FSB) which :
 - b) Provides banking details and declares how the entity conducts its account; and
 - c) confirms that the Tenderer has the financial means net of current commitments (independent of any contractual advance payment) available to meet the construction cash flow requirements estimated for the subject contract, or a written confirmation from any registered financial institution); or
 2. A letter (dated less than 3 months prior to the tender closing date) from the tenderer's independent registered accountant confirming that the Tenderer has the financial means net of current commitments (independent of any contractual advance payment) to meet the construction workflow requirements estimated for the subject contract. The confirmation by an independent registered accountant must indicate that the review, to be conducted in terms of ISRS4400, was done in terms of the Section 30 and Regulation 29 of the Companies Act No. 71 of 2008 (a letter (dated less than 3 months prior to the tender closing date) from the tenderer's financial sponsorship confirming that the Tenderer has the financial means net of current commitments (independent of any contractual advance payment) to meet the construction workflow requirements estimated for the subject contract. If the Tenderer does not have financial means, the tender may be declared non-responsive in terms of clause C.3.13(b) of the Tender Data.
 3. The Tenderer (and in the event of a joint venture, the joint venture member's combined) shall have available capital in excess of 5% of contract value.
 4. In the event that the tenderer is a joint venture enterprise, details of all the members of the joint venture shall be similarly provided and attached to this form.

Option 1 - Letter to be on the tenderer's registered Financial Service Provider's letter head

RE: ACCOUNT CONDUCT AND/OR CASHFLOW CONFIRMATION

To Whom It May Concern:

We hereby confirm that *(Insert Tenderer's Name)* has been banking with *xxxx* Bank for a period of *xxx* years and the account has been conducted in a satisfactory manner.

The *(Insert Tenderer's Name)* has the financial means, net of current commitments, available to meet the construction cash flow requirements to the value of R..... for contract *(insert contract number)*. *(Note to tenderer; if cashflow confirmation is provided by another institution, delete this paragraph)*.

- i) Name of Account Holder:.....
- ii) Account number:
- iii) Bank name:
- iv) Branch number:
- v) Bank and branch contact details:

-RE: ACCOUNT CONDUCT

To Whom It May Concern:

We hereby confirm that *(Insert Tenderer's Name)* has been banking with *xxxx* Bank for a period of *xxx* years and the account has been conducted in a satisfactory manner.

- vi) Name of Account Holder:.....
- vii) Account number:
- viii) Bank name:
- ix) Branch number:
- x) Bank and branch contact details:

Option 2 - Letter to be on the tenderer's independent registered accountant letter head

RE: CASHFLOW CONFIRMATION (independent registered accountant)

To Whom It May Concern:

The *(Insert Tenderer's Name)* has the financial means, net of current commitments, available to meet the construction cash flow requirements to the value of R..... for contract *(insert contract number)*.

Option 3 - Letter to be on tenderer's financial sponsorship letter head

RE: CASHFLOW CONFIRMATION (Financial sponsorship)

To Whom It May Concern:

The *(Insert Tenderer's Name)* has the financial means, net of current commitments, available to meet the construction cash flow requirements to the value of R..... for contract *(insert contract number)* through a financial sponsorship from *(Insert Financial Sponsor's Name)*.

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:

FORM A20: CERTIFICATE OF COMPLIANCE WITH COMPENSATION FOR OCCUPATIONAL INJURIES AND DISEASES ACT, 1993

Notes to tenderer:

1. Discovery that the tenderer has failed to make proper disclosure may result in SANRAL terminating a contract that flows from this tender on the ground that it has been rendered invalid by the tenderer's misrepresentation.
2. The tenderer shall attach to this Form evidence that he is registered and in good standing with the Department of Labour in terms of section 80 of the Compensation for Occupational Injuries and Diseases Act, 1993 (Act No 130 of 1993) (COIDA).

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:

FORM A21: REGISTRATION WITH CIDB

The tenderer shall provide a pdf copy of the Active Contractor's Listing off the CIDB website www.cidb.org.za. Tenderers whose CIDB registration expires within 21 days after close of tender shall attach proof of their application for re-registration (refer to tender data clause C.2.1.1). In the case of a Joint Venture, a pdf copy of the Active Contractor's Listing must be provided for each member of the Joint Venture.

Complete the following details of his registration with the Construction Industry Development Board.

NAME OF CONTRACTOR:

CONTRACTOR GRADING DESIGNATION:

CIDB CONTRACTOR REGISTRATION NUMBER:

REGISTRATION EXPIRY DATE:

In the case of a Joint Venture, Lead Tenderer must hold not less than 51% share in the JV.

	CIDB Grading	JV Shareholding %
Lead Tenderer:		

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:

FORM A22: DECLARATION OF TENDERER'S FINANCIAL SUBMISSION

Notes to tenderer:

1. The signatory for the tenderer shall complete and sign this form declaring his/her understanding of the document taking note of the points extracted below as contained in the tender document.
2. If the tenderer is a joint venture, a separate declaration is required from each member of the Joint Venture.

I, the undersigned, declare that:

1. I have submitted a balanced tender and have not tendered any negative rates. We accept the risk of doing any work at our own tendered rates. I will rebalance my unit rates on request from the Employer where any unduly low rates are pointed out. I realise that by balancing my unit rates my tender amount will remain unchanged.
2. I am aware of Clause D1000 and confirm that it was considered in finalizing the submitted BOQ.
3. I am aware that the approval and structuring of work packages including the scope and extent of the work packages ultimately lies with the Project Management Team (PMT).
4. We understand and accept Clause D1003 relating to the calculation of penalties/bonuses with respect to CPG Targets and accept any penalty arising from it.

The above information is to the best of my knowledge true and accurate.

SIGNATURE:

Signed and sworn before me at on the day of 20...

The deponent having:

- i.acknowledged that he/she knows and understands the contents hereof;
- ii.confirmed that he/she has no objection to the taking of the prescribed oath;
- iii.that he/she considered the prescribed oath as biding upon his/her conscience; and

COMMISSIONER OF OATHS

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:

FORM A23: COMPLIANCE WITH LABOUR LEGISLATION DECLARATION

Note to tenderer:

1. Tenderers must be registered with the Bargaining Council for the Civil Engineering Industry (BCCEI) or the relevant Bargaining Council.
2. Tenderers must append to this schedule (Form A23: Compliance with Labour Legislation) a letter of compliance / letter of good standing in terms of the relevant Government Gazette that indicates compliance/validity at the time of tender or obtain such upon being requested to do so in writing and within the period contained in such a request, failing which their tenders will be declared non-responsive.
3. Only those tenders submitted by tenderers who are in good standing with the BCCEI or any relevant applicable legislated bargaining council at the time of the tender award will be declared responsive.
4. Each party to a Consortium/Joint Venture shall append separate certificates for each party in the above regard.
5. The tenderer, by signing this schedule, declares that it will comply with all labour legislation, as may be applicable.

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:

FORM A24: CERTIFICATE OF SINGLE TENDER SUBMISSION

Notes to tenderer:

This certificate serves as a declaration by the tenderer that a single tender was submitted.

In the case of a Joint Venture (JV), a separate certificate is to be completed and submitted by each JV member.

DECLARATION

I, the undersigned, in submitting the accompanying tender on behalf of the tenderer do hereby make the following statements that I certify to be true and complete in every respect:

I have read and understand the notes to, and the contents of, this certificate.

I understand that the accompanying tender and any other tender shall be disqualified in the event that I, including a Joint Venture partner participate in more than 1 (one) tender.

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:

FORM A25 (SBD6.2): DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS (INCORPORATING SBD6.2)

NRA 2025/0341 -THE URGENT ROUTINE ROAD MAINTENANCE ON NATIONAL ROAD R392 SECTION 3: R58 INTERSECTION – DR8560 INTERSECTION, A DISTANCE OF APPROXIMATELY 44.40KM (H), NATIONAL ROAD R393 SECTION 2: PALMIETFORNTEIN – TELLE BRIDGE BORDER POST, A DISTANCE OF APPROXIMATELY 3.03KM (I), NATIONAL ROAD R726 SECTION 1: PALMIETFORNTEIN – DR8605 INTERSECTION, A DISTANCE OF APPROXIMATELY 18.77 KM

Note to tenderer:

1. This will be a condition of contract.

This Standard Bidding Document (SBD) must form part of all bids invited. It contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, Tenderers must study the General Conditions, Definitions, Directives applicable in respect of Local Content, the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Summary Schedule), D (Imported Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)].

1. General Conditions

- 1.1. Where necessary, for bids referred to in paragraph 1.2 above, a two stage bidding process may be followed, where the first stage involves a minimum threshold for local production and content and the second stage price and B-BBEE.
- 1.2. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.3. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286:2011 as follows:

$$LC = [1 - x / y] * 100$$

Where:

- x is the imported content in Rand
y is the bid price in Rand excluding value added tax (VAT)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by South African Reserve Bank (SARB) on the date of advertisement of the bid as indicated in paragraph 3.1 below.

The SABS approved technical specification number SATS 1286:2011 is accessible on http://www.thedti.gov.za/industrial_development/ip.jsp at no cost.

- 1.6 A bid may be disqualified if this Declaration Certificate and the Annex C (Local Content Declaration: Summary Schedule – Form A3.6) are not submitted as part of the bid documentation.

2. The stipulated minimum threshold(s) for local production and content (refer to Annex A of SATS 1286:2011) for this bid is/are as follows::

<u>Steel Construction Materials</u>	<u>Components</u>	<u>Stipulated minimum threshold</u>
Steel value-added construction material products		
Fabricated Structural Steel	Latticed steelwork, reinforcement steel, columns, beams, plate girders, rafters, bracing, cladding supports, stair stringers & treads, ladders, steel flooring, floor grating, handrailing and balustrading, scaffolding, ducting, gutters, launders, downpipes and trusses	100%
Fasteners	Bolts, nuts, rivets and nails	100%
Wire Products	All fencing products, all barbed wire and mesh fencing, fabric/mesh reinforcing, gabions, wire rope/strand and chains, welding electrodes, nails/tacks, springs and screws	100%
<p>Only locally produced or locally manufactured steel products and components for construction with a minimum threshold for local content and production as stipulated above will be considered.</p> <p>In the designation, imported inputs raw materials (i.e. zinc and additives in the surface preparation and protection process (cleaning and coating/galvanising)) used in the production of steel products and components for the construction are deemed as locally manufactured input materials.</p> <p>The imported input raw material, as specified above, used in the manufacture and production of steel products and components for construction will be deemed to have been sourced locally for the purposes of calculating local content.</p>		
<u>Steel Construction Materials</u>		<u>Stipulated minimum threshold</u>
Primary steel construction material products		
Wire Rod and Drawn Wire		100%
Reinforcing bars		100%
<p>Only locally produced or locally manufactured steel products and components for construction with a minimum threshold for local content and production as stipulated above will be considered.</p> <p>In the designation, imported inputs raw materials (i.e. zinc and additives in the surface preparation and protection process (cleaning and coating/galvanising)) used in the production of steel products and components for the construction are deemed as locally manufactured input materials.</p> <p>The imported input raw material, as specified above, used in the manufacture and production of steel products and components for construction will be deemed to have been sourced locally for the purposes of calculating local content.</p>		
<u>Product type</u>		<u>Stipulated minimum threshold</u>
Plastic Pipes		
Polyvinyl chloride (PVC) pipes		100%
High density polyethylene (HDPE) pipes		100%
<p>Only locally produced or locally manufactured Plastic Pipes with a minimum threshold for local content and production as stipulated above will be considered.</p>		

Textiles, Clothing, Leather and Footwear			
Textiles			100%
Only locally produced or locally manufactured Textiles, Clothing, Leather and Footwear from local raw material or input, with a minimum threshold for local production and content of 100% will be considered.			
Bagged and bulk cement			
Cement Type	Description	Application	Stipulated Minimum Threshold
Cem I	Pure portland cement with a 95-100% clinker.	All civil and building construction as appropriate	100 %
Cem II	Portland cement containing varying additions of secondary materials, i.e. fly ash, pozzolana, slag, silica fume, or limestone	All civil and building construction as appropriate	100 %
Cem III	blast furnace cement, 50% OPC, 50% blast furnace slag	All civil and building construction as appropriate	100 %
Cem IV	pozzolanic cement, OPC and fly ash	All civil and building construction as appropriate	100 %
Cem V	composite cement: slag and ash cement. Blended cements with more than one blending material	All civil and building construction as appropriate	100 %
Masonry cement	Mixture of Portland cement and plasticizing materials such as limestone to improve setting time	use in mortar, brick, block, and stone masonry construction	100 %
Only locally produced or locally manufactured bagged and bulk cement produced using locally produced raw materials with the minimum threshold percentages for local production and content stated below will be considered:			

3. Does any portion of the services, works or goods offered have any imported content?

YES		NO	
------------	--	-----------	--

Tick applicable box

3.1 If yes, the rate(s) of exchange to be used in this bid to calculate the local content as prescribed in paragraph 1.5 of the general conditions must be the rate(s) published by SARB for the specific currency on **23 JULY 2025**.

The relevant rates of exchange information is accessible on <https://www.resbank.co.za>.

Indicate the rate(s) of exchange against the appropriate currency in the table below (refer to Annex A of SATS 1286:2011):

Currency	Rates of exchange
US Dollar	
Pound Sterling	
Euro	
Yen	
Other	

NB: Bidders must submit proof of the SARB rate(s) of exchange used.

- Where, after the award of a bid, challenges are experienced in meeting the stipulated minimum threshold for local content the DTI must be informed accordingly in order for the DTI to verify and in consultation with the AO/AA provide directives in this regard.

**LOCAL CONTENT DECLARATION
(REFER TO ANNEX B OF SATS 1286:2011)**

LOCAL CONTENT DECLARATION BY CHIEF FINANCIAL OFFICER OR OTHER LEGALLY RESPONSIBLE PERSON NOMINATED IN WRITING BY THE CHIEF EXECUTIVE OR SENIOR MEMBER/PERSON WITH MANAGEMENT RESPONSIBILITY (CLOSE CORPORATION, PARTNERSHIP OR INDIVIDUAL)

NRA 2025/0341: THE URGENT ROUTINE ROAD MAINTENANCE ON NATIONAL ROAD R392 SECTION 3: R58 INTERSECTION – DR8560 INTERSECTION, A DISTANCE OF APPROXIMATELY 44.40KM (H), NATIONAL ROAD R393 SECTION 2: PALMIETFONTEIN – TELLE BRIDGE BORDER POST, A DISTANCE OF APPROXIMATELY 3.03KM (I), NATIONAL ROAD R726 SECTION 1: PALMIETFORNTEIN – DR8605 INTERSECTION, A DISTANCE OF APPROXIMATELY 18.77 KM

ISSUED BY: South African National Roads Agency SOC Limited

N.B.:

- The obligation to complete, duly sign and submit this declaration cannot be transferred to an external authorized representative, auditor or any other third party acting on behalf of the bidder.
- Guidance on the Calculation of Local Content together with Local Content Declaration Templates (Annex C, D and E) is accessible on http://www.thedti.gov.za/industrial_development/ip.jsp. Tenderers should first complete Declaration D. After completing Declaration D, tenderers should complete Declaration E and then consolidate the information on Declaration C. **Declaration C should be submitted with the bid documentation at the closing date and time of the bid in order to substantiate the declaration made in paragraph (c) below.** Declarations D and E should be kept by the tenderers for verification purposes for a period of at least 5 years. The successful tenderer is required to continuously update Declarations C, D and E with the actual values for the duration of the contract.

I, the undersigned (full names),

do hereby declare, in my capacity as

of (name of tenderer entity)

the following:

- the facts contained herein are within my own personal knowledge;
- I have satisfied myself that the goods/services/works to be delivered in terms of the above-specified bid comply with the minimum local content requirements as specified in the bid, and as measured in terms of SATS 1286:2011; and
- the local content percentage (%) indicated below has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 3.1 above and the information contained in Declarations D and E which has been consolidated in Declaration C:

Bid price, excluding VAT (y)	R
------------------------------	---

Imported content (x), as calculated in terms of SATS 1286:2011	R
Stipulated minimum threshold for local content (paragraph 2 above)	
Local content %, as calculated in terms of SATS 1286:2011	

If the bid is for more than one product, the local content percentages for each product contained in Declaration C shall be used instead of the table above.

The local content percentage for each product has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 3.1 above and the information contained in Declarations D and E.

- d) I accept that the Procurement Authority / Institution has the right to request that the local content be verified in terms of the requirements of SATS 1286:2011.
- e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SATS 1286:2011, may result in the Procurement Authority/Institution restricting the tenderer from tendering.

SIGNATURE:

DATE:

WITNESS No. 1:

WITNESS No. 2:

FORM A26: LOCAL CONTENT DECLARATION: SUMMARY SCHEDULE (ANNEXURE C)

BID NUMBER: NRA 2025/0341: THE URGENT ROUTINE ROAD MAINTENANCE ON NATIONAL ROAD R392 SECTION 3: R58 INTERSECTION – DR8560 INTERSECTION, A DISTANCE OF APPROXIMATELY 44.40KM (H), NATIONAL ROAD R393 SECTION 2: PALMIETFORNTEIN – TELLE BRIDGE BORDER POST, A DISTANCE OF APPROXIMATELY 3.03KM (I), NATIONAL ROAD R726 SECTION 1: PALMIETFORNTEIN – DR8605 INTERSECTION, A DISTANCE OF APPROXIMATELY 18.77 KM

NOTE TO TENDERER:

THIS WILL BE A CONDITION OF CONTRACT.

C1	Tender No.:								
C2	Tender Description:								
C3	Designated Product(s):								
C4	Tender Authority:								
C5	Tendering Entity Name:								
C6	Tender Exchange Rate:	Pula	P	EU	€	GBP	£	OTHER (specify)	

Note: VAT to be excluded from all calculations

		Calculation of Local Content						Tender Summary			
Tender Item No's	List of Items	Tender Price Each (Excl. VAT)	Exempted Imported Value	Tender Value Net of Exempted Imported Content	Imported Value	Local Value	Local Content % (Per Item)	Tender Qty	Total Tender Value	Total Exempted Imported Content	Total Imported Content
❖		(C10)	(C11)	(C12)	(C13)	(C14)	(C15)	(C16)	(C17)	(C18)	(C19)
C1.4.2.10	Galvanised wire mesh fencing for store rooms										
C1.4.2.11	Galvanised wire mesh store room gate with a padlock										
C1.5 / C5.4.5.2 (a)	Cement (for G5A pavement layer)										
PC1.5.7.1(f)(i)	TW411/TR104 or TR103 combination										

	mounted on stands (2400mm x 400mm and 600mm diameter)											
PC1.5.7.1(f)(ii)	R3 - RG and TW409 and combination mounted on stands (2400mm x 400mm and 900mm dia)											
PC1.5.7.1(f)(iii)	R3 - RG and two TW407 or TW408 combination mounted on stands (2400mm x 400mm and 900mm dia)											
C1.5.7.5(a)(i)	900 mm wide x 150 mm high											
C1.5.7.5(a)(ii)	1 200 mm wide x 200 mm high											
C1.5.7.5(b)	Flashing LED illuminated arrow board											
C1.5/C11.6.1.8 (c)	1200 mm diameter, 1.4 mm thick pre-painted galvanized steel plate, Class III background and symbols											
C1.5/C11.6.1.10(d)	1500 mm size, 1.4 mm thick pre-painted galvanized steel plate, Class III background and symbols											
C1.5/C11.6.1.12	Supplementary plates to temporary regulatory or warning signs, 1.4 mm thick pre-painted											

	galvanized steel plate, Class III background and symbols											
C1.5/PC11.6.1.13.1	1800 mm x 2400 mm 1.4 mm thick pre-painted galvanized steel plate, Class III background and symbols											
C2.1.13.4	Cement (Class C16/20-20)											
C2.2.1.1	U-PVC Normal Duty ducts with integral socket type joints with rubber rings:											
(a)	160mm diameter											
C2.2.6.3	Draw wires (as per SANRAL standard drawing No. TD-R-MS-1100-V1)											
C3.1.9.1	U-PVC pipes and fittings, normal duty, complete with couplings											
(a)	100 mm internal dia slotted / perforated											
(b)	100 mm internal dia unperforated											
(c)	150 mm internal dia slotted / perforated											
(d)	150 mm dia internal unperforated											
C3.1.11 (a)	Synthetic-fibre filter fabric, non-woven, continuous filament Grade 2											

PC3.1.26	Galvanized wire mesh at outlets of subsoil drainage systems											
C3.2.10.1	Mild steel bars											
C3.2.10.2	High-tensile steel bars											
C3.2.10.3	Welded steel fabric											
C3.2.19.2 (a)	Steel grid in 450x760 mm frame, complete as per drawing No. 2174/C/STD/014											
C3.2.19.2 (b)	Field inlet cover, complete as per drawing No. 2174/C/STD/014											
C3.3.12.1	Mild steel bars											
C3.3.12.3	Welded steel fabric											
C3.2.4.1	Down pipes, 300 mm dia UPVC pipes, refer drawing No. 2174/C/STD/012											
C3.2.4.2	Provision of skew or bevelled ends for metal culverts											
C4.4.4.1	Cement (CEM II 32,5 N)											
C5.4.5.2(a)	Cement (for subbase layer)											
C10.1.25	Variation in active filler content (Cement)											
C11.1.5.3	Welded steel fabric used for cast in situ pitching or paving (Mesh ref 245 in sidewalks)											
C11.2.3.2	PVC coated gabion boxes (diaphragm											

	spacing 1m, mesh size 80 x 100mm, mesh wire diameter 2.7mm, selvedge wire diameter 3.4mm)											
(a)	2m x 0.5m x 0.5m											
(b)	3m x 0.5m x 0.5m											
(c)	2m x 1m x 1m											
(d)	1m x 1m x 0.5m											
C11.2.3.4	PVC-coated gabion mattresses (diaphragm spacing 1m, mesh size 60 x 80mm, mesh wire diameter 2.2mm, selvedge wire diameter 2.7mm)											
(a)	2m x 1m x 0.3m											
(b)	3m x 1m x 0.3m											
(c)	6m x 1m x 0.3m											
C11.2.4	Geotextile											
(a)	Synthetic filter membrane Grade 3											
C11.4.1.1	Complete galvanized system compliant to SANS 1350:											
(a)	On timber posts (refer drawings No. 2174/C/STD/007 to 2174/C/STD/011)											
C11.4.1.2	Terminal sections for 3,81 guardrails comprising of:											
(a)	End wings to SANS 1350											
(b)	Bullnoses to SANS											

	1350										
(e)	End treatments where double guardrail sections are specified (refer drawing No. 2174/C/STD/007)										
(f)	Bridge adaptors (including extra rails and posts) (refer to bridge drawings)										
C11.4.6.1	Steel plates										
C11.4.13	Steel base plates for guardrail posts on structures										
C11.4.14	Nailing of gang nail plates on top of timber guardrail posts										
C11.5.1.1	Zinc-coated barbed wire, high-tensile-grade single-strand 3,2 mm x 2,5 mm oval-shaped wire fully galvanized										
C11.5.1.2	Zinc-coated smooth wire, high-tensile-grade 3,0 mm dia, fully galvanized										
C11.5.1.4	Wire netting										
C11.5.1.9(b)(iii)	Wire stays and anchors, 4.0 mm dia, 4 strands										
C11.5.2	New gates, single leaf, 4.2 m x 1.4 m with 42.9 mm dia fully galvanized steel tubing and 2.6 mm thick walls										
C11.5.5.1	Stock-proof fence										

C11.5.5.5(a)	Single leaf, 4.2m x 1.4m											
C11.5.5.5(a)	Double leaf, 5.0m x 2.225m											
C11.5.6	Ringbolts for anchoring fencing to structures											
PC3.3.17.2	Cattle Grids as per drawings No. 2174/C/STD/040 to 2174/C/STD/042											
C11.6.1.4	Prepainted galvanized steel profiles (200 mm high panels):											
(b)	Area exceeding 0,5 m ² but not 2,0 m ²											
(c)	Area exceeding 2,0 m ² but not 10 m ²											
C11.6.1.7(a)	600mm diameter size prepainted galvanized steel plate (chromadek 1,6 mm thick or approved equivalent)											
C11.6.1.7(c)	1200mm diameter size prepainted galvanized steel plate (chromadek 1,6 mm thick or approved equivalent)											
C11.6.1.9(c)	1200mm size prepainted galvanized steel plate (chromadek 1,6 mm thick or approved equivalent)											
C11.6.1.11	Supplementary plates to permanent regulatory or warning signs (1.6 mm thick pre-painted											

	galvanized steel plate or approved equivalent, Class III background and symbols)										
C11.6.4.1	Kilometre markers on posts (refer drawing No. 2174/C/STD/034)										
C11.6.8.2	Size 200 x 800mm chromadek plate with Class III retroreflective background on 50mm x 50mm galvanised square tubing with 2 mm wall thickness										
C11.6.8.3	Size 300 x 1200mm chromadek plate with Class III retroreflective background on 50mm x 50mm galvanised square tubing with 2 mm wall thickness										
Schedule B01											
C11.2.3.1(a)	Galvanised gabion boxes, 1,0 m x 1,0 m x 1,0 m with mesh type 80, of 2,7 mm class A galvanised wire										
C11.2.3.1(b)	Galvanised gabion boxes, 1,0 m x 1,0 m x 0,5 m with mesh type 80, of 2,7 mm class A galvanised wire										
C11.2.3.3	Galvanized gabion mattresses, 0,3m deep with 80 mm x 100 mm										

	mesh, of 2,7 mm dia wire											
C11.2.4	Geotextile, grade 4											
C13.3.1.1(a)	Galvanised mild-steel bars											
C13.3.1.1(b)	Galvanised high-yield-stress-steel hot-rolled bars											
C13.3.1.1(c)	Welded steel fabric											
C13.3.1.2(a)	Mild-steel bars											
C13.3.1.2(b)	High-yield-stress-steel hot-rolled bars											
C13.3.1.3(a)	Mild-steel bars											
C13.3.1.3(b)	High-yield-stress-steel hot-rolled bars											
C13.3.1.4(a)	Mild-steel bars											
C13.3.1.4(b)	High-yield-stress-steel hot-rolled bars											
C13.3.1.4(c)	Welded Steel Fabric											
C13.3.1.5(a)	Mild-steel bars											
C13.3.1.5(b)	High-yield-stress-steel hot-rolled bars											
C13.8.10.1(a)	100 mm dia uPVC in widened decks											
C13.8.10.2(a)	(a) 50 mm dia PVC weep holes											
C13.8.16.1	65 mm dia, wrapped in approved geotextile											
C14.5.1.1	Y12, 750 long reinforcing bars, 250 mm deep into 16 mm dia horizontally drilled holes, in abutments, piers and decks											

C14.5.1.2	Y12, 350 long reinforcing bars, 250 mm deep into 16 mm dia vertically drilled holes, in the deck top surface										
Schedule B02											
C11.2.3.1(a)	Galvanised gabion boxes, 1,0 m x 1,0 m x 1,0 m with mesh type 80, of 2,7 mm class A galvanised wire										
C11.2.3.1(b)	Galvanised gabion boxes, 1,0 m x 1,0 m x 0,5 m with mesh type 80, of 2,7 mm class A galvanised wire										
C11.2.3.3	Galvanized gabion mattresses, 0,3m deep with 80 mm x 100 mm mesh, of 2,7 mm dia wire										
C11.2.4	Geotextile, grade 4										
C13.3.1.1(a)	Mild-steel bars										
C13.3.1.1(b)	High-yield-stress-steel hot-rolled bars										
C13.3.1.2(a)	Mild-steel bars										
C13.3.1.2(b)	High-yield-stress-steel hot-rolled bars										
C13.3.1.3(a)	Mild-steel bars										
C13.3.1.3(b)	High-yield-stress-steel hot-rolled bars										
C13.3.1.4(a)	Mild-steel bars										
C13.3.1.4(b)	High-yield-stress-steel										

	hot-rolled bars										
C13.8.10.2(a)	(a) 50 mm dia PVC weep holes										
C13.8.16.1	65 mm dia, wrapped in approved geotextile										
C14.5.1.1	Y12, 750 long reinforcing bars, 250 mm deep into 16 mm dia horizontally drilled holes, in abutments, piers and decks										
C14.5.1.2	Y12, 350 long reinforcing bars, 250 mm deep into 16 mm dia vertically drilled holes, in the deck top surface										
Schedule B03											
C11.2.3.1(a)	Galvanised gabion boxes, 1,0 m x 1,0 m x 1,0 m with mesh type 80, of 2,7 mm class A galvanised wire										
C11.2.3.1(b)	Galvanised gabion boxes, 1,0 m x 1,0 m x 0,5 m with mesh type 80, of 2,7 mm class A galvanised wire										
C11.2.3.3	Galvanized gabion mattresses, 0,3m deep with 80 mm x 100 mm mesh, of 2,7 mm dia wire										
C11.2.4	Geotextile, grade 4										
C13.3.1.1(a)	Galvanised mild-steel										

	bars										
C13.3.1.1(b)	Galvanised high-yield-stress-steel hot-rolled bars										
C13.3.1.2(a)	Mild-steel bars										
C13.3.1.2(b)	High-yield-stress-steel hot-rolled bars										
C13.3.1.3(a)	Mild-steel bars										
C13.3.1.3(b)	High-yield-stress-steel hot-rolled bars										
C13.3.1.4(a)	Mild-steel bars										
C13.3.1.4(b)	High-yield-stress-steel hot-rolled bars										
C13.3.1.4(c)	Welded Steel Fabric										
C13.3.1.5(a)	Mild-steel bars										
C13.3.1.5(b)	High-yield-stress-steel hot-rolled bars										
C13.8.10.1(a)	100 mm dia uPVC in widened decks										
C13.8.10.2(a)	(a) 50 mm dia PVC weep holes										
C13.8.16.1	65 mm dia, wrapped in approved geotextile										
C14.5.1.1	Y12, 750 long reinforcing bars, 250 mm deep into 16 mm dia horizontally drilled holes, in abutments, piers and decks										
C14.5.1.2	Y12, 350 long reinforcing bars, 250 mm deep into 16 mm dia vertically drilled holes, in the deck top										

	surface										
Schedule B04											
C11.2.3.1(a)	Galvanised gabion boxes, 1,0 m x 1,0 m x 1,0 m with mesh type 80, of 2,7 mm class A galvanised wire										
C11.2.3.1(b)	Galvanised gabion boxes, 1,0 m x 1,0 m x 0,5 m with mesh type 80, of 2,7 mm class A galvanised wire										
C11.2.3.3	Galvanized gabion mattresses, 0,3m deep with 80 mm x 100 mm mesh, of 2,7 mm dia wire										
C11.2.4	Geotextile, grade 4										
C13.3.1.1(a)	Galvanised mild-steel bars										
C13.3.1.1(b)	Galvanised high-yield-stress-steel hot-rolled bars										
C13.3.1.2(a)	Mild-steel bars										
C13.3.1.2(b)	High-yield-stress-steel hot-rolled bars										
C13.3.1.3(a)	Mild-steel bars										
C13.3.1.3(b)	High-yield-stress-steel hot-rolled bars										
C13.3.1.5(a)	Mild-steel bars										
C13.3.1.5(b)	High-yield-stress-steel hot-rolled bars										
C13.8.10.1(a)	100 mm dia uPVC in widened decks										

C13.8.10.2(a)	(a) 50 mm dia PVC weep holes											
C13.8.16.1	65 mm dia, wrapped in approved geotextile											
C14.5.1.1	Y12, 750 long reinforcing bars, 250 mm deep into 16 mm dia horizontally drilled holes, in abutments, piers and decks											
C14.5.1.2	Y12, 350 long reinforcing bars, 250 mm deep into 16 mm dia vertically drilled holes, in the deck top surface											
Schedule B05												
C11.2.3.1(a)	Galvanised gabion boxes, 1,0 m x 1,0 m x 1,0 m with mesh type 80, of 2,7 mm class A galvanised wire											
C11.2.3.1(b)	Galvanised gabion boxes, 1,0 m x 1,0 m x 0,5 m with mesh type 80, of 2,7 mm class A galvanised wire											
C11.2.3.3	Galvanized gabion mattresses, 0,3m deep with 80 mm x 100 mm mesh, of 2,7 mm dia wire											
C11.2.4	Geotextile, grade 4											
C12.1.15.1	Mild steel bars											
C12.1.15.2	High-yield-stress bars											

C13.3.1.1(a)	Galvanised mild-steel bars											
C13.3.1.1(b)	Galvanised high-yield-stress-steel hot-rolled bars											
C13.3.1.2(a)	Mild-steel bars											
C13.3.1.2(b)	High-yield-stress-steel hot-rolled bars											
C13.3.1.3(a)	Mild-steel bars											
C13.3.1.3(b)	High-yield-stress-steel hot-rolled bars											
C13.3.1.4(a)	Mild-steel bars											
C13.3.1.4(b)	High-yield-stress-steel hot-rolled bars											
C13.3.1.4(c)	Welded Steel Fabric											
C13.8.10.1(a)	100 mm dia uPVC in widened decks											
C13.8.10.1(b)	100 mm dia uPVC cored through existing deck											
C13.8.10.1(c)	20 mm dia uPVC in widened decks											
C13.8.10.1(d)	200 mm dia uPVC cored through existing deck											
C13.8.10.1(e)	Service ducts, 150 mm dia PVC pipes											
C13.8.10.2(a)	(a) 50 mm dia PVC weep holes											
C13.8.16.1	65 mm dia, wrapped in approved geotextile											
C14.5.1.1	Y12, 750 long reinforcing bars, 250 mm deep into 16 mm dia horizontally drilled holes, in abutments,											

	piers and decks											
C14.5.1.2	Y12, 350 long reinforcing bars, 250 mm deep into 16 mm dia vertically drilled holes, in the deck top surface											
Schedule B06												
C11.2.3.1(a)	Galvanised gabion boxes, 1,0 m x 1,0 m x 1,0 m with mesh type 80, of 2,7 mm class A galvanised wire											
C11.2.3.1(b)	Galvanised gabion boxes, 1,0 m x 1,0 m x 0,5 m with mesh type 80, of 2,7 mm class A galvanised wire											
C11.2.3.3	Galvanised gabion mattresses, 0,3m deep with 80 mm x 100 mm mesh, of 2,7 mm dia wire											
C11.2.4	Geotextile, grade 4											
C13.3.1.1(a)	Galvanised mild-steel bars											
C13.3.1.1(b)	Galvanised high-yield-stress-steel hot-rolled bars											
C13.3.1.2(a)	Mild-steel bars											
C13.3.1.2(b)	High-yield-stress-steel hot-rolled bars											
C13.3.1.2(c)	Welded steel fabric											
C13.3.1.3(a)	Mild-steel bars											

C13.3.1.3(b)	High-yield-stress-steel hot-rolled bars											
C13.3.1.4(c)	Welded Steel Fabric											
C13.3.1.5(b)	High-yield-stress-steel hot-rolled bars											
C13.8.10.2(a)	(a) 50 mm dia PVC weep holes											
C13.8.16.1	65 mm dia, wrapped in approved geotextile											
C14.5.1.1	Y12, 750 long reinforcing bars, 250 mm deep into 16 mm dia horizontally drilled holes, in abutments, piers and decks											
C14.5.1.2	Y12, 350 long reinforcing bars, 250 mm deep into 16 mm dia vertically drilled holes, in the deck top surface											
Schedule B07												
C11.2.3.1(a)	Galvanised gabion boxes, 1,0 m x 1,0 m x 1,0 m with mesh type 80, of 2,7 mm class A galvanised wire											
C11.2.3.1(b)	Galvanised gabion boxes, 1,0 m x 1,0 m x 0,5 m with mesh type 80, of 2,7 mm class A galvanised wire											
C11.2.3.3	Galvanized gabion mattresses, 0,3m deep with 80 mm x 100 mm											

	mesh, of 2,7 mm dia wire										
C11.2.4	Geotextile, grade 4										
C12.1.15.1	Mild steel bars										
C12.1.15.2	High-yield-stress bars										
C13.3.1.1(a)	Galvanised mild-steel bars										
C13.3.1.1(b)	Galvanised high-yield-stress-steel hot-rolled bars										
C13.3.1.2(a)	Mild-steel bars										
C13.3.1.2(b)	High-yield-stress-steel hot-rolled bars										
C13.3.1.2(c)	Welded Steel Fabric										
C13.3.1.4(c)	Welded Steel Fabric										
C13.3.1.5(b)	High-yield-stress-steel hot-rolled bars										
C13.8.10.2(a)	(a) 50 mm dia PVC weep holes										
C13.8.16.1	65 mm dia, wrapped in approved geotextile										
C14.5.1.1	Y12, 750 long reinforcing bars, 250 mm deep into 16 mm dia horizontally drilled holes, in abutments, piers and decks										
C14.5.1.2	Y12, 350 long reinforcing bars, 250 mm deep into 16 mm dia vertically drilled holes, in the deck top surface										
Schedule B08											
C11.2.3.1(a)	Galvanised gabion										

	boxes, 1,0 m x 1,0 m x 1,0 m with mesh type 80, of 2,7 mm class A galvanised wire										
C11.2.3.1(b)	Galvanised gabion boxes, 1,0 m x 1,0 m x 0,5 m with mesh type 80, of 2,7 mm class A galvanised wire										
C11.2.3.3	Galvanized gabion mattresses, 0,3m deep with 80 mm x 100 mm mesh, of 2,7 mm dia wire										
C11.2.4	Geotextile, grade 4										
C12.1.15.1	Mild steel bars										
C12.1.15.2	High-yield-stress bars										
C13.3.1.1(a)	Galvanised mild-steel bars										
C13.3.1.1(b)	Galvanised high-yield-stress-steel hot-rolled bars										
C13.3.1.2(a)	Mild-steel bars										
C13.3.1.2(b)	High-yield-stress-steel hot-rolled bars										
C13.3.1.2(c)	Welded Steel Fabric										
C13.3.1.3(a)	Mild-steel bars										
C13.3.1.3(b)	High-yield-stress-steel hot-rolled bars										
C13.8.10.1(a)	75 mm dia PVC behind head walls										
C13.8.10.2(a)	(a) 50 mm dia PVC weep holes										
C13.8.16.1	65 mm dia, wrapped in approved geotextile										

Schedule C0894											
C11.2.3.3	Galvanized gabion mattresses, 0,3m deep, with mesh type 60 and 2,2mm dia class A galvanized wire and diaphragms at 1m centres										
C11.2.4	Geotextile, grade 4										
C13.3.1.1(a)	Mild-steel bars										
C13.3.1.1(b)	High-yield-stress-steel hot-rolled bars										
C13.3.1.2(a)	Mild-steel bars										
C13.3.1.2(b)	High-yield-stress-steel hot-rolled bars										
C13.3.1.2(c)	Welded Steel Fabric										
C13.3.1.3(a)	Mild-steel bars										
C13.3.1.3(b)	High-yield-stress-steel hot-rolled bars										
C13.8.10.1(a)	75 mm dia PVC behind head walls										
C13.8.10.2(a)	(a) 50 mm dia PVC weep holes										
C13.8.16.1	65 mm dia, wrapped in approved geotextile										
C11.2.3.1(a)	Galvanised gabion boxes, 1,0 m x 1,0 m x 1,0 m with mesh type 80, of 2,7 mm class A galvanised wire										
C11.2.3.1(b)	Galvanised gabion boxes, 1,0 m x 1,0 m x 0,5 m with mesh type 80, of 2,7 mm class A galvanised wire										

C11.2.3.3	Galvanized gabion mattresses, 0,3m deep with 80 mm x 100 mm mesh, of 2,7 mm dia wire											
C11.2.4	Geotextile, grade 4											
C12.1.15.1	Mild steel bars											
C12.1.15.2	High-yield-stress bars											
C13.3.1.1(a)	Galvanised mild-steel bars											
C13.3.1.1(b)	Galvanised high-yield-stress-steel hot-rolled bars											
C13.3.1.2(a)	Mild-steel bars											
C13.3.1.2(b)	High-yield-stress-steel hot-rolled bars											
C13.3.1.3(a)	Mild-steel bars											
C13.3.1.3(b)	High-yield-stress-steel hot-rolled bars											
C13.3.1.4(a)	Mild-steel bars											
C13.3.1.4(b)	High-yield-stress-steel hot-rolled bars											
C13.3.1.4(c)	Welded Steel Fabric											
C13.8.10.1(a)	100 mm dia uPVC in widened decks											
C13.8.10.1(b)	100 mm dia uPVC cored through existing deck											
C13.8.10.1(c)	20 mm dia uPVC in widened decks											
C13.8.10.1(d)	200 mm dia uPVC cored through existing deck											
C13.8.10.1(e)	Service ducts, 150 mm											

	dia PVC pipes										
C13.8.10.2(a)	(a) 50 mm dia PVC weep holes										
C13.8.16.1	65 mm dia, wrapped in approved geotextile										
C14.5.1.1	Y12, 750 long reinforcing bars, 250 mm deep into 16 mm dia horizontally drilled holes, in abutments, piers and decks										
C14.5.1.2	Y12, 350 long reinforcing bars, 250 mm deep into 16 mm dia vertically drilled holes, in the deck top surface										

(C20) Total Tender Value R

(C21) Total Exempt Imported Content R

(C22) Total Tender value net of exempt imported content R

(C23) Total Imported Content R

(C24) Total Local Content R

(C25) Average Local Content % of tender %

Signature of tenderer from Annexure B:

(SANS 1286.2017)

Date:

BID NUMBER: NRA 2025/0341 THE URGENT ROUTINE ROAD MAINTENANCE ON NATIONAL ROAD R392 SECTION 3: R58 INTERSECTION – DR8560 INTERSECTION, A DISTANCE OF APPROXIMATELY 44.40KM (H), NATIONAL ROAD R393 SECTION 2: PALMIETFORNTEIN – TELLE BRIDGE BORDER POST, A DISTANCE OF APPROXIMATELY 3.03KM (I), NATIONAL ROAD R726 SECTION 1: PALMIETFORNTEIN – DR8605 INTERSECTION, A DISTANCE OF APPROXIMATELY 18.77 KM

ANNEXURE D: IMPORTED CONTENT DECLARATION - SUPPORTING SCHEDULE TO ANNEXURE C

(D1)	Tender No.:										
(D2)	Tender Description:										
(D3)	Designated Product(s):										
(D4)	Tender Authority:										
(D5)	Tendering Entity Name:										
(D6)	Tender Exchange Rate:	Pula	P	EU	€	GBP	£				

Note: VAT to be excluded from all calculations

A. Exempted imported content				Calculation of imported content						Summary	
Tender item No's	Description of imported content	Local Supplier	Overseas Supplier	Foreign currency value as per Commercial Invoice	Tender Exchange Rate	Local value of imports	Freight costs to port entry of	All locally incurred landing costs & duties	Total landed cost excl. VAT	Tender Qty	Exempted imported value
(D7)	(D8)	(D9)	(D10)	(D11)	(D12)	(D13)	(D14)	(D15)	(D16)	(D17)	(D18)
										(D19) Total exempt imported value	R0
											This total must correspond with Annex C - C 21

B. Imported directly by the Tenderer				Calculation of imported content						Summary	
Tender item No's	Description of imported content	Local Supplier	Overseas Supplier	Foreign currency value as per Commercial Invoice	Tender Exchange Rate	Local value of imports	Freight costs to port of entry	All locally incurred landing costs & duties	Total landed cost excl. VAT	Tender Qty	Exempted imported value
(D33)	(D34)	(D35)	(D36)	(D37)	(D38)	(D39)	(D40)	(D41)	(D42)	(D43)	(D44)
										(D45) Total imported value by 3rd party	R0

BID NUMBER:

NRA 2025/0341: THE URGENT ROUTINE ROAD MAINTENANCE ON NATIONAL ROAD R392 SECTION 3: R58 INTERSECTION – DR8560 INTERSECTION, A DISTANCE OF APPROXIMATELY 44.40KM (H), NATIONAL ROAD R393 SECTION 2: PALMIETFORTEIN – TELLE BRIDGE BORDER POST, A DISTANCE OF APPROXIMATELY 3.03KM (I), NATIONAL ROAD R726 SECTION 1: PALMIETFORTEIN – DR8605 INTERSECTION, A DISTANCE OF APPROXIMATELY 18.77 KM .

C. Imported by a 3rd party and supplied to the Tenderer				Calculation of imported content						Summary	
Description of imported content	Unit of measure	Local supplier	Overseas Supplier	Foreign currency value as per Commercial Invoice	Tender Rate of Exchange	Local value of imports	Freight costs to port of entry	All locally incurred landing costs & duties	Total landed cost excl. VAT	Quantity imported	Total imported value
(D33)	(D34)	(D35)	(D36)	(D37)	(D38)	(D39)	(D40)	(D41)	(D42)	(D43)	(D44)
(D45) Total imported value by 3rd party											R 0

D. Other foreign currency payments			Calculation of foreign currency payments		Summary of payments
Type of payment	Local supplier making the payment	Overseas beneficiary	Foreign currency value paid	Tender Rate of Exchange	Local value of payments
(D46)	(D47)	(D48)	(D49)	(D50)	(D51)

(D52) Total of foreign currency payments declared by tenderer and/or 3rd party

R 0

**Signature of tenderer from Annexure B:
(SATS 1286.2011)**

(D53) Total of imported content & foreign currency payments - (D32), (D45) & (D52) above

R 0

**This total must correspond with Annex C - C
23**

Date:

BID NUMBER: NRA 2025/0341: THE URGENT ROUTINE ROAD MAINTENANCE ON NATIONAL ROAD R392 SECTION 3: R58 INTERSECTION – DR8560 INTERSECTION, A DISTANCE OF APPROXIMATELY 44.40KM (H), NATIONAL ROAD R393 SECTION 2: PALMIETFONTEIN – TELLE BRIDGE BORDER POST, A DISTANCE OF APPROXIMATELY 3.03KM (I), NATIONAL ROAD R726 SECTION 1: PALMIETFORNTEIN – DR8605 INTERSECTION, A DISTANCE OF APPROXIMATELY 18.77 KM

ANNEXURE E: IMPORTED CONTENT DECLARATION - SUPPORTING SCHEDULE TO ANNEXURE C

(E1)	Tender No.:		Note: VAT to be excluded from all calculation
(E2)	Tender Description:		
(E3)	Designated Product(s):		
(E4)	Tender Authority:		
(E5)	Tendering Entity Name:		

Local Products (Goods, Services and Works)	Description of items purchased	Local suppliers	Value
	<i>(E6)</i>	<i>(E7)</i>	<i>(E8)</i>
	(E9) Total local products (Goods, Services and Works)		R 0
(E10) Manpower costs	(Tenderer's manpower cost)		R 0
(E11) Factory overheads	(Rental, depreciation & amortisation, utility costs, consumables etc.)		R 0
(E12) Administration overheads and mark-up	(Marketing, insurance, financing, interest etc.)		R 0
	(E13) Total local content		R 0
This total must correspond with Annex C - C24			

**Signature of tenderer from Annexure B:
(SATS 1286:2011)**

Date:

NRA 2025/0341: THE URGENT ROUTINE ROAD MAINTENANCE ON NATIONAL ROAD R392 SECTION 3: R58 INTERSECTION – DR8560 INTERSECTION, A DISTANCE OF APPROXIMATELY 44.40KM (H), NATIONAL ROAD R393 SECTION 2: PALMIETFONTEIN – TELLE BRIDGE BORDER POST, A DISTANCE OF APPROXIMATELY 3.03KM (I), NATIONAL ROAD R726 SECTION 1: PALMIETFORNTEIN – DR8605 INTERSECTION, A DISTANCE OF APPROXIMATELY 18.77 KM

FORM B1: SCHEDULE OF COMPANY WORK EXPERIENCE

Tenderer shall submit list of projects relevant to this tender scope of work which have been successfully completed within the last 15 years. Contactable client reference details/letter and relevant project details or Certificates of Practical Completion are required for the stated projects.

The minimum functionality criteria must be shown to have been met by one, or up to four (4) projects.

Client Name	Client Contact Person	Client contact details: Email & Phone number	Project Description	Project VALUE (Incl. VAT)	Start date – End Date

NRA 2025/0341: THE URGENT ROUTINE ROAD MAINTENANCE ON NATIONAL ROAD R392 SECTION 3: R58 INTERSECTION – DR8560 INTERSECTION, A DISTANCE OF APPROXIMATELY 44.40KM (H), NATIONAL ROAD R393 SECTION 2: PALMIETFONTEIN – TELLE BRIDGE BORDER POST, A DISTANCE OF APPROXIMATELY 3.03KM (I), NATIONAL ROAD R726 SECTION 1: PALMIETFORNTEIN – DR8605 INTERSECTION, A DISTANCE OF APPROXIMATELY 18.77 KM

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:.....

NRA 2025/0341 THE URGENT ROUTINE ROAD MAINTENANCE ON NATIONAL ROAD R392 SECTION 3: R58 INTERSECTION – DR8560 INTERSECTION, A DISTANCE OF APPROXIMATELY 44.40KM (H), NATIONAL ROAD R393 SECTION 2: PALMIETFONTEIN – TELLE BRIDGE BORDER POST, A DISTANCE OF APPROXIMATELY 3.03KM (I), NATIONAL ROAD R726 SECTION 1: PALMIETFORNTEIN – DR8605 INTERSECTION, A DISTANCE OF APPROXIMATELY 18.77 KM

FORM B3: KEY PERSONNEL EXPERIENCE

Notes to Tenderer:

- Attach Valid Professional Registration for Key Personnel:
 - Tenderer must submit list of projects relevant to this tender scope of work which have been successfully completed within the last 15 years.
 - No CVS must be attached, duly complete the below table to demonstrate experience.
1. **1X Contract Manager** has an active professional registration with Engineering Council of South Africa as Professional Engineer or Professional Technologist/ SACPCMP as Construction Manager/ Construction Project Manager
 2. **1X Construction Health and Safety Officer (CHSO)** has an active registered as CHSO with SACPCMP

Contract Manager					
Name					
Professional Registration					
Professional Registration Number					
Highest Qualification					
NQF Level					
TENDERER MUST LIST PROJECTS TO BE EVALUATED AND SCORED FOR FUNCTIONALITY CRITERIA (STAGE 3) IN THE TABLE BELOW					
Client Name	Client Contact Person	Client contact details: Email & Phone number	Project Description	Project VALUE (Incl. VAT)	Start date – End Date

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:

NRA 2025/0341 THE URGENT ROUTINE ROAD MAINTENANCE ON NATIONAL ROAD R392 SECTION 3: R58 INTERSECTION – DR8560 INTERSECTION, A DISTANCE OF APPROXIMATELY 44.40KM (H), NATIONAL ROAD R393 SECTION 2: PALMIETFORNTEIN – TELLE BRIDGE BORDER POST, A DISTANCE OF APPROXIMATELY 3.03KM (I), NATIONAL ROAD R726 SECTION 1: PALMIETFORNTEIN – DR8605 INTERSECTION, A DISTANCE OF APPROXIMATELY 18.77 KM

Construction Health and Safety Officer (CHSO)					
Name					
Professional Registration					
Professional Registration Number					
Highest Qualification					
NQF Level					
TENDERER MUST LIST PROJECTS TO BE EVALUATED AND SCORED FOR FUNCTIONALITY CRITERIA (STAGE 3) IN THE TABLE BELOW					
Client Name	Client Contact Person	Client contact details: Email & Phone number	Project Description	Project VALUE (Incl. VAT)	Start date – End Date

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:

Form B4: SCHEDULE OF SPECIALIST SUBCONTRACTORS

Note to Tenderers: these subcontractors will not count towards the CPG targeted enterprises unless the D1000 process has been followed.

We notify you that it is our intention to employ the following Specialized Subcontractors for work in this contract. Should we be awarded a contract, we agree that this notification does not change the requirement for us to submit the names of proposed Specialized Subcontractors in accordance with requirements in the contract for such appointments.

Name and address of proposed Subcontractor	Nature and extent of work	Previous experience with Subcontractor.	Percentage and value of works to be subcontracted

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:.....

NRA 2025/0341 THE URGENT ROUTINE ROAD MAINTENANCE ON NATIONAL ROAD R392 SECTION 3: R58 INTERSECTION – DR8560 INTERSECTION, A DISTANCE OF APPROXIMATELY 44.40KM (H), NATIONAL ROAD R393 SECTION 2: PALMIETFORNTEIN – TELLE BRIDGE BORDER POST, A DISTANCE OF APPROXIMATELY 3.03KM (I), NATIONAL ROAD R726 SECTION 1: PALMIETFORNTEIN – DR8605 INTERSECTION, A DISTANCE OF APPROXIMATELY 18.77 KM

FORM B5: CONTRACTOR'S ESTABLISHMENT ON SITE AND GENERAL OBLIGATIONS

Note to Tenderer:

If the tenderer should require additional compensation for his obligations under Part C3 section 1.3 (over and above the total tendered for item C1.3.1) by including such additional compensation in the tendered rates and/or lump sum of items in the pricing schedule, these items and the value of such additional compensation shall also be set out in a letter attached to this form.

Should the combined, extended total tendered for Item C1.3.1 The contractor's general obligations:

- C1.3.1.1 Fixed obligations
- C1.3.1.2 Value-related obligations
- C1.3.1.3 Time-related obligations

exceed a maximum of 20% of the tender sum, the tenderer shall clearly set out his reasons for tendering in this manner in a letter attached to this page.

The relevant regional project engineer will duly consider these reasons but reserves the right to consider the tendered rates to be imbalanced and to deal with them in terms of Tender Data clause C.3.9 contained in this volume.

Total tendered for Item C1.3.1 expressed as a percentage of the tender sum (excluding VAT)%

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:.....

FORM B6: SCHEDULE OF SPECIAL MATERIALS

Notes to tenderer:

1. Refer to part C1.2.1 Conditions of Contract where subclause 13.8 of the FIDIC General Conditions of Contract has been amended.
2. Only net bitumen content of asphalt and bituminous products shall be subject to rise and fall and no account shall be taken of transport, emulsifiers, diluents or modifiers that may be supplied ex refinery or added later.
3. For the purpose of clarity when using this form, a supplier is any company (including refineries) that supplies to a tenderer a bituminous product that it manufactures using bitumen as the sole or blended ingredient in the product. A tenderer shall, in compliance with note 4 below, attach to this form a letter of supply from each supplier it intends using in the performance of the contract.
4. Tenderers shall append to this page the following information on a letterhead from their selected supplier:
 - the supplier’s company registration and address details; and
 - the product range available including refinery from which the base bitumen is drawn; and
 - the net base bitumen type and content for each product; and
 - the supply price (excluding VAT and any discounts but including all other obligatory taxes and levies) to the tenderer for the net bitumen base content of each product; and
 - the date from which the supply prices apply.
5. Rise and fall adjustments shall only be made upon receipt by the engineer of the appropriate letters of supply in compliance to note 4 above, but with the changed supply prices and date of application, as well as reasons for the changes.
6. A change of supplier may be permitted, but only upon application to the engineer with the appropriate letters of supply in compliance to Note 4 above and approval thereof.
7. Non-disclosure of reduction in supply prices shall be deemed a contractor’s deliberate action to defraud the Employer and grounds for the Employer, at its sole discretion, to terminate the contract.

Each material dealt with as a special material in terms of FIDIC clause 13.8 as amended is stated in the list below. The rates and prices for the special materials shall be furnished by the tenderer as an attachment to this Form B2, which rates and prices shall not include VAT but shall include all other obligatory taxes and levies.

SPECIAL MATERIAL	UNIT*	RATE OR PRICE FOR THE BASE MONTH
None, there are no special materials for this Contract.		

*Indicate whether the material will be delivered in bulk or in containers.

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:

FORM B7: WORKPLAN AND PROPOSED METHODOLOGY

Tenderer must attach workplan and scope of work methodology

The tenderer shall demonstrate a clear understanding of the scope of works as described in the Specifications of these Tender Documents. Methodology must include:

- i. The **Workplan** to be provided shall be in the form of an indicative programme reflecting the following:
 - Contract period;
 - Proposed sequence or order of execution of the work;
 - Resources anticipated; and
 - Tempo of execution of the various activities comprising the work for this contract.

The indicative programme shall be in accordance with the information provided in Form B2: Schedule of Contractor's Equipment, Form B4: Schedule of Subcontractors, Form B7 Proposed Methodology, and with all other aspects of the tender.

If a tenderer wishes to submit an alternative tender then this form, appropriately completed, shall also be attached to the Pricing Schedule for the alternative proposal.

- ii. The **Scope of Work Proposed Methodology** must include the following:
 - The methodology statement must respond to the Scope of Work and Project Information under Part C4 and outline the proposed approach/methodology. The method statement should articulate what value the Tenderer will add by in achieving the stated objectives for the project.

The Tenderer must as such explain the following:

- Its understanding of the objectives of the assignment and the Employer's stated and implied requirements,
- Highlight the issues of importance and explain the technical approach they would adopt to address them, and
- Explain the methodologies which are to be adopted, demonstrate the compatibility of those methodologies with the proposed approach. The approach should also include a quality plan which outlines processes, procedures and associated resources, applied by whom and when, to meet the requirements and indicate how risks will be managed and what contribution can be made regarding value management.

The tenderer must attach his/her approach paper to this page. The approach paper should not be longer than 5 pages.

NAME OF TENDERER:

DATE:

SIGNATURE OF TENDERER:

NRA 2025/0341 THE URGENT ROUTINE ROAD MAINTENANCE ON NATIONAL ROAD R392 SECTION 3: R58 INTERSECTION – DR8560 INTERSECTION, A DISTANCE OF APPROXIMATELY 44.40KM (H), NATIONAL ROAD R393 SECTION 2: PALMIETFONTEIN – TELLE BRIDGE BORDER POST, A DISTANCE OF APPROXIMATELY 3.03KM (I), NATIONAL ROAD R726 SECTION 1: PALMIETFORNTEIN – DR8605 INTERSECTION, A DISTANCE OF APPROXIMATELY 18.77 KM