

REPLACEMENT OF POLYCARBONATE DOMED SKYLIGHT

WORK REQUIRED:

1. Replacement of one (1) old cracked polycarbonate domed skylight:

- Remove old damaged skylight, supply and install new polycarbonate domed skylight as in figure 1 below.
- Size: 870 mm x 870 mm.
- Bronze tinted outer dome.
- Work area is easily accessible without ladders or other equipment (i.e., flat roof area accessible via stairs).
- Metal flashing - powder coated aluminium.
- Reseal and waterproofing as necessary.



Fig. 1. Adjacent undamaged skylight at same location.

3. ***PLEASE PROVIDE A DETAILED QUOTE*** - Quotes should contain an itemised breakdown of the work to be completed so far as is possible. This should including new equipment to be purchased, major consumables, labour and full costing to allow fair and accurate comparison between service providers.
4. The specifications listed above may contain errors or omissions. Potential service providers can arrange for a site visit (not compulsory) to familiarize themselves with the scope of work required prior to quoting. Visits can be arranged with:

Anthony King
ARC-Plant Health and Protection
Office: 012 808 8213
Mobile: 082 480 5016
E-mail: KingA@arc.agric.za

LOCATION: Agricultural Research Council – Plant Health and Protection
KwaMhlanga/Moloto Road (R573)
Roodeplaat East
Pretoria, 0039
25°36'55.4"S 28°21'51.9"E
