



NEC3 Term Service

Short Contract (TSSC3)

A contract between Eskom Holdings SOC Ltd
(Reg No. 2002/015527/30)

and

for

Contents:	Compiled in accordance with CIDB Standard for Uniformity in Construction Procurement (May 2010 amendments)	Page No.
Part C1	Agreements & Contract Data	
	C1.1 Form of Offer and Acceptance	[•]
	C1.2 Contract Data provided by the <i>Employer</i>	[•]
	C1.2 Contract Data provided by the <i>Contractor</i>	[•]
Part C2	Pricing Data	
	C2.1 Pricing assumptions	[•]
	C2.2 Price List	[•]
Part C3	Scope of Work	
	C3.1 Service Information	[•]
	Pro Forma Task Order	

Documentation prepared by:

**DESIGN, MANUFACTURE, SUPPLY & DELIVER TWO (2) INCLINE COAL CONVEYOR
ELECTROMAGNETS AT ARNOT POWER STATION**

C1 Agreements & Contract Data

C1.1 Form of Offer and Acceptance

Offer

The Employer, identified in the Acceptance page signature block on the next page, has solicited offers to enter into a contract for the procurement of:

**DESIGN, MANUFACTURE, SUPPLY & DELIVER TWO (2) INCLINE COAL CONVEYOR
ELECTROMAGNETS AT ARNOT POWER STATION**

The tenderer, identified in the signature block below, having examined the documents listed in the Tender Data and addenda thereto as listed in the Tender Schedules, and by submitting this Offer has accepted the Conditions of Tender.

By the representative of the tenderer, deemed to be duly authorised, signing this part of this Form of Offer and Acceptance the tenderer offers to perform all of the obligations and liabilities of the Contractor under the Contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the conditions of contract identified in the Contract Data.

The offered total of the Prices exclusive of VAT is	R[●]
Value Added Tax @ 15% is	R[●]
The offered total of the Prices inclusive of VAT is	R[●]
(in words)	

This Offer may be accepted by the Employer by signing the form of Acceptance overleaf and returning one copy of this document including the Schedule of Deviations (if any) to the tenderer before the end of the period of validity stated in the Tender Data, or other period as agreed, whereupon the tenderer becomes the party named as the Contractor in the conditions of contract identified in the Contract Data.

Signature(s)

Name(s)

Capacity

**For the
tenderer:**

(Insert name and address of organisation)

Name &
signature of
witness

Date

Tenderer's CIDB registration number:

**DESIGN, MANUFACTURE, SUPPLY & DELIVER TWO (2) INCLINE COAL CONVEYOR
ELECTROMAGNETS AT ARNOT POWER STATION****Acceptance**

By signing this part of this Form of Offer and Acceptance, the Employer identified below accepts the tenderer's Offer. In consideration thereof, the Employer shall pay the Contractor the amount due in accordance with the conditions of contract identified in the Contract Data. Acceptance of the tenderer's Offer shall form an Agreement between the Employer and the tenderer upon the terms and conditions contained in this Agreement and in the Contract that is the subject of this Agreement.

The terms of the Contract, are contained in:

Part 1 Agreements and Contract Data, (which includes this Form of Offer and Acceptance)

Part 2 Pricing Data

Part 3 Scope of Work: Service Information

and drawings and documents (or parts thereof), which may be incorporated by reference into the above listed Parts.

Deviations from and amendments to the documents listed in the Tender Data and any addenda thereto listed in the Tender Schedules as well as any changes to the terms of the Offer agreed by the tenderer and the Employer during this process of Offer and Acceptance, are contained in the Schedule of Deviations attached to and forming part of this Form of Offer and Acceptance. No amendments to or deviations from said documents are valid unless contained in this Schedule, which must be signed by the duly authorised representative(s) for both parties.

The tenderer shall within one week of receiving a completed copy of this Agreement, including the Schedule of Deviations (if any), contact the Employer's agent (whose details are given in the Contract Data) to arrange the delivery of any securities, bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the conditions of contract identified in the Contract Data at, or just after, the date this Agreement comes into effect. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this Agreement.

Notwithstanding anything contained herein, this Agreement comes into effect on the date when the tenderer receives one fully completed and signed copy of this document, including the Schedule of Deviations (if any) together with all the terms of the contract as listed above.

Signature(s)

Name(s)

Capacity

**for the
Employer**

(Insert name and address of organisation)

Name &
signature of
witness

Date

Note: If a tenderer wishes to submit alternative tender offers, further copies of this document may be used for that purpose, duly endorsed, 'Alternative Tender No. _____'

**DESIGN, MANUFACTURE, SUPPLY & DELIVER TWO (2) INCLINE COAL CONVEYOR
ELECTROMAGNETS AT ARNOT POWER STATION****Schedule of Deviations**

Note:

1. To be completed by the Employer prior to award of contract. This part of the Offer & Acceptance would not be required if the contract has been developed by negotiation between the Parties and is not the result of a process of competitive tendering.
2. The extent of deviations from the tender documents issued by the Employer prior to the tender closing date is limited to those permitted in terms of the Conditions of Tender.
3. A tenderer's covering letter must not be included in the final contract document. Should any matter in such letter, which constitutes a deviation as aforesaid be the subject of agreement reached during the process of Offer and Acceptance, the outcome of such agreement shall be recorded here and the final draft of the contract documents shall be revised to incorporate the effect of it.

No.	Subject	Details
1		
2		
3		
4		
5		
6		
7		

By the duly authorised representatives signing this Schedule of Deviations below, the Employer and the tenderer agree to and accept this Schedule of Deviations as the only deviations from and amendments to the documents listed in the Tender Data and any addenda thereto listed in the Tender Schedules, as well as any confirmation, clarification or changes to the terms of the Offer agreed by the tenderer and the Employer during this process of Offer and Acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the tender documents and the receipt by the tenderer of a completed signed copy of this Form shall have any meaning or effect in the contract between the parties arising from this Agreement.

For the tenderer:**For the Employer**

Signature

Name

Capacity

On behalf
of*(Insert name and address of organisation)**(Insert name and address of organisation)*Name &
signature
of witness

Date

**DESIGN, MANUFACTURE, SUPPLY & DELIVER TWO (2) INCLINE COAL CONVEYOR
ELECTROMAGNETS AT ARNOT POWER STATION****C1.2 Contract Data****Data provided by the *Employer*****[Instructions to the contract compiler: (delete these two notes in the final draft of a contract)]**

1. Please read the relevant clauses in the NEC3 Term Service Short Contract (April 2013) (TSSC3)¹ before you enter data. The number of the principal clause is shown for most statements however other clauses may also use the same data.
2. Where the following symbol is used “[●]” - data is required to be inserted.]

Completion of the data in full is essential to create a complete contract.

Clause	Statement	Data
General		
10.1	The <i>Employer</i> is (Name):	Eskom Holdings SOC Ltd (reg no: 2002/015527/30), a state owned company incorporated in terms of the company laws of the Republic of South Africa
	Address	Registered office at Megawatt Park, Maxwell Drive, Sandton, Johannesburg
If the <i>Employer</i> appoints an <i>Employer's Representative</i> ,		
14.5	Name	TBA
	Address	[●]
	Tel No.	[●]
	Fax No.	[●]
	E-mail address	[●]
	The authority of the <i>Employer's Representative</i> is	To review, approve, and monitor all aspects of this Contract, including designs, documentation, quality control plans, testing procedures, and delivery schedules, to ensure compliance with the contractual requirements.
11.2(5)	The <i>service</i> is	DESIGN, MANUFACTURE, SUPPLY & DELIVER TWO (2) INCLINE COAL CONVEYOR ELECTROMAGNETS AT ARNOT POWER STATION
11.2(6)	The Service Information is in	the document called 'Service Information' in Part 3 of this contract.
30.1	The <i>starting date</i> is.	TBA
30.1	The <i>service period</i> is.	12 months
13.2	The <i>period for reply</i> is	2 weeks
50.1	The <i>assessment day</i> is the	After every delivery.

¹ Available from Engineering Contract Strategies Tel 011 803 3008, Fax 086 539 1902 or www.ecs.co.za.

DESIGN, MANUFACTURE, SUPPLY & DELIVER TWO (2) INCLINE COAL CONVEYOR ELECTROMAGNETS AT ARNOT POWER STATION

51.2	The interest rate on late payment is	0% per complete week of delay. [Insert a rate only if a rate less than 0.5% per week of delay has been agreed]
80.1	The <i>Contractor</i> is not liable to the <i>Employer</i> for loss of or damage to the <i>Employer's</i> property in excess of	the amount of the deductibles relevant to the event
	Does the United Kingdom Housing Grants, Construction and Regeneration Act (1996) apply?	No
93.1	The <i>Adjudicator</i> is	the person selected from the ICE-SA Division (or its successor body) of the South African Institution of Civil Engineering Panel of Adjudicators by the Party intending to refer a dispute to him. (see www.ice-sa.org.za). If the Parties do not agree on an Adjudicator the Adjudicator will be appointed by the Arbitration Foundation of Southern Africa (AFSA).
93.2(2)	The <i>Adjudicator nominating body</i> is:	the Chairman of ICE-SA a joint Division of the South African Institution of Civil Engineering and the London Institution of Civil Engineers. (See www.ice-sa.org.za) or its successor body
93.4	The <i>tribunal</i> is:	arbitration.
	The <i>arbitration procedure</i> is	the latest edition of Rules for the Conduct of Arbitrations published by The Association of Arbitrators (Southern Africa) or its successor body.
	The place where arbitration is to be held is	South Africa
	The person or organisation who will choose an arbitrator	
	- if the Parties cannot agree a choice or	the Chairman for the time being or his nominee
	- if the arbitration procedure does not state who selects an arbitrator, is	of the Association of Arbitrators (Southern Africa) or its successor body.

The conditions of contract are the NEC3 Term Service Short Contract (April 2013)²³ and the following additional conditions Z1 to Z11 which always apply:

Z1 Cession delegation and assignment

- Z1.1 The *Contractor* does not cede, delegate or assign any of its rights or obligations to any person without the written consent of the *Employer*.
- Z1.2 Notwithstanding the above, the *Employer* may on written notice to the *Contractor* cede and delegate its rights and obligations under this contract to any of its subsidiaries or any of its present divisions or operations which may be converted into separate legal entities as a result of the restructuring of the Electricity Supply Industry.

² If the previous edition applies change 'April 2013' for 'September 2009'.

³ State whether attached as a 'PDF' file in terms of Eskom's licence, or to be obtained from Engineering Contract Strategies Tel 011 803 3008, Fax 086 539 1902 or www.ecs.co.za

**DESIGN, MANUFACTURE, SUPPLY & DELIVER TWO (2) INCLINE COAL CONVEYOR
ELECTROMAGNETS AT ARNOT POWER STATION****Z2 Change of Broad Based Black Economic Empowerment (B-BBEE) status**

- Z2.1 Where a change in the *Contractor's* legal status, ownership or any other change to his business composition or business dealings results in a change to the *Contractor's* B-BBEE status, the *Contractor* notifies the *Employer* within seven days of the change.
- Z2.2 The *Contractor* is required to submit an updated verification certificate and necessary supporting documentation confirming the change in his B-BBEE status to the *Employer* within thirty days of the notification or as otherwise instructed by the *Employer*.
- Z2.3 Where, as a result, the *Contractor's* B-BBEE status has decreased since the *starting date* the *Employer* may either re-negotiate this contract or alternatively, terminate the *Contractor's* obligation to Provide the Service.
- Z2.4 Failure by the *Contractor* to notify the *Employer* of a change in its B-BBEE status may constitute a reason for termination. If the *Employer* terminates in terms of this clause, the procedures on termination are those stated in Clause 91.1 and the amount due on termination includes amounts listed in Clause 92.1 less a deduction of the forecast additional cost to the *Employer* of completing the service.

Z3 Confidentiality

- Z3.1 The *Contractor* does not disclose or make any information arising from or in connection with this contract available to others except where required by this contract. This undertaking does not, however, apply to information which at the time of disclosure or thereafter, without default on the part of the *Contractor*, enters the public domain or to information which was already in the possession of the *Contractor* at the time of disclosure (evidenced by written records in existence at that time). Should the *Contractor* disclose information to others where required by this contract the *Contractor* ensures that the provisions of this clause are complied with by the recipient.
- Z3.2 If the *Contractor* is uncertain about whether any such information is confidential, it is to be regarded as such until notified otherwise by the *Employer*.
- Z3.3 In the event that the *Contractor* is, at any time, required by law to disclose any such information which is required to be kept confidential, the *Contractor*, to the extent permitted by law prior to disclosure, notifies the *Employer* so that an appropriate protection order and/or any other action can be taken if possible, prior to any disclosure. In the event that such protective order is not, or cannot, be obtained, then the *Contractor* may disclose that portion of the information which it is required to be disclosed by law and uses reasonable efforts to obtain assurances that confidential treatment will be afforded to the information so disclosed.
- Z3.4 The taking of images (whether photographs, video footage or otherwise) of the *Employer's* property or any portion thereof, in the course of Providing the Service and after the end of the *service period*, requires the prior written consent of the *Employer*. All rights in and to all such images vests exclusively in the *Employer*.
- Z3.5 The *Contractor* ensures that all his subcontractors abide by the undertakings in this clause.

Z4 Waiver and estoppel: Add to clause 12.2:

- Z4.1 Any extension, concession, waiver or relaxation of any action stated in this contract by the Parties or their delegates or the *Adjudicator* does not constitute a waiver of rights, and does not give rise to an estoppel unless the Parties agree otherwise and confirm such agreement in writing.

**DESIGN, MANUFACTURE, SUPPLY & DELIVER TWO (2) INCLINE COAL CONVEYOR
ELECTROMAGNETS AT ARNOT POWER STATION****Z5 Health, safety and the environment**

- Z5.1 The *Contractor* undertakes to take all reasonable precautions to maintain the health and safety of persons in and about the execution of the *service*. Without limitation the *Contractor*:
- warrants that the total of the Prices as at the Contract Date includes a sufficient amount for proper compliance with the Construction Regulations, all applicable health & safety laws and regulations and the health and safety rules, guidelines and procedures provided for in this contract and generally for the proper maintenance of health & safety in and about the execution of *service*; and
 - undertakes, in and about the execution of the *service*, to comply with the Construction Regulations and with all applicable health & safety laws and regulations and rules, guidelines and procedures otherwise provided for under this contract and ensures that his Subcontractors, employees and others under the *Contractor's* direction and control, likewise observe and comply with the foregoing.
- Z5.2 The *Contractor*, in and about the execution of the *service*, complies with all applicable environmental laws and regulations and rules, guidelines and procedures otherwise provided for under this contract and ensures that his subcontractors, employees and others under the *Contractor's* direction and control, likewise observe and comply with the foregoing.

**DESIGN, MANUFACTURE, SUPPLY & DELIVER TWO (2) INCLINE COAL CONVEYOR
ELECTROMAGNETS AT ARNOT POWER STATION**
Z6 Provision of a Tax Invoice and interest. Add to clause 50

- Z6.1 The *Contractor* provides the *Employer* with a tax invoice in accordance with the *Employer's* procedures stated in the Service Information, showing the correctly assessed amount due for payment.
- Z6.2 If the *Contractor* does not provide a tax invoice in the form and by the time required by this contract, the time by when the *Employer* is to make a payment is extended by a period equal in time to the delayed submission of the correct tax invoice. Interest due by the *Employer* in terms of clause 51.2 is then calculated from the delayed date by when payment is to be made.
- Z6.3 The *Contractor* is required to comply with the requirements of the Value Added Tax Act, no 89 of 1991 (as amended) and to include the *Employer's* VAT number 4740101508 on each invoice he submits for payment.

Z7 Notifying compensation events

- Z7.1 Delete from the last sentence in clause 61.1, "unless the event arises from an instruction of the *Employer*."

Z8 *Employer's* limitation of liability; Add to clause 80.2

- Z8.1 The *Employer's* liability to the *Contractor* for the *Contractor's* indirect or consequential loss is limited to R0.00 (zero Rand).

Z9 Termination: Add to clause 90.2, after the words "or its equivalent":

- Z9.1 or had a business rescue order granted against it.

Z10 Addition to Clause 50.4

- Z10.1 If the amount due for the *Contractor's* payment of *delay damages* reaches the limits stated in a Task Order (if any), the *Employer* may terminate the *Contractor's* obligation to Provide the Service.
- Z10.2 If the *Employer* terminates in terms of this clause, the procedures on termination are those stated in Clause 91.1 and the amount due on termination includes amounts listed in Clause 92.1 less a deduction of the forecast additional cost to the *Employer* of completing the *service*.

Z11 Ethics

For the purposes of this Z-clause, the following definitions apply:

- Affected Party** means, as the context requires, any party, irrespective of whether it is the *Contractor* or a third party, such party's employees, agents, or Subcontractors or Subcontractor's employees, or any one or more of all of these parties' relatives or friends,
- Coercive Action** means to harm or threaten to harm, directly or indirectly, an Affected Party or the property of an Affected Party, or to otherwise influence or attempt to influence an Affected Party to act unlawfully or illegally,
- Collusive Action** means where two or more parties co-operate to achieve an unlawful or illegal purpose, including to influence an Affected Party to act unlawfully or illegally,
- Committing** means, as the context requires, the *Contractor*, or any member thereof in the case of

**DESIGN, MANUFACTURE, SUPPLY & DELIVER TWO (2) INCLINE COAL CONVEYOR
ELECTROMAGNETS AT ARNOT POWER STATION**

- Party** a joint venture, or its employees, agents, or Subcontractors or the Subcontractor's employees,
- Corrupt Action** means the offering, giving, taking, or soliciting, directly or indirectly, of a good or service to unlawfully or illegally influence the actions of an Affected Party,
- Fraudulent Action** means any unlawfully or illegally intentional act or omission that misleads, or attempts to mislead, an Affected Party, in order to obtain a financial or other benefit or to avoid an obligation or incurring an obligation,
- Obstructive Action** means a Committing Party unlawfully or illegally destroying, falsifying, altering or concealing information or making false statements to materially impede an investigation into allegations of Prohibited Action, and
- Prohibited Action** means any one or more of a Coercive Action, Collusive Action Corrupt Action, Fraudulent Action or Obstructive Action.

- Z11.1 A Committing Party may not take any Prohibited Action during the course of the procurement of this contract or in execution thereof.
- Z11.2 The *Employer* may terminate the *Contractor's* obligation to Provide the Services if a Committing Party has taken such Prohibited Action and the *Contractor* did not take timely and appropriate action to prevent or remedy the situation, without limiting any other rights or remedies the *Employer* has. It is not required that the Committing Party had to have been found guilty, in court or in any other similar process, of such Prohibited Action before the *Employer* can terminate the *Contractor's* obligation to Provide the Services for this reason.
- Z11.3 If the *Employer* terminates the *Contractor's* obligation to Provide the Services for this reason, the amounts due on termination are those intended in core clauses 92.1 and 92.2.
- Z11.4 A Committing Party co-operates fully with any investigation pursuant to alleged Prohibited Action. Where the *Employer* does not have a contractual bond with the Committing Party, the *Contractor* ensures that the Committing Party co-operates fully with an investigation.

Z12 Insurance
Z __12.1 Replace condition of contract 82 with the following:
Insurance cover 82

- 82.1 When requested by a Party, the other Party provides certificates from his insurer or broker stating that the insurances required by this contract are in force.
- 82.2 The *Contractor* provides the insurances in the Insurance Table A, from the *starting date* until the earlier of Completion and the date of the termination certificate.

INSURANCE TABLE A

Insurance against	Minimum amount of cover or minimum limit of indemnity
Loss of or damage caused by the <i>Contractor</i> to the <i>Employer's</i> property	The replacement cost where not covered by the <i>Employer's</i> insurance The <i>Employer's</i> policy deductible as at contract date, where covered by the <i>Employer's</i> insurance

**DESIGN, MANUFACTURE, SUPPLY & DELIVER TWO (2) INCLINE COAL CONVEYOR
ELECTROMAGNETS AT ARNOT POWER STATION**

Loss of or damage to equipment, plant and materials	The replacement cost where not covered by the <i>Employer's</i> insurance The <i>Employer's</i> policy deductible as at contract date, where covered by the <i>Employer's</i> insurance
The <i>Contractor's</i> liability for loss of or damage to property (except the <i>Employer's</i> property, equipment and other things used to Provide the Service) and for bodily injury to or death of a person (not an employee of the <i>Contractor</i>) arising from or in connection with the <i>Contractor's</i> Providing the Service	<u>Loss of or damage to property</u> The replacement cost <u>Bodily injury to or death of a person</u> The amount required by the applicable law
Liability for death of or bodily injury to employees of the <i>Contractor</i> arising out of and in the course of their employment in connection with this contract	The amount required by the applicable law

82.3 The *Employer* provides the insurances stated in the Insurance Table B

INSURANCE TABLE B

Insurance against or name of policy	Minimum amount of cover or minimum limit of indemnity
Assets All Risk	Per the insurance policy document
Contract Works insurance	Per the insurance policy document
Environmental Liability	Per the insurance policy document
General and Public Liability	Per the insurance policy document
Transportation (Marine)	Per the insurance policy document
Motor Fleet and Mobile Plant	Per the insurance policy document
Terrorism	Per the insurance policy document
Cyber Liability	Per the insurance policy document
Nuclear Material Damage and Business Interruption	Per the insurance policy document
Nuclear Material Damage Terrorism	Per the insurance policy document

Z13 Nuclear Liability

- Z13.1 The *Employer* is the operator of the Koeberg Nuclear Power Station (KNPS), a nuclear installation, as designated by the National Nuclear Regulator of the Republic of South Africa, and is the holder of a nuclear licence in respect of the KNPS.
- Z13.2 The *Employer* is solely responsible for and indemnifies the *Contractor* or any other person against any and all liabilities which the *Contractor* or any person may incur arising out of or resulting from nuclear damage, as defined in Act 47 of 1999, save to the extent that any liabilities are incurred due to the unlawful intent of the *Contractor* or any other person or the presence of the *Contractor* or that person or any property of the *Contractor* or such person at or in the KNPS or on the KNPS site, without the permission of the *Employer* or of a person acting on behalf of the *Employer*.

**DESIGN, MANUFACTURE, SUPPLY & DELIVER TWO (2) INCLINE COAL CONVEYOR
ELECTROMAGNETS AT ARNOT POWER STATION**

Z13.3 Subject to clause Z13.4 below, the *Employer* waives all rights of recourse, arising from the aforesaid, save to the extent that any claims arise or liability is incurred due or attributable to the unlawful intent of the *Contractor* or any other person, or the presence of the *Contractor* or that person or any property of the *Contractor* or such person at or in the KNPS or on the KNPS site, without the permission of the *Employer* or of a person acting on behalf of the *Employer*.

Z13.4 The *Employer* does not waive its rights provided for in section 30 (7) of Act 47 of 1999, or any replacement section dealing with the same subject matter.

Z13.5 The protection afforded by the provisions hereof shall be in effect until the KNPS is decommissioned.

Z14 Asbestos

For the purposes of this Z-clause, the following definitions apply:

AAIA	means approved asbestos inspection authority.
ACM	means asbestos containing materials.
AL	means action level, i.e. a level of 50% of the OEL, i.e. 0.1 regulated asbestos fibres per ml of air measured over a 4 hour period. The value at which proactive actions is required in order to control asbestos exposure to prevent exceeding the OEL.
Ambient Air	means breathable air in area of work with specific reference to breathing zone, which is defined to be a virtual area within a radius of approximately 30cm from the nose inlet.
Compliance Monitoring	means compliance sampling used to assess whether or not the personal exposure of workers to regulated asbestos fibres is in compliance with the Standard's requirements for safe processing, handling, storing, disposal and phase-out of asbestos and asbestos containing material, equipment and articles.
OEL	means occupational exposure limit.
Parallel Measurements	means measurements performed in parallel, yet separately, to existing measurements to verify validity of results.
Safe Levels	means airborne asbestos exposure levels conforming to the Standard's requirements for safe processing, handling, storing, disposal and phase-out of asbestos and asbestos containing material, equipment and articles.
Standard	means the <i>Employer's</i> Asbestos Standard 32-303: Requirements for Safe Processing, Handling, Storing, Disposal and Phase-out of Asbestos and Asbestos Containing Material, Equipment and Articles.
SANAS	means the South African National Accreditation System.
TWA	means the average exposure, within a given workplace, to airborne asbestos fibres, normalised to the baseline of a 4-hour continuous period, also applicable to short term exposures, i.e. 10-minute TWA.

Z14.1 The *Employer* ensures that the Ambient Air in the area where the *Contractor* will Provide the Services conforms to the acceptable prescribed South African standard for asbestos, as per the regulations published in GNR 155 of 10 February 2002, under the Occupational Health and Safety Act, 1993 (Act 85 of 1993) ("Asbestos Regulations"). The OEL for asbestos is 0.2 regulated asbestos fibres per millilitre of air as a 4-hour TWA, averaged over any continuous period of four hours, and the short term exposure limit of 0.6 regulated asbestos fibres per millilitre of air as a 10-minute TWA, averaged over any 10 minutes, measured in accordance with HSG248 and monitored according to HSG173 and OESSM.

**DESIGN, MANUFACTURE, SUPPLY & DELIVER TWO (2) INCLINE COAL CONVEYOR
ELECTROMAGNETS AT ARNOT POWER STATION**

- Z14.2 Upon written request by the *Contractor*, the *Employer* certifies that these conditions prevail. All measurements and reporting are effected by an independent, competent, and certified occupational hygiene inspection body, i.e. a SANAS accredited and Department of Employment and Labour approved AAIA. The *Contractor* may perform Parallel Measurements and related control measures at the *Contractor's* expense. For the purposes of compliance the results generated from Parallel Measurements are evaluated only against South African statutory limits as detailed in clause Z14.1. Control measures conform to the requirements stipulated in the AAIA-approved asbestos work plan.
- Z14.3 The *Employer* manages asbestos and ACM according to the Standard.
- Z14.4 In the event that any asbestos is identified while Providing the Services, a risk assessment is conducted and if so required, with reference to possible exposure to an airborne concentration of above the AL for asbestos, immediate control measures are implemented and relevant air monitoring conducted in order to declare the area safe.
- Z14.5 The *Contractor's* personnel are entitled to stop working and leave the contaminated area forthwith until such time that the area of concern is declared safe by either Compliance Monitoring or an AAIA approved control measure intervention, for example, per the emergency asbestos work plan, if applicable.
- Z14.6 The *Contractor* continues to Provide the Services, without additional control measures presented, on presentation of Safe Levels. The contractually agreed dates to Provide the Services, including the Completion Date, are adjusted accordingly. The contractually agreed dates are extended by the notification periods required by regulations 3 and 21 of the Asbestos Regulations, 2001.
- Z14.7 Any removal and disposal of asbestos, asbestos containing materials and waste, is done by a registered asbestos contractor, instructed by the *Employer* at the *Employer's* expense, and conducted in line with South African legislation.

**DESIGN, MANUFACTURE, SUPPLY & DELIVER TWO (2) INCLINE COAL CONVEYOR
ELECTROMAGNETS AT ARNOT POWER STATION****Data provided by the Contractor (the Contractor's Offer)**

The tendering contractor is advised to read both the NEC3 Term Service Short Contract (April 2013) and the relevant parts of its Guidance Notes (TSSC3-GN)⁴ in order to understand the implications of this Data which the tenderer is required to complete. An example of the completed Data is provided on page 24 of the TSSC3 Guidance Notes.

Completion of the data in full is essential to create a complete contract.

10.1	The <i>Contractor</i> is (Name):	[•]
	Address	[•]
	Tel No.	[•]
	Fax No.	[•]
	E-mail address	[•]
63.2	The percentage for overheads and profit added to the Defined Cost for people is	[•]%
63.2	The percentage for overheads and profit added to other Defined Cost is	[•]%
11.2(4)	The Price List is in	the document called 'Price List' in Part 2 of this contract.
11.2(4)	The offered total of the Prices for part of the <i>service</i> in Part 1 of the Price List is [Enter the total of the Prices from the Price List]:	R[•] excluding VAT [in words] [•] excluding VAT

⁴ Available from Engineering Contract Strategies Tel 011 803 3008, Fax 086 539 1902, or www.ecs.co.za.

**DESIGN, MANUFACTURE, SUPPLY & DELIVER TWO (2) INCLINE COAL CONVEYOR
ELECTROMAGNETS AT ARNOT POWER STATION**

C2 Pricing Data

C2.1 Pricing assumptions

The Price List is in two parts. Part 1 is for work described in the Service Information not requiring the *Employer* to issue a Task Order. Part 2 is for work to be carried out within a stated period of time on a task-by-Task basis and instructed by Task Order. The *service* may comprise work under Part 1 only or Part 2 only or a mix of both.

Entries in the first four columns of Part 1 of the Price List are made either by the *Employer* or the tenderer. Entries in the first four columns of Part 2 of the Price List would normally be made by the *Employer* as the Party most likely to know the kind of work which will be instructed by the issue of Task Orders. The tenderer then enters a rate for each item and multiplies it by the Expected quantity to produce the Price to be entered in the final column.

If the *Contractor* is to be paid an amount for the item which is not adjusted if the quantity of work in the item changes, the tenderer enters the amount in the Price column only, the Unit, expected quantity and Rate columns being left blank.

If the *Contractor* is to be paid an amount for the item of work which is the rate for the work multiplied by the quantity completed, the tenderer enters a rate for each item and multiplies it by the Expected quantity to produce the Price, to be entered in the final column.

If the *Contractor* is to be paid a Price for an item proportional to the length of time for which a service is provided, a unit of time is stated in the Unit column and the expected length of time (as a quantity of the stated units of time) is stated in the Expected quantity column.

The rates and Prices entered for each item includes for all work and other things necessary to complete the item.

**DESIGN, MANUFACTURE, SUPPLY & DELIVER TWO (2) INCLINE COAL CONVEYOR
ELECTROMAGNETS AT ARNOT POWER STATION**
C2.2 Price List
Part 1

The rates and Prices entered for each item includes for all work and other things necessary to complete the item.

Item no.	Description	Unit	Quantity	Rate	Price
1	GENERAL ARRANGEMENT DRAWINGS:				
1.1	Design and Engineer	Ea.	1		
1.2	Manufacture of suspended incline conveyor electromagnet (heavy-duty, continuous operation)	Ea.	1		
2	COMPLETE ELECTROMAGNET UNIT:				
2.1	Magnetic coil assembly (self-air-cooled complete system)	Ea.	2		
2.2	Self-Cleaning Electromagnetic Separator Dry-Type (Self-Air Cooled) – Completely Sealed Low Headroom: MODEL: 350OCB1200SAC	Ea.	2		
3	TESTING & QUALITY ASSURANCE				
3.1	Inspection and quality control procedures (documentation)	Sum.	1		
3.2	Factory Acceptance Tests (FAT)	Sum.	2		
4	SAFETY REQUIREMENTS				
4.1	Two- piece overall	Ea.	2		
4.2	Safety boots	Ea.	2		
4.3	Medicals	Ea.	2		
4.4	Police clearances	Ea.	2		
4.5	Safety file	Ea.	1		
5	Delivery from Contractor Site to Arnot PS (Return trip)	Km.	1000		

Total of the Prices

**DESIGN, MANUFACTURE, SUPPLY & DELIVER TWO (2) INCLINE COAL CONVEYOR
ELECTROMAGNETS AT ARNOT POWER STATION**

C3: Scope of Work

C3.1 Service Information

1. Description of the service

- Design, manufacture, supply, and deliver two (2) incline coal conveyor electromagnets at Arnot Power Station.
- All materials and components used during manufacturing shall comply with relevant national standards.
- The *Contractor* shall provide warranty and guarantee periods for the electromagnets as stipulated in the contract documentation.
- The *Contractor* shall provide manufacturer's catalogues, datasheets, and installation manuals.
- All items used during manufacturing shall be new, unused, and free from defects.
- The *Contractor* shall develop a Quality Control Plan (QCP) and submit it to the *Employer's Representative* for approval prior to commencement of any activities. No work shall begin until the QCP has been approved.
- The *Contractor* shall submit a programme detailing the start and completion dates for manufacturing to the *Employer's Representative* within the specified response period.
- Upon completion of manufacturing, the *Contractor* shall arrange with the *Employer's Representative* to conduct Factory Acceptance Testing (FAT).
- Each electromagnet shall be clearly labelled with a description, part number, batch/serial number, and handling instructions.
- Packaging shall be robust and suitable for both storage and transportation.
- The Contractor shall submit a data pack to the *Employer's Representative*, including the magnet specification manual, test reports, drawings, and installation instructions.
- Delivery shall be carried out in accordance with the agreed delivery schedule. Any deviations must be communicated to and approved by the *Employer's Representative* in consultation with Electrical Engineering.

All electromagnets shall be delivered to Arnot Power Station, Electrical Maintenance Department

Specification of the electromagnets:

- Self-cleaning, Electromagnet Separator
- IE4 Rating
- Coils designed to heat up slowly and never reach burning temperature
- Completely sealed unit- rated IP66
- ZERO FIRE HAZARD- Coils completely encased and protected by heavy duty steel casing.
- Heavy duty S/S Wear Plate
- Solid Rod Aluminium coils with a cross section of 12mm x 5mm double glass insulate, space wound with class H (180 deg C) insulation
- Coils dipped in high grade varnish and baked/hardened/sealed.
- Coils completely wrapped in glass tape and surrounded by a layer of Nomex sheeting
- Foot mounted, heavy duty, geared motor **BELT DRIVE: SEW IE3 IP65 rated** with **SEW** (or similar) Gearbox.
- **380VAC** Supply
- 4 continuously crowned carbon steel pulleys- to ensure easy belt alignment- pulleys with locking elements and plumber block/spherical roller type bearings.
- 2 Pulleys easily adjustable at 4 points with threaded rod and nut adjustability.
- Magnet housing to be fitted with vertical fins to effectively increase the cooling surface area.
- LOW HEADROOM DESIGN.
- PT100 temperature probe to continuously monitor coil temperature.

**DESIGN, MANUFACTURE, SUPPLY & DELIVER TWO (2) INCLINE COAL CONVEYOR
ELECTROMAGNETS AT ARNOT POWER STATION**

Detailed Magnet Specifications: TO GO OVER CONVEYOR WIDTH	Up to 1200	mm max
MAGNET MODEL	350OCB1200SAC	IE3 – 50%
MAGNET COOLING METHOD	NONE (DRY)	NO OIL REQUIRED.
MAGNET CLEANING TYPE	SELF	
MAGNET INPUT POWER (MAX) [IE4]	6	kW
EQUIVALENT TO MAGNET POWER [IE1]	12	kW
MAGNET MASS TOTAL	4 600	kg
AMPERE.TURNS	115 000	Amp.Turns
NOMINAL OPERATING GAP	350	mm
GAUSS READING @ 350mm GAP (20°C)	950	Gauss Approx.
BELT MOTOR POWER (MAX) [IE3]	5,5 / 4	kW

2. Specifications

Title	Date or revision	Tick if publicly available
<u>General Specifications:</u>		
Health and Safety requirements		
Environmental requirements		
Site regulations and access control		
<u>Technical specifications:</u>		
MAGNET MODEL: 350OCB1200SAC		

3. Constraints on how the Contractor Provides the Service**Progress Reporting**

The *Contractor* shall submit progress reports to the *Employer's Representative* at intervals and in a format agreed upon by the Parties. Each progress report shall, as a minimum, include:

A summary of all work completed during the reporting period and cumulatively to date;
 Details of all work currently in progress, including the status, percentage completion, and any challenges or delays encountered;
 Details of planned and upcoming activities, including work for which an order has been issued and is scheduled for execution;

DESIGN, MANUFACTURE, SUPPLY & DELIVER TWO (2) INCLINE COAL CONVEYOR ELECTROMAGNETS AT ARNOT POWER STATION

Information on any other related work being undertaken by the Contractor that may impact the execution of the Works;

Progress against the approved Programme of Works, including achievement of key milestones; and

Any other information reasonably required by the Employer's Representative for the effective monitoring and management of the Contract.

The Contractor shall ensure that all progress reports are accurate, comprehensive, and submitted within the agreed reporting periods.

3.1 Meetings

Regular meetings of a general nature may be convened and chaired by the *Employer representative*, as follows:

Title and purpose	Approximate time & interval	Location	Attendance by:
Overall contract progress feedback and risk register	Monthly	Contractor's site	<i>Employer representative, Contractor</i>

Meetings of a specialist nature may be convened as specified elsewhere in this Scope of work or if not so specified by persons and at times and locations to suit the Parties, the nature and the progress of the service. Records of these meetings shall be submitted to the *Employer representative* by the person convening the meeting within five days of the meeting.

All meetings shall be recorded using minutes or a register prepared and circulated by the person who convened the meeting. Such minutes or register shall not be used for the purpose of confirming actions or instructions under the contract as these shall be done separately by the person identified in the *conditions of contract* to carry out such actions or instructions.

3.2 Use of standard forms

The *Contractor* shall prepare a Quality Control Plan (QCP) and submit it to the *Employer's Representative* for approval prior to commencing the activity. No work shall commence until the QCP has been formally reviewed and approved.

Contractor to submit a program detailing the start and completion dates for manufacturing to the *Employer's Representative* within the stated period of reply.

Upon completion of the electromagnets' manufacturing, the Contractor shall coordinate with the Employer's Representative to schedule and conduct Factory Acceptance Testing (FAT).

3.3 Invoicing and payment

In terms of core clause 50 the *Contractor* assesses the amount due and applies to the *Employer* for payment. The *Contractor* applies for payment with a tax invoice addressed to the *Employer* as follows:

The *Contractor* includes the following information on each tax invoice:

- Name and address of the *Contractor*
- The contract number and title;
- *Contractor's* VAT registration number;
- The *Employer's* VAT registration number 4740101508;
- The total of

DESIGN, MANUFACTURE, SUPPLY & DELIVER TWO (2) INCLINE COAL CONVEYOR ELECTROMAGNETS AT ARNOT POWER STATION

- The Price for each lump sum item in the Price List or Task Order which the *Contractor* has completed;
- Where a quantity is stated for an item in the Price List or Task Order, an amount calculated by multiplying the quantity which the *Contractor* has completed by the rate,
- Other amounts to be paid to the *Contractor*;
- Less amounts to be paid by or retained from the *Contractor*;
- The change in the amount due since the previous payment being the invoiced amount - excluding VAT, the VAT and including VAT;
- (add other as required)

The *Contractor* attaches the detail assessment of all work done for each item in the Price List to each tax invoice showing

- the Price for each lump sum item in the Price List or Task Order which the *Contractor* has completed and
- where a quantity is stated for an item in the Price List or Task Order, an amount calculated by multiplying the quantity which the *Contractor* has completed by the rate.

3.4 Records of Defined Cost

In order to substantiate the Defined Cost of compensation events, the *Employer* may require the *Contractor* to keep records of amounts paid by him for people employed by the *Contractor*, plant and materials, work subcontracted by the *Contractor* and equipment. [See clause 11.2(2) and 63.2]. State in what form these records are to be kept and how accessed by the *Employer*.

3.5 Accelerated Shared Growth Initiative – South Africa (ASGI-SA)

If the ASGI-SA requirements are to be included in this contract specify constraints which *Contractor* must comply with after contract award in regard to any ASGI-SA requirements. The ASGI-SA Compliance Schedule completed in the returnable tender schedules is reproduced here. If ASGI-SA does not apply, delete this paragraph.

The *Contractor* complies with and fulfils the *Contractor's* obligations in respect of the Accelerated and Shared Growth Initiative - South Africa in accordance with and as provided for in the *Contractor's* ASGI-SA Compliance Schedule stated below

[Insert the agreed ASGI-SA Compliance Schedule here]

The *Contractor* shall keep accurate records and provide the *Employer* with reports on the *Contractor's* actual delivery against the above stated ASGI-SA criteria. [Elaborate on access to and format of records and frequency of submission etc.]

The *Contractor's* failure to comply with his ASGI-SA obligations constitutes substantial failure on the part of the *Contractor* to comply with his obligations under this contract.

3.6 BBBEE and preferencing scheme

Specify constraints which *Contractor* must comply with after contract award in regard to any Broad Based Black Economic Empowerment (B-BBEE) or preferencing scheme measures.

**DESIGN, MANUFACTURE, SUPPLY & DELIVER TWO (2) INCLINE COAL CONVEYOR
ELECTROMAGNETS AT ARNOT POWER STATION****3.7 Cataloguing requirements by the Contractor**

Not Applicable

4. Requirements for the plan

The *Contractor* shall, within the period specified by the *Employer*, submit a detailed Programme of Works for approval by the *Employer's Representative*. The programme shall clearly set out all planned activities, estimated durations, sequencing of tasks, resource requirements, key milestones, and the anticipated completion date for the Works.

The *Contractor* shall regularly update the programme to reflect actual progress and any approved changes affecting the execution of the Works.

5. Services and other things provided by the Employer**Site Facilities and Support Services****Plant and Equipment**

The Employer shall, upon delivery, provide access to a crane, scaffolding, and any other site equipment reasonably required for the execution of the Works.

Potable Water

The Employer shall make potable water available on site, free of charge, for purposes related to the delivery and execution of the Works.

Sanitary Facilities

The Employer shall provide adequate sanitary facilities for use by the *Contractor's* personnel during the execution of the Works.

Additional Requirements

Any requirements for additional lighting, equipment, facilities, or services not expressly stipulated herein shall be discussed and mutually agreed upon between the *Employer's Representative* and the *Contractor* prior to implementation.

Item	Date by which it will be provided

6. Property affected by the service

None

