

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.
BID NUMBER: DBN/OPS (BAC) 003



Annexure 1

BID NUMBER: *DBN/OPS(BAC)003*

REQUEST FOR PROPOSAL (RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

CLOSING DATE	08 September 2026
CLOSING TIME	12:00
BRIEFING SESSION	COMPULSORY
	DATE:12 August 2026
	TIME: 10:00
BID DOCUMENTS DELIVERY ADDRESS	PASSENGER RAIL AGENCY OF SOUTH AFRICA PRASA KZN TENDER BOX NO. 04 65 MASABALALA YENGWA AVENUE GREYVILLE DURBAN STATION
BIDDER NAME	

Disclaimer

This document is provided solely for the purpose set out in this RFP and is not intended to form any part or basis of any investment decision by Bidders. The recipient should not consider the document as an investment recommendation by PRASA or any of its advisers.

Each person to whom this document (and other later documents) is made available must make his own independent assessment of the Project after making such investigation and taking such professional advice as he/she or it deems necessary. Neither the receipt of this document or any related document by any person, nor any information contained in the documents or distributed with them or previously or subsequently communicated to any Bidder or its advisers, is to be taken as constituting the giving of an investment advice by PRASA or its advisers.

Whilst reasonable care has been taken in preparing this RFP and other documents, they do not purport to be comprehensive or true and correct. Neither PRASA nor any of its advisers accept any liability or responsibility for the adequacy, accuracy or completeness of any of the information or opinions stated in any document.

They acquaint themselves with this RFP and take note that no representation or warranty, express or implied, is or will be given by PRASA, or any of its officers, employees, servants, agents or advisers with respect to the information or opinions contained in any document or on which any document is based. Any liability in respect of such representations or warranties, howsoever arising is hereby expressly disclaimed.

If any recipient, or its employees, advisers or agents make or offers to make any gift to any of the employees of PRASA or consultant to PRASA on the RFP either directly or through an intermediary then such recipient, Bidder will be disqualified forthwith from participating in the RFP.

Each recipient of this RFP agrees to keep confidential any information of a confidential nature which may be contained in the information provided (the "Confidential Information Provided"). The Confidential Information provided may be made available to Bidder's subcontractors, employees and professional advisers who are directly involved in the appraisal of such information (who must be made aware of the obligation of confidentiality) but shall not, either in the whole or in part, be copied, reproduced, distributed or otherwise made available to any other party in any circumstances without the prior written consent of PRASA, nor may it be used for any other purpose than that for which it is intended.

These requirements do not apply to any information, which is or becomes publicly available or is shown to have been made available (otherwise than through a breach of a confidentiality obligation). Bidders, Key Contractors and their constituent members, agents and advisers, may be required to sign confidentiality Contracts/undertakings (in such form as PRASA may require from time to time).

All Confidential Information Provided (including all copies thereof) remains the property of PRASA and must be delivered to PRASA on demand. Further, by receiving this RFP each Bidder and each of its members agrees to maintain its submission in Bid to this RFP confidential from third parties other than PRASA and its officials, officers and advisers who are required to review the same for the purpose of procurement of the RFP.

Any recipient residing outside the Republic of South Africa is urged to familiarise themselves with and to observe any regulatory requirements relevant to the proposed transaction (whether these derive from a regulatory authority within or outside the Republic of South Africa).

Any requirement set out in this RFP regarding the content of a response to the RFP is stipulated for the sole benefit of PRASA, and serves as expressly stated to the contrary, may be waived at its discretion at any stage in the procurement process.

PRASA is not committed to any course of action as a result of its issuance of this RFP and/or its receipt of a Proposal in response to it. Please note that PRASA reserves the right to:

- Modify the RFP's goods / service(s) / works and request Respondents to re-bid on any changes;
- Withdraw, amend the RFP at any time without prior notice and liability to compensate or reimburse any respondent;
- Reject any Proposal which does not conform to instructions and specifications which are detailed herein
- Disqualify Proposals submitted after the stated submission deadline;
- Call a respondent to provide additional documents which PRASA may require which have not been submitted to PRASA.
- Withdraw the RFP on good cause shown;
- Award a contract in connection with this Proposal at any time after the RFP's closing date;
- Make no award at all;
- Validate any information submitted by Respondents in response to this bid. This would include, but is not limited to, requesting the Respondents to provide supporting evidence. By submitting a bid, Respondents hereby irrevocably grant the necessary consent to PRASA to do so;
- Request annual financial statements prepared and signed off by a professional accountant or other documentation for the purposes of a due diligence exercise; and/or
- Not accept any changes or purported changes by the Respondent to the bid rates after the closing date and/or after the award of the business, unless the contract specifically provided for it.

To adopt any proposal made by any bidder at any time and to include such proposal in any procurement document which may or may not be made available to other bidders.

All costs and expenses incurred by Bidders in submitting responses to this RFP shall be borne by the Bidders and PRASA shall not be liable for any costs or expenses whatsoever or any claim for reimbursement of such costs or expenses.

Should a contract be awarded on the strength of information furnished by the Respondent, which after conclusion of the contract, is proved to have been incorrect, PRASA reserves the right to cancel the contract and/or place the Respondent on PRASA's list of Restricted Suppliers.

PRASA reserves the right to negotiate market-related price with the bidder scoring the highest points or cancel the bid; if the bidder does not agree to a market related price, negotiate a market related price with the bidder scoring the second highest points or cancel the bid; if the bidder scoring the second highest points does not agree to a market related price, negotiate a market related price with the bidder scoring the third highest points or cancel the bid. If the market related price is not agreed as envisaged in this paragraph, PRASA will cancel the bid.

PRASA reserves the right to negotiations Best and Final Offer (BAFO) with selected Respondents where none of the Proposals meet RFP requirement, are affordable and demonstrate value for money and there is no clear preferred response to the RFP

PRASA will not reimburse any Respondent for any preparatory costs or other work performed in connection with its Proposal, whether or not the Respondent is awarded a contract.

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS (BAC) 003



SCHEDULE OF BID DOCUMENTS

SECTION NO

PAGE

SECTION 1 : NOTICE TO BIDDERS	
1 INVITATION TO BID.....	
2 FORMAL BRIEFING.....	14
4 PROPOSAL SUBMISSION	14
5 DELIVERY INSTRUCTIONS FOR RFP.....	15
6 BROAD-BASED BLACK ECONOMIC EMPOWERMENT AND SOCIO-ECONOMIC OBLIGATIONS.....	15
7 COMMUNICATION	18
8 CONFIDENTIALITY	18
9 INSTRUCTIONS FOR COMPLETING THE RFP.....	19
10 RFP TIMETABLE.....	21
11 LEGAL COMPLIANCE	22
12 NATIONAL TREASURY'S CENTRAL SUPPLIER DATABASE.....	22
13 TAX COMPLIANCE	22
14 PROTECTION OF PERSONAL DATA	23
SECTION 2 : BACKGROUND, OVERVIEW AND SCOPE OF REQUIREMENTS	24
1 INTRODUCTION AND BACKGROUND.....	24
2 OVERVIEW	24
3 KEY OBJECTIVES OF THE RFP	25
4 SCOPE OF WORK	25
5 EVALUATION METHODOLOGY.....	26
6 POST TENDER NEGOTIATIONS (IF APPLICABLE)	39
7 BEST AND FINAL OFFER	39
8 FINAL CONTRACT AWARD	39
9 FAIRNESS AND TRANSPARENCY.....	39
SECTION 3 : PRICING AND DELIVERY SCHEDULE.....	40
1 PRICING	40
2 DISCLOSURE OF PRICES QUOTED	41
3 PERFROMANCE AND BID BONDS (WHERE APPLICABLE)	41

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.
BID NUMBER: DBN/OPS (BAC) 003



4	<u>OWNERSHIP OF DESIGN</u>	41
5	<u>SERVICE LEVELS</u>	41
6	<u>TOTAL COST OF OWNERSHIP AND CONTINUOUS IMPROVEMENT INITIATIVES</u>	42
7	FINANCIAL STABILITY	43
8	VALIDITY OF RETURNABLE DOCUMENTS	44
9	<u>CERTIFICATE OF ACQUAINTANCE WITH RFP TERMS AND CONDITIONS</u>	45
10	<u>GENERAL CONDITIONS</u>	47
11	CONDITIONS OF TENDER	52

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.
 BID NUMBER: DBN/OPS (BAC) 003



LIST OF BID DOCUMENTS

INVITATION TO BID PART A	Form A
TERMS AND CONDITIONS FOR BIDDING PART B	Form B
TENDER FORM (PRICING SCHEDULE)	Form C
STATEMENT OF WORK SUCCESSFULLY CARRIED OUT BY BIDDER	Form E
SECURITY SCREENING FORM	Form F
ACKNOWLEDGEMENT	Form G
SPECIAL CONDITIONS: FUNDING CONTINGENCY	Form H
SBD 4 BIDDER'S DISCLOSURE	
SBD 5 THE NATIONAL INDUSTRIAL PARTICIPATION PROGRAMME <i>(NOT APPLICABLE)</i>	
SBD 6.1 PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022	

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.
BID NUMBER: DBN/OPS (BAC) 003



prasa

PASSENGER RAIL AGENCY
OF SOUTH AFRICA

1 LIST OF ANNEXURES TO THE RFP

RFP CLARIFICATION FORM

Annexure 3

2 ACRONYMS

BBBEE	Broad Based-Black Economic Empowerment
CIDB	Construction Industries Development Board
DTiC	The Department of Trade and Industry and Competition
PPPFA	Preferential Procurement Policy Framework Act 5 of 2000 (as amended from time to time)
PFMA	Public Finance Management Act No.1 of 1999 (as amended from time to time)
PRASA	Passenger Rail Agency of South Africa
RFP	Request for Proposal
SANAS	South African National Accreditation System

3 INTERPRETATION

In this RFP, unless inconsistent with or otherwise indicated by the context –

- 4.1 headings have been inserted for convenience only and should not be taken into account in interpreting the RFP;
- 4.2 any reference to one gender shall include the other gender;
- 4.3 words in the singular shall include the plural and vice versa;
- 4.4 any reference to natural persons shall include legal persons and vice versa;
- 4.5 words defined in a specific clause have the same meaning in all other clauses of the RFP, unless the contrary is specifically indicated;
- 4.6 any reference to the RFP, schedule or appendix, shall be construed as including a reference to any RFP, schedule or appendix amending or substituting that RFP, schedule or appendix;
- 4.7 the schedules, appendices and Briefing Notes issued pursuant to this RFP, form an indivisible part of the RFP and together with further clarifying and amending information provided by PRASA, constitute the body of RFP documentation which must be complied with by Bidders;
- 4.8 in the event of any inconsistency between this RFP or other earlier information published with regard to the Project, the information in this RFP shall prevail; and
- 4.9 this RFP shall be governed by and applied in accordance with South African law.

4 DEFINITIONS

In this RFP and in any other project documents (as defined below) which so provides, the following words and expressions shall have the meaning assigned to them below and cognate expressions shall have a corresponding meaning, unless inconsistent with the context:

- 5.1 “Accounting Authority” means the Board of PRASA;
- 5.2 “Contract” means the Contract to be entered between PRASA and the successful Bidder for the provision of the *services* procured in this RFP.
- 5.3 “Bid” means the Bid to the RFP submitted by Bidders;
- 5.4 “Bidders Briefing Session” means the compulsory briefing session to be held at the offices of PRASA, in order to brief the Bidders about this tender;
- 5.5 “Black Enterprise” means an enterprise that is at least 51% beneficially owned by Black People and in which Black People have substantial Management Control. Such beneficial ownership may be held directly or through other Black Enterprises;
- 5.6 “Black Equity” means the voting equity held by Black People from time to time;
- 5.7 “Black People” has the same meaning as ascribed to the Broad-Based Black Economic Empowerment Act, 2003, as amended .

- 5.8 “Black Woman” means African, Coloured and Indian South Africa Female citizen;
- 5.9 “Briefing Note” means any correspondence to Bidders issued by the PRASA;
- 5.10 “Business Day” means any day except a Saturday, Sunday or public holiday in South Africa;
- 5.11 “Bidders” means individuals, organisations or consortia that have been submitted responses to the RFP in respect of the tender;
- 5.12 “Consortium” means any group of persons or firms jointly submitting a Bid as Bid to this RFP and “Consortia” means more than one Consortium;
- 5.13 “Contractor” the successful Bidders who has signed a Contract with PRASA in terms of this RFP.
- 5.14 “Closing Date” means the closing date for submission of bids/ Proposals by Bidders which is ***CLOSING DATE; 02 September 2026***
- 5.15 “Project” means this project for the **REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR**
- 5.16 **36 MONTHS IN THE PRASA KWAZULU NATAL REGION.**
- 5.17 “RFP” means the Request for Proposals issued by PRASA for this tender; and
- 5.18 “Scope of Work” means the scope of work for this project as detailed out in the RFP technical specifications.

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS (BAC) 003



SECTION 1

NOTICE TO BIDDERS

1 INVITATION TO BID

You are hereby invited to submit a bid to meet the requirements of the Passenger Rail Agency of South Africa. Responses to this RFP [hereinafter referred to as a **Bid** or a **Proposal**] are requested from persons, companies, close corporations, or enterprises [hereinafter referred to as an **entity, Bidder**].

BID DESCRIPTION	REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.
BID ADVERT	This RFP may be downloaded directly from National Treasury's e-Tender Publication Portal at www.etenders.gov.za free of charge. With effect from 31 July 2026
ISSUE DATE	31 July 2026
COLLECTION DATE DEADLINE (if applicable)	RFP CAN BE DOWNLOADED ON E-TENDER
BRIEFING SESSION	COMPULSORY
CLOSING DATE	08 September 2026 @12H00 Bidders must ensure that bids are delivered timeously to the correct address. As a general rule, if a bid is late or delivered to the incorrect address, it will not be accepted for consideration.
VALIDITY PERIOD	90 Working Days from Closing Date Bidders are to note that they may be requested to extend the validity period of their bid, at the same terms and conditions, if the internal evaluation process has not been finalised within the validity period.
CLOSING DATE FOR QUESTIONS	02 September 2026
CLOSING DATE FOR RESPONSES	05 September 2026
CONTACT PERSON	Sihsenkosi.Ngubane@prasa.com

Any additional information or clarification will be emailed to all Respondents, if necessary.

2 FORMAL BRIEFING

A compulsory pre-proposal RFP briefing will be conducted at **PRASA KZN, 65 Masabalala Yengwa Avenue, Greyville, Durban Station** on the **12 August 2026**, at **10H00**. [Respondents to provide own transportation and accommodation]. The briefing session will start punctually, and information will not be repeated for the benefit of Respondents arriving late.

- 2.1 A Certificate of Attendance in the form set out in Form D, Annexure 2, hereto must be completed and submitted with your Proposal as proof of attendance is required for a compulsory site meeting and/or RFP briefing. Bidders must also appear on the Compulsory Briefing session Register.
- 2.2 Respondents failing to attend the compulsory RFP briefing may be disqualified.

3 BRIEFING SESSION MINUTES AND NOTES

- 3.1 PRASA will issue briefing session minutes or notes together with the response to the clarification questions on the **03 September 2026**
- 3.2 Clarifications will be issued to all Respondents to this RFP utilizing the contact details provided at receipt of the responses to the RFP documentation, after submission to the authorised representative.
- 3.3 Bidders / Respondents are requested to promptly confirm receipt of any clarifications sent to them.
- 3.4 Bidders / Respondents must ensure responses to the clarifications are received on or before the deadline date stated.

4 PROPOSAL SUBMISSION OF RFP RESPONSE

Proposal Responses should be submitted to PRASA in a sealed envelope addressed as follows:

The Secretariat / Tender Office

RFP No: **DBN/OPS(BAC)003**

Description of Bid **REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.**

Closing date and time: **08 September 2026 @ 12H00**

Closing address **PRASA KZN, 65 Masabalala Yengwa Avenue, Greyville, Durban Station**

5 DELIVERY INSTRUCTION FOR RFP

Delivery of Bid

The Bid envelopes should be deposited in the PRASA tender box which is located at the main entrance of the PRASA KZN and should be addressed as follows:

THE SECRETARIAT / TENDER OFFICE
 PRASA KZN
 TENDER BOX NO.04
 65 MASABALALA YENGWA AVENUE
 GREYVILLE
 DURBAN STATION

5.1 B-BBEE Joint Ventures or Consortiums

Respondents who would wish to respond to this RFP as a Joint Venture [JV] or consortium with B-BBEE entities, should state their intention to do so in their RFP submission. Such Respondents should also submit a signed JV or consortium agreement between the parties clearly stating the percentage [%] split of business and the associated responsibilities of each party. If such a JV or consortium agreement is unavailable, the partners should submit confirmation in writing of their intention to enter into a JV or consortium agreement should they be awarded business by PRASA through this RFP process. This written confirmation should clearly indicate the percentage [%] split of business and the responsibilities of each party. In such cases, award of business will only take place once a signed copy of a JV or consortium agreement is submitted to PRASA.

6 COMMUNICATION

- 6.1 For specific queries relating to this RFP during the RFP process, bidders are required to adhere strictly to the communication structure requirements. An RFP Clarification Form should be submitted to Sihsenkosi.Ngubane@prasa.com on/before **04 September 2026**, substantially in the form set out in **Annexure 3** hereto.
- 6.2 In the interest of fairness and transparency PRASA's response to such a query will be made available to the other Respondents who have attended a compulsory and a non-compulsory briefing session. For this purpose PRASA will communicate with Respondents using the contact details provided at the compulsory and a non-compulsory briefing session.
- 6.3 After the closing date of the RFP, a Respondent may only communicate in writing with the Bid Secretariat, at telephone number **031 813 0139**, email: **Sihsenkosi.Ngubane@prasa.com** on any matter relating to its RFP Proposal.
- 6.4 Respondents are to note that changes to its submission will not be considered after the closing date.
- 6.5 Respondents are warned that a response will be liable for disqualification should any attempt be made by a Respondent either directly or indirectly to canvass any officer(s) or employee of PRASA in respect of this RFP between the closing date and the date of the award of the business. Furthermore, Respondents found to be in collusion with one another will automatically be disqualified and restricted from doing business with PRASA in future.

6.6 Bidders are advised utilize this email address (**SCM.Complaints@prasa.co.za**) for lodging of complaints to PRASA in relation to this bid process. The following minimum information about the bidder must be included in the complaint:

- 7.6.1 Bid/Tender Description
- 7.6.2 Bid/Tender Reference Number
- 7.6.3 Closing date of Bid/Tender
- 7.6.4 Supplier Name;
- 7.6.5 Supplier Contact details
- 7.6.6 The detailed compliant

7 CONFIDENTIALITY

- 7.1 PRASA shall ensure all information related to this RFP is to be treated with strict confidence. In this regard Respondents / Bidders are required to certify that they have acquainted themselves with the Non-Disclosure Agreement All information related to a subsequent contract, both during and after completion thereof, will be treated with strict confidence. Should the need however arise to divulge any information gleaned from provision of the Services , which is either directly or indirectly related to PRASA's business, written approval to divulge such information should be obtained from PRASA.
- 7.2 Respondents must clearly indicate whether any information submitted or requested from PRASA is confidential or should be treated confidentially by PRASA. In the absence of any such clear indication in writing, PRASA shall deem the response to the RFP to have waived any right to confidentiality and treat such information as public in nature.

8 INSTRUCTIONS FOR COMPLETING THE RFP

- 8.1 All responses to the RFP should be submitted in a sealed envelopes/box; the envelop/box shall have the technical and compliance response,

8.2 Bidders are required to package their response/Bid as follows:

Volume 1 (Envelop 1/Package 1)

- **Part A:** Mandatory Requirements Response
- **Part B:** Technical or Functional Response (response to scope of work)

- 8.3 Bidders must submit 1 original response and may submit copies clearly marked in the Bidders name. PRASA reserves the right to consider information provided in all formats irrespective the format i.e original/copy
- 8.4 Bidders should ensure that their response to the RFP is in accordance with the structure of this document.
- 8.5 Where Bidders are required to sign forms they are required to do so using preferably black ink pen.
- 8.6 Any documents forming part of the original responses to RFP but which are not original in nature, should be certified as a true copy by a Commissioner of Oaths.
- 8.7 Each response to RFP must be in English and submitted in A4 format, except other graphic illustrations, which may not exceed A3 format, unless the contrary is specifically allowed for in this RFP. Responses to RFP should be neatly and functionally bound, preferably according to their different sections.
- 8.8 The original responses to RFP must be signed by a person duly authorized by each consortium member and Subcontractor to sign on their behalf, which authorization must form part of the responses to RFP as proof of authorization. By signing the responses to RFP the signatory warrants that all information supplied by it in its responses to RFP is true and correct and that the responses to RFP and each party whom the responses to RFP signatory represents, considers themselves subject to and bound by the terms and conditions of this RFP.
- 8.9 The responses to RFP formulation should be clear and concise and follow a clear methodology which responses to RFP should explain upfront in a concise Executive Summary and follow throughout the responses to RFP.
- 8.10 Responses to RFP must provide sufficient information and detail in order to enable PRASA to evaluate the responses to RFP, but should not provide unnecessary detail which does not add value and detracts from the ability of PRASA to effectively evaluate and understand the responses to RFP. The use of numbered headings, bullet points, sections, appendices and schedules are encouraged.
- 8.11 Information submitted as part of a responses to RFP should as far as possible, be orderly according to the order of the required information requested by PRASA. All pages should be consecutively numbered.
- 8.12 Responses to RFP should ensure that each requirement contained in the RFP is succinctly addressed. Responses to RFP should as far as possible use the terms and definitions applied in this RFP and should clearly indicate its interpretation of any differing terminology applied.
- 8.13 Response to RFP documents are to be submitted to the address specified in [this RFP](#), and Bidders should ensure that the original and copies (where applicable) are identical in all respects as PRASA will not accept any liability for having disqualified a bidder for failing to provide a mandatory returnable document.
- 8.14 Unless otherwise expressly stated, all Proposals furnished pursuant to this RFP shall be deemed to be offers. Any exceptions to this statement must be clearly and specifically indicated.
- 8.15 Any additional conditions must be embodied in an accompanying letter. Subject only to clause 16 [Alterations made by the Respondent to Bid Prices] of the General Bid Conditions, alterations, additions or deletions must not be made by the Respondent to the actual RFP documents.

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS (BAC) 003



- 8.16 Bidders are required to review the Contract. Bidders may further amend and or delete any part of the Draft Contract where they deem fit to do so. Where Bidders have amended and or deleted any part of the Contract, it must be clearly visible by using track changes and must ensure that the disc copy of their bid submission for the Draft Contract is in word version and not password protected. **It must be noted that the marked up Contract will form part of contract negotiations processes with the preferred bidder.**

9 RFP TIMETABLE

PRASA may at its sole discretion amend any of the milestone dates indicated in the table below. Bidders will be informed of any amendments to the timeline through the issue of the Addendum.

RFP PROCESS	MILESTONE DATES
Bid issue date	31 July 2026
Briefing Session for Bidders at the]	12 August 2026 @10H00
Closing date for Questions	02 September 2026
Closing date for Responses	05 September 2026
Closing Date for Submission of final Bid	08 September 2026 @12H00
Evaluation of Proposals (Bidders note that PRASA may call for Presentation of bidders offers at any stage of the evaluation process)	TBA
Appointment of the successful Bidder	TBA
Contract Negotiations	TBA
Signing of Contract	TBA
Contract Commencement	TBA

PRASA may at its sole discretion amend any of the milestone dates indicated in the table above. Bidders will be informed of any amendments to the timeline through the issue of briefing notes.

10 LEGAL COMPLIANCE

Bidders should ensure that they comply with all the requirements of the RFP and if Bidders fail to submit any of the required documents, such Bids may, at the sole discretion of PRASA, be disqualified. PRASA reserves the right to call a Bidder to provide additional documents which may have not been submitted.

The successful Bidder [hereinafter referred to as the **Service Provider**] shall be in full and complete compliance with any and all applicable laws and regulations.

11 NATIONAL TREASURY'S CENTRAL SUPPLIER DATABASE

Respondents are required to self-register on National Treasury's Central Supplier Database (CSD) which has been established to centrally administer supplier information for all organs of state and facilitate the verification of certain key supplier information. Only foreign suppliers with no local registered entity need not register on the CSD. The CSD can be accessed at <https://secure.csd.gov.za>. Respondents are required to provide the following to PRASA in order to enable it to verify information on the CSD:

Supplier Number: _____ **Unique registration reference number:** _____.

12 TAX COMPLIANCE

Respondents must be compliant when submitting a proposal to PRASA and remain compliant for the entire contract term with all applicable tax legislation, including but not limited to the Income Tax Act, 1962 (Act No. 58 of 1962) and Value Added Tax Act, 1991 (Act No. 89 of 1991).

It is a condition of this RFP that the tax matters of the successful bidder be in order, or that satisfactory arrangements have been made with South African Revenue Service (SARS) to meet the bidder's tax obligations.

The Tax Compliance status requirements are also applicable to foreign Respondents/ individuals who wish to submit bids.

Respondents are required to be registered on the Central Supplier Database (CSD) as indicated in paragraph 12 and the National Treasury shall verify the Respondent's tax compliance status through the Central Supplier Database (CSD).

Where Consortia / Joint Ventures / Sub-contractors are involved, each party must be registered on the Central Supplier Database (CSD) and their tax compliance status will be verified through the Central Supplier Database (CSD).

For this purpose, the attached SBD 1 marked Annexure 2 must be completed and submitted as an essential returnable document by the closing date and time of the bid.

New Tax Compliance Status (TCS) System

SARS has implemented a new Tax Compliance Status (TCS) system in terms of which a taxpayer is now able to authorise any 3rd party to verify its compliance status in one of two ways: either through the use of an electronic access PIN, or through the use of a Tax Clearance Certificate obtained from the new TCS system.

Respondents are required to provide the following to PRASA in order to enable it to verify their tax compliance status:

Tax Compliance Status (TCS) Pin:_____.

13 PROTECTION OF PERSONAL DATA

In responding to this bid, PRASA acknowledges that it may obtain and have access to personal data of the Respondents. PRASA agrees that it shall only process the information disclosed by Respondents in their response to this bid for the purpose of evaluating and subsequent award of business and in accordance with any applicable law. Furthermore, PRASA will not otherwise modify, amend or alter any personal data submitted by Respondents or disclose or permit the disclosure of any personal data to any Third Party without the prior written consent from the Respondents. Similarly, PRASA requires Respondents to process any personal information disclosed by PRASA in the bidding process in the same manner.

SECTION 2

BACKGROUND OVERVIEW AND SCOPE REQUIREMENTS

1. INTRODUCTION

This document serves as a bid specification for the appointment of a panel of suppliers for the supply and delivery of Electrical material under various categories of materials on as and when required basis for 36 months in PRASA KZN Region.

2. BACKGROUND INFORMATION

The KwaZulu Natal Region has over 2000 km of perway track where OHTE infrastructure is installed and requires to be maintained by internal staff from the Electrical Department. Staff require materials that will part of Warehouse Inventory to be replenished as and when the minimum levels are reached. This panel of suppliers will assist with ensuring compliance with RSR provisions, regulatory requirements within the Region of PRASA KZN in ensuring that material is available to keep the infrastructure in working order.

2.1 STATUS QUO

Currently these materials are sourced as and when required but the poor performance of contracted suppliers is impacting on compliance.

2.2 PROBLEM STATEMENT

The operating license model was changed from where the operating license was issued to PRASA as an organization to where the operating license was issued per Region, with that change it means each Region is now responsible of ensuring compliance with RSR requirements to maintain the operating license. One of the operating license requirements is ensuring maintenance of infrastructure through service providers and also some maintenance is done by internally qualified staff. It for this reason that inventory material needs to be available easy at the Warehouse where it can be easily drawn when needed during awkward hours of the day for maintenance purposes.

2 KEY OBJECTIVES OF THE RFP

This RFP has been prepared for the following purposes:

- 2.1 TO SET OUT THE RULES OF PARTICIPATION IN THE BID PROCESS REFERRED TO IN THIS RFP.
- 2.2 TO DISSEMINATE INFORMATION ON THE PROJECT CONTEMPLATED IN THIS RFP.
- TO GIVE GUIDANCE TO BIDDERS ON THE PREPARATION OF THEIR RFP BIDS.
- 2.4 TO GATHER INFORMATION FROM BIDDERS THAT IS VERIFIABLE AND CAN BE EVALUATED FOR THE PURPOSES OF APPOINTING A SUCCESSFUL BIDDER.
- TO ENABLE PRASA TO SELECT A SUCCESSFUL BIDDER THAT IS:
 - a) technically qualified and meet the empowerment criteria described in this RFP;
 - b) Carry all the obligations of the Contract.

3. OBJECTIVE OF THE PROPOSED PROJECT

3.1 DESIRED OUTCOMES FOR CARRYING OUT THE PROPOSED PROJECT

The objective is to have a readily available panel of suppliers for different categories of materials for the Electrical Department that can be invited to submit pricing proposals for the categories of materials they qualified for, on an ad hoc basis, once pre-qualified into the panel and having signed the framework agreements with PRASA KZN. The appointed pre-qualified panel of suppliers will assist PRASA KZN in the implementation of its various maintenance requirements throughout the KZN Province where Electrical infrastructure is located.

To improve response time for execution of maintenance and recovery for planned or unplanned disruptions, to ensure there is no defaulting on the license requirements for the Region.

To ensure compliance with the Occupational Health and Safety Act, Railway Safety Regulator, and other statutory requirements.

Suppliers must be accredited by the relevant accreditation body, where applicable, especially the quality assurance bodies and also suppliers must supply material that is approved by SABS or other relevant internationally recognized material quality assurance body.

3.2 PROJECT BENEFITS TO PRASA

- Improved supplier performance where failure will be met with cancellation of an order and recording of poor performance which could affect status in the panel and other future projects.
- Improve compliance with legislation and safety requirements.
- Improve customer satisfaction.

3.3 CURRENT MECHANISMS IN PLACE TO ADDRESS THE PROBLEM

Electrical Department has been getting assistance from PRASA HQ for urgent materials needs also with assistance from TFR.

4. SCOPE OF WORKS AND AREAS OF FOCUS

WORKS OVERVIEW AND EXTENT OF THE WORKS

The supply and delivery of these materials will be carried out on an as and when required basis as determined by Electrical Department in conjunction with Warehouse Management Unit in line with the Regional Maintenance Plans and incidents.

The successful suppliers shall be responsible for the successful On Time In Full (OTIF) delivery of materials according to the Task Order that would have been issued at that time. For some materials samples, testing and quality

assurance certificates may be required prior to issuing of a Task Order or Purchase Order.

Works

The following are the categories of Electrical materials for this panel that will be required for delivery at Task Order stage:

Category 1: CABLES AND WIRES

Category 2: SIGNS AND LICENCES

Category 3: **INSULATORS AND ISOLATORS**

Category 4: STEEL COMPONENTS

Category 5: CONSUMABLES

Category 6: GENERAL ELECTRICAL MATERIAL

4.1 INSURANCE REQUIREMENTS FOR THE PROJECT

The successful bidder/s provide the following insurance in line with the conditions of contract.

4.1.1 Insurance against Works and Goods.

4.1.2 Insurance against public liabilities (death or injury to any person, or loss of or damage to any property)

4.2 PRASA'S RESPONSIBILITIES

It is the Maintenance and operations of Electrical network for the provision of traction and distribution electrical power supply for rolling stock and signaling and critical buildings on as and when required for the duration of the 36 months existence of the panel in the KwaZulu Natal

4.3 EXTENT AND COVERAGE OF THE PROPOSED PROJECT

This panel will be applicable for supply and delivery of materials only, within PRASA KZN Region excluding installation or any other work that may be related to Electrical and Facilities Department.

4.4 MEASUREMENTS AND PAYMENT

The appointed suppliers will be paid by PRASA for delivery of material within 30 days after the receipt of the supplier's correct tax invoice.

4.5 FORM OF CONTRACT

The latest PRASA Bespoke contract will be utilized

4.6 OTHER RELATED PROJECTS

4.6.1 None.

5 SPECIFICATION OF THE WORK OR PRODUCTS OR SERVICES REQUIRED

5.1 TECHNICAL REQUIREMENTS

- 5.1.1 Any accreditation or quality assurance certificates that a supplier has for the supply and delivery of any material that may be required.

5.2 TECHNICAL INFORMATION TO BE PROVIDED WITH TENDER

The Bidders shall submit the following technical proposal.

The suppliers completed projects and track record in relation to the supply and delivery of Substation, OHTE related materials and General Electrical material. As per following categories:

Category 1: CABLES AND WIRES

Category 2: SIGNS AND LICENCES

Category 3: INSULATORS AND ISOLATORS

Category 4: STEEL COMPONENTS

Category 5: CONSUMABLES

Category 6: GENERAL ELECTRICAL MATERIAL

- 5.2.1 The supplier's financial capability is proven by submission of approved cash flow statements indicating liquid cash of more than R50 000

6 TECHNICAL SPECIFICATIONS RELATED TO THIS PROJECT

The design for the projects to be utilised from this panel shall meet the following technical capabilities & constraints, and other specified performance requirements:

6.1 Delivery should be effective within 21 working days or less after a PO has been issued, unless specifically indicated otherwise. Failure to deliver within this period will constitute breach of a contract and liable for termination and removal from the panel which will affect future opportunities.

6.2 Should the supplier fail to comply as 6.1 then the supplier must submit communication from its manufacturer proving or indicating delivery period that is different from the duration stipulated above. Failure to do so will constitute breach of contract and liable to similar conditions as above. Communication referred to should be the communication that occurred within 21 day working period.

6.3 where the supplier is a manufacturer such must be indicated at the time of tender and quality assurance and accreditation supporting the manufacturing capabilities must be submitted with the tender.

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



6.4 the following are the different categories of materials to be procured and their listings:

Category of Materials to be supplied
CATEGORY 1: OHTE and SUBSTATION MATERIALS - CABLES AND WIRES
CATEGORY 2: OHTE AND SUBSTATIONS - SIGNS AND LICENCES
CATEGORY 3: OHTE AND SUBSTATIONS - INSULATORS AND ISOLATORS
CATEGORY 4: OHTE AND SUBSTATION - STEEL COMPONENTS
CATEGORY 5: OHTE AND SUBSTATION - CONSUMABLES
CATEGORY 6: GENERAL ELECTRICAL MATERIAL

7. TIME FRAMES / PROGRAMS

7.1.1 Contract period:

The planned time frame for the implementation of this proposed panel is thirty-six (36) months.

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

3 EVALUATION METHODOLOGY

The evaluation of Bids will be based on the information contained in Bids received in RFP and, which may be further supplemented by presentations and clarification information provided, if required. All Bids shall be equally evaluated by various committees involved in the evaluation process in accordance with stated Evaluation Criteria. Procurement integrity and fairness, transparency, competitiveness and full accountability will at all times be paramount.

EVALUATION AND SCORING METHODOLOGY

The evaluation of the Bids by the evaluation committees will be conducted at various levels.

The following levels will be applied in the evaluation:

LEVEL	DESCRIPTION
Verify completeness	The Bid is checked for completeness and whether all required documentation, certificates; verify completeness warranties and other Bid requirements and formalities have been complied with. Incomplete Bids will be disqualified.
Verify compliance	The Bids are checked to verify that the essential RFP requirements have been met. Non-compliant Bids will be disqualified.
Detailed Evaluation of Technical	Detailed analysis of Bids to determine whether the Bidder is capable of delivering the Project in terms of business and technical requirements. The minimum threshold for technical evaluation is [80%], any bidder who fails to meet the minimum requirement will be disqualified and not proceed with the evaluation of Price and Specific Goals.
Specific Goals	Evaluate Specific Goals
Price Evaluation	Bidders will be evaluated on price offered.
Scoring	Scoring of Bids using the Evaluation Criteria.
Recommendation	Report formulation and recommendation of Preferred and Reserved Bidders
Best and Final Offer	PRASA may go into the Best and Final Offer process in the instance where no bid meets the requirements of the RFP and/or the Bids are to close in terms of points awarded.
Approval	Approval and notification of the final Bidder.

EVALUATION CRITERIA

Interested bidders for this project shall be evaluated in terms of their business credentials, financial standing, empowerment, technical capacity and experience. The evaluation committee shall use the following Evaluation Criteria depicted in Table 1 for the selection of the preferred bidder that shall execute construction work for the project.

EVALUATION CRITERIA	WEIGHTING
Stage 1 – Compliance	
Stage 1	Disqualifying Returnable Documents
Stage 2	
Technical/Functional Requirements	Threshold of 80%
Stage 3	
Price	80
Specific Goals	20
Stage 4	

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

Stage 4	Returnable Documents
TOTAL	100

Details of the stages outlined in table 1 above are presented in the following sections.

4 STAGE 1: COMPLIANCE REQUIREMENTS

6.1 Stage 1 – Disqualifying Returnable documents

Bidders must comply with the following requirements and failure to comply will lead to immediate disqualification.

No.	Description of requirement	
a)	It is mandatory to attend the site briefing. Attendance and signing of compulsory site briefing meeting register. Non-attendance of compulsory site briefing meeting will result to disqualification. (PRASA shall verify the active status)	
b)	Bidders to fill and sign the closing /submission register on submission of tender documents, failure to comply will result in a disqualification from the tender process. Must be completed & duly signed Failing will result into disqualification.	

- **NB: Bidders must mark with an “X” the preferred category of supply to be pre-qualified for in this panel, attach proof of valid capabilities and ability to supply and relevant previous experience directly related to the category the bidder has selected. The bids of Bidders that do not clearly indicate their preferred nature of work as prescribed above, will not be considered.**

Category of Materials to be supplied	Indicate your choice to be considered for
CATEGORY 1: OHTE and SUBSTATION MATERIALS - CABLES AND WIRES	
CATEGORY 2: OHTE AND SUBSTATIONS - SIGNS AND LICENCES	
CATEGORY 3: OHTE AND SUBSTATIONS - INSULATORS AND ISOLATORS	
CATEGORY 4: OHTE AND SUBSTATION - STEEL COMPONENTS	
CATEGORY 5: OHTE AND SUBSTATION - CONSUMABLES	
CATEGORY 6: GENERAL ELECTRICAL MATERIAL	

- **Table 1.1 Preferred category of supply to be considered for**

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

The Bidder must also ensure that its experience as indicated at functional evaluation section is aligned to the preferred category selected on the table above.

NB: PRASA reserves the right to verify the information provided and misrepresentation will result in the bidder being disqualified.

STAGE 2: Stage 2- Technical/Functional Requirements

Functionality is the terminology used to define the technical ability of the Tenderer, based on experience to deliver the required product in accordance with the specified quality, reliability and functionality.

The functionality evaluation will be conducted by the Evaluation Committee which comprises of various skilled and experienced members from diverse professional disciplines. The evaluation process will be based on functionality criteria as follows:

Points allocated for Functionality shall be evaluated in accordance with the criteria listed below. Total functionality points allocated should be 100. Tenderer must score an overall minimum threshold of **80 points out of 100** to be achieved for the bidder to be accepted into the panel. Bidders that score less than the 80 points thresholds shall not be evaluated further, and their proposals shall be disqualified. If all bidders score below the 80 points thresholds, PRASA reserves the right to cancel the bid and re-advertise or source using other procurement methods.

Technical / Functionality Requirements

Qualifying bidders shall then be evaluated on functionality after meeting all compliance requirements outlined above. The minimum threshold for the technical/functionality requirements is 80% as per the standard Evaluation Criteria presented in above. Bidders who score below this minimum requirement shall not be considered for further evaluation in stage 3.

Details of the technical/functional requirements are presented in the table below:

Item	Criteria	Weight
1	Bidder's Experience (number of projects completed in the selected category)	60
2	Financial capability through cash flow statements indicating liquid cash of more than R50 000.	40
	TOTAL	100

Table 1: Technical Evaluation Criteria

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

FUNCTIONAL EVALUATION CRITERIA

Details of the scoring methodology presented above are outlined in Table 4 below

FUNCTIONALITY CRITERIA			
FUNCTIONALITY CRITERIA	TYPE OF EVIDENCE REQUIRED	MAXIMUM POINTS	SCORED POINTS
1. BIDDER's EXPERIENCE Appointment letter or purchase order with corresponding reference letter must be submitted for previous completed supply and delivery directly related to the selected category. Any irrelevant supply and delivery will not count as relevant	Only projects with complete, conforming documentation will be considered for scoring The bidder must ensure that they submit appointment letters/purchase order/contract and corresponding signed reference letters with contract name and contract value visible for each project submitted that are directly related to the category (INSULATORS AND ISOLATORS) they have selected A Bidder, who attaches: Supply, delivery and Installation of a directly related category will be considered 5 x Appointment letters/purchase order/contract with corresponding Reference letter/ letter indications successful completion of work (60 points) 4 x Appointment letters/purchase order/ contract with corresponding Reference Letters indicating successful completion of work (40 points) 3 x Appointment letters/ purchase order with corresponding Reference Letters indicating successful of work (30 points) 2 x Appointment letters/ purchase order with corresponding Reference Letters	60	

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

	indicating successful completion of work (20 points) 1 x Appointment letter/ purchase order with corresponding Reference Letters indicating successful completion of work (10 points) 0 x Appointment letters/ purchase order with corresponding Reference Letters (0 points)		
--	--	--	--

2. FINANCIAL CAPABILITY			
Valid approved and / or signed off copy of Cashflow statements indicating a liquid cash of more than R50 000 in the last financial year.	Bidder to attach proof (approved cashflow statements or prepared cashflow statements) signed off by an Accountant or registered Accounting Officer. Failure to provide this certified documentation will result in no points being awarded. • More than R50 000 liquid cash = 40 Points • Less than R50 000 and Above R20000 liquid cash = 20 Points • Less than R20000 =0 Points	40	
TOTAL POINTS		100	
MINIMUM POINTS		80	

Note: Bidders that fail to achieve the minimum overall qualifying score of 80% on functional/ technical requirements will not be considered for further evaluation.

STAGE 3: PRICING AND SPECIFIC GOALS -

The following formula, shall be used by the Bid Evaluation Committee to allocate scores to the interested bidders :

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
TOTAL POINTS FOR PRICE AND SPECIFIC GOALS	100

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

POINTS AWARDED FOR PRICE

THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

80/20

$$PS = 80 \left(1 - \frac{Pt - P_{min}}{P_{min}} \right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

POINTS AWARDED FOR SPECIFIC GOALS

- 3.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 3.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
 - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,
 then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)	Acceptable Evidence
Black Women Owned	10		Certified copy of the identity document of the owner/s
Black Youth Owned	5		Certified copy of the identity document of the owner/s
Black person with Disabilities	5		Certified copy of ID Documents of the Owners and Doctors Note confirming the disability.
Total	20		

- A CIPC Registration Documents/CSD Registration Report will be used to verify the above evidence.
- Points will be awarded/allocated on a proportional/pro-rata basis.
- Formula: Number of Points allocated x Percentage (%) owned = Number of Points Claimed.

Stage 4- Returnable Documents

No.	Description of requirement
a.	Completion of ALL RFP documentation, ALL declarations, ALL Standard Bidding Documents. Above must be completed & duly signed where applicable
b.	Joint Venture / Consortium agreement / Trust Deed/ Confirmation in writing of their intention to enter into a JV or consortium agreement signed by all parties should they be awarded business by PRASA through this RFP process (if applicable) Must be completed & duly signed
c.	Valid Tax Status Certificate and SARS Issued Pin.
d.	CSD report / CSD reference number

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

NB: The most Responsive bidder/s with incomplete returnable documents will be requested to resubmit completed documents within the time frame stipulated by PRASA before recommendation for award, failure which will result in automatic disqualification.

PROCESS POST SUCCESSFUL SELECTION OF PRE-APPROVED BIDDERS

Bidders who achieve the minimum required functionality score of 80 points will be included in the panel of suppliers to bid for the PRASA Projects for supply and delivery of materials for duration of three (3) years. The RFQ Process will be used to award purchase orders based on approved quantities of materials to be required at the time of purchase.

PRASA plans to appoint a panel of pre-qualified suppliers for a period of three (3) years. Once appointed, each service provider will be on the panel to be contracted when a need arises from PRASA for any material requirement according to their selected category when the need arise.

This means that having pre-qualified for and being appointed to the panel and signing a framework agreement, does not automatically guarantee that any member of the panel will be awarded any work by PRASA during the term of this panel. Bidders of the panel will be allowed to bid on each requirements identified by the PRASA in accordance with the terms of reference that will be issued out on the RFQ process.

- a) Bidders will be invited via a Request for Quotation (RFQ) process per terms of reference for each specific requirements to provide PRASA with a detailed costed price proposal as will be outlined in the RFQ in line with scope of requirements in line with the bidder's selected and qualified for category.
- b) RFQ Proposal will be evaluated based on Preferential system & Price in accordance with the preference point system of 80/20 in accordance with the approved PRASA Preferential Policy at the time of the RFQ invitation been send out bearing in mind the panel will be appointed for a period of three (3) years.
- c) The Preference Point System and for claiming specific goal point, bidder must meet Specific Goal Requirements as Per the Preferential Procurement Policy Framework Act, 2000 (Act No.5 Of 2000), Including Preferential Procurement Regulations, 2022 currently applicable and PRASA's Preferential Procurement Policy.
- d) RFQs will be issued as per terms and conditions including scope of work requirement which will be in line with the PRASA SCM Policy and processes applicable at the time of issue. The process will also ensure compliance to any relevant regulation and including any changes that might occur during the duration of the appointed panel.
- e) PRASA reserves the right to request the service provider to provide the assurance of capacity and financial capability to supply and deliver the material at the time of the RFQ that PRASA will deem fit to the delivery.

The RFQ process will be conducted on as and when needed basis throughout the three (3) year period.

RFQ invitations will be categorized based on the indicated categories of materials, aligned with the project scope and cost estimate at that time.

Only those bidders who fulfil requirements for the category will be invited to submit quotes.

Tenders containing any one or more of the errors or omissions, or tenders having not complied with any one of the peremptory tender conditions as detailed in this tender document, shall not be considered and shall automatically be rejected.

Tender financial offers will be dealt with during RFQ process

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

PRASA may also request that the tenderer provide written evidence that his labour and other resources are adequate for carrying out the contract.

The Employer reserves the right to appoint a firm of Chartered Accountants and auditors and/or execute any other financial investigations on the financial resources of any tenderer. The tenderer shall provide reasonable assistance in such investigations.

The tender document shall be printed in full as available on the download and submitted complete in the correct order of the sections.

List of returnable documents must be completed in full (A tenderer's company profile will not be used by PRASA to complete same on behalf of the tenderer)

6 VALIDITY PERIOD

This RFP shall be valid for *[90 working days]* calculated from Bid closing date.

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



NEW SAP MATERIAL NUMBER	OLD NUMBER 54 / 56	CLASS NAME	PILOG SHORT DESCRIPTION	PILOG LONG DESCRIPTION	UOM
M00001175	54008483	SPARK GAP	SPARK GAP:ID 20 X OD 50 X THK 4 MM	SPARK GAP: DIMENSIONS: ID 20 X OD 50 X THK 4 MM: DWG: CEE-TU-100 SH 8 REV: O: ELECTRODE, USERS DESCRIPTION FOR ASSEMBLY SEE ITEM 54/22645 CONTACT,ELECTRICAL LATEST EQUIPMENT USED ON 5400000 SPECIFICATION NUMBER B.S. 249	EA
M00001253	54001217	ARRESTER,LIGHTNING	ARRESTER,LIGHTNING:BRKDOWN VOLTG 11 KV:5	ARRESTER,LIGHTNING: BREAKDOWN VOLTAGE: 11 KV, MOUNTING: BRACKET: P/N: J9241-QS/QL JOSLYN: 5 KA, EQUIPMENT USED ON TRANSMISSION LINE, SPECIFICATION NUMBER CEE.0136.85	EA
M00001254	54001306	INSULATOR,STANDOFF	INSULATOR,STANDOFF:131B03060:MOVING	INSULATOR,STANDOFF: MFR: AEG P/N: 131B03060: MOVING TYPE TRACK SWITCH. X X X X X X X NTBR STOCK TO BE USED UP. EQUIPMENT USED ON 5400000 5405000 5405001 ITEM 7 SPECIFICATION NUMBER 131B03060 ITEM 7 AEG SPECIFICATION NUMBER CEE.0117.85/LATEST	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.



BID NUMBER: DBN/OPS(BAC)003

M00001873	54008446	RESISTOR,VOLTAGE SENSITIVE	RESISTOR,VOLTAGE SENSITIVE:ELECTRICAL	RESISTOR,VOLTAGE SENSITIVE: TYPE: SILICON CARBIDE, DIMENSIONS: ID 20 X OD 45 X THK 4 MM: DWG: CEE-TU-100 SH 11: ELECTRICAL SURGE ARRESTOR. USERS DESCRIPTION OVERHEAD TRACK EQUIPMENT SPARK GAP. 054008446 LATEST SPECIFICATION NUMBER T6J-3/78 (SAR)	EA
M00011645	54004170	GAGE,CONTACT,ELECTRICAL CONNECTOR	GAGE,CONTACT,ELECTRICAL CONNECTOR:FOR 3	GAGE,CONTACT,ELECTRICAL CONNECTOR: TYPE: OVERHEAD, MATERIAL: GLASS FIBER: DWG: CME-7536/0-000/D: FOR 3 KV.DC. WIRE; USED ON CONTACT WIRE	EA
M00011648	54004537	ADAPTER,INSULATOR	ADAPTER,INSULATOR:CLAMP PLATES AND	ADAPTER,INSULATOR: DWG: CEE-TN-209-SH 2/LATEST: CLAMP PLATES AND CONTACT WIRE ASSEMBLY ATTACHMENT. USERS DESCRIPTION FOR SECTION INSULATOR TYPE 1. EQUIPMENT USED ON 5405201	EA
M00011655	48015063	INSULATOR,STANDOFF	INSULATOR,STANDOFF:DRIVE FOR 3 POLE	INSULATOR,STANDOFF: DRIVE FOR 3 POLE DISCONNECTS, BROWN BOVERI TYPE A.G.F.60 13, USERS DESCRIPTION SUB-STATIONS REEF ONLY, EQUIPMENT USED ON 4800000 4811300	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



M00011663	54008495	INSULATOR,WASHER	INSULATOR,WASHER:DIELECTRIC DISC,PKT 100	INSULATOR,WASHER: TYPE: DIELECTRIC DISC, INSIDE DIAMETER: 19 MM, OUTSIDE DIAMETER: 43 MM, THICKNESS: 0.08 MM, PACKAGE TYPE: PKT 100: DWG: CEE-TU-100 SH 9/LATEST: USERS DESCRIPTION FOR ASSEMBLY SEE ITEM 54/22645 FOR MATERIAL SEE ITEM 56/1476 054008495; USE	PAC
M00011738	54001177	INSULATOR,SUSPENSION	INSULATOR,SUSPENSION:CERAMIC/GLASS:TY PE	INSULATOR,SUSPENSION: INSULATOR MATERIAL: CERAMIC/GLASS: DWG: 4-0096: TYPE U70/CL WITH ZINC COLLAR, CLEVIS AND TONGUE WITH LIMITED MOVEMENT. TO QUOTED PART NUMBER OR EQUAL USERS DESCRIPTION 11 KV TRANSMISSION LINE 54001177 ELC EQUIPMENT USED ON	EA
M00011743	54001901	LADDER,EXTENSION	LADDER,EXTENSION:EXTD LG 10.97 M:USERS	LADDER,EXTENSION: EXTENDED LENGTH: 10.97 M, MATERIAL: GLASS FIBER: USERS DESCRIPTION FOR TRESTLE SEE 54/8826 FOR HEAVY DUTY SEE 54/16723, EQUIPMENT USED ON 5400000 5405300 5405303 SPECIFICATION NUMBER CEE.0062.83/LATEST	EA
M00021581	01048926	WASHER,FLAT	WASHER,FLAT:M8,STL NORMAL,BLACK	WASHER,FLAT: SIZE DESIGNATION: M8, MATERIAL: STL NORMAL, FINISH: BLACK: SPECIFICATION NUMBER SABS 1149/LATEST TABLE 3 GRADE 2	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



M00022131	54002397	INSULATOR,PLATE	INSULATOR,PLATE:STAY ANCHOR:GUARD	WIRE	INSULATOR,PLATE: TYPE: STAY WIRE ANCHOR, INSULATOR MATERIAL: GLASS FIBER, DIMENSIONS: 19 X 4 MM: DWG: CEE-PFA-10: GUARD, EQUIPMENT USED ON EL&P 5407001	EA
M00022166	54007679	INSULATOR	INSULATOR:FIBRE GLASS COMPLETE WITH		INSULATOR: DWG: AIN-CO1136C: FIBRE GLASS COMPLETE WITH BAYONET FITTING/JOINT. CONSISTING OF ITEMS 12 AND 33. 25 KV. AC. O.H.T.E. PYRAMID - PIETERSBURG. INSULATOR,STRAIN POWERLINES EQUIPMENT USED ON 5400000 5405200 5405202	EA
M00022167	54008471	BUSH	BUSH:PAPER RESIN BONDED,ID 13 MM:USERS		BUSH: MATERIAL: PAPER RESIN BONDED, INSIDE DIAMETER: 13 MM, OUTSIDE DIAMETER: 19 MM, LENGTH: 26 MM, APPLICATION: INSULATING BOLT: DWG: CEE-TU- 100 SH 4: USERS DESCRIPTION FOR ASSEMBLY SEE ITEM 54/22645 54008471 INSULATION SLEEVING, ELECTRICAL, LATEST EQUIP	EA
M00022173	54011679	INSULATOR,STANDOFF	INSULATOR,STANDOFF:3 KV:OVERHEAD TRACK		INSULATOR,STANDOFF: TYPE: SOLID CORE TONGUE AND SOCKET, VOLTAGE RATING: 3 KV: DWG: CEE-TN - 266: OVERHEAD TRACK EQUIPMENT. 054011679 EQUIPMENT USED ON OHTE SPECIFICATION NUMBER SABS 177	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



M00022189	54015337	INSULATOR,STANDOFF	INSULATOR,STANDOFF:SP301:SOLID CORE	INSULATOR,STANDOFF: MFR: E.L.C P/N: SP301: DWG: ELC 4-0001: SOLID CORE STATION POST, CREEPAGE PATH 190 MM IEC TYPE C4-60, TO QUOTED PART NUMBER OR EQUAL, USERS DESCRIPTION RETURN CONDUCTOR SUPPORT 25 KV OVERHEAD TRACK EQUIPMENT. PYRAMID/PIETERSBURG, EQUIPMENT USED ON 5400000 5403500 5403502	EA
M00022234	54001278	ARRESTER,ELECTRICAL SURGE	ARRESTER,ELECTRICAL SURGE:B4480-507(2)	ARRESTER,ELECTRICAL SURGE: TYPE: TRACK SWITCH FIXED ARC HORN: MFR: AEG P/N: B4480-507(2): EQUIPMENT USED ON 5405901 ITEM 10. SPECIFICATION NUMBER T-S2F-3	EA
M00023291	54001392	SWITCH,KNIFE	SWITCH,KNIFE:ISOLATING,200 A,11 KV	SWITCH,KNIFE: TYPE: ISOLATING, CURRENT RATING: 200 A, VOLTAGE RATING: 11 KV, NUMBER OF POLES: 3: OUTDOOR, ON-LOAD, COMPLETE 054001392, EQUIPMENT USED ON 11KV SIGNAL TRANSMISSION LINES	SET
M00023292	54000552	CLAMP,ELECTRICAL	CLAMP,ELECTRICAL:DROPPER CLIP,CATENARY	CLAMP,ELECTRICAL: DROPPER CLIP,CATENARY WIRE. 80 AND 100 SQ MM. COPPER-NICKEL-SILICON OR STAINLESS STEEL. X X X X X X NTBR STOCK TO BE USED UP FOR 80 MM SEE ITEM 54/6840 FOR 100 MM SEE ITEM 54/16861 FOR 160 MM SEE ITEM 54/16836 FOR	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



				250 MM SEE ITEM 54/16848 FOR ABOVE SEE	
M00025902	54031940	SPARK GAP	SPARK GAP:SPECIFICATION BBB1616 VERSION	SPARK GAP: SPECIAL FEATURES: COMPLETE ASSY WITH GAS FILLED ARRESTER: DWG: BBB0906 REV: 7: SPECIFICATION BBB1616 VERSION 3.NOTE TENDERERS:MUST SUPPLY TEST CERTIFICATES FOR THE GAS ARRESTERS ON INSPECTION DATE.	EA
M00032278	54010803	INSULATOR,STRAIN	INSULATOR,STRAIN:SECTION,LG 1.115 M	INSULATOR,STRAIN: TYPE: SECTION, DIMENSIONS: LG 1.115 M: DWG: CEE-TN - 209 SH 11 REV: 1: MAIN, TYPE 1. EQUIPMENT USED ON 5405101	EA
M00032427	56000673	INSULATING COMPOUND,ELECTRICAL	INSULATING COMPOUND,ELECTRICAL:USERS	INSULATING COMPOUND,ELECTRICAL: COMPOSITION: RUBBER SYNTHETIC, PACKAGE TYPE: CONTAINER 1 KG: USERS DESCRIPTION NOT TO BE USED WITH IMPREGNATED PAPER INSULATED CABLES. EQUIPMENT USED ON AW MAKER	KG
M00032545	54003014	INSULATOR,SUSPENSION	INSULATOR,SUSPENSION:MI CAST GALV:USERS	INSULATOR,SUSPENSION: INSULATOR MATERIAL: MI CAST GALV: DWG: CEE-TNB-41/LATEST: USERS DESCRIPTION; TOWER	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



				HOOK EQUIPMENT USED ON 5405201	
M00032637	54000350	WASHER;SEALING	WASHER;SEALING:ID 13 MM,OD 40 MM:USERS	WASHER;SEALING: INSIDE DIAMETER: 13 MM, OUTSIDE DIAMETER: 40 MM, THICKNESS: 3 MM, MATERIAL: NEOPRENE: DWG: CEE-TU-100 SH 7: USERS DESCRIPTION TRACK BONDING SPARK GAP INSULATOR,LATEST EQUIPMENT USED ON 5400000 5405700 5405701	EA
M00032640	54001076	INSULATOR,DISK	INSULATOR,DISK:GLASS/PORCELAIN GLAZED:3	INSULATOR,DISK: INSULATOR MATERIAL: GLASS/PORCELAIN GLAZED: DWG: CEE-TN-319: 3 KV, TYPE: U 60/CT LATEST EQUIPMENT USED ON INFRASTRUCTURE 5400000 5405000 5405001 SPECIFICATION NUMBER SABS 177 CLASS B	EA
M00033624	54004828	INSULATOR,STANDOFF	INSULATOR,STANDOFF:GLAZED PORCELAIN 230	INSULATOR,STANDOFF: DWG: CEE-54/112109: GLAZED PORCELAIN 230 MM HOLE CENTRES. KNUCKLE TYPE, NTBR ITEM SUPERSEDED BY ITEM 54/14886 FOR INSULATOR AND ITEM 54/14898 FOR KNUCKLE CLIP USERS DESCRIPTION OVERHEAD TRACK SPLITTING, EQUIPMENT US	EA
M00033625	54004917	CLAMP,ELECTRICAL	CLAMP,ELECTRICAL:DOUBLE SUSPENSION,GALV	CLAMP,ELECTRICAL: CLAMP TYPE: DOUBLE SUSPENSION, CLAMP MATERIAL: SGI 50, FINISH: GALV, CONDUCTOR SIZE: 80-250;	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



				500-800 MM2: WIRE ITEM NUMBER 54004917; STRANDED COPPER AND ALUMINIUM	
M00034164	54001128	INSULATOR,STRAIN	INSULATOR,STRAIN	INSULATOR,STRAIN	EA
M00043037	54015022	INSULATOR,STRAIN	INSULATOR,STRAIN:3 KV:VANDAL PROOF.	INSULATOR,STRAIN: VOLTAGE RATING: 3 KV: DWG: CEE-TN-414 SHT 1: VANDAL PROOF. TONGUE AND CLEVIS TYPE, USERS DESCRIPTION NOT TO BE USED IN VERTICAL POSITION. OVERHEAD TRACK EQUIPMENT. LATEST EQUIPMENT USED ON OHTE	EA
M00043038	54015325	BRACKET	BRACKET:ELECTRICAL	BRACKET: TYPE: ELECTRICAL	EA
M00043066	54024288	CLEAT	CLEAT:EARTH WIRE, BACK STRAP FOR RAIL	CLEAT: EARTH WIRE, BACK STRAP FOR RAIL MAST	EA
M00043686	54007530	INSULATOR,STRAIN	INSULATOR,STRAIN:PORCELAIN. SOLID CORE	INSULATOR,STRAIN: DWG: CEE-TN - 373: PORCELAIN. SOLID CORE WITH TONGUE CAPS. USERS DESCRIPTION FOR STRUTS AND TIE-RODS 25 KV AC OVERHEAD TRACK EQUIPMENT. PORT ELIZABETH/BEAUFORT WEST LATEST EQUIPMENT USED ON 5400000 5403500 5403	EA
M00044072	54004841	INSULATOR,PIN	INSULATOR,PIN:TRANSMISSION LINE,11 KV	INSULATOR,PIN: TYPE: TRANSMISSION LINE, VOLTAGE RATING: 11 KV: P/N: HT 1014/50: FOR USE WITH M2 LEADHEAD SPINDLE; FOR SEE ITEM 54/1165, EQUIPMENT USED ON 5400000,	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



				5405000, 5405002, SPECIFICATION NUMBER SABS.177-1973. CLASS B.	
M00053097	54010775	INSULATOR (Section Insulator)	INSULATOR:SECTION,3 KV:HIGH SPEED. FOR	INSULATOR: TYPE: SECTION, POTENTIAL: 3 KV: HIGH SPEED. FOR 161 SQ MM CONTACT WIRE. USERS DESCRIPTION FOR ARC RUNNERS SEE ITEM BALFOUR BEATY TYPE:54/11566 FLURY TYPE:54/16116 AND 54/16128 SIEMENS TYPE: 54/15083. FOR INSULATOR, STAND-OFF SEE ITEM 54/15071.	EA
M00053384	54005466	INSULATOR,STANDOFF	INSULATOR,STANDOFF:RETURN CONDUCTOR FOR	INSULATOR,STANDOFF: SPECIAL FEATURES: WITH SUPPORT CLAMP AND LINERS: DWG: CEE-TZ-1-121 SHT 11/L: RETURN CONDUCTOR FOR 19/4,65 HARD DRAWN ALUMINIUM WIRE. TO QUOTED PART NUMBER OR EQUAL USERS DESCRIPTION 25 KV AC OVERHEAD TRACK EQUIPMENT	EA
M00053394	54008826	LADDER,EXTENSION	LADDER,EXTENSION:TRESTLE,GLASS FIBER	LADDER,EXTENSION: TYPE: TRESTLE, MATERIAL: GLASS FIBER, FEATURES: WITH TROLLEY: DWG: CEE-TW-473/LATEST: EQUIPMENT USED ON 5400000	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



M00053440	54022645	SPARK GAP	SPARK GAP:USERS DESCRIPTION FOR	SPARK GAP: SPECIAL FEATURES: COMPLETE SPARK GAP WITH RESISTOR AND COVER: DWG: CEE-TU-100 SH 1: USERS DESCRIPTION FOR COMPONENTS SEE ITEMS 54/8471,54/8483 & 54/8495 REPLACES OLD ITEM 54/8458. 054022645 ARRESTER,ELECTRICAL SURGE LATEST EQUIPMENT USED ON 540	EA
M00053456	54031802	INSULATOR	INSULATOR:SECTION. PART NO -	INSULATOR: SECTION. PART NO -	EA
M00054551	54001165	INSULATOR,PIN	INSULATOR,PIN:SUITABLE FOR USE WITH 11	INSULATOR,PIN: SUITABLE FOR USE WITH 11 KV CLASS B OF SABS 177-1973. SHANK LG 178MM WITH AN EFFECTIVE THREAD OF 100 MM, GALVANISED TO SABS 763. THE COLLAR OF THE SPINDLE TO HAVE TWO FLATS	EA
M00054559	54001205	ARRESTER,LIGHTNING	ARRESTER,LIGHTNING:BRKDOWN VOLTG 6.6 KVAC	ARRESTER,LIGHTNING: TYPE: EFFECTIVELY EARTHED SYSTEM, BREAKDOWN VOLTAGE: 6.6 KVAC: 5000 A CURRENT RATING, THE MINIMUM CLEARANCE FROM CURRENT CARRYING PARTS TO THE MOUNTING BRACKET OR EARTHED STEEL FRAME WORK AGAINST WHICH THE BRACKET IS MOUNTED SHALL BE 1	EA
M00054560	54001331	SWITCH,KNIFE	SWITCH,KNIFE:SIDING,3 KV:5018/3:WITHOUT	SWITCH,KNIFE: TYPE: SIDING, VOLTAGE RATING: 3 KV: MFR: AEG P/N: 5018/3: WITHOUT OPERATING HANDLE, EQUIPMENT USED ON 5400000 5405900 5405901, SPECIFICATION NUMBER T-S2F-2	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



M00055394	56004836	TAPE,INSULATION,ELECTRICAL	TAPE,INSULATION,ELECTRICAL:ADHESIVE,PVC	TAPE,INSULATION,ELECTRICAL: TYPE: ADHESIVE, TAPE MATERIAL: PVC, COLOR: BLACK, THICKNESS: 0.18 MM, WIDTH: 19 MM, LENGTH: ROLL 6 M	EA
M00064019	54004816	INSULATOR,STRAIN	INSULATOR,STRAIN:PORCELAIN GLAZED:HOLE	INSULATOR,STRAIN: INSULATOR MATERIAL: PORCELAIN GLAZED: P/N: 21-1354 ELC 21-1354 SAG: HOLE CENTRES 44 MM TO QOUTED PART NUMBER OR EQUAL USERS DESCRIPTION SECTION INSULATOR. EQUIPMENT USED ON 5405001	EA
M00064108	54001582	ADAPTER,INSULATOR	ADAPTER,INSULATOR:MI CAST GALV:LATEST	ADAPTER,INSULATOR: MATERIAL: MI CAST GALV: DWG: CEE-TN- 402/LATEST: LATEST EQUIPMENT USED ON 5405201	EA
M00064719	54005708	INSULATOR,STANDOFF	INSULATOR,STANDOFF:PORCELAIN. SOLID	INSULATOR,STANDOFF: DWG: CEE-TN - 398: PORCELAIN. SOLID CORE WITH TONGUE AND SOCKET. USERS DESCRIPTION 25 KV OVERHEAD TRACK EQUIPMENT ERMELO/VRYHEID. LATEST EQUIPMENT USED ON INFRASTRUCTURE 5405002 5405002 SPECIFICATION NUMBER	EA
M00065068	54000414	WASHER:INSULATING;ELECTRICAL	WASHER:INSULATING;ELECTRICAL:GLASS FIBER	WASHER:INSULATING;ELECTRICAL: DIMENSIONS: ID 44 X OD 76 X THK 4 MM, MATERIAL: GLASS FIBER: DWG: CEE-TU-143 S: MAST BASE. ROUND, SUITABLE BONDED WITH SYNTHETIC RESIN. USER DESCRIPTION 54/438 - BUSH 54/31713,054000414	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



M00065093	54014886	INSULATOR,STRAIN	INSULATOR,STRAIN:SOLID CORE KNUCKLE,3 KV	INSULATOR,STRAIN: TYPE: SOLID CORE KNUCKLE, INSULATOR MATERIAL: PORCELAIN, VOLTAGE RATING: 3 KV: DWG: CEE-TN - 185: X X X X X NTBR. PLEASE REFER TO ITEM 54/32011 USERS DESCRIPTION OVERHEAD TRACK EQUIPMENT. KNUCKLE CLIP SEE 54/14898 054014886 LATEST EQUI	EA
M00065098	54011012	SEALING COMPOUND	SEALING COMPOUND:PUTTY HEAT RESISTANT	SEALING COMPOUND: TYPE: PUTTY HEAT RESISTANT: MFR: CADWELD P/N: DUX SEAL T317: SUPPLIED IN 500 GRAM PACKS. USED BETWEEN EXOTHERMIC MOULD AND RAIL. EQUIPMENT USED ON 5400000 5405700, SPECIFICATION NUMBER T-WIG-1	EA
M00065109	54005454	INSULATOR	INSULATOR:SECTION NEUTRAL 25KV AC. FOR	INSULATOR: DWG: CEE-TZ-1-121 SHT 8: SECTION NEUTRAL 25KV AC. FOR 107 SQ MM CONTACT WIRE. TO QUOTED PART NUMBER OR EQUAL USERS DESCRIPTION FOR SPARES SEE FOLLOWING ITEMS STRAIN INSULATOR54/16646 ARRESTER 54/16800 SECTION INSULATOR /LATEST CEE-TZ-7-1	EA
M00065148	54001141	INSULATOR,STRAIN	INSULATOR,STRAIN:SOLID CORE,PORCELAIN	INSULATOR,STRAIN: TYPE: SOLID CORE, INSULATOR MATERIAL: PORCELAIN, VOLTAGE RATING: 3 KV: DWG: CEE - TNC -17: WITH TONGUE AND CLEVIS CAPS. USERS DESCRIPTION OVERHEAD TRACK EQUIPMENT. LATEST	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



				EQUIPMENT USED ON 5405001 SPECIFICATION NUMBER SABS 177/LATEST	
M00074462	54004295	INSULATOR,DISK	INSULATOR,DISK:SCREEN,GLASS FIBER:FOR	INSULATOR,DISK: TYPE: SCREEN, INSULATOR MATERIAL: GLASS FIBER: DWG: CEE-TW -0146 SHT.001: FOR PROTECTING PAINTERS AGAINST CONTACT WITH H.T. EQUIPMENT INSULATOR,DISC EQUIPMENT USED ON 5407001	EA
M00075611	54008798	ARRESTER,LIGHTNING	ARRESTER,LIGHTNING:CAPACITOR:4 MICRO	ARRESTER,LIGHTNING: TYPE: CAPACITOR, BREAKDOWN VOLTAGE: 3 KV: 4 MICRO FARRAD. OVERHEAD TRACK EQUIPMENT; USED ON 5400000 5405600 5405601 SPECIFICATION NUMBER CEE.0115.86	EA
M00075655	54000438	INSULATION SLEEVING,ELECTRICAL	INSULATION SLEEVING,ELECTRICAL:38 MM	INSULATION SLEEVING,ELECTRICAL: EXPANDED INSIDE DIAMETER: 38 MM: DWG: CEE-TU-143 SHT 4: SIZE: OD 43 X WD 23MM; USER DESCRIPTION 54/414 - WASHER 54/31713 - INSULATING PAD USED ON 5405401 SPEC	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



M00001173	48024268	RESISTOR,VARIABLE	RESISTOR,VARIABLE:VARISTOR (METAL	RESISTOR,VARIABLE: VARISTOR (METAL OXIDE) MAXIMUM RATINGS (25 DEG. C) RMS 660 VOLT / DC.850 VOLT. TO QUOTED PART NUMBER OR EQUAL USERS DESCRIPTION HE. SERIES, BASE MOUNT STYLE, 32 MM MATERIAL TO BE USED IN SETS OF EIGHT IN SERIES TO REPLACE ITEM 48/13189.	EA
M00001190	55020264	FUSE,CARTRIDGE	FUSE,CARTRIDGE:DIAZED; SLOW ACTING,16 A	FUSE,CARTRIDGE: TYPE: DIAZED; SLOW ACTING, CURRENT RATING: 16 A, RATED VOLTAGE: 500 V, DIAMETER: 13 MM, OVERALL LENGTH: 50 MM: MFR: SIEMENS P/N: 5SA2 61; MFR: SIBA P/N: 1000204/16: TO QUOTED PART NUMBER OR EQUAL; USERS DESCRIPTION: FOR E16 SCREW CAP; EQUIPMENT USED ON EL AND P, 16D 16 BRUSH SPEC	EA
M00001284	55049954	CIRCUIT BREAKER	CIRCUIT BREAKER:MOLDED CASE,20 A,220 VAC	CIRCUIT BREAKER: TYPE: MOLDED CASE, RATED BREAKING CAPACITY: 20 A, VOLTAGE RATING: 220 VAC, POLE: 1, INTERRUPT CAPACITY: 2.5 KA, FEATURES: WITHOUT COVER: SAMITE BRAND, EQUIPMENT USED ON EL&P SPECIFICATION NUMBER SABS 156-1977, EQUAL TO AND INTERCHANGEABLE WITH HEINEMANN SA1-G3 BREAKER, 13 MM WIDE. 13MM	EA
					EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



M00010398	48050168	ANNUNCIATOR	ANNUNCIATOR:3KV SUBSTATION PROTECTION	ANNUNCIATOR: APPLICATION: 3KV SUBSTATION PROTECTION, SPECIAL FEATURES: 110VDC, 8-WAY	EA
M00011251	48017810	SEMICONDUCTOR DEVICE,DIODE	SEMICONDUCTOR DEVICE,DIODE:TO QUOTED	SEMICONDUCTOR DEVICE,DIODE: TO QUOTED PART NUMBER OR EQUAL RECTIFIER SILICON VRRM = 600 VOLT IF = 40 AMP CATHODE = STUD STUD MOUNTING 1/4 INCH UNF G.E.C. 3 KV DC SUBSTATIONS ,S30460 EQUIPMENT USED ON CEE 4800000 4810100 4810113 48Q1470 MAKERS PART NUM	EA
M00011252	48019376	CIRCUIT CARD ASSEMBLY	CIRCUIT CARD ASSEMBLY:FOR 3 KV DC HIGH	CIRCUIT CARD ASSEMBLY: FUNCTION: ELECTRONIC CLOSING AND AUTO RECLOSING RELAY: DWG: CEE TBP 39: FOR 3 KV DC HIGH SPEED CIRCUIT BREAKERS WITHOUT BOX AND RELAYS FOR COMPLETE UNIT SEE ITEM 48-19364, EQUIPMENT USED ON 4800000 4810700 48107	EA
M00011553	48001485	SEMICONDUCTOR DEVICE,DIODE	SEMICONDUCTOR DEVICE,DIODE:3600 V,620 A	SEMICONDUCTOR DEVICE,DIODE: VOLTAGE RATING: 3600 V, CURRENT RATING: 620 A, SEMICONDUCTOR MATERIAL: SILICON: MFR: SIEMENS P/N: SSIP32200: DWG: S12A: USERS DESCRIPTION SUBSTATIONS FOURTEEN STREAMS - UNION REFER PROCUREMENT TO CEE, EQUIPMENT USED ON 4800000	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



M00011561	48003864	RELAY,ELECTROMAGNETIC	RELAY,ELECTROMAGNETIC:UNDervoltage,3 KV	RELAY,ELECTROMAGNETIC: TYPE: UNDervoltage, CONTACT MAXIMUM VOLTAGE RATING IN VOLTS: 3 KV, FEATURES: WITHOUT RESISTANCE PANEL: P/N: SR25K: USERS DESCRIPTION AEG SILICON SUBS CAT. SUBSTATION PAGE U1 048003864 EQUIPMENT USED ON 4800000 4810003 4810103 481060	EA
M00011573	48004186	RELAY,ELECTROMAGNETIC	RELAY,ELECTROMAGNETIC:110 V DC. CLIP IN	RELAY,ELECTROMAGNETIC: 110 V DC. CLIP IN TYPE AUX. WITH 4 CHANGE-OVER CONTACTS. TO QUOTED PART NUMBER OR EQUAL USERS DESCRIPTION AEG SILICON SUBS AEG CAT. RECTIFIER SUBSTATION PAGE D1 048004186 EQUIPMENT USED ON 4800000 4810103 MAKERS PART NUM	EA
M00011664	48031248	ARRESTER,ELECTRICAL SURGE	ARRESTER,ELECTRICAL SURGE:FOR BBC HIGH	ARRESTER,ELECTRICAL SURGE: TYPE: FIXED ARCING HORN: DWG: HSBT601020 IT, DWG: HSBA300132R1: FOR BBC HIGH SPEED CIRCUIT BREAKER TYPE UR26-E-D-64-S, EQUIPMENT USED ON 4800000 4810700 4810709 48Q1470	EA
M00011748	55035377	FUSE	FUSE:3 A:FL11H3:H TYPE, HIGH SURGE	FUSE: CURRENT: 3 A: MFR: MC.GRAW-EDISON P/N: FL11H3: H TYPE, HIGH SURGE, BUTTON HEAD. FOR 6,6/11/22 KV. MAXIMUM TO QUOTED PART NUMBER OR EQUAL FUSE LINK,ELECTRICAL	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



				EQUIPMENT USED ON EL&P, SPECIFICATION NUMBER BS 2692	
M00012681	48011611	RESISTOR, FIXED, WIRE WOUND	RESISTOR, FIXED, WIRE WOUND: 400 OHM, 150 W	RESISTOR, FIXED, WIRE WOUND: RESISTANCE: 400 OHM, WATTAGE RATING: 150 W, TOLERANCE: +/-10 PCT, VOLTAGE RATING: 3 KV, DIMENSIONS: LG 165 MM: MFR: AEG: DWG: CEE-TCM - 15: END CAPS 18,5 MM DIA X 14 MM LONG ON A CERAMIC CORE VITREFIED USERS DESCRIPTION VOLTAGE	EA
M00012726	48003573	CAPACITOR, FIXED, PAPER DIELECTRIC	CAPACITOR, FIXED, PAPER DIELECTRIC: 2 UF	CAPACITOR, FIXED, PAPER DIELECTRIC: CAPACITANCE: 2 UF, VOLTAGE RATING: 400/450 VAC +/- 10 PCT, MOUNTING TYPE: M8 STUD BASE: DIA 25 X LG 81MM, METAL ENCAPSULATED, TYPE 0 670 333 010. TRACTION SUB-STATION EQUIPMENT USERS DESCRIPTION AEG SILICON SUBS AEG CAT. 1	EA
M00012727	48002620	RELAY; TIME DELAY	RELAY; TIME DELAY: OPRTN 0.2-30 S, 0.5 A:1	RELAY; TIME DELAY: OPERATION: 0.2-30 S, CONTACT RATING: 0.5 A, COIL VOLTAGE: 110 VDC: 1 DELAYED CHANGEOVER, 0.25A INDUCTIVE AT 110VDC, MAX BASE DIMENSIONS WD 45 X LG 85, TO QUOTED PART NO OR EQUAL, USERS DESCRIPTION: D12-17, D24 ON CIRCUIT DRAWING SIEMENS	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



M00022080	48004315	RESISTOR, FIXED, WIRE WOUND	RESISTOR, FIXED, WIRE WOUND: 27 K OHM, 20 W	RESISTOR, FIXED, WIRE WOUND: RESISTANCE: 27 K OHM, WATTAGE RATING: 20 W, TOLERANCE: +/-10 PCT, FEATURES: VITREOUS ENAMELLED, DIMENSIONS: DIA 16 X LG 63 MM: TO QUOTED PART NUMBER OR EQUAL, AEG SILICON SUBS AEG CAT. 13 ITEM 1.3, EQUIPMENT USED ON 4800000 4810	EA
M00023089	48011886	SEMICONDUCTOR DEVICE, DIODE	SEMICONDUCTOR DEVICE, DIODE: 1800 V: ANODE	SEMICONDUCTOR DEVICE, DIODE: VOLTAGE RATING: 1800 V, SEMICONDUCTOR MATERIAL: SILICON: MFR: AEG P/N: D1800N/3600 T21: ANODE TO CASE 3 AND 4,5 MW SUB-STATIONS TO QUOTED PART NUMBER OR EQUAL 048011886, EQUIPMENT USED ON 4800000 4810103 48Q1470	EA
M00023281	48019101	COUNTER, ELECTRICAL	COUNTER, ELECTRICAL: IMPULSE DEVICE	COUNTER, ELECTRICAL: IMPULSE DEVICE ELECTROMAGNETIC 4 DIGIT. SURFACE MOUNTING 110 V. DC. WITH LEAD WIRES WITHOUT MANUAL RESETTING IMPULSE COUNTING RELAY FOR 50 HZ DETECTION DEVICE TRACTION SUB-STATIONS TO QUOTED PART NUMBER OR EQUAL USERS DESCRIPTION CONTR	EA
M00031310	48050036	RELAY, ELECTROMAGNETIC	RELAY, ELECTROMAGNETIC: COIL VOLTG 250 VAC	RELAY, ELECTROMAGNETIC: COIL VOLTAGE: 250 VAC, FEATURES: 11	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



				PIN, CURRENT RATING: 10 A: MFR: FINDER P/N: 60.13 0040	
M00031311	48050108	RELAY,ELECTROMAGNETIC	RELAY,ELECTROMAGNETIC:COIL VOLTG 110 VDC	RELAY,ELECTROMAGNETIC: TYPE: UNDERVOLTAGE MONITOR, COIL VOLTAGE: 110 VDC, CONTACT MAXIMUM VOLTAGE RATING IN VOLTS: 0-150 V, FEATURES: 11 PIN: MFR: RHOMBERG: MODEL BP 200/SH1 110D, BRA, SLER SETTINGS: AND 5-30PCT	EA
M00031319	55070820	TIMER	TIMER:ELECTROMECHANICAL,1-60 S,220 VAC	TIMER: TYPE: ELECTROMECHANICAL, RANGE: 1- 60 S, POTENTIAL: 220 VAC, CONFIGURATION: 11 PIN: MFR: ELECTROMECHANICA: T2M, ELECTRO MULTI RANGE	EA
M00033248	48004453	CHOKE,RADIO FREQUENCY	CHOKE,RADIO FREQUENCY:INDUCTANCE COIL	CHOKE,RADIO FREQUENCY: TYPE: INDUCTANCE COIL, APPLICATION: RESONANT SHUNT: DWG: CEE-E1C-367/LATEST: 24 TH HARMONIC (1200 HZ), MATCHED PAIR CONSISTING OF MAIN AND TUNING COILS WAVE FILTER EQUIPMENT TRACTION SUB- STATIONS, EQUIPMENT USED ON 4800000 4811100	PAA
M00033521	48030105	SEMICONDUCTOR DEVICE,DIODE	SEMICONDUCTOR DEVICE,DIODE:2500 V,740 A	SEMICONDUCTOR DEVICE,DIODE: VOLTAGE RATING: 2500 V, CURRENT RATING: 740 A: MFR: GENERAL ELECTRIC P/N: A500LE: DWG: M463: PRESSURE MOUNTED TO CASE, EQUIPMENT USED ON	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



				4800000 4810101 4810103 48Q1470, CEE SI.RECTIFIER TRACTION SUBS	
M00041765	48050144	ARRESTER,ELECTRICAL SURGE	ARRESTER,ELECTRICAL SURGE:150 VDC:900623	ARRESTER,ELECTRICAL SURGE: VOLTAGE RATING: 150 VDC, MOUNTING: DINRAIL AND MAINBOARD: MFR: DEHNGUARD P/N: 900623: FM UC 150	EA
M00041766	48050132	ARRESTER,ELECTRICAL SURGE	ARRESTER,ELECTRICAL SURGE:275 VAC:900600	ARRESTER,ELECTRICAL SURGE: VOLTAGE RATING: 275 VAC, MOUNTING: DINRAIL AND MAINBOARD: MFR: DEHNGUARD P/N: 900600; MFR: DEHNGUARD P/N: DG275	EA
M00042620	48003601	EARTH LEAKAGE	EARTH LEAKAGE:BUS BAR,100-300A DC:1 NO	EARTH LEAKAGE: TYPE: BUS BAR, CURRENT: 100-300A DC, INTERRUPT CAPACITY: 20 KA: CATALOGUE: E6: 1 NO 1 NC AUX CONTACT, AS PER AEG CATALOGUE E6. USERS DESCRIPTION AEG SILICON SUBS FOR LATCHING BLOCK SEE 48/4202 RELAY,ELECTROMAGNETIC	EA
M00042942	48001929	RESISTOR,FIXED,WIRE WOUND	RESISTOR,FIXED,WIRE WOUND:500 W. 1	RESISTOR,FIXED,WIRE WOUND: 500 W. 1 K-OHM. 35 MM DIA X 345 MM LONG. VITREOUS ENAMEL COVERED. USERS DESCRIPTION R7 ON CIRCUIT DRAWING BASE LOAD. SIEMENS SILICON SUBSTATION, EQUIPMENT USED	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



				ON 4800000 4810100 4810106 48Q1470	
M00043924	48031159	FUSE,CARTRIDGE	FUSE,CARTRIDGE:HRC,100 A,DIA 85 MM:5KP	FUSE,CARTRIDGE: TYPE: HRC, CURRENT RATING: 100 A, RATED VOLTAGE: 12 KV, DIAMETER: 85 MM, BODY LENGTH: 292 MM, OVERALL LENGTH: 360 MM, FEATURES: FERRULE CAP WITH STRIKER PIN, BREAKING CAPACITY: 40 KA, CLASS: INDOOR: 5KP; TO QOUTED PART NUMBER OR EQUAL USER	EA
M00044067	48031200	SEMICONDUCTOR DEVICE,DIODE	SEMICONDUCTOR DEVICE,DIODE:4000 V,2000 A	SEMICONDUCTOR DEVICE,DIODE: VOLTAGE RATING: 4000 V, CURRENT RATING: 2000 A, SEMICONDUCTOR MATERIAL: SILICON: MFR: SIEMENS P/N: C67047-A2053-A5; MFR: SIEMENS P/N: SSIR62220: OPERATING TEMP -40 DEG CELSIUS TO + 160 DEG CELSIUS EQUIPMENT USED ON 48Q1470	EA
M00044079	48026320	SEMICONDUCTOR DEVICE,DIODE	SEMICONDUCTOR DEVICE,DIODE:2200 V,700 A	SEMICONDUCTOR DEVICE,DIODE: VOLTAGE RATING: 2200 V, CURRENT RATING: 700 A, SEMICONDUCTOR MATERIAL: SILICON: P/N: D405N/22OOE: RECTIFIER, BASE ANODE PRESSURE MOUNTED USERS DESCRIPTION REFER PROCUREMENT TO CEE	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



				SI.RECTIFIER TRACTION SUBS, D405N/22OOE EQUIPME	
M00052674	54019424	FUSE CUTOUT,PRIMARY EXPULSION	FUSE CUTOUT,PRIMARY EXPULSION:11 KV	FUSE CUTOUT,PRIMARY EXPULSION: 11 KV	EA
M00052992	48020727	FUSE,CARTRIDGE	FUSE,CARTRIDGE:HRC,20 A,FERRULE CAP	FUSE,CARTRIDGE: TYPE: HRC, CURRENT RATING: 20 A, RATED VOLTAGE: 7.2 KV, FEATURES: FERRULE CAP, BREAKING CAPACITY: 40 KA: MFR: WICKMANN P/N: 5381/20: 048020727; EQUIPMENT USED ON SUBSTATIONS; 3000213/20 SIBA	EA
M00053246	48011736	LIGHT,INDICATOR	LIGHT,INDICATOR:RED:WITH E 14	LIGHT,INDICATOR: COLOR: RED, DIMENSIONS: DIA 25 X MIN LG 46 MM: P/N: 1: DWG: CEE-TCA-90: WITH E 14 LAMPHOLDER, CRITICAL. TO QUOTED PART NUMBER OR EQUAL 048011736, EQUIPMENT USED ON 4800000	EA
M00062757	48050048	RELAY,ELECTROMAGNETIC	RELAY,ELECTROMAGNETIC:COIL VOLTG 110 V	RELAY,ELECTROMAGNETIC: TYPE: PHASE FAILURE/PHASE REVERSAL, COIL VOLTAGE: 110 V, NUMBER OF PHASES: 3, FEATURES: 11 PIN: MFR: ELECTRO P/N: SF2	EA
M00062762	48050156	RELAY,ELECTROMAGNETIC	RELAY,ELECTROMAGNETIC:PH 3,380 VAC:SF1	RELAY,ELECTROMAGNETIC: TYPE: PHASE FAILURE/REVERSAL, NUMBER OF PHASES: 3, CONTACT MAXIMUM VOLTAGE RATING IN VOLTS: 380 VAC, FEATURES: 11	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



				PIN: MFR: ELECTROMECHANICA (PTY) LTD P/N: SF1	
M00063633	48020598	CAPACITOR, FIXED, PAPER DIELECTRIC	CAPACITOR, FIXED, PAPER DIELECTRIC: 10 UF	CAPACITOR, FIXED, PAPER DIELECTRIC: CAPACITANCE: 10 UF, VOLTAGE RATING: 3000 VDC, MOUNTING TYPE: SIDE BOLT: C.D. AT 600 C/S. +5%, 250 MM WIDE X 120 MM THICK X 430 MM HIGH. TWO INSULATED TERMINALS 157 MM HIGH. OIL IMMERSSED METAL TANK, PERMISSIBLE CURRENT LO	EA
M00063895	48011117	CAPACITOR, FIXED, PAPER DIELECTRIC	CAPACITOR, FIXED, PAPER DIELECTRIC: 50 UF	CAPACITOR, FIXED, PAPER DIELECTRIC: CAPACITANCE: 50 UF, VOLTAGE RATING: 3000 VDC: P/N: 464 027 634TD: 5%, 360MM WIDE X 135MM THICK X 1050 MM HIGH 2 INSULATOR TERMINALS METAL ENCAPSULATED 048011117, EQUIPMENT USED ON SUBSTATION WAVE FILTER EQUIPMENT MAKERS	EA
M00064122	55035389	FUSE	FUSE: 5 A: FL11H5: H TYPE, HIGH SURGE	FUSE: CURRENT: 5 A: MFR: MC.GRAW-EDISON P/N: FL11H5: H TYPE, HIGH SURGE, BUTTON HEAD, FOR 6,6/11/22 KV. MAXIMUM TO QUOTED PART NUMBER OR EQUAL FUSE LINK, ELECTRICAL EQUIPMENT USED ON EL&P, SPECIFICATION NUMBER BS 2692	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.



BID NUMBER: DBN/OPS(BAC)003

M00065143	48019364	RELAY, HYBRID	RELAY, HYBRID: FOR 3 KV DC HIGH SPEED	RELAY, HYBRID: TYPE: G; ELECTRONIC CLOSING AND AUTO RECLOSING: DWG: CEE TBP 39: FOR 3 KV DC HIGH SPEED CIRCUIT BREAKER COMPLETE WITH FITTED FOUR DIGIT NON-RESETABLE 110V DC COUNTER AND EASY ACCESSIBLE NUMBERED TERMINAL STRIP. EQUIPMENT USED ON	EA
M00074390	48001865	RESISTOR, FIXED, WIRE WOUND	RESISTOR, FIXED, WIRE WOUND: 18 OHM, 40 W	RESISTOR, FIXED, WIRE WOUND: RESISTANCE: 18 OHM, WATTAGE RATING: 40 W, TOLERANCE: +/-10 PCT, TYPE: UNION, FEATURES: VITREOUS ENAMELLED, DIMENSIONS: DIA 4 X LG 62 MM: METAL CAPS 13 X 14 MM. SCREW END CONNECTION, R1-R6 ON CIRCUIT DRAWING. CELL ATTENUATION. SI	EA
M00074787	55054984	EARTH LEAKAGE	EARTH LEAKAGE: 240 VAC, POLE 1, 60 A: WITH	EARTH LEAKAGE: POTENTIAL: 240 VAC, POLE: 1, LEAKAGE CURRENT: 30 MA, CURRENT: 60 A, INTERRUPT CAPACITY: 5 KA: WITH OVERLOAD PROTECTION. EQUAL TO AND INTERCHANGEABLE WITH NEUTRAL HEINEMANN SF-15A. USERS DESCRIPTION 65 MM WIDE. UNIT TO BE SWITCHED OFF BEFORE	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.



BID NUMBER: DBN/OPS(BAC)003

M00075635	48022864	FUSE,CARTRIDGE	FUSE,CARTRIDGE:HRC,100 A,DIA 50 MM	FUSE,CARTRIDGE: TYPE: HRC, CURRENT RATING: 100 A, RATED VOLTAGE: 3.3/3.6 KV, DIAMETER: 50 MM, OVERALL LENGTH: 337 MM, FEATURES: WITHOUT STRIKER, OFF-SET TAGS, 305 MM FIXING CENTRES, BREAKING CAPACITY: 150 KA: USERS DESCRIPTION WAVE FILTER; TRACTION SUB-ST	EA
M00078464	48008160	RESISTOR,VARIABLE,WIRE WOUND	RESISTOR,VARIABLE,WIRE WOUND:220 OHM	RESISTOR,VARIABLE,WIRE WOUND: TYPE: ADJUSTABLE HOLDING COIL, RESISTANCE: 220 OHM, POWER RATING: 100 W: MFR: SECHERON P/N: UR26: CERAMIC BODY WITH ADJUSTABLE THIRD CONNECTION TO BE USED ON TRACK BREAKER	EA
M00083942	48050072	RELAY;OVERLOAD	RELAY;OVERLOAD:STRIKE FP04-B, TO BE	RELAY;OVERLOAD: STRIKE FP04-B, TO BE USED IN 3KV DC TRACTION SUBSTATIONS FOR HT, PROTECTION	EA
M00091129	48050432	3 KV DC UNDERVOLTAGE RELAY	3 KV DC UNDERVOLTAGE RELAY	3 KV DC UNDERVOLTAGE RELAY, COMPLETE WITH POTENTIAL DIVIDER PANEL ON MOUNTING INSULATORS, TO BE USED WITH OPTIC FIBRE CABLE (LATEST SPEC)	EA
M00091131	48050456	ANNUNSUATOR STRIKE 12 WAY	ANNUNSUATOR STRIKE 12 WAY	ANNUNSUATOR STRIKE 12 WAY RSE OR EQUIVALENT 12 WAY TO FIT STRIKE DIMENSIONS OPERATING VOLATGE 120V DC COMPLETE ANNUNSUATOR WITH FACE PLATE WITH THE FOLLOWING WORDING ON: RECT	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



				FAN FAILURE AUX TRAFO BUCHOLZ TRAFO MAIN OVERLOAD AC EARTH LEAKAGE ATTEN FAILURE	
M00001117	48006302	SILICA GEL	SILICA GEL:HERMETICALLY SEALED,4 KG:ALL	SILICA GEL: CONTAINER TYPE: HERMETICALLY SEALED, CONTAINER CAPACITY: 4 KG: ALL GRANULES TO BE INDICATORS.USERS DESCRIPTION TRANSFORMERS AND O.C.B,S. DESICCANT,ACTIVATED EQUIPMENT USED ON 4800000	KG
M00033581	48009379	THERMOMETER	THERMOMETER:OIL TEMPERATURE COMPLETE	THERMOMETER: OIL TEMPERATURE COMPLETE WITH MACROLON DOME GAS ACTUATED CAPILLARY FULL ST/ST CONSTRUCTION TYPE:TBP/BC100SS FOR SURFACE MOUNT RANGE: 0 - 120 C. CAPILLARY: 5M ST/ST ARMoured BULB DIA:167MM DEEP X 12,7MM CONNECTION:1/2INC H BSP FEMALE USERS DES	EA
M00033582	48009432	BREATHER	BREATHER:TRANSFORMER OIL:RATING UP TO	BREATHER: MEDIA FOR WHICH DESIGNED: TRANSFORMER OIL, FEATURES: COMPLETE WITH OIL SEAL AND VISIBLE REPLACEABLE DESICCANT: RATING UP TO 750KVA, OIL CONTENT UP TO 900 LITRE, CARTRIDGE TYPE NOT ACCEPTABLE. TO QUOTED PART	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.



BID NUMBER: DBN/OPS(BAC)003

				NUMBER OR EQUAL DESICCANT CONTAINER, D	
M00042888	48011635	BREATHER	BREATHER:TRANSFORMER OIL:RATING ABOVE	BREATHER: MEDIA FOR WHICH DESIGNED: TRANSFORMER OIL, FEATURES: WITH OIL SEAL/VISIBLE REPLACEABLE DESICCANT: RATING ABOVE 0.6 TO 10MVA, OIL CONTENT 6000-13000LITRE, CARTRIDGE TYPE NOT ACCEPTABLE. ATTACHMENT 20 MM BSP 048011635 DESICCANT CONTAINER, DEHUMIDI	EA

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

7 THE NATIONAL INDUSTRIAL PARTICIPATION PROGRAMME(N/A)

8.1 National Industrial Participation Programme (NIPP) requirements:

The National Industrial Participation (NIP) Programme, which is applicable to all government procurement contracts that have an imported content, became effective on the 1 September 1996. The NIP policy and guidelines were fully endorsed by Cabinet on 30 April 1997. In terms of the Cabinet decision, all state and parastatal purchases / lease contracts (for goods, works and services) entered into after this date, are subject to the NIP requirements. NIP is obligatory and therefore must be complied with. The Industrial Participation Secretariat (IPS) of the Department of Trade and Industry (DTI) is charged with the responsibility of administering the programme.

Bidders are therefore required to complete SBD 5 to give effect to the above.

9 POST TENDER NEGOTIATION (IF APPLICABLE)

PRASA reserves the right to conduct post tender negotiations with a shortlist of Respondent(s). The shortlist could comprise of one or more Respondents. Should PRASA conduct post tender negotiations, Respondents will be requested to provide their best and final offers to PRASA based on such negotiations. A final evaluation will be conducted in terms of 80/20 / 90/10.

10 FINAL CONTRACT AWARD

PRASA will negotiate the final terms and condition the contract with the successful Respondent(s). This may include aspects such as Supplier Development, the B-BBEE Improvement Plan, price and delivery. Thereafter the final contract will be awarded to the successful Respondent(s).

11 FAIRNESS AND TRANSPARENCY

PRASA views fairness and transparency during the RFP Process as an absolute on which PRASA will not compromise. PRASA will ensure that all members of evaluation committees declare any conflicting or undue interest in the process and provide confidentiality undertakings to PRASA.

The evaluation process will be tightly monitored and controlled by PRASA to assure integrity and transparency throughout, with all processes and decisions taken being approved and auditable.

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

SECTION 3

PRICING AND DELIVERY SCHEDULE

Respondents are required to complete the Pricing Schedule/ BOQ **Annexure: 4** and Form C (Volume 2 /Envelop 2)

1 PRICING

- 1.1. Prices must be quoted in South African Rand, inclusive of all applicable taxes.
- 1.2. Price offer is firm and clearly indicate the basis thereof.
- 1.3. Pricing Bill of Quantity is completed in line with schedule if applicable.
- 1.4. Cost breakdown must be indicated.
- 1.5. Price escalation basis and formula must be indicated.
- 1.6. To facilitate like-for like comparison bidders must submit pricing strictly in accordance with this price schedule and not utilise a different format. Deviation from this pricing schedule could result in a bid being declared non-responsive.
- 1.7. Please note that should you have offered a discounted price(s), PRASA will only consider such price discount(s) in the final evaluation stage on an unconditional basis.
- 1.8. Respondents are to note that if price offered by the highest scoring bidder is not market related, PRASA may not award the contract to the Respondent. PRASA may:
 - 1.8.1. negotiate a market-related price with the Respondent scoring the highest points or cancel the RFP;
 - 1.8.2. if that Respondent does not agree to a market-related price, negotiate a market-related price with the Respondent scoring the second highest points or cancel the RFP; and
 - 1.8.3. if the Respondent scoring the second highest points does not agree to a market-related price, negotiate a market-related price with the Respondent scoring the third highest points or cancel the RFP.
- 1.8.4. If a market-related price is not agreed with the Respondent scoring the third highest points, PRASA must cancel the RFP.

2 DISCLOSURE OF PRICES QUOTED

Respondents are to note that, on award of business, PRASA is required to publish the tendered prices and preferences claimed of the successful and unsuccessful Respondents inter alia on the National Treasury e-Tender Publication Portal, (www.etenders.gov.za) , the other medium used to advertise the bid i.e CIDB as required per National Treasury Instruction Note 09 of 2022/2023.

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

3 PERFORMANCE AND BID BONDS (N/A)

- 3.1. The preferred Bidder shall where applicable provide PRASA with a performance bond which shall be 10% of the value of the entire Project price offered and it shall be issued with 30 days of receipt of notice of appointment. The Performance Bond shall be valid for the Contract period. The format of the Performance Bond is attached as **Annexure**

[Bidders are required to submit their Bid with a Bid Bond. The Bid Bond shall due and payable if a bidder decides not to continue with the RFP process after submission of its Bid. The format of the Bid Bond is attached as Annexure(where applicable)]

4 OWNERSHIP OF DESIGN (N/A)

- 4.1. The plans and design developed and to be provided by PRASA shall at all times remain the property of PRASA.]
-

5 SERVICE LEVELS

- 5.1. An experienced national account representative(s) is required to work with PRASA's procurement department. [No sales representatives are needed for individual department or locations]. Additionally, there shall be a minimal number of people, fully informed and accountable for this agreement.
- 5.2. PRASA will have quarterly reviews with the Service provider's account representative on an on-going basis.
- 5.3. PRASA reserves the right to request that any member of the Service provider's team involved on the PRASA account be replaced if deemed not to be adding value for PRASA.
- 5.4. The Service provider guarantees that it will achieve a 100% [hundred per cent] service level on the following measures:
- Random checks on compliance with quality/quantity/specifications
 - On time delivery.
- 5.5. The Service provider must provide a telephone number for customer service calls.
- 5.6. Failure of the Service provider to comply with stated service level requirements will give PRASA the right to cancel the contract in whole, without penalty to PRASA, giving 30 [thirty] calendar days' notice to the Service provider of its intention to do so.

Acceptance of Service Levels:

YES	
-----	--

6 TOTAL COST OF OWNERSHIP (TCO)

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

- 6.1. PRASA will strive to procure goods, services and works which contribute to its mission. In order to achieve this, PRASA must be committed to working with suppliers who share its goals of continuous improvement in service, quality and reduction of Total Cost of Ownership (TCO).
- 6.2. Respondents shall indicate whether they would be committed, for the duration of any contract which may be awarded through this RFP process, to participate with PRASA in its continuous improvement initiatives to reduce the total cost of ownership [TCO], which will reduce the overall cost of transportation services and related logistics provided by PRASA's operating divisions within South Africa to the ultimate benefit of all end-users.

7 FINANCIAL STABILITY

Respondents are required to submit their latest financial statements prepared and signed off by a professional accountant for the past years with their Proposal in order to enable PRASA to establish financial stability.

SIGNED at _____ on this _____ day of _____ 20.....

SIGNATURE OF WITNESSES

ADDRESS OF WITNESSES

1 _____

Name _____

2 _____

Name _____

SIGNATURE OF RESPONDENT'S AUTHORISED REPRESENTATIVE: _____

NAME: _____

DESIGNATION: _____

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

8 VALIDITY OF RETURNABLE DOCUMENTS

The successful Respondent will be required to ensure the validity of all returnable documents, including but not limited to its Tax Clearance Certificate and valid B-BBEE Verification Certificate, for the duration of any contract emanating from this RFP. Should the Respondent be awarded the contract [the Agreement] and fail to present PRASA with such renewals as and when they become due, PRASA shall be entitled, in addition to any other rights and remedies that it may have in terms of the eventual Agreement, to terminate such Agreement forthwith without any liability and without prejudice to any claims which PRASA may have for damages against the Respondent.

SIGNED at _____ on this _____ day of _____ 20.....

SIGNATURE OF WITNESSES

ADDRESS OF WITNESSES

1 _____

Name _____

2 _____

Name _____

SIGNATURE OF RESPONDENT'S AUTHORISED REPRESENTATIVE: _____

NAME: _____

DESIGNATION: _____

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

Special Conditions: Funding Contingency

1. Paragraph 8.4 of the PFMA SCM Instruction No. 3 of 2021/22 states that the Accounting Authority may not invite price quotations or bids if no or sufficient provision is made in the budget of the institution.
2. PRASA has, in terms of section 79 of the PFMA, obtained approval from National Treasury, for a departure from paragraph 8.4 of the PFMA SCM Instruction No. 3 of 2021/22.
3. PRASA is currently in the process of making provision and allocation of budget for the services required in this RFP, which provision and/or budget allocation has not yet been completed at the time of the issuance of this RFP.
4. PRASA will, however, ensure that provision and/or budget allocation is made prior to the award of business in this RFP.
5. Accordingly, any award pursuant to this RFP is strictly subject to PRASA, inter alia:
 - 5.1. securing the necessary funding allocation; and
 - 5.2. confirming that sufficient budget exists to meet the intended award.
6. PRASA undertakes to keep bidders reasonably informed of the progress and status of the funding allocation and budgeting process.
7. By submitting a bid, bidders expressly acknowledge and agree that PRASA reserves the right to cancel this RFP at any stage prior to award, in the event that PRASA is unsuccessful in making sufficient provision and/or budget allocation for the required services.
8. PRASA shall not be liable for:
 - 8.1. any claim, loss, or damages of whatsoever nature arising from or in connection with a failure to source funding; or
 - 8.2. the non-award of tender due to a failure to source funding; and
 - 8.3. bidders waive any right to institute proceedings against PRASA in respect of the circumstances contemplated above.

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.

BID NUMBER: DBN/OPS(BAC)003



prasa
PASSENGER RAIL AGENCY
OF SOUTH AFRICA

SIGNED at _____ on this _____ day of _____ 20____

Signature of Witness

1 _____

Name _____

Signature of Witness

2 _____

Name _____

Signature of Bidder's Authorised Representative: _____

Name: _____

Designation: _____"

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

10. CERTIFICATE OF ACQUAINTANCE WITH RFP TERMS & CONDITIONS & APPLICABLE DOCUMENTS

By signing this certificate the Respondent is deemed to acknowledge that he/she has made himself/herself thoroughly familiar with, and agrees with all the conditions governing this RFP, including those contained in any printed form stated to form part hereof, including but not limited to the documents stated below and PRASA will recognise no claim for relief based on an allegation that the Respondent overlooked any such condition or failed properly to take it into account for the purpose of calculating tendered prices or any other purpose:

1. PRASA's General Bid Conditions*
2. Standard RFP Terms and Conditions for the supply of Goods or Services or Works to PRASA

Should the Bidder find any terms or conditions stipulated in any of the relevant documents quoted in the RFP unacceptable, it should indicate which conditions are unacceptable and offer alternatives by written submission on its company letterhead, attached to its submitted Bid. Any such submission shall be subject to review by PRASA's Legal Counsel who shall determine whether the proposed alternative(s) are acceptable or otherwise, as the case may be. A material deviation from the Standard terms or conditions could result in disqualification.

Bidders accept that an obligation rests on them to clarify any uncertainties regarding any bid to which they intend to respond, before submitting the bid. The Bidder agrees that he/she will have no claim based on an allegation that any aspect of this RFP was unclear but in respect of which he/she failed to obtain clarity.

The bidder understands that his/her Bid will be disqualified if this Certificate of Acquaintance with RFP documents included in the RFP as a returnable document, is found not to be true and complete in every respect.

SIGNED at _____ on this ____ day of _____ 20.....

SIGNATURE OF WITNESSES

ADDRESS OF WITNESSES

1 _____

Name _____

SIGNATURE OF RESPONDENT'S AUTHORISED REPRESENTATIVE: _____

NAME: _____

DESIGNATION: _____

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

9 GENERAL CONDITIONS

10.1 ALTERNATIVE BIDS

Bidders may submit alternative Bid only if a main Bid, strictly in accordance with all the requirements of the RFP is also submitted. The alternative Bid is submitted with the main Bid together with a schedule that compares the requirements of the RFP with the alternative requirements the Bidders proposes. Bidders must note that in submitting an alternative Bid they accept that PRASA may accept or reject the alternative Bid and shall be evaluated in accordance with the criteria stipulated in this RFP.

10.2 PRASA'S TENDER FORMS

Bidders must sign and complete the PRASA's Bid Forms and attach all the required documents. Failure by Bidders to adhere to this requirement may lead to their disqualification.

10.3 PRECEDENT

In case of any conflict with this RFP and Bidders response, this RFP and its briefing notes shall take precedence.

10.4 RESPONSE TO RFP-CONFIDENTIALITY

Response to RFPs must clearly indicate whether any information conveyed to or requested from PRASA is confidential or should be treated confidentially by PRASA. In the absence of any such clear indication in writing from a response to RFP, PRASA shall deem the response to RFP to have waived any right to confidentiality and treat such information as public in nature.

Where a Bidder at any stage during the RFP Process indicates to PRASA that information or any response to RFP requested from PRASA is or should be treated confidentially, PRASA shall treat such information or response to RFP confidentially, unless PRASA believes that to ensure the transparency and competitiveness of the RFP Process the content of the information or response to RFP should be conveyed to all Bidders, in which event it shall apply the following process:

- PRASA shall confirm with the Bidder whether the raising of confidentiality applies to the entire response to the RFP or only specific elements or sections of the response;
- Where confidentiality is maintained by the Bidder and PRASA is of the opinion that the information or response to RFP if made publicly available would affect the commercial interests of the Bidder or is commercially sensitive information, PRASA shall not release such information to other Bidders if providing such information or response to the RFP would prejudice the competitiveness and transparency of the RFP Process;
- Where PRASA is of the opinion that information provided is not commercially sensitive or would have no impact on the commercial interests of the relevant Bidder if released and fairness and transparency requires that such information be released to all Bidders, PRASA may:
 - i. inform the relevant Bidder of the necessity to release such information and/or response to RFP and request the Bidder to consent to the release thereof by PRASA; or
 - ii. obtain legal advice regarding the confidentiality of the relevant information and/or response to RFP and the legal ability of PRASA to release such information; or

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

- iii. refrain from releasing the information and/or response to RFP, in which event PRASA shall not take account of the contents of such information in the evaluation of the relevant response to RFP.

The above procedures regarding confidentiality shall not apply to any information which is already public knowledge or available in the public domain or in the hands of PRASA or is required to be disclosed by any legal or regulatory requirements or order of any competent court, tribunal or forum.

10.5 RESPONSE TO THE RFP – RFP DISQUALIFICATION

Responses to RFP which do not comply with the RFP requirements, formalities, terms and conditions may be disqualified by PRASA from further participation in the RFP Process.

In particular (but without prejudice to the generality of the foregoing) PRASA may disqualify, at its sole discretion and without prejudice to any other remedy it may have, a Bidder where the Bidder, or any of its consortium members, subcontractors or advisors have committed any act of misrepresentation, bad faith or dishonest conduct in any of its dealings with or information provided to PRASA.

10.6 CORRUPTION, GIFTS AND PAYMENTS

Neither the Bidders to RFPs, its equity members, the sub-contractors, consortium members nor any of their agents, lenders or advisors shall directly or indirectly offer or give to any person in the employment of PRASA or any other Government official or any of the Advisory Team any gift or consideration of any kind as an inducement or reward for appointing a particular Bidder, or for showing or omitting to show favour or disfavour to any of the Bidders, its equity members or the sub-contractors in relation to the Project.

In the event that any of the prohibited practices contemplated under the above paragraph is committed, PRASA shall be entitled to terminate any Response to RFP's status and to prohibit such Response to RFP, its equity members, its SPV members, its Sub Contractors and their agents, lenders and advisors from participating in any further part of the procurement of the Project.

10.7 INSURANCE

Unless specifically provided for in this RFP or draft contracts, Bidders will be required to submit with their Bid for services professional indemnity insurance and works insurance to an extent (if any) if insurance provided by PRASA may not be for the full cover required in terms of the relevant category listed in this RFP. The Bidder is advised to seek qualified advice regarding insurance.

10.8 NO CONTACT POLICY

Bidders may only contact the bid administrator of PRASA as per the terms of the Communication Structure established by this RFP, except in the case of pre-existing commercial relationships, in which case contact may be maintained only with respect thereto and, in making such contact, no party may make reference to the Project or this RFP.

10.9 CONFLICT OF INTEREST

No Bidder member, subcontractor or advisor of the response to RFP may be a member of or in any other way participate or be involved, either directly or indirectly in more than one response to RFP or response to RFP during any stage of the Project procurement process, but excluding specialist suppliers of systems and equipment, non-core service providers or financial or commercial institutions whose role is limited purely to lending money or advancing credit to the response to RFP. Bidders are to sign the declaration of interest form. In order to prevent the conflict or potential conflict of interest between Lenders and

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

Bidders to RFP, no advisors or the Contractor/s or Consortium/s to any response to RFP, consortium member or subcontractor may fulfil the role of arranger, underwriter and/or lead bank to the response to RFP. PRASA may disqualify the response to RFP from further participation in the event of a failure to comply with this provision. PRASA views the potential conflict of interest so great as to warrant the reduction of competition for advisory services.

10.10 COLLUSION AND CORRUPTION

Any Bidder shall, without prejudice to any other remedy available to PRASA, be disqualified, where the response to RFP –

- communicates to a person other than persons nominated by PRASA a material part of its response to RFP; or
- Enters into any Contract or arrangement with any other person or entity that it shall refrain from submitting a response to RFP to this RFP or as to any material part of its Response to RFP to this RFP (refer the prohibition contained in Section 4(1)(b)(iii) of the Competition Act 89 of 1998). . The Bidders represents that the Bidder has not, directly or indirectly, entered into any agreement, arrangement or understanding or any such like for the purpose of, with the intention to, enter into collusive Bidding or with reasonable appreciation that, collusive any agreement, arrangement or understanding or any such like may result in or have the effect of collusive Bidding. The Bidder undertakes that in the process of the Bid but prior to PRASA awarding the Bid to a preferred bidder become involved in or be aware of or do or caused to be done any agreement, arrangement or understanding or any such like for the purpose of or which may result in or have the effect of a collusive Bid, the Bidder will notify PRASA of such any agreement, arrangement or understanding or any such like.; or
- offers or agrees to pay or give any sum of money, inducement or valuable consideration directly or indirectly to any person for doing or having done, or causing, or having caused to be done any act or omission in relation to the RFP Process or any proposed response to RFP (provided nothing contained in this paragraph shall prevent a response to RFP from paying any market-related commission or bonus to its employees or contractors within the agreed terms of their employment or contract).

10.11 CONSORTIUM CHANGES

If exceptional circumstances should arise in which a after the submission to the bid and after closing date of submission of bids, there is change in the composition of the Bidder, either through substitution or omission of any member of the Bidder:

- The Response to RFP must notify PRASA in writing of the proposed changes supported by complete details of the material reasons for the changes, the parties impacted by the changes and the impact on the response to RFP.
- PRASA shall evaluate the reasons advanced by the Bidder for the requested changes to the Bidder structure and where PRASA is not satisfied that the reasons advanced are reasonable or material, refuse to accept the change and disqualify the response to RFP, or notify the Bidder in writing of its non-acceptance of the changes and require the Bidder to propose a suitable alternative to PRASA within 10 (TEN) days of its receipt of the decision of PRASA, upon receipt of which PRASA shall -
 - i. Evaluate the alternative proposed for suitability to PRASA, and where the alternative is accepted by PRASA, inform the Bidder in writing of such acceptance and PRASA shall reassess the response to RFP against the RFP requirements and criteria; or
 - ii. Where the alternative is not accepted by PRASA, inform the Bidder in writing of such non-acceptance as well as its disqualification from the RFP Process.

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

- iii. Where PRASA is satisfied that the changes requested under (i) above are reasonable and material, the response to RFP, shall be allowed to effect the required changes and PRASA shall reassess the response to RFP against the RFP requirements and criteria.

10.12 COSTS OF RESPONSE TO THE RFP SUBMISSION

All costs and expenses associated with or incurred by the Bidder in relation to any stage of the Project, shall be borne by the Bidder. PRASA shall not be liable for any such costs or expenses or any claim for reimbursement of such costs or expenses.

To avoid doubt, PRASA shall not be liable for any samples submitted by the Bidder in support of their Responses to RFP and reserves the right not to return to them such samples and to dispose of them at its discretion.

10.13 RESPONSE TO THE RFP WARRANTY

Bidders must provide a warranty as part of their Responses to RFP that their Responses to RFP are true and correct in all respects, that it does not contain a misrepresentation of any kind and that the taxes of all members of the Bidder company, consortium members and or subcontractors are in order and none of the members are undergoing corruption or any criminal-related investigations or have any past convictions for fraud or corruption.

10 CONDITIONS OF TENDER

General

Actions	1 PRASA's <i>Representative</i> and each <i>tenderer</i> submitting a tender shall act as stated in these Conditions of Tender and in a manner which is fair, equitable, transparent, competitive and cost-effective.
Interpretation	2 Terms shown in <i>italics</i> vary for each tender. The details of each term for this tender are identified in the Request for Tender / Scope of work/ specification. Terms shown in capital initials are defined terms in the appropriate conditions of contract. 3 Any additional or amended requirements in the Scope of work/ specification, and additional requirements given in the Schedules in the <i>tender returnables</i> are deemed to be part of these Conditions of Tender. 4 The Conditions of Tender and the Scope of work/ specification shall form part of any contract arising from this invitation to tender.
Communication	5 Each communication between PRASA and a <i>tenderer</i> shall be to or from PRASA's <i>Representative</i> only, and in a form that can be read, copied and recorded. Communication shall be in the English language. PRASA takes no responsibility for non-receipt of communications from or by a <i>tenderer</i> .
PRASA's rights to accept or reject any tender	6 PRASA may accept or reject any variation, deviation, tender, or alternative tender, and may cancel the tender process and reject all tenders at any time prior to the formation of a contract. PRASA or PRASA's <i>Representative</i> will not accept or incur any liability

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

to a *tenderer* for such cancellation and rejection but will give reasons for the action. PRASA reserves the right to accept the whole or any part of any tender.

- 7 After the cancellation of the tender process or the rejection of all tenders PRASA may abandon the proposed work and services, have it performed in any other manner, or re-issue a similar invitation to tender at any time.

Tenderer's obligations

The *tenderer* shall comply with the following obligations when submitting a tender and shall:

- | | | |
|---|----|---|
| Eligibility | 1 | Submit a tender only if the <i>tenderer</i> complies with the criteria stated in the Scope of work/ specification. |
| Cost of tendering | 2 | Accept that PRASA will not compensate the <i>tenderer</i> for any costs incurred in the preparation and submission of a tender. |
| Check documents | 3 | Check the <i>tender documents</i> on receipt, including pages within them, and notify PRASA's <i>Representative</i> of any discrepancy or omissions in writing. |
| Copyright of documents | 4 | Use and copy the documents provided by PRASA only for the purpose of preparing and submitting a tender in response to this invitation. |
| Standardised specifications and other publications | 5 | Obtain, as necessary for submitting a tender, copies of the latest revision of standardised specifications and other publications, which are not attached but which are incorporated into the <i>tender documents</i> by reference. |
| Acknowledge receipt | 6 | Preferably complete the Receipt of invitation to submit a tender form attached to the Letter of Invitation and return it within five days of receipt of the invitation. |
| | 7 | Acknowledge receipt of Addenda / Tender Briefing Notes to the <i>tender documents</i> , which PRASA's <i>Representative</i> may issue, and if necessary apply for an extension to the <i>deadline for tender submission</i> , in order to take the Addenda into account. |
| Site visit and / or clarification meeting | 8 | Attend a site visit and/or clarification meeting at which <i>tenderers</i> may familiarise themselves with the proposed work, services or supply, location, etc. and raise questions, if provided for in the Scope of work/ specification. Details of the meeting are stated in the RFP document, <i>i-tender</i> website and CIDB website. |
| Seek clarification | 9 | Request clarification of the <i>tender documents</i> , if necessary, by notifying PRASA's <i>Representative</i> earlier than the <i>closing time for clarification of queries</i> . |
| Insurance | 10 | Be informed of the risk that needs to be covered by insurance policy. The <i>tenderer</i> is advised to seek qualified advice regarding insurance. |
| Pricing the tender | 11 | Include in the rates, prices, and the tendered total of the prices (if any) all duties, taxes (except VAT), and other levies payable by the successful <i>tenderer</i> . Such duties, taxes and levies are those applicable 14 days prior to the <i>deadline for tender submission</i> . |

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

- | | | |
|---------------------------------|----|--|
| | 12 | Show Value Added Tax (VAT) payable by PRASA separately as an addition to the tendered total of the prices. |
| | 13 | Provide rates and prices that are fixed for the duration of the contract and not subject to adjustment except as provided for in the <i>conditions of contract</i> . |
| | 14 | State the rates and Prices in South African Rand unless instructed otherwise as an additional condition in the Scope of work/ specification. The selected <i>conditions of contract</i> may provide for part payment in other currencies. |
| Alterations to documents | 15 | Not make any alterations or an addition to the tender documents, except to comply with instructions issued by PRASA's <i>Representative</i> or if necessary to correct errors made by the <i>tenderer</i> . All such alterations shall be initialled by all signatories to the tender. Corrections may not be made using correction fluid, correction tape or the like. |
| Alternative tenders | 16 | Submit alternative tenders only if a main tender, strictly in accordance with all the requirements of the <i>tender documents</i> is also submitted. The alternative tender is submitted with the main tender together with a schedule that compares the requirements of the <i>tender documents</i> with the alternative requirements the <i>tenderer</i> proposes. |
| | 17 | Accept that an alternative tender may be based only on the criteria stated in the Scope of work/ specification and as acceptable to PRASA. |
| Submitting a tender | 18 | Submit a tender for providing the whole of the works, services or supply identified in the Contract Data unless stated otherwise as an additional condition in the Scope of work/ specification. |
| NOTE: | 19 | Return the completed and signed <i>PRASA Tender Forms and SBD forms provided with the tender. <u>Failure to submit all the required documentation will lead to disqualification</u></i> |
| | 20 | Submit the <u>tender as an original</u> plus 1 copy and an electronic version which should be contained in Memory Cards clearly marked in the Bidders name as stated in the RFP and provide an English translation for documentation submitted in a language other than English. Tenders may not be written in pencil but must be completed in ink. |
| | 21 | Sign and initial the original and all copies of the tender where indicated. PRASA will hold the signatory duly authorised and liable on behalf of the <i>tenderer</i> . |
| | 22 | Seal the original and each copy of the tender as separate packages marking the packages as "ORIGINAL" and "COPY". Each package shall state on the outside PRASA's address and invitation to tender number stated in the Scope of work/ specification, as well as the <i>tenderer's</i> name and contact address . Where the tender is based on a two envelop system tenderers should further indicate in the package whether the document is envelope / box 1 or 2 . |

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

23 Seal original and copies together in an outer package that states on the outside only PRASA's address and invitation to tender number as stated in the Scope of work/ specification. The outer package should be marked "CONFIDENTIAL"

24 Accept that PRASA will not assume any responsibility for the misplacement or premature opening of the tender if the outer package is not sealed and marked as stated.

Note:

PRASA prefers not to receive tenders by post and takes no responsibility for delays in the postal system or in transit within or between PRASA offices.

PRASA prefers not to receive tenders by fax, PRASA takes no responsibility for difficulties in transmission caused by line or equipment faults.

Where tenders are sent via courier, PRASA takes no responsibility for tenders delivered to any other site than the tender office.

PRASA employees are not permitted to deposit a tender into the PRASA tender box on behalf of a tenderer, except those lodged by post or courier.

Closing time 25 Ensure that PRASA has received the tender at the stated address with the Scope of work / specification no later than the *deadline for tender submission*. Proof of posting will not be taken by PRASA as proof of delivery. PRASA will not accept a tender submitted telephonically, by Fax, E-mail or by telegraph unless stated otherwise in the Scope of work/ specification.

26 Accept that, if PRASA extends the *deadline for tender submission* for any reason, the requirements of these Conditions of Tender apply equally to the extended deadline.

Tender validity 27 Hold the tender(s) valid for acceptance by PRASA at any time within the *validity period* after the *deadline for tender submission*.

28 Extend the *validity period* for a specified additional period if PRASA requests the *tenderer* to extend it. A *tenderer* agreeing to the request will not be required or permitted to modify a tender, except to the extent PRASA may allow for the effects of inflation over the additional period.

Clarification of tender after submission 29 Provide clarification of a tender in response to a request to do so from PRASA's *Representative* during the evaluation of tenders. This may include providing a breakdown of rates or Prices. No change in the total of the Prices or substance of the tender is sought, offered, or permitted except as required by PRASA's *Representative* to confirm the correction of arithmetical errors discovered in the evaluation of tenders. The total of the Prices stated by the *tenderer* as corrected by PRASA's *Representative* with the concurrence of the *tenderer*, shall be binding upon the *tenderer*

Submit bonds, policies etc. 30 If instructed by PRASA's *Representative* (before the formation of a contract), submit for PRASA's acceptance, the bonds, guarantees, policies and certificates of insurance required to be provided by the successful *tenderer* in terms of the *conditions of contract*.

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

- | | |
|--------------------------------|---|
| 31 | Undertake to check the final draft of the contract provided by PRASA's <i>Representative</i> , and sign the Form of Agreement all within the time required. |
| 32 | Where an agent on behalf of a principal submits a tender, an authenticated copy of the authority to act as an agent should be submitted with the tender. |
| Fulfil BEE requirements | 33 Comply with PRASA's requirements regarding BBBEE Suppliers. |

PRASA'S
UNDERTAKINGS

PRASA, and PRASA's *Representative*, shall:

- | | | |
|---------------------------------|---|--|
| Respond to clarification | 1 | Respond to a request for clarification received earlier than the <i>closing time for clarification of queries</i> . The response is notified to all <i>tenderers</i> . |
| Issue Addenda | 2 | If necessary, issue to each <i>tenderer</i> from time to time during the period from the date of the Letter of Invitation until the <i>closing time for clarification of queries</i> , Addenda that may amend, amplify, or add to the <i>tender documents</i> . If a <i>tenderer</i> applies for an extension to the <i>deadline for tender submission</i> , in order to take Addenda into account in preparing a tender, PRASA may grant such an extension and PRASA's <i>Representative</i> shall notify the extension to all <i>tenderers</i> . |
| Return late tenders | 3 | Return tenders received after the <i>deadline for tender submission</i> unopened to the <i>tenderer</i> submitting a late tender. Tenders will be deemed late if they are not in the designated tender box at the date and time stipulated as the deadline for tender submission. |
| Non-disclosure | 4 | Not disclose to <i>tenderers</i> , or to any other person not officially concerned with such processes, information relating to the evaluation and comparison of tenders and recommendations for the award of a contract. |
| Grounds for rejection | 5 | Consider rejecting a tender if there is any effort by a <i>tenderer</i> to influence the processing of tenders or contract award. |
| Disqualification | 6 | Instantly disqualify a <i>tenderer</i> (and his tender) if it is established that the <i>tenderer</i> offered an inducement to any person with a view to influencing the placing of a contract arising from this invitation to tender. |
| Test for responsiveness | 7 | Determine before detailed evaluation, whether each tender properly received <ul style="list-style-type: none"> • meets the requirements of these Conditions of Tender, • has been properly signed, and • is responsive to the requirements of the <i>tender documents</i>. |
| | 8 | Judge a responsive tender as one which conforms to all the terms, conditions, and specifications of the <i>tender documents</i> without material deviation or qualification. A material deviation or qualification is one which, in PRASA 's opinion would <ul style="list-style-type: none"> • detrimentally affect the scope, quality, or performance of the works, services or supply identified in the Contract Data, |

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHTE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

- change PRASA's or the *tenderer's* risks and responsibilities under the contract, or
- affect the competitive position of other *tenderers* presenting responsive tenders, if it were to be rectified.

Non-responsive tenders	10	Reject a non-responsive tender, and not allow it to be subsequently made responsive by correction or withdrawal of the non-conforming deviation or reservation.
Arithmetical errors	11	Check responsive tenders for arithmetical errors, correcting them as follows: • Where there is a discrepancy between the amounts in figures and in words, the amount in words shall govern. • If a bill of quantities applies and there is a discrepancy between the rate and the line item total, resulting from multiplying the rate by the quantity, the rate as quoted shall govern. Where there is an obviously gross misplacement of the decimal point in the rate, the line item total as quoted shall govern, and the rate will be corrected. • Where there is an error in the total of the Prices, either as a result of other corrections required by this checking process or in the <i>tenderer's</i> addition of prices, the total of the Prices, if any, will be corrected.
	12	Reject a tender if the <i>tenderer</i> does not accept the corrected total of the Prices (if any).
Evaluating the tender	13	Evaluate responsive tenders in accordance with the procedure stated in the RFP / Scope of work/ specification. The evaluated tender price will be disclosed only to the relevant PRASA tender committee and will not be disclosed to <i>tenderers</i> or any other person.
Clarification of a tender	14	Obtain from a <i>tenderer</i> clarification of any matter in the tender which may not be clear or could give rise to ambiguity in a contract arising from this tender if the matter were not to be clarified.
Acceptance of tender	15	Notify PRASA's acceptance to the successful <i>tenderer</i> before the expiry of the <i>validity period</i> , or agreed additional period. Providing the notice of acceptance does not contain any qualifying statements, it will constitute the formation of a contract between PRASA and the successful <i>tenderer</i> .
Notice to unsuccessful tenderers	16	After the successful <i>tenderer</i> has acknowledged PRASA's notice of acceptance, notify other <i>tenderers</i> that their tenders have not been accepted, following PRASA's current procedures.
Prepare contract documents	17	Revise the contract documents issued by PRASA as part of the <i>tender documents</i> to take account of • Addenda issued during the tender period, • inclusion of some of the <i>tender returnables</i>, and • other revisions agreed between PRASA and the successful <i>tenderer</i>, before the issue of PRASA's notice of acceptance (of the tender).
Issue final contract	18	Issue the final contract documents to the successful <i>tenderer</i> for acceptance within one week of the date of PRASA's notice of acceptance.
Sign Form of Agreement	19	Arrange for authorised signatories of both parties to complete and sign the original and one copy of the Form of Agreement within two weeks of the date of PRASA's notice of acceptance of the tender. If either party requires the

BID DESCRIPTION: REQUEST FOR PROPOSAL(RFP) FOR THE APPOINTMENT OF PANEL OF SUPPLIERS FOR THE SUPPLY AND DELIVERY OF OHE AND SUBSTATION MATERIAL (INSULATORS AND ISOLATORS) IN VARIOUS CATEGORIES OF MATERIALS ON AS AND WHEN REQUIRED BASIS FOR 36 MONTHS IN THE PRASA KWAZULU NATAL REGION.	 prasa PASSENGER RAIL AGENCY OF SOUTH AFRICA
BID NUMBER: DBN/OPS(BAC)003	

signatories to initial every page of the contract documents, the signatories for the other party shall comply with the request.

Provide copies of the contracts	20	Provide to the successful <i>tenderer</i> the number of copies stated in the Scope of work/ specification of the signed copy of the contracts within three weeks of the date of PRASA's acceptance of the tender.
--	----	---