

VOLUME 2 – CONTRACT DATA CONDITIONS

AIRPORTS COMPANY SOUTH AFRICA SOC LIMITED

**SUPPLY AND INSTALLATION OF CDSIA PERIMETER FENCE LINE OBSTACLE LIGHTING AT CHIEF
DAWID STUURMAN INTERNATIONAL AIRPORT**

NEC 3: ENGINEERING AND CONSTRUCTION CONTRACT (ECC)

Between AIRPORTS COMPANY SOUTH AFRICA SOC LIMITED

Applicable at Chief Dawid Stuurman International Airport

(Registration Number: 1993/004149/30)

and

(Registration Number: _____)

for **SUPPLY AND INSTALLATION OF CDSIA PERIMETER FENCE LINE OBSTACLE
LIGHTING AT CHIEF DAWID STUURMAN INTERNATIONAL AIRPORT.**

Contents:	No of pages
Part C1 Agreements & Contract Data	[•]
Part C2 Pricing Data	[•]
Part C3 Scope of Works	[•]
Part C4 Site Information	[•]

PART C1: AGREEMENTS AND CONTRACT DATA

Part C1: Agreements and Contract Data

C1.1: Form of Offer and Acceptance

OFFER

The Employer, identified in the Acceptance signature block, has solicited offers to enter into a contract for the:

SUPPLY AND INSTALLATION OF CDSIA PERIMETER FENCE LINE OBSTACLE LIGHTING AT CHIEF DAWID STUURMAN INTERNATIONAL AIRPORT

The tenderer, identified in the Offer signature block, has examined the documents listed in the Tender Data and addenda thereto as listed in the Returnable Schedules, and by submitting this Offer has accepted the Conditions of Tender.

By the representative of the tenderer, deemed to be duly authorised, signing this part of this Form of Offer and Acceptance the tenderer offers to perform all of the obligations and liabilities of the **Contractor** under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the conditions of contract identified in the Contract Data.

THE OFFERED TOTAL OF THE PRICES INCLUSIVE OF VAT IS:

(in words)

.....

Rands;

(in figures) R.....

THE OFFERED PRICES ARE AS STATED IN THE PRICING SCHEDULE

This Offer may be accepted by the Employer by signing the Acceptance part of this Form of Offer and Acceptance and returning one copy of this document including the Schedule of Deviations (if any) to the tenderer before the end of the period of validity stated in the Tender Data, or other period as agreed, whereupon the tenderer becomes the party named as the **Contractor** in the conditions of contract identified in the Contract Data.

Signature(s)

Name(s)

Capacity

**For the
Bidder:**

Name &
signature of
witness

.....
(Insert name and address of
organisation)

Date

ACCEPTANCE

By signing this part of this Form of Offer and Acceptance, the Employer identified below accepts the tenderer's Offer. In consideration thereof, the Employer shall pay the **Contractor** the amount due in accordance with the conditions of contract identified in the Contract Data. Acceptance of the tenderer's Offer shall form an agreement between the Employer and the tenderer upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.

The terms of the contract, are contained in:

Part C1	Agreements and Contract Data, (which includes this Form of Offer and Acceptance)
Part C2	Pricing Data
Part C3	Scope of Work: Works Information
Part C4	Site Information

and drawings and documents (or parts thereof), which may be incorporated by reference into the above listed Parts.

Deviations from and amendments to the documents listed in the Tender Data and any addenda thereto listed in the Returnable Schedules as well as any changes to the terms of the Offer agreed by the tenderer and the Employer during this process of offer and acceptance, are contained in the Schedule of Deviations attached to and forming part of this Form of Offer and Acceptance. No amendments to or deviations from said documents are valid unless contained in this Schedule.

The tenderer shall within two weeks of receiving a completed copy of this agreement, including the Schedule of Deviations (if any), contact the Employer's agent (whose details are given in the Contract Data) to arrange the delivery of any securities, bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the conditions of contract identified in the Contract Data. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.

Unless the tenderer (now **Contractor**) within five (5) working days of the date of such receipt notifies the Employer in writing of any reason why he cannot accept the contents of this agreement, this agreement shall constitute a binding contract between the Parties.

Signature(s)

Name(s)

Capacity

**for the
Employer**

Name &
signature of
witness

*(Insert name and address of
organisation)*

Date

Schedule of Deviations

1 Subject

Details

.....

2 Subject

Details

.....

3 Subject

Details

.....

By the duly authorised representatives signing this agreement, the Employer and the Tenderer agree to and accept the foregoing schedule of deviations as the only deviations from and amendments to the documents listed in the Tender Data and addenda thereto as listed in the returnable schedules, as well as any confirmation, clarification or changes to the terms of the offer agreed by the Tenderer and the Employer during this process of offer and acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the tender documents and the receipt by the tenderer of a completed signed copy of this Agreement shall have any meaning or effect in the contract between the parties arising from this agreement.

For the Employer

For the Bidder

Signature (s)		
Name (s)		
Capacity		
Name and Address	Airports Company South Africa SOC Limited Chief Dawid Stuurman International Airport Alister Miller Drive, Walmer, GQ	
Name & Signature of witness	<i>(Insert name and address of organisation)</i>	<i>(Insert name and address of organisation)</i>
Date		

Part C1: Agreements and Contract Data

Part C1.2a Contract Data

Part one – Data provided by the *Employer*

The Conditions of contract are selected from the NEC3 Engineering and Construction Contract, April 2013.

Each item of data given below is cross-referenced to the NEC3 Professional Services Contract which requires it.

Clause	Statement	Data
1	General	
	The <i>conditions of contract</i> are the core clauses and the clauses for Main Option	
	Main Option	B: Priced contract with Bill of Quantities
	Dispute resolution Option	W1: Dispute resolution procedure
	Secondary Options (incorporating amendments)	X7: Delay damages X13: Performance bond X16: Retention X18: Limitation of liability Z: Additional conditions of contract
		of the NEC3 Engineering and Construction Contract, April 2013

10.1	The <i>Employer</i> is (Name)	Airports Company South Africa SOC Limited, Chief Dawid Stuurman International Airport
	Address	Airports Company South Africa SOC Limited Chief Dawid Stuurman International Airport Aeropark Office Complex Block A, 1 st Floor Alister Miller Drive, Walmer Gqeberha Eastern Cape
	Telephone	
	Fax	+27 41 507 7362
10.1	The <i>Project Manager</i> is	Zuzokuhle Mbanjwa
	Address	Airports Company South Africa SOC Limited Chief Dawid Stuurman International Aeropark Office Complex Allister Miller Drive, Walmer Gqeberha Eastern Cape
	Telephone	
	E-mail address	
10.1	The <i>Supervisor</i> is	TBC
	Address	TBC
	Telephone	TBC
	E-mail address	TBC
11.2(13)	The <i>works</i> are	Part C3: Description of the Works section of this contract
11.2(14)	the following matters will be included in the Risk Register	All early warning matters notified by the <i>Project Manager</i> or the <i>Contractor</i>
11.2(15)	The <i>boundaries of the site</i> are	Airside Perimeter Fence at Chief Dawid Stuurman Int Airport
11.2(16)	The Site Information is in	Part C4: Site Information
11.2(19)	The Works Information is in	Part C3: Scope of Work section of this contract
12.2	The <i>law of the contract</i> is	the law of the Republic of South Africa
13.1	The <i>language of this contract</i> is	English
13.3	The <i>period of reply</i> is	Seven (7) days

13.6	The <i>period of retention</i> is	6 months following Completion or earlier termination of a contract
------	-----------------------------------	--

2 The Parties' main responsibilities

20.1	The <i>Employer</i> provides access to the following persons, places and things	
------	---	--

1	Access to Any Information	Access date Upon <i>Starting Date</i>
---	-------------------------------------	---

3 Time

30.1	The <i>starting date</i> is	Upon signing of the Contract by ACSA
------	-----------------------------	--------------------------------------

30.2	The <i>completion date</i> is	3 Months from starting date
------	-------------------------------	-----------------------------

31.1	The <i>Contractor</i> submits a first (preliminary) programme with the tender by	the tender closing date
------	--	-------------------------

32.2	The <i>Contractor</i> submits revised programmes at intervals no longer than	Four (4) weeks
------	--	----------------

4 Testing and Defects

40.2	The quality policy statement and quality plan are provided within 4 weeks of the Contract Date.	
------	---	--

41.2	The <i>defects date</i> is	26 weeks after Completion of the whole of the <i>works</i>
------	----------------------------	--

43.2	The <i>defects correction period</i> is	Two (2) weeks
------	---	---------------

5 Payment

50.1	The <i>assessment interval</i> is	Every four (4) weeks, on the 20 TH day of each successive month
------	-----------------------------------	--

51.1	The period within which payment is made is	Four to six (4-6) weeks after the receipt of the tax invoice
------	--	--

51.2	The <i>currency of this contract</i> is the	South African Rand
------	---	--------------------

51.4	The <i>interest rate</i> is	The prime lending rate of Nedbank Bank as determined from time to time
------	-----------------------------	--

6	Compensation events	Applicable as per Section 6 of the NEC3 ECC (April 2013)
----------	----------------------------	--

7	Title	No data required for this section of the <i>conditions of contract</i>
----------	--------------	--

8 Risk and Insurance

84.1	The <i>Contractor</i> provides the insurance stated in	The Insurance Clauses which is attached at the end of the Contract Data. The insurances are in the joint names of the Parties and provide cover for events which are at the <i>Contractor's</i> risk from the starting date until the Defects Certificate or a termination certificate has been issued.
	The minimum limit of indemnity for insurance in respect of death of or bodily injury to employees of the <i>Contractor</i> arising out of and in the course of their employment in connection with this contract for any one event is:	As prescribed by the Compensation for Occupational Injuries and Diseases Act No. 130 of 1993
9	Termination	Applicable as per Section 9 of the NEC3 ECC (April 2013)
10	Data for Main Option Clauses	
A	Priced contract with bill of quantities	Refer to Part C2: Pricing Data section of this contract
11	Data for Dispute Resolution Option W1	
W1.1	The <i>Adjudicator</i> is	The person appointed jointly by the parties from the list of adjudicators contained below
W1.2	The <i>Adjudicator nominating body</i> is	The current Chairman of Johannesburg Advocate's Bar Council
W1.4	The <i>tribunal</i> is	Arbitration
W1.4	If the <i>tribunal</i> is arbitration, the arbitration procedure is	The <i>arbitration procedure</i> is set out in The Rules for the Conduct of Arbitrations 2013 Edition, 7th Edition, published by The Association of Arbitrators, (Southern Africa)
W1.4	The place where arbitration is to be held is	Johannesburg, South Africa.
W1.4	The person or organisation who will choose an arbitrator	The <i>Arbitrator</i> is the person selected by the Parties as and when a dispute arises in terms of the relevant Z Clause, from the Panel of Arbitrators provided under the relevant Z clause if the arbitration procedure does not state who selects an arbitrator. The Arbitrator nominating body is the Chairman of the Johannesburg Advocates Bar Council.
12	Data for Secondary Option Clauses	
X7	Delay Damages	

X7.1	Delay damages of the <i>works</i> are	Amount per week is 1% up to a maximum of 10% of the Contract value
X13	Performance Bond (<i>where option is chosen</i>)	
X13.1	The amount of the <i>performance bond</i> is	
X16	Retention (where option is chosen)	
X16.1	The <i>retention free amount</i> is	R
	The <i>retention percentage</i> is	10% of the Prices, 50% of retention will be released at Practical Completion of the works and the remaining 50% will be released after the Defects Period
X18	Limitation of Liability	
X18.1	The <i>Contractor's</i> liability to the <i>Employer</i> for indirect or consequential loss is limited to	Nil - Neither Party is liable to the other for any consequential or indirect loss, including but not limited to loss of profit, loss of income or loss of revenue
X18.2	For any one event, the <i>Contractor's</i> liability to the <i>Employer</i> for loss of or damage to the <i>Employer's</i> property is limited to	Total of the losses incurred and/or repairs to the damages caused
X18.3	The <i>Contractor's</i> total liability to the <i>Employer</i> for defects due to his design which are not listed on the Defects Certificate is limited to	Total of the losses incurred and/or repairs to the damages caused

X18.4	The <i>Contractor's</i> total liability to the <i>Employer</i> for all matters arising under or in connection with this contract, other than excluded matters, is limited to	The <i>Contractor's</i> total direct liability to the <i>Employer</i> for all matters arising under or in connection with this contract, other than the excluded matters, is limited to the total of the losses incurred and/or repairs to the damages caused and applies in contract, tort or delict and otherwise to the extent allowed under the law of the contract. The excluded matters are amounts payable by the <i>Contractor</i> as stated in this contract for - Loss of or damage to the <i>Employer's</i> property, - Delay damages, - Defects liability, - Insurance liability to the extent of the <i>Contractor's</i> risks - loss of or damage to property (other than the <i>works</i>, Plant and Materials), - death of or injury to a person; - damage to third party property; and - infringement of an intellectual property right
X18.5	The <i>end of liability</i> date is	The date on which the liability in question prescribes in accordance with the Prescription Act No. 68 of 1969 (as amended or in terms of any replacement legislation) for any other matter
Z	The Additional conditions of contract are	Z1 – Z20
	Amendments to the Core Clauses	
Z1	Interpretation of the law	
Z1.1	Add to core clause 12.3: Any extension, concession, waiver or relaxation of any action stated in this contract by the Parties, the <i>Project Manager</i>, the <i>Supervisor</i>, or the <i>Adjudicator</i> does not constitute a waiver of rights, and does not give rise to an estoppel unless the Parties agree otherwise and confirm such agreement in writing.	
Z2	Providing the Works	
Z2.1	Delete core clause 20.1 and replace with the following: The <i>Contractor</i> provides the works in accordance with the Works Information and warrants that the results of the Works, when complete, shall be fit for their intended purpose	
Z3	Other responsibilities:	
Z3.1	Add the following at the end of core clause 27: The <i>Contractor</i> shall have satisfied himself, prior to the Contract Date, as to the completeness, sufficiency and accuracy of all information and drawings provided to him as at the Contract Date	

- Z3.2** The *Contractor* shall be responsible for the correct setting out of the *Works* in accordance with the original points, lines and levels stated in the *Works* Information or notified by the *Project Manager*, *Supervisor* or the *Employer*. Any errors in the positioning of the *Works* shall be rectified by the *Contractor* at the *Contractor's* own costs.

Z4 Extending the defects date:

- Z4.1 Add the following as a new core clause 46:**
If the *Employer* cannot use the *works* due to a Defect, which arises after Completion and before the *defects date*, the *defects date* is delayed by a period equal to that during which the *Employer*, due to a Defect, is unable to use the *works*
- Z4.2** If part of the *works* is replaced due to a Defect arising after Completion and before the *defects date*, the *defects date* for the part of the *works* which is replaced is delayed by a period equal to that between Completion and the date by when the part has been replaced
- Z4.3** The *Project Manager* notifies the *Contractor* of the change to a *defect date* when the delay occurs. The period between Completion and an extended *defects date* does not exceed twice the period between Completion and the *defects date* stated in the Contract Data

Z5 Termination

- Z5.1 Add the following to core clause 91.1, at the second main bullet, fifth sub-bullet point, after the words “assets or”:** “business rescue proceedings are initiated or steps are taken to initiate business rescue proceedings”.

Amendment to the Secondary Option Clauses

Z6 Performance Bond

- Z6.1 Amend the first sentence of clause X13.1 to read as follows:**
The *Contractor* gives the *Employer* an unconditional, on-demand performance bond, provided by a bank which the *Project Manager* and the *Employer* have accepted, for the amount stated in the Contract Data and in the form set out in Annexure C.1.3 (page 20) of this Contract Data.
- Z6.2 Add the following new clause as Option X13.2:**
The *Contractor ensures* that the performance bond is valid and enforceable until the end of the *contract period*. If the terms of the performance bond specify its expiry date and the end of the *contract period* does not coincide with such expiry date, four weeks prior to the said expiry date, the *Contractor* extends the validity of the performance bond until the end of the *contract period*. If the *Contractor* fails to so extend the validity of the performance bond, the *Employer* may claim the full amount of the performance bond and retain the proceeds as cash security

Z7 Limitation of liability:

- Z7.1 Insert the following new clause as Option X18.6:**
The *Employer's* liability to the *Contractor* for the *Contractor's* indirect or consequential loss is limited to R0.00
- Z7.2** Notwithstanding any other clause in this contract, any proceeds received from any insurances or any proceeds which would have been received from any insurances but for the conduct of the *Contractor* shall be excluded from the calculation of the limitations of liability listed in the contract
-

Additional Z Clauses

Z8	Cession, delegation and assignment
Z8.1	The <i>Contractor</i> shall not cede, delegate or assign any of its rights or obligations to any person without the written consent of the <i>Employer</i> , which consent shall not be unreasonably withheld. This clause shall be binding on the liquidator/business rescue practitioner /trustee (whether provisional or not) of the <i>Contractor</i>
Z8.2	The <i>Employer</i> may cede and delegate its rights and obligations under this contract to any person or entity
Z9	Joint and several liability
Z9.1	If the <i>Contractor</i> constitutes a joint venture, consortium or other unincorporated grouping of two or more persons, these persons are deemed to be jointly and severally liable to the <i>Employer</i> for the performance of the Contract.
Z9.2	The <i>Contractor</i> shall, within 1 week of the Contract Date, notify the <i>Project Manager</i> and the <i>Employer</i> of the key person who has the authority to bind the <i>Contractor</i> on their behalf.
Z9.3	The <i>Contractor</i> does not materially alter the composition of the joint venture, consortium or other unincorporated grouping of two or more persons without prior written consent of the <i>Employer</i> .
Z10	Ethics
Z10.1	The <i>Contractor</i> undertakes:
Z10.1.1	not to give any offer, payment, consideration, or benefit of any kind, which constitutes or could be construed as an illegal or corrupt practice, either directly or indirectly, as an inducement or reward for the award or in execution of this contract;
Z10.1.2	to comply with all laws, regulations or policies relating to the prevention and combating of bribery, corruption and money laundering to which it or the <i>Employer</i> is subject, including but not limited to the Prevention and Combating of Corrupt Activities Act, 12 of 2004.
Z10.2	The <i>Contractor's</i> breach of this clause constitutes grounds for terminating the <i>Contractor's</i> obligation to Provide the Works or taking any other action as appropriate against the <i>Contractor</i> (including civil or criminal action). However, lawful inducements and rewards shall not constitute grounds for termination.
Z10.3	If the <i>Contractor</i> is found guilty by a competent court, administrative or regulatory body of participating in illegal or corrupt practices, including but not limited to the making of offers (directly or indirectly), payments, gifts, gratuity, commission or benefits of any kind, which are in any way whatsoever in connection with the contract with the <i>Employer</i> , the <i>Employer</i> shall be entitled to terminate the contract in accordance with the procedures stated in core clause 92.2. the amount due on termination is A1.
Z11	Confidentiality
Z11.1	All information obtained in terms of this contract or arising from the implementation of this contract shall be treated as confidential by the <i>Contractor</i> and shall not be used or divulged or published to any person not being a party to this contract, without the prior written consent of the <i>Project Manager</i> or the <i>Employer</i> , which consent shall not be unreasonably withheld.

- Z11.2** If the *Contractor* is uncertain about whether any such information is confidential, it is to be regarded as such until otherwise notified by the *Project Manager*.
- Z11.3** This undertaking shall not apply to –
- Z11.3.1** Information disclosed to the employees of the *Contractor* for the purposes of the implementation of this agreement. The *Contractor* undertakes to procure that its employees are aware of the confidential nature of the information so disclosed and that they comply with the provisions of this clause;
- Z11.3.2** Information which the *Contractor* is required by law to disclose, provided that the *Contractor* notifies the *Employer* prior to disclosure so as to enable the *Employer* to take the appropriate action to protect such information. The *Contractor* may disclose such information only to the extent required by law and shall use reasonable efforts to obtain assurances that confidential treatment will be afforded to the information so disclosed;
- Z11.3.3** Information which at the time of disclosure or thereafter, without default on the part of the *Contractor*, enters the public domain or to information which was already in the possession of the *Contractor* at the time of disclosure (evidenced by written records in existence at that time);
- Z11.4** The taking of images (whether photographs, video footage or otherwise) of the *works* or any portion thereof, in the course of Providing the Works and after Completion, requires the prior written consent of the *Project Manager*. All rights in and to all such images vests exclusively in the *Employer*
- Z11.5** The *Contractor* ensures that all his Subcontractors abide by the undertakings in this clause.

Z12 ***Employer's Step-in rights***

- Z12.1** If the *Contractor* defaults by failing to comply with his obligations and fails to remedy such default within 2 weeks of the notification of the default by the *Project Manager*, the *Employer*, without prejudice to his other rights, powers and remedies under the contract, may remedy the default either himself or procure a third party (including any subcontractor or supplier of the *Contractor*) to do so on his behalf. The reasonable costs of such remedial works shall be borne by the *Contractor*
- Z12.2** The *Contractor* co-operates with the *Employer* and facilitates and permits the use of all required information, materials and other matter (including but not limited to documents and all other drawings, CAD materials, data, software, models, plans, designs, programs, diagrams, evaluations, materials, specifications, schedules, reports, calculations, manuals or other documents or recorded information (electronic or otherwise) which have been or are at any time prepared by or on behalf of the *Contractor* under the contract or otherwise for and/or in connection with the *works*) and generally does all things required by the *Project Manager* to achieve this end.

Z13 **Liens and Encumbrances**

- Z13.1** The *Contractor* keeps the Equipment used to Provide the Services free of all liens and other encumbrances at all times. The *Contractor*, vis-a-vis the *Employer*, waives all and any liens which he may from time to time have, or become entitled to over such Equipment and any part thereof and procures that his Subcontractors similarly, vis-a-vis the *Employer*, waive all liens they may have or become entitled to over such Equipment from time to time

Z14 **Intellectual Property**

-
- Z14.1** Intellectual Property (“IP”) rights means all rights in and to any patent, design, copyright, trade mark, trade name, trade secret or other intellectual or industrial property right relating to the Works.
- Z14.2** IP rights remain vested in the originator and shall not be used for any reason whatsoever other than carrying out the *works*.
- Z14.3** The *Contractor* gives the *Employer* an irrevocable, transferrable, non-exclusive, royalty free licence to use and copy all IP related to the *works* for the purposes of constructing, repairing, demolishing, operating and maintaining the works
- Z14.4** The written approval of the *Contractor* is to be obtained before the *Contractor’s* IP made available to any third party which approval will not be unreasonably withheld or delayed. Prior to making any *Contractor’s* IP available to any third party the *Employer* shall obtain a written confidentiality undertaking from any such third party on terms no less onerous than the terms the *Employer* would use to protect its IP
- Z14.5** The *Contractor* shall indemnify and hold the *Employer* harmless against and from any claim alleging an infringement of IP rights (“**the claim**”), which arises out of or in relation to:
- Z14.5.1** the *Contractor’s* design, manufacture, construction or execution of the Works
- Z14.5.2** the use of the *Contractor’s* Equipment, or
- Z14.5.3** the proper use of the Works.
- Z14.6** The *Employer* shall, at the request and cost of the *Contractor*, assist in contesting the claim and the *Contractor* may (at its cost) conduct negotiations for the settlement of the claim, and any litigation or arbitration which may arise from it.

Z16 Dispute resolution:

Z16.1 Appointment of the Adjudicator

An *Adjudicator* is appointed when a dispute arises, from the Panel of Adjudicators below. The referring party nominates an Adjudicator, which nomination is either accepted or rejected by the other party. In the instance of a rejection of the nominated *Adjudicator*, the referring Party refers the appointment deadlock to the Chairman of the Johannesburg Bar Council, who appoints an *Adjudicator* listed in the Panel of Adjudicators below

The Parties appoint the *Adjudicator* under the NEC3 Adjudicator's Contract, April 2013

Panel of Adjudicators

Name	Location	Contact details (phone & e mail)
Adv. Ghandi Badela	Gauteng	+27 11 282 3700 ghandi@badela.co.za
Mr. Errol Tate Pr. Eng.	Durban	+27 11 262 4001 Errol.tate@mweb.co.za
Adv. Saleem Ebrahim	Gauteng	+27 11 535 1800 salimebrahim@mweb.co.za
Mr. Sebe Msutwana Pr. Eng.	Gauteng	+27 11 442 8555 sebe@civilprojects.co.za
Mr. Sam Amod	Gauteng	sam@samamod.com
Adv. Sias Ryneke SC	Gauteng	083 653 2281 reyneke@duma.nokwe.co.za
Mr. Emeka Ogbugo (Quantity Surveyor)	Pretoria	+27 12 349 2027 emeka@gosiame.co.za



Z16.2 Appointment of the Arbitrator.

An *Arbitrator* is appointed when a dispute arises from the Panel of Arbitrators below. The referring party nominates an Arbitrator, which nomination is either accepted or rejected by the other party. In the instance of a rejection of the nominated *Arbitrator*, the referring Party refers the appointment deadlock to the Chairman of the Johannesburg Bar Council, who appoints an *Arbitrator* listed in the Panel of *Arbitrators* below

Panel of Arbitrators

Name	Location	Contact details (phone & e mail)
Adv. Ghandi Badela	Gauteng	+27 11 282 3700 ghandi@badela.co.za
Mr. Errol Tate Pr. Eng.	Durban	+27 11 262 4001 Errol.tate@mweb.co.za
Adv. Saleem Ebrahim	Gauteng	+27 11 535 1800 salimebrahim@mweb.co.za
Mr. Sebe Msutwana Pr. Eng.	Gauteng	+27 11 442 8555 sebe@civilprojects.co.za
Mr. Sam Amod	Gauteng	sam@samamod.com
Adv. Sias Ryneke SC	Gauteng	083 653 2281 reyneke@duma.nokwe.co.za
Mr. Emeka Ogbugo (Quantity Surveyor)	Pretoria	+27 12 349 2027 emeka@gosiame.co.za

Z17 Notification of a compensation event

Z17.1 Delete “eight weeks” in clause 61.3 and replace with “four weeks”. Delete the words “unless the event arises from the Project Manager or the Supervisor giving an instruction, issuing a certificate, changing an earlier decision or correcting an assumption.”

Z19 Communication

Z19.1 **Add a new Core Clause** 14.5 and 14.6 to read as follows:

The *Project Manager* requires the written consent of the Employer if an action will result in a change to the design, scope, and Works information that is 5% or more

Z19.2 The *Project Manager* requires the written consent of the Employer if an action will result in the Completion Date being extended by more than 30 days.

Z20 Delegation

As stipulated by Section 37(2) of the Occupational Health and Safety Act No. 85 of 1993 as amended the *Contractor* agrees to the following:

Z20.1 As part of this contract the *Contractor* acknowledge that it (mandatory) is an employer in its own right with duties as prescribed in the Occupational Health and Safety Act No 85 of 1993 as amended and agree to ensure that all work being performed, or Equipment, Plant and Materials being used, are in accordance with the provisions of the said Act, and in particular with regard to the Construction Regulations

Z21 Lead Design

The Contractor is required to employ a Lead design with proof of qualifications.

Part C1: Agreements and Contract Data

Part C1.2b Contract Data

Part two – Data provided by the *Contractor*

The Conditions of contract are selected from the NEC3 Engineering and Construction Contract, April 2013.

Each item of data given below is cross-referenced to the NEC3 Engineering and Construction Contract which requires it.

Clause	Statement	Data
10.1	The <i>Contractor</i> is (Name): Address: Tel No.: Fax No.: Email:	
11.2	The <i>working areas</i> are:	Airside Perimeter Fence at Chief Dawid Stuurman Int Airport
24.1	The <i>Contractor's key person</i> are:	CV's to be appended to Tender Schedule
	1. Name: Responsibilities: Qualifications: Experience:	
	2. Name: Responsibilities: Qualifications: Experience:	
11.2(3)	The <i>completion date</i> for the whole of the <i>works</i> is:	3 Months from date of contract signing by ACSA.

11.2(14)	The following matters (if any) will be included in the Risk Register	• Availability of As-Built Information • Access to Site • Progress vs Programme • Cash Flow Management
----------	--	---

X16.1	The <i>retention free amount</i> is:	R
-------	--------------------------------------	----------

25.2 The *Employer* provides access to the following persons, places and things

	access to	access date
1	All As-built Information & existing services	Upon signing of the Contract by ACSA
2	Relevant Engineering, Operational and Maintenance Personnel of ACSA	Upon signing of the Contract by ACSA

PART C1: AGREEMENTS AND CONTRACT DATA

C1.4: OCCUPATIONAL HEALTH AND SAFETY AGREEMENT

OCCUPATIONAL HEALTH AND SAFETY AGREEMENT

AGREEMENT IN TERMS OF SECTION 37(2) OF THE OCCUPATIONAL HEALTH & SAFETY ACT (ACT 85 Of 1993) & CONSTRUCTION REGULATION 5.1(k)

OBJECTIVES

To assist Airport Company South Africa (ACSA) in order to comply with the requirements of:

1. The Occupational Health & Safety (Act 85 of 1993) and its regulations and
2. The Compensation for Occupational Injuries & Diseases Act (Act 130 of 1993) also known as the (COLD Act).

To this end an Agreement must be concluded before any consultant/ subcontracted work may commence

The parties to this Agreement are:

Name of Organisation: Airport Company South Africa SOC Limited Chief Dawid Stuurman International Airport
Physical Address: Airport Company South Africa SOC Limited Chief Dawid Stuurman International Airport Alister Miller Drive, Walmer Gqeberha

Hereinafter referred to as “Client”

Name of organisation:
Physical Address:

Hereinafter referred to as “the Mandatary/ Principal Contractor”

MANDATORY'S MAIN SCOPE OF WORK

SUPPLY AND INSTALLATION OF CDSIA PERIMETER FENCE LINE OBSTACLE LIGHTING

GENERAL INFORMATION FORMING PART OF THIS AGREEMENT

1. The Occupational Health & Safety Act comprises of SECTION 1-50 and all unrepealed REGULATIONS promulgated in terms of the former Machinery and Occupational Safety Act No.6 of 1983 as amended as well as other REGULATIONS which may be promulgated in terms of the Act and other relevant Acts pertaining to the job in hand.
2. "Mandatory" is defined as including as agent, a principal contractor or a contractor for work, but WITHOUT DEROGATING FROM HIS/HER STATUS IN HIS/HER RIGHT AS AN EMPLOYER or user of the plant
3. Section 37 of the Occupational Health & Safety Act potentially punishes Employers (PRINCIPAL CONTRACTOR) for unlawful acts or omissions of Mandatories (CONTRACTORS) save where a Written Agreement between the parties has been concluded containing arrangements and procedures to ensure compliance with the said Act BY THE MANDATARY.
4. All documents attached or refer to in the above Agreement form an integral part of the Agreement.
5. To perform in terms of this agreement Mandatories must be familiar and conversant with the relevant provisions of the Occupational Health & Safety Act 85 of 1993 (OHS Act) and applicable Regulations.
6. Mandatories who utilise the services of their own Mandatories (contractors) must conclude a similar Written Agreement with them.
7. Be advised that this Agreement places the onus on the Mandatory to contact the CLIENT in the event of inability to perform as per this Agreement.
8. This Agreement shall be binding for all work the Mandatory undertakes for the client.
9. All documentation according to the Safety checklist including a copy of the written Construction Manager appointment in terms of construction regulation 8, must be submitted 7 days before work commences.

THE UNDERTAKING

The Mandatory undertakes to comply with:

INSURANCE

1. The Mandatory warrants that all their employees and/or their contractor's employees if any are covered in terms of the COID Act, which shall remain in force whilst any such employees are present on the Client's premises. A letter is required prior commencing any work on site confirming that the Principal contractor or contractor is in good standing with the Compensation Fund or Licensed Insurer.
2. The Mandatory warrants that they are in possession of the following insurance cover, which cover shall remain in force whilst they and /or their employees are present on the Client's premises, or which shall remain in force for that duration of their contractual relationship with the Client, whichever period is the longest.
 - a. Public Liability Insurance Cover as required by the Subcontract Agreement.
 - b. Any other Insurance cover that will adequately makes provision for any possible losses and/or claims arising from their and /or their Subcontractors and/or their respective employee's acts and/or omissions on the Client's premises.

COMPLIANCE WITH THE OCCUPATIONAL HEALTH & SAFETY ACT 85 OF 1993
--

The Mandatary undertakes to ensure that they and/or their subcontractors if any and/or their respective employees will at all times comply with the following conditions:

1. All work performed by the Mandatary on the Client's premises must be performed under the close supervision of the Mandatary's employees who are to be trained to understand the hazards associated with any work that the Mandatary performs on the Client's premises.
2. The Mandatary shall be assigned the responsibility in terms of Section 16(1) of the OHSAct 85 of 1993, if the Mandatary assigns any duty in terms of Section 16(2), a copy of such written assignment shall immediately be forwarded to the Client.
3. The Mandatary shall ensure that he/she familiarise himself/herself with the requirements of the OHSAct 85 of 1993 and that s/he and his/her employees and any of his subcontractors comply with the requirements.
4. The Mandatary shall ensure that a baseline risk assessment is performed by a competent person before commencement of any work in the Client's premises. A baseline risk assessment document will include identification of hazards and risk, analysis and evaluation of the risks and hazards identified, a documented plan and safe work procedures to mitigate, reduce or control the risks identified, and a monitoring and review plan of the risks and hazards.
5. The Mandatary shall appoint competent persons who shall be trained on any Occupational Health & Safety aspect pertaining to them or to the work that is to be performed.
6. The Mandatary shall ensure that discipline regarding Occupational Health & Safety shall be strictly enforced.
7. Any personal protective equipment required shall be issued by the Mandatary to his/her employees and shall be worn at all times.
8. Written safe working practices/procedures and precautionary measures shall be made available and enforced and all employees shall be made conversant with the contents of these practises.
9. No unsafe equipment/machinery and/or articles shall be used by the Mandatary or contractor on the Client's premises.
10. All incidents/accidents referred to in OHSAct shall be reported by the Mandatary to the Provincial Director: Department of Labour as well as to the Client.
11. No user shall be made by the Mandatary and/or their employees and or their subcontractors of any of the Client's machinery/article/substance/plant/personal protective equipment without prior written approval.
12. The Mandatary shall ensure that work for which the issuing of permit is required shall not be performed prior to the obtaining of a duly completed approved permit.
13. The Mandatary shall ensure that no alcohol or any other intoxicating substance shall be allowed on the Client's premises. Anyone suspected to be under the influence of alcohol or any other intoxicating substance shall not be allowed on the premises. Anyone found on the premises suspected to be under the influence of alcohol or any other intoxicating substance shall be escorted off the said premises immediately.
14. Full participation by the Mandatary shall be given to the employees of the Client if and when they inquire into Occupational Health & Safety.

FURTHER UNDERTAKING

1. Only a duly authorised representative appointed in terms of Section 16.2 of the OHS Act is eligible to sign this agreement on behalf of the Mandatary. The signing power of this representative must be designated in writing by the Chief Executive Officer of the Mandatary. A copy of this letter must be made available to the Client.
2. The Mandatary confirms that he has been informed that he must report to the Client's management, in writing anything he/she deems to be unhealthy and /or unsafe. He has versed his employees in this regard.
3. The Mandatary warrants that he/she shall not endanger the health & safety of the Client's employees

- and other persons in any way whilst performing work on the Client's premises.
4. The Mandatory understands that no work may commence on the Client's premises until this procedure is duly completed, signed and received by the Client.
 5. Non-compliance with any of the above clauses may lead to an immediate cancellation of the contract.

ACCEPTANCE BY MANDATORY

In terms of section 37(2) of the Occupational Health & Safety Act 85 of 1993 and section 5.1(k) of the Construction Regulations 2014,

Ia duly authorised 16.2 Appointee acting for and on behalf of

.....(company name) undertake to ensure that the requirements and the provision of the OHSAct 85 of 1993 and its regulations are complied with.

Mandatory – WCA/ Federated Employers Mutual No.....

Expiry date

SIGNATURE ON BEHALF OF MANDATORY

(Warrant his authority to sign)

DATE

SIGNATURE ON BEHALF OF THE CLIENT

AIRPORT COMPANY SOUTH AFRICA

DATE

PART C1: AGREEMENTS AND CONTRACT DATA

C1.5: ACSA INSURANCE CLAUSES

INSURANCE CLAUSES FOR AIRSIDE CONSTRUCTION CONTRACTS WHERE THE AWARDED CONTRACT VALUE DOES NOT EXCEED R150 MILLION, AND THE CONSTRUCTION PERIOD DOES NOT EXCEED 36 MONTHS, AND THE DEFECTS LIABILITY PERIOD DOES NOT EXCEED 24 MONTHS

Each Party shall be responsible for effecting and maintaining the relevant insurances as specified below and to the extent relevant to the Contract.

1. Insurance Effected By The Employer (Principle Controlled Insurance (“PCI”))

- 1.1 Notwithstanding anything elsewhere contained in this Contract and without limiting the obligations, liabilities or responsibilities of the Contractor in anyway whatsoever (including but not limited to any requirement for the provision by the Contractor of any other insurances) the **Employer** shall effect and maintain for the duration of the construction and maintenance periods of the Contract - as appropriate in the joint names of the Employer, the Contractor and where relevant Sub-Contractors the following insurances which are subject to the terms, limits, exceptions and conditions of the Policy:

a) Contract Works/Contractors Public Liability/ Removal Of Lateral Support Liability

Section 1 Of The Policy – Contract Works

Contract Works Insurance for the full value of the Works to provide cover against accidental physical loss of or damage to the Works, Temporary Works and materials intended for incorporation in the Works all being the subject matter of this Contract including to the extent provided for in the policy whilst in transit or temporarily stored at any premises en route to or from the Site (other than where this is a continuation of Marine Transit) within the territorial limits of the policy.

This insurance may specifically exclude any cost necessary to replace or rectify any of the property insured, which is in a defective condition due to defect in design, plan specification, material or workmanship.

This insurance contains the following limitations and warranties;

Open Trench Limitation

In respect of loss or damage to open trenches and pipes, conduits or cables laid therein, caused directly or indirectly by rain, inundation or flood, Insurers liability shall be limited in respect of the aggregate length of open trenches at any one time to 2,500 meters.

Exposed Layer Works (applicable to works involving paving, roadways, bulk earthworks and runways and taxiways)

In respect of loss or damage to Exposed Layer Works relating to paving, roadways and runways (including taxiways) caused directly or indirectly by rain, inundation or flood, Insurers liability shall be limited in respect of the aggregate length of Exposed Layer Works at any one time to 2,500 meters.

Section II of the Policy – Contractors Public Liability

Public Liability Insurance which provides indemnity against legal liability in the event of accidental death of or injury to persons and/or loss of or damage to property (other than the Works the subject matter of this Contract) arising from the execution of the Contract with a limit of indemnity of **R100,000,000** in respect of any one occurrence or series of occurrences consequent on or attributable to one source or original cause.

Section III of the Policy – Removal Of Lateral Support Liability

Removal Of Lateral Support Liability which provides indemnity against legal liability in the event of accidental death of or injury to persons and/or loss of or damage to property (other than the Works the subject matter of this Contract) arising out of or in connection with shock or vibration or the removal or weakening of or interference with support to property in the vicinity of the Contract Site and arising out of or in connection with the Insured Contract (but not in respect of tunnelling works) and occurring during the Period of Insurance.

The Limit of Indemnity being limited to R50,000,000 attributable to one source or original cause

- b. **Contract Works SASRIA** – Providing physical loss of or damage to the Works, Temporary Works and materials intended for incorporation in the Works as covered by the underlying Contract Works policy as noted in (a) above due to perils as covered in terms of the SASRIA Contract Works wording as issued by SASRIA SOC.

The Contract Works SASRIA cover excludes consequential or indirect loss or damage of any kind or description whatsoever.

The SASRIA Contract Works policy is limited to **R500,000,000 (Incl. VAT)** in the aggregate during the policy period of insurance.

The Contract Works SASRIA policy wording can be obtained from the SASRIA website <http://www.sasria.co.za/> which notes the covers and policy exclusions.

- c) **Aviation Liability Insurance** which provides indemnity against legal liability in the event of accidental death of or injury to persons and/or loss of or damage to property (other than the Works the subject matter of this Contract) arising from the execution of the Contract with a limit of indemnity of **R2,000,000,000** in respect of any one occurrence or series of occurrences consequent on or to one source or original cause.

This insurance is in respect of liability relating to aircrafts.

- d) **Design & Construct Professional Indemnity Insurance** which provides indemnity against legal liability to pay compensation as a result of any actual or alleged negligent act, error or omission in the performance of the Professional Duties of the insured and arising from the execution of this project. The limit of indemnity under this insurance shall be ***R25,000,000 in the aggregate during the annual policy period of insurance that ACSA effect such cover during the policy period from 1 April to 31 March during each policy period of insurance.**

****The limits of indemnity applies to all ACSA contracts as a whole and does not apply specifically to this contract. The aggregate limit could be exhausted by claims under other ACSA contracts and there is no guarantee that this insurance cover will provide sufficient cover to this specific contract should the aggregate limit be exhausted.***

The Policy only covers the rectification of the works and excludes all consequential losses.

Professional Duties do not include:

- a) Labour and construction work which would normally be the responsibility of the building or engineering contractor.
 - b) Supervision of the construction works usually undertaken by a building or engineering contractor.
- 1.2 The **Contractor** shall familiarise itself fully with the details of such insurance effected by the Employer. The Contractor shall comply to all the terms and conditions of the Employer arranged policies and the Contractor shall be deemed to be fully aware of all the conditions, limits, limitations, exclusions/exceptions and deductibles that are contained in the Employer arranged policies. Copies of the Employer arranged policies are obtainable on request from the Employer and if the Contractor is of the opinion that additional insurance is required, such shall be for the Contractors account.
- 1.3 The Employer shall pay the premium in connection with the insurances effected by the Employer. The Employer is entitled to all return premiums, dividends, discounts, or adjustments in connection with the insurances effected by the Employer.
- 1.4 The Contractor shall not include any premium charges for this insurance except to the extent, which he may deem necessary in his own interests to effect supplementary insurance to the insurance effected by the Employer. The Employer reserves the right to call for full information regarding insurance costs included by the Contractor.
- In the event that the Contractor purchases any insurances in addition to those indicated above, the premium and taxes, duties, etc. shall be borne entirely by the contractor.
- 1.5 Any further clarification of the scope of cover provided by the Policies arranged by the Employer should be obtained from the Employer.

1.6 The Contractor and/or any other party who obtains indemnity under the policies effected under 1.1 shall become liable for the deductibles (first amount payable) which are applicable in respect of each occurrence or series of occurrences attributable to one source or cause giving rise to loss or damage or indemnifiable liability. The deductibles applicable to the policies effected under 1.1 are as follows:

a) Contract Works/Contractors Public Liability/ Removal of Lateral Support Liability

Unless stated otherwise in the Policy Extensions the Deductibles shall be as follows which will apply in respect of each and every occurrence or series of occurrences arising out of or in connection with any one event giving rise to loss or damage:

Section 1 Of The Policy – Contract Works

In respect of all loss or damage **R150,000** but increased to **R250,000** in respect of loss or damage arising out of or in connection with testing and commissioning.

Section 2 Of The Policy – Contractors Public Liability

R75,000 each and every claim in respect of Property Damage.

Section 3 Of The Policy – Removal Of Lateral Support Liability

R75,000 each and every claim.

b) Contract Works SASRIA

In respect of theft as a result of the SASRIA perils insured - **R25,000** each and every occurrence .

c) Aviation Liability Insurance ;

In respect of each and every loss or damage or injury - **US\$250,000**.

d) Design & Construct Professional Indemnity Insurance

a) In respect of contracts under R50 million at award – **R5,000,000**.

b) **In respect of contracts over R50 million at award – R10,000,000**

1.7 In the event of any occurrence which is likely to give rise to a claim under the insurance arranged by the Employer, the Contractor shall:

- a) In addition to any statutory requirement or other requirements contained in the Contract immediately notify the Employer and the Employer's Insurance Brokers by telephone, mobile phone or email giving the circumstances, nature and an estimate of the loss or damage or liability. The Contractor must also complete the Claim Advice Form (Appendix "A").

The following persons/insurers must be advised immediately on the occurrence of a claim on site or even a possibility of a claim arising due to an incident occurring on site:

Airports Company South Africa :
Nokulunga Masiza
Tel: +27 (0)11 723 1400
M: +27 (0)79 512 0532
Nokulunga.Masiza@airports.co.za

Buhle Mnguni

D: +27 (0)11 723 1400
M: +27 (0)74 535 9075
Buhle.Mnguni@airports.co.za

- b) Preserve damage and make it available for inspection by a representative of the Insurers.
- c) Wherever possible, photographs of damage should be taken.
- d) Inform the police authorities promptly in the event of loss or damage by theft, burglary or any malicious persons(s) for the purpose of recovering any property so lost, discovering the guilty person or persons, and having him, her or them duly prosecuted.
- e) Advise the Insurers of any other insurance(s) which may cover the same loss, damage or injury, or any part thereof.
- f) Give to the Insurers every assistance to enable the Insurers to settle or resist any claim against the Insured, or institute any proceedings;
- g) On completion the Claims Advice Form, the form must be sent to the Employers Insurance Brokers for further action (the original may be emailed to the Employers Insurance Broker). (Please do not remove the Claims Advice Form out of this document. Rather photocopy the form and send the copy to the Employers Insurance Brokers).
- h) The Employer and the employers Insurance brokers / Insurers or their appointed loss adjusters shall have the right to make all and any enquiry's on the Site of the Works or elsewhere as to the cause and results of any such occurrence and the Contractor shall co-operate in carrying out such enquiry's.
- i) The Contractor, Project Managers and Consultants must allow free access to Insurers' assessors for the purpose of investigating and assessing the loss or damage.
- j) The Contractor must not proceed with the making good any off the loss without the prior authorisation of the Insurers.**
- k) The Contractor must keep separate records of the costs involved in making good any loss or damage and these records should be available at all times for inspection by Insurers. Such records should include inter alia the entire cost of labour, materials, transport and equipment.
- l) Where required by the Employer, negotiate the settlement of claims with the Insurer or their appointed loss adjusters through the Employer's Insurance Brokers and shall obtain the Employer's approval of such settlement.
- m) Once the amount of a claim is agreed by the Insurers and the Contractor, an "Agreement of Loss" form must be signed by the Contractor and if required this shall be counter signed by the Employer or the Project Managers.
- n) The proceeds of such claim will, if required by the Employer, be paid net of any Deductible applicable under the policy by the Insurers to the Employer who on receipt thereof will arrange for payment to be made in terms of the Conditions of Contract. In the event that it is agreed by the Employer that such claims payment be made directly to the Contractor, the Contractor shall arrange for the Employer to endorse the "Agreement of Loss" to this effect.

2. Insurance Effected by the Contractor.

In addition to Clause 1.1 in respect of the insurances effected by the Employer the following Insurances to be effected by the Contractor :

2.1 Without limiting the Contractor's obligations, responsibilities and liabilities, the Contractor and Sub-contractor shall maintain at the Contractor's and Subcontractor's expense and where applicable provide as a minimum the following insurances:

- a) **Insurance of Construction Plant and Equipment** (including tools offices and other temporary structures and contents) and other things (except those intended for incorporation into the Works) brought onto the site for a sum sufficient to provide for their replacement.

The Employer shall be named as additional insured and a waiver of subrogation shall be provided to the Employer.

- b) **Contractor's Common Law Liability/ Worker's Compensation Insurance**

The Contractor shall take out and maintain employer's liability insurance with a limit of indemnity of not less than **R20,000,000** and/or workmen's compensation insurance covering personal injury to or death of the employees of the Contractor engaged in connection with the Works to the minimum value required by applicable law.

The Contractor shall procure that its Subcontractors take out and maintain similar insurance in respect of its Subcontractor's personnel performing the Works.

In the event that a claim is made against the Employer in connection with such insurance, the Contractor shall indemnify and hold harmless the Employer against any such claim.

The Employer shall be named as additional insured and a waiver of subrogation shall be provided to the Employer.

- c) **Motor Vehicle Liability Insurance** comprising (as a minimum) "Balance of Third Party" Risks including Passenger Liability indemnity with a limit of indemnity of not less than **R5 000 000** for all owned, non-owned, leased and hired vehicles.

- d) **Insurance For Buy-Down Cover Of Employer's Deductibles**

Should the Contractor believe that the Employer effected Contract Works, Public Liability and Design & Construct Professional Indemnity deductibles as noted in Clause 1.6 (a),(c) and (d) be considered to be unacceptable to the Contractor, then the Contractor must obtain Buy Down cover for these deductibles to a deductible considered by the Contractor as being acceptable in respect of the works being undertaken.

- e) Where the Contract involves manufacturing and/or fabrication of the Works or parts thereof at premises other than at the Contract Site the Contractor shall satisfy the Employer that all materials and equipment for incorporation in the Works are adequately insured during manufacture and/or fabrication. In the event of the Employer having an insurable interest in such Works during manufacture or fabrication then such interest shall be noted by endorsement to the relevant Policies of Insurance.

Such insurance shall name Employer as an additional insured, and shall be primary to any insurance maintained by the Employer.

- f) **Public Liability** insurances in excess of the Employers Public Liability insurances as stated under clause 1.1(a).

- g) **Aviation Liability** insurances in excess of the Employers Aviation Liability insurances as stated under clause 1.1(c).

g) **Contractor's Professional Indemnity Insurance** in excess of the Employers Design & Construct Professional Indemnity insurances as stated under clause 1.1(d) and if applicable to cover the deductible that applies to the Employer effected insurance.

i) **Marine Cargo Insurance (If Applicable)**

Cover : Imports of cargo, equipment, goods, plant, machinery and materials ("**Insured Property**") to the site where the Permanent Works will be constructed.

Sum Insured: Not less than the value of the largest single cargo shipment, conveyance or the value in storage, whichever is the greater (CIF plus 10%).

Marine / Air Cargo Insurance covering the Insured Property against all risks of physical loss or damage while in transit by land, sea or air from country of origin anywhere in the world to the site where the Permanent Works will be constructed including loading, or vice versa, from the commencement of the time the insured items are loaded prior leaving the warehouse or factory for shipment to the said site.

The insured parties are the Employer, the Contractor and its Subcontractors, and all their personnel involved in the execution of any Works on the construction site.

j) **Miscellaneous Insurance**

Other insurance as is customary, desirable or necessary to comply with applicable Laws in the Country.

2.2 The insurances to be provided by the Contractor and his Sub-contractor shall be effected with Insurers and on terms approved by the Employer (which approval shall not be unreasonably withheld) and shall be maintained in force for the duration required (including any period of maintenance/defects liability period). The Contractor shall within twenty eight (28) days of commencement of the contract produce to the Employer the relevant Policy or Policies of Insurance.

2.3 In the event that the Contractor or his Sub-contractor receives any notice of cancellation or restrictive modification to the insurance provided to them they shall immediately notify the Employer in writing of such cancellation or restriction and shall advise what action the Contractor or his Sub-contractor will take to remedy such action.

If the Contractor fails to effect and keep in force the insurances referred to then the Employer may effect and keep in force any such insurances and pay such premium or premiums as may be necessary for that purpose and from time to time deduct the amount paid by the Employer from any monies due or which may become due to the Contractor or recover same as a debt from the Contractor.

2.4 **Sub-Contractors.**

The Contractor shall:

- a) ensure that all potential and appointed Sub-contractors are aware of the whole contents of these Insurance Clauses, and
- b) enforce the compliance by sub contract agreement between the Contractor and Sub-Contractor and where applicable that the Sub Contractor effect similar insurance relating to the insurances required to be effected by the Contractor under Clause 2 (Contractor effected insurances).

PART C2: PRICING DATA

Part C2: Pricing Data

C2.1 Pricing Assumptions: Option B

1. How work is priced and assessed for payment

Clause 11 in NEC Engineering and Construction Contract, (ECC3) Option B states:

- | | | |
|--|--------------------|--|
| <p>Identified and defined terms</p> | <p>11
11.2</p> | <p>(21) The Bill of Quantities is the bill of quantities as changed in accordance with this contract to accommodate implemented compensation events and for accepted quotations for acceleration</p> <p>(22) Defined cost is the cost of the components in the shorter schedule of cost components whether work is subcontracted or not excluding the cost of preparing quotations for compensation events</p> <p>(28) The Price for Work Done to Date is the total of:</p> <ul style="list-style-type: none"> • the quantity of the work which the Contractor has completed for each item in the Bill of Quantities multiplied by the rate and • a proportion of each lump sum which is the proportion of the work covered by the item which the Contractor has completed. • Completed work is work without Defects which would either delay or be covered by immediately following work. <p>(31) The Prices are the lump sums and the amounts obtainable by multiplying the rates by the quantities for the items in the Bill of Quantities</p> |
|--|--------------------|--|

This confirms that Option B is a re-measurement contract and the bill comprises only items measured using quantities and rates or stated as lump sums. Value related items are not used. Time related items are items measured using rates where the rate is a unit of time.

1. Function of the Bill of Quantities

Clause 55.1 in Option B states, "Information in the Bill of Quantities is not Works Information or Site Information". This confirms that instructions to do work or how it is to be done are not included in the Bill, but in the Works Information. This is further confirmed by Clause 20.1 which states, "The Contractor Provides the Works in accordance with the Works Information". Hence the Contractor does not Provide the Works in accordance with the Bill of Quantities. The Bill of Quantities is only a pricing document.

1.1 Guidance before pricing and measuring

Employers preparing tenders or contract documents, and tendering contractors are advised to consult the sections dealing with the bill of quantities in the NEC3 Engineering and Construction Contract (June 2005) Guidance Notes before preparing the *bill of quantities* or before entering rates and lump sums into the *bill*.

Historically bill of quantities-based contracts in South Africa have been influenced by the different approaches of the civil engineering and building sectors of the industry through their respective discipline based standard forms of contract and methods of measurement. This is particularly apparent in the approach to the Preliminary and General bill. On the other hand, because ECC caters for a number of disciplines in the same contract, including electrical works, a different approach not currently found in local methods of measurement to the Preliminary & General bill items may have been used.

The NEC approach to the P & G bill assumes use will be made of method related charges for Equipment applied to Providing the Works based on durations shown in the Accepted Programme, fixed charges for the use of Equipment that is required throughout the construction phase, time related charges for people working in a supervisory capacity for the period required, and lump sum charges for other facilities or services not directly related to performing work items typically included in other parts of the bill.

2. Measurement and payment

3.1 Symbols

The units of measurement described in the Bill of Quantities are metric units abbreviated as follows:

Abbreviation	Unit
%	Percent
h	Hour
ha	Hectare
kg	Kilogram
kl	Kilolitre
km	Kilometre
km-pass	Kilometre-pass
kPa	Kilopascal
kW	Kilowatt
l	Litre
m	Metre
mm	Millimetre
m ²	Square-metre
m ² -pass	Square metre-pass
m ³	Cubic metre
m ³ -km	Cubic metre-kilometre
MN	Meganewton
MN.m	Meganewton-metre
MPa	Megapascal
No.	Number
Prov sum ¹	Provisional sum
PC-sum	Prime cost sum
R/only	Rate only
sum	Lump sum
t	Ton (1 000kg)
W/day	Work day

3.2 General assumptions

- 1.1.1. Unless otherwise stated, items are measured net in accordance with the drawings, and no allowance has been made in the quantities for waste.
- 1.1.2. The Prices and rates stated for each item in the Bill of Quantities shall be treated as being fully inclusive of all work, risks, liabilities, obligations, overheads, profit and everything necessary as incurred or required by the *Contractor* in carrying out or providing that item.
- 1.1.3. Clause 63.13 in Option B provides that these rates and Prices may be used as a basis for assessment of compensation events instead of Defined Cost.
- 1.1.4. Where this contract requires detailed drawings, designs or other information to be provided, and no rates or prices are included in the *bill* specifically for such matters, then the *Contractor* is deemed to have allowed for all costs associated with such requirements within the tendered rates and Prices in the Bill of Quantities.
- 1.1.5. An item against which no Price is entered will be treated as covered by other Prices or rates in the *bill of quantities*. If a number of items are grouped together for pricing purposes, this will be treated as a single lump sum.
- 1.1.6. The quantities contained in the Bill of Quantities may not be final and do not necessarily represent the actual amount of work to be done. The quantities of work assessed and certified for payment by the *Project Manager* at each assessment date will be used for determining payments due and not the quantities given in the Bill of Quantities.
- 1.1.7. The short descriptions of the items of payment given in the *bill of quantities* are only for the purposes of identifying the items. More detail regarding the extent of the work entails under each item is provided in the Works Information.

3.3 Amplification of or assumptions about measurement items

For the avoidance of doubt the following is provided to assist in the interpretation of descriptions given in the *method of measurement*. In the event of any ambiguity or inconsistency between the statements in the *method of measurement* and this section, the interpretation given in this section shall be used.

C2.2 THE BILL OF QUANTITIES



NO.	ITEM DESCRIPTION	UNIT	QTY	RATE	AMOUNT (R)
1.	PRELIMINARIES AND GENERAL				
1.1	Permits to operate at airports premises.	Prov.Sum	1	R 5 000.00	R 5 000.00
1.2	Occupational Health and Safety Plan The lump sum shall include full compensation for assessing the risks associated with the Works, reviewing and taking cognisance of the Employer's health and safety specifications and/or requirements, preparing the Contractor's health and safety plan and for the submission of the plan to the Employer.	Sum	1		
1.3	Implementation of Occupational Health and Safety Plan The contract rate shall include full compensation for implementing the health and safety plan, including the provision of safety trainings and briefings, staff medical evaluations, monitoring and administering the health and safety plan and for supplying all transport, personal protection safety items, other health and safety equipment, safety notices and any other health and safety related items that are required on site.	months	3		
1.4	Fixed Contractual Requirements	Sum	1		
1.5	Time-related contractual requirements	Months	3		
2.	PROVISION OF SERVICES				
2.1	Supply Installation of obstacle lighting as per specifications. contract rate shall include full compensation for material, delivery, installation, equipment and tools, and labour.	No.	30		
2.2	Galvanised 4 meter steel post with plate to support obstacle lighting as per specifications. contract rate shall include full compensation for	No.	21		



	material, delivery, installation, equipment and tools, and labour.				
2.3	Painting of steel post with red and white paint as per specifications. contract rate shall include full compensation for material, delivery, installation, equipment and tools, and labour.	m	67,2		
2.4	Supply Installation of cables lighting as per specifications. contract rate shall include full compensation for material, delivery, installation , equipment and tools, and labour.	m	500		
2.5	Concrete footings (30mm*30mm*600mm) as per specifications. contract rate shall include full compensation for material, delivery, installation, equipment and tools, and labour.	m ³	0.050		
2.6	Trenching of 300mm wide and 300mm depth trenches for cables. contract rate shall include full compensation for equipment and tools, labour and backfilling.	m ³	0.34		
Sub-Total Amount (Excl VAT)					
Add 10% Contingencies					
VAT @ 15% (If applicable)					
Total Amount (Incl VAT)					

Pricing Notes:

- All rates to exclude VAT.
- Rates to including full compensation of material supply, operations, equipment, labour, etc.
- Contingencies are to be released only by the need delineated by project manager.

PART C3: SCOPE OF WORK

Part C3: SCOPE OF WORK

Background:

According to the 2025 WGS-84 Survey Report conducted for Chief Dawid Stuurman International Airport (CDSIA) FAPE, it states that the perimeter fence line on approaches or RWY 08,17 & 35 penetrates the 2% slope which the regards these fence line as obstacles.

CDSIA hereby requires supply and installation of obstacle lighting on perimeter fence as to mitigate and reach means of compliance.

1. DESCRIPTION OF THE WORKS

1.1 Scope of Work

The purpose of this requisition is to appoint a qualified service provider for the supply and installation of obstacle lighting and cabling required at Chief Dawid Stuurman International Airport. The works is required as a matter of urgency and is expected to be completed within an estimated timeframe of three (3) months.

Scope of Works:

The scope of works includes the following:

- Supply and Installation of aviation obstacle lighting.
- Supply and Installation of 4 meter lighting support galvanised poles.
- Cabling for power lighting power supply.
- Trenching for electrical cables.
- Ducting, connecting and insulating electrical cables.
- Painting of lighting support poles.

Service Description and Specification Required:

- The service provider shall install lights to flash with the current maximum height of the perimeter fence.
- Shall ensure cabling is not exposed to weather or human.
- Installation shall be carried out with SABS approved materials and assured quality.
- The painting of the poles shall adhere to Annexure 14 guidelines.

Obstacle Light Specification:

The obstacle lighting to be installed shall conform to the below spec.

- Low-intensity obstacle lighting for fixed obstacles.
- Type B, red colour fixed lighting.
- 116W, 230V lamp competent.
- 32cd minimum intensity.
- 10° minimum beam spread.

Painting Specification:

The obstacle lighting support poles shall be painted as per the below spec.

- Poles shall be painted with red and white bands.
- Out of the 3.8 m pole, only 3.2 m shall be painted.
- Out of the 3.2 m 7 bands are to be painted with 4 red bands and 3 white bands. (see annexure 14).

Cable Specification:

- The obstacle lighting shall be power supplied, and cables shall merge in with 230V circuits.
- The cable with and size shall ensure sufficient and regulated power to supply without over loading.

1.2 Working Times

Scheduled works is set to conclude within 3 months from start date of works on site, i.e. Practical/Works Completion. The scheduling of the work will be agreed prior commencement of the works by the Project Manager and Principal Contractor in accordance with Client operational requirements.

1.3 Existing Underground Services

- The Principal Contractor shall acquaint himself with the conditions of the recommended site
- The Contractor shall acquaint himself with the location of all existing services before any excavation or other work likely to affect the existing services is commenced.
- The Contractor shall be held responsible for any damage to existing services caused by or arising out of his operations and any damage shall be made good at his own expense.

1.4 Changes to Scope of Work

It is a condition of this contract that the employer reserves the right to limit the total expenditure on the Works due to possible budget constraints. Should the tender sum exceed the budgeted amount, the scope of the works may be reduced at any time before or during the contract period to ensure that the final contract amount does not exceed the budgeted amount.

1.5 Location of the Works

The site is located at Chief Dawid Stuurman International Airport with works taking place at the airports perimeter fence within the approach sections only. The site is under the jurisdiction of the Airports Company South Africa (ACSA).

1.6 Temporary Works

The Contractor must obtain written permission from the Project Manager before construction of any temporary works may commence. Temporary works will include the following:

- (a) Signage and marking in compliance with ACSA and Health and Safety requirement.
- (b) Water connections for the execution of the works.
- (c) Placing and removal of hoardings, barricades, etc.

- (d) All facilities within the Contractor's construction camp. The site is to be negotiated with ACSA and shall be fenced off using 2,0 m high diamond mesh fencing material. The design shall comply with the specifications where, provided in these documents and all statutory requirements such as the Occupational Health and Safety Act and Regulations. The area is to be reinstated upon completion.

3. PROCUREMENT

3.1 Preferential Procurement Procedures

The Works shall be executed in accordance with the Tender requirements and submitted by the Contractor in his Returnable Schedules.

3.2 Subcontracting

The Contractor shall provide any necessary facilities in order to manage any of their subcontractors to ensure that the works allocated to them are carried out in accordance with:

- The programme of works
- The contract requirements and
- In particular the requirements concerning access to and from the airport facilities at the beginning and end of working shifts. The Contractor shall also ensure that the Sub-Contractor complies with all the requirements as contained in the Contract Documentation and in particular the Safety Plan, Environmental Management Plan and Operational procedure requirements.

4. CONSTRUCTION

4.1 Works Specifications

The works shall be carried out and tested in accordance with the latest issue or amendments of the following regulations, as applicable:

- ICAO – International Standards and Practices: Aerodromes – Annex 14 to the Convention on International Civil Aviation (fourth edition – July 2004 and subsequent amendments) and related standards.
- ACSA – Operational Airfield Regulations (July 1998 as amended)
- The Occupational Health and Safety Act of 1993
- The Construction Regulations of 2014/As amended
- The Local Fire Regulations
- The National Building Regulations
- The employer may from time-to-time issue specifications & standards for defined work as necessary.

The Contractor shall issue all notices and pay all the required fees in respect of the installation to the authorities, and shall exempt the employer and Engineer from all losses, claims, costs or expenditure which may arise as a result of the Contractor's negligence to comply with the requirements of these regulations.

It shall be assumed that the Contractor is conversant with the above-mentioned requirements. Should any requirements, by-laws or regulation, which contradicts the requirements of this document, apply or become applicable during erection of the installation, such requirements, by-law or regulation shall overrule this document and the Contractor shall immediately inform the Engineer of such a contradiction. Under no circumstances shall the Contractor carry out any variations to the installation in terms of such contradictions without the written permission to do so from the Engineer.

4.2 Plant and Material

Where required, requirements for proof of compliance with materials specifications, submission of samples of materials and finishes.

All materials used in the works shall, where such mark has been awarded for a specific type of material, bear the official mark of the SANS (SANS). Written proof shall be obtained for any materials not bearing the official mark of the SANS.

4.4 Site Establishment

4.4.1 Services and Facilities Provided by the Employer

The location of the proposed construction camp shall be subject to ACSA's approval. The Contractor must liaise with ACSA to find a suitable site. Approval for the establishment of a construction camp must be obtained from ACSA. The Contractor is responsible for all arrangements for obtaining approval, establishment and subsequent removal and reinstatement of his construction camp.

The Contractor must at all time limit his personnel, plant, equipment and materials to the Contractor's site or the working areas as approved by the Engineer. No personnel shall be accommodated on airport property. Only guards approved by the Employer and on duty may be on site at all times. Stockpile/spoil areas are to be located close to the construction camp, shall be adequately demarcated and fenced off if necessary or so instructed by the Engineer.

All regulations and local authority ordinances, as regards smoke emissions and noise abatements shall apply and compliance will be enforced as well as height restrictions and any required obstacle markers.

4.4.2 Facilities Provided by the Contractor

The Contractor shall make his own arrangements for the supply of electrical power, water, telecommunication services, first aid facilities and other services, the payment thereof and all reinstatements required upon completion. No direct payment will be made to the Contractor for the provision of electrical and other services. The cost thereof shall be deemed to be included in the rates and amounts tendered for the various items of work for which these services are required.

The Contractor shall make arrangements at his own cost for telephone and facsimile facilities, with cellular phones being acceptable.

Airside permits must be obtained by the Contractor from ACSA in accordance with the requirements of the Contract documents prior to commencing any work.

4.4.3 Other Facilities and Services

The Contractor shall be responsible for the removal of all waste generated from the airport property and the proper disposal thereof elsewhere at his own cost.

4.4.4 Vehicle and Equipment

The requirements (e.g. permits, etc.) for vehicles and drivers operating on the airside at Chief Dawid Stuurman International Airport are specified in the Airside Manual to be shared with the successful bidder.

4.5 Site Usage

Restrictions on the site usage are stated in the Airside Manual.

4.6 Alterations, Additions, Extensions and Modifications to Existing Works

The Contractor must satisfy himself that the dimensional accuracy, alignment, levels and setting out of existing components are compatible with the proposed Works. Where this is not the case the client must be notified in writing at the earliest possible time.

4.7 Water for Construction Purposes

The Contractor must make all arrangements for the transport, storage and distribution of water required for construction purposes and his own use.

4.8 Survey Control and Setting Out of the Works

The Contractor shall be responsible for the setting out of the works. The Contractor shall ensure that all these beacons are located before work commences, and shall bring to the client attention any beacons, which are missing. At the end of the work, before payment of the final certificate, the Engineer will check all the beacons, and those missing will be replaced by the Employer at the Contractor's cost. It is suggested that to obviate damage to beacons, they be clearly marked with stakes by the Contractor before the commencement of any clearing.

The Contractor shall peg out the routes of all services within two weeks after being appointed and confirm it with the client before any work commences.

5. MANAGEMENT

5.1 Management of Works

5.1.1 Planning and Programming

The Contractor's programme must be based on the Working Times defined in paragraph 1.2 above. The Contractor's attention is drawn to the limited occupation (night-time) periods applicable to this project.

5.1.2 Time

Time is of the essence and all construction work must be completed on the schedules/stipulated times. Sufficient manpower shall be made available to cope with the construction schedule dates.

Any cost item which the prospective tenderer regards necessary for the proper functioning or completion of an item or element, shall be added to the tender rates as there must be no uncertainty that the tender rates and total tender price is all inclusive.

Prospective tenderers shall make sufficient allowance for site management and administrative staff. The project scope is not final and fixed and it is anticipated that comprehensive site communication (via site instructions/queries, etc) will transpire during the execution of this contract.

Site co-ordination meetings will be held and the Contractor's site manager shall attend these meetings and promptly implement the requirements put forward.

Prospective tenderers shall allow in their tender rates for all aspects which could lead to non-continuity of work, disruption or any other event which is regarded normal to fast-track this type of construction projects.

5.1.3 Quality Plans and Control

It will be the responsibility of the Contractor to undertake appropriate quality control and quality assurance measures during manufacture as well as on site.

The level of quality of materials and workmanship is clearly set out in the documents. In general, all materials shall comply with the relevant SABS or equivalent standard specifications. In the absence of a suitable specification, the materials may be those available from suppliers provided they are approved by the Engineer. Likewise, all systems of working and workmanship shall comply with the relevant SABS or equivalent codes of practice or otherwise be approved by the Engineer.

The Contractor will be expected to comply with this section of the specification in great detail throughout the contract and the Engineer will carry out ad hoc audits of the system from time to time.

Tenderers should take note of the special requirements and the cost implications to be included, when making up their tender.

5.1.4 Flexibility of Construction Activities

All construction activities are under the direct control of the project manager who will liaise with the Engineer and as such he has the right to instruct the Contractor to deviate/adjust/direct/modify the Contractor's schedule and/or activities within the limits of the time for completion specified for this contract to serve the best interests of the project. The Contractor shall be flexible and able to adapt to changing circumstances.

5.1.5 Execution of contract

Prospective tenderers are advised to understand works to be carried out to research environmentally friendly materials to be utilised in the execution of the contract and reasonable priced. As all tender rates shall be deemed to fully allow for provision of all works contracted to.

5.1.6 Concrete works

It shall remain the Contractor's responsibility to carry out the work in accordance with this document, to provide the logistics and infrastructure required for the works, to provide adequate full-time supervision at the works, to programme and manage the works, to ensure compliance with Codes, Standards and Regulations.

5.1.7 Co-ordination

The contractor will be responsible for coordinating with subcontractors (if applicable) with instructions from the client.

5.1.8 Quality of Materials

All material shall be of high quality and suitable for the conditions on site. These conditions shall include weather conditions as well as conditions under which materials are installed, stored and used. Should the materials not be suitable for use under temporary site conditions the Contractor shall at his own cost provide suitable protection until these unfavourable site conditions cease to exist.

All materials proposed by the Contractor shall be tested. The test, as well as the materials, shall be approved by the Engineer prior to such materials being built into the works and all costs involved shall be deemed to be included in the quoted rates.

5.1.9 Safety and Security

The Contractor shall appoint a responsible person and assistant and their names shall be forwarded to the Engineer before any work may commence on site. The responsible person shall legally be responsible that safety measures are exercised on site by his workforce. No work may be executed on site if neither of these two persons is on site.

The Contractor will be responsible for the safety of his personnel on site at all times. All laws, rules and regulations shall be strictly followed in this regard and all the necessary precautions and measures shall be taken to ensure the safety of personnel, the public and equipment.

Where work is to be carried out on or in the proximity of live electrical equipment the Contractor shall make all the necessary arrangements with the relevant Supply Authority to isolate and earth such equipment. These arrangements shall be in writing and copies thereof shall be submitted to the Engineer. The Contractor shall also adhere to any requirements or procedures the Local Supply Authority may have in this regard. None of these arrangements shall, however, alleviate the Contractor's responsibilities in terms of this contract or any Laws and Regulations.

5.1.10 Protection of Other Services and Structures

The Contractor shall take all the necessary precautions to protect existing services, finishes and structures during the execution of the contract. All repairs and damages shall be the responsibility of the Contractor and the cost thereof shall be borne by the Contractor.

The Contractor shall exercise extreme care when excavations are made to avoid damage to existing or newly installed services. Any damages to other services will be rectified forthwith and the costs for the rectification will be recovered from the Contractor.

5.1.11 Finishing and Tidying

In view of the intense concentration of construction activities likely to be experienced during the construction period, progressive and systematic finishing and tidying will form an essential part of this contract. At no time may spoil rubble, materials, equipment of unfinished operations be allowed to accumulate in such a manner as to unnecessarily impede the activities of others and in the event of this occurring, the employer shall have the right to withhold payment for as long as may be necessary in respect of the relevant works in the area (3) concerned without prejudicing the rights of others to institute claims against the Contractor on the ground of unnecessary obstruction.

Finishing and tidying must not simply be left to the end of the contract. All finishing and tidying shall be carried out to the best advantage of the project as a whole and in the close co-operation with other Contractors.

5.1.12 Variations to Contract Price

Any items or variations for which rates have not been included in the Schedules shall be priced as non-scheduled items.

5.1.13 Guarantee

The screed and sealant included in the contract shall be able to be defects free for a period of twelve months from practical completion.

5.1.14 Blasting

No blasting is allowed at the airport.

5.1.15 Protection of Area

The Contractor shall confine his operations to as small an area as may be practical for the purpose of constructing the works.

Only those trees directly affected by the works and such others as the Engineer may direct in writing shall be cut down and stumped.

On completion of operations the ground surface where it may have been disrupted by the Contractor shall be restored to its original condition by filling in all ruts with material similar to the material within the rut and levelling the ground and where necessary planting grass and shrubs as may be required. Any boundary fences, which have been removed or damaged, shall be repaired and/or reinstated at the Contractor's expense.

The natural vegetation must not be disturbed other than in areas where it is essential for the execution for the work or where directed by the Engineer.

5.1.16 Disposal of Waste Material

All waste material as result of the works including the demolished rubbish, old sealants, concrete and all other objectionable material will be removed and disposed of at a legal site found by the Contractor.

5.1.17 Format of Communications

All instructions or requests need to be confirmed in writing through:

- Site instructions
- Requests for inspections

5.1.18 Key Personnel

The Contractor must compile a schedule of their Key Personnel with their contact numbers and keep it updated. The list must be made available to the Employer.

5.1.19 Management Meetings

The following formal meetings will be held at the office of the Engineer's Representative between the Representatives of the Employer, Engineer and the Contractor:

- Daily kick-off meeting
- Weekly progress and technical meeting
- Monthly site meeting

The Representatives must have the necessary delegated authority (site agent level on weekly meeting and Contracts Director level on monthly meetings) in respect of aspects such as planning, change management and health and safety.

5.1.20 Daily records

The Contractor must keep daily records of resources (people and equipment employed) and site diaries in respect of work performed on the site. A copy of the previous day's daily record must be provided to the Engineer on a daily basis.

5.1.21 Payment Certificates

The Design Team's payment certificates will be issued only after receipt by him of a draft certificate prepared by the Contractor at his own expense in the form prescribed by the Design Team. The cost of duplicating and delivering copies of the certificate to the Contractor, the Engineer and the Employer shall be borne by the Contractor. The Engineer and the Employer shall require three (3) sets of A4-sized paper copies in total.

5.1.22 Permits

All requirements in connection with the application for and usage of permits are as stated in the contract documentation and for the account of the Contractor.

5.1.23 Insurance Provided by the Employer

For information on the Employer Insurance, refer to ACSA Insurance Clauses in Part C1.9 of the contract.

5.2 Health and Safety

Health and Safety requirements and procedures are presented in Annex B, Part C5.

5.2.1 Barricades and lighting

Requirements for the provision and usage of barricades and lighting are stated in the contract documentation.

PART C4: SITE INFORMATION


Part C4: Site Information

1. GENERAL SITE INFORMATION

The site is located within the Chief Dawid Stuurman International Airport jurisdiction and works to be carried out within live areas and operational airport environment.

The area of works is:

- Perimeter fence approach section of Runway 08.
- Perimeter fence approach section of Runway 17.
- Perimeter fence approach section of Runway 35.



Topographical map of areas of work in red

Airside is a restricted area with stringent access control measures put in place. The Contractor is reminded that this is a National Key Point and as such must adhere to all airport's rules and regulations regarding health safety, environment, security, fire and access control.

1.1 Access

- The Contractor shall liaise with ACSA Security Staff to obtain access permits for his staff and vehicle working at the airport.
- Personnel and vehicles entering or leaving the site will be subjected to routine searches.
- The Contractor shall obtain the "gate permit" from the Project Manager before material and equipment are brought and removed from the airside.
- The Consultant shall include in his rates the costs for access permits and no extra payment or claim of any kind will be allowed on account of difficulties of access to site.

1.2 Permits

- The Contractor shall familiarize himself with ACSA's safety and security requirements relating to permits to prevent any unnecessary work delay.
- This shall include the permit application process.
- The Contractor shall have no claim against ACSA if a permit request is refused.
- Proof of having attended the Airside Induction Training course is required for all personal permit applications. This is for all personnel involved with or responsible for the implementation of various aspects of the national civil aviation security programme and those authorized to have unescorted access to airside areas receive initial and recurrent security awareness training.
- Fees are levied for these courses. Fees are further levied for all permit renewals and refresher courses where applicable.
- No work shall be done without a written permission in the form of a permit/works order.
- Proof of having attended the General Aviation Security Awareness Training course is required for all personal permit applications.
- The following table is not all inclusive, but is provided for illustration purposes:

Permit	Required by/for	Department
AVOP – Airside Vehicle Operator permit	All drivers of vehicles on airside	ACSA Safety
Airside Vehicle Permit	All vehicles that enter airside	ACSA Safety
Basement Parking Permit	All vehicles allowed to enter the delivery basement	ACSA Parking
Personal Permit	All persons employed on the airport	ACSA Security
Cell Phone Permit	All persons taking cell phones to airside	ACSA Security
Tools & Laptop Permit	All persons taking tools and laptop to airside	ACSA Security
Camera Permit	All persons taking camera equipment to airside	ACSA Security
Hot Works Permit	All welding and/metal cutting work on the airside	ACSA Safety

Airside Projects/Works Permit	For all projects on the airside	ACSA Airport Operations / Safety
Low/Medium Voltage Permit to Work	For all work on substations, distribution boards and cables	ACSA Electrical Maintenance

1.3 Cell phones and two-way radios

- Use of cell phones are not permitted unless the user is in possession of an appropriate Airport permit for the device.
- Cell phone permit issuing authority lies with the ACSA Security department.
- The Consultant will not be allowed to use two-way radios at the Airport unless these radios are of the type, model and frequency range as approved by the ACSA IT department.
- Approved radios may be arranged via said department – payment will be for the account of the Consultant.

1.4 Hidden and other services within site

There might be water and sewer pipes located underground. Also, there are other cables going through the trenches and these must be treated as live cables. There are also communication cables located underground

PART C5: ANNEXURES

Annex A: Occupational Health and Safety Specifications

This specification contains comprehensive occupational health and safety specifications.

LIST OF ABBREVIATIONS

ACSA	Airports Company South Africa
GAR	General Administration Regulations
GSR	General Safety Regulations
OHSA	Occupational Health and Safety Act 85 of 1993
OHSS	Occupational Health and Safety Specification
SABS	South African Bureau of Standards

1. INTRODUCTION

1.1 Purpose of the Occupational Health and Safety Specification

The purpose of the OHSS is to assist Contractors to achieve compliance with the Occupational Health and Safety law, in order to reduce incidents and injuries. The OHSS will be implemented during the construction of this project or any construction activity that the Employer has control over.

The OHSS is a performance specification to ensure that the Employer and any bodies that enter into formal agreements with the Employer viz. Agents, Consultants and Contractors achieve an acceptable level of OHS performance. No advice, approval of any document required by the OHSS such as hazard identification and risk assessment action plan or any other form of communication from the Employer shall be construed as an acceptance by the Employer of any obligation that absolves the Contractor from achieving the required level of performance and compliance with legal requirements. Further, there is no acceptance of liability by the Employer which may result from the Contractor failing to comply with the OHSS, i.e. the Contractor remains responsible for achieving the required performance levels.

1.2 Implementation of the Occupational Health and Safety Specification

This OHSS forms an integral part of the Contract, and Contractors are required to make it an integral part of their Contracts with Sub-Contractors and Suppliers. It will be disseminated by the Employer to persons responsible for the design of the infrastructure works, who will ensure that it is included in the Tender Document(s) issued to prospective Contractors. The prospective Contractors shall incorporate the requirements of the OHSS in their submission of tenders to the Employer.

This specification must be read in conjunction with the OHS Act No 85 of 1993 (as amended), the Regulations as published in Government Gazette No 37305 of 7 February 2014 as well as the General Safety Regulations published in Government Notice No. R 1031 of 30 May 1986, as amended.

The OHS Act Agreement in this document (Returnable Schedules) must be fully completed by the Contractor.

STANDARD OCCUPATIONAL HEALTH AND SAFETY SPECIFICATION

2.1 Scope

This OHSS covers the requirements for eliminating and mitigating incidents and injuries in all Employer controlled projects.

The scope also addresses legal compliance, hazard identification and risk control, promoting a health and safety culture amongst those working on ACSA projects and those affected by the activities taking place in and around them.

2.2 Interpretations

2.2.1 Application

The OHSS contains clauses that are generally applicable to building / construction and that impose proactive controls associated with activities that impact on human health and safety as they relate to plant and machinery.

Compliance to the requirements of the OHSA, Construction regulations and General Safety Regulations is in addition to the requirements of the OHSS and is part of the Contractor's responsibility. The Employer will through the Agents, as appointed, monitor that the Contractor complies with the requirements of the OHSA and will not prescribe to the Contractor how such compliance is achieved.

Definitions

The definitions used will be those set out in the Regulation Gazette No 37305 of 7 February 2014 with the following addition:

ACSA: Airports Company South Africa

Hazard Identification and Risk Assessment and Risk Control:

Means a documented plan, which identifies hazards, assesses the risks and details the control measures and safe working procedures which are to be used to mitigate and control the occurrence of hazards and risks during construction or operation phases.

Health and Safety Management Plan:

Means a documented plan which addresses the hazards identified and include safe working procedures to mitigate, reduce or control the hazards identified.

Induction Training:

Means once off introductory training on general health and safety issues given to all employees before commencement of work on site.

Risk:

Means the probability or likelihood that a hazard can result in injury or damage.

Site:

Means the area in the possession of the Contractor for the construction of the works. Where there is no demarcated boundary it will include all adjacent areas, which are reasonably required for the activities for the Contractor and approved for such use by the Engineer.

The Act:

Means, unless the context indicates otherwise, the Occupational Health and Safety Act, 1993 (Act No 85 of 1993) and Regulations promulgated there under.

Contractor:

The Contractor terminology used in these specifications shall be deemed to cover Principal Contractor, Contractors and Subcontractors.

3. REQUIREMENTS AT TENDER STAGE

The Contractor shall make available the following with his completed tender:

A Preliminary Health and Safety Plan as described in Regulation 7 of the Construction Regulations. The Safety Plan must be based on the Construction Regulations 2014 and this specification and will be subject to approval by the Employer. This will include a Hazard Identification and Risk Assessment appropriate to the project, expansion of Annexure D, and a declaration to the effect that he has the competence, completion of Occupational Health and Safety Questionnaire, and necessary resources to carry out the work safely in compliance with the Construction Regulations 2014.

Failure to submit the foregoing with his tender, will lead to the conclusion that the Contractor is not able to carry out the work under the contract safely in accordance with the Construction Regulations and may result in the tender being disqualified.

4. NOTIFICATION OF COMMENCEMENT OF CONSTRUCTION WORK

Prior to the commencement of construction work but not later than 7 days after the award of the contract, the Contractor shall, in terms of Regulation 4, notify the Provincial Director of the Department of Labour in writing if the following work is involved:

- the demolition of structures and dismantling of fixed plant of height of 3,0 m or more;
- the use of explosives;
- construction work that will exceed 30 days or 300 person-days;
- excavation work deeper than 1,0 m; or
- working at a height greater than 3,0 m above ground or landings.

The notification must be done in the form of the pro forma included under Returnable Schedules (The Occupational Health and Safety Act) of the tender document. See Annexure A for a copy of the notification.

A copy of the notification form must be kept on site, available for inspection by inspectors, Employer, Engineer, employees and persons on site.

5. GUIDELINES FOR THE DEVELOPMENT OF A HEALTH & SAFETY PLAN

5.01 Background

In terms of the Construction Regulations [Regulation 5(1)(b)] of the Occupational Health and Safety Act, No 85 of 1993, the Client is required to compile an Occupational Health and Safety specification for each of its projects and the Contractor, appointed by the Client in terms of Regulation 5(1)(k), is required to prepare an Occupational Health and Safety Plan. This plan has to be prepared in terms of Regulation 7(1)(a) as well as the Client's Occupational Health & Safety Specification. In terms of Regulation 5(1)(l), the Client and the Contractor are required to agree on the Occupational Health and Safety Plan before any work may commence.

5.02 Framework for an Occupational Health and Safety Plan

5.02.1 Introduction

The Contractor must demonstrate to the Client that he has a suitable and sufficiently documented Occupational Health and Safety Plan as well as the necessary competencies, experience and resources to perform the construction work safely. The Contractor is required to submit, the following documentation for perusal and verification by the Client:

- Management Structure including an organogram – Tender Stage
- Quality Plan – Tender Stage
- Human Resources Plan – Tender Stage
- Registered Workplace Skills Plan
- “Letter of good standing” from the Compensation
- Commissioner or licensed compensation insurer – Tender Stage
- Proof of induction and other training of employees
- Example copies of minutes of previous Occupational Health and Safety Committee meetings and
- copies of Incident Investigation Reports.

5.02.2 Contents of an Occupational Health and Safety Plan

The Occupational Health and Safety Plan shall include the following:

5.02.2.1 Occupational Health and Safety Management Programme

- Management of Occupational Health and Safety risks
- Occupational Health and Safety structures and appointments
- Programme of Occupational Health and Safety inspections
- Occupational Health and Safety Representatives
- Occupational Health and Safety committee.

5.02.2.2 Statement Regarding the Communication and Management of the Work

- Management structure and responsibilities
- Occupational Health and Safety objectives for the project and arrangements for monitoring and review of Occupational Health and Safety performance
- Arrangements for regular liaison between parties on site
- Consultation with the workforce
- The exchange of design information between the Client, Engineer, supervisors and subcontractors on site
- Handling design changes during the project
- Selection and control of subcontractors
- The exchange of Occupational Health and Safety information between all subcontractors
- Security
- Site induction and onsite training
- Facilities and first-aid
- The reporting and investigation of accidents and incidents
- The production and approval of risk assessments and method statements
- Site Occupational Health and Safety rules
- Fire and emergency procedures
- Reporting to the Client i.e. results of Occupational Health and Safety inspections.
- Incident investigations and committee meetings
- Reporting of incidents to the Department of Labour and Compensation Commissioner where appropriate

6: APPOINTMENT OF SAFETY PERSONNEL

6.01 Construction Supervisor

In terms of Section 16 of the Act, the Chief Executive officer of the Contractor may delegate, in writing, part or all of his powers to a suitable person on the site.

The Contractor shall appoint a full-time Construction Supervisor, in writing, in terms of Regulation 8(1) of the Regulations with the duty of supervising the performance of the construction work.

He may also have to appoint one or more competent employees to assist the construction supervisor where, justified by the scope and complexity of the works.

6.02 Construction safety officer

In terms of clause 8 of the Regulations the Contractor shall appoint in writing a full-time or part-time Construction Safety Officer. The Safety Officer shall have the necessary competence and resources to perform his duties diligently.

Provision will be made in the Bill of Quantities to cover the cost of a dedicated construction safety officer appointed after award of the contract.

6.03 Health and safety Representatives

In terms of Sections 17 and 18 of the Act (OHSA 1993) the Contractor shall appoint, in writing, a health and safety Representative whenever he has more than 20 employees in his employ on the works. The health and safety Representative must be selected from employees who are employed in a full-time capacity at a specific workplace.

The number of health and safety Representatives for a workplace shall be at least one for every 50 employees.

The function of the health and safety Representative(s) will be to review the effectiveness of health and safety measures, to identify potential hazards and major incidents, to examine causes of incidents (in collaboration with his employer, the Contractor), to investigate complaints by employees relating to health and safety at work, to make representations to the employer (Contractor) or inspector on general matters affecting the health and safety of employees, to inspect the workplace, plant, machinery etc. on a regular base, to participate in consultations with inspectors and to attend meetings of the health and safety committee.

6.04 Health and safety committee

In terms of Sections 17, 18 and 19 of the Act (OHSA 1993) the Contractor (as employer), shall establish one or more health and safety committee(s) where there are two or more health and safety Representatives at a workplace. The persons selected by the Contractor to serve on the committee shall be designated in writing.

The function of the health and safety committee shall be to hold meetings at regular intervals, but at least once every three months, to review the health and safety measures on the contract, to discuss incidents related to health and safety with the Contractor's Representative and any Department of Labour inspector, and to make recommendations regarding health and safety to the Contractor and to keep record of meetings, recommendations and reports made by the committee.

6.05 Competent persons

In accordance with the Construction Regulations the Contractor shall appoint, in writing, competent persons responsible for supervising construction work for the following work situations that may be expected on the site of the works, as applicable to the project.

Risk assessment for construction work (Regulation 9);
Fall protection (Regulation 10);
Structures (Regulation 11);
Temporary works (Regulation 10);
Excavation (Regulation 13);
Demolition work (Regulation 14);
Tunnelling (Regulation 15);
Scaffolding (Regulation 16);
Suspended platform operations (Regulation 17);
Rope access work (Regulation 18);
Material Hoists (Regulation 19);
Bulk mixing plants (Regulation 20);
Explosive actuated fastening devices (Regulation 19);
Cranes (Regulation 22);
Construction vehicle and mobile plant (Regulation 23);
Electrical installation and machinery on construction site (Regulation 24);
Use and temporary storage of flammable liquids on construction site (Regulation 25);
Water environments (Regulation 26);
Housekeeping and general safeguarding on construction sites (Regulation 27);
Stacking and storage on construction sites (Regulation 28);

Fire precautions on construction sites (Regulation 29); and
Construction employee's facilities (Regulation 30).

A competent person may be appointed for more than one part of the construction work with the understanding that the person must be suitably qualified and able to supervise at the same time the construction work on all the work situations for which he has been appointed.

The appointment of competent persons to supervise parts of the construction work does not relieve the Contractor from any of his responsibilities to comply with all requirements of the Construction Regulations.

7: PROJECT / SITE SPECIFIC REQUIREMENTS

A list of activities and considerations that have been identified for the project and the construction site and for which Risk Assessments, Standard Working Procedures (SWP), management and control measures and Method Statements (where necessary) have to be developed by the Principal Contractor is given in Annexure D. This list is not to be considered as inclusive and other items must be added as required

In addition, the following health risks should be taken into account. It may become necessary to include others according to the requirements of the project.

Health risks

- Health risks arising from neighbouring as well as own activities and from the environment e.g. threats by dogs, bees, snakes, lightning etc.
- Exposure to noise
- Exposure to vibration
- Protection against dehydration and heat exhaustion
- Protection from wet and cold conditions
- Exposure to hazardous substances and chemicals used on site.

Emergency Procedures

The Principal Contractor shall submit a detailed Emergency Procedure for approval by the Client prior to commencement on site. The procedure shall detail the response plan including the following key elements:

- List of key competent personnel;
- Details of emergency services;
- Actions or steps to be taken in the event of the specific types of emergencies;
- Information on hazardous material/situations.

Emergency procedure(s) shall include, but shall not be limited to, fire, spills, accidents to employees, use of hazardous substances, bomb threats, major incidents/accidents, etc. The Principal Contractor shall advise the Client, Agent, Engineer and all relevant authorities forthwith, of any emergencies, together with a record of action taken. This shall be confirmed in writing as soon as possible after the incident. A contact list of all service providers (Fire Department, Ambulance, Police, Medical and Hospital, etc.) must be maintained and available to site personnel. These procedures shall form part of the Health and Safety Plan.

First Aid Boxes and First Aid Equipment

The Principal Contractor and all Contractors shall appoint in writing First Aider(s). If not already accredited, the appointed First Aider(s) are to be sent for accredited first aid training. Valid certificates are to be kept on site. The Principal Contractor shall provide an on-site First Aid Station with first aid facilities, including first aid boxes containing, at least, the requirements of the Annexure to Section 3 of the General Safety Regulations. All Contractors with more than five (5) employees shall supply their own first aid box.

Contractors with more than ten (10) employees shall have a trained and certified First Aider on site at all times.

Personal Protective Equipment (PPE) and Clothing

The Principal Contractor shall ensure that all workers are issued with and shall wear hard hats, protective footwear and overalls as well as any other necessary PPE as set out in Section 2.3 of the General Safety Regulations. Contractors are encouraged to provide reflective vests for all their staff. The Principal Contractor and all Contractors shall make provision and keep adequate quantities of SABS approved PPE on site at all times. This shall include necessary safety gear for visitors. The Principal Contractor shall clearly outline procedures to be taken when PPE or Clothing is:

Lost or stolen;
Worn out or damaged.
Issued to temporary labour or staff.

The above procedure applies to Contractors and their Sub-contractors, as they are all Employers in their own right.

Occupational Health and Safety Signage

The Contractor shall provide adequate on-site OHS signage. This should include but is not limited to: 'no unauthorised entry', 'report to site office', 'site office', 'beware of overhead work', 'hard hat area'. Signage shall be posted up at all entrances to site as well as on site in strategic locations e.g. access routes, stairways, entrances to structures and buildings, scaffolding, and other potential risk areas/operations. These signs shall be in accordance with the requirements of the General Safety Regulations as amended.

8: HEALTH AND SAFETY FILE

The Principal Contractor shall in terms of Construction Regulation 7(1)(b) maintain a Health and Safety File on site at all times. The Health and Safety File is a file or other permanent record containing information on aspects of the construction project - which will be necessary to ensure the health and safety of any person who may be affected by the construction work.

The Principal Contractor shall ensure that all other contractors open similar files in accordance with the Regulations.

The Principal Contractor shall appoint a suitably qualified person to prepare the Health and Safety File and to keep it up to date for the duration of the contract. The Health and Safety file shall include at least the following information:

- All Documents as required by the Act and Regulations
- All reports of inspections and audits
- All non-conformity reports
- All working drawings, calculations and design where applicable
- Detailed list of sub-contractors with contact details
- List of all hazardous materials used and stored on site with Data Sheets and Materials Hazard Data sheets
- All Hazard Identification and Risk Assessments carried out for the project
- All Health and Safety Plans for the project.
- All method statements
- Minutes of all relevant meetings
- Incident records, including investigations and results
- Record of all appointments under the Regulations

Annexure B is a list of the records to be kept on site.

The Health & Safety File shall be handed over to the Client on completion of the contract. It must contain all the documentation as set out above, or as instructed, as well as any handed to the Principal Contractor by any contractors together with a record of all drawings, designs, materials used and other similar information concerning the completed project.

9: RISK ASSESSMENT

Before commencement of any construction work during the construction period, the Principal Contractor shall have a risk assessment performed and recorded in writing by a competent person. (Refer Regulation 9 of the Construction Regulations 2014).

Risk is a measure of the likelihood that the harm from a particular hazard will be realised, taking into account the possible severity of the harm. Harm to people includes death, injury (permanent or temporary), physical or mental health or any combination thereof. Risk management in health and safety includes the identification of hazards, assessing risks, taking action to eliminate or reduce the risk, monitoring the effectiveness and performing regular reviews of the entire process. The Principal Contractor shall compile method statements to address or handle the following:

- Hazards particulars to the contract
- Identify what could go wrong and how
- Identify the likelihood of this happening
- Identify the persons at risk
- Identify the extent of possible harm
- Eliminating or reducing this risk
- A monitoring plan
- A review plan

Contractors must ensure that all subcontractors conduct risk assessments for their scope of work as well. All risk assessments shall be updated and re-evaluated with any extra works or with any change to the scope of the works.

The risk assessment shall identify and evaluate the risks and hazards that may be expected during the execution of the work under the contract, and it shall include a documented plan of safe work procedures to mitigate, reduce or control the risks and hazards identified.

The risk assessment shall be available on site for inspection by inspectors, Employer, Engineer, subcontractors, employees, trade unions and health and safety committee members, and must be monitored and reviewed periodically by the Contractor.

10: ARRANGEMENTS FOR MONITORING AND REVIEW

The Client and/or Agent will conduct a Monthly, or at greater frequency, Audit to audit compliance with Construction Regulation 5(1)(n) and (o) to ensure that the Contractor has implemented and is maintaining the agreed and approved OH&S Plan. Annexure C will be used as format when conducting the audit.

The Client reserves the right to conduct other ad hoc audits and inspections as deemed necessary.

A representative of the Contractor must accompany the Client on all audits and inspections and may conduct his own audit/inspection at the same time. Each party will, however, take responsibility for the results of his own audit/inspection results.

11: MEASUREMENT AND PAYMENT

The Contractor shall ensure that the sum of the amounts of the four items shall not be less than 1% of the Work Value of the Tender (Total: Schedule A).

Item	Unit
C11.01 Contractor's initial obligations in respect of the Occupational Health and Safety Act and Construction Regulations	lump sum

The full amount will be paid in one instalment only once:-

- (a) The Contractor has notified the Provincial Director of the Department of Labour in writing of the project.
- (b) The Contractor has made the required initial Appointments of Employees and Sub-Contractors.
- (c) The Client has approved the Contractor's Health and Safety Plan.
- (d) The Contractor has set up his Health and Safety File.

Item	Unit
C11.02 Contractor's time-related obligations in respect of the Occupational Health and Safety Act and Construction Regulations	month

The tendered rate shall represent full compensation for that part of the Contractors general obligations in terms of the Occupational Health and Safety Act and the Construction Regulations which are mainly a function of time. The sum will be paid per month only after payment for item C11.01 has been made. This item shall also cover all updates of the files, plans and reports associated with the Occupational Health and Safety Act and the Construction Regulations.

Item	Unit
C11.03 Provision of full time Construction Safety Officer	month

The tendered sum shall include for the cost of a construction safety officer on a full time basis, his overheads, transport and all others items necessary for the proper carrying out of his duties. If a part time safety officer is appointed then the amount tendered will be prorated according to the amount of time spent on the project.

Item	Unit
C11.04 Submission of the Health and Safety File	lump sum

This amount will be paid only once the Contractor has met all his obligations in respect of the Occupational Health and Safety Act and the Construction Regulations and has submitted his Health and Safety File complete as envisaged on this specification to the Client's satisfaction. This must be done prior to the issue of a Certificate of Completion.

RECORDS TO BE KEPT ON SITE

ITEM	CR	RECORD TO BE KEPT	RESPONSIBLE PERSON
1.	4(1)	Notification to Provincial Director – Annexure A Available on site	Contractor
2.	4(1)(m)	Copy of Principal Contractor's Health & Safety Plan Available on request	Client (Consultant)
3.	7(1)(d)	Copy of Principal Contractor's Health & Safety Plan As well as each Contractor's Health & Safety Plan Available on request	Principal Contractor



ITEM	CR	RECORD TO BE KEPT	RESPONSIBLE PERSON
4.	7(2)(b)	Health & Safety File opened and kept on site (including all documentation-required i.t.o. OHSA & Regulations) Available on request	Contractor
5.	7(1)(e)	Consolidated Health & Safety File handed to Client on completion of Construction work. To include all documentation required i.t.o. OHSA & Regulations and records of all drawings, designs, materials used and similar information on the structure.	Contractor
6.	7(1)(f)	Comprehensive and Updated List of all Contractors on site, the agreements between the parties and the work being done Included in Health & Safety file and available on request	Contractor
7.	8(5)	Keep record on the Health & safety File of the input by Construction Safety Officer [CR 6(6)] at design stage or on the Health & Safety Plan	Contractor
8.	9(6)	Risk Assessment Available on site for inspection	Contractor
9.	7(7)	Proof of Health & Safety Induction Training	Every Employee on site
10.	10(3)	Construction Manager [CR 8(1)] has latest updated version of Fall Protection Plan [CR 10(1)]	Contractor
11.	9(2)(b)	Inform Contractor in writing of dangers and hazards relating to construction work	Designer of Structure
12.	11(1)(c)	All drawings pertaining to the design of structure On site available for inspection	Contractor
13.	11(2)(a) and (b)	Record of inspection of the structure [First 2 years – once every six (6) months, thereafter yearly]	Owner of Structure
14.	11(2)(c) and (d)	Maintenance records – safety of structure Available on request	Owner of Structure
15.	12(3)(c)	Drawings pertaining to the design of formwork/support work structure Kept on site, available on request	Contractor
16.	13(2)(h)	Record of excavation inspection On site available on request	Contractor
17.	17(11)	Suspended Platform inspection and performance test records Kept on site available on request	Contractor
18.	19(8)(c)	Material Hoist daily inspection entered and signed in record book kept on the premises	Contractor
19.	19(8)(d)	Maintenance records for Material Hoist Available on site	Contractor
20.	18(9)	Records of Batch Plant maintenance and repairs On site available for inspection	Contractor
21.	19(2)(g)(ii)	Issuing and collection of cartridges and nails or studs (Explosive Powered Tools) recorded in register – recipient signed for receipt as well as return	Contractor

ITEM	CR	RECORD TO BE KEPT	RESPONSIBLE PERSON
22.	21(1)(d)	Findings of daily inspections (prior to use) of Construction Vehicles and Mobile Plant	Contractor
23.	22(d)	Record of temporary electrical installation inspections [once a week] and electrical machinery [daily before use] in a register and kept on site	Contractor
24.		Copies of all appointments made in regard to safety supervisors and inspectors	Contractor

HAZARDOUS TASK IDENTIFICATION

(The list given is not inclusive and other hazardous tasks may be identified as the construction progresses)

MAIN TASK	SUB TASK
ACCOMMODATION OF TRAFFIC	Clashes between Airport Fire and Safety traffic and construction work
	Dust (from jet blast)
	Traffic speed
	Provision of safety equipment
	Working next to air traffic (noise and jet blast)
	Erection of signage and barricades
EXCAVATING	By manual labour
	By excavating equipment e.g. Milling Machine
	Excavating duct slots by electrical/pneumatic breakers
ELECTRICAL	Working with generators and lighting
	Temporary installations
	Dealing with services provided by others
FIRE	Use and placement of fire extinguishers
	Fire fighting
	Gas Screed heaters
	Hand held gas burners
	Notification of Fire & Safety
MISCELLANEOUS	Site Establishment
	Housekeeping
	General storage
	Movement of equipment
	Use of personal transport
WORKSHOPS	Use of small electrical tools
	Gas and Flame Cutting
	Welding
	Use of general workshop equipment
	Tyre repair
	Use of jacking and lifting apparatus



MAIN TASK	SUB TASK
HAZADOUS MATERIALS	Petrol
To be added to as required	Diesel

MAIN TASK	SUB TASK
Materials safety data sheets as required	Lubricants
	Cement and cement bags
	Road lime and lime bags
	Flammable materials
	Gas bottles
ANY OTHER DANGEROUS ACTIVITIES IDENTIFIED BY THE CONTRACTOR	
To be added by the Contractor at tender stage	a)
	b)
	c)

Annex A: ACSA Construction Environment Management Plan – EMS 050


1. Background

The purpose of this Environmental Management Plan (EMP) is to co-ordinate mitigation, rehabilitation, and monitoring measures of construction projects at ACSA airports such that environmental pollution and risks are minimized as far as possible.

This EMP is provided to contractors at the tender stage to ensure all costs associated with this EMP can be appropriately costed.

2. Organisational Structure

It is essential that an organisational structure is established early in the construction phase of the project and that all parties concerned accept the structure. This identifies the responsibilities and the authority of the ACSA Project Leader, Consulting Joint Monitoring Team, Principal Contractor & Design Team, Sub Consultants and sub-contractors.



2.1 ACSA Project Leader

This is an ACSA employee ultimately responsible for the overall success of a project. This person could be within the Commercial, Maintenance & Engineering, Projects or Airport Planning Department.

2.2 Project Manager (PM)

The PM is responsible for ensuring that on-site activities are undertaken in accordance with the requirements of the EMP. The PM will thus need to ensure that:

- This EMP is included in the contracted agreements issued to the contractor(s)
- Environmental Method statements requested by ACSA's AEMR are provided prior to construction
- Corrective action is implemented as required
- Appropriate records and information regarding compliance with the EMP requirements are maintained and made available to the AEMR
- Instructions as required by the AEMR are issued to the relevant contractor

2.3 Contractor

- The Contractor shall ensure that all employees, sub-contractors, suppliers, etc. are fully aware of and comply with the environmental issues and requirements detailed in this EMP
- The Contractor shall liaise closely with their Environmental Responsible Person and PM and will ensure that works on site are conducted in accordance with this EMP
- The Contractor is to have a copy of the EMP on site and be familiar with its contents
- The Contractor must ensure that all employees (permanent and temporary) and all sub-contractors that work on the site for longer than two days, receive Environmental Awareness Training prior to commencing work on site
- The Contractor shall appoint an Environmental Responsible Person in writing, and will forward this appointment to ACSA's AEMR
- Prior to construction commencement, the Contractor shall draft and submit written environmental method statements to ACSA's AEMR for approval, covering those activities which are identified (in this document and/or by the AEMR), as being potentially harmful to the environment

Environmental Method Statements indicate how compliance shall be achieved and environmental risk will be mitigated. The environmental method statement shall state clearly:

- Timing of activities
- Materials to be used
- Equipment and staffing requirements
- The proposed construction procedure designed to implement the relevant environmental specifications
- The system to be implemented to ensure compliance with the above; and
- Other information deemed necessary by the AEMR and Environmental Responsible Person.

Method statements shall be submitted at least five working days prior to expected commencement of work on an activity, to allow the AEMR time to study and approve the method statement. The contractor shall not commence work on that activity until such time as the method statement has been approved in writing by the AEMR.

Due to changing circumstances, it may be necessary to modify method statements. In such cases, the proposed modifications must be indicated and agreed upon in writing between the AEMR and Environmental Responsible Person. The AEMR and Environmental Responsible Person must retain records of any amendments and ensure that the most current version of any method statement is being used.

2.4 Contractor's Environmental Responsible Person

The Contractor shall appoint / designate an environmental responsible person to liaise with ACSA's AEMR and ensure that the requirements set out in this EMP are implemented. The Environmental Responsible Person shall:

- Develop a system to ensure that the EMP and Environmental Method Statements are effectively implemented;
- Audit this system so that he/she can demonstrate to the AEMR that the EMP and Environmental Method Statements are being effectively implemented;
- Ensure that Contractors staff, sub-contractors, suppliers etc. are aware of their requirements in terms of the EMP and that they adhere to the EMP.
- Ensure that responsible persons for sub-contractors or sub-contractors are designated to carry out the requirements of the EMP and Environmental Method Statements;
- Have sufficient authority to issue site instructions to the Contractors staff on their site.
- Ensure that the Contractor and his Subcontractors and his employees have received the appropriate environmental awareness training before commencing on site.
- Meet with the Contractor to discuss the implementation of and non-conformances with this document.

- Identify appropriate corrective action if non-compliance occurs or unforeseen environmental issues arise that require environmental management action.
- Keep a register of major incidents (spills, injuries, complaints, legal transgressions, etc.) and other documentation related to the EMP.
- Issue stop orders when required.
- Report to ACSA's AEMR any problems (or complaints) related to conformance with this document which cannot first be resolved in co-operation with the Contractor and/or his Subcontractors.
- Assist in finding environmentally acceptable solutions to construction problems.

2.5 ACSA's AEMR shall:

- Request, review and approve environmental method statements from the Contractor.
- Undertake regular inspections (at least monthly, and more frequently at the AEMR's discretion) of the site in order to check for compliance with method statements as well as specifications outlined in this EMP.
- Provide an audit report to the ACSA Project Leader.

3. Environmental Specifications

3.1 Location of camp and depot

- The Contractor's Camp and Materials Storage Area shall be located at a position approved by the AEMR. No site staff other than security personnel shall be housed on site.
- The Contractor shall provide water and/or washing facilities at the Contractor's Camp for personnel.
- The Contractor's Camp and Materials Storage Area shall be kept neat and tidy and free of litter.

3.2 Demarcation of the site & access

It is important that activities are conducted within a limited area to facilitate control and to minimise the impact on the existing natural environment, existing tenants, and other construction activities in the vicinity and public thoroughfares.

The Contractor shall demarcate the boundaries of the site in order to restrict his construction activities to the site. The Contractor shall ensure that all his plant, labour and materials remain within the boundaries of the site. Failure to do so may result in the Contractor being required to fence the boundaries of the site at his own expense to the satisfaction of the AEMR.

Security and access to the site must be controlled at all times.

3.3 Traffic control & safety

Traffic control and safety shall be done in accordance with the South African Traffic Safety Manual, with the relevant signs, flagmen, barriers, etc. being provided at the various access points. Traffic control shall be done in co-operation with local traffic officials. All laws and regulations applicable on the public road system are enforceable on the construction site. Due to the activities involved in the construction phase, trucks and other related vehicles will be using the roads leading to the site. These vehicles will need to be roadworthy and abide by the speed limits. The Environmental Management Plan for the construction phase should monitor the impact on current traffic by additional construction vehicles to ensure noise, safety and dust issues are kept to a minimum.

3.4 Ablution facilities

The Contractor shall provide the necessary ablution facilities for all his personnel.

Chemical toilets shall be provided, with a minimum of one toilet per 15 persons. Toilets shall be easily accessible and shall be transportable. The toilets shall be secured to prevent them from blowing over, and shall be provided with an external closing mechanism to prevent toilet paper from being blown out. Toilet paper dispensers shall be provided in all toilets. Toilets shall be cleaned and serviced regularly by a reputable toilet servicing company. Toilets shall be emptied before long weekends and builders' holidays.

The Contractor shall ensure that chemicals and/or waste from toilet cleaning operations are not spilled on the ground at any time. Should there be repeated spillage of chemicals and/or waste (i.e. more than three incidents), the Contractor shall be required to place the toilets on a solid base with a sump at his own expense. Accumulations of chemicals and waste will have to be removed from the site and disposed at an approved waste disposal site or sewage plant.

Abluting anywhere other than in the toilets shall not be permitted. Repeated use of the veld or other areas for ablution purposes (i.e. more than three incidents) may result in the guilty party being given a spot fine. The Contractor shall also be responsible for cleaning up any waste deposited by his personnel.

3.5 Domestic waste water

Wastewater from any other ablution or kitchen facilities on site shall be discharged into a suitable conservancy tank. The Contractor shall be responsible for ensuring that the system continues to operate effectively throughout the project and that the conservancy tank is emptied as required during the project. The Contractor shall employ a suitable qualified sub-contractor or the local authority to empty the conservancy tank.

3.6 Environmental training

According to the National Environmental Management Act (107 of 1998), any costs incurred to remedy environmental damage shall be borne by the person responsible for that damage; it is therefore critical that the contractors read and understand the requirements of this document and any succeeding documents pertaining to environmental requirements before construction commences. It is a requirement of the act that everyone takes reasonable measures to ensure that they do not pollute the environment. Reasonable measures include informing and educating employees about the environmental risks of their work and training them to operate in an environmentally acceptable manner.

Training is fundamental to the successful implementation of the EMP. All personnel whose work may result in an impact on the environment must receive appropriate training in the environmental procedures to be followed. In this regard, the following must be fulfilled:

- All personnel working on the construction site must attend an environmental awareness training workshop conducted by the Environmental Responsible Person prior to commencing work on site. The purpose of the workshop is to provide staff with the information they require to enable them to meet the requirements of the EMP. The Environmental Responsible Person may call upon the services of a specialist environmental education translator should this be required. Contractors, sub-contractors and all their staff must attend.
- The Environmental Responsible Person shall keep a register of all personnel attending the environmental awareness training workshops; attendance records must be filed and available on site.
- All staff must be trained in emergency response procedures; attendance records must be filed and available on site.
- Environmental awareness posters are to be displayed on site. Environmental 'do's and don'ts' must be clearly illustrated. The posters shall use pictures to convey the intended message and any explanatory text will be in English and the local dialect.

3.7 Solid waste management

- Solid waste includes construction debris (e.g. packaging materials, timber, cans etc.) waste and surplus food, food packaging etc.
- The Contractor shall institute an on-site waste management system that is acceptable to the AEMR in order to prevent the spread of refuse within and beyond the site. The Contractor is reminded that wind velocities on the construction site can be extremely high.
- All waste shall be collected and contained immediately. The Contractor shall institute a weekly clean-up of the site. This daily/weekly clean up shall be for the Contractor's account.
- The Contractor shall not dispose of any waste and/or construction debris by burning or burying. The use of waste bins and skips is essential. The bins shall be provided with lids and an external closing mechanism to prevent their contents from blowing out. The Contractor shall ensure that all waste is deposited by his employees in the waste bins for removal by the Contractor. Bins shall not be used for any purposes other than waste collection and shall be emptied on a regular basis. All waste shall be disposed of off-site at approved landfill sites.

Waste generated at the construction camps shall be separated into recyclable and non-recyclable waste, and shall be separated as follows:

- Hazardous waste (including used oil, diesel, petrol tins, paint, bitumen, etc.);
- Recyclable waste (paper, tins, glass);
- General waste; and
- Reusable construction material

Recyclable waste shall be deposited in separate skips/bins and removed off site for recycling. The Contractor may wish to enter into an agreement with the surrounding communities and/or his staff with regard to the collection and sale of recyclable and reusable materials.

Hazardous waste, including waste oil and other chemicals (e.g. paints, solvents) shall be stored in (an) enclosed area(s), and shall be clearly marked. If deemed necessary by the Environmental Responsible Person, the Contractor shall obtain the advice of a specialist waste expert concerning the storage of hazardous waste. Such waste shall be disposed of off-site by a specialist waste contractor, at a licensed hazardous waste disposal site. The Contractor shall keep documentary proof of the safe disposal of all waste, which will be available for audit at all times and will also include the waste type and volume.

The Contractor is advised that spot fines for littering have been included in this document. Offenders found littering will be liable for the spot fine.

3.8 Protection of fauna and flora

All fauna and flora (unless alien) within and around the site shall be protected. Birds and animals shall not be caught or killed by any means, including poisoning, trapping, shooting or setting of snares.

3.9 Protection of archaeological and palaeontological sites

If any possible palaeontological/archaeological material is found during excavations, the Contractor shall stop work immediately and inform the AEMR. The AEMR will inform the South African Heritage Resource Agency (SAHRA) and arrange for a palaeontologist/archaeologist to inspect, and if necessary excavate, the material, subject to acquiring the requisite permits.

3.10 Water pollution prevention & management

The Contractor shall prevent pollution of surface or underground water and shall comply with the Water Act, 36 of 1998, and any other national, provincial and local legislation regarding the prevention of water pollution, including the pollution of groundwater and any wetland on site.

The Contractor must ensure that all reasonable precautions are taken to prevent the pollution of the ground and water resources as a result of site activities. Ground contamination may hinder or prevent the re-

establishment of natural vegetation. The Contractor shall keep the necessary materials and equipment on site to deal with ground spills of any of the materials used or stored on site.

The Contractor shall ensure that no oil, petrol, diesel, etc. is discharged onto the ground. Pumps and other machinery requiring oil, diesel, etc. that is to remain in one position for longer than two days shall be placed on drip trays. The drip trays shall be emptied regularly and the contaminated water disposed of off-site at a facility capable of handling such wastewater. Drip trays shall be cleaned before any possible rain events that may result in the drip trays overflowing, and before long week-ends and holidays.

Stormwater and/or groundwater may accumulate on site during the construction period and there is the potential for this water to be contaminated as a result of construction procedures. The Contractor shall ensure that this water does not become contaminated. Contaminated water (eg. cement washings, waste water from ablution or kitchen facilities etc.) shall be collected in a conservancy tank, removed from the site and disposed of in a manner approved by the AEMR.

3.11 Stormwater control

Contractors shall take reasonable measures to prevent erosion resulting from a diversion, restriction or increase in the flow of stormwater caused by the presence of their works, operations and activities. Any stormwater collected in bunded areas containing oils, fuels, chemicals or other potentially polluting substances shall be pumped out of the bund, collected in a suitable container and removed from the site for appropriate disposal.

Contractors shall provide adequate control measures to prevent stormwater damage and erosion during construction. Control measures should include the control by sumps and adequate pumping of water ingress into trenches below the water table. Stormwater should also be directed into attenuation ponds wherever possible. All methods of stormwater control during the construction phase are to be agreed and approved by the AEMR.

Berms and existing stormwater drainage systems shall be used to prevent surface run-off from entering site excavations.

3.12 Water resource management

Water is a scarce resource and shall be conserved wherever possible. The Contractor shall not waste water (e.g. water areas excessively etc.). All leaking water pipes are to be repaired or replaced immediately. The Contractor shall provide all drinking water and water for construction purposes. Water shall not be used unnecessarily.

3.13 Pollution prevention and remediation

The Contractor must ensure that all reasonable precautions are taken to prevent the pollution of the ground and water resources as a result of site activities. Pollution could result from the release, accidental or otherwise, of contaminated runoff from construction camps, discharge of contaminated construction water, chemicals, oils, fuels, sewage, run off from stockpiles, solid waste, litter, etc.

The first activity to be undertaken once a spill occurs is to terminate the source of the spill and contain the polluted area.

All fuel, oil or hydraulic fluid spills are to be reported to the Project Manager/ Engineer, Environmental Responsible Person and AEMR so that appropriate clean-up measures can be implemented.

The Contractor shall keep the necessary materials and equipment on site to deal with ground spills of any of the materials used or stored on site. Sufficient quantities of suitable hydrocarbon absorbent or remediation materials must be present on site at all times. Absorbent “spill-mop-up” products need to be on hand – Enretech, Spillsorb or Drizit type products should be investigated for these purposes.

Concrete-mixing equipment (mixers and the like) shall not be discharged overland. Such water shall be collected in a conservancy tank, removed from the site and disposed of in the correct manner. The Contractor may consider reusing such water for washing other concrete equipment to minimise the amount required to be removed off site.

The Contractor is advised that cement and concrete are regarded as highly hazardous to the natural environment on account of the very high pH of the material, and the chemicals contained therein. Therefore, the Contractor shall ensure that:

- concrete is mixed on mortar boards, and not directly on the ground;
- the visible remains of concrete, either solid, or from washings, are physically removed immediately and disposed of as waste. Washing the visible signs into the ground is not acceptable; and
- all aggregate is also removed.

Trucks delivering concrete shall not wash the trucks or the chutes on the site. All washing operations shall take place off site at a location where wastewater can be disposed of in the correct manner.

3.14 Servicing/fuelling of construction equipment

Servicing and fuelling should preferably occur off site.

However, if these activities occur on site, the Contractor shall ensure that all servicing of vehicles and equipment takes place in designated areas agreed upon by the AEMR. All waste shall be collected and disposed of off-site at an appropriately licensed landfill site. All equipment that leaks onto the ground shall be repaired immediately or removed.

Similarly, no vehicles or machines shall be refuelled on site except at designated refuelling locations, unless otherwise agreed with the AEMR. The Contractor shall not change oil or lubricants anywhere on site except at designated locations, except if there is a breakdown or an emergency repair. In such instances, the Contractor shall ensure that he has Drizit pads (or equivalent) and/or drip trays available to collect any oil, fluid, etc.

3.15 Fuels and Chemicals

The Contractor shall take all reasonable precautions to prevent the pollution of the ground and/or water resources by fuels and chemicals as a result of his activities.

The Contractor shall keep the necessary materials and equipment on site to deal with ground spills of any of the materials used or stored on site.

The Contractor shall ensure that no oil, petrol, diesel, etc. is discharged onto the ground. Pumps and other machinery requiring oil, diesel, etc. that is to remain in one position for longer than two days shall be placed on drip trays. The drip trays shall be emptied regularly and the contaminated water disposed of off-site at a facility capable of handling such wastewater. Drip trays shall be cleaned before any possible rain events that may result in the drip trays overflowing, and before long week-ends and holidays.

The Contractor shall remove all oil-, petrol-, and diesel-soaked sand immediately and shall dispose of it as hazardous waste.

Should the Environmental Responsible Person/AEMR and/or the relevant authorities deem it necessary to institute a programme for the removal of contaminated ground resulting from the non-compliance of the controls detailed above, these costs will be for the Contractor's account. Remedial action shall be approved by the AEMR and relevant authorities, if appropriate.

3.16 Fuel & Hazardous Materials Storage

Contractors shall identify fuels and hazardous substances to be stored on the site and shall ensure that they know the effects of these substances on their staff and the environment. The Environmental Responsible Person shall keep a copy of a fuels and hazardous substance inventory which shall be available on site.

Contractors shall ensure that the quantities of fuels and chemicals on site are appropriate to the requirements and are stored and handled so as to avoid the risk of spillage. All fuels, oils and chemicals shall be confined to a specific and secured area. These materials shall be stored in an area with a concrete or other impervious base, which is adequately bunded. The volume of the bund shall be two times the volume of the containers stored. Gas and fuel should not be stored in the same storage area, and any generators used on the site should also be placed on a bunded surface.

The Contractor shall be responsible for securing any permits / certificates that may be required in respect of fuel storage from the local authorities.

In addition, the following must be implemented:

- All fuel stores must be equipped with a fire extinguisher;
- Materials Safety Data Sheets must be available on site and filed accordingly.
- No vehicle servicing may take place on the site. Servicing of equipment that uses hydrocarbon fuels, oils, lubricants and other hazardous chemicals may only take place in the site camp under conditions approved by the AEMR;
- All fuels are to be stored within a lined / demarcated area in the Site Camp. No refuelling is to take place outside of this demarcated area unless authorised by the Environmental Responsible Person. Note that filling machinery in the field (on site) from canisters should be cleared with the Environmental Responsible Person and both a "no leak" funnel / pump and one of the above mentioned absorption products must be on hand in the event of such refuelling taking place.

3.17 Dust control

The Contractor shall be responsible for the continued control of dust arising from his operations, through measures including, but not limited to, spraying of water on bare areas, rotovating straw bales into the soil surface and the scheduling of dust-generating activities to times when wind velocity is low. Overhead sprayers shall not be used in windy conditions, because too much water will be lost to evaporation. The use of water carts is preferred.

3.18 Noise control

The Contractor shall take all reasonable precautions to minimise noise generated on site as a result of his operations, especially when working in areas or on activities that may impact on neighbouring land users.

The Contractor shall comply with the applicable regulations with regard to noise.

The Environmental Responsible Person and/or AEMR may inform adjacent land users, tenants and communities about the possibility of noise pollution and the approximate duration of the problem.

3.19 Emergency procedures

The Contractor shall ensure that emergency procedures are set up prior to commencing work. Emergency procedures shall include, but are not limited to, fire, spills, contamination of the ground, accidents to employees, use of hazardous substances, etc. Emergency procedures, including responsible personnel, contact details of emergency services, etc. shall be made available to all the relevant personnel and shall be clearly demarcated at the relevant locations around the site.

The Environmental Responsible Person shall advise the Contractor, PM and AEMR of any emergencies on site, together with a record of action taken.

3.19.1 Fires

The Contractor shall take all the necessary precautions to ensure that fires are not started as a result of his activities on site, and shall also comply with the requirements of the Occupational Health and Safety Act 85 of 1993.

No open fires shall be permitted on or off site. Closed fires or stoves shall only be permitted at designated safe sites in the construction camps. Fires shall also not be permitted near any potential sources of combustion, such as fuel stores, stockpiles of plant material etc.

The Contractor is advised that sparks generated during welding, cutting of metal or gas cutting can cause fires. Every possible precaution shall therefore be taken when working with this equipment near potential sources of combustion. Such precautions include having an approved fire extinguisher immediately available at the site of any such activities.

The Contractor shall be liable for any expenses incurred by any organisations called to assist with fighting fires, and for any costs relating to the rehabilitation of burnt areas.

No smoking will be permitted on the site except for within a designated area in the site camp. Suitable firefighting equipment must be readily available in this area.

The Contractor must ensure that the contact details of the nearest Fire Department are displayed on site (together with other emergency services) and that all persons involved with the project know the location of these numbers on site.

4. Site clearance and rehabilitation

4.1 Removal of topsoil

Following removal of vegetation from the site, all topsoil shall be removed (up to a maximum of 30 cm depth) and stockpiled for re-use in subsequent rehabilitation and landscaping activities. The stockpiles shall not be higher than 2 m in order to minimise composting. The stockpiles of topsoil shall be located in an area agreed with the AEMR.

4.2 Stabilisation of steep slopes

The disturbance of steep slopes, for example by the removal of vegetation, may result in slope instability and erosion by rain and surface run off. The Contractor shall ensure that slopes that are disturbed during construction are stabilised to prevent erosion occurring. Any erosion that does occur must be reinstated at the Contractor's cost.

4.3 Rehabilitation

The Contractor shall be responsible for rehabilitating any areas cleared or disturbed for construction purposes that are to be incorporated into open space or buffer zones, as well as all spoiling. The Contractor shall revegetate such areas in accordance with the specification provided below.

The Contractor shall stabilise, by straw rotovation or other, any areas that are cleared or disturbed for construction purposes which are not going to be incorporated into open space or buffer zones (i.e. areas that will be subsequently developed by another party).

All construction equipment and excess aggregate, gravel, stone, concrete, bricks, temporary fencing and the like shall be removed from the site upon completion of the work. No discarded materials of whatsoever nature shall be buried on the site or on any other land not owned by ACSA.

4.4 Landscaping and preparation for re-vegetation

Areas that require reshaping shall be cut, filled and compacted so as to follow the contours of the surrounding landscape. Topsoil removed from the area initially shall be replaced. Care must be taken not to mix the topsoil with the subsoil during shaping operations. Should a crust form on the soil before revegetation is commenced, the Contractor shall, at his own cost, loosen the crust by scarifying to a depth of 150 mm.

5. Management and monitoring

This section focuses on the systems and procedures required to ensure that the environmental specifications are effectively implemented. Emphasis is on monitoring and penalties, aimed at ensuring compliance with this document.

5.1 General inspection monitoring and reporting

The Environmental Responsible Person shall:

- Inspect the site on a daily basis to ensure that the environmental specifications are adhered to.
- Maintain a record of major incidents (spills, impacts, complaints, legal transgressions etc.) as well as corrective and preventive actions taken.
- Conduct regular internal audits (at least weekly) to ensure that the system for implementation of the EMP is operating effectively and keep records of these audits.
- Conduct monthly meetings for the duration of the project. These will be attended by the Environmental Responsible Person, Contractors Resident Engineers and sub-contractor representatives, and will be minuted and available for audit. The agenda will cover compliance with the EMP and environmental method statements, results of audits, non-compliances and corrective and preventative actions with agreed dates, and environmental queries.

5.2 Penalties

Penalties may be imposed by the AEMR on Contractors who are found to be infringing these specifications. The Contractor shall be advised in writing of the nature of the infringement and the amount of the penalty. The Contractor shall determine how to recover the fine from the relevant employee and/or sub-contractor. The Contractor shall also take the necessary steps (e.g. training) to prevent a recurrence of the infringement and shall advise the AEMR accordingly.

The Contractor is also advised that the imposition of penalties does not replace any legal proceedings the Council, authorities, land owners and/or members of the public may institute against the Contractor.

Penalties may range between R200.00 and R20, 000.00, depending upon the severity of the infringement. The decision on how much to impose will be made by the AEMR and will be final. In addition to the penalty, the Contractor shall be required to make good any damage caused as a result of the infringement at his own expense.

A preliminary list of infringements for which penalties will be imposed is as follows:

- Moving outside the demarcated site boundaries;
- Littering of the site and surrounds;
- Burying waste on site and surrounds;
- Smoking in the vicinity of fuel storage and filling areas and in any other areas where flammable materials are stored/used;
- Making fires outside designated areas;
- Defacement of natural features;
- Spillage onto the ground of oil, diesel, etc.;
- Picking/damaging plant material;
- Damaging/killing wild animals; and
- Additional fines as determined by the AEMR and added to this list.

The AEMR may also order the Contractor via the ACSA Project Leader to suspend part or all the works if the Contractor repeatedly causes damage to the environment by not adhering to the EMP. The suspension will be enforced until the offending actions, procedure or equipment is corrected. No extension of time will be granted for such delays and all costs will be borne by the Contractor.

Annex B: POPIA

CONFIDENTIALITY AND DATA PROTECTION

Save as provided in this clause (*Confidentiality and Data Protection*), each Party shall, and shall procure that its Affiliate and their respective officers, directors, employees, agents, auditors and advisors shall, treat as confidential all information relating to the other Party or its Affiliates thereof or relating to their respective businesses that is of a confidential nature and which is obtained by that Party in terms of, or arising from the implementation of this Agreement, which may become known to it by virtue of being a Party, and shall not reveal, disclose or authorise the disclosure of any such information to any third party or use such information for its own purpose or for any purposes other than those related to the implementation of this Agreement.

The obligations of confidentiality in this clause shall not apply in respect of the disclosure or use of such information in the following circumstances:

in respect of any information which is previously known by such Party (other than as a result of any breach or default by any Party or other person of any agreement by which such Confidential Information was obtained by such Party);

in respect of any information which is in the public domain (other than as a result of any breach or default by either Party);

any disclosure to either Party's professional advisors, executive staff, board of directors or similar governing body who (i) such Party believes have a need to know such information, and (ii) are notified of the confidential nature of such information and are bound by a general duty of confidentiality in respect thereof materially similar to that set out herein;

any disclosure required by law or by any court of competent jurisdiction or by any regulatory authority or by the rules or regulations of any stock exchange;

any disclosure made by a Party made in accordance with that Party's pursuit of any legal remedy;

any disclosure by a Party to its shareholders or members pursuant to any reporting obligations that Party may have to its shareholders or members, provided that each such shareholder or member is notified of the confidential nature of such information and is bound by a general duty of confidentiality in respect thereof materially similar to that set out herein;

In the event that a Party is required to disclose confidential information as contemplated in this clause, such Party will:

advise any Party/ies in respect of whom such information relates (the "**Relevant Party/ies**") in writing prior to disclosure, if possible;

take such steps to limit the disclosure to the minimum extent required to satisfy such requirement and to the extent that it lawfully and reasonably can;

afford the Relevant Party/ies a reasonable opportunity, if possible, to intervene in the proceedings;

comply with the Relevant Party/ies' reasonable requests as to the manner and terms of such disclosure; and

notify the Relevant Party/ies of the recipient of, and the form and extent of, any such disclosure or announcement immediately after it was made.

Either Party may, by notice in writing, be entitled to demand the prompt return of the whole or any part of any confidential information supplied by it to the other Party, and each Party hereby undertakes to comply promptly with any such demand.

In line with the provisions of Protection of Personal Information Act, No 4 of 2013 (POPIA), particularly section 20 and 21, the service provider (referred to as Operator in POPIA) shall observe the following principles when processing personal information on behalf of the Company (referred to as Responsible Party in POPIA):

the Service Provider shall only act on the Company's documented instructions, unless required by law to act without such instructions;

the Service Provider shall ensure that its representatives processing the information are subject to a duty of confidence;

the Service Provider shall take appropriate measures to ensure the security of processing. The Service Provider shall ensure and hereby warrants that they have minimum IT and or physical security safeguard to protect personal information;

the Service Provider shall notify the Company immediately where there are reasonable grounds to believe that the personal information of a data subject has been accessed or acquired by any unauthorised person;

the Service Provider shall only engage a sub-operator with the Company's prior authorisation and under a written contract;

the Service Provider shall take appropriate measures to help the Company respond to requests from data subjects to exercise their rights;

taking into account the nature of processing and the information available, the Service Provider shall assist the Company in meeting its POPIA obligations in relation to the security of processing, the notification of personal information breaches and data protection impact assessments;

the Service Provider shall delete or return all personal information to the Company (at the Company's choice) at the end of the contract, and the service provider shall also delete existing personal information unless the law requires its storage; and

the Service Provider shall submit to audits and inspections. The Service Provider shall also give the Company whatever information it needs to ensure that the Parties meet their Section 20(1) obligations.

