

## Business Management System

Supply Chain Management

Warehouse

Plumbing BOQ Three

Material	Short Text	Purchase Order Text	Requested Quantity	UMC
0667446	HOSE:HAND SHOWER;ID 6-8 MM;OD 15 MM	HOSE: TYPE: HAND SHOWER; INSIDE DIAMETER: 6-8 MM; OUTSIDE DIAMETER: 15 MM; LENGTH: 1.25 M; MATERIAL: FLEXI STEEL	2396	EA
0667365	JUNCTION:ACCESS Y-JUNCTION;110 MM	JUNCTION: TYPE: ACCESS Y- JUNCTION; RATING: 110 MM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	1597	EA
0548216	KIT:PISTON REPAIR;URINALS;C-FJ8.11	KIT: TYPE: PISTON REPAIR; APPLICATION: URINALS; REFERENCE NO: C-FJ8.11; FLUSHMASTER JUNIOR	3195	EA
0600071	KIT:PUSH BUTTON ASSY;UNIRALS;C-FJ8.20	KIT: TYPE: PUSH BUTTON ASSY; APPLICATION: UNIRALS; REFERENCE NO: C-FJ8.20; FLUSHMASTER JUNIOR	21083	EA

### Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

## Business Management System

Supply Chain Management

Plumbing BOQ Three

0547034	LOCK:GOWER 3 LEVER;153 X 41 MM;CR SATIN	LOCK: TYPE: GOWER 3 LEVER; DIMENSIONS: 153 X 41 MM; MATERIAL: CR SATIN; COLOR: SILVER; SPECIFICATION: SABS APPROVED; MANUF P/N: C26822452CH	5564	EA
0545277	LOCK:UNION 3 LEVER;SS;SILVER	LOCK: TYPE: UNION 3 LEVER; DIMENSIONS: WD 75 X LG 100 X THK 14 MM; MATERIAL: STAINLESS STEEL; COLOR: SILVER; SPECIFICATION: SABS APPROVED; MANUF P/N: 2252-76SS; LOCK ONLY	2396	EA
0667542	NIPPLE:PLUMBING;ID 15 MM;LG 25 MM	NIPPLE: TYPE: PLUMBING; INSIDE DIAMETER: 15 MM; LENGTH: 25 MM; MATERIAL: GALVANIZED; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	1597	EA
0669211	PIPE NON MTLC:110 MM;PVC;LG 6 M;2.5 MM	PIPE, NON METALLIC: NOMINAL PIPE SIZE DESIGNATION: 110 MM; MATERIAL: PVC; LENGTH: 6 M; WALL THICKNESS: 2.5 MM; TYPE: WASTE	1597	M
0669212	PIPE NON MTLC:15 MM;PLASTIC HD;LG 50 M	PIPE, NON METALLIC: NOMINAL PIPE SIZE DESIGNATION: 15 MM; MATERIAL: PLASTIC HD; LENGTH: 50 M; WALL THICKNESS: 2 MM	3195	M

**Controlled Disclosure**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

0669210	PIPE NON MTLC:15 MM;POLYPROPYLENE;TUBE	PIPE, NON METALLIC: NOMINAL PIPE SIZE DESIGNATION: 15 MM; MATERIAL: POLYPROPYLENE; LENGTH: 100 M; WALL THICKNESS: 2.1 MM; CONSTRUCTION: TUBE; TYPE: POLYCOP	3195	M
0667546	PIPE:ID 15 MM;LG 6 M;COPPER	PIPE: INSIDE DIAMETER: 15 MM; LENGTH: 6 M; MATERIAL: COPPER	3195	EA
0667547	PIPE:ID 22 MM;LG 6 M;COPPER	PIPE: INSIDE DIAMETER: 22 MM; LENGTH: 6 M; MATERIAL: COPPER	1597	EA
0667540	PLUG:HOLLOW;15 MM;GALVANIZED;PLUMBING	PLUG: TYPE: HOLLOW; SIZE: 15 MM; MATERIAL: GALVANIZED; APPLICATION: PLUMBING	1597	EA
0667541	PLUG:HOLLOW;22 MM;GALVANIZED;PLUMBING	PLUG: TYPE: HOLLOW; SIZE: 22 MM; MATERIAL: GALVANIZED; APPLICATION: PLUMBING	3195	EA

**Controlled Disclosure**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

0667354	REDUCER:CONEX;22 TO 15 MM;SCREW IN;BRASS	REDUCER: TYPE: CONEX; NOMINAL SIZE: 22 TO 15 MM; CONNECTION: SCREW IN; MATERIAL: BRASS; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	3195	EA
0667317	REDUCER:ECCENTRIC;50 TO 40 MM;GLUE ON	REDUCER: TYPE: ECCENTRIC; NOMINAL SIZE: 50 TO 40 MM; CONNECTION: GLUE ON; MATERIAL: PVC; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	3195	EA
0667316	REDUCER:PIPE;22 TO 15 MM;WELD ON;BRASS	REDUCER: TYPE: PIPE; NOMINAL SIZE: 22 TO 15 MM; CONNECTION: WELD ON; MATERIAL: BRASS; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	3195	EA

**Controlled Disclosure**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

0667355	REDUCER:PLUMBING;35 TO 15 MM;WELD ON	REDUCER: TYPE: PLUMBING; NOMINAL SIZE: 35 TO 15 MM; CONNECTION: WELD ON; MATERIAL: COPPER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	3195	EA
0669213	RING:COMPRESSION;ID 22 MM;OD 23.5 MM	RING: TYPE: COMPRESSION; INSIDE DIAMETER: 22 MM; OUTSIDE DIAMETER: 23.5 MM; WIDTH: 6 MM; MATERIAL: COPPER	3195	EA
0667545	RING:PLUMBING;ID 19 MM;OD 21 MM;WD 8 MM	RING: TYPE: PLUMBING; INSIDE DIAMETER: 19 MM; OUTSIDE DIAMETER: 21 MM; WIDTH: 8 MM; MATERIAL: BRASS	3195	EA
0667344	RING:PLUMBING;ID 26 MM;OD 28 MM;WD 8 MM	RING: TYPE: PLUMBING; INSIDE DIAMETER: 26 MM; OUTSIDE DIAMETER: 28 MM; WIDTH: 8 MM; MATERIAL: BRASS	6388	EA
0545540	ROLLER PAINT:EEZYPILE;WD 100 MM	ROLLER, PAINT: TYPE: EEZYPILE; WIDTH: 100 MM; HANDLE MATERIAL: STEEL AND PLASTIC; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION	958	EA

**Controlled Disclosure**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

		NUMBER (IF APPLICABLE).		
0546152	ROLLER PAINT:EEZYPIL;WD 225 MM	ROLLER, PAINT: TYPE: EEZYPIL; WIDTH: 225 MM; HANDLE MATERIAL: STEEL AND PLASTIC; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	1117	EA
0544877	ROLLER PAINT:MOHAIR;WD 225 MM	ROLLER, PAINT: TYPE: MOHAIR; WIDTH: 225 MM; HANDLE MATERIAL: STEEL AND PLASTIC; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	1278	EA
0546462	ROLLER PAINT:SHEEP SKIN;WD 225 MM	ROLLER, PAINT: TYPE: SHEEP SKIN; WIDTH: 225 MM; HANDLE MATERIAL: STEEL AND PLASTIC; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	1917	EA

**Controlled Disclosure**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

0546755	ROLLER:PAINT REFILL;MOHAIR 2	ROLLER: TYPE: PAINT REFILL; MATERIAL: MOHAIR 2	958	EA
0667342	SADDLE PIPE:15 MM;COPPER	SADDLE, PIPE: NOMINAL SIZE: 15 MM; MATERIAL: COPPER	6388	EA
0667343	SADDLE PIPE:22 MM;COPPER	SADDLE, PIPE: NOMINAL SIZE: 22 MM; MATERIAL: COPPER	3195	EA
0548662	SADDLE PIPE:25 MM;GALV;WD 22 MM;LG 89 MM	SADDLE, PIPE: NOMINAL SIZE: 25 MM; MATERIAL: GALV; WIDTH: 22 MM; LENGTH: 89 MM; C/W BAR	799	EA
0667370	SEAL:PAN RING;110 MM;WAX	SEAL: TYPE: PAN RING; DIMENSIONS: 110 MM; MATERIAL: WAX	3195	EA
0667368	SEALANT:FIX-ALL;PLASTIC ROUND TUBE	SEALANT: TYPE: FIX-ALL; CONTAINER: PLASTIC ROUND TUBE; MATERIAL: SILICON; COLOR: WHITE	3195	EA

**Controlled Disclosure**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

0667369	SEALANT:MARINE;PLASTIC ROUND TUBE;CLEAR	SEALANT: TYPE: MARINE; CONTAINER: PLASTIC ROUND TUBE; MATERIAL: SILICON, WATERPROOF; COLOR: CLEAR	3195	EA
0667388	SOCKET:SINGLE; MALE ADAPTOR;50 MM;PVC	SOCKET: TYPE: SINGLE; MALE ADAPTOR; SIZE: 50 MM; MATERIAL: PVC	2396	EA
0667318	STOP:CONEX END;WD 25 X LG 22 MM;PVC	STOP: TYPE: CONEX END; DIMENSIONS: WD 25 X LG 22 MM; MATERIAL: PVC; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	2396	EA
0667326	STOP:CONEX END;WD 32 X LG 20 MM;PVC	STOP: TYPE: CONEX END; DIMENSIONS: WD 32 X LG 20 MM; MATERIAL: PVC; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	1597	EA
0667249	TEE PIPE:15 X 15 X 15 MM;SCREW IN CONEX	TEE, PIPE: SIZE: 15 X 15 X 15 MM; CONNECTION: SCREW IN CONEX; MATERIAL: BRASS	6388	EA

**Controlled Disclosure**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

0667328	TEE PIPE:22 X 22 X 15 MM;CONEX SCREW IN	TEE, PIPE: SIZE: 22 X 22 X 15 MM; CONNECTION: CONEX SCREW IN; MATERIAL: BRASS	6388	EA
0667327	TEE PIPE:22 X 22 X 22 MM;CONEX SCREW IN	TEE, PIPE: SIZE: 22 X 22 X 22 MM; CONNECTION: CONEX SCREW IN; MATERIAL: BRASS	4792	EA
0667353	TEE PIPE:22 X 22 X 22 MM;MALE SCREW IN	TEE, PIPE: SIZE: 22 X 22 X 22 MM; CONNECTION: MALE SCREW IN; MATERIAL: GALVANIZED	4792	EA
0667389	TEE PIPE:50 X 50 X 50 MM;GLUE ON;PVC	TEE, PIPE: SIZE: 50 X 50 X 50 MM; CONNECTION: GLUE ON; MATERIAL: PVC	4792	EA
0667352	TEE, SOLDER JOINT:22 X 22 X 22 MM	TEE, SOLDER JOINT: SIZE: 22 X 22 X 22 MM; CONNECTION: WELD ON; MATERIAL: COPPER	4792	EA
0667350	TEE, SOLDER JOINT:35 X 35 X 15 MM	TEE, SOLDER JOINT: SIZE: 35 X 35 X 15 MM; CONNECTION: WELD ON; MATERIAL: COPPER	1597	EA

**Controlled Disclosure**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

## Business Management System

Supply Chain Management

Plumbing BOQ Three

0669214	TRAP STEAM:HP GEYSER;22 MM;600 KPA	TRAP, STEAM: TYPE: HP GEYSER; CONNECTION: 22 MM; PRESSURE RATING: 600 KPA; MATERIAL: STL GALV; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	1597	EA
0667390	TRAP:COMBINATION; PLUMBING;40 MM	TRAP: TYPE: COMBINATION; PLUMBING; SIZE: 40 MM; MATERIAL: RUBBER; BLACK; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	1597	EA
0667391	TRAP:P-TRAP; PLUMBING;40 X 40 MM	TRAP: TYPE: P-TRAP; PLUMBING; SIZE: 40 X 40 MM; MATERIAL: RUBBER; BLACK; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	1597	EA
0667392	TRAP:S-TRAP; PLUMBING;40 X 40 MM	TRAP: TYPE: S-TRAP; PLUMBING; SIZE: 40 X 40 MM; MATERIAL: RUBBER; BLACK; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION	1597	EA

**Controlled Disclosure**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

		NUMBER (IF APPLICABLE).		
0667404	TRAP:WASHER (FP 32); PLUMBING;32 MM	TRAP: TYPE: WASHER (FP 32); PLUMBING; SIZE: 32 MM; MATERIAL: STL ZN PLTD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	4792	EA
0667401	TRAP:WASHER; PLUMBING;32 MM;STL ZN PLTD	TRAP: TYPE: WASHER; PLUMBING; SIZE: 32 MM; MATERIAL: STL ZN PLTD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	4792	EA
0667402	TRAP:WASHER; PLUMBING;40 MM;STL ZN PLTD	TRAP: TYPE: WASHER; PLUMBING; SIZE: 40 MM; MATERIAL: STL ZN PLTD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	4792	EA

**Controlled Disclosure**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

0667403	TRAP:WASHER; PLUMBING;45 MM;STL ZN PLTD	TRAP: TYPE: WASHER; PLUMBING; SIZE: 45 MM; MATERIAL: STL ZN PLTD; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	1597	EA
0667445	WASHER:TAP;22 MM;ID 6 MM;OD 22 MM	WASHER: TYPE: TAP; NOMINAL SIZE: 22 MM; INSIDE DIAMETER: 6 MM; OUTSIDE DIAMETER: 22 MM; THICKNESS: 6 MM; MATERIAL: RUBBER	1917	EA
0545630	TAPE THRD:SEAL;WD 12 MM;PTFE;WHITE	TAPE, THREAD: TYPE: SEAL; WIDTH: 12 MM; MATERIAL: PTFE; COLOR: WHITE; GRADE: DENSITY 0.25 GCM3; NOTE: MUST BE ISO 9001 CERTIFIED	55357	EA
0667406	UNIT:FRONT FLUSH;TOILET	UNIT: TYPE: FRONT FLUSH; APPLICATION: TOILET	3195	EA
0667444	WASHER:TAP;15 MM;ID 6 MM;OD 15 MM	WASHER: TYPE: TAP; NOMINAL SIZE: 15 MM; INSIDE DIAMETER: 6 MM; OUTSIDE DIAMETER: 15 MM; THICKNESS: 6 MM; MATERIAL: RUBBER	1917	EA

**Controlled Disclosure**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

0667529	VALVE RELF:22 MM;400 KPA;40 DEG C;BRASS	VALVE, RELIEF: VALVE SIZE: 22 MM; SET PRESSURE: 400 KPA; TEMPERATURE RATING: 40 DEG C; CONNECTION: MALE 20MM; BODY MATERIAL: BRASS; TRIM: CR 13 FOR 13%; FACE TO FACE LENGTH: 100 MM; OPERATED: PRESSURE; APPLICATION: TEMP/PRESS RELIEF	3195	EA
0667528	VALVE RELF:22 MM;400 KPA;40 DEG C;FEMALE	VALVE, RELIEF: VALVE SIZE: 22 MM; SET PRESSURE: 400 KPA; TEMPERATURE RATING: 40 DEG C; CONNECTION: FEMALE; BODY MATERIAL: BRASS; TRIM: CR 13 FOR 13%; FACE TO FACE LENGTH: 100 MM; OPERATED: PRESSURE; APPLICATION: PRESS RELIEF	3195	EA
0667526	VALVE RELF:22 MM;400 KPA;40 DEG C;MALE	VALVE, RELIEF: VALVE SIZE: 22 MM; SET PRESSURE: 400 KPA; TEMPERATURE RATING: 40 DEG C; CONNECTION: MALE; BODY MATERIAL: BRASS; TRIM: CR 13 FOR 13%; FACE TO FACE LENGTH: 100 MM; OPERATED: PRESSURE; APPLICATION: TEMP RELIEF	3195	EA

**Controlled Disclosure**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

## Business Management System

Supply Chain Management

Plumbing BOQ Three

0667460	SHOWER:HAND;LG 150MM; HEAD 50MM	SHOWER: TYPE: HAND; DIMENSIONS: LG 150MM; HEAD 50MM	3195	EA
0667459	SHWR HD:PLUMBING;15 MM;NON ADJUSTABLE	SHOWER HEAD: TYPE: PLUMBING; INDUSTRIAL PIPE FITTING SIZE DESIGNATION: 15 MM; SPRAY TYPE: NON ADJUSTABLE; MOUNTING METHOD: SCREW IN; MATERIAL: STAINLESS STEEL	3195	EA
0545843	SEAT TOLT:ADULT;WHITE;THERMOPLASTIC;OVAL	SEAT, TOILET: TYPE: ADULT; COLOR: WHITE; MATERIAL: THERMOPLASTIC; INSIDE DIAMETER: 290 MM; SHAPE: OVAL; SPECIAL FEATURES: ADJUSTABLE; MOUNTING METHOD: ADJUSTABLE HINGES & SCREWS; STANDARD: ISO9001; REFERENCE NO: LUX2000; TOP COVER TO BE INCLUDED AND SUPPLIED AS A COMPLETE UNIT.	4021	EA
0667451	SEAT TOLT:PLUMBING;WHITE;WOOD;OVAL	SEAT, TOILET: TYPE: PLUMBING; COLOR: WHITE; MATERIAL: WOOD; SHAPE: OVAL	3195	EA

### Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

**Business Management System**

Supply Chain Management

Plumbing BOQ Three

0753963	SINK:DOUBLE;LG 1.2 M;WD 480 MM;160 MM;SS	SINK: TYPE: DOUBLE; LENGTH: 1.2 M; WIDTH: 480 MM; DEPTH: 160 MM; MATERIAL: STAINLESS STEEL	58	EA
0754724	STRIP:CEILING;WD 25 MM;LG 3.6 M;THK 7 MM	STRIP: TYPE: CEILING; WIDTH: 25 MM; LENGTH: 3.6 M; THICKNESS: 7 MM; MATERIAL: STEEL; APPLICATION: CEILING BOARD JOINTS	230	EA
0667395	SWIVEL:HAND CP COMPLETE FP 391;SS	SWIVEL: TYPE: HAND CP COMPLETE FP 391; DIMENSIONS: 560 X 668 MM; MATERIAL: STAINLESS STEEL; CAPACITY: LW 196 X HW 245; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	1597	EA

Compiled By: Cynthia Tsotetsi

Approved By: Boitshoko Mokolobate

Signature.....

Signature.....

Date...18/02/2026.....

Date.....

**Controlled Disclosure**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.