

ANNEXURE A- BATCH 2: ELECTRICAL APPLIANCES

<u>Material nr.</u>	<u>Description</u>	<u>Long Description</u>	<u>Estimated 5yr. quantity</u>
STM-149721	KETTLE:15 LITRE URN;15 LITRE;240 V;2000	KETTLE: TYPE: 15 LITRE URN; SIZE: 15 LITRE; POTENTIAL: 240 V; MATERIAL: SILVER GERY; POWER: 2000 W; CURRENT: 0.2 A	15
STM-145399	KETTLE:CORDLESS;1.7 L;220 V;2000 W;10 A	KETTLE: TYPE: CORDLESS; SIZE: 1.7 L; POTENTIAL: 220 V; MATERIAL: STAINLESS STEEL; POWER: 2000 W; CURRENT: 10 A; BASE WITH 3-PIN PLUG	100
687732	KETTLE:ZIP HYDROBOIL;7.5 L;220 V;WHITE	KETTLE: TYPE: ZIP HYDROBOIL; SIZE: 7.5 L; POTENTIAL: 220 V; MATERIAL: WHITE; CURRENT: 0.2 A	25
STM-161844	OVEN MCRWAVE:1550 W 40L MICRPOWAVE;220	OVEN, MICROWAVE: HEATING METHOD: SAMSUNG 40 L MICROWAVE; POTENTIAL: 220 V; POWER DISSIPATION RATING: 1550 W; OPERATING CONTROL TYPE: TOUCH CONTROL; MOUNTING TYPE: FREE STANDING; LENGTH: 556 MM; WIDTH: 439 MM; HEIGHT: 313 MM; OEM P/N: 1550 W40L MICRPOWAVE	70
STM-147212	OVEN MCRWAVE:230 V;1000 W;FREESTANDING	OVEN, MICROWAVE: POTENTIAL: 230 V; POWER DISSIPATION RATING: 1000 W; OPERATING CONTROL TYPE: ELETRONIC TOUCH CONTROL; MOUNTING TYPE: FREESTANDING; LENGTH: 385 MM; WIDTH: 517 MM; HEIGHT: 297 MM; MANUF P/N: ME6104ST1; CAPACITY: 28L	30
703367	REFRIGERATOR:1 DOOR UPRIGHT;387 L;220 V	REFRIGERATOR: TYPE: 1 DOOR UPRIGHT; CAPACITY: 387 L; POTENTIAL: 220 V; CURRENT: 2.8 A;	10
705203	REFRIGERATOR:BAR;91 L;120 V;15 A	REFRIGERATOR: TYPE: BAR; CAPACITY: 91 L; POTENTIAL: 120 V; CURRENT: 15 A;	15
542637	REFRIGERATOR:FRIDGE	FRIDGE, LG 446L, MODEL GC-F569NQHM,MATT BLACK, WATER DISPENSER, BOTTOM FREEZER, INVERTER LINEAR COMPRESSOR	10
702073	REFRIGERATOR:FRIDGE/FREEZER;220 L;220 V	REFRIGERATOR: TYPE: FRIDGE/FREEZER; CAPACITY: 220 L; POTENTIAL: 220 V; CURRENT: 1.5 A;	30

ANNEXURE A- BATCH 2: ELECTRICAL APPLIANCES

727793	TELEVISION:LG 4K SMART UHD AI;43 INCH;5	TELEVISION: TYPE: LG 4K SMART UHD AI; SIZE: 43 INCH; POTENTIAL: 5 V; CURRENT: 20 (10W PER CHANNEL) W; POWER: 100-240 V; REAL 4K UHD RESOLUTION 3840 X 2160; HDMI X2; 4K QUAD CORE PROCESSOR; ACTIVE HDR; CONNECT WITH BLUETOOTH SPEAKERS; USB X1	20
STM-119571	TELEVISION:SAMSUNG TV;50 IN;4K LED;N/A	TELEVISION: TYPE: SIZE: 50 IN; POTENTIAL: 4K LED; CURRENT: N/A; POWER: N/A; TV - SAMSUNG 127 CM (50") SMART UHD 4K LED TV	25
702074	TOASTER SNDWCH MKR:PRESS;4;2000 W	TOASTER: SANDWICH MAKER: TYPE: PRESS; NUMBER OF SLICES: 4; POWER: 2000 W; DIMENSIONS: 36 X 14.7 X 36.8 CM; FEATURES: NON STICK; MULTI GRILL, NON STICK	27
707544	TOASTER:POP UP;4;SILVER;STL;220 V	TOASTER: TYPE: POP UP; NUMBER OF SLICES: 4; COLOR: SILVER; MATERIAL: STL; FEATURES: 5 HEAT SETTINGS; POTENTIAL: 220 V; 1400 WATT	35
STM-143363	TOASTER:STAINLESS STEEL;2;GREY;750	TOASTER: TYPE: STAINLESS STEEL; NUMBER OF SLICES: 2; COLOR: GREY; MATERIAL: FLAT NON STICK COATED PLATES; FEATURES: DRIP TRAY; POTENTIAL: 750 W	15
STM-151302	VACUUM CLEANER:HTC-VAC90 POWA-VAC;90 L	VACUUM CLEANER: TYPE: HTC-VAC90 POWA-VAC; CAPACITY: 90 L; POTENTIAL: 220 V WET & DRY P/N: 441454	22
STM-151304	VACUUM CLEANER:30 L;220 V;NA	VACUUM CLEANER: TYPE: HITACHI HTC-VAC30P POWA-VAC; CAPACITY: 30 L; POTENTIAL: 220 V; WET & DRY SUPPL P/N: 398034	15
STM-136575	VACUUM CLEANER:1 L,1000 W,220-240 V	VACUUM CLEANER: TYPE: 80GMM GENESIS MINIMAX STICK; CAPACITY: 1 L; POWER SOURCE: 1000 W; POTENTIAL: 220-240 V; CURRENT: 4.2-4.5 A; MANUF P/N: 1229650; GENESIS 4-IN-1 MINIMAX STICK UPRIGHT/HANDHELD VACUUM CLEANER	20
STM-146774	WASHING MACHINE:FRONT LOADER;HISENSE;12	WASHING MACHINE: TYPE: FRONT LOADER; TRADE CAPACITY: 12 KG; COLOR: TITANIUM GREY Rev per minute 1400 Energy rating :A+++Water usage: 76L.	5

ANNEXURE A- BATCH 2: ELECTRICAL APPLIANCES

STM-147146	WASHING MACHINE:TOP LOADER;SPEED QUEEN	Semi-Industrial Washing Machines Front loader Digital Self heating Semi-Industrial Washing Machines, that can wash radiological controlled zone clothing. The size should be 10Kg. The machines should contain a heating element for warming up the washing water. CLASSIFICATION No.: 0040/88Q SAFETY CLASS: NSF SEISMIC CLASS: NC QUALITY LEVEL: Q4 SAFETY LEVEL OF ORGANISATION: L3 ENVIRONMENTAL: NEV SPECIFICATION No.: COC IMPORTANCE:: NSA	2
STM-147147	DRYER:10 KG, SPEED QUEEN	Semi-Industrial Dryer Front loader Digital Self heating Semi-Industrial Dryer, that can dry radiological controlled zone clothing. The size should be 10Kg. CLASSIFICATION No.: 0040/88Q SAFETY CLASS: NSF SEISMIC CLASS: NC QUALITY LEVEL: Q4 SAFETY LEVEL OF ORGANISATION: L3 ENVIRONMENTAL: NEV SPECIFICATION No.: COC IMPORTANCE:: NSA	4
STM 093679/ 704735	SHREDDER OFFC:PAPER CROSS CUT;9.25 IN;13	SHREDDER, OFFICE: TYPE: PAPER CROSS CUT; FEED WIDTH: 9.25 IN; SHRED CAPACITY: 13 GAL; SHRED SIZE: 4 X 38 MM; SHRED SPEED: 350 (12MANUAL); WASTE VOLUME: 400 BAGS; DIMENSIONS: WD 39 X HT 812 X DP 55.3 MM; WEIGHT: 68 KG; FELLOWS AUTOMAX SHREDDER CROSS CUT 68 LITRE 2/20 350C 4964101	15
STM-135810	PROJECTOR MULTMD:LASER, FULL HD,3800 LM	PROJECTOR, MULTIMEDIA: TYPE: LASER, FULL HD; POTENTIAL: 3800 LM; EPSON LASER, WUXGA ULTRA SHORT THROW. 3800 LUMENS, 2 X VGA, 3 X HDMI, MIRACAST MODEL: EB735Fi	15
STM-136951	SCREEN PRJCTN:MOTORISED PROJECTOR SCREEN	SCREEN, PROJECTION: TYPE: MOTORISED PROJECTOR SCREEN; OPERATION METHOD: MOTORISED; MOUNTING TYPE: WALL MOUNT; HEIGHT: 2656 MM; LENGTH: 1660 MM; MATERIAL: UNKNOWN; COLOR: WHITE; PROJECTION: 16:10 RATIO; MAXIMUM PICTURE SIZE: 120; 120INCH 16:10 RATIO MOTORISED SCREEN, 2656 X 1660MM	5
STM-149213	CAMERA DGTL:CANON POWERSHOT SX70HS;128	CAMERA, DIGITAL: TYPE: CANON POWERSHOT SX70HS; STORAGE CAPACITY: 128 GB; RESOLUTION: 20.3 MPXL; COLORS: BLACK/GREY; ZOOM: 65X ZOOM LENSE; RECORDING MEDIUM: 8 HOURS; COMPATIBILITY: PICTBRIDGE; POWER SOURCE: 220V	20

ANNEXURE A- BATCH 2: ELECTRICAL APPLIANCES

STM-143201	CAMERA DGTL:SONY CYBERSHOT DSC - WX500	CAMERA, DIGITAL: TYPE: SONY CYBERSHOT DSC - WX500; STORAGE CAPACITY: 64 GB; RESOLUTION: 20 MPXL; COLORS: BLACK; ZOOM: 45; RECORDING MEDIUM: 8 HOURSE; COMPATIBILITY: GOOD; POWER SOURCE: BATTERY	20
STM-152585	LAMINATOR: LAMINATION PROCESS: BONDING; TYPE: DELI 1000L 250MIC; DOCUMENT SIZE: A3; SPEED: 1 MIN	LAMINATOR: LAMINATION PROCESS: BONDING; TYPE: DELI 1000L 250MIC; DOCUMENT SIZE: A3; SPEED: 1 MIN	35
STM-151514	LOUDSPEAKER: TYPE: EPOS EXPAND 80T BT;	LOUDSPEAKER: TYPE: EPOS EXPAND 80T BT; DIMENSIONS: n/a; MATERIAL: PLASTIC	15
STM-095264	PRINTER: TYPE: EPSON-LQ 350; TECHNIQUE: IMPACT DOT MATRIX; TRADE NAME: EPSON LQ-350 SKU	PRINTER: TYPE: EPSON-LQ 350; TECHNIQUE: IMPACT DOT MATRIX; TRADE NAME: EPSON LQ-350 SKU C11CC25001; HIGH RELIABILITY MTBF OF 10,000 OPERATING HOURS POWER-EFFICIENT 1.3W ON STANDBY, 22W POWERED ON ECONOMICAL RIBBON YIELD OF 2.5M CHARACTERS EASY INTEGRATION PARALLEL, SERIAL AND USB INTERFACES COMPACT DESIGN FITS NEATLY ONTO DESKS	10
STM-117865	PRINTER, LABEL: UNIT TYPE: PT-P750W LABEL PRINTER;	PRINTER, LABEL: UNIT TYPE: PT-P750W LABEL PRINTER; PT-P750W LABEL PRINTER - MAXIMUM TAPE WIDTH 24MM - MAXIMUM PRINT RESOLUTION 180 DPI (MAX 180X360 DPI) - POWER SOURCE AC POWER ADAPTER (INCLUDED) RECHARGEABLE, LI-ION BATTERY (OPTIONAL) 6 X AA BATTERIES (OPTIONAL) - INTERFACE USB, WIRELESS (802.11 B/G/N), NFC	5
STM-160238	HEATER SPC:OIL 9 FIN SLIMLINE;2000 W	HEATER TYPE: OIL 9 FIN SLIMLINE; DIMENSIONS: 420X140X650 MM; POWER: 2000 W; POTENTIAL: 2000 W AUTO THERMOSTAT CONTROL : 3 HEAT SETTINGS	30
STM-160236	HEATER SPC:FAN;50.5,23.0,25.0 CM;2000 W	HEATER, TYPE: FAN; DIMENSIONS: 50.0 x 23.0 x 25.0cm POTENTIAL : 2000 WATT	30