

 Eskom	Standard	Group Technology
---	----------	------------------

Title: TECHNICAL EVALUATION
CRITERIA FOR SPLIT METER
READYBOARD

Unique Identifier: 240-114137654

Part 08 – Services

Area of Applicability: Distribution Engineering

Documentation Type: Standard

Revision: 2

Total Pages: 10

Next Review Date: N/A

Disclosure Classification:

Controlled Disclosure

COMPILED BY

FUNCTIONAL RESP.

AUTHORIZED BY


Jutas Maudu


Jutas Maudu


Mfundu Songo

Senior Engineer

LV Services CG Convenor

Senior Manager: DxOPS
Support and Technology

DATE: 16 July 2020

DATE: 16 July 2020

DATE: 17 July 2020

ESKOM COPYRIGHT PROTECTED

Initials of Controller/Date (Draft Number) to ensure traceability

Content

	Page
Revision history.....	3
Introduction	3
1 Scope.....	4
2 References	4
2.1 Normative References	4
3 Definitions and abbreviations	4
3.1 Definitions	4
3.2 Abbreviations	5
4 Requirements	5
4.1 Documentation Evaluation.....	5
4.2 Sample verification at factory.....	5
Annex A – Split Meter Ready Board Level 1	6
Annex B – Split Meter Ready Board Technical Evaluation Level 2 and sample verification (scoring)	7

ESKOM COPYRIGHT PROTECTED

Revision history

This revision is the original document.

Date	Rev.	Compiled By	Paragraph	Remarks
Feb 2016	0	J Maudu	N/A	New official document
May 2017	1	J Maudu	N/A	Document updated
June 2020	2	J Maudu	N/A	Document updated

Acceptance

This document has been seen and accepted by:

Name	Designation
Mfundu Songo	Senior Manager: DXOPS Support and Technology
Themba Ntuli	Procurement

Development team

Jutas Maudu Group Technology
Masithembe Nqcwama SI GOU

Introduction

This document has been developed to set the standard technical evaluation criteria to be used when evaluating the tender submissions. This covers the technical evaluation on the split meter readyboard for Eskom. The document has annexures developed to address various aspects required to perform the technical evaluation. It has been developed based on the Eskom split meter readyboard equipment specifications/standard.

This document contains both the evaluation criteria used for the documentation evaluation and factory assessment inspection. In addition it contains the questions which are required for technical evaluation purposes.

Keywords

Readyboard, cable glands, evaluation, standard and factory assessment

1 Scope

The document covers the criteria for the evaluation of split meter readyboard within Eskom Holdings SOC (Ltd). The document addresses the standard documented technical evaluation criteria to be used when evaluating the tender submissions for readyboard in line with the Eskom Holdings SOC (Ltd) requirements and it is applicable to all the technical evaluations for the related tender submissions.

2 References

2.1 Normative References

2.1.1 South African national document(s):

Document Number	Document Title	Preparer / Author	Revision or Date of Issue
SANS 1619	Electricity distribution small power distribution units(readyboards) for single-phase 230V service connections	SABS	Current

2.1.2 Eskom national document(s):

Parties using this document shall apply the most recent edition of the documents listed below

Document Number	Document Title	Preparer / Author	Revision or Date of Issue
240-114137654	SPECIFICATION FOR SMALL POWER DISTRIBUTION UNITS FOR SPLIT PREPAYMENT METERING (READYBOARD) FOR SINGLE-PHASE 230V SERVICE CONNECTION STANDARD	ESKOM	Current
D-DT-3176	READYBOARD,SPLIT METER 2x16A SKTS	ESKOM	Current

3 Definitions and abbreviations

3.1 Definitions

Eskom evaluating Representative(s): The person(s) appointed by Eskom to perform the evaluation of tender submission(s) in line with the Eskom requirements.

ESKOM COPYRIGHT PROTECTED

3.2 Abbreviations

LV	Low Voltage
SPDU	Small Power Distribution Unit
MCB	Miniature Circuit breaker
OEM	Original Equipment Manufacturer
ELU	Earth Leakage Unit
SHE	Safety and Health Environment

4 Requirements

This document contains the technical evaluation criteria and associated documents for split meter readyboard. The evaluation methodology will include two main parts, namely the desktop documentation evaluation and factory assessment.

4.1 Documentation Evaluation

The documentation evaluation exercise is performed by the Eskom evaluating representatives. This initial part of the evaluation starts when submissions are opened and assessed for the first time. It begins with the Level 1 and then proceeds to Level 2 (scoring method), refer to Annexures A and B.

A submission that does not meet the Level 1 (basic compliance) is immediately disqualified.

Manufacturers/suppliers that pass Level 1 requirement (basic compliance) of the technical evaluation will automatically qualify for the full functional evaluation. Tenderers need to achieve a minimum of 86% score from technical evaluation to be considered for sample verification assessment.

4.2 Sample verification at factory

Eskom Commercial shall make the arrangements for factory visits if required after desktop evaluation. Manufacturers will be considered for factory sample verification only when a minimum of 86% score (Desktop Technical Evaluation) has been achieved. The sample verification exercise is performed by Eskom technical representatives. Sample verification shall be performed through the use of sample verification scoring method in Table B1, B2, B3 and B4. Tenderers samples need to achieve a minimum score of 86% to be considered compliant. In a case whereby 86% threshold is not achieved during sample verification, there will be a formal discussion of the all deviations in line with Eskom's requirements. Herein, the Tenderers are given opportunity to decide whether they agree or disagree to meet Eskom technical requirements within a period decided by the evaluation team.

Annex A – Split Meter Ready Board Level 1

Table A

Readyboard technical evaluation for the documentation exercise			
Level 1			
TASK / MEASURE			
Criteria	Standard	Acceptance	Score
Has type test report/certificate submitted?	240-75659896 and SANS 1619	Yes/No	
Has type testing been performed at accredited Test facility?	240-75659896 and SANS 1619	Yes/No	
Are completed technical schedules B submitted?	240-75659896	Yes/No	
Are split meter readyboard manufacturer's construction drawings submitted?	-----	Yes/No	
Is a sample of manufacturer's abridged COC with NRCS number submitted? See Eskom's sample	-----	Yes/No	
A proof that cable used to connect socket outlet complies with SANS 1507	240-75659896	Yes/No	
Does ELU comply with VC 8035 and SANS 767-1? proof supplied	-----	Yes/No	
Should the manufacturer/ supplier fail to meet ONE of the above requirements they will be automatically disqualified			

ESKOM COPYRIGHT PROTECTED

Annex B – Split Meter Ready Board Technical Evaluation Level 2 and sample verification (scoring)

Table B1

Split meter readyboard technical evaluation for the documentation exercise			
Technical Evaluation			
Construction Weight: 30%			
Criteria	Standard	Weight	Score
Marking of the readyboard in accordance with Eskom specification/standard (drawing shown)	240-75659896	15%	
ELU and 20A MCB mounted on rails (drawing shown)	240-75659896	15%	
Product code supplied	240-75659896	15%	
Cable glands for cable entry shown on drawings	240-75659896	20%	
Cable used to connect socket outlet shall comply with SANS 1507. Proof supplied	240-75659896	25%	
Bracket rails have plastic grommets (Alternative shown)	240-75659896	10%	
Failure to comply with the above sub-clauses the supplier gets score of 0%.			

ESKOM COPYRIGHT PROTECTED

Table B2

Split meter readyboard technical evaluation for the documentation exercise			
Technical Evaluation			
IP rating and type testing Weight: 30%			
Criteria	Standard	Weight	Score
Were type tests performed in the last 10 years?	240-75659896	40 %	
Proof of an accredited test facility	SANS 1619	40 %	
Degree of protection is at least IP31 (proof in the test report)	240-75659896	20 %	
For Type testing performed within the last 10 Years supplier gets 100% and loses 5 % for each additional year.			

ESKOM COPYRIGHT PROTECTED

Table B3

Split meter Ready Board technical evaluation for the documentation exercise				
Technical Evaluation				
Technical schedules Weight: 25%				
Criteria	Clause	Weight	Score	
Correctness of completion i.e. no "TBA", "Comply", "Noted", "supplied later" ("Noted" acceptable only when Eskom informs)	Technical schedules A & B	25 %		
Does schedule B meet Eskom schedule A requirement.	Technical schedules A & B	50 %		
Completed technical deviations (Where applicable – 100 % score is obtained where there are no deviations)	Technical schedules A & B	25 %		
NB: The technical schedules B are provided on the Annexures of the Split Meter Ready Board specification.				
• 5% will be deducted for each section which is not completed on schedule B.				

ESKOM COPYRIGHT PROTECTED

Table B4

Split meter Ready Board technical evaluation for the documentation exercise			
Technical Evaluation			
Drawings Weight: 15%			
Criteria	Clause	Weight	Score
Drawing number as per submitted drawings		10 %	
Revision number as per submitted drawings		15%	
Dimensions as per submitted drawings		35%	
Detailed description provided in "Title".		10%	
Signed, dated and approved drawings		15%	
Length of cable used between the base and socket outlet as per drawing submitted.		15%	
5% will be deducted for each item that is not met.			

ESKOM COPYRIGHT PROTECTED