

Section A

Item Description	Criteria	Criteria Weighting [%]	
1 Laminating Machine - High-performance laminating machine with 4 rollers, ideal for frequent use. Supports both hot and cold lamination with InstaHeat technology and a 1-minute warm-up time. Handles pouch thickness from 80–175 mic and 320 mm entry width. Features Autosense, 100% Jam-Free operation, Energy Saving Sleep Mode, and advanced Heat Guard safety. Durable plastic construction for reliable daily use.	Data Sheet/ Manual	60	
1.1 Submit previous purchase order The supply of a Laminating Machine	Proof of previous purchase order	10	
1.2 Product Warrantee 2 years > 25 1 year > 10 no warrantee > 0	Provided by Manufacturer	25	
1.3 Company profile	Submitted	5	
Total			100
Minimum Threshold			80

Section B

Item Description	Criteria	Criteria Weighting [%]	
2 Labelling Machine - Compact direct thermal labelling machine designed for efficient file and storage labelling. O dpi print resolution and speeds up to 8 ips (203.2 mm/s), with a maximum print width of 4.09" (104.1 mm). Supports various media types including wristbands, tags, and die-cut labels. Features USB, RS232C, and LAN connectivity. Operates between 5°C–40°C, with AC adapter power (100–240V). Lightweight and compact (180 × 155 × 224 mm, 2.08 kg) for versatile desktop use.	Data Sheet/ Manual	60	
2.1 Submit previous purchase order The supply of a Labelling Machine	Proof of previous purchase order	10	
2.2 Product Warrantee 2 years > 25 1 year > 10 no warrantee > 0	Provided by Manufacturer	25	
2.3 Company profile	Submitted	5	
Total			100
Minimum Threshold			80

Section C

Item Description	Criteria	Criteria Weighting [%]	
3. Industrial Shredding Machine- Heavy-duty crosscut shredder (5.8×50 mm) with DIN Level 3 security. Handles up to 130 sheets (A4, 70gsm) and shreds around 300 kg of paper per hour. Features a 430 mm feed width, 470 L bin, and quiet 60 dB(A) operation. Powered by a 3-phase motor; size 81×161×170 cm, weight > or =480 kg.	Data Sheet/ Manual	60	
3.1 Submit previous purchase order The supply of an Industrial Shredding Machine	Proof of previous purchase order	10	
3.2 Product Warrantee 3 years > 25 2 years > 10 1 year > 5 no warrantee > 0	Provided by Manufacturer	25	
2.3 Company profile	Submitted	5	
Total			100
Minimum Threshold			80

Section D

Item Description	Criteria	Criteria Weighting [%]	
4. Electronic Safe- Heavy-duty electronic fire safe designed for secure storage of valuable or sensitive documents. Fire-rated for at least 60 minutes at 1750°F or more with a 50mm body and 10mm door construction. Features solid chrome-plated locking bolts, spring-loaded glass relocked, stainless fascia plates, and bolt-down capability. Internal capacity > or =105L but <110L; weight > or =135 kg but <150. Ideal for high-security office or archive use.	Data Sheet/ Manual	60	
4.1 Submit previous purchase order The supply of an Electronic Safe	Proof of previous purchase order	10	
4.2 Product Warrantee 12 months > 25 6 months > 10 no warrantee > 0	Provided by Manufacturer	25	
4.3 Company profile	Submitted	5	
Total			100
Minimum Threshold			80

Section E

Item Description	Criteria	Criteria Weighting [%]	
5. Air Purifier- AERAMAX DX55 air purifier in white, made of durable plastic. Features Plasma True technology with a carbon filter for effective air cleaning. CADR ratings: Smoke 126, Dust 129, Pollen 124. AHAM, Energy Star, and ECARF certified. Compact design with dimensions 521 × 330 × 169 mm	Data Sheet/ Manual	60	
5.1 Submit previous purchase order The supply of an Air Purifier	Proof of previous purchase order	10	
5.2 Product Warrantee 2 years > 25 1 year > 10 no warrantee > 0	Provided by Manufacturer	25	
5.3 Company profile	Submitted	5	
Total			100
Minimum Threshold			80

Section F

Item Description	Criteria		Score	Criteria Weighting [%]	
6. Folding Trolley- (Supplied flat-packed)	As per Spec	Deviation		30	
• Light-duty folding platform trolley with a 150kg load capacity.			5		
• Features a folding handle,			5		
• 4×125 mm rubber non-marking wheels,			5		
• a PVC edge buffer to protect surfaces.			5		
• Rear swivel wheels for easy manoeuvring.			5		
• Dimensions: 920 × 620 × 710 mm.			5		
7. Mash Trolley	As per Spec	Deviation		25	
• Heavy-duty mesh box trolley with 3 sides			5		
• a 500kg load capacity.			5		
• Equipped with 4×125 mm castors (2 swivel, 2 fixed)			5		
• a 4mm safety chain for secure transport.			5		
• Dimensions: 910 × 610 × 915 mm.			5		
8. Fortis Key Cabinet Electronic 10 Keys -Fortis electronic key cabinet with 50-key capacity. Features secure electronic locking. Compact and durable design with external dimensions 540 × 250 mm and weight 4.5 kg.	Manual/ Data Sheet		20	20	

9. Mobile Safety Step Ladder and Mouny Roll step – 6 Step	As per Spec	Deviation			
• Platform Height: ±1.5 metres (from the ground to the top step/platform)			3	25	
• Overall Length: Approximately 1.1 metres			3		
• Overall Width: Approximately 0.65 metres			3		
• Weight: Around 20–25 kg (depending on material type)			3		
• Material: Heavy-duty steel or aluminium construction Finish: Powder-coated, non-slip treads			4		
• Mobility: Fitted with lockable caster wheels for easy movement and safety			3		
• Load Capacity: Minimum 150 kg			3		
• Usage: Designed for warehouse, workshop, and maintenance environments			3		
Total					100
Minimum Threshold					70

The technical evaluation criteria comprise multiple sections, each with its own independent threshold.

- Tenderers who do not meet the threshold for each functionality section will be disqualified (for that particular section) and will not be evaluated further.