




[illegible]

Should a Tenderer/Vendor not be able to meet the requirements of this document, it must declare in writing to the Buying Manager at the time of tendering/receipt of an order.

TENDER
DATE 2023-07-11
COPY NO: 93
ISSUED BY: I P

[illegible]

VIEW IN DIRECTION OF ARROW ²



☐ HRC ☐ [A][A] /

NOTE:

1. 8 MM SHANK NAILS 50mm LONG.
2. LOCAL USE
a) NO WOOD PROTECTED TO ANY WEATHERING CONDITIONS IS ALLOWED. IN CRUISING THE WOOD PRESERVATION IS REQUIRED AND WITH A MINIMUM CONTENT OF LESS THAN 15%.
3. EXPORT USE
a) A CERTIFICATE OF CONFORMANCE SHALL ACCOMPANY EACH DELIVERY.
b) WOOD PROTECTED TO ANY WEATHERING CONDITIONS IS ALLOWED. VILM-DREED, REHARD, SPN IS COMPLIANT WOOD TO SANS 1273 (1997) PART 3. PACKAGING SHALL BE WITH NO DISCOLORATION IS REQUIRED. PRESERVATION AS PER K-50D-0011 (CONTAINING FENGLAND AND PESTICIDE), COLOUR SEMIUM BROWN TO IS 361C, TIT 404. THE SUPPLIER REGISTRATION NUMBER LOCATED ON AT LEAST TWO OPPOSITE SIDES OF THE ARTICLE SHALL BE IDENTICAL. ON AT LEAST TWO OPPOSITE SIDES OF THE ARTICLE SHALL BE IDENTICAL.
4. A CERTIFICATE OF CONFORMANCE SHALL ACCOMPANY EACH DELIVERY. THIS CERTIFICATE SHALL STATE THAT THE ARTICLES MEETS THE REQUIREMENTS OF THE DANNING / SPECIFICATION / SANS STANDARD / SPN 15 STANDARD FOR HEAT TREATMENT OF WOODEN PRODUCTS.


01148064909

ITEM 1
WOODEN PALLET (TOP)

[illegible]

01148 005002

ITEM 2
WOODEN PALLET (BOTTOM)



WOODEN CRATE FOR PARDEN DISCS		REPLACES DRG. No.	PRODUCT	RARDEN DISC #75.2	NOTE 5 AND PART LIST ALTERED SEE ECP. E2/07B/19MC	APP. DATE	REV. E	L.J. 19-09-12	ONE BY MWD
----------------------------------	--	-------------------	---------	-------------------	---	-----------	--------	---------------	------------

DATE 2023-07-11
COPY NO: 16
ISSUED BY: I.P

01148017308

Should a Tenderer/Vendor not be able to meet the requirements of this document, it must be declared in writing to the Buying Manager at the time of tendering/receipt of an order.


ITEM No.		DESCRIPTION	DIMENSIONS	MATERIAL	QTY
13		SCREWS WOODEN	#4 x 50mm LONG	EQUALLY SPACED	16
12		SCREWS WOODEN	#4 x 50mm MIN. LONG	STAPLE FROM THE INSIDE	16
11		STAPLES WOODEN	25mm LONG	SEE NOTE 3	16
10		SCREWS WOODEN	#4 x 25mm LONG		16
9		NAILS	63mm LONG		16
8		LID	824±5 x 824±5 x 9°	EXTERIOR PLYWOOD	1
7		SUPPORT BOTTOM	824±5 x 48 x 100mm	KILN-DRIED WOOD (SEE NOTE 1, 4 AND 6)	3
6		SUPPORT	(98) x 70 x 18mm	KILN-DRIED WOOD (SEE NOTE 1, 5 AND 6)	12
5		SUPPORT	824 x 70 x 18mm	KILN-DRIED WOOD (SEE NOTE 1 AND 6)	4
4		SUPPORT	770 x 70 x 18mm	KILN-DRIED WOOD (SEE NOTE 1 AND 6)	4
3		SIDE PANELS B AND D	824±5 x 238 x 9°	EXTERIOR PLYWOOD	2
2		SIDE PANELS A AND C	770±5 x 238 x 9°	EXTERIOR PLYWOOD	2
1		BASE	770 x 770 x 36mm	KILN-DRIED WOOD (SEE NOTE 1, 4 AND 6)	1

ITEM No.		DESCRIPTION	DIMENSIONS	MATERIAL	QTY
13		SCREWS WOODEN	#4 x 50mm LONG	EQUALLY SPACED	16
12		SCREWS WOODEN	#4 x 50mm MIN. LONG	STAPLE FROM THE INSIDE	16
11		STAPLES WOODEN	25mm LONG	SEE NOTE 3	16
10		SCREWS WOODEN	#4 x 25mm LONG		16
9		NAILS	63mm LONG		16
8		LID	824±5 x 824±5 x 9°	EXTERIOR PLYWOOD	1
7		SUPPORT BOTTOM	824±5 x 48 x 100mm	KILN-DRIED WOOD (SEE NOTE 1, 4 AND 6)	3
6		SUPPORT	(98) x 70 x 18mm	KILN-DRIED WOOD (SEE NOTE 1, 5 AND 6)	12
5		SUPPORT	824 x 70 x 18mm	KILN-DRIED WOOD (SEE NOTE 1 AND 6)	4
4		SUPPORT	770 x 70 x 18mm	KILN-DRIED WOOD (SEE NOTE 1 AND 6)	4
3		SIDE PANELS B AND D	824±5 x 238 x 9°	EXTERIOR PLYWOOD	2
2		SIDE PANELS A AND C	770±5 x 238 x 9°	EXTERIOR PLYWOOD	2
1		BASE	770 x 770 x 36mm	KILN-DRIED WOOD (SEE NOTE 1, 4 AND 6)	1

NOTE: 1. NO WOOD EXPOSED TO ANY WEATHERING CONDITIONS ARE ALLOWED. KILN-DRIED, DEBARBED, ISPM 15 COMPLIANT WOOD TO SABS 1783 (1997) PART 3 PACKAGING GRADE WITH NO DISCOLORATION ARE REQUIRED. THE SUPPLIER REGISTRATION NUMBER BASED ON THE ISPM 15 MARK WILL BE STENCILED IN BLACK ON A VISIBLE LOCATION, ON AT LEAST TWO OPPOSITE SIDES OF THE ARTICLE BEING CERTIFIED.

2. ALL PANELS MUST BE SECURED WITH SUITABLE NAILS OR SCREWS.

3. NO PART OF ANY NAIL, SCREW OR STAPLE MUST PROTRUDE BEYOND THE OUTER OR INNER SURFACES OF THE CRATE.



NOTE:

1. NO WOOD EXPOSED TO ANY WEATHERING CONDITIONS IS ALLOWED. KILN-DRIED, DEBARKED, ISPM 15 COMPLIANT WOOD TO SABS 1783 (1997) PART 3 PACKAGING GRADE WITH NO DISCOLORATION IS REQUIRED. PRESERVATION AS PER K-STD-0011 (CONTAINING FUNGICIDE AND PESTICIDE), COLOUR SERVICE BROWN TO BS 381C, TINT 499. THE SUPPLIER REGISTRATION NUMBER BASED ON THE ISPM 15 MARK WILL BE STENCILED IN WHITE ON A VISIBLE LOCATION, ON AT LEAST TWO OPPOSITE SIDES OF THE ARTICLE BEING CERTIFIED.
2. ALL PROTRUDING PARTS OF NAILS SHALL BE SUNK BENEATH THE SURFACE OF THE MEMBERS.
3. ALL BEVELED EDGES TO BE 12 x 45°.
4. LAMINATED BEARER BLOCKS MAY BE USED AS ALTERNATIVE (3 LAMINATIONS MAXIMUM) AT LEAST 90% CONTACT BETWEEN LAMINATIONS.
5. A CERTIFICATE OF CONFORMANCE SHALL ACCOMPANY EACH DELIVERY. THIS CERTIFICATE SHALL STATE THAT THE ARTICLES MEETS THE REQUIREMENTS OF THE DRAWING/ SPECIFICATION/ SABS STANDARD/ ISPM 15 STANDARD FOR HEAT TREATMENT OF WOODEN PRODUCTS.

Should a Tenderer/Vendor not be able to meet the requirements of this document, it must be declared in writing to the Buying Manager at the time of tendering/receipt of an order.

TENDER
DATE 2023-01-11
COPY NO: 59
ISSUED BY: J.P

ITEM No.	DESCRIPTION	DRAWING No.	REMARKS	QTY
8	BOTTOM SLATS	SEE NOTE 1		2
7	STANDARD NAIL	55 LONG		24
6	RING GROOVED NAIL	80 LONG		72
5	TOP DECK MEMBER	1000 x 114 x 25mm		7
4	BOTTOM DECK MEMBER	848 x 76 x 25mm		3
3	BEARER BLOCK	1200 x 152 x 25mm		3
2		152 x 76 x 100mm		9

JOB No. KB/037/96SA	MATERIAL	SEE NOTE 1
GENERAL TOLERANCES (UNLESS OTHERWISE STATED)		
0-50mm ±2mm		
51-300mm ±3mm		
>300 ±5mm		
APPROVED	PROJECT LEADER	DRG No. 03-13x2301-45
FINALIZED	J.J. HORN 69-(4-16)	REV. H
CHECKED	FS 96-05-02	
NEXT ASSY.		
CODE No. 01140006700		
CAD No. 0009223C		

✓ [✓] [✓]

(3 LAMINATIONS MAXIMUM) AT LEAST 90% CONTACT BETWEEN LAMINATIONS.

Should a Tenderer/Vendor not be able to meet the requirements of this document, it must declared in writing to the Buying Manager at 'the time of tendering/receipt of an order.

SEE NOTE 2

DO NOT SCALE.
ALL DIMENSIONS ARE IN mm.

ENLARGED DETAIL A

开庄顺直庄院

DATE 2022-07-11

COPY NO: 17

BY 19

ITEM NO.	DESCRIPTION	DRAWING No.	REMARKS	QTY
7	BOTTOM SLATS		1000 x 76 x 25mm	2
6	STANDARD NAIL		55 LONG	24
5	RING GROOVED NAIL		80 LONG	72
4	TOP DECK MEMBER		1000 x 114 x 25mm	7
3	BOTTOM SLATS		850 x 76 x 25mm	3
2	TOP DECK MEMBER		1000 x 114 x 25mm	3
1	BEAMER BLOCK		152 x 102 x 76mm	9

IN	FW 03-08-11	CHECKED	DJ 03-08-12	NEXT ASSY	REV.
LED		APPROVED	LJ 03-08-12		
EJECT LEADER				DRG No.	
S. STORM 03-08-12				2262-98010001-201001	
DRG No.	CODE No.			CAD No.	
				07716002400	00201970

JOB NO.	MATERIAL	SEE NOTE 1
KB 261 / 03MC		
GENERAL TOLERANCES (UNLESS OTHERWISE STATED)		
WIDTH	THICKNESS	LENGTH
0 TO 115	0 TO 38	0 TO 50
115 TO 254	38 TO 50	50 & MORE
± .5	± .3	± 1.0
45 & 90	45 & 90	
ANY VARIATION	ANY VARIATION	
	± .2	
ALL GEOMETRIC TOLERANCES TO BE WITHIN 0.1		

[[[A]]A

HRC

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

CAD No.

100

CODE No.

1

33-38610-12

Abstract

RG. No.

METHODS

ES TO

OLERAN

Q

44

$$\begin{array}{r} 15 \\ + 7 \\ \hline 22 \end{array}$$

39

MORE 0

10	225	22
46		
3		

TO 115	
+5	
-3	

22

II







—

1

1

1

TENDER
DATE 2023-07-11
COPY NO: 83
ISSUED BY: I P

[illegible]

ITEM	DESCRIPTION	MATERIAL	REMARKS	QTY
9	ALTERNATIVE SLOTTED BEAMER BLOCK	SEE NOTE 1		9
8	RING (WOOD) MAIL	MILD STEEL (GALVANISED)	70 LONG	39
7	STAKE/ROD MAIL	MILD STEEL (GALVANISED)	63 LONG	32
6	RING (WOOD) MAIL	MILD STEEL (GALVANISED)	90 LONG	27
5	BEAMS/ BLOCK	SEE NOTE 1		5
4	STRAK/PIR	SEE NOTE 1		3
3	BEAMS	SEE NOTE 1		3
2	TOP DIKX MEMBER	SEE NOTE 1		2
1	BOTTOM DECK	SEE NOTE 1		2

[illegible]