

PCB LEVEL 0

The dielectric fluid in this unit has been tested to determine the amount of Polychlorinated Biphenyl (PCB content). We certify that, based on the test sample, the PCB concentration of the fluid is undetectable.

Date: 06-2016
 Sample number: 40002125
 Laboratory: FLUIDEX
 Equipment Serial Number: 817898



LHMartha
 Electrical and Mechanical
 TELEPHONE : +27 11 816-4500
 FACSIMILE : +27 11 816-4501

L.H.M. JOB NO: [REDACTED]
 SERIAL NO: [REDACTED]
 GUARANTEE EXP DATE: [REDACTED]
 HV TEST DATE: [REDACTED]
 REWIND: [REDACTED]
 OVERHAUL: [REDACTED]

TAP	NAME PLATE %	NEW

REPAIR SPEC

MAKE	[REDACTED]
SER NO.	[REDACTED]

POWER DISTRIBUTION SERVICES

ISO 9001 ISO 14001

REPAIR/REFURBISH DATE: 8-11-16
 GUARANTEE EXPIRY DATE: 8-11-17
 HV TEST DATE: 5-06-16

TAP	NAMEPLATE IMPEDANCE	NEW IMPEDANCE
PA	NA	NA
3	6.16	6.16
PA	NA	NA

REPAIR SPEC DETAILS

MAKE	RSEMA	SERIAL NO	817898
------	-------	-----------	--------



HMarthinus
ELECTRICITY AND ELECTRICAL SERVICES
TELEPHONE: +27 11 916 4722
FACSIMILE: +27 11 916 4888

L.H.M. JOB NO: _____
SERIAL NO: _____
GUARANTEE EXP DATE: _____
HV TEST DATE: _____
REWARD: _____
OVERHAUL: _____

TAP	NAME PLATE V	NEW

REPAIR SPEC: _____

MAKE: _____

SER NO: _____

Eskom
Kwasa and KwaZulu
Transformer and Switchgear Services

POWER DISTRIBUTION SERVICES

100 8001 - 100 14001

REPAIR/TEST/REPAIR DATE: 6-11-16
GUARANTEE EXP DATE: 6-11-17
HV TEST DATE: 6-06-18

TAP	NAME PLATE V	NEW
26	26	26
3	3	3
10	10	10

REPAIR SPEC: 100/100

MAKE: 100/100 SERIAL NO: 100/100

SIEMENS
TRANSFORMER SERVICES

TRANSFORMER NO: 100/100

TYPE: 100/100

POWER: 100/100

VOLTS: 100/100

AMPS: 100/100

WATTS: 100/100

PHASES: 100/100

WINDINGS: 100/100

INSULATION: 100/100

TEMPERATURE: 100/100

LOAD: 100/100

EFFICIENCY: 100/100

LOSS: 100/100

REGULATION: 100/100

IMPEDANCE: 100/100

SCHEMATIC: 100/100

DETAILS: 100/100

REMARKS: 100/100

DATE: 100/100

BY: 100/100

CHECKED: 100/100

APPROVED: 100/100

SIGNATURE: 100/100

STAMP: 100/100



