

	<h1 style="text-align: center;">REQUEST FOR QUOTATION</h1> <h2 style="text-align: center;">(SUPPLY AND DELIVERY)</h2>		Form No: RW SCM 00015 F	
			Revision No: 05	
			Effective Date: 31 January 2023	

BID NUMBER:	10401785	CLOSING DATE:	07 April 2023	CLOSING TIME:	23:30
DESCRIPTION:	Supply and deliver electrical items to BWD as per delivery schedule over a 6 months period				
NON-COMPULSORY BRIEFING SESSION DATE AND TIME	N/A	BRIEFING SESSION VENUE	N/A		
ISSUE DATE	05 April 2023				

BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO:			
BUYER		SOURCING MANAGER	
CONTACT PERSON	Salome Mametja	CONTACT PERSON	Bongani Ndwadnwe
TELEPHONE NUMBER	011 682 8132	TELEPHONE NUMBER	011 682 0724
E-MAIL ADDRESS (Submissions must be made to this address)	smametja@randwater.co.za	E-MAIL ADDRESS	bndwandw@randwater.co.za

SUPPLIER INFORMATION			
NAME OF BIDDER			
POSTAL ADDRESS			
STREET ADDRESS			
TELEPHONE NUMBER	CODE		NUMBER
CELLPHONE NUMBER			
FACSIMILE NUMBER	CODE		NUMBER
E-MAIL ADDRESS 1			
E-MAIL ADDRESS 2			
VAT REGISTRATION NUMBER			CIDB GRADING
SUPPLIER COMPLIANCE STATUS	TAX COMPLIANCE SYSTEM PIN:		CENTRAL SUPPLIER DATABASE No:
B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE	[TICK APPLICABLE BOX] <input type="checkbox"/> Yes <input type="checkbox"/> No		B-BBEE STATUS LEVEL SWORN AFFIDAVIT (EMEs and QSEs) <input type="checkbox"/> Yes <input type="checkbox"/> No





BID SUBMISSION:
<ul style="list-style-type: none"> Bids must be submitted by the stipulated time to the email address stipulated above. Late bids will not be accepted for consideration. All bids must be submitted on the official forms provided (not to be re-typed) or in the manner prescribed in the bid document. No bids will be considered from persons in the service of the state, companies with directors who are persons in the service of the state, or close corporations with members / persons in the service of the state." <i>Rand Water will provide any clarifications / addenda / extension of closing date by no later than one (1) calendar day before the closing date.</i>








1. SCOPE OF WORK












1.1. DESCRIPTION

All Items in the table below must be:


1. Packed, stacked and delivered in good condition;
2. Packaging must be in good original condition.
3. Partial deliveries will not be accepted.
4. Only reputable manufacturers/brands with approval certification and accreditation will be accepted (examples of reputable brands deemed compliant: Kiwkot, Oshram, CBI, Schneider Electric, Cutler Hammer, ABB, Seimens, Parker, Emerson, Honeywell, General Electric, Bosch and so forth) Where a manufacturing brand is specified (in the table below) the equivalent thereof will also be accepted based on certification and accreditation.
5. All items must have proof of EN SABS or CE approval for acceptance at site.
6. All items must be in original packaging
7. No inferior quality will be accepted







11641	Lugs piggy back type blue 2,5mm 100/box 	EN SABS or CE approval Lug Insul. 2.5mm Blue Piggy Back																
3518	CABLE CABTYRE W HITE 3CORE 1,5 MM2 100M/R 	EN SABS or CE approval <table><tr><th colspan="2">CABLES ATTRIBUTES</th></tr><tr><td>Cable Size</td><td>1.5mm</td></tr><tr><td>Cable voltage</td><td>300/500V</td></tr><tr><td>Cable volt drop</td><td>27 mV/A/m</td></tr><tr><td>Cable earth/phase</td><td>13.3 Ω/km</td></tr><tr><td>Cable current rating</td><td>16A</td></tr><tr><td>Cable sec curcuit rating</td><td>0.17</td></tr><tr><td>Cable weight</td><td>11.2 per roll of 100 meters</td></tr></table>	CABLES ATTRIBUTES		Cable Size	1.5mm	Cable voltage	300/500V	Cable volt drop	27 mV/A/m	Cable earth/phase	13.3 Ω/km	Cable current rating	16A	Cable sec curcuit rating	0.17	Cable weight	11.2 per roll of 100 meters
CABLES ATTRIBUTES																		
Cable Size	1.5mm																	
Cable voltage	300/500V																	
Cable volt drop	27 mV/A/m																	
Cable earth/phase	13.3 Ω/km																	
Cable current rating	16A																	
Cable sec curcuit rating	0.17																	
Cable weight	11.2 per roll of 100 meters																	
3521	CABLE PVC BLACK SINGLE/CORE 2,5MM2 100M/R 	EN SABS or CE approval <table><tr><td>Nominal voltage:</td><td>IEC: U0/U 600/1000 V</td></tr><tr><td>Test voltage:</td><td>4000 V</td></tr><tr><td>Temperature range :</td><td>Flexing: -35°C to +80°C Fixed installation: -50°C to +80°C</td></tr><tr><td>Minimum Bending Radius :</td><td>7.5 x Ø</td></tr></table>	Nominal voltage:	IEC: U0/U 600/1000 V	Test voltage:	4000 V	Temperature range :	Flexing: -35°C to +80°C Fixed installation: -50°C to +80°C	Minimum Bending Radius :	7.5 x Ø								
Nominal voltage:	IEC: U0/U 600/1000 V																	
Test voltage:	4000 V																	
Temperature range :	Flexing: -35°C to +80°C Fixed installation: -50°C to +80°C																	
Minimum Bending Radius :	7.5 x Ø																	
3522	CABLE PVC RED SINGLE CORE 2.5MM2 100M/R 	EN SABS or CE approval 2.5mm , Red , Single core Size - 2.5MM Colour - RED Classification (SABS) SANS																
3523	CABLE PVC WHITE SINGLE CORE 2,5MM2 100M/	EN SABS or CE approval 2.5mm , White , Single core Size - 2.5MM Colour - White Classification (SABS) SANS																
3524	CABLE PVC BLUE SINGLE CORE 2,5MM2 100M/R	EN SABS or CE approval 2.5mm . White . Single core																

		Size - 2.5MM Colour - White Classification (SABS) SANS
3535	LUGS CRIMPING 5 MM HOLE 2,5 MM2 100/BOX 	EN SABS or CE approval Ending cable lug. Hole diameter: 5,3mm Conductor cross-section: 1,5-2,5mm2 Outer lug diameter: 9,5mm Connection type: crimp AWG: 16,14 Plastic collar: yes Collar color: blue Material: CuZnSn
3519	CABLE CABTYRE TRS 3 CORE 25 AMP 2,5MM2 	EN SABS or CE approval BRAND: Crabtree PRODUCT TYPE: Plugs PRODUCT: Crabtree Colored Plug Tops ACCREDITED: SABS
3551	BREAKERS CIRCUIT SINGLE POLE 40 AMP	EN SABS or CE approval
3561	SADDLES GALVANISED 20 MM 50/BOX 	EN SABS or CE approval FABRICATED FROM GALVANISED STEEL. FOR USE IN CONDUIT PIPE MOUNTING.
3565	WIRE SILICONE BLACK (STOVE 2,5MM2 100M/R	EN SABS or CE approval
3566	WIRE SILICONE RED (STOVE) 2,5MM2 100M/R	EN SABS or CE approval
3583	ELEMENTS GEYSER WET TYPE 2 KW	EN SABS or CE approval
3504	ADAPTORS MULTI-PLUG 3 PIN 2 X 15 AMP 	EN SABS or CE approval Specifications: White. 3 pin. 6.5x5.8x12.3
3514	BOXES PVC C/W SCREWS & LIDS 3 WAY 20MM 	EN SABS or CE approval
3526	FERRULES CRIMPING 6 MM2 	EN SABS or CE approval
3528	GLANDS NORSEK NO 0	EN SABS or CE approval
3531	GLANDS CABLE PRATLEY NO 2 	EN SABS or CE approval
3532	SHROUDS CABLE PRATLEY NO 2	EN SABS or CE approval
3536	LUGS CRIMPING 6 MM HOLE 4MM2 100/box	EN SABS or CE approval

		
3537	LUGS CRIMPING 16 MM HOLE 70 MM2 	EN SABS or CE approval
3542	CABLE NORSK EARTH PLYS 2 CORE 2,5MM2	EN SABS or CE approval
3544	CABLE TIES PVC T50 1 100/pkt	EN SABS or CE approval
3553	EARTH LEAKAGE UNIT SAMITE N/E 40AMP	EN SABS or CE approval
3554	BENDS INSPECTION PVC 20 MM	EN SABS or CE approval
3560	SADDLES POLYFLORA 10 MM 100/BOX 	EN SABS or CE approval 10mm PVC Round Clip Hardened Nail, Zinc Plated
3603	LAMPHOLDER BRASS B C SCREWED 19MM SABS 	EN SABS or CE approval
3625	JAM JAR FITTING C/W PORCELAIN LAMP HOLDE 	EN SABS or CE approval
3638	HAMMERFIX FISHER PLUGS HILTI NAILS N 6 	EN SABS or CE approval
11643	Crimping lugs insulated male 2,5mm 100/b 	EN SABS or CE approval
3505	CAPACITORS ASP 20 MFD 220 VOLT	EN SABS or CE approval
3506	CAPACITORS ASP 25 MFD 220 VOLT	EN SABS or CE approval
3516	BOXES EXTENSION 100 X 100 MM 	EN SABS or CE approval
3525	FERRULES CRIMPING 4 MM2 (100 /BOX) 	EN SABS or CE approval
3527	FERRULES CRIMPING 25 MM2 (100/BOX) 	EN SABS or CE approval
3529	GLANDS CABLE PRATLEY NO 0 (NO 01001) 	EN SABS or CE approval No.0 Compression Cable Gland Pratley (IP68) Material: Brass Bedding Diameter: Min: 8mm Max: 11.1mm Thread size: M20
3530	GLANDS CABLE PRATLEY NO 1	EN SABS or CE approval No.0 Compression Cable Gland Pratley (IP68) Material: Brass Bedding Diameter: Min: 8mm Max: 11.1mm Thread size: M20

		
3533	GLANDS COMPRESSION STEEL PRATLEY NO 0 	EN SABS or CE approval
3534	GLANDS COMPRESSION PRATLEY NO 1 	EN SABS or CE approval
3538	SHROUDS PRATLEY NO 0 	EN SABS or CE approval
3543	GLANDS CABLE NORSE (WITH THREAD) NO 0	EN SABS or CE approval
3545	CRIMPING LUGS 10 MM X 8 MM HOLE 100/pk	EN SABS or CE approval
3546	CRIMPING LUGS 16 MM X 8 MM HOLE 100/pk	EN SABS or CE approval
3548	BREAKERS CIRCUIT HEINEMANN SA 1-G3 10A	EN SABS or CE approval
3549	BREAKERS CIRCUIT HEINEMANN S/POLE 15A	EN SABS or CE approval
3550	BREAKERS CIRCUIT SINGLE POLE 25AMP	EN SABS or CE approval
3552	EARTH LEAKAGE SA-15-A 60A 1 PHASE	EN SABS or CE approval
3555	CONDUIT PVC SABS 20 MM X 4 M	EN SABS or CE approval
3558	TUBING CONDUIT STEEL 25 MM X 4 M	EN SABS or CE approval
3559	TUBING CONDUIT PVC 25 MM X 4 M	EN SABS or CE approval
3585	ELEMENTS URN C/W THERMOSTAT 3	EN SABS or CE approval
3590	TAPE INSULATION PUTTY SCOTCHFIL 38X1,5X3	EN SABS or CE approval
3628	CONNECTOR PLASTIC "LEGRANDE" 12WAY 15amp	EN SABS or CE approval
3629	SWITCH PLUG UNITS DOUBLE FLUSH C/W COVER 	Material: Steel
3631	SWITCH PLUG INDUSTRIAL 3 PIN 15 AMP	EN SABS or CE approval
3632	SWITCH LIGHT SINGLE LEVER CRABTREE + PLA 	EN SABS or CE approval
3634	SWITCH INDUSTRIAL LIGHT 1-L ONE-WAY 16A 	EN SABS or CE approval
3635	SWITCH 2 LEVER DOUBLE WHITE CRABTREE 5A 	EN SABS or CE approval
11640	Insulated lugs female push in type blue 	EN SABS or CE approval
12904	3KW URN ELEMENT BUTTERFLY	EN SABS or CE approval

3503	ADAPTORS MALE PVC 20 MM	EN SABS or CE approval
3623	BASE HOLDER FIBRE GLASS B C WITH PORCEL	EN SABS or CE approval
3642	SPIRAL PLATE SING/HEAT 8" PORCELAIN ENDS	EN SABS or CE approval
3643	SPIRAL PLATES SINGLE HEAT 6" PORCELAIN E	EN SABS or CE approval
3644	PLATE SOLID H/S KELVINATOR S2640 150mm	EN SABS or CE approval
3645	STOVE PLATE SOLID HIGH SPEED S2640 200mm	EN SABS or CE approval
3647	ZA-477-ZARTEK-LED TORCH-RECHARGEABLE	<p>  </p> <p> EN SABS or CE approval Extreme Bright LED CREE V5 globe 750 lumen & 500m beam distance Fully Rubberised Casing Rechargeable via Mains/Vehicle High Capacity Li-ion Battery 5800mAh Detachable Red Lens Quick Off Function Lightweight & Compact Shockproof & Splashproof IP66 Foldable Stand Weight: 400g 1 Year Limited Warranty Charging time 7 hours Rechargeable via Plug-in Mains/Vehicle charger Built-in Li-ion Rechargeable Battery Over 500 Recharge Cycles possible 3 Modes of Operation: High Beam (4.5 hrs) Medium Beam (10 hrs) Strobe (9hrs) INCLUDED ITEMS: Spotlight with built-in rechargeable battery Detachable Red Lens Detachable Shoulder Strap Main (AC) adaptor 4.2V 1.5A Vehicle (DC) adaptor 4.2V Operation: Press the trigger switch multiple times to toggle between lighting modes. 3 Modes of Operation: High Beam, Medium Beam, Fast Strobe Quick Beam Off: When the light is ON for 5 seconds or longer, press the switch once to turn off. Use the side lever to lock the switch once finished using the spotlight to avoid the switch turning on accidentally. This switch uses a magnetic contact so that the main unit housing battery and globe is totally sealed for extra protection from moisture or dust. Beam distance: 500 meters The spotlight is equipped with a detachable red lens. Red light is softer than white light and is invisible to animals. Use the red lens for non-invasive animal viewing. The Zartek ZA-477 spotlight is ideal for security, outdoor, camping, fishing, night game drives, mining, industrial and general use. LED globes are shockproof and never need replacing. The casing is durable and lightweight therefore easy to carry and point wherever it is needed. </p>
18906	COLEMAN LED CHT 15 HEAD LAMP	EN SABS or CE approval
3539	SHROUDS PRATLEY NO 1	EN SABS or CE approval
3547	ADAPTOR PLATES SAMITE	EN SABS or CE approval
3556	SADDLES PVC 20 MM	EN SABS or CE approval
3557	SADDLES SIMPLEX GALV STEEL 25 MM	EN SABS or CE approval
3591	TAPE INSULATION PVC ADHESIVE BLACK 19MM	EN SABS or CE approval Lenght: 10m (Rated to 240V) Resistant to moisture, abrasion, flame and

		weather Indoor and outdoor use Colour: Black
3592	TAPE INSULATION PVC ADHESIVE BLUE 19MM 	EN SABS or CE approval Length: 10m (Rated to 240V) Resistant to moisture, abrasion, flame and weather Indoor and outdoor use Colour: Blue
3593	TAPE INSULATION PVC ADHESIVE RED 20MM 	EN SABS or CE approval Length: 10m (Rated to 240V) Resistant to moisture, abrasion, flame and weather Indoor and outdoor use Colour: Red
3594	TAPE INSULATION PVC ADHESIVE WHITE 20MM 	EN SABS or CE approval Length: 10m (Rated to 240V) Resistant to moisture, abrasion, flame and weather Indoor and outdoor use Colour: White
3601	BOWLS GLASS SCREW TYPE 200 MM	EN SABS or CE approval
3604	HOLDER LAMP SODIUM GES HP J695/6/OS 400W	EN SABS or CE approval
3617	LAMP MERCURY BLENDED ES 220/240V 160W	EN SABS or CE approval
3621	SPRING TOGGLES BUTTERFLY CLIPS M5X50MM	EN SABS or CE approval
3636	SWITCH TIME SAMITE C/W L/SPRING 16 AMP	EN SABS or CE approval
3639	WACO ELROM D/LIGHT SWITCH TYPE N2021 16A	EN SABS or CE approval
3640	STOVE SWITCH & KNOBS T-90 NFI s/h15AMP	EN SABS or CE approval
11642	Crimping lugs 95mm x 12mm hole	EN SABS or CE approval
3649	BATTERIES ALKALINE AAA 	EN SABS or CE approval Specifications - Battery technology: Alkaline - Battery form factor: Cylindrical - Battery voltage: 1.5V - Number of batteries included: 2 - Cylindrical battery size: AAA - Packaging type: Blister
3650	DURACELL ALKALINE BATTERIES MN21 12V 	EN SABS or CE approval MN21 Long lasting Power Guaranteed Applications Consumer Electronics, Medical Battery Voltage: 12V Battery Size Code: 23A Battery Technology: Alkaline Battery Capacity: 33mAh Battery Terminals: Raised Positive and Flat Negative External Diameter: 10mm External Height: 28.5mm External Width: - External Depth: 10mm Weight: 7.4g Battery IEC Code: 3LR50 Battery NEDA Code: 1811A
3637	PLUG TOPS RUBBER WITH CLEAR BASE 3P 15A	EN SABS or CE approval
3651	PENLITE BATTERIES DURACELL AA	EN SABS or CE approval



Longevity performance compared to the Minimum Average Duration of the 2015 IEC AA Digital Camera test.

- Suited for everyday devices
- SAFETY : Superior Nylon top closure helps preventing our batteries from leakage
- DURABILITY: Duracell technology keeps the energy of your unused batteries for up to 10 years in their packaging (ambient storage)
- 98% of our paper-based packs are made from recycled materials.
- AA and AAA manufactured in Belgium; available in AA, AAA, C, D, 4.5 V and 9 V sizes

2. AWARDING STRATEGY

The maximum number of suppliers to be awarded this RFQ is 01.

3. EVALUATION CRITERIA

The RFQ will be evaluated based on the criterion below:

3.1. Test for Responsiveness/ Pre-qualification

3.1.1. None

Responses that fail to meet pre-qualifying criteria stipulated will not be further evaluated.

3.2. FUNCTIONALITY CRITERIA

3.2.1. Not Applicable

3.3. PREFERENTIAL POINT SYSTEM

The (80/20) Preferential Point System will be used to evaluate price and specific goal on received written price quotations. Where 80 will be allocated for Price and 20 for the Specific goals.

3.3.1. PRICING SCHEDULE

The Supplier must complete the following pricing schedule:

	MILESTONES / LINE ITEMS	Estimated delivery period (where applicable)	UNIT PRICE (where applicable)	QUANTITY (where applicable)	COSTING
1	Lugs piggy back type blue 2,5mm 100/box			6	
2	CABLE CABTYRE WHITE 3CORE 1,5 MM2 100M/R			9	
3	CABLE PVC BLACK SING/CORE 2,5MM2 100M/R			9	
4	CABLE PVC RED SINGLE CORE 2.5MM2 100M/R			9	
5	CABLE PVC WHITE SINGLE CORE 2,5MM2 100M/			9	
6	CABLE PVC BLUE SINGLE CORE 2,5MM2 100M/R			9	
7	LUGS CRIMPING 5 MM HOLE 2,5 MM2 100/BOX			12	
8	CABLE CABTYRE TRS 3 CORE 25 AMP 2,5MM2			15	
9	BREAKERS CIRCUIT SINGLE POLE 40 AMP			15	
10	SADDLES GALVANISED 20 MM 50/BOX			15	
11	WIRE SILICONE BLACK (STOVE 2,5MM2 100M/R			15	
12	WIRE SILICONE RED (STOVE) 2,5MM2 100M/R			15	
13	ELEMENTS GEYSER WET TYPE 2 KW			15	
14	ADAPTORS MULTI-PLUG 3 PIN 2 X 15 AMP			30	
15	BOXES PVC C/W SCREWS & LIDS 3 WAY 20MM			30	
16	FERRULES CRIMPING 6 MM2			30	
17	GLANDS NORSE NO 0			30	
18	GLANDS CABLE PRATLEY NO 2			30	
19	SHROUDS CABLE PRATLEY NO 2			30	
20	LUGS CRIMPING 6 MM HOLE 4MM2 100/box			30	
21	LUGS CRIMPING 16 MM HOLE 70 MM2			30	
22	CABLE NORSE EARTH PLYS 2 CORE 2,5MM2			30	
23	CABLE TIES PVC T50 1 100/pkt			30	

	MILESTONES / LINE ITEMS	Estimated delivery period (where applicable)	UNIT PRICE (where applicable)	QUANTITY (where applicable)	COSTING
24	EARTH LEAKAGE UNIT SAMITE N/E 40AMP			30	
25	BENDS INSPECTION PVC 20 MM			30	
26	SADDLES POLYFLORA 10 MM 100/BOX			30	
27	LAMPHOLDER BRASS B C SCREWED 19MM SABS			30	
28	JAM JAR FITTING C/W PORCELAIN LAMP HOLDE			30	
29	HAMMERFIX FISHER PLUGS HILTI NAILS N 6			30	
30	Crimping lugs insulated male 2,5mm 100/b			30	
31	CAPACITORS ASP 20 MFD 220 VOLT			60	
32	CAPACITORS ASP 25 MFD 220 VOLT			60	
33	BOXES EXTENSION 100 X 100 MM			60	
34	FERRULES CRIMPING 4 MM2 (100 /BOX)			60	
35	FERRULES CRIMPING 25 MM2 (100/BOX)			60	
36	GLANDS CABLE PRATLEY NO 0 (NO 01001)			60	
37	GLANDS CABLE PRATLEY NO 1			60	
38	GLANDS COMPRESSION STEEL PRATLEY NO 0			60	
39	GLANDS COMPRESSION PRATLEY NO 1			60	
40	SHROUDS PRATLEY NO 0			60	
41	GLANDS CABLE NORSE (WITH THREAD) NO 0			60	
42	CRIMPING LUGS 10 MM X 8 MM HOLE 100/pk			60	
43	CRIMPING LUGS 16 MM X 8 MM HOLE 100/pk			60	
44	BREAKERS CIRCUIT HEINEMANN SA 1-G3 10A			60	
45	BREAKERS CIRCUIT HEINEMANN S/POLE 15A			60	
46	BREAKERS CIRCUIT SINGLE POLE 25AMP			60	
47	EARTH LEAKAGE SA-15-A 60A 1 PHASE			60	
48	CONDUIT PVC SABS 20 MM X 4 M			60	
49	TUBING CONDUIT STEEL 25 MM X 4 M			60	
50	TUBING CONDUIT PVC 25 MM X 4 M			60	
51	ELEMENTS URN C/W THERMOSTAT 3			60	
52	TAPE INSULATION PUTTY SCOTCHFIL 38X1,5X3			60	

	MILESTONES / LINE ITEMS	Estimated delivery period (where applicable)	UNIT PRICE (where applicable)	QUANTITY (where applicable)	COSTING
53	CONNECTOR PLASTIC "LEGRANDE" 12WAY 15amp			60	
54	SWITCH PLUG UNITS DOUBLE FLUSH C/W COVER			60	
55	SWITCH PLUG INDUSTRIAL 3 PIN 15 AMP			60	
56	SWITCH LIGHT SINGLE LEVER CRABTREE + PLA			60	
57	SWITCH INDUSTRIAL LIGHT 1-L ONE-WAY 16A			60	
58	SWITCH 2 LEVER DOUBLE WHITE CRABTREE 5A			60	
59	Insulated lugs female push in type blue			60	
60	3KW URN ELEMENT BUTTERFLY			60	
61	ADAPTORS MALE PVC 20 MM			75	
62	BASE HOLDER FIBRE GLASS B C WITH PORCEL			75	
63	SPIRAL PLATE SING/HEAT 8" PORCELAIN ENDS			75	
64	SPIRAL PLATES SINGLE HEAT 6" PORCELAIN E			75	
65	PLATE SOLID H/S KELVINATOR S2640 150mm			75	
66	STOVE PLATE SOLID HIGH SPEED S2640 200mm			75	
67	ZA-475-ZATEK-LED TORCH-RECHARGEABLE			75	
68	COLEMAN LED CHT 15 HEAD LAMP			75	
69	SHROUDS PRATLEY NO 1			150	
70	ADAPTOR PLATES SAMITE			150	
71	SADDLES PVC 20 MM			150	
72	SADDLES SIMPLEX GALV STEEL 25 MM			150	
73	TAPE INSULATION PVC ADHESIVE BLACK 19MM			150	
74	TAPE INSULATION PVC ADHESIVE BLUE 19MM			150	
75	TAPE INSULATION PVC ADHESIVE RED 20MM			150	
76	TAPE INSULATION PVC ADHESIVE WHITE 20MM			150	
77	BOWLS GLASS SCREW TYPE 200 MM			150	
78	HOLDER LAMP SODIUM GES HP J695/6/OS 400W			150	
79	LAMP MERCURY BLENDED ES 220/240V			150	

	MILESTONES / LINE ITEMS	Estimated delivery period (where applicable)	UNIT PRICE (where applicable)	QUANTITY (where applicable)	COSTING
	160W				
80	SPRING TOGGLES BUTTERFLY CLIPS M5X50MM			150	
81	SWITCH TIME SAMITE C/W L/SPRING 16 AMP			150	
82	WACO ELROM D/LIGHT SWITCH TYPE N2021 16A			150	
83	STOVE SWITCH & KNOBS T-90 NFI s/h15AMP			150	
84	Crimping lugs 95mm x 12mm hole			150	
85	BATTERIES ALKALINE AAA			300	
86	DURACELL ALKALINE BATTERIES MN21 12V			300	
87	PLUG TOPS RUBBER WITH CLEAR BASE 3P 15A			600	
88	PENLITE BATTERIES DURACELL AA			600	
TOTAL					
VAT					
TOTAL [VAT INCLUDED]					

3.3.2. SPECIFIC GOALS

Rand Water specific goals is to empower previously disadvantaged designated groups. This specific goal will be evaluated and measured by using the SANAS accredited B-BBEE certificate or sworn affidavit for QSE or EME or the dtic B-BBEE certificate.

Points will be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of point
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

Bidders will not be disqualified from the bidding process for not submitting a SANAS accredited B-BBEE certificate or sworn affidavit for QSE or EME or the dtic B-BBEE certificate substantiating the B-BBEE status level of contribution or is a non-compliant contributor. Such a bidder will score zero (0) out of maximum of 20 for B-BBEE.

4. RETURNABLE DOCUMENTS

The following documents **must** be returned together with this RFQ:

Required for Evaluation

- 4.1. A B-BBEE Status Level Verification Certificate (SANAS Approved) / Sworn Affidavit (For EMEs& QSEs) / *the dtic B-BBEE certificate* must be submitted in order to obtain preferential points.
- 4.2. Completed and signed SBD 4 Form (Declaration of Interest)
- 4.3. Company Resolution Letter (proof of authority).

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

- 2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest¹ in the enterprise, employed by the state? **YES/NO**
- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

- 2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? **YES/NO**
- 2.2.1 If so, furnish particulars:
-
-

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

- 2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? **YES/NO**

2.3.1 If so, furnish particulars:

3 DECLARATION

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium² will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

.....
Signature

Position

2 Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

5. GENERAL TERMS AND CONDITIONS

The following terms and conditions shall apply to the award. The Supplier agrees to adhere to the terms and conditions.

5.1. DEFINITIONS

5.1.1. In the General Conditions of Purchase, the terms below shall have the following meanings, unless it is inconsistent with the context of the Purchase Order:

"PURCHASE ORDER"	means the order between Rand Water and the Supplier;
"DELIVERY"	means delivery in accordance with the conditions of the Purchase Order at the stated delivery point;
"SUPPLIES"	means any services, equipment, goods, items or materials to be delivered by the Supplier in terms of the Purchase Order;
"SUPPLIER"	means the party appointed by Rand Water and with whom Rand Water places the Purchase Order.

5.2. FIXED PRICE

The price stated in the Purchase Order shall be regarded as fixed and is invariable and not subject to adjustments unless otherwise agreed between the parties in writing.

5.3. DELIVERY TIME OR DATE

The delivery time or date stated in the Purchase Order shall be regarded as fixed and the Supplier shall adhere strictly thereto. Rand Water reserves the right to cancel any order issued if delivery is not made as agreed and the Supplier will not be entitled to any cancellation fees.

5.4. PURCHASE ORDER

5.4.1. In terms of this order Rand Water undertakes to procure, and the Supplier undertakes to supply the products and/or services as contained on the Purchase Order. This however, does not prohibit Rand Water to procure additional products/services, and or to procure the same/similar products/services, from any other Supplier.

5.4.2. The Purchase Order number stated in the Order shall be indicated clearly on all documentation to be issued by either party to the other.

5.5. CANCELLATION OF ORDER

5.5.1. Should the Supplier fail to deliver the goods at the time agreed to, or should it not comply with any other essential condition of the Purchase Order, Rand Water shall be entitled in writing to cancel the Purchase Order, without any adverse cost implications for Rand Water.

5.5.2. The aforesaid cancellation shall not prevent Rand Water from exercising any of its rights available in terms of the Purchase Order.

5.6. DISPATCH OF SUPPLIES

Rand Water shall not be responsible for any risk in and to the goods before delivery of such goods has taken place.

5.7. SPECIFICATIONS

5.7.1. The Supplier shall ensure that the service to be rendered shall in all respects be in accordance with the requirements and stipulations set out in the Purchase Order. All materials and consumable items if applicable shall be new and unused, unless otherwise agreed to in writing.

5.12. FORCE MAJEURE

Any Force Majeure event experienced by the Supplier that is likely to affect the timeous delivery of any items on the Purchase Order shall be communicated to Rand Water in writing within forty-eight (48) hours of the Supplier becoming aware of such circumstance. Force Majeure event means:

- natural disasters
- war, act of foreign enemies
- riot, civil commotion
- strike, lockout, other labour disturbance (including those involving the Supplier's employees) or

any other circumstances beyond the control of the Supplier and which in the absence of this paragraph will operate to frustrate the timeous delivery of the item and/or service.

5.13. WARRANTY

5.13.1. The Supplier warrants that all goods and Services supplied under this Purchase Order will be in accordance with all contract requirements and free from defects or inferior materials, equipment, and workmanship for twelve (12) months after final acceptance of the goods or Services.

5.13.2. If Rand Water finds the warranted goods or Services need to be repaired, changed or re-performed, Rand Water shall so inform the Supplier in writing and the Supplier shall promptly and without expense to Rand Water replace or satisfactorily correct the goods or Services.

5.13.3. Any goods, services or parts thereof so corrected, shall also be subject to the provisions of this Clause, and the warranties for such goods, Services or part thereof shall be for twelve (12) months from the date of Rand Water's final acceptance of such corrected goods or Services.

5.13.4. The Supplier further warrants the goods/services will meet and are suitable for the purpose intended. These warranties shall survive inspection, acceptance, and payment. Goods/services that do not conform to the above warranties may, at any time within 12 months after delivery to Rand Water, be rejected and returned to the Supplier, and if Rand Water has incurred any expenses as a result thereof, Rand Water will be entitled to recover same from the Supplier.

5.14. TERMINATION FOR CONVENIENCE

Rand Water reserves the right, at any time, in its own best interest, and without liability, to terminate a Purchase Order in whole or in part, by written notice of termination for convenience to the Supplier. If the Purchase Order is so terminated, then, within thirty (30) days following the Supplier's receipt of the termination notice, the Supplier shall submit a claim for equitable adjustment. If the termination involves only services, Rand Water shall be obligated to pay only for services performed satisfactorily before the termination date.

5.15. TERMINATION FOR DEFAULT

Rand Water may, without liability, and in addition to any other rights or remedies provided herein or by law, terminate a Purchase Order in whole or in part by written notice of default if the Supplier:

- fails to deliver in terms of the Purchase Order or perform the services within the time specified;
- fails to make sufficient progress with the work, thereby endangering completion of performance within the time specified; or
- fails to comply with any of the other instructions, terms, or conditions. Rand Water's right to terminate for default may be exercised if the Supplier does not cure the failure within ten (10) days after receiving the notice of such failure.

5.16. AMENDMENT OF ORDER

5.16.1. No amendment or variations to the Purchase Order shall be permitted without the written approval of Rand Water.

5.16.2. No price adjustments shall be accepted unless stipulated in the quotation document received. The Supplier shall be obliged to supply the goods and services on the quoted prices, if the Purchase Order was placed within valid time of quotation.

5.17. CESSION OF CONTRACTS

The Supplier may not, cede, delegate, relinquish or transfer to anyone his rights and/or obligations without the prior written consent of Rand Water.

- 5.7.2. Rand Water shall be entitled to return any goods with defects or deviations from the agreed specification within 7 days after date of delivery and will not be liable for any cost.

5.8. GUARANTEE

Save for consumables, the Supplier guarantees the workmanship and materials and any components thereof will be free of any defects for a period of at least 12 (twelve) months after the acceptance thereof by Rand Water, reasonable wear and tear will be accepted.

5.9. PAYMENT

Rand Water does not allow advance payments to the Supplier.

- 5.9.1. Payment of an invoice shall not prevent Rand Water from subsequently disputing all or any of the fees in good faith whether during or after the term of the Purchase Order.
- 5.9.2. Payments shall be effected within 30 days after submission of monthly statement.
- 5.9.3. Rand Water shall endeavour to make payment within 30 days from date of monthly statement, date of the aforesaid monthly statement should reflect the last day of the month wherein the services being invoiced were rendered.

5.10. LIABILITY FOR COSTS, DAMAGES OR EXPENSES

Rand Water may deduct all costs, damages or expenses, or any other amount for which the Supplier is liable in terms of the Purchase Order, from moneys due to or becoming due to the Supplier in terms of any subsequent Purchase Orders or the contract between the Supplier and Rand Water. Rand Water is herewith irrevocably and *in rem suam* authorized.

5.11. PENALTY AND PERFORMANCE CLAUSE

- 5.11.1. Should the Supplier fail to perform and make delivery in terms of the Purchase Order, exception of Force Majeure specified in Clause 8.13, Rand Water shall be entitled to impose a penalty, which shall be deducted from the payment statement. The imposition of such penalty shall no relieve the Supplier from its obligation to complete the services or from any of its obligations and liabilities under the Purchase Order.
- 5.11.2. Every day, following the day on which a Failure arose ("day 1"), that a Failure persists without being rectified, shall be deemed a new incidence of a Failure for which the Supplier shall incur a penalty deduction.

5.18. DISPUTE RESOLUTION

All disputes between the parties shall, when all efforts to resolve such dispute by negotiation have failed shall be resolved by way of arbitration under the auspices of the Arbitration Foundation of Southern Africa ("AFSA") as per AFSA's rules, in Sandton, Johannesburg. Either party shall however be entitled to proceed to the South Gauteng High Court (to which jurisdiction the parties hereby consent) for any urgent, interim or interdictory relief, as that party may deem necessary in the circumstances in order to protect its rights or interests under a Purchase Order or these terms and conditions.

5.19. DOMICILIUM CITANDI ET EXECUTANDI AND NOTICES

- 5.19.1. The Parties hereto respectively choose as their *domicilium citandi et executandi* for all purposes of, and in connection with this Agreement, the physical addresses as they appear on the Purchase Order.

- 5.19.2. Any notice to be given hereunder shall be given in writing and may be given either personally (i.e. per hand or courier) or may be sent by registered post and addressed to the relevant party at its domicilium or to such other address as shall be notified in writing by either of the parties to the other from time to time. Any notice given by registered post shall be deemed to have been served on the expiry of 7 (seven) calendar days after same is posted. Any notice delivered personally shall be deemed to have been served at the time of delivery.

5.20. LAW

The Purchase Order shall be governed and interpreted in accordance with the law of the Republic of South Africa and shall be subject to the jurisdiction of the South African courts to which the Supplier hereby irrevocably submits but without prejudice to Rand Water's right to take proceedings against the Supplier in other jurisdictions.

SIGNED at _____ on _____

For and on behalf of Supplier

Who warrants being duly authorised

Name:

Designation: