




SITE PLAN
Scale 1:200

REMARKS:
Copyright reserved in favour of the undermentioned architects.
All dimensions are to be checked on site. Only figured dimensions are to be used.
Any reference to specialised work, items, finishes etc. are normally covered under preliminary amounts or PC items. If not, the contractor must still price these specialised work, items or finishes. Any contradictions must be settled beforehand with the architect.
This drawing to be read in conjunction with Structural, Civil, Electrical and Mechanical Engineers drawings.
All materials to be paint finished as specified where supplied without factory finish.
Building work to comply with SANS 10400 National Building Regulations.
Glass installation to comply with SANS 10137 National Building Regulations and SAGI (South African Glass Institute) Safety glass in doors must be marked with visible band.

TABLE - DIMENSIONS OF GLASS	
Nominal thickness of glass, mm	Maximum size of glass of glass, meter
3	0,75
4	1,5
5	2,1
6	3,2

Designer:
PrArch no: 969

-	1	28/02/2019	ISSUED FOR CONSTRUCTION		MR	IDLR	WMS							
0	13/11/17	ISSUED FOR TENDER		MR	IDLR	WMS								
-	A	15/02/17	ISSUED FOR REVIEW		MR	IDLR	WMS							
** REVISION **				REV BY	CHKD BY	AUTH BY	KKS APP	REFERENCE DRAWINGS						
INDEX REFERENCE : *														
DRG REGISTR	-	-	AUTHORISED FOR ESKOM BY	DATE										
DESIGN APPROVED	10/02/17	WMS	Sibonelo Sibisi		28/02/2019									
KKS APP	-	-												
DO AUTH	-	-	WMS WMS-Design & Vendors Partners											
CHKD BY	10/02/17	IDLR			07015 - AE - 1.01									
DRAWN BY	10/02/17	MR												
SCALE	AS SHOWN					0.84/933				SHEET	REV			
			1							1				

ISSUED FOR
CONSTRUCTION

MEDUPI POWER STATION
GATE HOUSE 4
Site Plan

07015 - AE - 1.01

0.84/933