TYPE 1



345mm x 42mm x 40mm



415mm x 40mm x 40mm

TYPE 2



700mm x 300mm x 30mm




700mm x 172mm x 30mm

TYPE 3



345mm x 86mm x 40mm

TYPE 4





345mm x 760mm x 40mm

TYPE 5



625mm x 345mm x 40mm

CLIENT:	FREEDOM PARK HERITAGE SITE & MUSEUM								
PROJECT:	APPOINTMENT OF SERVICE PROVIDER TO MANUFACTURING, SUPPLY, DELIVERY, INSTALLATION, INSCRIPTION AND MAINTENANCE OF THE WALL OF NAMES STONES								
Item No.	DESCRIPTION		AMOUNT						
	FINAL SUMMARY PAGE								
Α	PRICING ASSUMPTIONS								
В	SECTION 1 - PRELIMINARIES AND GENERAL	R	-						
С	SECTION 2 - BUILDING WORKS (WALL OF NAMES)	R	-						
	SUB TOTAL								
	ADD CONTIGENCIES	R	100 000.00						
	SUB TOTAL (EXCL VAT)	R	100 000.00						
	ADD 15% VAT	R	15 000.00						
	TOTAL TENDER VALUE OFFERED	R	115 000.00						

FREEDOM PARK HERITAGE SITE & MUSEUM MANUFACTURING, SUPPLY, DELIVERY, INSTALLATION, INSCRIPTION AND MAINTENANCE OF THE WALL OF NAMES **STONES** PAGE ITEM DESCRIPTION UOM 1 PRICING ASSUMPTIONS 1 The Bills of Quantities have been drawn up in accordance with the Standard System of 1 Α Note Measuring Building Work Seventh Edition (Revised 2015)" published by the South African Association of Quantity Surveyors 1 R The agreement is based on the JBCC[©] Minor Works Agreement, prepared by the Joint Building Note Contracts Committee, Edition 5.2, May 2018 C The JBCC Minor Works Agreement contract data form an integral part of this agreement Note 1 D Descriptions in the Bills of Quantities are abbreviated and comply generally with those in the Note "General Preambles for Trades 2017" Ε 1 Unless otherwise stated, items are measured net in accordance with the drawings and no Note allowance is made for waste The tenderer's price or rate shall allow for such waste where deemed necessary 1 The prices and rates to be inserted in the Bills of Quantities are to be the full inclusive prices for Note the work described under the several items. Such prices and rates shall cover all costs and expenses that may be required in and for the execution of the work described and shall cover the cost of all general risks, liabilities and obligations set forth or implied in the documents on which the tender is based as well as overhead charges and profit. Reasonable prices shall be inserted as these will be used as a basis for assessment of payment for additional work that may have to be carried out 1 G A price or rate is to be entered against each item in the Bills of Quantities whether the Note quantities are stated or not. An item against which no price is entered will be considered to be covered by the other prices or rates in the Bill 1 A price or rate is to be entered against each item in the Bills of Quantities whether the Note quantities are stated or not. An item against which no price is entered will be considered to be covered by the other prices or rates in the Bill 1 The units of measurement described in the Bills of Quantities are metric units. Abbreviations 1 Note which may be used in these Bills of Quantities are as follows: mm = millimeter 1 m = meter m2 = square meter m3 = cubic meter km = kilometer h = hour kg = kilogram t = ton l = litre kl = kilolitre MN = meganewton MPa = megapascal kW = kilowatt % = percent No. = number sum = lump sum PC Sum = Prime Cost Sum Prov Sum = Provisional Sum TOTAL CARRIED TO SUMMARY

FREED	OM PA	RK HERITAGE SITE & MUSEUM				
MANU STONE		RING, SUPPLY, DELIVERY, INSTALLATION, INSCRIPTION AN	D MAINT	ENANCE C	OF THE WALL	OF NAMES
PAGE	ITEM	DESCRIPTION	UOM	QTY	RATE	AMOUNT
1		SECTION 1 - PRELIMINARIES AND GENERAL				
1		PREAMBLES FOR TRADES AND PRELIMINARIES				
1	A	"The General Preambles for Trades (2017 edition)", as published by the Association of South African Quantity Surveyors, shall be deemed to be incorporated in these bills of quantities and no claims arising from brevity of description of items, fully described in the said General Preambles, will be entertained	Note			
1	В	The contractor's price for all items throughout these schedule of quantities must take account of and include for all of the obligations, requirements and specifications given.	Note			
1	С	Any items left unpriced shall be deemed to be covered by rates and prices elsewhere incorporated throughout these schedule of quantities. Rates are to be priced gross including profit.	Note			
1	D	Contractor to provide a full risk assessment, programme of works and methodology prior to the commencment of work.	Note			
1	Е	Electricity will be supplied by the 'client' for the duration of the project	Note			
1	F	Contractor to provide a full risk assessment, programme of works and methodology prior to the commencment of work.	Note			
1	G	The awarded contractor is deemed to provided a 2 years workmanship guarantee as well as a 10 year product guarantee from a reputible supplier/manufacturer.	Note			
1	Н	All contractors work force must at all times wear a reflector vest representing the company name as well as the individuals name card prior to being on site and will comply to the rules and rugulations by the Freedom Park.	Note			
1	I	The contractor shall be liable for and hereby indemnifies the employer against any and all liability, loss, claim or proceeding consequent upon loss of or damage to any moveable or immovable or personal property or property contiguous to the site, whether belonging to or under the control of the employer or any other body or person whomsoever arising out of or caused by a catastrophic ground movement, as mentioned above, which occurred during the period of the contract	Note			
1	J	Contractor is liable for the remeasuring of the areas.	Note			
-	,	The second state of the remedeating of the dread.			 	+

		1			1	
2		PRELIMINARIES AND GENERALS				
2	Α	Contractor to allow for site establishment	item	1		
2	В	Contractor to suppy ablution facilities for all the	item	1		
		contractors work force				
2	С	The contractor to do a full Inspection of adjoining	item	1		
		properties A full photographic survey must be done by				
		the contractor of adjoining premises, this must be handed				
		over to the 'client' prior to construction.				
2	D	Contractor to allow for Full time site supervision for the	item	1		
		duration of the project for the standard working hours of				
		'Freedom Park' unless otherwise stated.				
2	E	Contractor to make allowance for storage	item	1		
		container/containers. An area will be indicated by the				
		client prior to comencement of the works.				
2	F	Contractor to allow for a full Health and Safety file,	item	1		
		including all necessary site inspection meetings where				
		required (project specific to this project in mention)				
2	G	Contractor to make allowance for hoarding off areas	item	1		
		where rubble is to be removed.				
2	Н	Contractor to allow for signage where needed.	item	1		
2	- 1	Contractor to allow for rubble removal, including all	item	1		
		necessary shoots and skips etc				
2	J	Contractor to allow for Insurances	item	1		
TOTAL	CARRI	ED TO SUMMARY		_		_

EBEED	OM PA	RK HERITAGE SITE & MUSEUM					Т			Г		
· NEED	JIVI PA	MATIENTIAGE STIE & WIUSEUW					H			H		
MANU	FACTU	RING, SUPPLY, DELIVERY, INSTALLATION, INSCRIPTION AN	D MAIN	TENANCE (F THE WALL	F NAMES STONES						
							Н					
PAGE	ITEM	DESCRIPTION	UOM	QTY	RATE YR 1	AMOUNT YR 1	Ц	RATE YR 2	AMOUNT YR 2		RATE YR 3	AMOUNT YR 3
2		SECTION 2 - BUILDING WORKS (WALL OF NAMES)					Н			-		
3		SECTION 2 - BUILDING WORKS [WALL OF NAMES]					Н			H		
3		WALL OF NAMES					П					
3							Ш					
3		PREAMBLES Before pricing this schedule, Tenderers are advised to					Н			H		
3		study "The General Preambles for Trades (2017 edition)",										
		as published by the Association of South African Quantity										
		Surveyors, shall be deemed to be incorporated in these										
		bills of quantities and no claims arising from brevity of description of items, fully described in the said General										
		Preambles, will be entertained										
							Ш			L		
3		PRICING SCHEDULE					Н			H		
3		PRICING SCHEDULE					H			H		
							Ц					
3		Carefully taking out and dispose damaged/broken					П					
		stone					H			H		
	Α	Type 1 - 415mm x 40mm x 40mm	no	90		-	Ħ		-	t		-
	В	Type 2 - 700mm x 300mm x 30mm	no	90		-	П		-			-
	C D	Type 3 - 345mm x 86mm x 40mm	no no	30 30		-	H		-	L		-
	E	Type 4 - 345mm x 760mm x 40mm Type 5 - 625mm x 345mm x 40mm	no	30		-	H		-	H		
		F - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -					Ц			t		
3	F	Rectifying uneven base wall to achieve original	m	460		-	Ш		-			-
		alignment					Н			H		
3	G	Carefully repositioning the granite tile top to its initial	m²	250		-	H		-	H		-
		location, ensuring it is precisely aligned and securely										
		anchored (1240mm x 1600mm x 40mm)					Н			L		
3		Manufacturing, supply, delivery and Installation stone					H			H		
3		all incl holes/sealing/cleaning sized :										
							П					
	H	Type 1 - 415mm x 40mm x 40mm	no	90 90		-	Н		-			-
	J	Type 2 - 700mm x 300mm x 30mm Type 3 - 345mm x 86mm x 40mm	no no	30		-	H		-	-		-
	K	Type 4 - 345mm x 760mm x 40mm	no	30		-	П		-			-
	L	Type 5 - 625mm x 345mm x 40mm	no	30		-	Н		-	L		-
3		Carefully relocate stone from original placement to a designated new area with outmost care all inclusive	no									
	М	Type 1 - 415mm x 40mm x 40mm	no	100		1	Ħ		1			-
	N	Type 3 - 345mm x 86mm x 40mm	no	10		-	Ц		-	Ĺ		
4		Inscription/Text customised engraving on a new stone					H			Ͱ		
							Ш					
							П			L		
	O P	Type 1 - 415mm x 40mm x 40mm Type 2 - 700mm x 300mm x 30mm	no	300		-	H		-	H		-
	Q	Type 3 - 345mm x 86mm x 40mm	no no	10		-	H		-	H		-
	R	Type 4 - 345mm x 760mm x 40mm	no	10		-	Ц		-	L		-
	S	Type 5 - 625mm x 345mm x 40mm	no	10		-	H		-	L		-
4		Waterjet surfaces with low-pressure to remove all					H			┝		
7		dirt, including brushing down and washing to remove surface contamination, mould fungus, damp, etc.										
4	Т	Low-pressure cleaning to sandstone walls	m²	2 200		-	H		-	H		-
							П					
4		Scafolding					П			Ĺ		
4	U	Supply, erect and dismantle Independent type	m²	2 200		_	H		_	\vdash		
*	Ü	scaffolding (av hght = 2.6m & highest hght = 8.5m)		2 200		_	Ш		-	1		-
		/					Ц					
						-	H		-	L		-
TOTA	VEVD (1 TO 3) CARRIED TO SUMMARY			<u> </u>		Ш			<u> </u>	L	R -
TOTAL	LEAN (1 10 3) CARRIED TO JOHNMANT										