



## PED SECURITY TECHNICAL MANDATORY COMPLIANCE

Name of supplier	
Evaluator	
Verifier	

ITEM	YES/NO	COMMENT
1. Provide a valid PSIRA certificate for the company. (Certified copy not older than 90 _days)		
2. Provide proof that company directors are South African (proof of valid SA identity document). Certified copy not older than 90_days.		
3. Provide a valid PSIRA letter of good standing (not older than 90 days from the date of issue). Certified copy not older than 30_days.		
4. Provide Valid Private Sector Security Provident fund (PSSPF) compliance letter 13a. Certified copy not older than 30_ days.		
5. Provide proof of UIF compliance certificate (not older than 12 months from the date of issue) (letters of intent will not be accepted).		
6. Provide proof of company vehicles (4x4) at least (2) vehicles. Certified copies not older than 30_days of vehicle registration certificates or lease agreements.		
7. Valid Letter from SAPS issued by the NKP office indicating company's application for registration to offer services at National Key Point. Certified copy not older than 90 days.		
8. Provide proof of public liability insurance min R15M (letters of intent will not be accepted). Certified copy not less than 90_days.		
9. Provide proof of valid firearm registration and licenses for firearms in the possession of the company (Issued by SAPS).Certified copy not less than 90 days.		
10. Provide proof of having a footprint in Mpumalanga where the services are to be rendered i.e., a lease agreement that must be of the control room facility and armoury location. Lease agreement signed by both parties that is valid for at least 3 years with an option to extend for a		

### Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.



## PED SECURITY TECHNICAL MANDATORY COMPLIANCE

ITEM	YES/NO	COMMENT
period of 5(five) years to accommodate this contract on successful award.		

**NB: Only tenderers that meet all (100%) of the above mandatory requirements will proceed to the second stage of functional evaluation.**

Compiled by:

Signature.....

### Public

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Holdings SOC Ltd, Reg No 2002/015527/30.