



- ADDITIONAL SPECIAL NOTES:**
- Contractor must supply approved Engineers plans and design certificate.
 - 16m x 9m x 3.6m Portal frame structure.
(The Portal frame structure must have a minimum height of 3.6m
 - Painting of the Portal frame structure: One (1) coat of grey etch primer and two (2) coats of QD enamel to the color of the structure.
 - 0.5mm IBR cladding - Z150 Galvanized coating
 - 1 x 3m sliding door, to open to both sides, on gable ends, according to the Engineers designs.
 - 2 x 1.5m sliding doors according to the Engineers designs, as indicated on floor plan.
 - 140 x 190 x 390mm concrete blocks built up to 900mm above floor level.
 - IBR to overlap block wall by atleast 500mm.
 - 8 x Polycarbonate Translucent IBR sheets (1.2mm) to be fitted on the roof, 4 on each side.
 - 150mm x 100mm Aluminium Gutters with 76mm downpipes.

NO.	SPECIAL NOTES:	JPJ KOCH (CHIEF ENGINEER) APRIL 2022 (DATE APPROVED)	DEPARTMENT OF RURAL DEVELOPMENT AND AGRARIAN REFORM PROVINCE OF THE EASTERN CAPE ENGINEERING SERVICES PRIVATE BAG X015 DOHNE ADI STUTTERHEIM 4930	MULTIPURPOSE SHED		SCALE NTS	INDEX NO. SCMM-02/33/04
				ELEVATIONS		A3 ORIGINAL	PLAN NO. SHEET 4 OF 4