



**prasa**

PASSENGER RAIL AGENCY  
OF SOUTH AFRICA

## REQUEST FOR QUOTATION (RFQ)

**RFQ NUMBER: RE\_ADVERT 002/08/22 GAU-SCM**

**REQUEST FOR QUOTATION (RFQ) FOR THE *SUPPLY AND DELIVERY SUPPLY AND DELIVERY OF CABLES (PURCHASE AGREEMENT FOR 12 MONTHS) ON AN "AS WHEN REQUIRED" BASIS***



## SECTION 1: SBD1

### PART A INVITATION TO BID

#### YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF PASSENGER RAIL AGENCY (PRASA)

BID NUMBER:	<b>002/08/22 GAU-SCM</b>	CLOSING DATE:	20 MARCH 2023	CLOSING TIME:	10.:00
DESCRIPTION	THE APPOINTMENT OF A OF CONTRACTOR FOR THE SUPPLY AND DELIVERY OF CABLES (PURCHASE AGREEMENT FOR 12 MONTHS) ON AN "AS WHEN REQUIRED" BASIS				

#### BID RESPONSE DOCUMENTS SHALL BE ADDRESSED AS FOLLOWS:

BID RESPONSE DOCUMENTS MAY BE HAND DELIVERED:

**PASSENGER RAIL AGENCY OF AGENCY OF SOUTH AFRICA  
GROUND FLOOR, SHOSHOLOZA JUNCTION  
CRN LEYDS AND SIMMONDS  
BRAANFONTEIN  
JOHANNESBURG  
2001**

#### BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO

CONTACT PERSON	<b>Tebogo Sethibe</b>
TELEPHONE NUMBER	<b>011 085 7061</b>
E-MAIL ADDRESS	<b>Millicent.sethibe@prasa.com</b>

#### SUPPLIER INFORMATION

NAME OF BIDDER					
POSTAL ADDRESS					
STREET ADDRESS					
TELEPHONE NUMBER	CODE		NUMBER		
CELLPHONE NUMBER					
FACSIMILE NUMBER	CODE		NUMBER		
E-MAIL ADDRESS					
VAT REGISTRATION NUMBER					
SUPPLIER COMPLIANCE STATUS	TAX COMPLIANCE		OR	CENTRAL SUPPLIER	
	SYSTEM PIN:			DATABASE No:	MAAA.....

<p>2.1 ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?</p>	<p><input type="checkbox"/>Yes <input type="checkbox"/>No [IF YES ENCLOSE PROOF]</p>	<p>2.2 ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?</p>	<p><input type="checkbox"/>Yes <input type="checkbox"/>No [IF YES, ANSWER THE QUESTIONNAIRE BELOW ]</p>
--	--	---	---

### QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS

IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?  YES  NO

DOES THE ENTITY HAVE A BRANCH IN THE RSA?  YES  NO

DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA?  YES  NO

DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?  YES  NO

IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?  YES  NO

**IF THE ANSWER IS “NO” TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW.**

### PART B: TERMS AND CONDITIONS FOR BIDDING

#### 1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. **ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED–(NOT TO BE RE-TYPED) OR IN THE MANNER**
- 1.3. **PRESCRIBED IN THE BID DOCUMENT.**
- 1.4. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.

#### 2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD

NUMBER MUST BE PROVIDED.

2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE.”

**NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID NVALID.**

SIGNATURE OF BIDDER: .....

CAPACITY UNDER WHICH THIS BID IS SIGNED: .....

(Proof of authority must be submitted e.g. company resolution)

DATE: .....

**NB:**

- *Quotation(s) must be addressed to PRASA before the closing date and time shown above.*
- *PRASA General Conditions of Purchase shall apply.*

## **SECTION 2**

### **NOTICE TO BIDDERS**

#### **1. RESPONSES TO RFQ**

Responses to this RFQ [Quotations] must not include documents or reference relating to any other quotation or proposal. Any additional conditions must be embodied in an accompanying letter.

Proposals must reach the PRASA before the closing hour on the date shown on SBD1 above, and must be enclosed in a sealed envelope.

#### **2 COMMUNICATION**

Respondent/s are warned that a response will be liable for disqualification should any attempt be made either directly or indirectly to canvass any SCM Officer(s) or PRASA employee in respect of this RFQ between the closing date and the date of the award of the business.

#### **3 BIDDERS COMPLAINTS PROCESS**

3.1 Bidders are advised utilize this email address (SCM.Complaints@prasa.co.za) for lodging of complains to PRASA in relation to this bid process. The following minimum information about the bidder must be included in the complaint:

3.1.1 Bid/Tender Description

3.1.2 Bid/Tender Reference Number

3.1.3 Closing date of Bid/Tender

3.1.4 Supplier Name;

3.1.5 Supplier Contact details

3.1.6 The detailed compliant

#### **4 LEGAL COMPLIANCE**

The successful Respondent shall be in full and complete compliance with any and all applicable national and local laws and regulations.

#### **5 CHANGES TO QUOTATIONS**

Changes by the Respondent to its submission will not be considered after the closing date and time.

#### **6 PRICING**

All prices must be quoted in South African Rand on a fixed price basis, including all applicable taxes.

## **7 BINDING OFFER**

Any Quotation furnished pursuant to this Request shall be deemed to be an offer. Any exceptions to this statement must be clearly and specifically indicated.

## **8 DISCLAIMERS**

PRASA is not committed to any course of action as a result of its issuance of this RFQ and/or its receipt of a Quotation in response to it. Please note that PRASA reserves the right to:

- Modify the RFQ's goods / service(s) and request Respondents to re-bid on any changes;
- Reject any Quotation which does not conform to instructions and specifications which are detailed herein;
- Reject Quotations submitted after the stated submission deadline or at the incorrect venue ;

Should a contract be awarded on the strength of information furnished by the Respondent, which after conclusion of the contract, is proved to have been incorrect, PRASA reserves the right to cancel the contract.

PRASA reserves the right to award business to the highest scoring bidder/s unless objective criteria justify the award to another Respondent.

Should the preferred fail to sign or commence with the contract within a reasonable period after being requested to do so, PRASA reserves the right to award the business to the next highest ranked Respondent provided that he/she is still prepared to provide the required goods at the quoted price.

## **9 LEGAL REVIEW**

Proposed contractual terms and conditions submitted by a Respondent will be subjected to review and acceptance or rejection by PRASA's Legal Counsel, prior to consideration for an award of business.

## **10 NATIONAL TREASURY'S CENTRAL SUPPLIER DATABASE**

Respondents are required to self-register on National Treasury's Central Supplier Database (CSD) which has been established to centrally administer supplier information for all organs of state and facilitate the verification of certain key supplier information. PRASA is required to ensure that price quotations are invited and accepted from prospective bidders listed on the CSD. Business may not be awarded to a



respondent who has failed to register on the CSD. Only foreign suppliers with no local registered entity need not register on the CSD. The CSD can be accessed at <https://secure.csd.gov.za/>.

**11 PROTECTION OF PERSONAL DATA**

In responding to this bid, PRASA acknowledges that it may obtain and have access to personal data of the Respondents. PRASA agrees that it shall only process the information disclosed by Respondents in their response to this bid for the purpose of evaluating and subsequent award of business and in accordance with any applicable law.

Furthermore, PRASA will not otherwise modify, amend or alter any personal data submitted by Respondents or disclose or permit the disclosure of any personal data to any Third Party without the prior written consent from the Respondents. Similarly, PRASA requires Respondents to process any personal information disclosed by PRASA in the bidding process in the same manner.

**12 EVALUATION METHODOLOGY**

PRASA will utilise the following criteria:

EVALUATION CRITERIA	WEIGHTING
<b>Stage 1 – Compliance</b>	
Stage 1A	Mandatory Requirements
Stage 1B	Other Mandatory Requirements
<b>Stage 2</b>	
Price	80
Specific Goals	20
<b>TOTAL</b>	<b>100</b>

**13 ADMINISTRATIVE RESPONSIVENESS**

The test for administrative responsiveness will include completeness of response and whether all returnable and/or required documents, certificates; verify completeness of warranties and other bid requirements and formalities have been complied with. Incomplete Bids will be disqualified.

**14 VALIDITY PERIOD**

14.1 PRASA requires a validity period of .....**90**..... **Working Days** from the closing date.

14.2 Respondents are to note that they may be requested to extend the validity period of their response, on the same terms and conditions, if the internal processes are not finalized within the validity

period. However, once the delegated authority has approved the process the validity of the successful respondent(s)' bid will be deemed to remain valid until finalization of the of award.),

## 15 PUBLICATION OF INFORMATION ON THE NATIONAL TREASURY E-TENDER PORTAL

Respondents are to note that, bid awards, amendments and cancellations will be published on the e-tender portal and or media used to advertise the bid. For the award of business, PRASA is required to publish the prices and preferences claimed of the successful and unsuccessful Respondents *inter alia* on the National Treasury e-Tender Publication Portal, ([www.etenders.gov.za](http://www.etenders.gov.za)), on CIDB website for construction related RFQ's. (*Where applicable*).

## 16 RETURNABLE DOCUMENTS

**Returnable Documents** means all the documents, Sections and Annexures, as listed in the tables below. There are three types of returnable documents as indicated below and Respondents are urged to ensure that these documents are returned with the quotation based on the consequences of non-submission as indicated below:

### 15.1. Mandatory Returnable Documents

Failure to provide Mandatory Returnable Documents at the Closing Date and time of this RFQ will result in a Respondent's disqualification. Respondents are therefore urged to ensure that all documents are returned with their Quotations.

## SECTION 3

### 1 EVALUATION CRITERIA:

Bidders are to comply with the following requirements and failure to comply may lead to disqualification.

#### Stage 1A – Mandatory Requirements

If you do not submit/meet the following mandatory documents/requirements, your be will be automatically disqualified.

Only bidders who comply with stage 1A will be evaluated further.

No.	Description of requirement	
a)	Completion of ALL RFP documentation (includes ALL declarations)	

#### Stage 1B –Other Mandatory Requirements

If you do not submit/meet the following mandatory documents/requirements, PRASA may request the bidder to submit the information within five (5) working days. Should this information not be provided, your bid proposal will be disqualified.

Only bidders who comply with stage 1B will be evaluated further.

No.	Description of requirement	
a)	Letter of Good Standing: COID. (Delete if not applicable)	
b)	Supply of valid SARS Pin	
c)	CSD supplier registration number	
d)	Joint Venture, Consortium Agreement or Partnering Agreement signed by all parties. The agreement should indicate the leading bidder where applicable. (If applicable)	

### 2 Stage 2- Price and Specific Goals

The following formula, shall be used to allocate scores to the interested bidders :

The maximum points for this tender are allocated as follows:

DETAILS	POINTS
PRICE	80
SPECIFIC GOALS	20
<b>TOTAL POINTS FOR PRICE AND SPECIFIC GOALS</b>	<b>100</b>

## FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

### POINTS AWARDED FOR PRICE

## THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

### 80/20

$$PS = 80 \left( 1 - \frac{Pt - P_{min}}{P_{min}} \right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

## POINTS AWARDED FOR SPECIFIC GOALS

- 3.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

**Table 1: Specific goals for the tender and points claimed are indicated per the table below.**

**Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)**

The specific goals allocated points in terms of this tender	Returnable	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Black Women	Certified copy of ID Documents of the Owners	4	
Black Youth	Certified copy of ID Documents of the Owners	4	
B-BBEE	BEE Certificate / Affidavit	4	
Owned by Black People with Disability	Certified copy of ID Documents of the Owners and Doctor's note confirming the disability	4	
Black People Military Veterans	Certified copy of ID Documents of the Owners and military ID number/document	4	

#### SECTION 4

##### PRICING AND DELIVERY SCHEDULE

Respondents are required to complete the attached Pricing Schedule **Annexure:** .....

- 1 Prices must be quoted in South African Rand, inclusive of all applicable taxes.
- 2 Price offer is firm and clearly indicate the basis thereof.
- 3 Pricing Bill of Quantity is completed in line with schedule if applicable.
- 4 Cost breakdown must be indicated.
- 5 Price escalation basis and formula must be indicated.



- 6 To facilitate like-for like comparison bidders must submit pricing strictly in accordance with this price schedule and not utilise a different format. Deviation from this pricing schedule could result in a bid being declared non-responsive.
- 7 Please note that should you have offered a discounted price(s), PRASA will only consider such price discount(s) in the final evaluation stage on an unconditional basis.
- 8 Respondents are to note that if price offered by the highest scoring bidder is not market related, PRASA may not award the contract to the Respondent. PRASA may:
  - 9 negotiate a market-related price with the Respondent scoring the highest points;;
  - 10 if that Respondent does not agree to a market-related price, negotiate a market-related price with the Respondent scoring the second highest points;
  - 11 if the Respondent scoring the second highest points does not agree to a market-related price, negotiate a market-related price with the Respondent scoring the third highest points;
  - 12 If a market-related price is not agreed with the Respondent scoring the third highest points, PRASA must cancel the RFQ.

I / We \_\_\_\_\_ (Insert Name of Bidding Entity) of \_\_\_\_\_

\_\_\_\_\_ code

(Full address) conducting business under the style or title of: \_\_\_\_\_ represented by:

\_\_\_\_\_ in my capacity as: \_\_\_\_\_ being duly

authorised, hereby offer to undertake and complete the above-mentioned work/services at the prices quoted in the bills of quantities / schedule of quantities or, where these do not form part of the contract, at a lumpsum, of \_\_\_\_\_ R

\_\_\_\_\_ (amount in numbers);

\_\_\_\_\_

(amount in words) Incl. VAT.

**DELIVERY PERIOD:** Suppliers are requested to offer their earliest delivery period possible.

Delivery will be effected within ..... working days from date of order. (To be completed by Service provider)

## SECTION 5

### PRASA GENERAL CONDITIONS OF PURCHASE

#### **General**

PRASA and the Supplier enter into an order/contract on these conditions to supply the items (goods/services/works) as described in the order/contract.

#### **Conditions**

These conditions form the basis of the contract between PRASA and the Supplier. Notwithstanding anything to the contrary in any document issued or sent by the Supplier, these conditions apply except as expressly agreed in writing by PRASA.

No servant or agent of PRASA has authority to vary these conditions orally. These general conditions of purchase are subject to such further special conditions as may be prescribed in writing by PRASA in the order/contract.

#### **Price and payment**

The price or rates for the items stated in the order/contract may include an amount for price adjustment, which is calculated in accordance with the formula stated in the order/contract.

The Supplier may be paid in one currency other than South African Rand. Only one exchange rate is used to convert from this currency to South African Rand. Payment to the Supplier in this currency other than South African Rand, does not exceed the amounts stated in the order/contract. PRASA pays for the item within 30 days of receipt of the Suppliers correct tax invoice.

#### **Delivery and documents**

The Supplier's obligation is to deliver the items on or before the date stated in the order/contract. Late deliveries or late completion of the items may be subject to a penalty if this is imposed in the order/contract. No payment is made if the Supplier does not provide the item as stated in order/contract.

Where items are to be delivered the Supplier:

Clearly marks the outside of each consignment or package with the Supplier's name and full details of the destination in accordance with the order and includes a packing note stating the contents thereof; On dispatch of each consignment, sends to PRASA at the address for delivery of the items, an advice note specifying the means of transport, weight, number of volume as appropriate and the point and date of dispatch; Sends to PRASA a detailed priced invoice as soon as is reasonably practical after dispatch of the items, and states on all communications in respect of the order the order number and code number (if any).



## **Containers / packing material**

Unless otherwise stated in the order/contract, no payment is made for containers or packing materials or return to the Supplier.

## **Title and risk**

Without prejudice to rights of rejection under these conditions, title to and risk in the items passes to PRASA when accepted by PRASA.

## **Rejection**

If the Supplier fails to comply with his obligations under the order/contract, PRASA may reject any part of the items by giving written notice to the Supplier specifying the reason for rejection and whether and within what period replacement of items or re-work are required.

In the case of items delivered, PRASA may return the rejected items to the Supplier at the Supplier's risk and expense. Any money paid to the Supplier in respect of the items not replaced within the time required, together with the costs of returning rejected items to the Supplier and obtaining replacement items from a third party, are paid by the Supplier to PRASA.

In the case of service, the Supplier corrects non-conformances as indicated by PRASA.

## **Warranty**

Without prejudice to any other rights of PRASA under these conditions, the Supplier warrants that the items are in accordance with PRASA's requirements, and fit for the purpose for which they are intended, and will remain free from defects for a period of one year (unless another period is stated in the Order) from acceptance of the items by PRASA.

## **Indemnity**

The Supplier indemnifies PRASA against all actions, suits, claims, demands, costs, charges and expenses arising in connection therewith arising from the negligence, infringement of intellectual or legal rights or breach of statutory duty of the Supplier, his subcontractors, agents or servants, or from the Supplier's defective design, materials or workmanship.

The Supplier indemnifies PRASA against claims, proceedings, compensation and costs payable arising out of infringement by the Supplier of the rights of others, except an infringement which arose out of the use by the Supplier of things provided by PRASA.

## **Assignment and sub-contracting**

The successful Respondent awarded the contract may only enter into a subcontracting arrangement with PRASA's prior approval. The contract will be concluded between the successful Respondent and PRASA, therefore, the successful Respondent and not the sub-contractor will be held liable for performance in terms of its contractual obligations.

## Governing law

The order/contract is governed by the law of the Republic of South Africa and the parties hereby submit to the non-exclusive jurisdiction of the South African courts.

## SECTION 6

SBD4

### BIDDER'S DISCLOSURE

#### 1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

#### 2. Bidder's declaration

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest<sup>1</sup> in the enterprise, employed by the state? **YES/NO**

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? **YES/NO**

2.2.1 If so, furnish particulars:

---

<sup>1</sup> the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

.....  
.....

2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? **YES/NO**

2.3.1 If so, furnish particulars:

.....  
.....

### 3 DECLARATION

I, the undersigned, (name)..... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium<sup>2</sup> will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

---

<sup>2</sup> Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....  
Signature Date

.....  
Position Name of bidder

### SBD 6.1

## PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

**NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022**

### 1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and

### 1.2 To be completed by the organ of state

a) The applicable preference point system for this tender is the 80/20 preference point system.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

- (a) Price; and
- (b) Specific Goals.

1.4 **To be completed by the organ of state:**

The maximum points for this tender are allocated as follows:

	POINTS
<b>PRICE</b>	80
<b>SPECIFIC GOALS</b>	20
<b>Total points for Price and Specific Goals</b>	<b>100</b>

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

**2. DEFINITIONS**

- (a) **“tender”** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) **“price”** means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) **“rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) **“tender for income-generating contracts”** means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) **“the Act”** means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

**3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES**

**3.2. POINTS AWARDED FOR PRICE**

**3.1.1 THE 80/20 PREFERENCE POINT SYSTEMS**

A maximum of 80 points is allocated for price on the following basis:

**80/20**

$$P_s = 80 \left( 1 - \frac{P_t - P_{min}}{P_{min}} \right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

### 3.3. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

#### 3.3.1. POINTS AWARDED FOR PRICE

A maximum of 80 points is allocated for price on the following basis:

**80/20**

$$Ps = 80 \left( 1 + \frac{Pt - Pmax}{Pmax} \right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

### 4. POINTS AWARDED FOR SPECIFIC GOALS

4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—

(a) an invitation for tender for income-generating contracts, that are 80/20 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system: or

(b) any other invitation for tender, that either the 80/20 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for 80/20 preference point system.

**Table 1: Specific goals for the tender and points claimed are indicated per the table below.**

***(Note to organs of state: the 80/20 preference point system is applicable, corresponding points must also be indicated as such.***

***Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)***

The specific goals allocated points in terms of this tender	Returnables	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Black Women	Certified copy of ID Documents of the Owners	4	
Black Youth	Certified copy of ID Documents of the Owners	4	
B-BBEE	BEE Certificate / Affidavit	4	
Owned by Black People with Disability	Certified copy of ID Documents of the Owners and Doctor's note confirming the disability	4	
Black People Military Veterans	Certified copy of ID Documents of the Owners and military ID number/document)	4	

**DECLARATION WITH REGARD TO COMPANY/FIRM**

4.3. Name of company/firm.....

4.4. Company registration number: .....

4.5. TYPE OF COMPANY/ FIRM

- Partnership/Joint Venture / Consortium
- One-person business/sole propriety
- Close corporation
- Public Company
- Personal Liability Company
- (Pty) Limited
- Non-Profit Company
- State Owned Company

[TICK APPLICABLE BOX]

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that

the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
  - (a) disqualify the person from the tendering process;
  - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
  - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
  - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
  - (e) forward the matter for criminal prosecution, if deemed necessary.

.....  
**SIGNATURE(S) OF TENDERER(S)**

**SURNAME AND NAME:** .....

**DATE:** .....

**ADDRESS:** .....

.....

.....

.....

## SECTION 9

### CERTIFICATE OF ATTENDANCE OF COMPULSORY RFQ BRIEFING (NOT APPLICABLE)

<b>Request number:</b>	
<b>Request for Proposal:</b>	

#### Attendance

This is to certify that \_\_\_\_\_ has / have today attended the site inspection / RFQ briefing session to which this enquiry relates.

THUS DONE and SIGNED at \_\_\_\_\_ on this \_\_\_\_\_ day of \_\_\_\_\_

\_\_\_\_\_  
for / on behalf of PRASA

\_\_\_\_\_  
Designation

#### Acknowledgement

**This is to certify that the Bidder attended the above mentioned briefing session/ site inspection and has / have acquainted himself / themselves with the Contract, Project Specification / Special Conditions, Specifications and / or Bills of Quantities / Schedule of Quantities / Schedule of Prices, together with the drawings enumerated therein, as laid down by the PRASA for the carrying out of the proposed WORKS to which the enquiry relates**

THUS DONE and SIGNED at \_\_\_\_\_

on this \_\_\_\_\_ day of \_\_\_\_\_

**DULY AUTHORISED SIGNATORY(IES)**

**WITNESSES**

1. \_\_\_\_\_ 1. \_\_\_\_\_

2. \_\_\_\_\_ 2. \_\_\_\_\_

3. \_\_\_\_\_ 3. \_\_\_\_\_

**SPECIFICATION/SCOPE OF WORK AND BOQ**

ITEM	DESCRIPTION	UOM	QTY	PRICE PER EACH	TOTAL PRICE
01.	CABLE, POWER, ELECTRICAL; TYPE BUNDLE CONDUCTOR, CONDUCTOR SIZE 70 MM2, FEATURES AL, VOLTAGE RATING 11 KV, CORE QUANTITY 3; WITH 50 MM SQ G.S.W CATENARY XLPE INSULATED 500 METRE CONTINUOUS LENGTHS ON STANDARD WOODEN DRUMS RETICULATION UNDER BRIDGES ETC SABS1339 (ADAPTED)OR EQUIVALENT <b>M00025999</b>	M	1	R	R
02.	CABLE, COMMUNICATION; TYPE SCREENED; P/N: 1CK-SC6C / 072M IMFUYO; 6 CORE; 72M PER ROLL OR EQUIVALENT <b>M00083994</b>	EACH	1	R	R
03.	CABLE, FIBER OPTIC; TYPE AERIAL SINGLE COATED MODE, FEATURES (OS2) 9/25 MICRON ITU G652D, CABLE TYPE LOOSE TUBE, CORE QUANTITY 24 OR EQUIVALENT <b>M00108680</b>	M	1	R	R
04.	CABLE, FIBER OPTIC; TYPE AERIAL COATED SINGLE MODE, FEATURES (OS2) 9/25 MICRON ITU G652D, CABLE TYPE LOOSE TUBE, CORE QUANTITY 48 OR EQUIVALENT <b>M00108681</b>	M	1	R	R
05.	CABLE, JUMPER; CLAMP TYPE POWER CABLE, KEWAY VARIANT 4, USED ON 10M3/4/5 COACHES, CONDUCTOR SIZE PHASE 9MM - PILOTE 4MM, CONTACT TYPE DIABOLO 5 CORE, CABLE LENGTH 1.5 METRES, COVERING MATERIAL ALUMINIUM, COLOUR ORANGE, CONTACT MATERIAL BRASS OR EQUIVALENT <b>M00108395</b>	EACH	1	R	R
06.	CABLE, JUMPER; CLAMP TYPE COMMUNICATION CABLE, KEWAY VARIANT 6, USED ON 10M3/4/5 COACHES, CONDUCTOR SIZE 2MM DIAMETER, 43 CORE, CONTACT TYPE DIABOLO, CABLE LENGTH 2 METRES, COVERING MATERIAL ALUMINIUM, COLOUR GREY, CONTACT MATERIAL SILVER PLATED BRASS OR EQUIVALENT <b>M00108394</b>	EACH	1	R	R

07.	CABLE, JUMPER; CLAMP TYPE RAIL AND LINE; TRANSMISSION 11 KV TO CLAUSES 8.0 AND 10.1.1.1 OF THE SPECIFICATION.COMPLETE WITH TO CLAUSE 10.3 AND THREE TO CLAUSE 10.2 ATTACHED TO EACH END.SPECIFICATION BBB 1679 VERSION 1, EQUIPMENT USED ON OHTE.TENDERES T OR EQUIVALENT <b>M00053457</b>	EACH	1	R	R
08.	CABLE, JUMPER; CLAMP TYPE RAIL, OVERALL LENGTH 10 M; TO CLAUSE 10.1.1.2 OF THE SPECIFICATION. COMPLETE, TO CLAUSE 10.3 ATTACHED TO EACH END.TENDERERS TO NOTE: ALL APPLICABLE CLAUSES OF THE SPECIFICATION MUST BE COMPLETED.ONE COMPLETE SET MUST BE S OR EQUIVALENT <b>M00064095</b>	EACH	1	R	R
09.	CABLE, JUMPER; CLAMP TYPE RAIL, OVERALL LENGTH 5 M; TO CLAUSE 10.1.1.2 OF SPECIFICATION.COMPLETE, TO CLAUSE 10.3 ATTACHED TO EACH END.TENDERERS TO NOTE: ALL APPLICABLE CLAUSES OF THE SPECIFICATION MUST BE COMPLETED.ONE COMPLETE ST MUST BE SUBMITT OR EQUIVALENT <b>M00057823</b>	EACH	1	R	R
10.	CABLE, JUMPER; OVERALL LENGTH 15 M; LINE TO RAIL. TO CLAUSE 10.1.1.2 OF THE SPECIFICATION. COMPLETE WITH LINE CLAMP TO CLAUSE 10.2 AND RAIL CLAMP TO CLAUSE 10.3 ATTACHED TO EACH END.SPECIFICATION BBB 1679 VERSION 1, EQUIPMENT USED ON SUBS TENDERERS TO NOTE: AL OR EQUIVALENT <b>M00005430</b>	EACH	1	R	R
11.	CABLE, POWER, ELECTRICAL; (NEGATIVE) 600/1000 VOLTS 500 SQ MM SINGLE CORE, STRANDED ANNEALED COPPER CONDUCTOR PVC INSULATED PVC SHEATHED "BLACK" SUPPLY ONLY IN 300 METER DRUMS, SPECIFICATION NUMBER:SANS 1507 OF 2002 BBC 0198 (VERSION 1) 2005/09/05 ,EQUIPMENT USED ON OR EQUIVALENT <b>M00046457</b>	M	1	R	R
12.	CABLE, POWER, ELECTRICAL; 12 CORE 6,00 MM SQ ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED 600/1 000 VOLTS 500 METRE DRUMS OR EQUIVALENT <b>M00033208</b>	M	1	R	R

13.	CABLE, POWER, ELECTRICAL; 3 CORE 35MM'2 ANNEALED COPPER PVC INSULATED ARMOURED CSE-1164-001 CAT 47 OR EQUIVALENT <b>M00068435</b>	M	1	R	R
14.	CABLE, POWER, ELECTRICAL; 52 CORE 1,60 MM ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED 500 METRE DRUMS CABLE, POWER, ELECTRICAL EQUIPMENT USED ON OUTDOOR USE SIG SPECIFICATION NUMBER CSE-1164-001/LATEST CATEGORY X47 OR EQUIVALENT <b>M00079780</b>	M	1	R	R
15.	CABLE, POWER, ELECTRICAL; 9 CORE 1.66MM OR EQUIVALENT <b>M00015341</b>	M	1	R	R
16.	CABLE, POWER, ELECTRICAL; COLOR BLACK, CONDUCTOR SIZE 500 MM2, FEATURES STRANDED ANNEALED COPPER CONDUCTORS, PVC INSULATED, VOLTAGE RATING 600/1000 V, CORE QUANTITY 1; PVC SHEATHED.EQUIPMENT USED ON INFRASTRUCTURE TRACTION SUBSTATIONS SPECIFICATION NUMBER SABS 1507 OR EQUIVALENT <b>M00001680</b>	M	1	R	R
17.	CABLE, POWER, ELECTRICAL; COLOR WHITE, CONDUCTOR SIZE 2.5 MM2, FEATURES SOLID ANNEALED UNTINNED COPPER CONDUCTORS, PVC SHEATHED, VOLTAGE RATING 600/1000 V, CORE QUANTITY 2; SPECIAL PURPOSE. ,2+E EARTH, PVC INSULATED, PVC BEDDED OR EQUIVALENT <b>M00002185</b>	M	1	R	R
18.	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 1.6 MM, FEATURES LG 650M, ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED M, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 6; EQUIPMENT USED ON  OUTDOOR USE SIG SPECIFICATION NUMBER CSE-1164-001/LATEST CATEGORY X47 OR EQUIVALENT <b>M00074646</b>	M	1	R	R
19.	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 1.6 MM, FEATURES LG 500M, ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED M, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 37; SPECIFICATIONS:CSE-1164-001/LATEST CATEGORY X47	M	1	R	R

	EQUIPMENT USED ON: OUTDOOR USE SIG <b>M00074002</b>				
<b>20.</b>	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 1.6 MM, FEATURES LG 650M, ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED M, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 3; EQUIPMENT USED ON OUTDOOR USE EQUIPMENT USED ON SIG SPECIFICATION NUMBER CSE-1164-001/LATEST SPECIFICATION NUMBE <b>M00064522</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>
<b>21</b>	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 1.6 MM, FEATURES LG 650M, ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED M, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 2; EQUIPMENT USED ON OUTDOOR USE SIG SPECIFICATION NUMBER CSE-1164-001/LATEST CATEGORY X47 OR EQUIVALENT <b>M00064207</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>
<b>22.</b>	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 1.6 MM, FEATURES LG 500M, ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED M, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 61; EQUIPMENT USED ON OUTDOOR USE SIG SPECIFICATION NUMBER CSE-1164-001/LATEST CATEGORY X47 OR EQUIVALENT <b>M00053911</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>
<b>23.</b>	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 1.6 MM, FEATURES LG 500M, ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED M, PACKAGE TYPE DRUM, CORE QUANTITY 52; EQUIPMENT USED ON OUTDOOR USE SIG SPECIFICATION NUMBER CSE-1164-001/LATEST CATEGORY X47 OR EQUIVALENT <b>M00053859</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>

<p><b>24.</b></p>	<p>CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 1.6 MM, FEATURES LG 650M, ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED M, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 4; EQUIPMENT USED ON OUTDOOR USE SIG SPECIFICATION NUMBER CSE-1164-001/LATEST CATEGORY X47 OR EQUIVALENT <b>M00042557</b></p>	<p><b>M</b></p>	<p><b>1</b></p>	<p><b>R</b></p>	<p><b>R</b></p>
<p><b>25.</b></p>	<p>CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 1.6 MM, FEATURES LG 500M, ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED M, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 27; SPECIFICATIONS:CSE-1164- 001/LATEST CATEGORY X47 EQUIPMENT USED ON: OUTDOOR USE SIG OR EQUIVALENT <b>M00033044</b></p>	<p><b>M</b></p>	<p><b>1</b></p>	<p><b>R</b></p>	<p><b>R</b></p>
<p><b>26.</b></p>	<p>CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 1.6 MM, FEATURES LG 500M, ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED M, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 16; EQUIPMENT USED ON OUTDOOR USE SIG SPECIFICATION NUMBER CSE- 1164-001/LATEST CATEGORY X47 OR EQUIVALENT <b>M00032985</b></p>	<p><b>M</b></p>	<p><b>1</b></p>	<p><b>R</b></p>	<p><b>R</b></p>
<p><b>27.</b></p>	<p>CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 1.6 MM, FEATURES LG 500M, ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED M, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 64; EQUIPMENT USED ON OUTDOOR USE SIG SPECIFICATION NUMBER CSE- 1164-001/LATEST OR EQUIVALENT <b>M00022590</b></p>	<p><b>M</b></p>	<p><b>1</b></p>	<p><b>R</b></p>	<p><b>R</b></p>
<p><b>28.</b></p>	<p>CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 1.6 MM, FEATURES LG 500M, ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED M, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 64; EQUIPMENT USED ON OUTDOOR USE SIG SPECIFICATION NUMBER CSE- 1164-001/LATEST OR</p>	<p><b>M</b></p>	<p><b>1</b></p>	<p><b>R</b></p>	<p><b>R</b></p>

	EQUIVALENT <b>M00022323</b>				
<b>29.</b>	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 1.6 MM, FEATURES LG 650M, ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED M, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 9; EQUIPMENT USED ON OUTDOOR USE SIG SPECIFICATION NUMBER CSE- 1164-001/LATEST CATEGORY X47 OR EQUIVALENT <b>M00011199</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>
<b>30.</b>	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 1.6 MM, FEATURES LG 650M, ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED M, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 12; SPECIFICATIONS:CSE-1164- 001/LATEST CATEGORY X47 EQUIPMENT USED ON: OUTDOOR USE SIG OR EQUIVALENT <b>M00001626</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>
<b>31.</b>	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 1.6 MM, FEATURES LG 500M, ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED M, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 21; SPECIFICATIONS:CSE-1164- 001/LATEST CATEGORY X47 EQUIPMENT USED ON: OUTDOOR USE SIG OR EQUIVALENT <b>M00000704</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>
<b>32.</b>	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 10 MM2, FEATURES STRANDED COPPER CONDUCTORS, PVC INSULATED, VOLTAGE RATING 600/1000 V, CORE QUANTITY 4; PVC BEDDED. ECC/SWA PVC SHEATHED. 061012326 EQUIPMENT USED ON EL&P SPECIFICATION NUMBER SABS 1507 OR EQUIVALENT <b>M00011756</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>
<b>33.</b>	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 16 MM2, FEATURES STRANDED COPPER CONDUCTORS, PVC INSULATED, VOLTAGE RATING 600/1000 V, CORE QUANTITY 2; PVC BEDDED. ECC/SWA PVC SHEATHED. 061012084 EQUIPMENT USED ON EL&P SPECIFICATION NUMBER SABS 1507. OR EQUIVALENT <b>M00033032</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>

<b>34.</b>	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 16 MM2, FEATURES STRANDED COPPER CONDUCTORS, PVC INSULATED, VOLTAGE RATING 600/1000 V, CORE QUANTITY 4; PVC BEDDED. ECC/SWA PVC SHEATHED. 061012338 EQUIPMENT USED ON EL&P SPECIFICATION NUMBER SABS 1507 OR EQUIVALENT <b>M00043106</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>
<b>35.</b>	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 16 MM2, FEATURES LG 650M, ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED M, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 2; SPECIFICATIONS:CSE-1164- 001/LATEST CATEGORY X47 EQUIPMENT USED ON: OUTDOOR USE SIG OR EQUIVALENT <b>M00053850</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>
<b>36.</b>	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 16 MM2, FEATURES LG 500M, ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED M, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 12; OR EQUIVALENT <b>M00065850</b>	<b>EACH</b>	<b>1</b>	<b>R</b>	<b>R</b>
<b>37.</b>	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 2.5 MM2, FEATURES STRANDED COPPER CONDUCTORS, PVC INSULATED, VOLTAGE RATING 600/1000 V, CORE QUANTITY 4; PVC BEDDED ECC/SWA, PVC SHEATHED 061012298 EQUIPMENT USED ON EL&P SPECIFICATION NUMBER SABS 1507 OR EQUIVALENT <b>M00064513</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>
<b>38.</b>	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 25 MM2, FEATURES STRANDED COPPER CONDUCTORS, PVC INSULATED, VOLTAGE RATING 600/1000 V, CORE QUANTITY 4; PVC INSULATED, PVC BEDDED. ECC/SWA, PVC SHEATHED.EQUIPMENT USED ON EL&P SPECIFICATION NUMBER SABS 1507 OR EQUIVALENT <b>M00074572</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>
<b>39.</b>	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 35 MM2, FEATURES XLPE-INSULATED, INDIVIDUALLY SCREENED CORES, STEEL GALV WIRE ARMOURED, VOLTAGE RATING	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>

	6.35/11 KV, CORE QUANTITY 3; GRADE PVC AND GRAPHITE COATED STRANDED COPPER CONDUCTORS, EXTRUDED BEDDING, OUTER SHEATH TO BE INSULATED OR EQUIVALENT <b>M00001657</b>				
<b>40.</b>	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 35 MM2, FEATURES STRANDED COPPER CONDUCTORS, PVC INSULATED, VOLTAGE RATING 600/1000 V, CORE QUANTITY 4; PVC BEDDED. ECC/SWA, PVC SHEATHED. EQUIPMENT USED ON EL&P SPECIFICATION NUMBER SABS 1507 OR EQUIVALENT <b>M00033042</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>
<b>41.</b>	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 35 MM2, FEATURES LG 650M, ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED M, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 2; EQUIPMENT USED ON OUTDOOR USE EQUIPMENT USED ON SIG SPECIFICATION NUMBER CSE-1164-001/LATEST SPECIFICATION NUM OR EQUIVALENT <b>M00011847</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>
<b>42.</b>	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 4 MM2, FEATURES LG 500M, ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED M, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 12; EQUIPMENT USED ON OUTDOOR USE SIG SPECIFICATION NUMBER CSE-1164-001/LATEST CATEGORY X47 OR EQUIVALENT <b>M00075017</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>
<b>43.</b>	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 4 MM2, FEATURES LG 650M, ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED M, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 2; EQUIPMENT USED ON OUTDOOR USE SIG SPECIFICATION NUMBER CSE-1164-001/LATEST CATEGORY X47 OR EQUIVALENT <b>M00074647</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>
<b>44.</b>	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 4 MM2, FEATURES LG 650M, ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED M, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 3; EQUIPMENT USED ON OUTDOOR USE SIG	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>

	SPECIFICATION NUMBER CSE 49E/LATEST OR EQUIVALENT <b>M00064528</b>				
45.	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 4 MM2, FEATURES LG 500M, ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED M, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 9; EQUIPMENT USED ON OUTDOOR USE SIG SPECIFICATION NUMBER CSE 49E/LATEST OR EQUIVALENT <b>M00064208</b>	EACH	1	R	R
46.	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 4 MM2, FEATURES LG 650M, ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED M, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 6; EQUIPMENT USED ON OUTDOOR USE SIG SPECIFICATION NUMBER CSE 49E/LATEST OR EQUIVALENT <b>M00053924</b>	M	1	R	R
47.	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 4 MM2, FEATURES STRANDED COPPER CONDUCTORS, PVC INSULATED, VOLTAGE RATING 600/1000 V, CORE QUANTITY 4; PVC BEDDED. ECC/SWA, PVC SHEATHED. 061012302 EQUIPMENT USED ON EL&P SPECIFICATION NUMBER SABS 1507 OR EQUIVALENT <b>M00043105</b>	M	1	R	R
48.	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 4 MM2, FEATURES STRANDED ANNEALED COPPER CONDUCTORS, PVC INSULATED, VOLTAGE RATING 600/1000 V, CORE QUANTITY 3; PVC BEDDED ECC/SWA PVC SHEATHED. 061012175 EQUIPMENT USED ON EL&P SPECIFICATION NUMBER SABS 1507 OR EQUIVALENT <b>M00033033</b>	M	1	R	R
49.	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 50 MM2; C LINK, SUITABLE FOR USE ON ALUMINIUM ALLOY CONDUCTOR. (A.A.C.) STRANDING 7/3.30 AND 50/9,0 SQ MM ALUMINIUM CONDUCTOR. SPLICE, EQUIPMENT USED ON TRANSMISSION LINE CONDUCTORS <b>M00032544</b>	EACH	1	R	R

<p><b>50.</b></p>	<p>CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 500 MM2, FEATURES STRANDED COPPER CONDUCTORS, XLPE INSULATED, VOLTAGE RATING 3.8/6.6 KV, CORE QUANTITY 1; E0/E. TYPE A1. IN ACCORDANCE WITH TABLE 10 ITEM 10 SPEC. SABS 1339- 1981. FOR 3 KV.DC. TRACTION SYSTEMS. 300 M. LENGTHS ON RE-USEBLE STEEL DRUMS.TO OR EQUIVALENT <b>M00012157</b></p>	<p><b>M</b></p>	<p><b>1</b></p>	<p><b>R</b></p>	<p><b>R</b></p>
<p><b>51.</b></p>	<p>CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 500 MM2, FEATURES LG 300M, COPPER CONDUCTOR XLPE INSULATED M, PACKAGE TYPE DRUM WOODEN, VOLTAGE RATING 3.8/6.6 KV, CORE QUANTITY 1; TYPE A WITH INDIVIDUALLY COPPER TAPE SCREENED CORE, ARMOUR AND SHEATH OR EQUIVALENT <b>M00004628</b></p>	<p><b>M</b></p>	<p><b>1</b></p>	<p><b>R</b></p>	<p><b>R</b></p>
<p><b>52.</b></p>	<p>CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 50-95 MM2, FEATURES XLPE OUTDOOR, VOLTAGE RATING 11 KV, CORE QUANTITY 3; P/N: 1002HC SCOTCH 3M; SHRINK-SEAL; SWA, COMPLETE WITH COMPONENTS FOR TAIL LENTHS 380MM, LUGS NOT INCLUDED, TO QUOTED PART#, EQUIPMENT USED ON: EL AND P TERMINATION KIT OR EQUIVALENT <b>M00001248</b></p>	<p><b>EACH</b></p>	<p><b>1</b></p>	<p><b>R</b></p>	<p><b>R</b></p>
<p><b>53.</b></p>	<p>CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 6 MM2, FEATURES LG 650M, ANNEALED COPPER CONDUCTORS PVC INSULATED, ARMOURED M, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 2; EQUIPMENT USED ON OUTDOOR USE SIG SPECIFICATION NUMBER CSE 49E/LATEST OR EQUIVALENT <b>M00043487</b></p>	<p><b>M</b></p>	<p><b>1</b></p>	<p><b>R</b></p>	<p><b>R</b></p>
<p><b>54.</b></p>	<p>CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 6 MM2, FEATURES STRANDED ANNEALED COPPER CONDUCTORS, PVC INSULATED, VOLTAGE RATING 600/1000 V, CORE QUANTITY 3; PVC BEDDED ECC/SWA PVC SHEATHED. 061012185 EQUIPMENT USED ON EL&amp;P SPECIFICATION NUMBER SABS 1507 OR EQUIVALENT <b>M00064124</b></p>	<p><b>M</b></p>	<p><b>1</b></p>	<p><b>R</b></p>	<p><b>R</b></p>

55.	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 6 MM2, FEATURES STRANDED COPPER CONDUCTORS, PVC INSULATED, VOLTAGE RATING 600/1000 V, CORE QUANTITY 4; PVC BEDDED ECC/SWA, PVC SHEATHED. 061012314 EQUIPMENT USED ON EL&P SPECIFICATION NUMBER SABS 1507 OR EQUIVALENT <b>M00053914</b>	M	1	R	R
56.	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 70 MM2, FEATURES STRANDED COPPER CONDUCTORS, PVC INSULATED, VOLTAGE RATING 600/1000 V, CORE QUANTITY 4; PVC BEDDED. ECC/SWA, PVC SHEATHED OR EQUIVALENT <b>M00003357</b>	M	1	R	R
57.	CABLE, POWER, ELECTRICAL; CONDUCTOR SIZE 95 MM2, FEATURES STRANDED CU CONDUCTORS, PVC INSULATED, PVC BEDDED, ECC/SWA, PVC SHEATHED, VOLTAGE RATING 600/1000 V, CORE QUANTITY 4; EQUIPMENT USED ON EL AND P SPECIFICATION NUMBER SABS 1507 OR EQUIVALENT <b>M00043481</b>	M	1	R	R
58.	CABLE, POWER, ELECTRICAL; TYPE AERIAL BUNDLE, CONDUCTOR SIZE 120 MM2, FEATURES ALLUMINIUM - XLPE, VOLTAGE RATING 11KV, CORE QUANTITY 3 OR EQUIVALENT <b>M00105309</b>	M	1	R	R
59.	CABLE, POWER, ELECTRICAL; TYPE ARMORED, CONDUCTOR SIZE 1.6 MM, FEATURES LG 500M, ANNEALED COPPER CONDUCTORS PVC INSULATED, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 27; SPECIFICATIONS: CSE-1164- 001/LATEST CATEGORY X47 EQUIPMENT USED ON: OUTDOOR USE SIG OR 1EQUIVALENT <b>M00027451</b>	M	1	R	R
60.	CABLE, POWER, ELECTRICAL; TYPE ARMORED, CONDUCTOR SIZE 1.6 MM, FEATURES LG 650M, CU ANNEALED CONDUCTORS PVC INSULATED, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 12; SPECIFICATIONS: CSE-1164- 001/LATEST CATEGORY X47 EQUIPMENT USED ON: OUTDOOR USE SIG OR EQUIVALENT	M	1	R	R

	<b>M00027250</b>				
<b>61.</b>	CABLE, POWER, ELECTRICAL; TYPE ARMORED, CONDUCTOR SIZE 1.6 MM2, FEATURES LG 500M, ANNEALED COPPER CONDUCTORS PVC INSULATED, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 21; SPECIFICATIONS: CSE-1164- 001/LATEST CATEGORY X47 EQUIPMENT USED ON: OUTDOOR USE SIG OR EQUIVALENT <b>M00058647</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>
<b>62.</b>	CABLE, POWER, ELECTRICAL; TYPE ARMORED, CONDUCTOR SIZE 4 MM2, FEATURES LG 500M, ANNEALED COPPER CONDUCTORS PVC INSULATED, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 16; OR EQUIVALENT <b>M00076213</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>
<b>63.</b>	CABLE, POWER, ELECTRICAL; TYPE ARMORED, CONDUCTOR SIZE 4 MM2, FEATURES LG 500M, ANNEALED COPPER CONDUCTORS PVC INSULATED, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 21; EQUIPMENT USED ON OUTDOOR USE SIG SPECIFICATION NUMBER CSE 49E/LATEST OR EQUIVALENT <b>M00052138</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>
<b>64.</b>	CABLE, POWER, ELECTRICAL; TYPE ARMORED, FEATURES LG 650M, CU ANNEALED CONDUCTORS PVC INSULATED, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE QUANTITY 6; EQUIPMENT USED ON OUTDOOR USE SIG SPECIFICATION NUMBER CSE- 1164-001/LATEST CATEGORY X47 OR EQUIVALENT <b>M00032730</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>
<b>65.</b>	CABLE, POWER, ELECTRICAL; TYPE ARMORED, FEATURES LG 650M, CU ANNEALED CONDUCTORS PVC INSULATED, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE SIZE DESIGNATION 16 MM2, CORE QUANTITY 6; EQUIPMENT USED ON OUTDOOR USE SIG SPECIFICATION NUMBER CSE 49E/LATEST OR EQUIVALENT <b>M00027450</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>

66.	CABLE, POWER, ELECTRICAL; TYPE ARMORED, FEATURES LG 650M, CU ANNEALED CONDUCTORS PVC INSULATED, PACKAGE TYPE DRUM, VOLTAGE RATING 600/1000 V, CORE SIZE DESIGNATION 16 MM2, CORE QUANTITY 6; EQUIPMENT USED ON OUTDOOR USE SIG SPECIFICATION NUMBER CSE 49E/LATEST OR EQUIVALENT <b>M00001359</b>	M	1	R	R
67.	CABLE, POWER, ELECTRICAL; TYPE CIRCULAR FLEXIBLE, CONDUCTOR SIZE 16 MM2, FEATURES STRANDED CU CONDUCTORS (TYPE 5), ETHYLENE PROPYLENE RUBBER (EPM) INSULATED, POLYCHLOROPRENE (CR) SHEATHED, (NORMAL DUTY TYPE), TINNED ANNEALED, VOLTAGE RATING 600/1000 V, CORE QUANTITY 4; USERS DESCRIPTION TRAILING CAB OR EQUIVALENT <b>M00064218</b>	M	1	R	R
68.	CABLE, POWER, ELECTRICAL; TYPE FLEXIBLE BRAIDED, COLOR YELLOW, CONDUCTOR SIZE 25 MM2, VOLTAGE RATING 3000 V, CORE QUANTITY 1; (CONCENTRIC), EPM/CSM INSULATED STRANDED, TINNED, ANNEALED COPPER CONDUCTOR BRAIDED AS PER ANNEXURE 3 OF SPECIFICATION USERS DESCRIPTION HEATER JUMPER, MOTOR COACHES ALL CLASSES OR EQUIVALENT <b>M00074985</b>	M	1	R	R
69.	CABLE, POWER, ELECTRICAL; TYPE FLEXIBLE, COLOR ORANGE, CONDUCTOR SIZE 3 MM2, FEATURES EPM/CSM INSULATED, VOLTAGE RATING 500 V, CORE QUANTITY 10; USERS DESCRIPTION JUMPER CABLES ETC. EQUIPMENT USED ON ROLLING STOCK 5M2 5M2A SPECIFICATION NUMBER T-C1F OR EQUIVALENT <b>M00043121</b>	M	1	R	R
70.	CABLE, POWER, ELECTRICAL; TYPE FLEXIBLE, COLOR ORANGE, CONDUCTOR SIZE 25 MM2, FEATURES EPM/CSM INSULATED, VOLTAGE RATING 500 V, CORE QUANTITY 2; USERS DESCRIPTION JUMPER CABLES ETC. EQUIPMENT USED ON ROLLING STOCK 5M2 5M2A SPECIFICATION NUMBER T- C1F-11 OR EQUIVALENT <b>M00001265</b>	M	1	R	R

71	CABLE, POWER, ELECTRICAL; TYPE FLEXIBLE, COLOR RED, CONDUCTOR SIZE 50 MM2, FEATURES TINNED, ANNEALED COPPER CONDUCTOR, EPM/CSM INSULATED STRANDED, VOLTAGE RATING 3000 V, CORE QUANTITY 1; EQUIPMENT USED ON ROLLING STOCK SPECIFICATION NUMBER T- C1F-11 ELECTRIC OR EQUIVALENT <b>M00043456</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>
72.	ABLE, POWER, ELECTRICAL; TYPE FLEXIBLE, COLOR GREEN LIGHT, CONDUCTOR SIZE 16 MM2, VOLTAGE RATING 500 V, CORE QUANTITY 1; CROSS LINKED PVC INSULATED HEAT RESISTING, OIL RESISTING AND FLAME RETARDENT STRANDED, TINNED, ANNEALED COPPER CONDUCTOR TO COMPLY WITH TABLE 4 OF SABS 1411 PART 1 OF 1986 OR EQUIVALENT <b>M00042890</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>
73.	CABLE, POWER, ELECTRICAL; TYPE FLEXIBLE, COLOR LIGHT GREEN, CONDUCTOR SIZE 25 MM2, VOLTAGE RATING 500 V, CORE QUANTITY 1; TO COMPLY WITH TABLE 4 OF SABS 1411 PART 1 OF 1986 CONTINUOUSLY RATED AT 110 DEGREES CELSIUS TO COMPLY TO ALL TEST PROCEDURES AS PER SPEC CEE-T-C1F-11, CROSS LINKED PVC INSULATED COLOUR LIGHT OR EQUIVALENT <b>M00001675</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>
74.	CABLE, POWER, ELECTRICAL; TYPE SPECIAL PURPOSE, CONDUCTOR SIZE 6 MM2, FEATURES STRANDED CU CONDUCTORS, PVC INSULATED, PVC BEDDED, BARE TINNED CU EARTH WIRE IN CONTACT WITH AL FOIL TAPE SCREEN, VOLTAGE RATING 600/1000 V, CORE QUANTITY 4; SHAPE ROUND SURFIX OR EQUAL OR EQUIVALENT <b>M00043457</b>	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>
75.	CABLE, POWER, ELECTRICAL; TYPE SURFEX, COLOR BLACK, CONDUCTOR SIZE 1.5 MM2, CORE QUANTITY 2; SURFEX AND EARTH PC SOLID PVC INSULATED INTERNAL ALUMINUM SHEATH OR EQUIVALENT <b>M00042195</b>	<b>EACH</b>	<b>1</b>	<b>R</b>	<b>R</b>
76.	CABLE, POWER, ELECTRICAL; TYPE TRACK JUMPERS, COLOR ORANGE BRIGHT, PACKAGE TYPE COIL 100 M; STEEL	<b>M</b>	<b>1</b>	<b>R</b>	<b>R</b>



	GALV 19/0,85 MM OUTSIDE DIA.9,50 MM PVC COVERED, INSULATION THICKNESS 2- 2.5MM, USERS DESCRIPTION EQUIPMENT USED ON JEUMONT TRACK CI OR EQUIVALENT <b>M00053537</b>				
<b>TOTAL EXCL. VAT</b>					<b>R</b>
<b>VAT 15%</b>					<b>R</b>
<b>GRAND TOTAL</b>					<b>R</b>