# MPUMALANGA PROVINCIAL GOVERNMENT



# DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVOROMENTAL AFFAIRS

**BID NUMBER: ALA/573/23/MP** 

# CONSTRUCTION OF POULTRY ABATTOIR FOR NKANYEZI FARM IN CHIEF ALBERT LOCAL MUNICIPALITY IN GERT SIBANDE DISTRICT OF MPUMALANGA PROVINCE

ISSUED BY:

Department of Agriculture, Rural Development, Land & Environmental Affairs Private Bag X11219

Mbombela
1200

NAME OF BIDDER:	
TOTAL BID PRICE (all inclusive) :(Also in words):	

# PART A INVITATION TO BID

YOU ARE HEREBY INV ENVIRONMENTAL AFFA		R REQUIREMENTS OF	THE DEPARTM	IENT OF AGRICU	LTURE,RUR	AL DEVELOP	MENT,LAND &
	73/23/MP CLOSING DATE:12 JULY 2023 CLOSING					2h00	
	CONSTRUCTION OF POULTRY ABATTOIR FOR NKANYEZI FARM IN CHIEF ALBERT LOCAL MUNICIPALITY IN GERT SIBANDE DISTRICT OF MPUMALANGA PROVINCE					SEKT SIBANDE	
BID RESPONSE DOCUM							1.0
MBOMBELA, Riverside Piet Retief Office, KWAM Cornell Road (previously of Finance, Protea building TPA Building, Upper grou offices, Office numbers A	IHLANGA, Kwal occupied by Evand g (old Telkom build and floor, Office nu	Mhlanga Government Con er Home Affairs Offices), ding), MIDDELBURG, I umbers A20, 21 and 25, M	nplex, Department Evander, 2280, B Department of Pu [ALELANE, 24	nt of Finance, Build BUSHBUCKRIDG blic Works, Cnr. Lil Air Street, Malelar	ing No. 12, Co <b>E,</b> Bushbuckr llian Ngoyi an ne, <b>ELUKW</b> A	omputer Centre idge Advice Cer d Dr Beyers Nau ATINI,Elukwati	EVANDER, 10 ntre, Department adé Streets – Old
BIDDING PROCEDURE	NQUIRIES MAY I	BE DIRECTED TO	TECHNICAL I	ENQUIRIES MAY E	BE DIRECTE	D TO:	
CONTACT PERSON	Ms. AL Nkam	bule	CONTACT PE	RSON		Mr J Jiya	ne
TELEPHONE NUMBER	013 766 6183		TELEPHONE	NUMBER		072 654 82	72
FACSIMILE NUMBER			FACSIMILE N				
E-MAIL ADDRESS	LNkambule@	mpg.gov.za	E-MAIL ADDR	RESS		jnjiyane@	gmail.com
SUPPLIER INFORMATIO	N						
NAME OF BIDDER					***************************************		
POSTAL ADDRESS							
STREET ADDRESS							
TELEPHONE NUMBER	CODE			NUMBER			
CELLPHONE NUMBER				T			
FACSIMILE NUMBER	CODE			NUMBER			
E-MAIL ADDRESS							
VAT REGISTRATION NUMBER SUPPLIER	TAX			CENTRAL			
COMPLIANCE STATUS	COMPLIANCE SYSTEM PIN:		OR	SUPPLIER DATABASE No:	MAAA		
B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE	TICK AP	PLICABLE BOX]	B-BBEE STAT	TUS LEVEL SWOR	N	[TICK APPLIC.	ABLE BOX]
	☐ Yes	□No				Yes	□ No
[A B-BBEE STATUS L ORDER TO QUALIFY I	EVEL VERIFICA	TION CERTIFICATE	SWORN AFFII	DAVIT (FOR EMI	ES & QSEs)	MUST BE S	UBMITTED IN
ARE YOU THE ACCREDITED	OK I KEI EKEK	IOL TOMTOTON B-BI		OREIGN BASED			Marithus et inn Mentil en
REPRESENTATIVE IN SOUTH AFRICA FOR	∏Yes	□No	SUPPLIER FO	OR THE GOODS		Yes	∐No
THE GOODS /SERVICES /WORKS OFFERED?	[IF YES ENCLO	_	/SERVICES /WORKS OFFERED?  [IF YES, ANSWER THE QUESTIONNAIRE BELOW]				
QUESTIONNAIRE TO BIL	DDING FOREIGN	SUPPLIERS					
IS THE ENTITY A RESIDE	ENT OF THE REP	UBLIC OF SOUTH AFRIC	CA (RSA)?			☐ YES	Пио
			F RSA?			☐ YES	
IS THE ENTITY LIABLE IN							□NO
IF THE ANSWER IS "NO SYSTEM PIN CODE FRO	" TO ALL OF TH	E ABOVE, THEN IT IS N	IOT A REQUIR	EMENT TO REGIS ND IF NOT REGIST	STER FOR A TER AS PER	TAX COMPLIA	

# PART B TERMS AND CONDITIONS FOR BIDDING

# 1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED-(NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).

# 2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PA	RTICULARS MAY RENDER THE BID INVALID
SIGNATURE OF BIDDER:	
CAPACITY UNDER WHICH THIS BID IS SIGNED: (Proof of authority must be submitted e.g. company resolution)	
DATE:	

# MPUMALANGA PROVINCIAL GOVERNMENT



# DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS (DARDLEA)

# **BID DOCUMENT**

# CONSTRUCTION OF POULTRY ABATTOIR FOR NKANYEZI FARM IN CHIEF ALBERT LOCAL MUNICIPALITY IN GERT SIBANDE DISTRICT OF MPUMALANGA PROVINCE

**BID NUMBER: ALA/573/23/MP** 

NAME OF BIDDER	:	
BID AMOUNT	:	
COMPLETION PERIOD	:	St
TEL NUMBER	:	
FAX NUMBER	:	

# PREPARED FOR:



HEAD OF DEPARTMENT MPUMALANGA DEPT. OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS PRIVATE BAG X11219

NELSPRUIT 1200

# PREPARED BY:



5 Gips Avenue, Arcon Park, Vereeniging, 1939

Contact Person: Eng J Jiyane (Pr Eng)

Email: jnjiyane@gmail.com Cell: (071) 689 6890

CLOSING DATE: AS PER BID BULLETIN
THE BID IS VALID FOR 90 DAYS



# CONSTRUCTION OF POULTRY ABATTOIR FOR NKANYEZI FARM IN CHIEF ALBERT LOCAL MUNICIPALITY IN GERT SIBANDE DISTRICT OF MPUMALANGA PROVINCE

# **DETAILS OF BIDDER**

NAME OF BIDDER			 		 	
			 	•••••	 	
PHYSICAL ADDRESS			 		 	
POSTAL ADDRESS			 		 	
CONTACT PERSON	(NAME)		 		 •••••	
	(SURNAME	Ξ)	 		 	
	(PHONE No	၁)	 		 	
	(CELL No)		 		 	
	(FAX No)		 		 	
	(E-MAIL)		 		 	

# DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS

# CONSTRUCTION OF POULTRY ABATTOIR FOR NKANYEZI FARM IN CHIEF ALBERT LOCAL MUNICIPALITY IN GERT SIBANDE DISTRICT OF MPUMALANGA PROVINCE

Contents:	Page:
Part T1: BID procedures	
T1.1 Notice and Invitation to BID T1.2 BID Data T1.3 Standard Conditions of BID	T5 - T6 T7 - T15 T16 - T24
Part T2: Returnable schedules	
T2.1 List of Returnable Documents T2.2 Returnable Schedules	T25 - T26 T27 - T77
Part C1: Agreement and Contract Data	
C1.1 Form of Offer and Acceptance C1.2 Contract Data	C1 - C6 C7 - C24
Part C2: Pricing data	
C2.1   Pricing Instructions C2.2   Bill of Quantities	C25 - C27 C28 - C29
Part C3: Scope of Work	
C3.1 Standard Specifications C3.2 Project Specifications C3.3 Particular Specifications C3.4 Schedule of Drawings	C32 C33 - C49 C50 - C80
Part C4: Site Information	
C4.1   Locality Plan C4.2   Site Notice Board	C82 C83

BID T3 of T77 Index

Part T1: Bidding Procedures

# **SCHEDULE OF BID DRAWINGS**

Drawings will be issued at site handover.

DRAWING NO:	DESCRIPTION:
TS/001	ELEVATED TANK STAND FOR 10 000L WATER TANK
ABT/002	POULTRY ABATTOIR LAYOUT PROCESS FLOW
ABL/001	POULTRY ABATTOIR BIO CONTROL ABLUTION FACILITY
ABT/003	POULTRY ABATTOIR STRUCTURE FOOTINGS AND ROOF LAYOUT
ABT/001	POULTRY ABATTOIR LAYOUT AND DETAILS
PONDS/001	POULTRY ABATTOIR FACILITY EFFLUENT HANDLING-PONDS
PONDS/002	POULTRY ABATTOIR FACILITY EFFLUENT – PONDS EMBARKMENT
GDHS/001	POULTRY ABATTOIR FACILITY GUARDHOUSE
SEW/001	POULTRY ABATTOIR WATER AND DRAIN PIPES DETAILS
PUMP/001	POULTRY ABATTOIR FACILITY EFFLUENT HANDLING – PUMP HOUSE
SFENC/001	1.8M HIGH SECURITY FENCING

The Bidder shall satisfy himself that the sets of drawings are complete in accordance with the above schedule, and if any are found to be missing or duplicated, or the writing or figures indistinct, he shall apply to the Engineer immediately and have the discrepancy rectified. No liability whatsoever will be admitted by the Employer in respect of errors in BIDs attributed to any such discrepancy.

BID T4 of T77 Index

Part T1: Bidding Procedures

# **PART T1: BID PROCEDURES**

TABLE	OF CONTENTS	Page	Colour
T1.1:	NOTICE AND INVITATION TO BID	T.5	White
T1.2:	BID DATA	T.8	Pink
T1.3:	ANNEXURE F: STANDARD CONDITIONS OF BID	T.17	Pink



# MPUMALANGA PROVINCIAL GOVERNMENT DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS

# CONSTRUCTION OF POULTRY ABATTOIR FOR NKANYEZI FARM IN CHIEF ALBERT LOCAL MUNICIPALITY IN GERT SIBANDE DISTRICT OF MPUMALANGA PROVINCE

# **BID NUMBER: AS PER BID BULLETIN**

The Mpumalanga Department of Agriculture, Rural Development, Land and Environmental Affairs invites bids for the: Construction of poultry abattoir for Nkanyezi farm in Chief Albert Luthuli Local Municipality in Gert Sibande District of Mpumalanga province. The works consist of the construction of an abattoir for poultry for Nkanyezi Farm. Service Providers should have a CIDB contractor grading of 6CE or higher.

BID documents will be obtainable from the following supply chain management offices **Mbombela Riverside Government Complex**, **Malelane 24 Air Street**, **Siyabuswa Old Parliament Building**, **Middleburg Department of Public Works**, **KwaMhlanga Government Complex Department of Finance**, **Piet Retief no. 11 Mearsorch Street**, **Evander 10 Cornell Road**, **Elukwatini Sub-Regional Offices and MBOMBELA Advice Centre**, **Department of Finance**, on payment of a non-refundable levy of **R100.00 or can be downloaded at** <a href="https://www.etenders.gov.za/Home/Opportunities">https://www.etenders.gov.za/Home/Opportunities</a>. Only bank guaranteed cheques or cash will be accepted and document can be collected between 7:45 and 16:00 Cheques shall be made payable to Mpumalanga Provincial Government.

The closing date for receipt of bids is: AS Per bid bulletin 2023 at 12h00.

Duly completed BIDs enclosed in a sealed envelope marked "Construction of poultry abattoir for Nkanyezi farm in Chief Albert Luthuli Local Municipality in Gert Sibande District of Mpumalanga province." with the name of the Bidder, shall be deposited in the clearly marked BID boxes provided at the following Supply Chain Offices: Mbombela, Malelane, MBOMBELA, KwaMhlanga, Middleburg, Piet Retief and Evander. The bids will be opened in public.

A Compulsory Site Briefing will be conducted as per bid bulletin and prospective service providers are requested to meet the Employer / Representative as indicated on the bid bulletin: DARDLEA Elukwatini Sub Regional Offices, (opposite Elukwatini Community Hall), Elukwatini in Chief Albert Luthuli Local Municipality. at 10h00. Proceeding to the briefing site at 10:15 am. The project site is just outside of Tjakastad Town and the GPS coordinates are given below.

# Nkanyezi Poultry Farm coordinates are as follows: 25°59'09.4"S and 30°50'43.0"E

Telegraphic, telephonic, telex, facsimile, e-mail and late bids WILL NOT be accepted.

Bidders should ensure that bids are delivered on time to the correct address. If the bid is late, it will not be accepted for consideration.

All documentation submitted in response to this bid must be in English, unless otherwise indicated under technical specification.

Employer:

For:

AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS PRIVATE BAG X11219 NELSPRUIT 1200

Contact person: Ms TA Memels Email: <a href="mailto:thabie04@yahoo.co.za">thabie04@yahoo.co.za</a>

Cell:

Engineer:



5 Gips Avenue, Arcon Park, Vereeniging, 1939

Contact Person: Eng J Jiyane (Pr Eng)

Email: injiyane@gmail.com

Cell: (071) 689 6890

# T1.2. BID DATA

The Conditions of BID in the Standard Conditions of BID as contained in Annex F of CIDB Standard Uniformity in Construction Procurement. (See www.cidb.org.za) which are reproduced without amendment or alteration for the convenience of the prospective service providers in this BID in the section T1.3 of the BID Data.

The Standard Conditions of BID make several references to the BID Data for details that apply specifically to this BID. The BID Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the Standard Conditions of BID. Each item of BID Data given below is cross-referenced to the relevant clause in the standard Conditions of BID.

F.1.1 The Employer for this Contract is: Department of Agriculture, Rural Development, Land and Environmental Affairs

#### F.1.2 **BID Documents**

The BID Document consists of the following:

## BID

# T1: BID Procedures

- T1.1: Notice and Invitation to BID
- T1.2: **BID Data**

## T2: Returnable Documents

- List of Returnable Documents T2.1:
- T2.2: Returnable schedules

# **CONTRACT**

# Part 1: Agreements and Contract Data

- Form of Offer and Acceptance C1.1:
- C1.2: Contract Data
- C1.3: Form of Guarantee
- C1.4: Agreement with Adjudicator
- C1.5: Agreement in terms of Section 37(2) of the Occupational Health and Safety Act (No 85, 1993)

# Part 2: Pricing Data

- **Pricing Instructions** C2.1:
- C2.2: Bill of Quantities

# Part 3: Scope of Work

- Standard Specifications C3.1:
- **Project Specifications** C3.2:
- Particular Specifications C3 3:

#### **Site Information** Part 4:

- C4.1: Locality Plan
- Construction Notice Board C4.2:

# **DRAWINGS**

Drawings will be issued at site handover.

T7 of T77 **BID** Data Part T1: BID Procedures

#### F.1.4 The Employer's agent is:

AgriEng Consulting represented by Eng Jiyane J (Pr Eng)

#### F.1.5 The Employer's right to accept or reject any BID Offer

The Employer may accept or reject any variation, deviation, BID Offer, or alternative Offer, and may cancel the BID process and reject all BID Offers at any time before the formation of a Contract. The Employer shall not accept or incur any liability to a service provider for such cancellation and rejection, but will give written reasons for such action upon written request to do so.

#### F.2.1 Eligibility

- 1. A service provider will not be eligible to submit a BID if:
  - The service provider submitting the BID is under restrictions or has principals who are under restriction to participate in the Employer's procurement due to corrupt of fraudulent practices;
  - The service provider does not have the legal capacity to enter into the Contract; (b)
  - The service provider submitting the BID is insolvent, in receivership, bankrupt or being wound up, has his affairs administered by a court or a judicial officer, has suspended his business activities, or is subject to legal proceedings in respect of the foregoing;
  - The service provider does not comply with the legal requirements stated in the Employer's (d) procurement policy:
  - The service provider cannot demonstrate that s/he possesses the necessary professional and technical qualifications and competence, financial resources, equipment and other physical facilities, managerial capability, personnel, experience and reputation to perform the Contract;
  - The service provider cannot provide proof that he is in good standing with respect to duties, taxes, levies and contributions required in terms of legislation applicable to the work in the Contract.
  - Only those service providers who have in their employ management and supervisory staff (g) satisfying the requirements of the Scope of Work for Labour Intensive Competencies for supervisory and management staff are eligible to submit BIDs.

#### 2. CIDB GRADING

- I. Only those service providers who are registered with the CIDB as defined in the Regulations 09 June 2015 and 05 July 2019, in terms of the CIDB Act No 38 of 2000, or are capable of being so prior to the evaluation of submissions, in a Contractor grading designation equal to or higher than a Contractor grading designation determined in accordance with the Sum bidded for a 6CE or higher class of Civil Engineering work, are eligible to submit bids.
- II. Joint Ventures are eligible to submit BIDs provided that:
  - every member of the Joint Venture is registered with the CIDB;
  - the lead partner has a Contractor grading designation in the 6CE or higher class of 2. Mechanical Engineering work; and
  - the combined Contractor grading designation calculated in accordance with the 3. Construction Industry Development Regulations is equal to or higher than a Contractor grading designation determined in accordance with the Sum bided for a 6CE or higher class of Civil Engineering work

T8 of T77 T1.2

# F.2.7 Site visit and clarification meeting

The arrangements for the compulsory site inspection visit and clarification meeting are as follows:

<u>Meeting place</u>: DARDLEA Elukwatini Sub Regional Offices, (opposite Elukwatini Community Hall), Elukwatini in Chief Albert Luthuli Local Municipality at 10h00. Proceeding to the briefing site at 10:15 am. The project site is just outside of Tjakastad Town and the GPS coordinates are given below

Project Location: Site Coordinates are as follows: 25°59'09.4"S and 30°50'43.0"E

Service providers are requested to meet the Employer / Engineer for a briefing session meeting for the bid: Construction of poultry abattoir for Nkanyezi farm in Chief Albert Luthuli Local Municipality in Gert Sibande District of Mpumalanga province.

as follow:

Date: as per bid bulletin Starting time:

as per bullein

Enquiries of site location, and briefing session meeting must be made at least one full working day in advance and may be directed to:

Eng J Jiyane (Pr Eng) Cell:072 654 8272

Email: jnjiyane@gmail.com

Or

Ms Thabisile Memela Cell: 063 698 3253

Service Providers must sign the attendance register and name of their business entity. Addenda will be issued and BIDs will be received only from those business entities appearing on the attendance list.

# F.2.10 Pricing the BID Offer

# (a) Value Added Tax

The Valued Added Tax (VAT) rate shall be 15% or as otherwise provided for by Legislation.

- The successful service provider shall be required to produce a VAT invoice that shall only be
  prepared once measurements and valuations for work done in Terms of Contract Offer have
  been agreed with the Employers agent and a Certificate of Payment issued.
- Payment of VAT to non-VAT vendors shall be processed from the month in which the service provider's liability with the South African Revenue Services is effective.

# F.2.11 Alterations to document

A BID Offer shall not be considered if alterations have been made to the Forms of BID data or Contract data (unless such alterations have been duly authenticated by the service provider) or if any particulars required therein have not been completed in all respects.

# F.2.12 Alternative BID Offers

No alternative Offers will be considered.

# F2.13 Submitting a BID Offer

# **F.2.13.3** BID Offers shall be submitted as an original only.

Under no circumstances whatsoever may the BID forms be retyped or redrafted.

BID T9 of T77 T1.2
Part T1: BID Procedures BID Data

Photocopies of the original BID documentation may be used, but an original signature must appear on such photocopies.

#### The Employer's address for delivery of BID Offers and identification details to be shown on such F.2.13.5 BID Offer package are:

Location of BID box: Physical address: Identification details

As indicated in Bid Notice As indicated in BID Notice

BID for: CONSTRUCTION OF POULTRY ABATTOIR FOR NKANYEZI FARM IN CHIEF ALBERT LOCAL MUNICIPALITY IN GERT SIBANDE

DISTRICT OF MPUMALANGA PROVINCE

Bid No: as per bid bulletin Closing Date: as per bid bulletin

#### F.2.15 **Closing Time**

The closing time for submission of BID Offers is: as per bid bulletin as stated in the Notice and Invitation to BID.

Telephonic, telegraphic, telex, facsimile, electronic or e-mailed BIDs will not be accepted.

#### F.2.16 **BID Offer validity**

The BID Offer validity period is **90 days** from the closing time for submission of BIDs.

#### F.2.18 Provide other material

The service provider shall, when requested by the Employer to do so, submit the names of all management and supervisory staff that will be employed to supervise the labour-intensive portion of the works together with satisfactory evidence that such staff members satisfy the eligibility requirements

#### F.2.19 Access

Access shall be provided for inspections and testing by personnel acting on behalf of the Employer.

#### F.2.22 **Return of BID Documents**

Not applicable.

#### **EVALUATION PROCESS** F.2.21

The valuation process comprises of the following phases: 1.1.

#### Phase I: Initial Screening Process 1.1.1

During this phase, bid documents will be reviewed to determine compliance with the following:

- All SBD forms must be fully completed and signed,
- Attendance of compulsory briefing session and signing of attendance register.
- The Bill of Quantities (BoQ) must be fully completed and signed by the bidder.
- Signed Joint Venture Agreement and Power of Attorney in case of Joint Ventures;
- Company Profile, including previous contract work done, value of the work and contactable references per contract.
- Certificate of Contractor Registration issued by the Construction Industry Development Board. Where a service provider satisfies CIDB Contractor grading designation requirements through Joint Venture formation, such service providers must submit the Certificates of Contractor Registration in respect of each partner.
- All bidders must adhere to their CIDB tender ranges. Failure to adhere will result in the bid being disallowed.

BID T1.2 **BID** Data Part T1: BID Procedures

All bidders must be registered on the Central Supplier Database (CSD) failure to do so will be automatically disqualified.

NB: It is the responsibility of the bidder to ensure that the following key information is in order to avoid any disqualification during the bid evaluations:

- The Business registration status
- Bid restrictions and defaulters status
- Bank Account information
- Identification number and the service of the state status

Failure to submit or adhere to the above "Phase I" requirements will lead to automatic disqualification.

# 1.1.2 Local Content Calculation

The following items are part of the BoQ and are designated according to the Department of Trade and industry (DTI)

No	Designated items	Designated percentage (%)
1	Motors	70
2	Steel	100
3	Cement	100
4	Cables	90
5	Conveyor belts	100
6	Rubber	100
7	Transformer II	70
8	Pipes	100
9	Valves	70

- A bidder who will score below the stipulated percentage must have an exemption letter from DTI permitting them to deviate from the stipulated percentages...
- A bidder must calculate each item separately as per the Guidance Document for the Calculation for Local Content (attached)
- The instruction notes from National Treasury are attached as a guidance on all designated sectors
- The exchange rate to be used for the calculation of local production and content will be the exchange rate published by the South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid; and only the South African Bureau of Standard (SABS) approved technical specification number SATS 1286; 2011 must be used to calculate local content.
- The local content (LC) expressed, as a percentage of the bid price must be calculated in accordance with the following formula, which must be disclosed in the bid documentation:

LC= 
$$(1 - X)$$
 \*100  
Where

X is the imported content in Rand  
Y is the bid price in Rand excluding value added tax (VAT)

- Prices referred to in the determination of x will be converted to Rand (ZAR) by using the exchange rate published by the SARB at 12:00 on the date of advertisement of the bid.
- The SABS approved technical specification number SATS 1286:2011 and the Guidance of the calculation of local together with the Local Content Declaration Templates (Annexure C (Local Content Declaration: Summery Schedule). D (Imported Content Declaration: Supporting Schedule to Annexure C) and E (Local Content all potential bidders on the dti's Declaration: Supporting Schedule to Annexure C) are accessible to official website http://www.thedit.gov.za/industrial development/ip. jsp at no cost .

T11 of T77 T1.2 BID **BID Data** 

# 1.2. Phase III: Functionality evaluation as per attached Terms of Reference

- a) Bids will be evaluated strictly according to the bid evaluation criteria stipulated in the terms of reference
- b) Bidders must as part of their bid documents, submit supportive documentation for all technical requirements as indicated hereunder. The panel responsible for scoring for the respective bids will evaluate and score all bids based on their submissions and the information provided.
- c) Bidders will not rate themselves, but need to ensure that all information is supplied as required. The Bid Evaluation committee (BEC) will evaluate and score all responsive bids and will verify all documents submitted by the bidders.
- d) The BEC members will individually evaluate the responses received against the following criteria as set out below:

CRITERIA	EVIDENCE	VALUE	WEIGHTING	
Plant and Equipment available for this contract • 10-ton Truck	Bidder DID NOT attach any proof of stipulated plant/equipment OR Bidder attached Hiring arrangement for only one (1) of the stipulated plant/equipment	1		
• TLB / Loader • LDV	Bidder attached Proof of ownership of any one (1) of the stipulated plant/equipment OR Hiring arrangement(s) for any two (2) of the stipulated plant/equipment	2		
	Bidder attached Proof of ownership of any two (2) of the stipulated plant/equipment	3	10	
Attach proof of ownership (registration certificate) if	Bidder attached Hiring arrangement(s) for all three (3) of the stipulated plant/equipment	4		
owned by the Bidder OR hiring arrangement if intended to be leased/hired	Bidder attached Proof of ownership of all three (3) of the stipulated plant/equipment	5		
Details of staff available for this Contract • Project Manager: Registration with PM Body or Certificate in	Bidder DID NOT attach CVs, certified copies of qualifications and letters of consent	1		
Project Management (PMI, SACPCMP)  • Site Agent: National Diploma in the Built Environment / Civil Engineering	Bidder attached CVs, certified copies of qualifications and letters of consent for Site Agent, and/or Project Manager	2		
<ul> <li>Safety Officer: NOSA accredited/endorsed certificate in OHS</li> <li>Certified Electrician: wireman's license</li> </ul>	Bidder attached CVs, certified copies of qualifications and letters of consent for Site Agent, Project Manager and Safety Officer	3	20	
Attach CVs, certified copies of qualifications and letters of consent from the relevant personnel.	Bidder attached CVs, certified copies of qualifications and letters of consent for Site Agent, Project Manager, Safety Officer and Certified Electrician	4		
Certification should not be more than 3 months by the closing of bid	Bidder attached CVs, certified copies of qualifications and letters of consent for Site Agent, Project Manager, Safety Officer and Certified Electrician	5		

BID T12 of T77 T1.2
Part T1: BID Procedures BID Data

Understanding of Scope	Bidder DID NOT attach Gantt Chart	1	
of Work	Bidder attached Gantt chart with irrelevant information	2	
	Bidder attached Gantt Chart only indicating milestones/activities and timelines	3	
Attach Programme of Works in Gantt Chart	Bidder attached Gantt Chart only indicating milestones/activities, timelines and resources	4	20
format, clearly indicating milestones/activities, timelines, resources and cashflow projections	Bidder attached Gantt Chart clearly indicating milestones/activities, timelines, resources and cashflow projections	5	
Experience relevant to this technical field	Bidder attached one (1) or zero (0) Completion Certificates and/or Appointment Letters with experience relevant to this technical field	1	
	Bidder attached two (2) Completion Certificates and/or Appointment Letters with experience relevant to this technical field	2	
	Bidder attached three (3) Completion Certificates and/or Appointment Letters with experience relevant to this technical field	3	20
	Bidder attached four (4) Completion Certificates and/or Appointment Letters with experience relevant to this technical field	4	
Attach Completion Certificates and/or Appointment Letters	Bidder attached Five (5) or more Completion Certificates and/or Appointment Letters with experience relevant to this technical field	5	
Experience with contracts of similar value	Bidder attached one (1) or zero (0) Purchase Orders, Completion Certificates and/or Appointment Letters for contracts of similar value	1	
	Bidder attached two (2) Purchase Orders, Completion Certificates and/or Appointment Letters for contracts of similar value	2	
	Bidder attached three (3) Purchase Orders, Completion Certificates and/or Appointment Letters for contracts of similar value	3	15
	Bidder attached four (4) Purchase Orders, Completion Certificates and/or Appointment Letters for contracts of similar value	4	
Attach Purchase Orders, Completion Certificates and/or Appointment Letters	Bidder attached Five (5) or more Purchase Orders, Completion Certificates and/or Appointment Letters for contracts of similar value	5	
Commitment to appoint	Bidder DID NOT attach letter	1	
unskilled labour from the	Bidder attached a letter that is not signed	2	
local community	Bidder attached signed letter with NO reference to this contract and/or NO indication of the number of labours to be appointed from the local community	3	
Attach a signed letter with reference to this contract	Bidder attached signed letter with reference to this contract WITHOUT an indication of the number of labours to be appointed from the local community	4	5
and an indication of the number of labours to be appointed from the local community	Bidder attached signed letter with reference to this contract and an indication of the number of labours to be appointed from the local community	5	

F, G, H or E OR if bidder DID NOT submit Bank Rating Financial ability to carry 1 out and complete the Letter project D 2 10 C 3 В 4 Α 5 Attach Bank Rating Letter 100 **Total** 

Only bidders who attain a minimum of 70 percent on Functionality will qualify to proceed for further evaluation on Price and Preference points.

e) Each panel member will rate each individual criterion on the score sheet using the following scale:

# 1-Poor, 2- Average, 3- Good, 4- Very Good, 5- Excellent

- f) Individual value scores will be multiplied with the specified weighting for the criterion to obtain the marks scored for all elements. These marks will be added and expressed as a fraction of the best possible score for all criteria. This score will be converted to a percentage and only bidders that have met or exceeded the minimum threshold of 70% for functionality will be evaluated and scored in terms of pricing and socioeconomic goals as indicated hereunder.
- g) The value scored for each criterion will be multiplied with the specified with weighting for the relevant criterion to obtain the marks scored for each criterion. These marks will be added and expressed as a fraction of the best possible score for all criteria.
- h) This score will be converted to a percentage and only bidders that have met or exceeded the minimum threshold of 70 percent for functionality will be evaluated and scored in terms of pricing and socio economic goals as indicated hereunder.
- i) Any proposal not meeting a minimum score of 70 percent functionality proposal will be disqualified.
- j) The price will not be evaluated as this stage

# Phase III: Price / Financial stage

- a) Price / Financial proposal must be submitted in South African Rand.
- b) The following formula will be used to calculate the points for price in respect of this bid:

Where

Ps= Points scored for comparative price of bid under consideration

Pt= Comparative price of bid under consideration

P min = Comparative price of lowest acceptable bid

- c) The responsive bids will be adjudicated by the State on the 80/20-preference point system based on price points and preference point:
  - The bid price (maximum 80 points)
  - Specific goals (maximum 20 points)
- d) The department reserves the right to arrange contracts with more than one contractor.
- e) The Preferential Procurement Policy Framework Act 2000 (PPPFA) Preferential Procurement Regulations 2022, Regulations were gazetted on 4 November 2022

(No. 47552) Vol.689 and effective from 16 January 2023. These bid will be evaluated as per above mentioned regulations. Bidders are required to submit evidence by which preference points can be claimed based on the specific goals determined by the Department. In case of a Joint Venture, the average score of the joint companies will be considered for determining preference point score. Sub-contracting will only be

BID T14 of T77 T1.2
Part T1: BID Procedures BID Data

allowed for up to 25% of the value of the contract to a company that possess the same or a higher preference point score in terms of specific goals.

A maximum of 20 points may be awarded to a bidder for full complying with specific goals requirements f) stipulated in the table below. For this bid the maximum number preference points that could be allocated to a bidder are indicated below:

Specific Goal		Maximum Preference Points Allocated	Minimum Proof required for	
		40/ 11 1		claiming preference points
An Enterprise owned by at least 51% black people			4	CIPC enterprise registration certificate, certified ID copies of
				company owners and Accredited B-
				BBEE status level contributor
				certificate or certified and signed
				sworn affidavit
An Enternri	ise owned by at least 5	1% black people	4	CIPC enterprise registration
	uth (35 years or younge		·	certificate, certified ID copies of
who are ye	an (oo youro or younge	<i>.</i> ,		company owners and Accredited B-
				BBEE status level contributor
				certificate or certified and signed
				sworn affidavit
An Enterpri	ise owned by at least 5°	1% black people	4	CIPC enterprise registration
who are wo	omen			certificate, certified ID copies of
				company owners and Accredited B-
				BBEE status level contributor
				certificate or certified and signed
		(0/ 1-1111111111111	4	sworn affidavit
	ise owned by at least 5	1% black people	4	CIPC enterprise registration certificate, certified ID copies of
with a disab	Ollity			company owners and Accredited B-
				BBEE status level contributor
				certificate or certified and signed
				sworn affidavit
Promotion	of South African Owned	d companies		A written declaration signed by the
	promotion of local mar			Enterprise with an indication of local
	and content		4	production and content designated
Local prod	luction and content de			percentage for all goods listed on
	nated percentage requ	iired to claim		the specific goal and Annexure C
preference				(Local Content Declaration:
No	Designated items	Designated		Summery Schedule)
	B4 - 4	percentage		
2	Motors Steel	70 100		
3	Cement	100	NB: (Points are	
4	Cables	90	allocated only when the	
5	Conveyor belts	100	bidder meets the	
6	Rubber	100	designated percentage	
7	Transformer II	70	for all listed items)	
8	Pipes	100		
9	Valves	70		

# Failure to submit the required evidence will lead to allocation of zero (0) preference points

- The points scored by a bidder in respect of the preference points indicated above will be added to the g) points scored for price.
- Bidders are requested to complete SBD 6.1 in order to claim preference points and attach relevant h) evidence as stipulated on the table above.
- Only a bidder who has completed and signed the declaration part of the preference claim form will be i) considered for preference points.

T15 of T77 T1.2 Part T1: BID Procedures **BID Data** 

- j) Supply Chain Management may, before a bid is adjudicated or at any time, require a bidder to substantiate claims it has made with regard to claims regarding preference points.
- Points scored will be rounded off to the nearest 2 decimals. k)
- In the event that two or more bids have scored equal total points, the contract will be awarded to the bidder scoring the highest number of preference points. Should two or more bids be equal in all respects, the award shall be decided by drawing of lots.
- A contract may, on reasonable and justifiable grounds, be awarded to a bid that did not score the highest m) number of points. The bidder must submit copies of identity documents of all directors or shareholders of the company with the bid documents at the closing date and time of the bid.

#### 1.1.3 Phase IV: Vetting

Shortlisted bidders will be required to undergo the vetting procedure to verify the authenticity of the submitted documents during the submission period and bidder can be eliminated if discovered that false information was submitted and this doesn't mean that the bid is automatically awarded to you.

# **CLIENT BASE**

Bidders may have specific experience and submit at least four recent references (in a form of written proof (s) on their company's letterhead including relevant person(s), telephone, fax numbers and e-mails) of similar work undertaken.

DARDLEA reserves the right to contact references during the evaluation and adjudication process to obtain information.

# **LEGAL IMPLICATIONS**

Successful service providers must be prepared to enter into a service level agreement with the DARDLEA. DARDLEA reserves the right to award this bid on a non-exclusive basis, i.e. DARDLEA may procure similar services outside this bid with the view of securing the best service and value for money.

# COMMUNICATION

Supply Chain Management will communicate with bidders for, among others. Where bid clarity is sought, to obtain information or to extend the validity period. Any communication either by facsimile, letter or electronic mail or any other form of correspondence to any government official, department or representative of a testing institution or a person acting in an advisory capacity for DARDLEA in respect of this bid between the closing date and the award of the bid by the bidder is prohibited.

# **COUNTER CONDITIONS**

Bidders' attention is drawn to the fact that amendments to any of the Special Conditions by bidders will result in invalidation of such bids.

# PROHIBITION OF RESTRICTIVE PRACTICES

- In terms of section 4(1) of the Competition Act No. 89 of 1998, as amended, an agreement between, or a. concerted practice by, firms or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder(s) is/are or a contractor(s) was/were involved in:
  - Directly or indirectly fixing a purchase or selling price or any other trading condition;
  - Dividing markets by allocation customers, suppliers, territories or specific types of goods or services; or
  - Collusive bidding.
- If a bidder(s) or contractor(s), in the judgment of purchaser, has/have engaged in any of the restrictive b) practises referred to above, the purchaser may, without prejudice to any other remedy provided for, invalidate the bid(s) for such items(s) offered or terminate the contract in whole or in part and refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in the Competition Act no.89 of 1998.

# **FRONTING**

DARDLEA supports the spirit of broad based black economic empowerment and recognizes that real empowerment can only be achieved through individuals and businesses conduction themselves in

BID T16 of T77 T1.2 Part T1: BID Procedures **BID** Data accordance with the Constitution and in an honest, fair, equitable, transparent and legally compliant manner. Against this background DARDLEA condemns any form of fronting.

DARDLEA, in ensuring that bidders conduct themselves in an honest manner will, as part of the bid evaluation processes, conduct or initiate the necessary enquiries/investigations to determine the accuracy of the representation made in bid documents. Should any of the fronting indicators as contained in the Guidelines on Complex Structures and Transactions and Fronting, issued by the Department of Trade and industry be established during such enquiry/investigation, the onus will be on the bidder / contractor to prove that fronting does not exist.

Failure to do so within a period of 14 days from date of notification may invalidate the bid/contract and may also result in the restriction of the bidder/contractor to conduct business with public sector for a period not exceeding ten years, in addition on any other remedies DARDLEA may have against the bidder/contractor concerned.

# **PRESENTATION**

DARDLEA may require presentations/interviews from short-listed bidders as part of the bid process

#### F.3.13 Acceptance of BID Offer

#### BID offers will only be accepted on condition that: F.3.13.1

- (a) The BID Offer is signed by a person authorised to sign on behalf of the service provider;
- (b) the service provider's declaration of compliance with the Occupational Health and Safety Act No. 85 of 1993 and the Construction Regulations 2003, is included with her/his BID submission;
- (c) a service provider who submitted a BID as a Joint Venture has included an acceptable Joint Venture Agreement with her/his BID;
- (d) the service provider or a competent authorised representative of the Contractor who submitted the BID has attended the compulsory clarification meeting or site inspection;
- (e) the Contractor who submits the BID has been registered with the Construction Industry Development Board in accordance with the Construction Industry Development Board Act No. 38 of 2000 and the CIDB Regulations 2003 promulgated in terms of the Act, or if the Contractor can submit proof or evidence that s/he will be able to register within 10 days of the closing date for submission of BIDs;
- the service provider or any of its principals is not listed on the register of BID Defaulters in terms of the Prevention and Combating of Corrupt Activities Act of 2004 as a person prohibited from doing business with the Public Sector;
- (g) the service provider has not abused the Employer's Supply Chain Management System or has failed to perform on any previous Contract and has been given a written notice to this effect;
- The service provider or any of its Principals, Directors or Managers is not employed in the service of the State (all spheres of government) nor is a Public Representative (Councillor);
- a company profile is attached;
- the required Certificates listed in F.2.23 above, are attached;
- The Returnable Schedules in T2.2 have been completed and signed;
- The Form of Offer in C1.1 has been signed by the Service Provider;
- (m) the Employer is satisfied that the service provider or any of her/his Principals have not influenced the BID Offer and acceptance by the following criteria:
  - a. having Offered, promised or given a bribe or other gift or remuneration to any person in connection with the obtaining or execution of this Contract;

T1.2 BID T17 of T77 BID Data

- b. having acted in a fraudulent or corrupt manner in obtaining or executing this Contract;
- c. having approached an Officer or employee of the Employer or the Employer's Agent with the objective of influencing the award of a Contract in the service provider's favour;
- d. having entered into any agreement or arrangement, whether legally binding or not, with any other Person, Firm or Company to refrain from Quoting for this Contract or as to the amount of the BID to be submitted by either party;
- e. having disclosed to any other Person, Firm or Company other than the Employer, the exact or approximate amount of his proposed BID;

The Employer may, in addition to using any other legal remedies, repudiate the BID Offer and acceptance and declare the Contract invalid should it have been concluded already.

BID T18 of T77 T1.2
Part T1: BID Procedures BID Data

# T1.3: Annex F: Standard Conditions of Bid

(As contained in Annexure F of South African National Standard: Construction procurement processes, Methods and procedures: SANS 294: 2004 Edition)

# F.1 General

## F.1.1 Actions

The employer and each service provider submitting a Bid offer shall comply with these conditions of Bid. In their dealings with each other, they shall discharge their duties and obligations as set out in F.2 and F.3, timeously and with integrity, and behave equitably, honestly and transparently.

## F.1.2 Bid Documents

The documents issued by the employer for the purpose of a Bid offer are listed in the Bid data.

# F.1.3 Interpretation

- **F.1.3.1** The Bid data and additional requirements contained in the Bid schedules that are included in the returnable documents are deemed to be part of these conditions of Bid.
- **F.1.3.2** These conditions of Bid, the Bid data and Bid schedules which are only required for Bid evaluation purposes, shall not form part of any contract arising from the invitation to Bid.
- **F.1.3.3** For the purposes of these conditions for the calling for expressions of interest, the following definitions apply:
- a) **comparative offer** means the service providers financial offer after the factors of non-firm prices, all unconditional discounts and any other Bided parameters that will affect the value of the financial offer have been taken into consideration
- b) corrupt practice means the offering, giving, receiving or soliciting of anything of value to influence the action of the employer or his staff or agents in the Bid process; and
- c) **fraudulent practice** means the misrepresentation of the facts in order to influence the Bid process or the award of a contract arising from a Bid offer to the detriment of the employer, including collusive practices intended to establish prices at artificial levels
- d) **quality (functionality)** means the totality of features and characteristics of a product or service that bear on its ability to satisfy stated or implied needs

# F.1.4 Communication and employer's agent

Each communication between the employer and a service provider shall be to or from the employer's agent only, and in a form that can be read, copied and recorded. Writing shall be in the English language. The employer shall not take any responsibility for non-receipt of communications from or by a service provider. The name and contact details of the employer's agent are stated in the Bid data.

# F.1.5 The employer's right to accept or reject any Bid offer

**F.1.5.1** The employer may accept or reject any variation, deviation, Bid offer, or alternative Bid offer, and may cancel the Bid process and reject all Bid offers at any time before the formation of a contract. The employer may accept any Bid offer in part or in full and split the Bid to award to one or more Bid offers. The employer shall not accept or incur any liability to a service provider for such cancellation and rejection, but will give written reasons for such action.

# F.1.5.2 Price negotiations

- **F.1.5.2.1** Rates will be negotiated whereby a standard rate will apply to all successful bidder(s) in terms of the market related price.
- **F.1.5.2.2** If the price offered by the bidder scoring the highest points is not market related, the department will negotiate a market related price with the bidder scoring the highest points or cancel the bid.
- **F.1.5.2.3** If the bidder scoring the highest points does not agree to a market related price the department shall negotiate a market related price with second bidder, if the bidder scoring the second highest points does not agree to a market related price the department shall negotiate a market related price with bidder scoring the third highest points.
- **F.1.5.2.4** If the market related price is not agreed to as envisaged by the first, second and third bidder the department shall cancel the bid.
- **F.1.5.3** After the cancellation of a Bid process or the rejection of all Bid offers the employer may abandon the proposed procurement and re-issue a similar Bid notice and invitation to Bid not less than three months after the closing dated for Bid offers or have it performed in another manner at any time.

# F.2 Service Providers obligations

The service provider shall comply with the following obligations:

# F.2.1 Eligibility

Submit a Bid offer only if the service provider complies with the criteria stated in the Bid data and the service provider, or any of his principals, is not under any restriction to do business with employer.

# F.2.2 Cost of Biding

Accept that the employer will not compensate the service provider for any costs incurred in the preparation and submission of a Bid offer, including the costs of any testing necessary to demonstrate that aspects of the offer satisfy requirements.

## F.2.3 Check documents

Check the Bid documents on receipt for completeness and notify the employer of any discrepancy or omission.

Bidders shall check the numbers of the pages and satisfy themselves that none are missing or duplicated. No liability shall be accepted in regard to claims arising from the fact that pages are missing or duplicated.

# F.2.4 Confidentiality and copyright of documents

Treat as confidential all matters arising in connection with the Bid. Use and copy the documents issued by the employer only for the purpose of preparing and submitting a Bid offer in response to the invitation.

# F.2.5 Reference documents

Obtain, as necessary for submitting a Bid offer, copies of the latest versions of standards, specifications, conditions of contract and other publications, which are not attached but which are incorporated into the Bid documents by reference.

# F.2.6 Acknowledge addenda

Acknowledge receipt of addenda to the Bid documents, which the employer may issue, and if necessary apply for an extension to the closing time stated in the Bid data, in order to take the addenda into account.

# F.2.7 Clarification meeting

Attend, where required, a clarification meeting at which service providers may familiarize themselves with

Bid T17 of T77 T1.3
Part T1: Bidding Procedures Standard Conditions of Bid

aspects of the proposed work, services or supply and raise questions. Details of the meeting(s) are stated in the Bid data.

## F.2.8 Seek clarification

Request clarification of the Bid documents, if necessary, by notifying the employer at least five working days before the closing time stated in the Bid data.

## F.2.9 Insurance

Be aware that the extent of insurance to be provided by the employer (if any) may not be for the full cover required in terms of the conditions of contract identified in the contract data. The service provider is advised to seek qualified advice regarding insurance.

# F.2.10 Pricing the Bid offer

- **F.2.10.1** Include in the rates, prices, and the Bided total of the prices (if any) all duties, taxes (except Value Added Tax (VAT)), and other levies payable by the successful service provider, such duties, taxes and levies being those applicable 14 days before the closing time stated in the Bid data.
- F2.10.2 Show VAT payable by the employer separately as an addition to the Bided total of the prices.
- **F.2.10.3** Provide rates and prices that are fixed for the duration of the contract and not subject to adjustment except as provided for in the conditions of contract identified in the contract data.
- **F.2.10.4** State the rates and prices in Rand unless instructed otherwise in the Bid data. The conditions of contract identified in the contract data may provide for part payment in other currencies.

# F.2.11 Alterations to documents

Not make any alterations or additions to the Bid documents, except to comply with instructions issued by the employer, or necessary to correct errors made by the service provider. All signatories to the Bid offer shall initial all such alterations. Erasures and the use of masking fluid are prohibited.

# F.2.12 Alternative Bid offers

- **F.2.12.1** Submit alternative Bid offers only if a main Bid offer, strictly in accordance with all the requirements of the Bid documents, is also submitted. The alternative Bid offer is to be submitted with the main Bid offer together with a schedule that compares the requirements of the Bid documents with the alternative requirements the service provider proposes.
- **F.2.12.2** Accept that an alternative Bid offer may be based only on the criteria stated in the Bid data or criteria otherwise acceptable to the employer.

# F.2.13 Submitting a Bid offer

- **F.2.13.1** Submit a Bid offer to provide the whole of the works, services or supply identified in the contract data and described in the scope of works, unless stated otherwise in the Bid data.
- **F.2.13.2** Return all returnable documents to the employer after completing them in their entirety, either electronically (if they were issued in electronic format) or by writing in black ink.
- **F.2.13.3** Submit the parts of the Bid offer communicated on paper as an <u>original plus the number of copies stated in the Bid data</u>, with an English translation of any documentation in a language other than English, and the parts communicated electronically in the same format as they were issued by the employer.
- F.2.13.4 Sign the original and all copies of the Bid offer where required in terms of the Bid data.

The employer will hold all authorized signatories liable on behalf of the service provider. Signatories for service providers proposing to contract as joint ventures shall state which of the signatories is the lead partner whom the employer shall hold liable for the purpose of the Bid offer.

- **F.2.13.5** Seal the original and each copy of the Bid offer as separate packages marking the packages as "ORIGINAL" and "COPY". Each package shall state on the outside the employer's address and identification details stated in the Bid data, as well as the service providers name and contact address.
- **F.2.13.6** Where a two-envelope system is required in terms of the Bid data, place and seal the returnable documents listed in the Bid data in an envelope marked "financial proposal" and place the remaining returnable documents in an envelope marked "technical proposal". Each envelope shall state on the outside the employer's address and identification details stated in the Bid data, as well as the service provider's name and contact address.
- **F.2.13.7** Seal the original Bid offer and copy packages together in an outer package that states on the outside only the employer's address and identification details as stated in the Bid data.
- **F.2.13.8** Accept that the employer shall not assume any responsibility for the misplacement or premature opening of the Bid offer if the outer package is not sealed and marked as stated.

# F.2.14 Information and data to be completed in all respects

Accept that Bid offers, which do not provide all the data or information requested completely and in the form required, may be regarded by the employer as non-responsive.

# F.2.15 Closing time

- **F.2.15.1** Ensure that the employer receives the Bid offer at the address specified in the Bid data not later than the closing time stated in the Bid data. Proof of posting shall not be accepted as proof of delivery. The employer shall not accept Bid offers submitted by telegraph, telex, facsimile or e-mail, unless stated otherwise in the Bid data.
- **F.2.15.2** Accept that, if the employer extends the closing time stated in the Bid data for any reason, the requirements of these conditions of Bid apply equally to the extended deadline.

# F.2.16 Bid offer validity

- **F.2.16.1** Hold the Bid offer(s) valid for acceptance by the employer at any time during the validity period stated in the Bid data after the closing time stated in the Bid data.
- **F.2.16.2** If requested by the employer, consider extending the validity period stated in the Bid data for an agreed additional period.

# F.2.17 Clarification of Bid offer after submission

Provide clarification of a Bid offer in response to a request to do so from the employer during the evaluation of Bid offers. This may include providing a breakdown of rates or prices and correction of arithmetical errors by the adjustment of certain rates or item prices (or both). No change in the total of the prices or substance of the Bid offer is sought, offered, or permitted. The total of the prices stated by the service provider shall be binding upon the service provider.

**Note:** Sub-clause F.2.17 does not preclude the negotiation of the final terms of the contract with a preferred service provider following a competitive selection process, should the Employer elect to do so.

# F.2.18 Provide other material

F.2.18.1 Provide, on request by the employer, any other material that has a bearing on the Bid

offer, the service providers commercial position (including notarized joint venture agreements), preferencing arrangements, or samples of materials, considered necessary by the employer for the purpose of a full and fair risk assessment. Should the service provider not provide the material, or a satisfactory reason as to why it cannot be provided. by the time for submission stated in the employer's request, the employer may regard the Bid offer as non-responsive.

**F.2.18.2** Dispose of samples of materials provided for evaluation by the employer, where required.

# F.2.19 Inspections, tests and analysis

Provide access during working hours to premises for inspections, tests and analysis as provided for in the Bid data.

# F.2.20 Submit securities, bonds, policies, etc.

If requested, submit for the employer's acceptance before formation of the contract, all securities, bonds, guarantees, policies and certificates of insurance required in terms of the conditions of contract identified in the contract data.

# F.2.21 Check final draft

Check the final draft of the contract provided by the employer within the time available for the employer to issue the contract.

## F.2.22 Return of other Bid documents

If so instructed by the employer, return all retained Bid documents within 28 days after the expiry of the validity period stated in the Bid data.

# F.2.23 Certificates

Include in the Bid submission or provide the employer with any certificates as stated in the Bid data.

#### The employer's undertakings F.3

# The employer undertakes to:

#### F.3.1 Respond to clarification

Respond to a request for clarification received up to five working days prior to the Bid closing time stated in the Bid Data and notify all service providers who drew procurement documents.

#### F.3.2 Issue Addenda

If necessary, issue addenda that may amend or amplify the Bid documents to each service provider during the period from the date of the Bid Notice until seven days before the Bid closing time stated in the Bid Data. If, as a result a service provider applies for an extension to the closing time stated in the Bid Data, the Employer may grant such extension and, will then notify it to all service providers who drew documents.

#### F.3.3 Return late Bid offers

Return Bid offers received after the closing time stated in the Bid Data, unopened, (unless it is necessary to open a Bid submission to obtain a forwarding address), to the service provider concerned.

Bid T20 of T77 Standard Conditions of Bid

# F.3.4 Opening of Bid submissions

- **F.3.4.1** Unless the two-envelope system is to be followed, open valid Bid submissions in the presence of service provider's agents who choose to attend at the time and place stated in the Bid data. Bid submissions for which acceptable reasons for withdrawal have been submitted will not be opened.
- **F.3.4.2** Announce at the opening held immediately after the opening of Bid submissions, at a venue indicated in the Bid data, the name of each service provider whose Bid offer is opened, the total of his prices, preferences claimed and time for completion, if any, for the main Bid offer only.
- F.3.4.3 Make available the record outlined in F.3.4.2 to all interested persons upon request.

# F.3.5 Two-envelope system

- **F.3.5.1** Where stated in the Bid data that a two-envelope system is to be followed, open only the technical proposal of valid Bids in the presence of service provider's agents who choose to attend at the time and place stated in the Bid data and announce the name of each service provider whose technical proposal is opened.
- **F.3.5.2** Evaluate the quality of the technical proposals offered by service providers, then advise service providers who remain in contention for the award of the contract of the time and place when the financial proposals will be opened. Open only the financial proposals of service providers, who score in the quality evaluation above the minimum number of points for quality stated in the Bid data, and announce the score obtained for the technical proposals and the total price and any preferences claimed. Return unopened financial proposals to service providers whose technical proposals failed to achieve the minimum number of points for quality.

# F.3.6 Non-disclosure

Not disclose to service providers, or to any other person not officially concerned with such processes, information relating to the evaluation and comparison of Bid offers, the final evaluation price and recommendations for the award of a contract, until after the award of the contract to the successful service provider.

# F.3.7 Grounds for rejection and disqualification

Determine whether there has been any effort by a service provider to influence the processing of Bid offers and instantly disqualify a service provider (and his Bid offer) if it is established that he engaged in corrupt or fraudulent practices.

# F.3.8 Test for responsiveness

Determine, on opening and before detailed evaluation, whether each Bid offer properly received:

- a) meets the requirements of these Conditions of Bid,
- b) has been properly and fully completed and signed, and
- c) is responsive to the other requirements of the Bid documents.

A responsive Bid is one that conforms to all the terms, conditions, and specifications of the Bid documents without material deviation or qualification. A material deviation or qualification is one which, in the Employer's opinion, would:

- detrimentally affect the scope, quality, or performance of the works, services or supply identified in the Scope of Work,
- change the Employer's or the service provider's risks and responsibilities under the contract,
- or affect the competitive position of other service providers presenting responsive Bids, if it were to be rectified.

Reject a non-responsive Bid offer, and not allow it to be subsequently made responsive by correction or withdrawal of the non-conforming deviation or reservation.

## F.3.9 Arithmetical errors

Check responsive Bid offers for arithmetical errors, correcting them in the following manner:

- Where there is a discrepancy between the amounts in figures and in words, the amount in words shall govern.
- If a bill of quantities (or schedule of rates) apply and there is an error in the line item total resulting from the product of the unit rate and the quantity, the line item total shall govern and the rate shall be corrected. Where there is an obviously gross misplacement of the decimal point in the unit rate, the line item total as Bided shall govern, and the unit rate will be corrected.
- Where there is an error in the total of the prices either as a result of other corrections required by this checking process or in the service provider's addition of prices, the total of the prices shall govern and the service provider will be asked to revise selected item prices (and their rates if a bills of quantities applies) to achieve the Bided total of the prices.

Consider the rejection of a Bid offer if the service provider does not correct or accept the correction of his arithmetical errors in the manner described above.

## F.3.10 Clarification of a Bid offer

Obtain clarification from a service provider on any matter that could give rise to ambiguity in a contract arising from the Bid offer.

# F.3.11 Evaluation of Bid offers

# **F.3.11.1 General**

Appoint an evaluation panel of not less than three persons. Reduce each responsive Bid offer to a comparative offer and evaluate it using the Bid evaluation method that is indicated in the Bid Datamand described below:

	quality and preferences	1) Score quality, rejecting all Bid offers that fail to score the minimum number of points for quality stated in the Bid data.
		2) Score Bid evaluation points for financial offer.
		3) Confirm that service providers are eligible for the preferences claimed, and if so, score Bid evaluation points for preferencing.
		4) Calculate total Bid evaluation points.
		5) Rank Bid offers from the highest number of Bid evaluation points to the lowest.
		6) Recommend service provider with the highest number of Bid evaluation points for the

Score financial offers, preferences and quality, as relevant, to two decimal places.

# F.3.11.3 Scoring quality (functionality)

Score quality in each of the categories stated in the Bid Data and calculate total score for quality.

# F.3.12 Insurance provided by the employer

If requested by the proposed successful service provider, submit for the service provider's information the policies and / or certificates of insurance which the conditions of contract identified in the contract data, require the employer to provide.

award of the contract, unless there are compelling and justifiable reasons not to do so.

# F.3.13 Acceptance of Bid offer

- F.3.13.1 Accept Bid offer only if the service provider satisfies the legal requirements stated in Clause F.2.1 of the Bid Data.
- F.3.13.2 Notify the successful service provider of the employer's acceptance of his Bid offer by completing and returning one copy of the form of offer and acceptance before the expiry of the validity period stated in the Bid data, or agreed additional period. Providing the form of offer and acceptance does not contain any qualifying statements, it will constitute the formation of a contract between the employer and the successful service provider as described in the form of offer and acceptance.
- F.3.13.3 The Contingency will be claimed by the service provider as and when required and it must be approved by the Accounting Officer of delegated authorities.
- F.3.13.4 The service provider must submit bank guarantee, acceptance letter and programme of works upon appointment

# F.3.14 Notice to unsuccessful Service providers

After the successful service provider has acknowledged the employer's notice of acceptance, notify other service providers that their Bid offers have not been accepted.

# F.3.15. Prepare contract documents

If necessary, revise documents that shall form part of the contract and that were issued by the employer as part of the Bid documents to take account of:

- Addenda issued during the Bid period, a)
- Inclusion of some of the returnable documents, b)
- Other revisions agreed between the employer and the successful service provider, and c)
- The schedule of deviations attached to the form of offer and acceptance, if any. d)

# F.3.16 Issue final contract

Prepare and issue the final draft of contract documents to the successful service provider for acceptance as soon as possible after the date of the employer's signing of the form of offer and acceptance (including the schedule of deviations, if any). Only those documents that the conditions of Bid require the service provider to submit, after acceptance by the employer, shall be included.

# F.3.17 Complete adjudicator's contract

Unless alternative arrangements have been agreed or otherwise provided for in the contract, arrange for both parties to complete formalities for appointing the selected adjudicator at the same time as the Main contract is signed.

# F.3.18 Provide copies of the contracts

Provide to the successful service provider the number of copies stated in the Bid Data of the signed copy of the contract as soon as possible after completion and signing of the form of offer and acceptance.

T23 of T77 Standard Conditions of Bid Part T1: Bidding Procedures

# **PART T2: RETURNABLE SCHEDULES**

TABLE OF CONTENTS			Colour
T2.1:	LIST OF RETURNABLE DOCUMENTS	T.27	Yellow
T2.2:	RETURNABLE SCHEDULES TO BE COMPLETED		
	BY SERVICE PROVIDERS	T.28	Yellow

# PART T2: RETURNABLE SCHEDULES

# T2.1 List of Returnable Documents

The Service Providers must complete the following Returnable Documents in the Appendix

The complete bid document as received from the employer, together with all additional documentation as requested, must be submitted. No documentation must be removed from the bid document.

# **Compulsory Returnable Documents:**

- Legal Joint Venture Agreement (where applicable):
- Valid letter of Good Standing from the Department of Labour;
- Bank rating letter, certified by bidder's banker
- CIDB registration Certificate:
- Proof of Registration with the Central Supplier Database;

NB: It is the responsibility of the bidder to ensure that the following key information is in order to avoid any disqualification during the bid evaluations:

- .....Tax compliance status • .....The Business registration status
- ......Tender restrictions and defaulters status
- ......Bank Account information
- ......Identification number and the service of the state status

Non-submission of any of the above listed documents may lead to disqualification of the bid.

# **Returnable Schedules**

The bidder must complete the following returnable documents:

# Returnable Schedules required only for bid evaluation purposes

- Record of Addenda to Bid Documents;
- Proposed Amendments, Deviations and Alternatives;
- Bidder's previous experience;
- List of traceable references for similar services;
- Schedule of plant and equipment;
- Schedule of proposed subcontractors (if applicable)
- Preliminary Execution Programme;
- Capacity: Signed CVs of staff with letter of consent, certified proof of Qualification(s)n not older than three (3) months and organogram;
- Company profile;

# Other schedules and documents that will be incorporated into the contract and must be completed & submitted to be considered responsive

- Fully completed and signed Compulsory Enterprise Questionnaire;
- Fully completed and signed Certificate of Authority for Signatory;
- Schedule of amendments, deviations and alternatives;
- Contractor's health and safety declaration;
- Fully completed and signed all SBD forms
- The Bill of Quantities (BoQ) must be fully completed and signed
- Attendance of site briefing meeting and signing of attendance register
- Notification Form in Terms of the Occupational Health and Safety Act 1993, Construction Regulations 2003
- Offer and Acceptance
- **Contract Data**
- Pricing schedule
- Other

Abattoir for Nkanyezi Poultry
Note that the bid document must be fully completed and signed, failure which may result in disqualification of the bid.
5 The Offer portion

Part C1 Agreement and Contract Data Part C2 Pricing Data Part C3 Scope of Work Part C4 Site Information

Note that the bid document must be fully completed and signed, failure which may result in disqualification of the bid.

	***

# RECORD OF ADDENDUM TO BID DOCUMENTS

We confirm that the following communications received from the Employer before the submission of this Bid Offer, amending the Bid Documents, have been taken into account in this Bid Offer:			
	Date	Title or Details	
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Attach	additional page	s if more space is required.	
	Signed	Date	
Name		Position	
Service Provider			

# **CERTIFICATE OF AUTHORITY OF AN ENTITY**

Indicate the status of the service provider by ticking the appropriate box hereunder. The service provider must complete the Certificate set out below for the relevant category.

(I) Company	(II) Close Corporation	(III) Partnership	(IV) Joint Venture	(V) Sole Proprietor

(I) <u>CERTIFICATE FOR COMPANY</u>	
I	, chairperson of the Board of Directors of
	, hereby confirm that by resolution of the Board (copy attached)
taken on 20,	
Mr/Ms	, acting in the capacity of
	, was authorised to sign all Documents in
connection with this Bid and any Contract re	sulting from it on behalf of the Company.
Signature of Chairman:	
Signature of Signatory:	
As Witnesses:	
1	Name in Block Letters
2	Name in Block Letters
Date:	

### **COMPULSORY ENTERPRISE QUESTIONNAIRE**

The following particulars must be f respect of each Partner must be co		enture, <b>sepa</b>	rate Enterpris	se questionnaires in
Section 2: VAT registration num	nber, if any:			
	mber, if any:			
Section 4: Particulars of Sole P	roprietors and Partners in Partne	erships		
Name*	Identity number*	Persona	l income tax	number*
	·			
* Complete only if Sole Proprietor or Pa	rtnership and attach separate page if m	ore than 3 Par	tners	
Section 5: Particulars of Compa	anies and Close Corporations			
Company registration number	•			
Close Corporation number				
Tax reference number				
Manager, Principal Shareholder or the last 12 months in the service of a Member of any Municipal Coa Member of any Provincial Lea Member of the National National Council of Province a Member of the Board of Municipal entity an Official of any Municipality of the above boxes are marked.	any of the following:  ouncil an emplo ogislature or Provinc Assembly or the within th Managem a Member or Provinc or Municipal entity an employ	yee of any F cial Public en ne meaning nent Act, 1999 r of an Accou cial Public Er yee of Parliar	Provincial Dep ntity or Consti of the F 9 (Act 1 of 199 unting Authori ntity ment or a Prov	partment, National itutional Institution Public Finance 99) ty of any National vincial Legislature
Name of Sole Proprietor, Partner, Director, Manager, Principal Shareholder or Stakeholder	or organ of State and position I		Status of s (tick appro Current	priate column) Within last 12 months
*insert separate page if necessary			1	
Section 7: Record of spouses, c	hildren and parents in the servic	e of the Stat	:e	

Indicate by marking the relevant boxes with a cross, if any spouse, child or parent of a Sole Proprietor, Partner in a Partnership or Director, Manager, Principal Shareholder or Stakeholder in a Company or Close Corporation is

currently or has been within the last 12 months been in the service of any of the following	currently	√ or has beer	າ within the last	t 12 months been	in the service of	of any of the following
---	-----------	---------------	-------------------	------------------	-------------------	-------------------------

- a Member of any Municipal Council
- a Member of any Provincial Legislature
- a Member of the National Assembly or the National Council of Province
- a Member of the Board of Directors of any Municipal Entity
- an Official of any Municipality or Municipal entity
- an employee of any Provincial Department, National or Provincial Public Entity or Constitutional Institution within the meaning of the Public Finance Management Act, 1999 (Act 1 of 1999)
- a Member of an Accounting Authority of any National or Provincial Public entity
- an employee of Parliament or a Provincial Legislature

Name of parent	f spouse,	child	or	Name of Institution, Public Office, Board or Organ of State and position held	Status of service (tick appropriate column)		
					Current	Within last 12 months	

\*insert separate page if necessary

The undersigned, who warrants that he / she is duly authorised to do so on behalf of the Enterprise:

- i) authorizes the Employer to obtain a tax clearance Certificate from the South African Revenue Services that my / our tax matters are in order;
- ii) confirms that the neither the name of the Enterprise or the name of any Partner, Manager, Director or other Person, who wholly or partly exercises, or may exercise, control over the Enterprise appears on the Register of Bid Defaulters established in terms of the Prevention and Combating of Corrupt Activities Act of 2004;
- iii) confirms that no Partner, Member, Director or other Person, who wholly or partly exercises, or may exercise, control over the Enterprise appears, has within the last five years been convicted of fraud or corruption;
- iv) confirms that I / we are not associated, linked or involved with any other Biding entities submitting Bid Offers and have no other relationship with any of the Biders or those responsible for compiling the Scope of Work that could cause or be interpreted as a conflict of interest; and
- iv) confirms that the contents of this questionnaire are within my personal knowledge and are to the best of my belief both true and correct.

Signed	Date	
Name	Position	
Enterprise Name		

### SCHEDULE OF THE SERVICE PROVIDERS EXPERIENCE

The following is a Statement of Work of similar nature recently successfully executed by myself / ourselves:

EXPERIENCE	Employer: Contact Person and Telephone Number	Consulting Engineer: Contact Person and Telephone Number	Nature of Work	Value of Work (inclusive of VAT)	Date Completed
1					
2					
3					
4				12	
CURRENT	Employer	Engineer	Nature of Work	Value of Work (VAT Inclusive)	Contractual completion Date
1					
2					
3					
4					

	o sign on behalf of	provider)	DAT	E:

### **KEY PERSONNEL**

In terms of the Project Specification and the Conditions of Bid, unskilled Workers may only be brought in from outside the Local Community if such personnel are not available locally.

The service provider shall list below the personnel which he intends to utilize on the Works, including key personnel which may have to be brought in from outside if not available locally.

	Number of Persons							
Category of Employee	Key Personnel, Part of the Contractor's Organisation		imported if	onnel to be not available cally	Unskilled Personnel to be recruited from local community			
	HDI	NON-HDI	HDI	NON-HDI	HDI	NON-HDI		
Site Agent, Project Managers								
Foremen, Quality Control and Safety Personnel								
Technicians, Surveyors, etc								
Artisans and other Skilled Workers								
Plant Operators								
Unskilled Workers								
Others:								

SIGNATURE:	DATE:
(of person authorised to sign on behalf of the service provider)	

## CURRICULUM VITAE FORMAT OF KEY PERSONNEL (e.g. Contract Manager)

Name:	Date of birth:
Profession:	Nationality:
Qualifications:	
Professional Registration Number:	
Name of Employer (firm):	
Current position:	Years with firm:
Employment Record:	
Experience Record Pertinent to Required service:	
Certification:	
I, the undersigned, certify that, to the best of my knowle qualifications and my experience.	edge and belief, this data correctly describes me, r
Signature of person named in the Schedule	

# CURRICULUM VITAE FORMAT OF KEY PERSONNEL (e.g. Site Agent)

Name:	Date of birth:
Profession:	Nationality:
Qualifications:	
Professional Registration Number:	
Name of Employer (firm):	
Current position:	Years with firm:
Employment Record:	
<b>Experience Record Pertinent to Required service:</b>	
Certification:	
I, the undersigned, certify that, to the best of my know qualifications and my experience.	rledge and belief, this data correctly describes me, n
Signature of person named in the Schedule	 Date

# CURRICULUM VITAE FORMAT OF KEY PERSONNEL (e.g. General Foreman)

Name:	Date of birth:
Profession:	Nationality:
Qualifications:	•
Professional Registration Number:	
Name of Employer (firm):	
Current position:	Years with firm:
Employment Record:	
Experience Record Pertinent to Required service:	
Certification:	
I, the undersigned, certify that, to the best of my knowledge qualifications and my experience.	e and belief, this data correctly describes me,
Signature of person named in the Schedule	Date

# CURRICULUM VITAE FORMAT OF KEY PERSONNEL (e.g. Any Other)

Name:	Date of birth:
Profession:	Nationality:
Qualifications:	
Professional Registration Number:	
Name of Employer (firm):	
Current position:	Years with firm:
Employment Record:	
<b>Experience Record Pertinent to Required service:</b>	
Certification:	
I, the undersigned, certify that, to the best of my knowled qualifications and my experience.	dge and belief, this data correctly describes me, m
Signature of person named in the Schedule	Date

### **AMENDMENTS, DEVIATIONS AND ALTERNATIVES**

(This is not an invitation for amendments, deviations or alternatives, but should the service provider desire to make any departures from the Provisions of this Contract he shall set out his proposals clearly hereunder. The Employer will not consider any amendment, unless form (a), has been completed to the satisfaction of the Employer). The service provider is referred to Bid Data paragraph F.2.12, where it is clearly stated that no Alternative Offers will be accepted.

I / We herewith propose the amendments, as set out in the table below:

### (a) AMENDMENTS

PAGE, CLAUSE OR ITEM NO	PROPOSED AMENDMENT

Notes: (1) Amendments to the General and Special Conditions of Contract are not acceptable;

(2) The service provider must give full details of all the financial implications of the amendments and qualifications in a covering letter attached to his Bid.

### SCHEDULE OF PROPOSED SUPPLIERS AND SUB-CONTRACTORS

We notify you that it is our intention to employ the following Suppliers and Subcontractors for Work in this Contract.

If we are awarded a Contract we agree that this notification does not change the requirement for us to submit the names of proposed Suppliers and Subcontractors in accordance with requirements in the Contract for such appointments. If there are no such requirements in the Contract, then your written acceptance of this list shall be binding between us.

We confirm that all Subcontractors who are Contracted to construct a house are registered as Home Builders with

Name and address of proposed Supplier	Name of Equipment/Material to Supply	Previous experience with Supplier.
Name and address of proposed Subcontractor	Nature and extent of Work	Previous experience with Subcontractor.
 Signed	Date	1
Name	Position	
Service provider		

provider

### **SCHEDULE OF PLANT AND EQUIPMENT**

The following are lists of major items of relevant equipment that I / we presently own or lease and will have available for this Contract or will acquire or hire for this Contract if my / our Bid is accepted. Details of major equipment that is owned by and immediately available for this Contract. (a) Description, size, capacity, etc. Quantity Attach additional pages if more space is required. Details of major equipment that will be hired, or acquired for this Contract if my / our Bid is acceptable. Quantity Description, size, capacity, etc. Attach additional pages if more space is required. Signed Date Name Position Service

COPY OF WORKMEN'S COMPENSATION REGISTRATION CERTIFICATE (OR PROOF OF PAYMENT OF CONTRIBUTIONS IN TERMS OF THE COMPENSATION FOR OCCUPATIONAL INJURIES AND DISEASES ACT NO. 130 OF 1993)

**ACT NO. 130 OF 1993)** [Certified Copy of the Certificate or Proof of Payment thereof obtained from the Workmen's Compensation Commissioner to be inserted here]

### **CONTRACTOR'S FINANCIAL STANDING**

In terms of Clause F.2.18.1 of the Contract-specific Bid Data the service provider shall provide information about his commercial position, which includes information necessary for the Employer to evaluate the service providers financial standing.

To that end the service provider must provide with his Bid a bank rating, certified by his banker, to the effect that he will be able to successfully complete the contract at the Bided amount within the specified time for completion.

However, should the service provider be unable to provide a bank rating with his Bid, he shall state the reasons as to why he is unable to do so, and in addition provide the following details of his banker and bank account that he intends to use for project:

Name of account holder:
Name of Bank: Branch:
Account number: Type of account:
Telephone number: Facsimile number:
Name of contact person (at bank):
Failure to provide either the required bank details or a certified bank rating with his Bid, will lead to the conclusion that the service provider does not have the necessary financial resources at his disposal to complete the contract successfully within the specified ⊞me for completion.
The Employer undertakes to treat the information thus obtained as confidential, strictly for the use of evaluation of the Bid submitted by the service provider.
SIGNATURE: DATE: DATE: (of person authorised to sign on behalf of the service provider)

### FINANCIAL INFORMATION OF SERVICE PROVIDER

This information sheet has to be filled in by the financier of the service provider, duly signed and stamped on behalf of the financial institution he represents.

Service providers / Bid Details
Bid Description:
Contract Period:
Name of service provider:
Bank Account Number:
Bid Amount:
Demand Guarantee will be provided by this Bank: YES NO
If yes, state amount of Demand Guarantee: R
Financial Institution
Name of Commercial Bank:
Branch:
Name of Bank Manager:
Telephone Number:
We acting on behalf of the above Commercial Bank confirm that
(Service provider)
has operated an account with us for the last years.
Make we have been required to provide a honk roting based in relation to the financial conchility of the

We have been requested to provide a bank rating based in relation to the financial capability of the service provider, taking into account directives set out in the following two tables.

### FINANCIAL CAPABILITY

Maximum value of contract that	Value on which Bank Rating must
the service provider is considered	be used
capable of	
Up to R300 000	R24 000
R1 000 000	R78 000
R3 000 000	R240 000
R5 000 000	R480 000
R10 000 000	R900 000
R30 000 000	R2 400 000
R100 000 000	R7 800 000

### **BANK RATING**

Bank Code	Description of Bank Code
Α	Undoubted for the amount of enquiry
В	Good for the amount of enquiry
С	Good for the amount Bided if strictly in the way of business
D	Fair trade risk for amount of enquiry
E	Figures considered too high
F	Financial position unknown
G	Occasional dishonours
Н	Frequent dishonours

The value on which	our Bank Rating of the se	rvice provider is based is	s R
In words			only)
The Bank Rating is	s code:		
Signature: Manage	r Financial Institution	Print Name	Date
RUBBER STAMP C	OF INSTITUTION		

### **CIDB GRADING CERTIFICATE**

[Certified Copy of the CIDB Grading Certificate to be inserted here]

### **EXECUTION PROGRAMME**

The service provider shall detail below or attach a preliminary programme reflecting the proposed sequence and tempo of execution of the various activities comprising the Work for this Contract. The programme shall be in accordance with the information supplied in the Contract, requirements of the Project Specifications and with all other aspects of his Bid.

The Execution Programme must be based on the completion time as specified in the Contract Data.

**PLEASE NOTE**: the cash flow projections from the Contractor (to be submitted before commencement of the execution of the Contract) must be in accordance with this execution plan in order to ensure proper Cash flow management by the Department and to minimise delayed payments.

	PROGRAMME													
		WEEKS												
ACTIVITY	1	2	3	4	5	6	7	8	9	10	11	12	13	14

SIGNATURE:	DATE:	
(of person authorised to sign on behalf of the service provider)		

### **DETAILED METHOD STATEMENT**

The service provider shall detail below or attach a detailed method statement reflecting the proposed
sequence and tempo of execution of the various activities comprising the Work for this Contract. The
Method Statement shall be read in conjunction with the works program but detailing and expanding on all
the items leading to the completion of the works and the resource allocation.

SIGNATURE:(of person authorised to sig	n on behalf of the	e service provi	ider)	DATE:	

### CONTRACTOR'S HEALTH AND SAFETY DECLARATION

In terms of Clause 4(4) of the OHSA 1993 Construction Regulations 2003 (referred to as "the Regulations" hereafter), a Contractor may only be appointed to perform construction Work if the Employer is satisfied that the Contractor has the necessary competencies and resources to carry out the Work safely in accordance with the Occupational Health and Safety Act No 85 of 1993 and the OHSA 1993 Construction Regulations 2003.

To that effect a person duly authorised by the service provider must complete and sign the declaration hereafter in detail.

### Declaration by the Service provider

- I the undersigned hereby declare and confirm that I am fully conversant with the Occupational Health and Safety Act No 85 of 1993 (as amended by the Occupational Health and Safety Amendment Act No 181 of 1993), and the OHSA 1993 Construction Regulations 2003.
- 2. I hereby declare that my Company has the competence and the necessary resources to safely carry out the construction Work under this Contract in compliance with the Construction Regulations and the Employer's Health and Safety Specifications.
- - (c) From outside sources by appointment of competent specialist Subcontractors as detailed in 4(c) hereafter: \*Yes / No

(\* = delete whatever is not applicable)

4. Details of resources I propose:

(Note: Competent resources shall include safety personnel such as a construction supervisor and Construction Safety Officer as defined in Regulation 6, and Competent Persons as defined in Regulations 7, 8, 10, 11, 12, 14, 15, 18, 21(1), 22, 26 and 27, as applicable to this Contract)

(a) Details of the competent and qualified key persons from my Company's own resources, who will form part of the Contract team:

NAMES OF COMPETENT PERSONS	POSITIONS TO BE FILLED BY COMPETENT PERSONS

(b)	train	ils of training of persons from my Company's own resources (or to be hired) who still have to be ed to achieve the necessary competency:  By whom will training be provided?
	(i) (ii)	When will training be undertaken?
	(iii)	List the positions to be filled by persons to be trained or hired:
(c)		of competent resources to be appointed as Subcontractors if Competent Persons cannot be supplied wn Company:
	Name	of proposed Subcontractor:
		cations or details of competency of the Subcontractor:
5.	Contra	by undertake, if my Bid is accepted, to provide, before commencement of the Works under the ct, a suitable and sufficiently Documented Health and Safety Plan in accordance with Regulation 5(1) Construction Regulations, which plan shall be subject to approval by the Employer.
6.	Specifi all time	irm that copies of my Company's approved Health and Safety Plan, the Employer's Safety cations as well as the OHSA 1993 Construction Regulations 2003 will be provided on Site and will at es be available for inspection by the Contractor's personnel, the Employer's personnel, the Engineer, and Officials and Inspectors of the Department of Labour.
7.	Quanti in the applied	by confirm that a sequate provision has been made in my Bided rates and prices in the Schedule of ties to cover the cost of all resources, actions, training and all health and safety measures envisaged OHSA 1993 Construction Regulations 2003, and that I will be liable for any penalties that may be by the Employer in terms of the said Regulations (Regulation 30) for failure on the Contractor's part ply with the Provisions of the Act and the Regulations.
8.	that I a	that my failure to complete and execute this declaration to the satisfaction of the Employer will mean unable to comply with the requirements of the OHSA 1993 Construction Regulations 2003, and that my Bid will be prejudiced and may be rejected at the discretion of the Employer.
SIGN	IATURE	: DATE:
		thorised to sign on behalf of the service provider)

### **CONTRACTOR'S SAFETY PLAN**

[The Contractor shall submit the Contractor's <u>Health and Safety Plan</u> as required in terms of Regulation 5 of the Occupational Health and Safety Act 1993 Construction Regulations 2003, and referred to in T2.1, before commencement of the Works.]

### PRO FORMA NOTIFICATION FORM IN TERMS OF THE OCCUPATIONAL HEALTH AND SAFETY ACT 1993, CONSTRUCTION REGULATIONS 2003

[This form must be completed and forwarded, <u>prior to commencement</u> of Work on Site, by all Contractors that qualify in terms of Regulation 3 of the Construction Regulations 2003, to the Office of the Department of Labour]

1.	(a)	Name and postal address of Contractor:
	(b)	Name of Contractor's contact person:
		Telephone number:
2.	Cor	tractor's Workman's compensation registration number:
3.	(a)	Name and postal address of Client:
	(b)	Name of Client's contact person or Agent:
		Telephone number
4.	(a)	Name and postal address of designer(s) for the Project:
	(b)	Name of Designer's contact person:
		Telephone number
5.		ne of Contractor's Construction Supervisor on Site appointed in terms of
	Reg	ulation 6(1): Telephone number:
6.	Nan	ne/s of Contractor's sub-ordinate supervisors on Site appointed in terms of Regulation 6(2).
7.	Exa	ct physical address of the construction Site or Site Office:
8.	Nati	ure of the construction Work:
9.	Ехр	ected Commencement Date:
10.	Ехр	ected Completion Date:
11.	Esti	mated maximum number of persons on the construction Site:
12.	Plar	nned number of Subcontractors on the construction Site accountable to Contractor:
13.	Nan	ne(s) of Subcontractors already chosen:
SIG	NED	RY·
		ACTOR: DATE:
CLII	ENT:	DATE:

### **MONTHLY LABOUR REPORT**

MONTHLY LABOUR REPORT FOR CERTIFICATE OF PAYMENT NO	
JOBS CREATED	

Jobs are to be reported on a monthly basis on following standard documents:

- EPWP Agreement Limited Duration Contract of Employment (template to be provided by the Employer)
- Certified ID copies (not older than three (3) months from date of employment) of all employees under the contract
- Signed and dated monthly EPWP timesheets per employee (template to be provided by the Employer)

The Service Provider is required to submit CVs (including certified proof of qualification(s)) and Contact Details of all key personnel upon appointment or during the Site Handover.

### THE CONTRACT

PART C1: AGREEMENTS AND CONTRACT DATA

**PART C2: PRICING DATA** 

PART C3: SCOPE OF WORK

**PART C4: SITE INFORMATION** 

Contract
Part C1: Agreement and Contract Data

### DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS

# CONSTRUCTION OF POULTRY ABATTOIR FOR NKANYEZI FARM IN CHIEF ALBERT LUTHULI LOCAL MUNICIPALITY IN GERT SIBANDE DISTRICT OF MPUMALANGA PROVINCE

### **TABLE OF CONTENTS**

PART C1: AGREEMENTS AND CONTRACT DATA (YELLOW COLOUR)

C1.1: FORM OF OFFER AND ACCEPTANCE

C1.2: CONTRACT DATA

**C1.2.1: CONDITIONS OF CONTRACT** 

C1.2.2: PART A: CONTRACT DATA PROVIDED BY THE EMPLOYER

PART B: CONTRACT DATA PROVIDED BY THE CONTRACTOR

**C1.3: FORM OF GUARANTEE** 

C1.4: AGREEMENT IN TERMS OF SECTION 37(2) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT No 85 OF 1993

PART C2: PRICING DATA (YELLOW COLOUR)

**C2.1: PRICING INSTRUCTIONS** 

**C2.2: BILL OF QUANTITIES** 

PART C3: SCOPE OF WORK (BLUE COLOUR)

**TABLE OF CONTENTS** 

**C3.1: STANDARD SPECIFICATIONS** 

**C3.2: PROJECT SPECIFICATIONS** 

**C3.3: PARTICULAR SPECIFICATIONS** 

PART C 4: SITE INFORMATION (GREEN COLOUR)

C4.1: LOCALITY PLAN

**C4.2: CONSTRUCTION NOTICE BOARD** 

### PART C1: AGREEMENTS AND CONTRACT DATA

C1.1: FORM OF OFFER AND ACCEPTANCE

C1.2: CONTRACT DATA

C1.2.1: CONDITIONS OF CONTRACT

C1.2.2: PART A: CONTRACT DATA PROVIDED BY THE EMPLOYER
PART B: CONTRACT DATA PROVIDED BY THE CONTRACTOR

**C1.3: FORM OF GUARANTEE** 

C1.4: AGREEMENT IN TERMS OF SECTION 37(2) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT (No 85 OF 1993)

Contract
Part C1: Agreement and Contract Data

### DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT LAND AND ENVIRONMENTAL AFFAIRS

# CONSTRUCTION OF POULTRY ABATTOIR FOR NKANYEZI FARM IN CHIEF ALBERT LUTHULI LOCAL MUNICIPALITY IN GERT SIBANDE DISTRICT OF MPUMALANGA PROVINCE

### **C1.1 Form of Offer and Acceptance**

#### Offer

The Employer, identified in the Acceptance Signature block, has solicited Offers to enter into a Contract for the procurement of:

Contract No. as per bid bulletin CONSTRUCTION OF POULTRY ABATTOIR FOR NKANYEZI FARM IN CHIEF ALBERT LUTHULI LOCAL MUNICIPALITY IN GERT SIBANDE DISTRICT OF MPUMALANGA PROVINCE

The Service Provider, identified in the Offer Signature block, has examined the Documents listed in the Bid Data and addenda thereto as listed in the Returnable Schedules, and by submitting this Offer has accepted the Conditions of Bid.

By the representative of the Service Provider, deemed to be duly authorized, signing this part of this Form of Offer and Acceptance, the Service Provider Offers to perform all of the obligations and liabilities of the Contractor under the Contract including compliance with all its Terms and Conditions according to their true intent and meaning for an amount to be determined in accordance with the Conditions of Contract identified in the Contract Data.

THE OFFERED TOTAL OF THE PRICES INCLUSIVE OF VALUE ADDED TAX IS:

		Rand (in words);
₹		(in figures)
nd returning id Data, wh	g one copy of this Document to the Service Prov	e Acceptance part of this Form of Offer and Acception before the end of the period of validity stated by named as the Contractor in the Conditions of Co
Signature	Block: Service Provider	
Signature		Date
Name		
Capacity		
Name of or	ganization	
Address of	organization	
Signature o	of witness	Date
Name of wi	itness	

Contract C4 of C83 C1.1

### **Acceptance**

By signing this part of this Form of Offer and Acceptance, the Employer identified below accepts the Service Providers Offer. In consideration thereof, the Employer shall pay the Contractor the amount due in accordance with the conditions of Contract identified in the Contract Data. Acceptance of the Service Providers Offer shall Form an Agreement between the Employer and the Service Providers upon the Terms and Conditions contained in this Agreement and in the Contract that is the subject of this Agreement.

The terms of the Contract, are contained in:

Part C1: Agreements and Contract Data, (which includes this Agreement)

Part C2: Pricing Data
Part C3: Scope of work.

Part C4: Site Information and Drawings and Documents or parts thereof, which may be incorporated by

reference into Parts C1 to C4 above.

Deviations from and amendments to the Documents listed in the Bid Data and any addenda thereto as listed in the Bid Schedules as well as any changes to the Terms of the Offer agreed by the Service Provider and the Employer during this process of Offer and Acceptance, are contained in the Schedule of Deviations attached to and Forming part of this Agreement. No amendments to or deviations from said Documents are valid unless contained in this schedule.

The Service Provider shall within two weeks after receiving a completed copy of this Agreement, including the Schedule of Deviations (if any), contact the Employer's agent (whose details are given in the Contract Data) for delivery of any Bonds, Guarantees, proof of Insurance and any other Documentation to be provided in terms of the Conditions of Contract Identified in the Contract Data. Failure to fulfil any of these Obligations in accordance with those terms shall constitute a repudiation of this Agreement.

Notwithstanding anything contained herein, this Agreement comes into effect on the date when the Service Provider receives one fully completed original copy of this Document, including the Schedule of Deviations (if any). Unless the Service Provider (now Contractor) within five working days of the date of such receipt notifies the Employer in writing of any reason why he cannot accept the Contents of this Agreement, this Agreement shall constitute a binding Contract between the Parties.

te
te

Contract C5 of C83 C1.1

### **Schedule of Deviations**

1 Subject	
Details	
•	
•	
·	
4 Subject	
Details	
•	

By the duly Authorised Representatives signing this Agreement, the Employer and the Service Provider agree to and accept the foregoing Schedule of Deviations as the only deviations from and amendments to the Documents listed in the Bid Data and addenda thereto as listed in the Bid Schedules, as well as any confirmation, clarification or changes to the terms of the Offer agreed by the Service Provider and the Employer during this process of Offer and Acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the Bid Documents and the receipt by the Service Provider of a completed signed copy of this Agreement shall have any meaning or effect in the Contract between the parties arising from this Agreement.

## DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS

# CONSTRUCTION OF POULTRY ABATTOIR FOR NKANYEZI FARM IN CHIEF ALBERT LUTHULI LOCAL MUNICIPALITY IN GERT SIBANDE DISTRICT OF MPUMALANGA PROVINCE

### C1.2 CONTRACT DATA

### **CONTENTS**

C1.2.1	Part 1:	Data provided by the Employer
C.1.2.1.1		Conditions of Contract
C.1.2.1.2		Contract-specific Data
C.1.2.1.2.1		Compulsory Data
C.1.2.1.2.2		Variations to the General Conditions of Contract
C.1.2.1.2.3		Additional Clauses to the General Conditions of Contract

Contract C7 of C83 C1.2

### C1.2.1 Part 1: Data provided by the Employer

#### C.1.2.1.1 Conditions of Contract

The conditions of Contract are:

- the "General Conditions of Contract" as they appear in the commercially available publication "General Conditions of Contract for Construction Works, Third Edition, 2015", hereinafter referred to as "GCC 2015"; and
- Specific data as contained in this Contract Data.

Each party to the Contract shall purchase its own copy of the GCC 2015 that applies to this Contract, available from its publisher:

South African Institution of Civil Engineering Private Bag X200 Halfway House 1685 South Africa

Tel +27 (0)11 805 5947

### The following notes apply:

#### Note 1

The GCC 2015 makes several references to the Contract Data.

Each item of data below is cross-referenced to the clause in the Conditions of Contract to which it applies. Notwithstanding anything specified to the contrary, the Contract Data shall take precedence in the interpretation of any ambiguity or inconsistency between it and the GCC 2015.

The documents forming the Contract are to be taken as mutually explanatory of one another. For the purpose of interpretation, the priority of the documents shall be in accordance with the following order of precedence:

- (a) the Form of Offer and Acceptance.
- (b) amendments to the General Conditions of Contract within the Contract Data.
- (c) additional conditions to the General Conditions of Contract within the Contract Data.
- (d) corrigenda to the General Conditions of Contract.
- (e) the General Conditions of Contract.
- (f) the Specifications, Drawings, Schedules and other documents forming part of the Contract (in that order) contained in the Scope of Work and the Site Information.

If any ambiguity or discrepancy is found in the documents, the Engineer needs to be contacted to issue any necessary clarification or instruction.

### Note 2

Certain pro-forma forms and pro-forma agreements contained in the GCC 2015 have been adapted for this particular contract. Those pro-forma forms and pro-forma agreements contained in the GCC 2015 do not apply where replaced by similar pro-forma forms and proforma agreements in this document.

Contract C8 of C83 C1.2

### C.1.2.1.2 Contract-specific Data

The following contract-specific data, referring to the General Conditions of Contract, are applicable to this Contract:

### C.1.2.1.2.1 Compulsory Data

Clause	Data .
1.1.1.13	The Defects Liability is 12 months
1.1.1.14	The time for achieving Practical Completion is twelve (12) months
1.1.1.15	The name of the Employer is <b>Department of Agriculture</b> , <b>Rural Development</b> , <b>Land and Environmental Affairs (DARDLEA)</b>
1.1.1.26	The Pricing Strategy of a Re-measurement Contract shall apply
1.2.1.2	The address of the Employer is:
	Physical address: Government Complex Riverside  1st Floor Bldg 6  Nelspruit  1200
	Postal address: Private Bag X11219 Nelspruit 1200
	e-mail address:  thabie4@yahoo.co.za  Contact numbers: Cel: (063) 698 3253
1.1.1.16	The name of the Engineer is:  Mr J Jiyane (Pr Eng)
1.2.1.2	The address of the Engineer is: Physical address: Gips Avenue Arcon park Vereeniging 1939
	Postal address: Private Bag X11219 Nelspruit 1200
	Mr J Jiyane (Pr Eng) Cell: 072 654 8272 Email: jnjiyane@gmail.com
4.9.1	The Contractor shall deliver to the Engineer, on a monthly basis, a detailed inventory of Construction Equipment kept on Site, full particulars given for each day of the month. Distinction shall be made between Owned Equipment and Hired Equipment as well as Equipment in working order and

	Equipment out of order. Such inventory shall be submitted by the seventh day of the month following
	the month to be reported.
4.10.2	The Contractor shall deliver to the Engineer, on a monthly basis, a return in detail of supervisory staff
	and the number of categorized classes of labour employed each day for the said period by the
	Contractor for execution of the Contract. Such return shall be submitted by the seventh day of the
	month following the month to be reported.
5.3.1	The documentation required before commencement with Works execution are:
	Health and Safety Plan (Refer to Clause 4.3)
	A signed Agreement between the Employer and the Contractor for the Works to be completed by the
	Contractor in terms of the provisions of Section 37(2) of the Occupational Health and Safety Act (Ac
	No.85 of 1993) and the Construction Regulations promulgated thereunder (Refer to Clause 4.3).
	Proof of payment to the Employer, that the Contractor has paid all contributions required in terms of
	the Compensation for Occupational Injuries and Diseases Act, No 130 of 1993 (Refer to Clause 4.3).
	Initial programme (Refer to Clause 5.6).
	Security (Refer to Clause 6.2).
	Insurance (Refer to Clause 8.6).
5.3.2	The time to submit the documentation required before commencement with Works execution is 14
	Days.
5.4.2	The access and possession of Site shall not be exclusive to the Contractor but shall be as set out
	elsewhere in the Contract.
5.8.1	The non-working Days are Sundays.
	The special non-working Days are:
	Statutory public holidays; and
	All annual year-end shutdown periods as recommended by the South African Federation of Civi
	Engineering Contractors (SAFCEC), and which commence after the Commencement Date and which
	commence before the Due Completion Date.
5.13.1	The penalty for failing to complete the Works is 0,1 percent of contract price per calendar day.
5.16.3	The latent defect period is 10 years, commencing on the Day after the date of certification of Practical
	Completion.
6.10.1.5	The percentage advance on materials not yet built into the Permanent Works is 80%. Proof of
	ownership is required.
6.10.3	The limit of retention money is 10% of the value of the Contract Price.
	A Retention Money Guarantee is compulsory.
	A penalty will be applied for non-delivery of the Retention Money Guarantee as required. The penalty
	will be 10% of the value of the completion Retention Money Amount per calendar month for late
	delivery of the said Retention Money Guarantee.
8.6.1.1.2	The value of Plant and materials supplied by the Employer to be included in the insurance sum is nil.
8.6.1.1.3	The amount to cover professional fees for repairing damage and loss to be included in the insurance
	sum is a maximum of 10% (ten percent) of the Contract Sum.
8.6.1.3	The limit of indemnity for liability insurance is equal to the contract amount.
10.5.1	Dispute resolution shall be by standing adjudication, use GCC 2015, Appendix 5.
10.7.1	The determination of disputes shall be by arbitration.
	Payment for labour-intensive component of the works
	Payment for works identified in the Scope of Works as being labour-intensive shall only be made in
	accordance with the provisions of the Contract if the works are constructed strictly in accordance with
	the provisions of the Scope of Work. Any payment for such works shall not relieve the Contractor in
	any way from his obligations either in contract or in delict.
	Linkage of payment for labour-intensive component of works to submission of project data
	The Contractor's payment invoices shall be accompanied by labour information for the corresponding
	The Contractor's payment invoices shall be accompanied by labour information for the corresponding

Contract
Part C1: Agreement and Contract Data

invoices, labour returns shall still be submitted as per frequency and timeframe stipulated by the Employer. The contractor's invoices shall not be paid until all pending labour information has been submitted.
Applicable Labour Laws
The current Ministerial Determination (also downloadable at www.epwp.gov.za), Expanded Public
Works Programmes, issued in terms of the Basic Condition of Employment Act of 1997 by the
Minister of Labour in Government Notice, shall apply to works described in the scope of work as being
labour-intensive and which are undertaken by unskilled workers.

### C.1.2.1.2.2 Variations to the General Conditions of Contract

Cession
Amend Clause 2.5.1 as follows:
Delete the words "without the written consent of the other"
Consequences of Completion
Amend Clause 5.14.5.1 as follows:
In the second line, substitute the word 'Guarantor' with 'Contractor'.
Security
Replace Sub-Clauses 6.2.1 and 6.2.2 with:
"The Contractor shall deliver to the Employer within such time as may be stated in the Contract Data, a Demand Guarantee, of an Insurance Company registered in terms of the Short-term Insurance Act (Act 53 of 1998) or of a registered Commercial Bank, in a sum equal to the amount stated in the Contract Data. The Demand Guarantee shall be issued by an entity subject to the approved of the Employer, and shall conform in all respects to the format contained in the Contract Data.
The security to be provided by the Contractor shall be a Demand Guarantee of 10% of the Contract Sum.
Wherever a joint venture constitutes the contracting party, the Demand Guarantee shall be issued on behalf of the joint venture.
Failure to produce an acceptable Demand Guarantee within the period stated in the Contract Data, is a fundamental breach of Contract, entitling the Employer to cancel the Contract by due notice in terms of Clause 9.2 with specific reference to Sub-clause 9.2.2 as amended in the Contract Data."
Variations
Amend Clause 6.3.1, as follows:
In the first paragraph, third line, after the words "or for any reason appropriate", add the phrase ", including the limiting of contract expenditure so as not to exceed the Employer's budgeted project funding, "

Contract C11 of C83
Part C1: Agreement and Contract Data

C1.2

	Add the following phrase to the last paragraph of Clause 6.3.1.6, after the words "ascertaining the
	amount of the Contract Price":
	", and no such variation shall give reason for consideration of any claim in terms of Clause 6.11."
6.3.2	Orders for Variations to be in writing
0.0.2	oracle for variations to be in writing
	Omit the words "Provided that" under Clause 6.3.2 and omit Clause 6.3.2.1.
6.9.2	Definition of "materials"
	Amend Clause 6.9.2, as follows:
	Cub attitute the would falanti with 'Dlanti
6.10.1	Substitute the word 'plant' with 'Plant'.
6.10.1	Interim Payments
	Amend Clause 6.10.1.5 as follows:
	, whether change of the transfer
	In the third line, add the words 'not yet' before the words 'built into'
Clause	Data
6.10.5	Payment of retention money
	Amend Clause 6.10.5 as follows:
	In the second line, add the words ', if any,' after the words 'Defects Liability Period'
6.10.6	Set-off and delayed payments
0.10.0	oct on and aciayou paymonto
	Amend Clause 6.10.6.2 as follows:
	Delete the words 'simple interest' and substitute with the words 'interest compounded monthly'.
0.44	Delete the words 'Contractor's Bank' and substitute with the words 'Employer's Bank'
6.11	Variations exceeding 15 per cent
	Replace the marginal heading with:
	Tropiass the marginal nearing than
	"Variations exceeding 20 per cent"
	Replace "15 per cent" with "20 per cent" in the text of this Sub-Clause
7.4.4	Cost of test specimens and tests
	Amend Clause 7.4.4.2 as follows:
	Ameria Clause 7.4.4.2 as follows.
	In the second line of paragraph two, add the words 'the requirements of' before the words 'the
	Contract
7.8.2	Cost of making good of defects
	Amend Clause 7.8.2.1 as follows:
	In the first line, sowered the analling of the surface.
8.1.3	In the first line, correct the spelling of 'therefore'.  Excessive loads and traffic
0.1.3	Excessive loads and trainic
	In the third line, add a comma after the word 'Site' as follows: 'in the vicinity of the Site, from'.
8.3.1	Excepted risks

Contract Part C1: Agreement and Contract Data

	Amend Clause 8.3.1.10 as follows:
	In the second line, delete the words 'Employer or any of their' and substitute with 'or any of its'.
8.6.6	Contractor to produce proof of payment
	"The Contractor shall before commencement of the Works produce to the Engineer:
	8.6.6.1 The policies by which the insurances are effected,
	8.6.6.2 Proof that due payment of all premiums there under, covering the full required period has been made, and
	8.6.6.3 Proof of continuity of the policies for the required period.
	Should, during the currency of the Contract, the required period of insurance be extended for any reason, the Contractor shall timeously extend (so as to maintain) the said insurances for the full extended duration.
	The Engineer shall be empowered to withhold all payment certificates until the Contractor has complied with his obligations in terms of this Clause 8.6.6."
8.6.7	Remedy on Contractor's failure to insure
	Delete sub-clause 8.6.7 and substitute with:
	"Failure on the part of the Contractor to effect and keep in force any of the insurances referred to in
	Clause 8.6.1 and its sub-clauses, is a fundamental breach of Contract, entitling the Employer to
	cancel the Contract by due notice in terms of Clause 9.2 and with specific reference to sub-clause
9.1.2	9.2.2, as amended in the Contract Data."  State of emergency
0.1.2	oute or emergency
	In the fourth line, delete the words 'supply of' and substitute with 'availability of'.
9.2	Termination by Employer
	Delete the contents of Clause 9.2 and substitute with:
	"9.2.1 The Employer may terminate the Contract by written notice to the Contractor if:
	9.2.1.1 Sequestration of the Contractor's estate is ordered by a Court with due jurisdiction, or
	9.2.1.2 The Contractor publishes a notice of surrender or presents a petition for the surrender of his estate as insolvent, or makes a compromise with his creditors, or assigns in favour of his creditors, or agrees to carry out the Contract under the supervision of a committee representing his creditors, or (being a company) goes into liquidation, whether provisionally or finally (other than a voluntary liquidation for the purpose of amalgamation or reconstruction), or if the Contractor assigns the Contract without having first obtained the Employer's consent in writing, or if execution is levied on his goods, or
	9.2.1.3 The Contractor, or anyone on his behalf, or in his employ, offers to any person in the employ of the Employer or the Engineer, a gratuity or reward or commission, or
	9.2.1.4 The Contractor furnished materially inaccurate information in his Tender, which had a bearing

Contract
Part C1: Agreement and Contract Data

on the award of the Contract, or 9.2.1.5 The Contractor has abandoned the Contract. 9.2.2 If the Contractor: 9.2.2.1 Has failed to commence the Works in terms of Clause 10 hereof, or has suspended the progress of the Works for fourteen (14) days after receiving from the Engineer written notice to proceed, or 9.2.2.2 Has failed to provide the Guarantee in terms of Clause 7 within the time stipulated in the Contract Data, or 9.2.2.3 Has failed to proceed with the Works with due diligence, or 9.2.2.4 Has failed to remove materials from the Site or to pull down and replace work within fourteen (14) days after receiving from the Engineer written notice that the said materials or work have been condemned and rejected by the Engineer in terms of these conditions, or 9.2.2.5 Is not executing the Works in accordance with the Contract, or is neglecting to carry out his obligations under the Contract, or 9.2.2.6 Has, to the detriment of good workmanship or in defiance of the Engineer's instructions to the contrary, sublet any part of the Contract, or 9.2.2.7 Has assigned the Contract or any part thereof without the Employer's consent in writing, then the Employer may give the Contractor 14 days' notice to rectify the default, and if the Contractor fails to rectify the default in said 14 days, then, without further notice, notify the Contractor in writing of the termination of the Contract and expel the Contractor and order the Contractor to vacate the site within 24 hours of issue of the Notice of Termination and to hand the Site over to the Employer, and the Employer may then enter upon the Site and the Works without affecting the rights and powers conferred on the Employer or the Engineer by the Contract and the Employer may himself complete the Works or may employ another contractor to complete the Works, and the Employer or such other contractor may use for such completion so much of the Construction Equipment, Temporary Works and materials brought onto the Site by the Contractor as the Employer may think proper, and the Employer may at any time sell any of the said Construction Equipment, Temporary Works and unused materials and apply the proceeds of sale towards payment of any sums that may be due or become due to the Employer by the Contractor under the Contract. In such circumstances the Contractor shall forthwith vacate the Site and shall not be entitled to remain on the Site on the grounds that he is entitled to do so on a right of retention until amounts due to him have been paid, neither will the Contractor be entitled to any further payments in terms of this Contract. 9.2.3 If the Contractor, having been given notice to rectify a default in terms of 9.2.2 above, rectifies said default, but later repeats the same or substantially the same default, then the Employer may notify the Contractor of the immediate termination of the Contract, and proceed as stated in the paragraph following the word 'writing' in Clause 9.2.2.7 above. 9.2.4 Should the amounts that the Employer must pay to complete the Works, exceed the sum that would have been payable to the Contractor on due completion by him, then the Contractor shall upon demand pay to the Employer the difference, and it shall be deemed a debt due by the Contractor to the Employer and shall be recoverable accordingly. Provided that should the Contractor on demand not pay the amount of such excess to the Employer, such sum may be determined and deducted by the Employer from any sum due to or that may become due to the

Contract
Part C1: Agreement and Contract Data

Contractor under this or any previous or subsequent contract between the Contractor and the Employer."

#### C.1.2.1.2.3 Additional clauses to the General Conditions of Contract:

Clause	Data
1.1	Definitions
1.1.1.35	Add the following at the end of Sub-Clause 1.1.1:
1.1.1.36	1.1.1.35 "Client", as used in the Occupational Health and Safety Act – Construction Regulations, means Employer.
	1.1.1.36 "Principal Contractor", as used in the Occupational Health and Safety Act - Construction Regulations, means Contractor.
4.12	Contractor's superintendence
	Add the following sub-clause 4.12.4 to Clause 4.12:
	"Where a form is included in the Contract Data for this purpose, the Tenderer shall fill in the name of the person he proposes to entrust with the post of Contractor's Site Agent on this Contract in the space provided therefore. Previous experience of this person on work of a similar nature during the past five (5) years is to be entered on the form.
	The Contractor's Site Agent shall be on Site at all times when work is being performed.
	The person shalf be subject to approval of the Engineer in writing and shall not be replaced or removed from Site without the written approval of the Engineer."
5.6	Programme
	Add the following sub-clause 5.6.6 to Clause 5.6:
	"Failure on the part of the Contractor to deliver to the Engineer, the
	programme of the Works in terms of Clause 5.6.1 and
	• supporting documents in terms of Clause 5.6.2
	Within the period stated in the Contract Data, shall be sufficient cause for the Engineer to retain 25 per centum of the value of the Fixed Charge and Value-related items in assessment of amounts due to the Contractor, until the Contractor has submitted aforementioned first Programme of the Works and Supporting Documents".
5.9.7	Engineer to approve Contractor's Designs and Drawings
	Add the following sub-clause 5.6.6 to Clause 5.6:
	"All designs, calculations, drawings and operation and maintenance manuals shall be fully endorsed by a third party registered engineer, accomplished in such specific field of practice and the cost thereof shall be borne solely by the Contractor.
	Once the alternative design has been approved, the Contractor shall indemnify and hold harmless the Engineer, the Employer, their agents and assigns, against all claims howsoever arising out of the said

Contract C15 of C83 C1.2

	design, whether in contract or delict".
Clause	Data
5.11	Suspension of the Works
	Add the following sub-clause 5.11.4 to Clause 5.11:
	"If the Contractor does not receive from the Employer the amount due under an Interim Payment Certificate within 28 days after expiry of the time stated in sub-clause 6.10.4 within which payment is to be made (except for deductions in accordance with sub-clauses 6.10.1.6 and 6.10.1.7), the Contractor may, after giving 14 days' notice to the Employer, suspend the progress of the Works.
	The Contractor's action shall not prejudice his entitlements to a claim in terms of Clause 10.1 and to cancellation of the Contract in terms of Clause 9.3.
	If the Contractor subsequently receives full payment of the amount due under such Interim Payment Certificate before giving a notice of cancellation of the Contract, the Contractor shall resume normal working as soon as is reasonably practicable."
5.12	Extension of Time for Practical Completion
	Add the following at the end of Sub-Clause 5.12.2.2:
	"The extension of time to be allowed due to abnormal rainfall shall be calculated separately for each calendar month or part thereof in accordance with the following formula:
	$V = (Nw - Nn) + \frac{Rw - Rn}{x}$
	Where
	V = Extension of time in calendar days for the calendar month under consideration  Nw = Actual number of days during the calendar month on which a rainfall of 10 mm or more has been
	recorded  Nn = Average number of days for the calendar month on which a rainfall of 10 mm or more has been recorded, as derived from existing rainfall records
	Rw = Actual recorded rainfall for the calendar month Rn = Average rainfall for the calendar month, as derived from existing rainfall records
	x = 20

Contract
Part C1: Agreement and Contract Data

The rainfall records which shall provisionally be accepted for calculation purposes are:

Based on records taken at:

**RAINFALL STATION:** 

PERIOD:

Month	Average rainfall for calendar month Rn	Average number of days for calendar month on which a rainfall of 10 mm or more were recorded Nn
	(mm)	(days)
January	153	14
February	122	11
March	109	11
April	55	7
May	21	3
June	10	2
July	10	2
August	10	1
September	17	3
October	95	10
November	144	14
December	166	15

#### 6.10 **Payments**

Add the following at the end of Sub-Clause 6.10.1:

"The Contractor shall complete the 'Contractor's Monthly Report Schedule', which pro forma documentation is obtainable from the Engineer. Pursuant to Sub-Clause (1), these, duly signed by all concerned, together with the Contractor's statement and a VAT invoice in original format are to be submitted to the Engineer. Issue by the Engineer to the Employer and Contractor of any signed payment certificate is conditional to this information being fully endorsed, accurately and timeously submitted to the Engineer".

Add the following at the end of Sub-Clause 6.10.1.5:

"All documentary evidence of such materials shall be unambiguous with respect to ownership having fully passed to the Contractor on or before the date of submittal of the Contractor's monthly statement. Should the Contractor fail to supply unambiguous documentary evidence, he shall, prior to submittal of his monthly statement, deliver to the Employer a Guarantor Guarantee in the form contained in the Appendices to the Contract Data."

#### 9.3 **Termination by the Contractor**

Add the following at the end of Sub-Clause 9.3:

9.3.5 "In addition to, or as an alternative to the rights to termination contained in this Clause 9.3, the Contractor may notify the default to the Employer, with a copy to the Engineer, and if the default is not rectified within 10 days the Contractor may suspend progress of the works until a date 7 days after the default is rectified. The Contractor shall be entitled to extension of time to the extent of delay caused by or resulting from such suspension, and to payment of additional costs caused by or resulting from the suspension. Such extension of time and additional costs shall be promptly ascertained by the Engineer, who shall then grant the extension of time and include the additional costs in all future payment certificates. Such suspension, extension of time and/or payment of additional costs, shall not prejudice the Contractor's rights to cancel the contract."

Contract C17 of C83 C1 2

# DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT LAND AND ENVIRONMENTAL AFFAIRS

# CONSTRUCTION OF POULTRY ABATTOIR FOR NKANYEZI FARM IN CHIEF ALBERT LUTHULI LOCAL MUNICIPALITY IN GERT SIBANDE DISTRICT OF MPUMALANGA PROVINCE

#### **C1.3 FORM OF GUARANTEE**

WH	tract No.  EREAS the <b>DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL FAIRS</b> (hereinafter referred to as the Employer") entered into, a Contract with:
For <b>AL</b>	reinafter called "the Contactor") on the
	WHEREAS it is provided by such Contract that the Contractor shall provide the Employer with security by way Guarantee for the due and faithful fulfilment of such Contract by the Contractor;
	O WHEREAS
Gua renu	W THEREFORE WE
1.	The Employer shall, without reference and / or notice to us, have complete liberty of action to act in any manner authorized and/or contemplated by the terms of the said Contract, and/or to agree to any modifications, variations, alterations, directions or extensions of the completion date of the works under the said Contract, and that its rights under this Guarantee shall in no way be prejudiced nor our liability hereunder be affected by reason of any steps which the Employer may take under such Contract, or of any modification, variation, alterations of the completion date which the Employer may make, give, concede or agree to under the said Contract.
2.	This Guarantee shall be limited to the payment of a sum of money.
3.	The Employer shall be entitled, without reference to us, to release any Guarantee held by it, and to give time to or compound or make any other arrangement with the Contractor.
4.	This Guarantee shall remain in full force and effect until the issue of the Certificate of Completion in terms of the Contract, unless we are advised in writing by the Employer before the issue of the said Certificate of his intention to institute claims, and the particulars thereof, in which event this Guarantee shall remain in full force and effect until all such claims have been paid or liquidated.
5.	Our total liability hereunder shall not exceed the Guaranteed Sum of:

Contract C18 of C83 C1.2
Part C1: Agreement and Contract Data Contract Data

	R	(in figures)
<b>3</b> .	The Guarantor reserves the right to withdraw fr beneficiary, whereupon our liability hereunder s	om this Guarantee by depositing the Guaranteed Sum with the hall cease.
7.	We hereby choose our address for the serving of	of all notices for all purposes arising here from as
on t	this day of	
Sigr	nature	•
Duly	ly authorized to sign on behalf of	
Add	dress	
As v	witnesses:	
١		
2		• • • •

## DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT LAND, AND ENVIRONMENTAL AFFAIRS

# CONSTRUCTION OF POULTRY ABATTOIR FOR NKANYEZI FARM IN CHIEF ALBERT LUTHULI LOCAL MUNICIPALITY IN GERT SIBANDE DISTRICT OF MPUMALANGA PROVINCE

## C1.4: AGREEMENT IN TERMS OF SECTION 37(2) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT NO 85 OF 1993

THIS AGREEMENT is made between the **DEPARTMENT OF AGRICULTURE**, **RURAL DEVELOPMENT**, **LAND AND ENVIRONMENTAL AFFAIRS** represented by the Municipal Manager

(hereinafter called the EMPLOYER of the one part, herein represented by:

in his capacity as:	·····;
AND:	
(hereinafter called the CONTRACTOR) of the other part, herein re	
in his capacity as:	
duly authorised to sign on behalf of the Contractor.	
	\/FD :

WHEREAS the CONTRACTOR is the Mandatory of the EMPLOYER in consequence of an Agreement between the CONTRACTOR and the EMPLOYER in respect of

**PROJECT**: CONSTRUCTION OF POULTRY ABATTOIR FOR NKANYEZI FARM IN CHIEF ALBERT LUTHULI LOCAL MUNICIPALITY IN GERT SIBANDE DISTRICT OF MPUMALANGA PROVINCE

#### **BID NUMBER: AS PER BID BULLETIN**

AND WHEREAS the EMPLOYER and the CONTRACTOR have agreed to enter into an agreement in terms of the provisions of Section 37(2) of the Occupational Health and Safety Act No 85 of 1993, as amended by OHSA Amendment Act No 181/1993 (hereinafter referred to as the ACT);

#### **NOW THEREFORE** the parties agree as follows:

- 1. The CONTRACTOR undertakes to acquaint the appropriate officials and employees of the CONTRACTOR with all relevant provisions of the ACT and the regulations promulgated in terms thereof.
- 2. The CONTRACTOR undertakes to fully comply with all relevant duties, obligations and prohibitions imposed in terms of the ACT and Regulations: Provided that should the EMPLOYER have prescribed certain arrangements and procedures that same shall be observed and adhered to by the CONTRACTOR, his officials and employees. The CONTRACTOR shall bear the onus of acquainting himself/herself/itself with such arrangements and procedures.
- 3. The CONTRACTOR hereby accepts Sole Liability for such due compliance with the relevant duties,

Contract C20 of C83 C1.2

obligations, prohibitions, arrangements and procedures, if any, imposed by the ACT and Regulations, and the CONTRACTOR expressly absolves the EMPLOYER and the Employer's CONSULTING ENGINEERS from being obliged to comply with any of the aforesaid duties, obligations, prohibitions, arrangements and procedures in respect of the work included in the Contract.

- 4. The CONTRACTOR agrees that any duly authorised officials of the EMPLOYER shall be entitled, although not obliged, to take such steps as may be necessary to ensure that the CONTRACTOR has complied with his undertakings as more fully set out in paragraphs 1 and 2 above, which steps may include, but shall not be limited to, the right to inspect any appropriate site or premises occupied by the CONTRACTOR, or to take such steps it may deem necessary to remedy the default of the CONTRACTOR at the cost of the CONTRACTOR.
- 5. The CONTRACTOR shall be obliged to report forthwith to the EMPLOYER any investigation, complaint or criminal charge which may arise as a consequence of the provisions of the ACT and Regulations, pursuant to work performed in terms of this agreement, and shall, on written demand, provide full details in writing of such investigation, complaint or criminal charge.

Thus signed at		For and on behalf of the C	ONTRACTOR
On this the	day of	20	
SIGNATURE: .			
NAME AND SU	RNAME:		****************
CAPACITY:			
WITNESSES:	1		
	2		
Thus signed at		for and on behalf of the EMPLO	∕ER on this
The	day of	20	
SIGNATURE:			
NAME AND SU	IRNAME:		
CAPACITY:			
WITNESSES:	1		
	2		

Contract

C21 of C83

PART C2: PRICING DATA

**C2.1: PRICING INSTRUCTIONS** 

**C2.2: BILL OF QUANTITIES** 

Contract
Part C2: Pricing Data

#### DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT LAND AND **ENVIRONMENTAL AFFAIRS**

## CONSTRUCTION OF POULTRY ABATTOIR FOR NKANYEZI FARM IN CHIEF ALBERT LUTHULI LOCAL MUNICIPALITY IN GERT SIBANDE DISTRICT OF MPUMALANGA PROVINCE

#### C2.1 Pricing Instructions

- Measurement and payment shall be in accordance with the relevant provisions of the General 1. Conditions of Contract 2015 (3rd Edition) as amended in the Scope of Works.
- The units of measurement described in this Bill of Quantities are metric units. Abbreviations used 2. in the Bill of Quantities are as follows:

% = percent = hour h = hectare ha = kilogram kg = kilolitre kΙ = km kilometre km-pass kilometre-pass kPa = kilopascal kW = kilowatt = litre = metre m = millimetre mm = square metre m<sup>2</sup> square metre-pass m<sup>2</sup>-pass = cubic restre  $m^3$ =

cubic metre-kilometre m³-km =

MPa = megapascal No. = number Prov sum = Provisional sum

PC sum = Prime Cost sum = Rate only R/only = lump sum sum = ton (1000 kg) Work day W/day

For the purpose of this Bill of Quantities, the following words shall have the meanings hereby 3. assigned to them:

The unit of measurement for each item of work as defined in the Specifications Unit:

The number of units of work for each item. Quantity: The agreed payment per unit of measurement. Rate:

The product of the quantity and the agreed rate for an item. Amount:

An agreed amount for an item, the extent of which is described in the Bills of Lump sum:

Quantities but the quantity of work of which is not measured in any units.

- Unless otherwise stated, items are measured net in accordance with the Drawings, and no 4. allowance is made for waste.
- The prices and rates in this Bill of Quantities are fully inclusive prices for the Work described under 5. the items. Such prices and rates cover all costs and expenses that may be required in and for the execution of the Work described in accordance with the provisions of the Scope of Work, and shall cover the cost of all general risks, liabilities, and obligations set forth or implied in the Contract Data, as well as overhead charges and profit. These prices will be used as a basis for assessment

C2.1 Contract C26 of C83 **Pricing Instructions** Part C2: Pricing Data

of payment for additional Work that may have to be carried out.

- 6. It will be assumed that prices included in the Bill of Quantities are based on Acts, Ordinances, Regulations, By-laws, International Standards and National Standards that were published 28 days before the closing date for Tenders. (Refer to <a href="www.stanza.org.za">www.iso.org</a> for information on Standards)
- 7. Where the Scope of Work requires detailed Drawings and designs or other information to be provided, all costs associated therewith are deemed to have been provided for and included in the unit rates and sum amount Tendered such items
- 8. An item against which no price is entered will be considered to be covered by the other prices or rates in the Bill of Quantities. A single Lump Sum will apply should a number of items be grouped together for pricing purposes.
- 9. The quantities set out in this Bill of Quantities are approximate and do not necessarily represent the actual amount of Work to be done. The quantities of work accepted and Certified for Payment will be used for determining payments due and not the quantities given in this Bill of Quantities.
- 10. The short descriptions of the items of payment given in this Bill of Quantities are only for the purposes of identifying the items. More details regarding the extent of the work entailed under each item appear in the Scope of Work.
- 11. The item numbers appearing in the Bills of Quantities refer to the corresponding item numbers in the Specifications were applicable.
- 12. Those parts of the contract to be constructed using labour-intensive methods have been marked in the Bills of Quantities with the letters "LI" in a separate column filled in against every item so designated. The works, or parts of the works so designated are to be constructed using labour-intensive methods only. The use of plant to provide such works, other than plant specifically provided for in the scope of work, is a variation to the contract. The items marked with the letters LI are not necessarily an exhaustive list of all the activities which must be done by hand, and this clause does not over-ride any of the requirements in the generic labour intensive specification in the Scope of Works.
- Payment for items which are designated to be constructed labour-intensively (either in this schedule or in the Scope of Works) will not be made unless they are constructed using labour-intensive methods. Any unauthorised use of plant to carry out work which was to be done labour-intensively will not be condoned and any works so constructed will not be certified for payment.

NB: For pricing of items for which description in the BoQ differs from that of the specifications; the description in the specifications shall take precedence.

### **C2.2 Bill of Quantities**

## DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS

CONSTRUCTION OF POULTRY ABATTOIR FOR NKANYEZI FARM IN CHIEF ALBERT LUTHULI LOCAL MUNICIPALITY IN GERT SIBANDE DISTRICT OF MPUMALANGA PROVINCE

### **SUMMARY (TOTAL BID AMOUNT)**

SECTION	DESCRIPTION	TOTAL
1	SCHEDULE A : PRELIMINARY AND GENERAL	
2	SCHEDULE B: WATER RETICULATION AND STORAGE	
3	SCHEDULE C : ABATTOIR BUILDING	
4	SCHEDULE D : BIO CONTROL FACILITIES	
5	SCHEDULE E : GUARD HOUSE	
6	SCHEDULE F : SEWAGE AND PLUMBING	
7	SCHEDULE G : ROADS AND PAVING	
8	SCHEDULE H : EQUIPMENT	
9	SCHEDULE I : FENCING	Ağ :
10	SCHEDULE J : EFFLUENT HANDLING	
11	SCHEDULE K : EFFLUENT HANDLING CONTINUED	
	SUBTOTAL	
	CONTIGENCIES 10%	
	SUBTOTAL	
	VAT @15%	
	TOTAL	

	ABATTOIR					
ITEM NUMB	PAYMENT REFERS	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SCHEDUL	E A : PRELIMINARY AND GENERAL	-			
		All items/works rates to include supply (manufacturing where required), delivery, installation, testing and commissioning				
1,1		FIXED OBLIGATIONS				
1,1,1		Contractural requirements, general obligations and establishment, maintenance and removal of site facility. Provide security and take responsibility of material including adherence to all safety requirements. Contractor's initial costs of providing sureties, insurance of the Works and plant, third party or public liability insurance and unemployment insurance to cover his compliance with the requirements of the Workmen's Compensation Act and any other initial financing obligations of a preliminary and general nature	Sum	1		
1,1,2		Provision of Living accommodation for staff	Sum	1		
1,1,3		Site office and Storage Facilities Estalishment (min of 15m2 furnished office and Storage facilities) and Ablution facilities on site	Sum	1		
1,1,4		Provision of water, electric power and communications for the site/running the project	Sum	1		
1,1,5		Occupational Health and Safety Requirements (PPE, Site/project information signage and barrications of works, Inductions, Fitness tests, respiratory gear and screening, etc)	Sum	1		
1,1,6		Removal of site establishment at completion	Sum	1		
1,2		TIME RELATED OBLIGATIONS				
1,2,1		Contractural requirements, general obligations and establishment, maintenance and removal of site facility. Provide security and take responsibility of material including adherence to all safety requirements. Contractor's initial costs of providing sureties, insurance of the Works and plant, third party or public liability insurance and unemployment insurance to cover his compliance with the requirements of the Workmen's Compensation Act and any other initial financing obligations of a preliminary and general nature	month	12		
			month	12		
1,2,2		Provision of Living accommodation for staff  Site office and Storage Facilities Estalishment (min of 15m2 furnished office and Storage facilities) and Ablution facilities on site	month	12		
1,3		Provision of water, electric power and communications for the site/running the project	month	12		
1,3,1		Occupational Health and Safety Requirements (PPE, Site/project information signage and barrications of works, Inductions, Fitness tests, respiratory gear and screening, etc)	month	12		
1.3.2		Provision for the hiring of CLO	month	12		
1.3.3		Provision for the hiring of Safety Officer	month	12		
1.3.4		Provision for the appointment of OHS auditors during the project as directed by the engineer	Prov Sum	1	R250 000,00	R250 000,00
1.3.5		Profit over above	%	R250 000,00		
			S	ub-Total Carri	ed to Summary	

	ABATTOIR	RFACILITY					
ITEM	PAYMENT REFERS	DESCRIPTION	UNIT	QTY	RATE	A	MOUNT
NUMB	<del></del>	EB: WATER RETICULATION AND STORAGE	<b> </b>		<u> </u>		
		All items/works rates to include supply (manufacturing where required), delivery, installation, testing and commissioning					
2,1	<b> </b>	Water Reticulation		<u> </u>		<del> </del>	
2,1		The state of the s					
		32mm HDPE class 16 water pipes (pipes complete with					
		couplings, spigots, sockets, fittings, adapters, etc,) laid in		100			
		trenches exceeding 1m not exceeding 1.5m deep including					
2,1,1		all sockets, fittings, adapters, excavation, bedding, backfilling and compaction and disposal of surplus material					
2,1,1		and compaction and disposar or earpide material					·
		50mm HDPE class 16 water pipes (pipes complete with					
		couplings, spigots, sockets, fittings, adapters, etc,) laid in	m	150			
		trenches exceeding 1m not exceeding 1.5m deep including					
2,1,2		all sockets, fittings, adapters, excavation, bedding, backfilling and compaction and disposal of surplus material					
۷,۱,۲		and compaction and disposar of curpus material					
		11DDE 1 40 44 44 44 44 44 44 44 44 44 44 44 44					
		63mm HDPE class 16 water pipes (pipes complete with couplings, spigots, sockets, fittings, adapters, etc.) laid in	m	100			
		trenches exceeding 1m not exceeding 1.5m deep including		,,,,	į		
		all sockets, fittings, adapters, excavation, bedding, backfilling					
2,1,3		and compaction and disposal of surplus material				<del>                                     </del>	
		25 MPa/19mm Unreinforced concrete in thrust blocks in		_		ŀ	
		trenches at bends, tees, etc including extra excavation,	1 111	5			
2,1,4		formwork, etc					
		Allows a servicional come for the comply and install hulk water	Prov				
		Allow a provisional sum for the supply and install bulk water meters, complete with all necessary fittings, bends, tees,	Sum	1	R20 000	R	20 000,00
2,1,5		flanges, couplings, finishes, etc. as directed by the engineer					
			%	R20 000			
2,1,6		Profit over above					
2,1,7		50mm Gate/Isolation Valve in chamber to water main	No	5.67.5			
		50mm Non-Return Valve in chamber to water main,	No	2			
2,1,8		complete including all couplings, flanges, etc.		-34 -		<del>                                     </del>	
		Allow a provisional sum for the supply and install water taps,	Prov	1	R20 000	R	20 000,00
2,1,9		water meters, fittings, etc. as directed by the engineer	Sum		!	ļ	
2,1,10		Profit over above	%	R20 000			
2,2		Testing					
l	l	Provide all necessary testing apparatus, water, materials, etc.					
2,2,1		and allow for testing and chlorination of water reticulation	no	1			
1		system to the satisfaction of the Representative. All defective work shall be taken out and replaced at the Contractor's					
		expense and the whole re-tested until found perfect					
2,3		Water Reservoir					
		Supply and install 300,000 litre Rainbow Reservoir or similar					
2,3,1	ļ.	approved with 12 Year Warrantee , including side ladder,	sum	1			
		roofing and leveling with sand base.					
2,3,2	ľ	Clear site area vegetation, shrubs and trees of girth up to 1.0	m²	230			
2,3,2		m, for beyond abattoir building area as directed by the engineer	"	200			
		Excavate, cut and dispose in all materials to spoil to a					
2,3,3		maximum depth of 0.5 m or until firm material is reached for	m³	115			
		building platform		20			
2,3,4		Intermediate excavations	m³	20			
		Source and supply suitable soil materials (G5) for		445			
'	i,	constructing building platform, up to 150mm above natural	m³	115			
2,3,5			1	3	1		
2,3,5	9	groung level Compaction of building/platform bed surface to 90% MOD	m²	230			

		Т		<del></del>	
25Mpa/19mm strength concrete to resevoir beams	m³	10			
Precast concrete pipeline marker at 200m spacing	no	15			
water purifying plant as directed by the engineer, according	Prov	1	R450 000	R	450 000,00
Profit over above	%	R450 000			
sealed into all inlets and outlets and a 75 DN MGI plug fitted		3			
Steeel Tank stands, 6m high, with ladder up to the top of tank (as per Engineer's specifications). No welding, Bolts jointed members as per drawings	no	3			
Supply and install tanks anchorage onto tank stand platform with 4 mm dia galvanised steel wire.	no	3			
Supply, install, steel pipes and fittings complete with all jointing material, braces and couplings as required, test and disinfect, all pipe specials to be hot dip galvanized.					
a. 50mm Ø inlet pipes and fittings	Sum	1			
b. 50mm Ø outlet pipes and fittings	Sum	1			
c. 50mm Ø overflow pipes and fittings to ground level.	Sum	1			
Allow for stand pipes with 20mm brass tap installation c/w concrete drainage facility around.	no	3			
Issue COC by qualified installing plumber	no	1			
Tank stands COC by manufacturer/ installed	no	1			
Reservoir COC by manufacturer/ installed	no	1	:		
	Sub-To	tal Carried	to Summary	*	
	Precast concrete pipeline marker at 200m spacing  Allow a provisional sum for the supply and installation of water purifying plant as directed by the engineer, according to water quality test and required flow quality to respective use points  Profit over above  10 000 litre polyethylene water tank of dimensions 2 980 mm high x 2 200 mm diameter tank complete with 75 DN bushes sealed into all inlets and outlets and a 75 DN MGI plug fitted to opening above inlet (tanks inter-connected at base and with float control valve). "Jojo tank"or similar approved  Steeel Tank stands, 6m high, with ladder up to the top of tank (as per Engineer's specifications). No welding, Bolts jointed members as per drawings  Supply and install tanks anchorage onto tank stand platform with 4 mm dia galvanised steel wire.  Supply, install, steel pipes and fittings complete with all jointing material, braces and couplings as required, test and disinfect, all pipe specials to be hot dip galvanized.  a. 50mm Ø outlet pipes and fittings  b. 50mm Ø outlet pipes and fittings  c. 50mm Ø overflow pipes and fittings to ground level.  Allow for stand pipes with 20mm brass tap installation c/w concrete drainage facility around.  Issue COC by qualified installing plumber  Tank stands COC by manufacturer/ installed	Precast concrete pipeline marker at 200m spacing  Allow a provisional sum for the supply and installation of water purifying plant as directed by the engineer, according to water quality test and required flow quality to respective use points  Profit over above  10 000 litre polyethylene water tank of dimensions 2 980 mm high x 2 200 mm diameter tank complete with 75 DN bushes sealed into all inlets and outlets and a 75 DN MGI plug fitted to opening above inlet (tanks inter-connected at base and with float control valve). "Jojo tank" or similar approved  Steeel Tank stands, 6m high, with ladder up to the top of tank (as per Engineer's specifications). No welding, Bolts jointed members as per drawings  Supply and install tanks anchorage onto tank stand platform with 4 mm dia galvanised steel wire.  Supply, install, steel pipes and fittings complete with all jointing material, braces and couplings as required, test and disinfect, all pipe specials to be hot dip galvanized.  a. 50mm Ø outlet pipes and fittings  b. 50mm Ø outlet pipes and fittings  c. 50mm Ø overflow pipes and fittings to ground level.  Allow for stand pipes with 20mm brass tap installation c/w concrete drainage facility around.  Issue COC by qualified installing plumber  Tank stands COC by manufacturer/ installed  no	Precast concrete pipeline marker at 200m spacing  Allow a provisional sum for the supply and installation of water purifying plant as directed by the engineer, according to water quality test and required flow quality to respective use points  Profit over above  10 000 litre polyethylene water tank of dimensions 2 980 mm high x 2 200 mm diameter tank complete with 75 DN bushes sealed into all inlets and outlets and a 75 DN MGI plug fitted to opening above inlet (tanks inter-connected at base and with float control valve). "Jojo tank"or similar approved  Steeel Tank stands, 6m high, with ladder up to the top of tank (as per Engineer's specifications). No welding, Bolts jointed members as per drawings  Supply and install tanks anchorage onto tank stand platform with 4 mm dia galvanised steel wire.  Supply, install, steel pipes and fittings complete with all jointing material, braces and couplings as required, test and disinfect, all pipe specials to be hot dip galvanized.  a. 50mm Ø outlet pipes and fittings  b. 50mm Ø outlet pipes and fittings  c. 50mm Ø overflow pipes and fittings  c. 50mm Ø overflow pipes and fittings to ground level.  Allow for stand pipes with 20mm brass tap installation c/w concrete drainage facility around.  Issue COC by qualified installing plumber  Tank stands COC by manufacturer/ installed  Reservoir COC by manufacturer/ installed  Reservoir COC by manufacturer/ installed	Precast concrete pipeline marker at 200m spacing  Allow a provisional sum for the supply and installation of water purifying plant as directed by the engineer, according to water quality test and required flow quality to respective use points  Profit over above  10 000 litre polyethylene water tank of dimensions 2 980 mm high x 2 200 mm diameter tank complete with 75 DN bushes sealed into all inlets and outlets and a 75 DN MGI plug fitted to opening above inlet (tanks inter-connected at base and with float control valve). "Jojo tank"or similar approved  Steeel Tank stands, 6m high, with ladder up to the top of tank (as per Engineer's specifications). No welding, Bolts jointed members as per drawings  Supply and install tanks anchorage onto tank stand platform with 4 mm dia galvanised steel wire.  Supply, install, steel pipes and fittings complete with all jointing material, braces and couplings as required, test and disinfect, all pipe specials to be hot dip galvanized.  a. 50mm Ø outlet pipes and fittings  b. 50mm Ø outlet pipes and fittings  c. 50mm Ø overflow pipes and fittings to ground level.  Allow for stand pipes with 20mm brass tap installation c/w concrete drainage facility around.  Issue COC by qualified installing plumber  Tank stands COC by manufacturer/ installed	Precast concrete pipeline marker at 200m spacing  Allow a provisional sum for the supply and installation of water purifying plant as directed by the engineer, according to water quality test and required flow quality to respective use points  Profit over above  10 000 litre polyethylene water tank of dimensions 2 980 mm high x 2 200 mm diameter tank complete with 75 DN bushes sealed into all inlets and outlets and a 75 DN MGI plug fitted to opening above inlet (tanks inter-connected at base and with float control valve). "Jojo tank"or similar approved  Steeel Tank stands, 6m high, with ladder up to the top of tank (as per Engineer's specifications). No welding, Bolts jointed members as per drawings  Supply and install tanks anchorage onto tank stand platform with 4 mm dia galvanised steel wire.  Supply, install, steel pipes and fittings complete with all jointing material, braces and couplings as required, test and disinfect, all pipe specials to be hot dip galvanized.  a. 50mm Ø inlet pipes and fittings  b. 50mm Ø outlet pipes and fittings  c. 50mm Ø overflow pipes and fittings  c. 50mm Ø overflow pipes and fittings to ground level.  Allow for stand pipes with 20mm brass tap installation c/w concrete drainage facility around.  Issue COC by qualified installing plumber  Tank stands COC by manufacturer/ installed  Reservoir COC by manufacturer/ installed  Reservoir COC by manufacturer/ installed

i	ABATTOIR	FACILITY				
ITEM NUMB	SPEC REFERS	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SCHEDULI	E C : ABATTOIR BUILDING				
		All items/works rates to include supply (manufacturing where required), delivery, installation, testing and commissioning				
3,1		EARTHWORKS:				
3,1,1		Clear site area vegetation, shrubs and trees of girth up to 1.0 m, for beyond abattoir building area as directed by the engineer	m²	1 500		
3,1,2		Trees of girth above 1.0 m	no	10		
3,1,3		Excavate, cut and dispose in all materials to spoil to a maximum depth of 0.5 m or until firm material is reached for building platform	m³	600		
3,1,4		Intermediate excavations	m³	100		
3,1,5		Hard rock excavations, handling and disposal	m³	10		
3,1,6		Source and supply suitable soil materials (G5) for constructing building platform, up to 150mm above natural groung level	m³	750		
3,1,7		Compaction of building/platform bed surface to 90% MOD AASHTO	m²	1200		
3,1,8		Supply and apply approved soil poisoning pesticide treatment to prevent termites from nesting in the platform pit/bed, up to 5m outside the building perimeter and inside	m²	1200		
3,1,9		Lay and Compaction of G5 placed soil materials in layers not more than 150mm, to 95% MOD AASHTO	m³	600		
3,1,10		Excavation of walls and steel structure footings on the compacted platform, up to 800mm depth	m³	115		
3,1,11		Compaction of foundation surface to 95% MOD AASHTO	m²	135		
3,1,12		Compaction Testing and reports for each work stage above, minimum of 10 test points per stage	sum	1		
3,1,13		Backfill between foundation walls with suitable material and compact to 90% MOD AASHTO	m³	100		
3,1,14		Supply and apply approved soil poisoning pesticide treatment on the floor bed, up to 5m outside the building perimeter and inside	m²	900		
3,1,15		Issue Pesticides COC by qualified and registered service provider	sum	1		
3,2		FOUNDATIONS: CONCRETE, REINFORCEMENT AND WALLS WO	RKS:			
3,2,1		Supply and install ref 888 reinforcement mesh in strips of 500mm wide, including ground spacers in the walls foundations.	m²	125		
3,2,2		Cast insitu Class 25/19 concrete to wall foundations.	m³	30		
3,2,3		Cast insitu Class 25/19 concrete to wall steel structure footings.	m³	5		
3,2,4		Supply and erect 220 wide foundation walls up to 255mm above highest surrounding ground level using load bearing stock bricks, in Class II mortar	m²	210		
3,2,5		Supply and install 150mm wide brickforce on every second layer of brickwork	m³	1200		
3,2,6		Supply and lay 250 micron PVC water proof membrane on whole floor bed	m²	225		
3,2,7		Supply and install <b>ref 193 mesh</b> on floor with PVC spacers	m²	850		
3,2,8		Supply and cast 150mm thick class 25/19 concrete to floor with construction joints and shape for drainage slopes and channels	m³	135	_	
3,2,9		No floor topping required must be worked neatly and well floated	m³	0		
3,2,10		Finish concrete floor to steel power float finish	m²	900		
3,2,11		Supply and Cast 1000mm*75 mm apron on building long sides and 600mm*75 mm apron on southern sides with expansion joints and with steel float finish. Cast roller shutter door entrance ramp (class 25/19 concrete)	m³	27		
3,2,12		Finish concrete aprons to woad float finish	m²	360		

		1	<u> </u>	T	1
3,3	SUPERSTRUCTURE BRICKWORK:				
3,3,1	Supply and erect 220mm wide building walls using load bearing stock bricks on the inside and jointed fair face bricks on the outside, in class II mortar	m²	570		
	Supply and erect 110mm wide walls for internal walls using clay	m²	20		
3,3,2	stock bricks Supply and install 150mm wide brickforce on every third layer of				
3,3,3	brickwork for all double walls below window level and on every second layer above window level	m	3200		
3,3,4	Supply and install 75mm wide brickforce on every third layer of brickwork for all single line walls below window level and on every second layer above window level	m	50		
3,3,5	Supply and cut bricks for beam filling	m	150		
3,3,6	Supply and install DPC under all walls wallplate	m	250		
3,3,7	Supply and plaster all inside walls (thickness of 10 mm) to smooth float finish	m²	1360		
3,3,8	Supply and install pre-stressed lintels above external wall windows and doors or openings, less than 1,5m long	no	11		
3,3,9	Supply and install pre-stressed lintels above external wall windows, less than 3m long	no	2		
3,3,10	Supply and install pre-stressed lintels above internal wall openings/door, less than 1,5m long	no	5		
3,3,11	Walls and Floor Painting				
3,3,12	Supply and paint all inside walls with 2 coats of bonding liquid	m²	1360		
3,3,13	Supply and paint all inside walls with 1 coat of washable paint	m²	1360		
3,3,14	Supply and apply 1 coat of floor epoxy paint on the steel floated floor	m²	900		
3,4	CLOSURES: DOOR AND WINDOWS				
	Frames				
3,4,1	Supply and install external walls door frames: 1,2mm thickness, 813 x 2 032mm high	no	1		
3,4,2	Supply and install internal walls door frames: using alluminium sections, 813 x 2032mm high	no.	5		
3,4,3	Supply and install window frame type: NE4	no	11		
3,4,4	Supply and install burglar proofing to windows: using 4mm thick by 20mm flat bars, design to maximum of 150x250mm cells	m²	70		
3,4,5	Supply and install 4mm obscure window glass including putty	m²	70		
3,4,6	Supply and neatly apply enamel painting to glass putty	m²	2		
3,4,7	Supply and install Roll up, gear operated industrial heavy duty door (3m wide and 3,5m high). Complete with gear operation and locking mechanism	no	2		
3,4,8	Supply and install Hard board door with 3 mortice lock and enamel painting all around and fit to alluminium door frames	no	5		
3,4,9	Supply and install Meranti outside door, solid timber termite and weather proof treated door including 3 lever mortice lock	no	1		
3,4,10	Supply and install door self closing mechanism	no	6		
3,4,11	Supply &install install steel burglar proof standard door frame with locking mechanism, using at least 25x25x2mm square tubing, including first coat and enamel painting	no	1		
3,5	ROOF STRUCTURE AND INSULATION				
-,-	Supply, fabricate, surface preparation, shop priming, delivery to site & installation of steel roof structure, including all necessary columns, rafters, purlins, bracing, cleats, brackets, gussets, packs, nuts, bolts, washers, roof sheeting, insulation, roof screws, roof washers etc, for a 16m wide by 50m long and 4,6m height (internal building dimensions) steel structure				
3,5,1	Colums footings and base plates, 250x250x8mm plates, M16 threaded rods and bolts anchored into concrete footing	no	24		
3,5,2	IPE180 for Beams and Stiffeners and roof overhangs, including high tensile bolts connections and plates	m	252		
0,0,2		L		L	L

3,5,3	H column: 203x203x52, for columns, including high tensile bolts and connection plates	m	116	
3,5,4	Purlins 125x 65x20x2.5mm lipped channels at 1200 mm c/c max, including overhang of at least 600mm on all end sides.	m	896	
3,5,5	Bracings: 70x70x6mm equal angle irons	m	230	
3,5,6	Cleats, 150 mm wide cleat using 100x50x6 mm angle iron for connecting all purlins to beams	no	192	
3,5,7	Bolts, washers and nuts, M10, for connecting all purlins to beams	sum	1	
3,5,8	50mm thick polystyrene extruded insulation board with 1mm sheet lining on one site (with a factory treated coating/paint) Chromadek	m²	990	
3,5,9	Factory coated (Grey) 0.55 mm G275 spelter full hardened galvanised IBR sheets in full length ("Chromadek" or similar), including self tapping screws and washers	m²	1176	
3,5,10	0,55mm galvanized roof ridge	m	56	
3,5,11	0,55mm galvanized roof ridge closures	m	56	
3,5,12	First coat treatment and Enamel painting for all steel sections, compressor application	m²	980	
3,5,13	Certificate of Complience by Qualified Boiler maker /Civil steel fabrication technician	Sum	1	
3,5,14	Certificate of Complience by Engineer if different member sizes/design is prefered/implemented			
3,5,15	Galvanized end side flashing, 250x250x0,55mm	m	40	
3,5,16	Fibre cement flashing, 200x10mm along building length	m	120	
3,5,17	Gutters, 150x100x0,5mm galvanised, including hooks, brackets, end caps, outlets	m	120	
3,5,18	Gutter down pipe, including beds, 100x100x0,5mm galvanised	m	20	

3,6	ELECTRICAL RETICULATION				
	Supply, delivery, installation, commissioning and testing of electrical reticulations, for distribution board and fittings, lights and fittings, plugs and fittings, electrical wiring, power supply cable from the supply point and connections. Electrical installation must comply with SANS 0142, the Contractor must supply certificate of compliance for electrical installation and all installation must be approved by the engineer.				
3,6,1	DB kiosk, 500x400x250mm , made of Mild steel and factory coating paint	Sum	1		
3,6,2	50mm Diameter Galvanized steel pipe Tubing on walls, including bends	m	50		
3,6,3	25mm Diameter Galvanized steel pipe Tubing on walls, including bends	m	50		
3,6,4	Wall tubing using 25mm PVC conduit pipes chiselled into walls including all connections and joints	m	200		
3,6,5	Wall tubing using 20mm PVC conduit pipes chiselled into walls including all connections and joints and bends	m	200		
3,6,6	Wall tubing using 20mm PVC conduit pipes fixed to steel sections for lights reticulation including all connections, joints, bends and sealants	m	300		
3,6,7	Galvanized steel trunking: 100x50mm fully closed Overhead electrical trunking suspended from roof structure, using M8 threated rods	m	70		
3,6,8	Galvanized steel trunking: 100x50mm fully closed wall mounted electrical trunking, using concrete suitable bolts	m	60		
3,6,9	1,5mm2 Cu PVC insulated wires (Black/Red)	m	500		
3,6,10	2.5mm², 3core PVC/SWA/PVC copper cable +Earth Continuity Conductor	m	120		
3,6,11	4mm², 3core PVC/SWA/PVC copper cable +ECC	m	60		
3,6,12	4mm², 4core PVC/SWA/PVC copper cable +ECC	m	60		
3,6,13	6mm², 4core PVC/SWA/PVC copper cable +ECC	m	60		
3,6,14	10mm², 4core PVC/SWA/PVC copper cable +ECC	m	60		
3,6,15	16mm², 4core PVC/SWA/PVC copper cable +ECC	m	60		
3,6,16	25mm², 4core PVC/SWA/PVC copper cable +ECC	m	150		
3,6,17	100mm Diameter Flexible PVC electrical cable sleeve pipe, for earth burried cables	m	150	J'eon a	Myssylva and the second
3,6,18	Underground warning tape for electrical cables, two strips of 150mm wide tape 300mm above cable	m	150		
3,6,19	10A Weatherproof 230V Photocell (Day/Night Switch)	no	2		
3,6,20	15A Single lever Light switch complete with 100x50 wall box	no	5		
3,6,21	15A Double lever Light switch complete with 100x50 wall box	no	5		
3,6,22	Weatherproof wall mounted cable junction box (100x100)	no	15		
	Outdooor luminaire LED spot light, 60W	no	10		
3,6,24	Water splash proof luminaire complete with LED Lamp, 1,2 long , 60W	sum	16		
3,6,25	50mm Diammeter PVC sleeve pipe	m	50		
3,6,26	Walls plugs, 1 phase, 30Amps	no	4		
3,6,27	Walls plugs, 3 phase, 30Amps	no	4		
3,6,28	Walls plugs, 3 phase, 60Amps	no	4		
3,6,29	Overhang plugs, 3 phase , 60Amps	no	4		
3,6,30	Overhang plugs, 3 phase, 150Amps	no	4		
3,6,31	Allow a sum of R300 000.00 for other special installation of electrical fittings and DB fittings needed for machinery connections, as directed by the engineer	Prov Sum	1	R300 000	R 300 000,00
3,6,32	Profit for the above	%	R300 000		
3,6,33	Issue Electrical COC by qualified installing electrician	no	1		
		Sub-T	otal Carried	to Summary	

	ABATTOIR	RFACILITY				
ITEM NUMB	SPEC REFERS	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SCHEDUL	E D : BIO CONTROL FACILITIES				
		All items/works rates to include supply (manufacturing where required), delivery, installation, testing and commissioning				
4,1		EARTHWORKS:				
4,1,1		Clear vegetation, shrubs and trees of girth up to 1.0 m	m²	240		
4,1,2		Trees of girth above 1.0 m	no	5		
4,1,3		Excavate, cut and dispose in all materials to spoil to a maximum depth of 0.5 m or until firm material is reached for building platform	m³	120		
4,1,4		Intermediate excavations	m³	20		
4,1,5		Hard rock excavations, handling and disposal	m³	3		
4,1,6		Source and supply suitable soil materials (G5) for constructing building platform, up to 150mm above natural groung level	m³	150		
4,1,7		Compaction of building/platform bed surface to 90% MOD AASHTO	m²	240		
4,1,8		Supply and apply approved soil poisoning pesticide treatment to prevent termites from nesting in the platform pit/bed, up to 5m outside the building perimeter and inside	m²	240		
4,1,9		Lay and Compaction of G5 placed soil materials in layers not more than 150mm, to 95% MOD AASHTO	m³	120		
4,1,10		Excavation of walls footings on the compacted platform, up to 800mm depth	m³	40		
4,1,11		Compaction of foundation surface to 95% MOD AASHTO	m²	70		
4,1,12		Compaction Testing and reports for each work stage above, minimum of 10 test points per stage	sum	2		
4,1,13		Backfill between foundation walls with suitable material and compact to 90% MOD AASHTO	m³	30		
4,1,14		Supply and apply approved soil poisoning pesticide treatment on the floor bed, up to 5m outside the building perimeter and inside	m²	. 1		
4,1,15		Issue Pesticides COC by qualified and registered service provider	sum	1		
4,2		FOUNDATIONS: CONCRETE, REINFORCEMENT AND WALLS WOR	KS:			
4,2,1		Supply and install <b>Ref 888</b> reinforcement mesh in strips of 500mm wide, including ground spacers in the walls foundations.	m²	60		
4,2,2		Cast insitu Class 25/19 concrete to wall foundations.	m³	15		
4,2,3		Supply and erect 220 wide foundation walls up to 255mm above highest surrounding ground level using load bearing stock bricks, in Class II mortar	m²	180		
4,2,4		Supply and install 150mm wide brickforce on every second layer of brickwork	m	700		
4,2,5		Supply and lay 250 micron PVC water proof membrane on whole floor bed	m²	350		
4,2,6		Supply and install <b>ref 193 mesh</b> on floor with PVC spacers	m²	180		
4,2,7		Supply and cast 100mm thick class 25/19 concrete to floor with construction joints and shape for drainage slopes and channels	m³	18		
4,2,8		Supply and cast 50mm thick floor topping	m³	9		
4,2,9		Finish concrete floor to wood float finish	m²	180		
4,2,10		Supply and Cast 1000mm*75 mm apron on building long sides and 600mm*75 mm apron on southern sides with expansion joints and with steel float finish. Cast roller shutter door entrance ramp (class 25/19 concrete)	m³	6		
4,2,11		Finish concrete aprons to woad float finish	m²	60		
.,-,	L					·

4,3	SUPERSTRUCTURE BRICKWORK:				
	Supply and erect 220mm wide building walls using load bearing stock bricks on the inside and jointed fair face bricks on the outside, in class	m²	200		
4,3,1	Il mortar Supply and erect 110mm wide walls for internal walls using clay stock	m²	210		
4,3,2	bricks  Supply and install 150mm wide brickforce on every third layer of brickwork for all double walls below window level and on every second layer above window level	m	1425		
4,3,4	Supply and install 75mm wide brickforce on every third layer of brickwork for all single line walls below window level and on every second layer above window level	m	1800		
4,3,5	Supply and cut bricks for beam filling	m	50		
		m	350		
4,3,6 4,3,7	Supply and install DPC under all walls wallplate Supply and plaster all inside walls (thickness of 10 mm) to smooth float finish	m²	600		
4,3,8	Supply and install pre-stressed lintels above external wall windows and doors or openings, less than 2m long	no	2		
4,3,9	Supply and install pre-stressed lintels above external wall windows, less than 0,8m long	no	12		
	Supply and install pre-stressed lintels above external wall windows,	no	12		
4,3,10	less than 2m long Supply and install pre-stressed lintels above internal wall openings/door, less than 1,5m long	no	16		
4,3,11 4,3,12	Walls and Floor Painting and Tiling				
4,3,13	Supply and paint all inside walls with 2 coats of bonding liquid	m²	600		
4,3,14	Supply and paint all inside walls with 1 coat of washable paint	m²	600		
4,3,15	Supply and install floor tiling including 75mm skating using at least 450x450x10mm Grade A tiles. Tile adhesive cement mixture and grouting included and expasion aluminium joints	m²	205		
4,3,16	Supply and install wall tiling using at least 300x300x10mm Grade A tiles. Tile adhesive cement mixture and grouting included	m²	35		
4,3,17	Supply and install shower floor tiling using tile cut into strips of 90x50x10mm Grade A tiles. Tile adhesive cement mixture and grouting included	m²	4		
4,4	CLOSURES: DOOR AND WINDOWS				
4,4,1	Frames Supply and install external walls door frames: 1,2mm thickness, 813 x 2 032mm high	no	2		
4,4,2	Supply and install internal walls door frames: 1,2mm thickness, 813 x 2032mm high	no	16		
4,4,3	Supply and install window frame type: NE1	no	8		
4,4,4	Supply and install window frame type: NE4	no	3		
4,4,5	Supply and install window frame type: ND4	no	3		
4,4,6	Supply and install window frame type: NC4	no	2		
4,4,7	Supply and install burglar proofing to windows: using 4mm thick by 20mm flat bars, design to maximum of 150x250mm cells	m²	16		
4,4,8	Supply and install 4mm obscure window glass including putty	m²	16		
4,4,9	Supply and neatly apply enamel painting to glass putty	m²	2		
4,4,10	Supply and install Hard board door with 3 mortice lock and enamel painting all around	no	8		
4,4,11	Supply and install Meranti outside door, solid timber termite and weather proof treated door including 3 lever mortice lock	no	4		
4,4,12	Supply and install door self closing mechanism	no	7	and the second second	
4,4,13	Supply &install install steel burglar proof standard door frame with locking mechanism, using at least 25x25x2mm square tubing, including first coat and enamel painting	no	4		
4,5	ROOF STRUCTURE AND INSULATION				

	Supply, fabricate, surface preparation, shop priming, delivery to site & installation of steel and timber combination roof structure, including all necessary cleats, joints brackets, nuts, bolts, washers, roof sheeting, insulation, roof screws, roof washers etc, for a double slope 10m wide by 18m long and 3m height (internal building dimensions) steel structure				
4,5,1	Timber roof trusses spaced at 1800mm c/c using 38x114mm SABS timber sections, joints by using timber plates	m	620		
	Termite treatment to exposed timber sections	m²	3		
	Enamel paint coat over exposed timber sections	m²	3		
4,5,2	3,15mm galvanised wires for hoisting truss to walls	m	100		
4,5,3	Steel Purlins 75x 50x20x2mm lipped channels at 1200 mm c/c max, including overhang of at least 600mm on all end sides	m	240		
4,5,4	Cleats, 150 mm long cleats using 100x50x3 mm angle iron for connecting all purlins to trusses, 3 holes drilling on each cleat	no	130		
4,5,5	Bolts, washers and nuts, M10, for connecting all purlins to trusses	no	400		
4,5,6	Factory coated (Grey) 0.55 mm G275 spelter full hardened galvanised IBR sheets in full length ("Chromadek" or similar), including self tapping screws and washers	m²	240		
4,5,7	First coat treatment and Enamel painting for all steel sections, compressor application	m²	300		
4,5,8	Certificate of Complience by Civil fabrication technician	Sum	1		
4,5,9	Galvanized end side flashing, 250x250x0,55mm	m	24		
4,5,10	Fibre cement flashing, 200x10mm along building length	m	40		
4,5,11	Gutters, 100x100x0,5mm galvanised, including hooks, brackets, end caps, outlets	m	40		
4,5,12	Gutter down pipe, including beds, 100x100x0,5mm galvanised	m	12		
4,5,13	Ceiling				
4,5,14	38x38mm ceiling to indering nailed to roof truss at 600mm c/c	m	320		
4,5,15	38x38mm ceiling brandering mounted on walls for constricted partitions	m	50		
4,5,16	6mm fibre cement boards nailed to brandering	m²	200		
4,5,17	Plain Ceiling skating of at least 75mm width	m	340		
4,5,18	Apply 2 coats of PVA paint to ceing boards and skating	m²	200		

4,6	ELECTRICAL RETICULATION				
	Supply, delivery, installation, commissioning and testing of electrical reticulations, for distribution board and fittings, lights and fittings, plugs and fittings, electrical wiring, power supply cable from the supply point and connections. Electrical installation must comply with SANS 0142, the Contractor must supply certificate of compliance for electrical installation and all installation must be approved by the engineer.				
4,6,1	DB 400x300 , made of Mild steel and factory coating paint, chiseled into wall	Sum	1		
4,6,2	25mm Diameter Galvanized steel pipe Tubing on walls, including bends	m	50		
4,6,3	Wall tubing using 20mm PVC conduit pipes chiselled into walls including all connections and joints	m	100		
4,6,4	Overhead tubing using 20mm PVC conduit pipes fixed to timber including all connections and joints	m	150		
4,6,5	1,5mm2 Cu PVC insulated wires (Black/Red)	m	400		
4,6,6	2.5mm², 3core PVC/SWA/PVC copper cable +Earth Continuity Conductor	m	60	A CONTRACTOR OF THE CONTRACTOR	
4,6,7	10mm², 4core PVC/SWA/PVC copper cable +ECC	m	60		
4,6,8	50mm Diameter Flexible PVC electrical cable sleeve pipe, for earth burried cables	m	50		
4,6,9	Underground warning tape for electrical cables, two strips of 150mm wide tape 300mm above cable	m	50		
4,6,10	10A Weatherproof 230V Photocell (Day/Night Switch)	no	2		
4,6,11	15A Single lever Light switch complete with 100x50 wall box	no	10		
4,6,12	15A Double lever Light switch complete with 100x50 wall box	no	5		
4,6,13	Weatherproof wall mounted cable junction box (100x100)	no	10		
4,6,14	Outdooor luminaire LED spot light, 60W	no	6		
4,6,15	Water splash proof luminaire complete with LED Lamp, holder and cover, round balast , 15W	no	17		
4,6,16	50mm Diammeter PVC sleeve pipe	m	10		
4,6,17	Walls plugs, 1 phase, 15Amps	no	2		
4,6,18	Walls plugs, 1 phase, 30Amps	no	2		
4,6,19	Walls plugs, 1 phase, 60Amps	no	1		
4,6,20	Allow a sum of R60 000.00 for the special installation of electrical fittings and DB fittings needed for ablution facility, as directed by the engineer	Prov Sum	1	R60 000	R 60 000,00
4,6,21	Profit for the above	%	R60 000		
4,6,22	Issue Electrical COC by qualified installing electrician	no	1		
	Si	ub-Tota	I Carried	to Summary	

	ABATTOIR	FACILITY	_			
ITEM NUMB	SPEC REFERS	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
.to		E E : GUARD HOUSE				
		All items/works rates to include supply (manufacturing where required), delivery, installation, testing and commissioning				
5,1	******	EARTHWORKS:				
5,1,1		Clear vegetation, shrubs and trees of girth up to 1.0 m	m²	15		
5,1,2		Trees of girth above 1.0 m	no	1		
5,1,3		Excavate, cut and dispose in all materials to spoil to a maximum depth of 0.5 m or until firm material is reached for building platform	m³	8		
5,1,4		Intermediate excavations	m³	2		
5,1,5		Hard rock excavations, handling and disposal	m³	1		
5,1,6	A. S. C.	Source and supply suitable soil materials (G5) for constructing building platform, up to 150mm above natural groung level	m³	10		
5,1,7		Compaction of building/platform bed surface to 90% MOD	m²	15		
5,1,8		Supply and apply approved soil poisoning pesticide treatment to prevent termites from nesting in the platform pit/bed, up to 5m outside the building perimeter and inside	m²	15		
5,1,9		Lay and Compaction of G5 placed soil materials in layers not more than 150mm, to 95% MOD AASHTO	m³	8		
5,1,10		Excavation of walls footings on the compacted platform, up to 800mm depth	m³	8		
5,1,11		Compaction of foundation surface to 95% MOD AASHTO	m²	15		
5,1,12		Compaction Testing and reports for each work stage above, minimum of 3 test points per stage	sum	1		
5,1,13		Backfill between foundation walls with suitable material and compact to 90% MOD AASHTO	m³	4		
5,1,14		Supply and apply approved soil poisoning pesticide treatment on the floor bed, up to find outside the building perimeter and inside	m²	15		
5,1,15		Issue Pesticides CO by qualified and registered service provider	sum	1		,
5,2		FOUNDATIONS: CONCRETE, REINFORCEMENT AND WALLS	WORK	S:		
5,2,1		Supply and install <b>Ref 888</b> reinforcement mesh in strips of 500mm wide, including ground spacers in the walls foundations.	m²	13		
5,2,2		Cast insitu Class 25/19 concrete to wall foundations.	m³	2		
5,2,3		Supply and erect 220 wide foundation walls up to 255mm above highest surrounding ground level using load bearing stock bricks, in Class II mortar	m²	30		
5,2,4		Supply and install 150mm wide brickforce on every second layer of brickwork	m	200		
5,2,5		Supply and lay 250 micron PVC water proof membrane on whole floor bed	m²	15		
5,2,6		Supply and install <b>ref 193 mesh</b> on floor with PVC spacers	m²	15		
5,2,7		Supply and cast <b>75mm thick class 25/19</b> concrete to floor with construction joints and shape for drainage slopes and channels	m³	2		
5,2,8		Supply and cast 50mm thick floor topping	m³	1		
5,2,9		Finish concrete floor to wood float finish	m²	15		· · · · · · · · · · · · · · · · · · ·

5,2,10	Supply and Cast 1000mm*75 mm apron on building long sides and 600mm*75 mm apron on southern sides with expansion joints and with steel float finish. Cast roller shutter door entrance ramp (class 25/19 concrete)	m³	2		
5,2,11	Finish concrete aprons to woad float finish	m²	15		
5,3	SUPERSTRUCTURE BRICKWORK:			<u> </u>	
5,3,1	Supply and erect 220mm wide building walls using load bearing stock bricks on the inside and jointed fair face bricks on the outside, in class II mortar	m²	40		
	Supply and erect 110mm wide walls for internal walls using clay	m²	30		
5,3,2	stock bricks  Supply and install 150mm wide brickforce on every third layer of brickwork for all double walls below window level and on every	m	150		
5,3,3	second layer above window level  Supply and install 75mm wide brickforce on every third layer of brickwork for all single line walls below window level and on	m	100		
5,3,4	every second layer above window level			ļ	
5,3,5	Supply and cut bricks for beam filling	m	25		
5,3,6	Supply and install DPC under all walls wallplate	m	25		
5,3,7	Supply and plaster all inside walls (thickness of 10 mm) to smooth float finish	m²	80		
5,3,8	Supply and install pre-stressed lintels above external wall windows and doors or openings, less than 2m long	no	1		
5,3,9	Supply and install pre-stressed lintels above external wall windows, less than 0,8m long	no	1		
5,3,10	Supply and install pre-stressed lintels above external wall windows, less than 1,2m long	no	1		
5,3,11	Supply and install pre-stressed lintels above internal wall openings/door, less than 1,2m long	no	1		
5,3,12	Walls and Floor Painting and Tiling				
5,3,13	Supply and paint all inside walls with 2 coats of bonding liquid	m²	80		
5,3,14	Supply and paint all inside walls with 1 coat of washable paint	m²	80		
5,3,15	Supply and install floor tiling including 75. In skating using at least 450x450x10mm Grade A tiles. Tile at hesive cement mixture and grouting included and expasion aluminium joints	m²	20		
5,3,16	Supply and install wall tiling using at least 300x300x10mm Grade A tiles. Tile adhesive cement mixture and grouting included	m²	2		
5,4	CLOSURES: DOOR AND WINDOWS				
5,4,1	Frames Supply and install external walls door frames: 1,2mm thickness, 813 x 2 032mm high	no	2		
5,4,2	Supply and install internal walls door frames: 1,2mm thickness, 813 x 2032mm high	no	1		
5,4,3	Supply and install window frame type: NE1	no	1		
5,4,4	Supply and install window frame type: ND7	no	3		
5,4,5	Supply and install burglar proofing to windows: using 4mm thick by 20mm flat bars, design to maximum of 150x250mm cells	m²	6		
5,4,6	Supply and install 4mm obscure window glass including putty	m²	6		
5,4,7	Supply and neatly apply enamel painting to glass putty	m²	1		
5,4,8	Supply and install Hard board door with 3 mortice lock and enamel painting all around	no	1		
5,4,9	Supply and install Meranti outside door, solid timber termite and weather proof treated door including 3 lever mortice lock	no	1		
5,4,10	Supply and install door self closing mechanism	no	1		
5,4,11	Supply &install install steel burglar proof standard door frame with locking mechanism, using at least 25x25x2mm square tubing, including first coat and enamel painting	no	1		
5,5	ROOF STRUCTURE AND INSULATION				

	Supply, fabricate, surface preparation, shop priming, delivery to site & installation of steel and timber combination roof structure, including all necessary cleats, joints brackets, nuts, bolts, washers, roof sheeting, insulation, roof screws, roof washers etc, for a Double pitch slope 3,5m wide by 5,2m long and 3m height (internal building dimensions) steel structure			
5,5,1	Timber roof beams spaced at 1200mm c/c using 38x114mm SABS timber sections, joints by using timber plates	m	110	
5,5,2	3,15mm galvanised wires for hoisting truss to walls	m	10	
5,5,3	Steel Purlins 100x 50x2 lipped channels at 1200 mm c/c max, including overhang of at least 600mm on all end sides	m	30	
5,5,4	Cleats, 150 mm long cleats using 100x50x3 mm angle iron for connecting all purlins to trusses, 3 holes drilling on each cleat	no	25	
5,5,5	Bolts, washers and nuts, M10, for connecting all purlins to trusses	no	75	
5,5,6	Factory coated (Grey) 0.55 mm G275 spelter full hardened galvanised IBR sheets in full length ("Chromadek" or similar), including self tapping screws and washers	m²	25	
5,5,7	First coat treatment and Enamel painting for all steel sections, compressor application	m²	10	
5,5,8	Certificate of Complience by Civil fabrication technician	Sum	1	
5,5,9	Galvanized end side flashing, 250x250x0,55mm	m	10	
5,5,10	Fibre cement flashing, 200x10mm along building length	m	10	
5,5,11	Gutters, 100x100x0,5mm galvanised, including hooks, brackets, end caps, outlets	m	15	
5,5,12	Gutter down pipe, including beds, 100x100x0,5mm galvanised	m	3	
5,5,13	Ceiling			
5,5,14	38x38mm ceiling brandering nailed to roof truss at 600mm c/c	m	22	
5,5,15	38x38mm ceiling brandering mounted on walls for constricted partitions	m	5	
5,5,16	6mm fibre cement boards nailed to brandering	m²	15	
5,5,17	Plain Ceiling skating of at least 75mm width	m	30	
5,5,18	Apply 2 coats of PVA paint to ceing boards and skating	m²	15	

5,6	ELECTRICAL RETICULATION				
	Supply, delivery, installation, commissioning and testing of electrical reticulations, for distribution board and fittings, lights and fittings, plugs and fittings, electrical wiring, power supply cable from the supply point and connections. Electrical installation must comply with SANS 0142, the Contractor must supply certificate of compliance for electrical installation and all installation must be approved by the engineer.				
5,6,1	DB 400x300 , made of Mild steel and factory coating paint, chiseled into wall	Sum	1		
5,6,2	25mm Diameter Galvanized steel pipe Tubing on walls, including bends	m	3		
5,6,3	Wall tubing using 20mm PVC conduit pipes chiselled into walls including all connections and joints	m	12		
5,6,4	Overhead tubing using 20mm PVC conduit pipes fixed to timber including all connections and joints	m	12		
5,6,5	1,5mm2 Cu PVC insulated wires (Black/Red)	m	50		
5,6,6	2.5mm², 3core PVC/SWA/PVC copper cable +Earth Continuity Conductor	m	20		
5,6,7	6mm², 4core PVC/SWA/PVC copper cable +ECC	m	100		
5,6,8	50mm Diameter Flexible PVC electrical cable sleeve pipe, for earth burried cables	m	10		
5,6,9	Underground warning tape for electrical cables, two strips of 150mm wide tape 300mm above cable	m	100		
5,6,10	10A Weatherproof 230V Photocell (Day/Night Switch)	no	1		
5,6,11	15A Single lever Light switch complete with 100x50 wall box	no	2		
5,6,12	15A Double lever Light switch complete with 100x50 wall box	no	1		
5,6,13	Weatherproof wall mounted cable junction box (100x100)	no	2		
5,6,14	Outdooor luminaire LED spot light, 60W	no	4		
5,6,15	Water splash proof luminaire complete with LED Lamp, holder and cover, round balast , 15W	no	2		
5,6,16	50mm Diammeter PVC sleeve pipe	m	10		
5,6,17	Walls plugs, 1 phase, 15Amps	no	1		
5,6,18	Walls plugs, 1 phase, 30Amps	no	1		
5,6,19	Allow a sum of R15 000.00 for the special installation of electrical fittings and DB fittings needed for guard house, as directed by the engineer	Prov Sum	1	R15 000	R 15 000,00
5,6,20	Profit for the above	%	R15 000		
5,6,21	Issue Electrical COC by qualified installing electrician	no	1		
l	Su	ub-Tota	l Carried	to Summary	

		RFACILITY	· · · · · · · · · · · · · · · · · · ·			
ITEM NUMB	SPEC REFERS	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SCHEDUL	E F : SEWAGE AND PLUMBING				
i		All items/works rates to include supply (manufacturing where required), delivery, installation, testing and commissioning				
6,1		EARTHWORKS:				
6,1,1		Clear vegetation and trees of girth up to 1.0 m, clear strip of 2m wide for pipelines	m	100		
6,1,2		Clear vegetation and trees of girth up to 1.0 m, clear area for pits excavation area	m²	30		
6,1,3		Clear trees of girth over 1m	no	3		
6,1,4		Pipeline trench excavation, base width of 600mm to 500mm depth. Works includes excavation in all materials for trenches/pits, backfill, level and cleaning, disposal of surplus material	m	300		
6,1,5		Pipeline trench excavation, base width of 600mm to 1000mm depth. Works includes excavation in all materials for trenches/pits, backfill, level and cleaning, disposal of surplus material	m	100		
6,1,6		Pipeline trench excavation, base width of 600mm to 1500mm depth. Works includes excavation in all materials for trenches/pits, backfill, level and cleaning, disposal of surplus material	m	30		
6,1,7		Excavate, cut and dispose in all materials for pits excavation, to 1000mm depth. Works includes excavation in all materials for trenches/pits, backfill, level and cleaning, disposal of surplus material	m³	6		
6,1,8		Excavate, cut and dispose in all materials for pits excavation, to 2000mm depth. Works includes excavation in all materials for trenches/pits, backfill, level and cleaning, disposal of surplus material	m³	6		
		Intermediate metarials avacautions	m³	150		
6,1,9		Intermediate materials exacavtions	III.3	20		
6,1,10		Hard rock excavations, handling and disposal  Selected top soil materials from excavations made within the project and lay for pipe blinding and septic tanks, 150mm thick	m³	45		
6,1,12		Compaction of blinding soil material to 90% MOD AASHTO, for pipelines and septic tank laying	m²	300		
6,1,13		Compaction of G5 soil material to 90% MOD AASHTO, above pipelines and septic tank	m²	300		
6,2		MANHOLES AND SEWAGE PIPES:				
6,2,1		Supply anad install 110mm uPVC Class 34 sewer drainage pipes (pipes complete with couplings, spigots, sockets, fittings, adapters, etc,) laid in trenches not exceeding 1000mm depth	m	600		
6,2,2		Ditto, but exceeding 1000mm not exceeding 2000mm deep	m	50		
6,2,3		Supply and install 110mm Bend	no	15		
		Supply and install 110mm Junction	no	6		
6,2,4 6,2,5		Supply and install 110 x 75m Reducing junction	no	5		
6,2,6		Supply and install 50mm uPVC sewer drainage pipes (pipes complete with couplings, spigots, sockets, fittings, adapters, etc.) laid in trenches/collecting from basins/waste points	m	100		
6,2,7		Supply and install 50mm Bend	no	15		
6,2,8		Supply and install 50mm Junction	no	6		

6,2,9	Supply and install 1m deep pre-cast concrete manhole Type 4 concrete manhole cover and frame. Manhole with 1000mm internal diameter shaft with 75mm reinforced concrete wall spacer rings internally, 1110 x 1110mm x minimum 150mm thick cast in-situ concrete slab 25MPa with reinforcement, HDPE steps 300c/c vertical	no	8		
6,2,10	Supply and cast <b>75mm thick class 25/19</b> concrete floor and shape for smooth flow inside the mahole basin	m³	3		
6,3	SEPTIC TANK AND SOAKAWAY				
6,3,1	Supply and install " Calcamite " or similar approved 6000 litre polyethylene septic tank including connection to inlet and outlet pipes	sum	1		
6,3,2	Supply and install geo-fabric membrane to line and blanket the soakaway pits and stones	m²	3900		
6,3,3	Supply and lay drain stones of 200mm diameter	m³	72		
6,4	PLUMBING FITTINGS AND INSTALLATIONS:				
6,4,1	WC Toilet Suite complete: white vitreous china pan with P-trap and single heavy duty 9 litre low level white vitreous china cistern with valve fitting, 'BETA' ball valve and matching extended flush pipe in duct and cp push. Rate to include jointing material, pan connector to 110 UPVC pipe and water supply complete with valve.	no	8		
6,4,2	WHB:Wash Hand Basin on half concealed supports . Whb set with 31mm chromium plated whb outlet , with plug , chain , anchor and 32mm back nut complete . Provide one chromium plated SABS "cobra" or similar approved pillar tap, complete inclusive ptrap and all connecting material to 50 mm diameter PVC pipe and to water supply	no	16		
6,4,3	Matching Toilet Seats and lead	no	8		
€ ೆ,4	Standard white glazed steel toilet roll holder: two rolls holder	no	8	47 (40)	
6,4	Stainless Steel SHE bins, 20L	no	3		
6,4,6	Stainless Steel soap dispenser next to each wash hand basin	no	16	1,5	
6,4,7	Single basin kitchen sink including mixing tap, stopper, drain connection and water supply connection	no	4		
6,4,8	Galvanised mild steel pipes (medium duty) with screwed and socketed joints:				
6,4,9	20mm Pipes.	m	30		
6,4,10	32mm Pipes.	m	50		
6,4,11	Copper pipes Chased into brickwalls, including joints and bends and sockets				
6,4,12	15mm Pipes.	m	50		
6,4,13	20mm Pipes.	m	80		
6,4,14	Shower structures: obscure glass panels doors, fixed to walls, 1mx1,8m high, including door catching mechanism	no	5		
6,4,15	Shower P-Trap, Mixer tap, Shower Head, and water supply connection to all showers	no	5		

6,5	DUAL WATER HEATER				
6.5.1	400 litres Dual electric and solar water heater complying with SABS 151-2002, fitted with isolator switch, with temperature and pressure safety relief valve, vacuum breaker, draincock, hot water circulating pump, Geyser to be installed horizontally, and connected to single phase electrical power supply.	no	4		
6,5,2	Allow a sum of R30 000.00 for the special installation of plumbing equipment and fittings as directed by the engineer	Prov Sum	1	R40 000	R40 000
6,5,3	Profit for the above	%	R40 000		
6,5,4	Issue COC by qualified installing plumber	no	1		
	s	ub-Tota	al Carried	to Summary	

100 14. : 14. : 14. :

	ABATTOIR	FACILITY	The second desired to the second			·
ITEM NUMB		DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SCHEDULI	E G : ROADS AND PAVING				
		All items/works rates to include supply (manufacturing where required), delivery, installation, testing and commissioning				
7,1		EARTHWORKS:	-			
7,1,1		Excavation in compacted earth not exceeding 1m deep	m <sup>3</sup>	300		
7,1,2		Extra over for curting away Surplus material from excavations and/or stock piles on site to a dumping site to be located by the contractor	m³	150		
7,1,3		Extra over for hard rock excavations	m³	20		
7,1,4		Compaction of ground surface under floors, etc. including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 90% Mod AASHTO density	m²	3000		
7,1,5		G5 Earth filling supplied by the contractor and compacted to 95% Mod AASHTO density for road paving area (raod and walkways)	m³	1000		
7,1,6		G6 Earth filling supplied by the contractor and compacted to 93% Mod AASHTO density for road paving area (raod and walkways)	m³	800		
7,1,7		Soil insecticide in accordance with SANS 5859 for weedcontrol and termite treatment under paving area (raod and walkways)	m²	3000		
7,2		PAVING				
		All rates to include all cutting				
7,2,1		200 x 150 x 60mm Thick Bosun Ethnic cement paver or similar and approved interlocking paving brick, laid in herringbone pattern, with a minimum longitudinal fall of 1% on a transverse fall of at least 2% on 20mm compacted sand bed with fine jointing sand swept and vibrated into joints. Paving to be inspected and re-sanded after three months. To road and walkways	m²	<b>30</b> 00		
7,2,2		300mm Wide header course paving to make up paving borders	m	300		
7,2,3		Figure 7 Barrier concrete kerb, including in-situ concrete (class 25MPa/19mm stone) haunching behind kerbing at joints, with pointing on all exposed sides, including all necessary excavation, backfilling, carting away, continuous concrete haunching on curves, concrete haunching in blobs on straights, etc. Jointed & pointed in joint sealant with 10mm soft board and polyurethane sealant with approved primer	m	1500		
7,2,4		Figure 10 Precast concrete kerb, including in-situ concrete (class 25MPa/19mm stone) haunching behind kerbing at joints, with pointing on all exposed sides, including all necessary excavation backfilling, carting away, continuous concrete haunching on curves, concrete haunching in blobs on straights, etc. Jointed & pointed in joint sealant with 10mm soft board and polyurethane sealant with approved primer	m	350		
7,2,5		Prepare and paint with SANS approved road marking paint in white / yellow / red sheen road marking paint on concrete paving / kerbs				
7,2,6		Line 100mm wide, broken or continuous	m	500		
7,2,7		White numeral or letter approximately 510mm x 1260mm (measured at extremes)	No	150		
7,2,8		White traffic arrow approximately 1000mm x 4000mm (measured at extremes)	No	20		
7,2,9		Allow a sum of R70 000.00 for general road works including signs and buildings directions and information boards, as directed by the engineer	Prov Sum	1	R 70 000,00	R 70 000,00

7,2,10	AND THE PERSON NAMED IN COLUMN TWO	Profit for the above	%	R 70 000,00		
			Su	b-Total Carrie	d to Summary	

	ABATTOIR	FACILITY		-		•
ITEM NUMB	PAYMENT REFERS	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SCHEDUL	H : EQUIPMENT				
		All items/works rates to include supply (manufacturing where required), delivery, installation, testing and commissioning				
8,1		Crates and Boots Wash and processing Equipment				
8,1,1		Allow provisional sum for the manufacturing, supply and installation of Live birds handling crates	Prov Sum	1	R30 000,00	R30 000,00
8,1,2		Profit for the above items	%	R30 000,00		
8,1,3		Allow provisional sum for the manufacturing, supply and installation of chicken Carcas/whole/portions handling crates	Prov Sum	1	R30 000,00	R30 000,00
8,1,4		Profit for the above items	%	R30 000,00		
8,1,5		Allow provisional sum for the manufacturing, supply and installation of Waste bins	Prov Sum	1	R15 000,00	R15 000,00
0.4.6		Due fit for the chave items	%	15 000		
8,1,6		Profit for the above items Allow provisional sum for the manufacturing, supply and	Prov	1	R25 000,00	R25 000,00
8,1,7 8,1,8		installation of Boats wash troughs Profit for the above	Sum %	R25 000,00		
8,1,9		Allow provisional sum for the manufacturing, supply and installation of 300 Birds per hour semi auto slaughter and processing line, including stunner, bleeding, scalding, plucker, shackle lines, chiller, working tables, portions machines, scales, etc, from reputable local suppliers/manufacturers as directed by the engineer for the full operation of the abattoir	Prov Sum	1	R6 500 000,00	R6 500 000,00
8,1,10		Profit for the above	%	R6 500 000,00		
8,2		COLD ROOMS				
		Blast Freezers				
		Supply and construct Blast Freezer room structures using <b>150mm</b> thick framework of polystyrene isolation wall between two layers of <b>1mm coated chromadeck sheets</b> , aluminium sections for frame/structure support, door, safe/emergengy locking, sealing, etc. to have a complete Blast Freezer room				
8,2,1	1	Blast Freezers walls, roof structure, and 2 doors: 5m by 4m by 4m high room	no	2		
8,2,2		Allow provisional sum for the manufacturing, supply and installation Blast Freezer mechanical refrigeration unit ,condeser unit , gas , pipes, blower coil unit ,expansion valves ,fans etce from a supplier within 100km to the project for repair and service purposes, as directed by the engineer	Prov Sum	1	R 100 000,00	R 100 000,00
8,2,3		Profit for the above	%	R 100 000,00		
8,2,4		Freezers				
8,2,5		Supply and construct Freezer room structures using 150mm thick framework of polystyrene isolation wall between two layers of 1mm coated chromadeck sheets, aluminium sections for frame/structure support, door, safe/emergengy locking, sealing, etc. to have a complete Freezer room				
8,2,6		Freezer walls, roof structures and sliding door: 7,5m by 16m by 4,2m high room	no	2		
	ı	Allow provisional sum for the manufacturing, supply and installation Freezer mechanical refrigeration unit, condeser unit, gas, pipes, blower coil unit, expansion valves, fans etce from a supplier within 100km to the project for repair and service purposes, as directed by the engineer	Prov Sum	1	R 120 000,00	R 120 000,00
8,2,7		and service purposes, as directed by the engineer				

	Sub-Total Carried to Sumr				
8,2,13	Profit for the above	%	R 400 000,00		, 11 . J
8,2,12	Allow provisional sum for the supply, installation and commissioing of back-up generator from supplier linked to service and maintainence dealers within 100km from the farm/project as directed by the engineer	Prov Sum	1	R 400 000,00	R 400 000,0
8,2,11	Profit for the above	%	R 350 000,00		
8,2,10	Allow provisional sum for the manufacturing, supply and installation Building HVAAC to maintain inside temperature	Prov Sum	1	R 350 000,00	R 350 000,0
8,2,9	Supply and construct Abattoir partitioning walls using  100mm thick Isoboard of polystyrene insulation between two layers of 1mm coated chromadeck sheets, aluminium sections for frame/structure support, sealing, etc. to have complete partition walls of 3m height, including cutting where required to fit doors/openings	m	60		

ITEM	ABATTOIR PAYMENT		Т	<u> </u>	T	ı
NUMB	REFERS	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SCHEDULI	I : FENCING				***************************************
9,1		All items/works rates to include supply (manufacturing where required), delivery, installation, testing and commissioning EXCAVATIONS				
9,1,1		Excavate for the 100mm Diameter straining post 600x600x800mm	m3	3		
9,1,2		Excavate for the Y- standards 2.5kg/m 500x500x800, or hit by hammering	m3	3		
9,1,3		Excavate for Gate poles holes(Pedestrain and Motor Gates)	m3	1		
9,2		STEEL WORKS				
9,2,1		Supply and install Fully Galvanised steel pipes posts (2,4m long) with an outside diameter of 100mm diameter and 2mm wall thickness	no	8		
9,2,2		Supply and install Y-Standard of 2.5 kg/m (2,4m long) spaced at 6m ctc	no	12		
9,2,3		Supply and install 50mm Fully galvanized Mild steel pipes as stays at corners and prescribed positions as per site layout, 2mm wall thickness	no	6		
9,3		CONCRETE WORKS				
9,3,1		Supply and place 20MPa concrete for Straining posts	m3	3		
9,3,2		Supply and place 20MPa concrete for the Y-Standards, where hammering is not possible	m3	2		
9,3,3		Supply and place 25MPa concrete for the Entrance gates (Motor & pedestrain gates)	m3	4		
9,4		FENCE WIRING				
9,4,1	A HIDDING	Supply and install 3,15mm stranning wire in 50kg rolls (810m)	rolls	2		
9,4,2		Supply and install 2.5mm Chain Link/Diamond mesh wire for the whole feedlot 1.8m height (Fully galvanised) 30m length per roll, including binding wire	rolls	8		
9,4,3		Supply and install 2.5mm High Tenstile barbed wire for the installtion at the top, per 2000m length roll, including 2mm binding wire	rolls	5		
9,5		ENTRANCE GATES				
9,5,1		Provide a sum for the design of installation of motorised sliding gate, track and control system by a boiler maker and electrical installations by electrician as directed by the engineer	Prov sum	1	R 35 000,00	R 35 000,00
9,5,2		Profit over above	%	R 35 000,00		
9,5,3		Supply and install 1000mm wide single pedestrain gate 1800mm high, made of at least 32mm Diameter 2mm thick tubing and galvanised wire mesh	no	4		
					ed to Summary	

//	ABATTOIR	RFACILITY				CO-OHIO-AND CO-OHI
ITEM NUMB	SPEC REFERS	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SCHEDUL	E J : EFFLUENT HANDLING  All items/works rates to include supply (manufacturing where required), delivery, installation, testing and commissioning				
10,1		EARTHWORKS:				
10,1,1	Clear vegetation and trees of girth up to 1.0 m, clear strip of 2m wide for pipelines		m	300		
10,1,2	Clear vegetation and trees of girth up to 1.0 m, clear area		m²	2500		
10,1,3		Clear trees of girth over 1m	no	5 		
10,1,4	Pipeline trench excavation, base width of 800mm to 600mm depth. Works includes excavation in all materials for pipeline trenchess, backfill, level and cleaning, disposal of surplus material. Dual trench,		m	300		
10,1,5		Excavate, cut and/stockpile dispose in all materials for pits/ponds excavation, to 1000mm depth. Works includes excavation in all materials for pits, backfill, level and cleaning, disposal of surplus material	m³	2500		
10,1,6	Excavate, cut and dispose in all materials for pits/tanks excavation, to 2000mm depth. Works includes excavation in all materials for trenches/pits, backfill, level		m³	72		
10,1,7	Intermediate materials exacavtions		m³	200		
10,1,8		Hard rock excavations, handling and disposal	m³	25		
10,1,9	Source, supply, place, and compact to 90% MOD AASHTO, in layers of 150mm thick, G5 soil material, on		m³	360		
10,1,10		the project and lay for pipe blinding and septic tanks, 15 am thick	m³	25		
10,1,11		Placing of stockpiled soft materiald and Compaction to 90%. OD AASHTO, for pipelines and ponds lining and tanks raying	m²	3750		
10,1,12		Compaction of g soil material to 90% MOD AASHTO, above pipelines and septic tank	m²	300		
10,2		MANHOLES AND SEWAGE PIPES:				
10,2,1		Supply anad install 160mm uPVC Class 34 sewer drainage pipes (pipes complete with couplings, spigots, sockets, fittings, adapters, etc,) laid in trenches not exceeding 1000mm depth	m	300		
10,2,2		Ditto,but exceeding 1000mm not exceeding 2000mm deep	m	50		
10,2,3		Supply and install 160mm Bend	no	15		
10,2,4		Supply and install 160mm Junction	no	6		
10,2,5		Supply and install 160 x 110m Reducing junction	no	5		
10,2,6		Supply and install pre-cast concrete manhole Type 4 concrete manhole cover and frame. Manhole with 1000mm internal diameter shaft with 75mm reinforced concrete wall spacer rings internally, 1110 x 1110mm x minimum 150mm thick cast in-situ concrete slab 25MPa with reinforcement, HDPE steps 300c/c vertical	no	8		
10,2,7		Supply and cast <b>75mm thick class 25/19</b> concrete floor and shape for smooth flow inside the manhole basin	m³	3		

10,3	EFFLUENT TREATMENT					T	
10,3,1	Allow a provisonal sum for the supply and installation of prefabricated stainless steel houses effluent solids separator/filtering system, including all mechanical and electrical equipment and connections for the first stage of effluent treatment by separation of suspended solids, as directed by the engineer	Prov Sum	1	R	200 000,00	R	200 000,00
10,3,2	Profit for the above	%	R 200 000,00				
10,3,3	Allow a provisonal sum for the supply and installation of prefabricated modular hydrolysis treatment plant, including all mechanical and electrical equipment and connections for the first stage of effluent treatment by a specialist manufactuer/supplier as directed by the engineer	Prov Sum	1	R	450 000,00	R	450 000,00
10,3,4	Profit for the above	%	R 450 000,00				
10,3,5	Allow a provisonal sum for the supply and installation of prefabricated Chlorination dosing setup plant, including all mechanical and electrical equipment and connections for the disinfection of effluent water before irrigation reuse, as directed by the engineer	Prov Sum	1	R	50 000,00	R	50 000,00
10,3,6	Profit for the above	%	R 50 000,00				
10,3,7	Allow a provisonal sum for the provision of Water testing kits and sampling bottles, refregirator and aparators required for sampling and testing water continuosly for submission to DWS and Health before discharge or reuse. As directed by the engineer	Prov Sum	1	R	100 000,00	R	100 000,00
10,3,8	Profit for the above	%	R 100 000,00				
10,4	HOLDING POND LINING						
10,4,1	Supply and install 1,5 mm HDPE lining on balancing dam, inlcuding joints welding, anchoring on wall trenches, connection of inlet and outlet pipes. HDPE lining to be sealed to concrete and pipework structures in line with industry norms.	m²	2500				
10,4,2	Supply and install 160n uPVC CI 6 for connecting ponds flows	m	20				
10,4,3	Supply and install 160mm Galvanised steel pipe for Drain and ponds outlet, with connection flanges on both ends	m	6				
10,4,4	Supply and install a centrifugal pump and motor, control pannel and switch for the pumping of 45m3/h at 30m head	no	8				
10,4,5	Supply and install HDPE pipe, 63mm CL 9, Lay, bed and backfill	m	300				
10,4,6	Complete 160mm Gate valve supply and installation including all connection fittings	no	2				
10,5	Pump House						
10,5,1	Cast insitu Class 25/19 concrete to wall foundations.	m³	3				
10,5,2	Supply and erect 220 wide foundation walls up to 255mm above highest surrounding ground level using load bearing stock bricks, in Class II mortar	m²	12				
10,5,3	Supply and erect 220mm wide building walls using load bearing stock bricks on the inside and jointed fair face bricks on the outside, in class II mortar	m²	42				
10,5,4	Supply and install 150mm wide brickforce on every second layer of brickwork	m³	230				
10,5,5	Supply and lay 250 micron PVC water proof membrane on whole floor bed	m²	10				
10,5,6	Supply and install <b>ref 193 mesh</b> on floor and roof with PVC spacers	m²	20			~ <del>~~~~</del>	
10,5,7	Supply and cast 100mm thick class 25/19 concrete to floor and roof with construction joints and shape for drainage slopes and channels	m³	3				

	Sub-Total Carried to Summary						
10,6,2	Profit for the above	%	R 50 000,00				
10,6,1	Allow a sum for the supply, installation and commissioning of 2m x 1m coal fired poultry waste incinerator. Quotations as per drawing must be approved by the Engineer	Prov Sum	1	R	50 000,00	R	50 000,0
10,6	POULTRY WASTE INCINERATOR	r	<b>-</b>				
10,5,11	Profit for the above	%	R 15 000,00				
10,5,10	Allow a sum for the farbication of a strong door by a welder	Prov Sum	1	R	15 000,00	R	15 000,0
10,5,9	Supply and install Rib and block for concrete roofing	m²	10				
10,5,8	Finish concrete floor and roof to wood float finish	m²	21				

ITEM	ABATTOIR SPEC	RFACILITY	1		T	Ţ	y y y y war and the same of th
NUMB	REFERS	DESCRIPTION	UNIT	QTY	RATE		AMOUNT
	SCHEDUL	E K : EFFLUENT HANDLING CONTINUED				<u> </u>	
		All items/works rates to include supply (manufacturing where required), delivery, installation, testing and commissioning					
12,1		EARTHWORKS:				ļ	
12,1,1		Clear vegetation and trees of girth up to 1.0 m, clear area for ponds and pits excavation area	m²	800			
12,1,2		Clear trees of girth over 1m	no	0		ļ	
12,1,3		Pit/Sump excavation, for sump hodling tank of <b>8000mm by 3000mm to depth of 3000 depth</b> . Works includes excavation in all materials for pit/sump, backfill, level and cleaning, disposal of surplus material.	m³	80			
12,1,4		Intermediate materials exacavtions	m³	40			
12,1,5		Hard rock excavations, handling and disposal	m³	15			
12,1,6		Compaction of basain soil material to 90% MOD AASHTO,	m²	20			
12,1,7		Source, supply, place, and compact to 90% MOD AASHTO, in layers of 150mm thick, G5 soil material, on sump basin.	m³	8			
12,1,8		Dealing with Storm water	Sum	1			
12,2		CONCRETE AND REINFORCEMENT:					
		Concrete and reinforcement for sump, 8mx3mx4m (1m abov	e grou	nd)			
12,2,1		Supply and install ref 888 reinforcement mesh in two layers for construction the sump.	m²	224			
12,2,2		Concrete spacers, on horizontal and vertical casting	m²	224			
12,2,3		Temporal shuttering concrete	m²	200			
12,2,4		Supply and cast 30MPa/19mm concrete, 200mm thickness for the floor and walls of the effluent sump/holding tank	m³	24			
12,2,5		Allow a provisional sum for the Supply and install of custom- made heavy duty alluminium ladder with safety cage and exit/entrance	Prov Sum	1	R20 000,00	R	20 000,00
12,2,6		Profit for the above	%	R 20 000,00			
11,3		Sump Pump					
12,3,1		Allow a provisonal sum for the supply and installation of sump pumping system into the Effluent pipeline to the holding ponds	Prov Sum	1	R20 000,00	R	20 000,00
12,3,2		Profit for the above	%	R 20 000,00			
12,3,3		Sump Aeration					
12,3,4		Allow a provisonal sum for the supply and installation of effluent aeration pump and equipment to oxygenate the treated water as directed by the engineer	Prov Sum	1	R30 000,00	R	30 000,00
12,3,5		Profit for the above	%	R 30 000,00			
12,4		Other Special Equipment					
12,4,1		Supply and install Hair-net Dispenser - Type 28211, HT.1066 or similar approved	no	4			
12,4,2		Supply and install Locker, Mesh 8 door: 380 x 380 mm - Product code PS.04.08.50x25 or similar approved	no	4			

		Su	b-Total Carried	I to Summary	
12,4,13	Profit for the above	%	R15 000,00		
12,4,12	Allow a sum for the farbication of a strong door by a welder	Prov Sum	1	R15 000,00	R15 000,00
12,4,11	Profit for the above	%	R100 000,00		
12,4,10	Provide a sum for the supply and installation of stainless steel grease trap, floor drain traps, side box channels, gratings, and drains assembly, by a plumber experienced in food processing industry and as directed by the engineer.	Prov Sum	1	R100 000,00	R100 000,00
12,4,9	Supply and install Hand Hygiene Station with Turnstile: Mano Control type 23745 utomatic disinfectant dispenser or similar approved	no	4		
12,4,8	Supply and install Apron Rail: 1.5 m rail with 50 Apron hangers - Product code AE.1009 & PS0.10.5001 or similar	no	4		
12,4,7	Supply and install Shoe Rack: 5 pair shoes - Product code PS.10.4001 or similar approved	no	4		
12,4,6	Supply and install H62 Coat Hook or similar approved	no	8		
12,4,5	Supply and install 30 meter Working Hose pipe for items, compartible to above item working pressure	no	2		
12,4,4	Supply and install Stainless Steel Hose Reel Type AV3500 for item above.	no	2		
12,4,3	Supply and install high pressure disinfestion washer and sterilization, code Satellite SU NEXT 0150 or similar approved	no	2		

# DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS

# CONSTRUCTION OF POULTRY ABATTOIR FOR NKANYEZI FARM IN CHIEF ALBERT LUTHULI LOCAL MUNICIPALITY IN GERT SIBANDE DISTRICT OF MPUMALANGA PROVINCE

PART C3: SCOPE OF WORK

**C3.1: STANDARD SPECIFICATIONS** 

**C3.2: PROJECT SPECIFICATIONS** 

**C3.3: PARTICULAR SPECIFICATIONS** 

Contract Part C3: Scope of Work

# DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS

# CONSTRUCTION OF POULTRY ABATTOIR FOR NKANYEZI FARM IN CHIEF ALBERT LUTHULI LOCAL MUNICIPALITY IN GERT SIBANDE DISTRICT OF MPUMALANGA PROVINCE

C3:	SCC	PE	OF	WC	<b>NRK</b>
<b>UU.</b>	$\sim$	/I 🛌	$\mathbf{v}$		/ I / I /

# C3.1 STANDARD SPECIFICATIONS

# C3.2 PROJECT SPECIFICATIONS

PART A:	GENERAL
PS-1	Project Description
PS-2	Description of the Site and Access
PS-3	Details of the Works
PS-4	Construction Programme
PS-5	Site Facilities Available
PS-6	Facilities Required on Site
PS-7	Management and Disposal of Water
PS-8	Rainfall Figures
PS-9	Security Clearance of Personnel
PS-10	Health and Safety
PS-11	Subcontractors
PS-12	Deviation from Construction Programme
PS-13	Delay in Completion
PS-14	Supply of Materials
PS-15	Execution of Works
PS-16	Existing Services
PS-17	Labour Intensive Specification

PART B: AMENDMENTS TO THE STANDARD SPECIFICATIONS

# C3.3 PARTICULAR SPECIFICATIONS

PART C: STANDARD SPECIFICATIONS FOR BUILDING TRADES

PART D: ENVIRONMENTAL MANAGEMENT
PART E: OHSA 1993 SAFETY SPECIFICATION

# DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL **AFFAIRS**

# CONSTRUCTION OF POULTRY ABATTOIR FOR NKANYEZI FARM IN CHIEF ALBERT LOCAL MUNICIPALITY IN GERT SIBANDE DISTRICT OF MPUMALANGA PROVINCE

### C3.1 STANDARD SPECIFICATIONS

The standard specifications on which this contract is based are the SANS Standardised Specifications for Civil Engineering Works and the Conservation of Agricultural Resources Act (CARA) 43 of 1983.

The following SANS specifications are also referred to in this document and the Contractor is advised to obtain them from Standards South Africa (a division of SABS) in Pretoria.

**SABS 1200 A** General **SABS 1200 C** Site Clearance (amended 1982) **SABS 1200 DA** Earthworks (Small Works) **SABS 1200 DB** Pipe Trenches **SABS 1200 GA** Concrete (Small Works) **SABS 1200 H** Structural Steel

Structural Steelwork (Sundry Items) **SABS 1200 HA** 

Cladding and Sheeting **SABS 1200 HB** Corrosion Protection **SABS 1200 HC** Medium Pressure Pipelines SABS 1200 L

Bedding (Pipes) **SABS 1200 LB** 

**SABS 1200 LD** Sewers

SANS 1119: Interior Luminaries for fluorescent lamps.

Capacitors for use with fluorescent and other discharge lamp ballast's SANS 1250:

Lamp holders for tubular fluorescent lamps SANS IEC 400: SANS 1041: Tubular fluorescent lamps for general service

SANS 0142: Wiring of premises

SANS 1464: Safety SANS 1222: Protection

ARP 035: 2005: Guidelines for the installation and maintenance of street lighting.

Luminaire entries and spigots SANS 1088: 2004:

Capacitors for use with fluorescent and other discharge lamp ballasts SANS 1250: 1991:

Electrical cables - flexible cords and flexible cables SANS 1574: 2004: SANS 10142-1:2017: The wiring of premises, Part 1: Low-voltage installations

Water tanks SANS 1731:2017:

The following SANS specifications are also referred to in this document and the Contractor is advised to obtain them from Standards South Africa (a division of SABS) in Pretoria.

Implementing Preferential Construction Procurement Policies SANS 10396: 2003: Targeted

**Procurement Procedures** 

**Targeted Construction Procurement** SANS 1914-1 to 6 (2002)

Construction and Management Requirements for Works Contracts Part 1: General SANS 1921 - 1 (2004):

Engineering and Construction Works and where accommodation of traffic is involved:

Construction and Management Requirements for Works Contracts SANS 1921-2 (2004):

Part 2: Accommodation of Traffic on Public Roads Occupied by the Contractor.

C 32 of C83 C.3.1 Contract Standard Specifications

# DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND **ENVIRONMENTAL AFFAIRS**

# CONSTRUCTION OF POULTRY ABATTOIR FOR NKANYEZI FARM IN CHIEF ALBERT LOCAL MUNICIPALITY IN GERT SIBANDE DISTRICT OF MPUMALANGA PROVINCE

# **C3.2: PROJECT SPECIFICATIONS**

# **STATUS**

The Project Specification, consisting of two parts, forms an integral part of the contract and supplements the Standard Specifications.

Part A contains a general description of the works, the site and the requirements to be met.

Part B contains variations, amendments and additions to the Standardized Specifications and, if applicable, the Particular Specifications.

In the event of any discrepancy between a part or parts of the Standardized or Particular Specifications and the Project Specification, the Project Specification shall take precedence. In the event of a discrepancy between the Specifications, (including the Project Specifications) and the drawings and / or the Bill of Quantities, the discrepancy shall be resolved by the Engineer before the execution of the work under the relevant item.

The standard specifications which form part of this contract have been written to cover all phases of work normally required for road contracts, and they may therefore cover items not applicable to this particular contract.

C33 of C83 Contract C.3.2 **Project Specifications** 

# **PART A: GENERAL**

### PROJECT DESCRIPTION PS 1

# CONSTRUCTION OF POULTRY ABATTOIR FOR NKANYEZI FARM IN CHIEF ALBERT LOCAL MUNICIPALITY IN GERT SIBANDE DISTRICT OF MPUMALANGA PROVINCE

The scope of works involves the construction of a poultry abattoir and this comprises of the following works:

- Clearing the site of trees / shrubs.
- Excavation for platforms, foundations, effluent ponds, fencing poles including backfilling and compaction where required
- Casting of concrete floors and pedestals for the steel portal frame, tank stands, effluent ponds
- Fabrication, delivery and installation of steel portal frames, doors etc.
- Construction of a 50m x 16m poultry abattoir complete with internal equipment
- Construction of bio security facilities as per the specifications and drawings
- Installation of 6m water tanks and steel tracks and SA supply
- Construction of effluent ponds as per specifications and drawings
- Construction of sewage system including septic tanks and French drains
- Construction of access roads as per the specifications sand drawings
- Installation of 1.8m diamond mesh fence to separate the abattoir from broiler houses
- Installation of poultry waste incinerator

### **DESCRIPTIONS OF THE SITE AND ACCESS** PS 2

### 2.1 Location of site

The coordinates for the site at a stollows: 25°59'09.4"S and 30°50'43.0"E

Incidental intrusion into private property shall not be permitted without the owner's written authority. Any such agreement reached with a private landowner (occupier) shall include the proviso that any material or equipment on that site shall remain the exclusive property of the Employer in terms of the contract.

### 2.2 Access to site

The coordinates for the site are as follows

# 25°59'09.4"S and 30°50'43.0"E

The contractor shall be responsible for the maintenance and re-instatement of damage caused by him or his agents / deliveries during the construction activities. No damage to flora or fauna located outside the limits of the site will be permitted in this contract.

The contractor should take cognisance of the aforementioned items concerning the environment and allow for any costs in his bid under the relevant section in the Bill of Quantities.

C34 of C83 C.3.2Contract **Project Specifications** 

### **DETAILS OF THE WORKS** PS<sub>3</sub>

# PS 3.1 Brief Description of Works

Construction of poultry abattoir and related infrastructure for Nkanyezi Poultry Farm in Chief Albert Luthuli Local Municipality in Gert Sibande District of Mpumalanga province scope of works comprises of the following:

- Clearing the site of trees / shrubs.
- Excavation for platforms, foundations, effluent ponds, fencing poles including backfilling and compaction where required
- Casting of concrete floors and pedestals for the steel portal frame, tank stands, effluent ponds
- Fabrication, delivery and installation of steel portal frames, doors etc.
- Construction of a 50m x 16m poultry abattoir complete with internal equipment
- Construction of bio security facilities as per the specifications and drawings
- Construction of effluent ponds as per specifications and drawings
- Construction of sewage system including septic tanks and French drains
- Construction of access roads as per the specifications sand drawings
- Installation of 1.8m diamond fence to separate the abattoir from broiler houses
- Installation of poultry waste incinerator

A brief detail of works for which this specification is applicable is as follows:

### 3.1.1 Site Clearance and Setting Out

Approximately 3600m<sup>2</sup> of land need to be cleared and the material must be disposed of. There are a number of stones and rocks that also have to be removed. Setting out is of a horizontal and vertical nature and accurate GPS or Total Station survey equipment is required.

### 3.1.2 Earthworks

Carry out excavations as per the qualdities given under BoQ and drawings. The ground will need to be excavated and levelled. Since the natural ground is of poor quality, the soil needs to be excavated in accordance with the Engineer's specifications and then backfilled and compacted in layers of 150mm to 93% MOD ASSHTO density up to 150mm below the floor slab level. 150mm of G6 material is to be placed below the floor slab and should be compacted to 93% MOD ASSHTO density. Once this has been completed there will be restricted excavation for the construction of the foundations and column bases for the steel portal frame and retaining walls.

### 3.1.3 Foundations / Concrete works

Reinforced Concrete foundations for the steel portal frame need to be cast according to specifications in the drawings and the BOQ. The floors in the poultry house will be 25MPa concrete due to working conditions.

### 3.1.4 Abattoir building and steel portal frame

A steel portal frame is to be fabricated and installed for the abattoir structure. See the drawings and BoQ.

Construct the abattoir building as specified

### 3.1.5 Bio security facilities

Construct the ablution facilities as given under specifications and drawings.

The ablution facilities must be at least 10m from the main abattoir building. The final site must be agreed upon with the Engineer

Contract C35 of C83 C.3.2

# **3.1.6** Effluent ponds

Supply and construct the effluent ponds as outlined in the Bid specifications, BoQ and Drawings Use 1.5mm HDPE lining for the ponds

# 3.1.7 Diamond mesh fence

Erect 1.8m diamond mesh fence that will separate the abattoir and the main broiler houses. Install a 3m steel gate with pedestrian gate

# 3.1.8 Septic tanks

Supply and install 6000L septic tanks as per the specifications and BoQ. The site for septic must be agreed upon in consultation with the Engineer

# 3.1.9 Incinerator

Supply and install the incinerator as per the specifications and BoQ. The incinerator will be for aiding the safe disposal of the waste generated in the abattoir

# 3.1.17 Water supply

- Supply and install the 300 000L water reservoir including side ladder, roofing and levelling with sand base.
- Supply and install 6m steel stand for 10 000L water tanks
- Supply and install the 10 000L water storage tanks and anchor them
- Connect the water tanks to the main building

# 3.1.18 Power supply

Connect the abattoir to the existing 50kVA transformer Issue CoC

# 3.1.19 <u>Drainage system</u>

Construct stormwater drainage system to ensure that the farm is protected from water runoff

# 3.1.20 <u>Testing and commissioning of the abattoir</u>

Testing and commissioning the abattoir

# 3.1.21 <u>Training of beneficiaries</u>

- Train all beneficiaries on the use and maintenance of the all infrastructure
- Train the farmers on use of all the equipment

# PS 3.2 Project Approach

The successful service provider will be responsible for the full spectrum of supply, delivery, setting out, construction, quality control, and testing and defects attendance services. The Employer will appoint a consultant to monitor construction progress and quality. Regular progress payments, based on work actually performed at the Tendered rates, are envisaged. A defects liability period of 12 months will be applicable on this project.

# PS 3.3 Labour Recruitment Conditions

A Project Steering Committee (PSC) will be established and is a vital means of communication between all parties involved with the project. The composition of the PSC comprises representation by the Employer, the Engineer and formal structures within the community.

The contractor shall make use of these communication channels, and shall appoint from amongst his site

Contract C36 of C83 C.3.2

personnel a responsible person to participate in the affairs of the PSC, and this representative may be also required to attend the monthly PSC meetings.

It is mandatory that the Contractor shall interact with the community via proactive project liaison and project participation by its leaders and constituted organisations and forums, as well as through the employment of its people, and these activities shall constitute essential facets of the project.

Local labour is to be used and the employment of such labour is to be done in conjunction with the PSC/CLO.

PSC shall appoint a Community Liaison Officer (CLO). The duties of the CLO shall consist inter alias of the following:

- To be available on site daily between the hour of 07:00 and 17:00 and at other times as the need arises. His normal working day will extend from 07:00 in the morning until 17:00 in the afternoon.
- To communicate daily with regard to number and skills, to facilitate in labour disputes and to assist in their resolution.
- To attend all meetings in which the community and/or labour are present or are required to be represented.
- To attend all PSC meeting to report on labour.
- To assist in the identification and screening of labourers from the community in accordance with the contractor's requirements.
- To advise and inform temporary labourers of their conditions of employment and to inform temporary labourers as early as possible when their period of employment will be terminated.
- To attend disciplinary proceedings to ensure that hearings are fair and reasonable.
- To keep a daily written record of his interviews and community liaison, labour force etc.
- To attend monthly site meetings and report in writing on labour and contract matters.
- Keeping a data base of available labour.
- All such other duties as agreed upon between all parties concerned.
- Compile a list of available skills in the area (skills audit).

### PS 4 **CONSTRUCTION PROGRAMME**

# PS 4.1 General

The submission of a construction programme as stated per Clause 5 of the General Conditions of Contract is compulsory.

Before any work is to be commenced on the site (within a period as stated in Clause 5.6 of the General Conditions of Contract), the Contractor must submit a detailed project programme for the construction of the Works to the Engineer for his approval.

In preparation of the construction programme the Contractor must liaise with the Engineer and the programme must take into account the coordination of all activities. The programme must consist of a detailed schedule or block diagram covering all aspects of the Works and the planned time thereof must. with the Contract Period as time basis, be shown.

Rainfall conditions will be taken as abnormal when the average rainfall, as shown in Clause PS 8, is exceeded and the contractor must then apply in writing for extension of the contract period using Clause 5.12 of the General Conditions of Contract.

The service provider is required to state in the Appendix to the Form of Tender the time in which he is prepared to undertake and complete the works.

The Contractor shall submit to the Engineer a realistic, detailed programme not later than 14 days after receipt of the Letter of Acceptance. The programme shall be in bar-chart format showing in detail how the

Contract C37 of C83 Part C3: Scope of Work **Project Specifications**  Contractor proposes to complete the work covered by this contract by the Due Completion Date.

The following details must be stated:

- The quantity of work applicable to each bar item as well as the rate at which the work will be completed.
- A budget of the value of completed work, month by month, for the full contract period. 11.
- The Contractor's plant commitment on the contract for every fortnight. III.
- IV. The critical path.

The programme shall be kept up to date. If a Contractor fails to maintain progress in terms of the programme, he shall produce a revised programme showing the modifications to the original programme necessary to ensure completion of the Works before the Due Completion Date.

The approval of any programme by the Engineer shall have no contractual significance, other than satisfying the Engineer that the Work is carried out according to such programme and that the Contractor undertakes to carry out the work in accordance with the programme. The Engineer will have the right to instruct the Contractor to revise the programme if necessitated by circumstances.

# PS 4.2 Time for Completion

The maximum time allowed for the completion of the contract is twelve (12) months (excluding special non-working days and the year end break) from the date of Letter of Acceptance / or Site Handover.

# PS 5 SITE FACILITIES AVAILABLE

# PS 5.1 Water Supply

The Corrector must make his own arrangements for provision of fresh water on site are domestic and construction purposes.

The rates Tendered for the relevant items in the Preliminary and General Section of the schedule shall include all costs for the establishment and maintenance of water supply to the works and the Contractor shall make his own arrangements for the possible conveyance and storage of water if necessary.

# PS 5.2 Power Supply

The Contractor must make his own arrangements for the provision of electricity on site. The rates Tendered for the relevant items in the Preliminary and General Section of the schedule shall include all costs for the establishment and maintenance of a power supply to the works.

### **FACILITIES REQUIRED ON SITE PS** 6

# PS 6.1 Facilities for the Engineer

A site office for the Engineer is not required.

# PS 6.2 Facilities for the Contractor

# Site Establishment

The Contractor is responsible to provide a suitable site for his camp and to provide accommodation for his personnel and labourers. If the Employer can make any specific site available to the Contractor, such site will be pointed out to the Contractor.

The chosen site shall be subject to the approval of the beneficiary/Engineer and the Project Steering Committee (if available). Possible locations for a campsite shall be pointed out at the Site inspection. The Contractor shall conform to all beneficiary, local authority, environmental and industrial regulations.

C38 of C83 C.3.2 Contract **Project Specifications**  The Contractor shall make his own arrangements concerning the supply of electrical power and all other services. No direct payment shall be made for the provision of electrical and other services. The cost thereof shall be deemed to be included in the rates and amounts Tendered for the various items of work for which these services are required.

The Contractor shall provide security watchmen for the contract as he deems fit at no extra cost for the Employer. The Contractor must ensure that all his employees as well as the employees of his subcontractors are able to identify themselves as members of the construction team.

# **Ablution and Sanitary Facilities**

The Contractor shall erect and maintain on the site proper ablution facilities. The Contractor shall service and maintain the facilities in a clean and hygienic state for the duration of the contract period and on completion of the works remove it from the site to the satisfaction of the Employer/beneficiary.

# PS 6.3 Laboratory Facilities

The contractor shall provide laboratory facilities at an SABS accredited laboratory to conduct tests as required or as specified/measured in the bills of quantity.

# PS 6.4 Construction Notice Board (Name Board)

1 Official Name Board per site, as per C4.2 Site Information: Construction Notice Board, is required for this contract.

# PS 6.5 Housing for the Engineer and/or his Representative

No housing is required for the Engineer or his Representative.

# PS 6.6 Telephone Facilities

Items have been provided in the Bill of Quantities to cover for communication costs for the Engineer.

### MANAGEMENT AND DISPOSAL OF WATER **PS 7**

The Contractor shall pay special attention to the management and disposal of water and storm water on the site. It is essential that all completed works or parts thereof are kept dry and properly drained. Claims for delay and for repair of damage caused to the works as a result of the Contractor's failure to properly manage rain and surface water, will not be considered.

### **PS 8 RAINFALL FIGURES**

The following figures are applicable for Clause 50(5) of the Special Conditions of Contract:

INFORMATION SOURCE: WRC Report 1994

**RAINFALL STATION:** 

PERIOD:

Rainfall stati	Rainfall station:									
Period: 1938 – 2006										
Month	N <sub>n</sub>	$R_n$	Month	Nn	R <sub>n</sub>					
January	153	14	July	10	2					
February	122	11	August	10	1					
March	109	11	September	17	1					
April	55	7	October	95	10					
May	21		November	144	14					
June	10	3	December	144 166	15					

Contract C39 of C83 C.3.2 Part C3: Scope of Work **Project Specifications** 

# Annual average:

Nn = Average amount of days on which a rainfall of 10 mm or more has been recorded.

Rn = Average monthly rainfall in mm

Extensions of time in respect of Clause 5.12 in the General Conditions of Contract for Construction Works (2015) in respect of abnormal rainfall shall be calculated using the following formula for each calendar month or part thereof:

$$V = (Nw - Nn) + \underbrace{(Rw - Rn)}_{X}$$

Where:

V = Extension of time in calendar days in respect of the calendar month under consideration.

Nw = Actual number of days during the calendar month on which a rainfall of 10 mm or more has been recorded.

Nn = Average number of days in the relevant calendar month, as derived from existing rainfall records, on which a rainfall of 10mm or more has been recorded for the calendar month.

Rw = Actual average rainfall in mm recorded for the calendar month under consideration.

Rn = Average rainfall in mm for the calendar month as derived from existing rainfall records as stated in the Site Information.

X = 20mm

For purposes of the Contract Nn, Rn and Nn shall have those values assigned to them in the table above based on figures from the WRC report 1994.

If V is negative and its absolute value exceeds Nn, then V shall be taken as equal to minus Nn.

The total extension of time shall be the algebraic sum of all monthly totals for the period under consideration, but if the total is negative the time for completion shall not be reduced due to subnormal rainfall. Extensions of time for part of a month shall be calculated using pro rata values of Nn and Rn.

This formula does not take account flood damage which could cause further or concurrent delays and will be treated separately as far as extension of time is concerned.

The factor (Nw – Nn) shall be considered to represent a fair allowance for variations from the average in the number of days during which rainfall exceeds 10 mm. The factor (Rw-Rn) shall be considered to represent a fair allowance for variations from the average in the number of days during which the rainfall did not exceed 10 mm but wet conditions prevented or disrupted work.

For the purpose of applying the formula, accurate rain gauging shall be taken at a suitable point on the Site and the Contractor shall at his own expense, take all necessary precautions to ensure that rain gauges cannot be interfered with by unauthorized persons.

# PS 9 SECURITY CLEARANCE OF PERSONNEL

Service Providers to note that the Mpumalanga Department of Agriculture may require that Security Clearance investigations be conducted on any number of the service providers personnel.

If so required, by the Mpumalanga Department of Agriculture, the service provider must remove personnel as indicated immediately and ensure that they have no access to the works or documentation or any other information pertaining to the site.

The Employer shall not be liable for any cost concerning the removal of personnel or the effect thereof on the execution of the work.

Contract C40 of C83 C.3.2

# PS 10 HEALTH AND SAFETY

# PS 10.1 General statement

It is a requirement of this contract that the Contractor shall provide a safe and healthy working environment and to direct all his activities in such a manner that his employees and any other persons, who may be directly affected by his activities, are not exposed to hazards to their health and safety. To this end the Contractor shall assume full responsibility to conform to all the provisions of the Occupational Health and Safety Act (OHSA) No 85 and Amendment Act No 181 of 1993, and the OHSA 1993 Construction Regulations 2003 issued on 18 July 2003 by the Department of Labour. For the purpose of this contract the Contractor is required to confirm his status as mandatory and employer in his own right for the execution of the contract by entering into an agreement with the Employer in terms of the Occupational Health and Safety Act in the form as included in section C1.5.

# PS 10.2 Health and Safety Specifications and Plans

# (a) Employer's Health and Safety Specification

The Employer's Health and Safety Specification is included in Section C3.3, Part E of the Tender documents as part of the Particular Specifications.

# (b) Service Providers Health and Safety Plan

The service provider shall submit with the Tender his own documented Health and Safety Plan he proposes to be implement for the execution of the work under the contract. The Health and Safety Plan must at least cover the following:

- (i) a proper risk assessment of the works, risk items, work methods and procedures in terms of Regulations 7 to 28;
- (ii) pro-active identification of potential hazards and unsafe working conditions;
- (iii) provision of a safe working environment and equipment;
- (iv) statements of methods to ensure the goalth and safety of subcontractors, employees and visitors to the site, including safety training in hazards and risk areas (*Regulation 5*);
- (v) monitoring health and safety on the site of works on a regular basis, and keeping of records and registers as provided for in the Construction Regulations;
- (vi) details of the Construction Supervisor, the Construction Safety Officers and other competent persons he intends to appoint for the construction works in terms of Regulation 6 and other applicable regulations; and
- (vii) details of methods to ensure that his Health and Safety Plan is carried out effectively in accordance with the Construction Regulations 2003.

The Contractor's Health and Safety Plan will be subject to approval by the Employer, or amendment if necessary, before commencement of construction work. The Contractor will not be allowed to commence work, or his work will be suspended if he had already commenced work, before he has obtained the Employer's written approval of his Health and Safety Plan.

Time lost due to delayed commencement or suspension of the work as a result of the Contractor's failure to obtain approval for his safety plan, shall not be used as a reason to claim for extension of time or standing time and related costs

# PS 10.3 Cost of compliance with the OHSA Construction Regulations

The rates and prices Tendered by the Contractor shall be deemed to include all costs for conforming to the requirements of the Act, the Construction Regulations and the Employer's Health and Safety Specification as applicable to this contract.

Should the Contractor fail to comply with the provisions of the Construction Regulations, he will be liable for penalties as provided in the Construction Regulations and in the Employer's Health and Safety Specification.

Contract C41 of C83 C.3.2
Part C3: Scope of Work Project Specifications

# PS 11 SUBCONTRACTORS

The Contractor shall have the right to cede any sub-contract under this contract to a subcontractor of his/her choice.

# PS 12 DEVIATION FROM CONSTRUCTION PROGRAMME

The programme of work as required in terms of the "General Conditions of Contract –Third Edition (2015)" shall be submitted to the Engineer not later than fourteen days after the Commencement Date.

The Contractor shall take into account the requirements of the Occupational Health and Safety Act, as well as the Construction Regulations in the drafting of the programme.

The format shall not be in the form of a bar chart only, but shall also clearly indicate the anticipated quantity of work to be executed each month. The construction programme shall also clearly indicate the local and foreign labour to be utilised for the duration of the Contract.

If during the progress of the work, the quantities of the work performed per month fall below the expected indicated in the Construction programme, or if the sequence of operation is altered, or if the programme is deviated from in any other way, the Contractor shall, within one week after being notified by the Engineer, submit a revised construction programme.

Such a revised construction programme shall be based on the tempo of work achieved by the Contractor up to the date of revision. Any proposal to increase the tempo of work must be accompanied by positive steps to increase production by providing more labour and plant on site or by using the available labour and plant in a more efficient manner.

Failure on the part of the Contractor to work according to the programme or revised programmes shall be sufficient reason for the Engineer to take steps as provided for in the "General Conditions of Contract – Third Edition (2015)"

# **PS 13 DELAY IN COMPLETION**

The Contractor shall organise the Works in such a manner that no delays occur. Delay due to faulty organisation or lack or shortage of materials or labour or co-operation with other parties or to any other cause within the control of the Contractor will not be countenanced and full power is reserved by the Engineer to order the Contractor to expedite the work should the work, in the opinion of the Engineer, not progress in a satisfactory way.

# **PS 14 SUPPLY OF MATERIALS**

All material to be used in the Works is to be supplied by the Contractor.

The Contractor shall ensure that the work is not delayed due to the lack of materials on Site, by placing orders for material required under this Contract as soon as possible. No extension of time will be allowed for any delay due to the supply of materials.

Although the quantities have been carefully calculated, it must be considered as approximate only and the Contractor, before ordering any materials, should check the quantities required. The bill of quantities is provisional.

Contract C42 of C83 C.3.2

# PS 15 EXECUTION OF THE WORKS

# PS 15.1 Inspection by the Engineer

No portion of the work shall be proceeded with until the Engineer or his representative has examined and approved the previous stage. If any work is covered or hidden from view before the Engineer or his representative has inspected the work, the Contractor shall at his own cost expose the covered or hidden work for inspection. The Contractor shall also be responsible for making good any work damaged during the uncovering.

# PS 15.2 Certificate of Completion

When all the work under the Contract have been completed to the entire satisfaction of the Engineer, he will issue a certificate of completion to the Contractor informing the Contractor of the date the date at which the works are deemed to be completed and accepted by the Employer.

The sureties provided by the Contractor for the fulfilment and completion of the Contract in terms of the Form of Agreement will be released upon the issue of the Certificate of Completion.

# **PS 16 EXISTING SERVICES**

The Contractor shall make himself acquainted with the position of all existing services before any excavation or other work likely to affect the existing services is commenced.

The Contractor will be held responsible for any damage to known existing services caused by or arising out of his operations and any damage shall be made good at his own expense. Damage to unknown services shall be repaired as soon as possible and liability shall be determined on site when such damage should occur.

A provisional amount is included in the bill of quantities for the protection and/or shifting of services.

Two speks prior to commencing construction activities in a particular area, the Contractor shall also diligen, renguire of local landowners as to whether there are any other known services verich have not been shown to the drawings but which may be affected by the construction activities in that area, and any such services shall be brought to the attention of the Engineer immediately. The contractor shall make provision in his programme for the location and/or shifting of services.

The Contractor shall take note of the requirements of the standard specifications with regard to services.

# PS 17 LABOUR INTENSIVE SPECIFICATIONS

Labour must be used in all activities where such use of labour will not compromise quality and progress.

C.3.2 Contract C43 of C83 **Project Specifications** 

# PART B: AMENDMENTS TO THE STANDARD SPECIFICATIONS

# B1 PROJECT SPECIFICATIONS RELATING TO THE STANDARD SPECIFICATIONS AND OTHER ADDITIONAL SPECIFICATIONS

In certain clauses in the standard, standardised and particular specifications, allowance is made for a choice to be specified in the project specifications between alternative materials or methods of construction, and for additional requirements to be specified to suit a particular contract. Details of such alternative or additional requirements applicable to this contract are contained in this part of the project specifications. It also contains the necessary additional specifications required for this particular contract.

Contract C44 of C83 C.3.2

Part C3: Scope of Work Project S

# VARIATIONS TO REQUIREMENTS OF SPECIFICATIONS LISTED IN C3.1

### PS A **GENERAL (SABS 1200A)**

# PS A1 REFERENCE PEGS

The reference pegs placed by the Engineer may of necessity have to be moved during construction. Pegs that have to be moved must be properly referenced, recorded, marked and protected and later reinstated.

# PS A2 COMMENCING OF WORK

Before commencing with the works, the contractor will check all dimensions, levels, sections and other data used for the calculation of quantities for payment purposes with the engineer. The contractor will inform the engineer before any new part of the work is started. If the contractor fails to follow the above steps, the decision of the engineer regarding dimensions, levels and sections will be final and no further negotiation will take place.

The submission of a Safety Plan and adherence to the safety requirements is a prerequisite for the start of the works and the continuation there of. The safety plan according to the specifications, which outlines in detail method statements how the works will be executed, all associated risks, risk assessments, appointments, appropriate medical fitness certificates, induction forms, CV's for all key personnel, etc. will be included. This Safety Plan must be submitted to the Employer for approval as well within 14 days after the Commencement Date

# PS A3 ACCURACY OF WORK

The contractor will execute the works according to the drawings and specifications as set out in this document, and drawings that will be issued during the construction period. Tolerances allowed will be as detailed or as specified in the relevant SABS specification. Any limitations and required / necessitated deviations in this regard must be cleared and approved by the engineer beforehand.

# PS A4 CONTROL OF WORK

The contractor must verify the quality of preparation and completion of all work and notify the engineer before he requests that an inspection be done. All equipment for the execution of tests (compaction, concrete, pressure testing and x-raying) must be supplied or arranged by the contractor. Application for inspections and/or approval of tests must be done on approved formatted documentation with detail information.

# PS A7 PAYMENT CERTIFICATE

The interim claim for payment to the contractor will be set out on a typed form similar to the Schedule of Quantities. A preliminary copy will be submitted to the engineer for approval where after it will be returned, with or without changes, to the contractor for submission of the final payment claim.

# PS A8 ERECTION OF CAMP, DELIVERY OF EQUIPMENT TO THE SITE AND ACCOMMODATION AND OFFICES FOR SUPERVISING PERSONNEL

### PS A8.1 Description:

This part of the work entails the erection and maintenance of the construction camp (depot) required for the execution of the works. It includes all offices, storage facilities, workshop sheds, sanitary facilities, water and electricity supply and the maintenance facilities required according to the conditions of contract and the specifications for the successful completion of the work. It includes accommodation of workers. It also includes the transport of personnel, equipment and other items to and from the site, the restoration of all semi-permanent buildings and the removal of all temporary buildings and equipment after completion of the works.

### PS A8.2 Accommodation:

The contractor must make his own arrangements for accommodation.

C45 of C83 C.3.2 Contract **Project Specifications** 

### **PS A8.3** Site of construction camp (depot)

The general location of the camp sites need to be adjacent or as close as possible to the buildings to as to ensure minimum impact to the environment. The more specific location of the sites will be finalised on site in consultation with the Employer and Engineer.

The contractor is responsible for all earthworks, drainage, fencing and access, and maintenance and security of the construction camps for the period of the contract.

### PS A8.4 Semi-permanent buildings:

All buildings used by the contractor as offices, storage facilities; workshops, laboratories, sheds and sanitary facilities must be of a temporary nature. The size of the buildings must be determined by the contractor. Sufficient facilities only for the purpose of this contract must be supplied.

Adequate sanitary facilities must be supplied by the contractor, erected according to the local authority's specifications on approved spots to the satisfaction of the engineer.

# PS A9 FINISHING OFF AND CLEARING UP OF SITE

### PS A9.1 Description:

After completion of the works the contractor is responsible for the finishing off and clearing up of the site. This work entails the clearing of all obvious signs of construction activities like building equipment, excess material, debris and temporary works to the satisfaction of the engineer.

### PS A9.2 Access roads on the site:

Access roads on the site, as well as embankments and excavations must be smoothed and shaped to even planes to the satisfaction of the engineer. All changes in gradient must be properly shaped.

# PS A10 DEFECTS LIABILITY

The defects liability period will be twelve (12) months after the completion certificate has been issued according to the General Conditions of Contract. The completion certificate will be issued once all clearing and finishing off on the site has been completed. The defects liability period will be determined accordingly.

# PS A11 PAYMENT FOR ITEMS UNDER GENERAL

### PS A11.1 Site establishment:

Payment for site establishment will be done once it is complete and complying with safety requirements.

### **PS A11.2** Clearing and finishing off:

Payment for this item will be made when clearing and finishing off has been completed.

### PS A11.3 Time related obligations:

Time related obligations will not be subject to escalation and payment will be made in equal amounts during the construction period.

# PS A12 RECEIPT AND STORAGE OF MATERIAL

The contractor is responsible for the receipt of material on site, as well as the safe storage thereof. He is responsible for the control of deliveries and signing of delivery notes. The contractor will ensure that all material delivered be in good condition and will return defective material immediately. The contractor must ensure that no damage is done during handling of material on site and is fully responsible for any damages before or during installation.

Contract C46 of C83 C.3.2 PS C **CLEARING (SABS 1200 C)** 

### PS C1 **CONSERVATION OF FAUNA AND FLORA**

It is required that the contractor will only clear the minimum width for construction work and related activities.

### PS C2 **REMOVAL OF TOPSOIL**

The removal and stockpiling of topsoil will be indicated on site. The levelling of topsoil is required.

### **DISPOSAL OF MATERIAL** PS C3

Disposal areas are not available on site. The Contractor shall locate his own disposal areas and shall remove and cart away any accumulation of material generated by his construction activities and not required for further use in the Works. The cost of loading, carting away and disposing of material shall be deemed to have been included in the excavation rates.

Care should be taken during clearing that no significant amounts of topsoil are being removed and pushed into windrows. Should that be found, contractor will move such topsoil back at his own cost.

**EARTHWORKS (SABS 1200 D)** PS D

### PS<sub>D1</sub> **CLASSIFICATION FOR EXCAVATION PURPOSES**

Excavation shall mean excavating in all kinds of material met with the exception only of "Rock" as hereinafter defined, and shall include for the grubbing up and clearing away of all old foundations, footings, manholes, drains, paving, etc, that may be encountered; and not claim by the Contractor in respect of such items will be allowed unless specified in the Schedules of Quantities.

EARTHWORKS (DAM) (SABS 1200DB) PS DB

**CLASSES OF EXCAVATION** PS DB1

Refer to Clauses PS D1 for excavation classification.

### PS DB2 **MATERIAL**

Material imported will be as per engineer's specification and certification (for material sourced from commercial sources) or designated borrow pits test results will be required before approval.

### PS DB3 COMPACTION

The moisture content during compaction shall be the optimum moisture content for the construction plant employed.

In unrestricted areas, the excavation shall be backfilled in layers specified and the material shall be compacted to a specified relative density Modified AASHTO maximum density.

In areas subject to road traffic loads and under the structures excavations shall be backfilled in layers not exceeding 150 mm in compacted thickness, and the material shall be compacted to not less than 93 % of Modified AASHTO maximum density or 100 % in the case of non-plastic sand.

PSG: **CONCRETE (STRUCTURAL) (SABS 1200 G)** 

PSG<sub>1</sub> WELDING

Welding of reinforcement is permitted.

Contract C47 of C83 C.3.2

# PSG2 READY MIXED CONCRETE

Use of ready-mixed concrete is permitted and the manufacturer's quality control system will be acceptable.

# PSG3 CONCRETE CURING

Where suitable water for curing of the concrete is not readily available, the contractor is to allow for the use of an approved curing compound.

PS GA CONCRETE (SMALL WORKS) (SABS 1200 GA)

PS GA1 MATERIAL

PS GA1.1 Cement:

Only the use of Ordinary Portland Cement CEM 11 / A-V (PC15FA) ENV 197-1 extended with Pulverized Fuel Ash will be permitted. Cement older than 10 weeks will not be used. Cement will be transported from the factory in sealed bags and no loose cement will be used.

PS GA1.2 Aggregate:

PS GA1.2.1 Spare stones:

Spare stones will not be used.

# PS GA2 TOLERANCE

Tolerances for concrete work will be according to SABS 1200 GA, Grade 2.

PS GA3 SHUTTERING

PS GA3.1 Rough finish:

Rough shuttering according to sub-clause 5.2.1 A of the SABS specification will be used for concrete which will not be exposed.

PS GA3.2 Smooth finish:

Smooth shuttering according to sub-clause 5.2.1 B will be used for exposed surfaces.

# PS GA4 CONCRETE FINISHES

Concrete against which earth will be backfilled shall be finished rough. All exposed concrete surfaces shall be wood float finished or steel float finished smooth to a Degree of Accuracy 2. Further treatment/finishing may be required on floated finishes.

# PS GA5 CONCRETE MIXTURES

Strength concrete as specified in the drawings and bill of quantities will be used for all concrete work on this project. The contractor shall submit the proposed mix design to the Engineer for approval before casting of any concrete. Mix designs shall be made by an approved concrete technical laboratory. The approved mix shall be used.

# PS GA6 PLACING OF CONCRETE IN EXCAVATIONS

All concrete used for foundations will be placed against undisturbed soil.

Contract C48 of C83 C.3.2

# **C3.3 PARTICULAR SPECIFICATIONS**

PART C: STANDARD SPECIFICATIONS FOR BUILDING TRADES

PART D: ENVIRONMENTAL MANAGEMENT PART E: OHSA 1993 SAFETY SPECIFICATION

Contract C49 of C83 C.3.2

# CONSTRUCTION OF POULTRY ABATTOIR FOR NKANYEZI FARM IN CHIEF ALBERT LUTHULI LOCAL MUNICIPALITY IN GERT SIBANDE DISTRICT OF MPUMALANGA PROVINCE

# **C3.3 PARTICULAR SPECIFICATIONS**

In addition to the Standardised and Project Specifications the following Particular Specifications shall apply to this contract and are bound in hereafter.

PART D: ENVIRONMENTAL MANAGEMENT
PART E: OHSA 1993 SAFETY SPECIFICATION

Contract C51 of C83 C3.3

# PART D: ENVIRONMENTAL MANAGEMENT SPECIFICATION

## D1 General

In order to ensure that the construction works is carried out in an environmentally sensitive matter, strict compliance to the Environmental Management Plan (EMP) guidelines is required. The purpose of the EMP is to:

- Encourage good management practices through planning and commitment to environmental issues,
- Provide rational and practical environmental guidelines to:
  - a) Minimise disturbance of the natural environment,
  - b) Prevent pollution of land, air and water,
  - c) Prevent soil erosion and facilitate re-vegetation.
- Adopt the best practicable means available to prevent or minimise adverse environmental impact,
- Develop waste management practices based on prevention, minimisation, recycling, treatment or disposal
  of wastes.
- Train employees and contractors with regard to environmental obligations.

# D2 Training and Induction of Employees

The Contractor has a responsibility to ensure that all those people involved in the project are aware of and familiar with the environmental requirements for the project (this includes sub-contractors, casual labour, etc.). The EMP shall be part of the terms of reference for all contractors, sub-contractors and suppliers.

# D3 Complaints Register and Environmental Incident Book

Any complaints received by the project team from the public will be recorded. The complaint should be brought to the attention of the site manager, who will respond.

The following information must be recorded:

- Time, date and nature of the complaint,
- Type of communication (telephone, letter etc),
- Name, contact address and telephone number of the complainant,
- Response and investigation undertaken and
- Actions taken and by whom.

All complaints received will be investigated and a response give to the complainant within 14 days.

All environmental incidents occurring on the site will be recorded. The following information will be provided:

- · Time, date, location and nature of the incident,
- · Actions taken and by whom.

# D4 Site Cleanliness and Neatness

- Location of a construction camp is to be approved by the Engineer and is to be restored to its previous condition after completion of construction.
- The construction camp should preferably be fenced with a 1.8m bonnox fence or similar approved.
- All materials, equipment, plant and vehicles must be stored within the construction camp.
- A dedicated area must be made available for construction staff to change and store their personal belongings.

# D5 Access

- Access to existing roads, schools, buildings, shop and residential properties must not be impeded during construction.
- Access roads utilised by the Contractor must be maintained in good condition.

Contract C52 of C83 C3.3

# D6 Borrow Pits

- Mining authorisations (permits) for borrow pits must be obtained from the Department of Minerals and Energy (DME) in consultation with the Department of Water Affairs (DWA).
- Spoil dumps resulting from borrow pits must not interfere with any natural surface drainage.
- Borrow pits must be rehabilitated after use in accordance with the requirements of DME and DWA.
- Official consultation and approval must be followed before utilizing existing burrow pits.

# D7 Dust Control / Air Quality

- Dust suppression measures must be implemented during construction by ensuring that all surfaces prone to dust generation are kept damp (e.g. use of water tanker).
- Ensure that vehicles and equipment are in good working conditions and that emissions are not excessive.
- Ensure that vehicles and equipment are in good working conditions and that emissions are not excessive.
- Special care must be taken in areas where the route passes close to schools and residential areas.
- The speed of construction vehicles must be reduced.

# D8 Fauna

Contractor staff may not chase, catch or kill animals encountered during construction.

# D9 Fire Prevention and Control

- Smoking is prohibited in the vicinity of flammable substances.
- The contractor must ensure that fire-fighting equipment is available on site, particularly where flammable substances are being stored or used, and that construction staff are aware of where it is kept and how it is operated.
- Fires started for comfort (warmth) are prohibited, due to the risk of veld fires and risk to adjacent property
  owner's lands.

# D10 Grave sites

Gravesites in close proximity to the road must not be disturbed during construction.

# D11 Materials Handling and Spills Management

- Any hazardous materials to be used during construction (e.g. lime, fuel, paint, etc) are to be stored in a
  designated area at the campsite.
- The storage containers/facilities (including any diesel/petrol tanks) must be placed on an impermeable surface and surrounded by a bund wall, in order to ensure that accidental spillage does not pollute the environment.
- Workers must at all times be made aware of the health and safety risks associated with any hazardous substances used (e.g. smoking near fuel tanks), and must be provided with appropriate protective clothing/equipment in case of spillages or accidents.
- Ensure all staff and contractors undergo relevant training in the maintenance of equipment to prevent the accidental discharge or spill of fuel, oil, lubricants and other chemicals.
- Any spill of potentially hazardous materials must be cleaned up immediately (Potentially hazardous materials on site include paint, oil, grease, fuel, turpentine, etc).
- The area of contaminated soil or spill must be deposited into the hazardous waste container(s).
- The contractor should keep Peat Sorb or a similar absorbent on site to clean up any spills.
- The absorbent must be stored in a designated area and be available for inspection.
- All spills are to be recorded in the environmental incident book.

# D12 Noise

 Noise generating activities must be restricted to between 07h00 and 17h00 Monday to Friday, unless otherwise approved by the appropriate competent person in consultation with adjacent landowners/affected persons.

Contract C53 of C83 C3.3

- All equipment, vehicles and machinery must be in good working conditions and be equipped with sound mufflers if necessary.
- Construction staff must be trained and made aware of not creating unnecessary noise such as hooting and shouting.

# D13 Pollution Control

- Soil and water pollution through usage of fuel, oil, paint, bitumen or other hazardous substances must be avoided.
- All construction vehicles are to be maintained in good working order so as to prevent soil or water pollution from oil, fuel or other leaks, and to reduce noise pollution.

# D14 Rivers and Streams

- During construction of bridge structures, there must be no obstruction of the water flow of rivers and streams.
- Excavated material must not be stockpiled on or near riverbanks, in order to prevent sedimentation occurring.
- Erosion control measures must be employed both during and after construction.
- No impediments to natural surface water flow, other than approved erosion control measures, must occur.

# D15 Safety

- Safety measures, such as detour signs, must be implemented during construction to ensure the safety of workers, pedestrians and drivers/passengers in vehicles in the vicinity of construction work.
- Special care must be taken in the vicinity of schools to ensure the safety of children wishing to cross the road under construction.
- The relevant signage (e.g. speed control signs) must be erected alongside the road during the operation phase in order to control traffic.
- Accommodation must be made for pedestrian pathways alongside the road during the construction and operation phases.

# D16 Soil Management

- Storm water drainage pipes must be installed alongside the road in all areas susceptible to soil erosion.
- Erosion should be minimised by the construction of meadow drains and the planting of indigenous vegetation on the side slopes and drains to reduce flow velocity of stormwater.
- Spoil from cuts may be used in existing erosion galleys.
- Stone pitching and gabions should be constructed at pipe culvert outlets.
- Accidental spills of contaminants onto the ground e.g. oil, concrete, fuel and chemicals should be removed together with the contaminated soil.
- If necessary an absorbent such as Peat Sorb should be used the aid in cleaning up the spill. The contaminated soil should be disposed of in an appropriate container, depending on its classification.
- Servicing and re-fuelling of vehicles must only be carried out at construction camp.

# D17 Worker Conduct

Code of Conduct for Construction Personnel:

- Do not leave the construction site untidy and strewn with rubbish which will attract animal pests.
- Do not set fires.
- Do not cause any unnecessary, disturbing noise at the construction camp/site or at any designated worker collection/drop off points.
- Do not drive a construction-related vehicle under the influence of alcohol.
- Do not exceed the national speed limits on public roads or exceed the recommended speed limits on the site.
- Do not drive a vehicle which is generating excessive noise or gaseous pollution (noisy vehicles must be reported and repaired as soon as possible).
- Do not litter along the roadsides, including both the public and private roads.
- Do not pollute any water bodies (whether flowing or not).
- No member of the construction team is allowed to enter the areas outside the construction site.

Contract C54 of C83 C3.3
Part C3: Scope of Works Particular Specifications

### Traffic Disturbances and Diversions **D18**

- Any traffic diversions must be undertaken with the approval of all relevant authorities and in accordance with all relevant legislation.
- Wherever possible, traffic diversion must only take place on existing disturbed areas and remain within the existing road reserve.
- Traffic diversion routes must be rehabilitated after use.

### D19 Vegetation

- Only vegetation falling directly on the route must be removed where necessary.
- Alien vegetation within the road reserve must be eradicated, and management measures must be implemented for future control of these species.
- Vegetation that has been removed from large areas (e.g. on traffic diversion routes) during construction must be replaced with indigenous vegetation after construction has been completed.

### D20 **Waste Management**

- All general, non-hazardous waste must be placed in a skip container and disposed of at a registered waste disposal site.
- The container is to ensure that the portable toilet facilities at the campsite are properly maintained and in working order.
- No disposal, or leakage, of sewage must occur on or near the site.
- All hazardous waste (e.g. oil, plant empty lime bags, contaminated wash water, etc) must be stored in leakproof containers and disposed of a registered hazardous waste disposal site.
- The contents of waste storage containers must, under no circumstances, be emptied to the surrounding area. In general, littering, discarding or burying of any materials is not allowed on site or along the route.
- Adequate waste receptacles must be available at strategic points around the construction camp and site for all domestic refuse and to minimise the occurrence of littering.
- Concrete rubble must be collected and disposed of as directed by the Project Manager.
- Each working area must be cleared of litter and building waste (e.g. rubble, wood, concrete packets etc) on completion of the day's work.

Any spill around the container(s) should be treated as per Section D11 and D16.

C55 of C83 C3.3 Contract

# PART E: OHSA 1993 HEALTH AND SAFETY SPECIFICATION

# E1 SCOPE

This specification covers the health and safety requirements to be met by the Contractor to ensure a continued safe and healthy environment for all workers, employees and subcontractors under his control and for all other persons entering the site of works.

This specification shall be read with the Occupational Health and Safety Act (Act No 85 and amendment Act No 181) 1993, and the corresponding Construction Regulations 2003, and all other safety codes and specifications referred to in the said Construction Regulations.

In terms of the OHSA Agreement in Section C1.2.4 of the Contract document, the status of the Contractor as mandatory to the Employer (client) is that of an employer in his own right, responsible to comply with all provisions of OHSA 1993 and the Construction Regulations 2003.

This safety specification and the Contractor's own Safety Plan as well as the Construction Regulations 2003, shall be displayed on site or made available for inspection by all workers, employees, inspectors and any other persons entering the site of works.

The following are possible risks associated with this project:

- Working high above ground on top and in a restricted environment with limited landings (working platforms)
- Working in a flood plain environment subject to flooding
- Lifting and lowering of materials and equipment from the ground and vice versa, exposed to cross winds
- Steep and restricted access
- Potentially dangerous existing services, i.e. gas lines, water and sewerage mains, electrical high voltage cables, on the bridge, buried and overhead
- Deep excavations in soils requiring shoring or reducing of slopes
- Blasting of hard rock or demolition of concrete
- High pressure during testing of the relocated pipe lines, which could result in potentially dangerous situations in the event of the pipeline of fittings failing
- Period entially harmful gasses when tying into the existing sewer mains
- Movement of construction vehicles on site, taking into consideration steep slopes, other traffic and existing services
- Exposure to possible injuries due to mishandling or failure of power and hand tools
- Falling debris, tools and materials from bridge
- Non-conformance to specifications with regards to fasteners and materials
- Risks related to general safety and security on site

Additional risks may arise from specific methods of construction selected by the Contractor which are not necessary covered in the above.

# E2 DEFINITIONS

For the purpose of this contract the following shall apply:

- a) Employer" where used in the contract documents and in this specification, means the Employer as defined in the General Conditions of Contract and it shall have the exact same meaning as "client" as defined in the Construction Regulations 2003. "Employer" and "client" is therefore interchangeable and shall be read in the context of the relevant document.
- b) "Contractor" wherever used in the contract documents and in this specification, shall have the same meaning as "Contractor" as defined in the General Conditions of Contract.

In this specification the terms "principal contractor" and "contractor" are replaced with "Contractor" and "subcontractor" respectively.

For the purpose of this contract the **Contractor** will, in terms of OHSA 1993, be the mandatory, without derogating from his status as an employer in his own right.

Contract C56 of C83 C3.3

c) "Engineer" where used in this specification, means the Engineer as defined in the General Conditions of Contract. In terms of the Construction Regulations the Engineer may act as agent on behalf of the Employer (the client as defined in the Construction Regulations).

# E3 BIDS

The Contractor shall submit the following with his Bid:

- a) a documented Health and Safety Plan as stipulated in Regulation 5 of the Construction Regulations. The Safety Plan must be based on the Construction Regulations 2003 and will be subject to approval by the Employer;
- b) a declaration to the effect that he has the competence and necessary resources to carry out the work safely in compliance with the Construction Regulations 2003;
- c) a declaration to the effect that he made provision in his Bid for the cost of the health and safety measures envisaged in the Construction Regulations;
- d) Failure to submit the foregoing with his Bid, will lead to the conclusion that the Contractor will not be able to carry out the work under the contract safely in accordance with the Construction Regulations.

# **E4** NOTIFICATION OF COMMENCEMENT OF CONSTRUCTION WORK

After award of the contract, but before commencement of construction work, the Contractor shall, in terms of Regulation 3, notify the Provincial Director of the Department of Labour in writing if the following work is involved:

- a) the demolition of structures and dismantling of fixed plant of height of 3,0m or more;
- b) the use of explosives;
- c) construction work that will exceed 30 days or 300 person-days;
- d) excavation work deeper than 1,0m; or
- e) working at a height greater than 3,0m above ground or landings.

The notification must be done in the form of the pro forma included under Section 9 (Forms to be completed by Successful Service Provider) of the Bid document.

A copy of the notification form must be kept on site, available for inspection by inspectors, Employer, Engineer, employees and persons in site.

# E5 RISK ASSESSMENT

Before commencement of any construction work during the construction period, the Contractor shall have a risk assessment performed and recorded in writing by a competent person. (Refer Regulation 7 of the Construction Regulations 2003).

The risk assessment shall identify and evaluate the risks and hazards that may be expected during the execution of the work under the contract, and it shall include a documented plan of safe work procedures to mitigate, reduce or control the risks and hazards identified.

The risk assessment shall be available on site for inspection by inspectors, Employer, Engineer, subcontractors, employees, trade unions and health and safety committee members, and must be monitored and reviewed periodically by the Contractor.

Contract C57 of C83 C3.3

# APPOINTMENT OF EMPLOYEES AND SUBCONTRACTORS

# E5.1 Health and Safety plan

The Contractor shall appoint his employees and any subcontractors to be employed on the contract, in writing, and he shall provide them with a copy of his documented Health and Safety Plan, or relevant sections thereof. The Contractor shall ensure that all subcontractors and employees are committed to the implementation of his Safety Plan.

# E5.2 Health and safety induction training

The Contractor shall ensure that all employees under his control, including subcontractors and their employees, undergo a health and safety induction training course by a competent person before commencement of construction work. No visitor or other person shall be allowed or permitted to enter the site of the works unless such person has undergone health and safety training pertaining to hazards prevalent on site.

The Contractor shall ensure that every employee on site shall at all times be in possession of proof of the health and safety induction training issued by a competent person prior to commencement of construction work.

# **E6** APPOINTMENT OF SAFETY PERSONNEL

# E6.1 Construction Supervisor

The Contractor shall appoint a full-time **Construction Supervisor** with the duty of supervising the performance of the construction work.

He may also have to appoint one or more competent employees to assist the construction supervisor where justified by the scope and complexity of the works.

# E6.2 Construction safety officer

Taking into consideration the size of the project and the hazards or dangers that can be expected, the Contractor shall appoint in writing a full-time or part-time **Construction Safety Officer** if so decided by the Inspector of the Department of Labour. The Safety Officer shall have the necessary competence and resources to perform his duties diligently.

Provision shall be made by the Contractor in his rates, to cover the cost of this dedicated construction safety officer appointed after award of the contract.

# E6.3 Health and safety representatives

In terms of **Section 17 and 18 of the Act (OHSA 1993)** the Contractor, being the employer in terms of the Act for the execution of the contract, shall appoint a **health and safety representative** whenever he has more than 20 employees in his employment on the site of the works. The health and safety representative must be selected from employees who are employed in a full-time capacity at a specific workplace.

The number of health and safety representatives for a workplace shall be at least one for every 100 employees.

The function of health and safety representative(s) will be to review the effectiveness of health and safety measures, to identify potential hazards and major incidents, to examine causes of incidents (in collaboration with his employer, the Contractor), to investigate complaints by employees relating to health and safety at work, to make representations to the employer (Contractor) or inspector on general matters affecting the health and safety of employees, to inspect the workplace, plant, machinery etc. on a regular base, to participate in consultations with inspectors and to attend meetings of the health and safety committee.

# E6.4 Health and safety committee

In terms of Sections 17 and 18 of the Act (OHSA 1993) the Contractor (as employer), shall establish one or more health and safety committee(s) where there are two or more health and safety representatives at a workplace. The persons selected by the Contractor to serve on the committee shall be designated in writing.

Contract C58 of C83 C3.3

The function of the health and safety committee shall be to hold meetings at regular internals, but at least once every three months, to review the health and safety measures on the contract, to discuss incidents related to health and safety with the Contractor and the inspector, and to make recommendations regarding health and safety to the Contractor and to keep record of recommendations and reports made by the committee.

### E6.5 Competent persons

In accordance with the Construction Regulations the Contractor has to appoint in writing competent persons responsible for supervising construction work on each of the following work situations that may be expected on the site of the works.

- a) Risk assessment and induction training as described in Regulation 7 of the Construction Regulations;
- b) Fall protection as described in Regulation 8;
- c) Formwork and support work as described in Regulation 10;
- d) Excavation work as described in Regulation 11;
- e) Demolition work as described in Regulation 12:
- Scaffolding work as described in Regulation 14: f)
- Suspended platform operations as described in Regulation 15; g)
- h) Material hoists as described in Regulation 17;
- Batch plant operations as described in Regulation 18; i)
- Explosive powered tools as described in Regulation 19; j)
- k) Cranes as described in Regulation 20;
- Construction vehicle and mobile plant inspections on a daily basis by a competent person as described in Regulation 21(1);
- m) Control of all temporary electrical installation on the construction site as described in Regulation 22:
- n) Stacking and storage on construction sites as described in Regulation 26; and
- o) Inspections of fire equipment as described in Regulation 27.

A competent person may be appointed for more than one part of the construction work with the understanding that the person must be suitably qualified and able to supervise at the same time the construction work on all the work situations for which he has been appointed.

The appointment of competent persons to supervise parts of the construction work does not relieve the Contractor from any of his responsibilities to comply with all requirements of the Construction Regulations.

### **RECORDS AND REGISTERS E7**

In accordance with the Construction Regulations the Contractor is bound to keep records and registers related to health and safety on site for periodic inspection by inspectors, the Engineer, the Employer, trade union officials and subcontractors and employees. The following records and registers must be kept on site and shall be available for inspection at all times.

- a) A copy of the OHSA 1993 Construction Regulations 2003;
- b) A copy of this Health and Safety Specification;
- c) A copy of the Contractor's Health and Safety Plan (Regulation 4);
- d) A copy of the Notification of Construction Work (Regulation 3);
- e) A health and safety file in terms of Regulation 5(7) with inputs by the Construction Safety Officer (Regulation 6(7)):
- A copy of the risk assessment described in Regulation 7; f)
- g) A full protection plan and the corresponding records of evaluation and training of employees working from elevated positions as described in Regulation 8;
- Drawings pertaining to the design of structures (Regulation 9(3)) and formwork and support work structures (Regulation 10(d)) must be kept on site;
- Pronouncement of the safety of excavations must be recorded in a register to be kept on site (Regulation i) 11(3)(h)):
- A copy of the certificate of the system design for suspended platforms (Regulation 15(3));
- k) A notice must be affixed around the base towers of material hoists to indicate the maximum mass load, which may be carried at any one time by material hoists (Regulation 7(5));
- Maintenance records of material hoists and inspection results must be kept in a record book to be kept on site (Regulation 17(8)):
- m) A record of any repairs to or maintenance of a batch plant must be kept on site (Regulations 18(9));

C59 of C83 Contract C3.3 Part C3: Scope of Works Particular Specifications

- n) A warning notice must be displayed in a conspicuous manner when and wherever an explosive powered tool is used (Regulation 19(2)):
- o) A register for recording of findings by the competent person appointed to inspect construction vehicles and mobile plant (Regulation 21(1)(j)).

# **E8 CONTRACTORS RESPONSIBILITIES**

For this contract the Contractor will be the mandatory of the Employer (Client), as defined in the Act (OHSA 1993), which means that the Contractor has the status of employer in his own right in respect of the contract. The Contractor is therefore responsible for all the duties and obligations of an employer as set out in the Act (OHSA 1993) and the Construction Regulations 2003.

Before commencement of work under the contract, the Contractor shall enter into an agreement with the Employer (Client) to confirm his status as mandatory (employer) for the contract under consideration.

The Contractor's duties and responsibilities are clearly set out in the Construction Regulations 2003, and are not repeated in detail but some important aspects are highlighted hereafter, without relieving the Contractor of any of his duties and responsibilities in terms of the Construction Regulations.

# a) Contractor's position in relation to the Employer (Client) (Regulation 4)

In accordance with Section 4 of the Regulations, the Contractor shall liaise closely with the Employer or the Engineer on behalf of the Employer, to ensure that all requirements of the Act and the Regulations are met and complied with.

# b) The Principal Contractor and Contractor (Regulation 5)

The Contractor is in terms of the definition in Regulation 2(b) the equivalent of Principle Contractor as defined in the Construction Regulations, and he shall comply with all the provisions of Regulation 5.

Any subcontractors employed by the Contractor must be appose ed in writing, setting out the terms of the appointment in respect of health and safety. An independent subcontractor shall however provide and demonstrate to the Contractor a suitable, acceptable and sufficiently documented health and safety plan before commencement of the subcontract. In the absence of such a health and safety plan the subcontractor shall undertake in writing that he will comply with the Contractor's safety plan, the health and safety specifications of the Employer and the Construction Regulations 2003.

# c) Supervision of construction work (Regulation 6)

The Contractor shall appoint the safety and other personnel and employees as required in terms of Regulation 6 and as set out in paragraph 7 above. Appointment of those personnel and employees does not relieve the Contractor from any of the obligations under Regulation 6.

# d) Risk assessment (Regulation 7)

The Contractor shall have the risk assessment made as set out in paragraph 7 above before commencement of the work and it must be available on site for inspection at all times. The Contractor shall consult with the health and safety committee or health and safety representative(s) etc. on a regular basis to ensure that all employees, including subcontractors under his control, are informed and trained by a competent person regarding health hazards and related work procedures.

No subcontractor, employee or visitor shall be allowed to enter the site of works without prior health and safety induction training, all as specified in Regulation 7.

# e) Fall protection (Regulation 8)

Fall protection, if applicable to this contract shall comply in all respects with Regulation 8 of the Construction Regulations.

# f) Structures (Regulation 9)

The Contractor will be liable for all claims arising from collapse or failure of structures if he failed to comply with all the specifications, project specifications and drawings related to the structures, unless it can be proved that such collapse or failure can be attributed to faulty design or insufficient design standards on which the specifications and the drawings are based.

In addition the Contractor shall comply with all aspects of Regulation 9 of the Construction Regulations.

# g) Formwork and support work (Regulation 10)

The Contractor will be responsible for the adequate design of all formwork and support structures by a competent person.

All drawings pertaining to formwork shall be kept on site and all equipment and materials used in formwork, shall be carefully examined and checked for suitability by a competent person.

The provisions of Regulation 10 of the Construction Regulations shall be followed in every detail.

# h) Excavation work (Regulation 11)

It is essential that the Contractor shall follow the instructions and precautions in the Standard Specifications and Project Specifications as well as the provisions of the Construction Regulations to the letter as unsafe excavations can be a major hazard on any construction site. The Contractor shall therefore ensure that all excavation work is carried out under the supervision of a competent person, that inspections are carried out by a Professional Engineer or Technologist, and that all work is done in such a manner that no hazards are created by unsafe excavations and working conditions.

Supervision by a competent person will not relieve the Contractor from any of his duties and responsibilities under Regulation 11 of the Construction Regulations.

# i) <u>Demolition work</u> (Regulation 12)

Whenever demolition work is included in a contract, the Contractor shall comply with all the requirements of Regulation 12 of the Construction Regulations. The fact that a competent person has to be appointed by the Contractor does not relieve the Contractor from any of his responsibilities in respect of safety of demolition work.

# j) Tunnelling (Regulation 13)

The Contractor shall comply with Regulation 13 wherever tunnelling of any kind is involved.

# k) Scaffolding (Regulation 14)

The Contractor shall ensure that all the provisions of Regulation 14 of the Construction Regulations are complied with. [Note: Reference in the Regulations to "Section 44 of the Act" should read "Section 43 of the Act"].

# I) Suspended platforms (Regulation 15)

Wherever suspended platforms will be necessary on any contract, the Contractor shall ensure that copies of the system design issued by a Professional Engineer are submitted to the Engineer for inspection and approval. The Contractor shall appoint competent persons as supervisors and competent scaffold erectors, operators and inspectors and ensure that all work related to suspended platforms are done in accordance with Regulation 15 of the Construction Regulations.

# m) Boatswain's chains (Regulation 16)

Where boatswain's chains are required on the construction site, the Contractor shall comply with Regulation 16.

# n) Material Hoists (Regulation 17)

Wherever applicable, the Contractor shall comply with the provisions of Regulation 17 to the letter.

Contract C61 of C83 C3.3
Part C3: Scope of Works Particular Specifications

## o) Batch plants (Regulation 18)

Wherever applicable, the Contractor shall ensure that all lifting machines, lifting tackle, conveyors, etc. used in the operation of a batch plant shall comply with, and that all operators, supervisors and employees are strictly held to the provisions of Regulation 18. The Contractor shall ensure that the General Safety Regulations (Government Notice R1031 of 30 May 1986), the Driven Machinery Regulations (Government Notice R295 of 26/2/1988) and the Electrical Installation Regulations (Government Notice R2271 of 11/10/1995) are adhered to by all involved.

In terms of the Regulations, records of repairs and maintenance shall be kept on site.

#### p) Explosive powered tools (Regulation 19)

The Contractor shall ensure that, wherever explosive-powered tools are required to be used, all safety provisions of Regulation 19 are complied with.

It is especially important that warning notices are displayed and that the issue and return of cartridges and spent cartridges be recorded in a register to be kept on site.

## q) Cranes (Regulation 20)

Wherever the use of tower cranes becomes necessary, the provisions of Regulation 20 shall be complied

## Construction vehicles And mobile plant (Regulation 21

The Contractor shall ensure that all construction vehicles and plant are in good working condition and safe for use, and that they are used in accordance with their design and intended use. The vehicles and plant shall only be operated by workers or operators who have received appropriate training, all in accordance with all the requirements of Regulation 21.

All vehicles and plant must be inspected on a daily basis, prior to use, by a competent person and the findings must be recorded in a register to be kept on site.

## s) Electrical ins allation and machinery on construction sites (Regulation 22)

The Contractor shall comply with the Electrical Installation Regulations (Government Notice R2920 of 23 October 1992) and the Electrical Machinery Regulations (Government Notice R1953 of 12 August 1993). Before commencement of construction, the Contractor shall take adequate steps to ascertain the presence of, and guard against dangers and hazards due to electrical cables and apparatus under, over or on the site.

All temporary electrical installations on the site shall be under the control of a competent person, without relieving the Contractor of his responsibility for the health and safety of all workers and persons on site in terms of Regulation 22.

## Use of temporary storage of flammable liquids on construction sites (Regulation 23)

The Contractor shall comply with the provisions of the General Safety Regulations (Government Notice R1031 of 30 May 1986) and all the provisions of Regulation 23 of the Construction Regulations to ensure a safe and hazard-free environment to all workers and other persons on site.

## u) Water environments (Regulation 24)

Where construction work is done over or in close proximity to water, the provisions of Regulation 24 shall apply.

#### v) Housekeeping on Construction sites (Regulation 25)

Housekeeping on all construction sites shall be in accordance with the provisions of the environment Regulations for workplaces (Government Notice R2281 of 16 October 1987) and all the provisions of Regulation 25 of the Construction Regulations.

## w) Stacking and storage on construction sites (Regulation 26)

C62 of C83 C3.3 Contract Part C3: Scope of Works

The provisions for the stacking of articles contained in the General Safety Regulations (Government Notice R1031 of 30 May 1986) as well as all the provisions Regulation 26 of the Construction Regulations shall apply.

## x) Fire precautions on construction sites (Regulation 27)

The provisions of the Environmental Regulations for Workplaces (Government Notice R2281 of 16 October 1987) shall apply.

In addition, the necessary precautions shall be taken to prevent the incidence of fires, to provide adequate and sufficient fire protection equipment, sirens, escape routes etc. all in accordance with Regulation 27 of the Construction Regulations.

## y) Construction welfare facilities (Regulation 28)

The Contractor shall comply with the construction site provisions as in the Facilities Regulations (Government Notice R1593 of 12 August 1988) and the provisions of Regulation 28 of the Construction Regulations.

## z) Non-compliance with the Construction Regulations 2003

The foregoing is a summary of parts of the Construction Regulations applicable to all construction projects.

The Contractor, as employer for the execution of the contract, shall ensure that all provisions of the Construction Regulations applicable to the contract under consideration are complied with to the letter.

Should the Contractor fail to comply with the provisions of the Regulations 3 to 28 as listed in Regulation 30, he will be guilty of an offence and will be liable, upon conviction, to the fines or imprisonment as set out in Regulation 30.

The Contractor is advised in his own interest to make a careful study of the Act and the Construction Regulations ignorance of the Act and the Regulations will not be accepted in any proceedings related to non-conformance to the Act and the Regulations.

## E9 MEASUREMENT AND PAYMENT

#### F9.1 Principles

It is a condition of this contract that Contractors, who submit Bids for this contract, shall make provision in their Bids for the cost of all health and safety measures during the construction process. All associated activities and expenditure are deemed to be included in the Contractor's Bided rates and prices.

#### a) Safety personnel

The Construction Supervisor, the Construction Safety Officer, Health and Safety Representatives, Health and Safety Committee and Competent Persons referred to in clauses 7.1 to 7.5 shall be members of the Contractor's personnel, and no additional payment will be made for the appointment of such safety personnel.

## b) Records and Registers

The keeping of health and safety-related records and registers as described in 8 is regarded as a normal duty of the Contractor for which no additional payment will be considered, and which is deemed to be included in the Contractor's Bided rates and prices.

Contract C63 of C83 C3.3

**PART C 4: SITE INFORMATION** 

**C4.1: LOCALITY PLAN** 

**C4.2: CONSTRUCTION NOTICE BOARD** 

**PART C 4: SITE INFORMATION** 

**C4.1: LOCALITY PLAN** 

**C4.2: CONSTRUCTION NOTICE BOARD** 

## C4.1 LOCALITY PLAN

The Locality of the Site can be obtained from the coordinates given in the scope of works.

## C4.2 CONSTRUCTION NOTICE BOARD

See Details on attached Drawings

SATS	1286.2011
3A13	1286.2011

					A	nnex D							
				Imported C	ontent Declaratio	on - Suppo	rting Sche	dule to Anr	iex C				Ī
01) 02) 03)	Tender No. Tender descripti Designated Prod	lucts:							Note: VAT to be all calculations	excluded from	]		
04) 05)	Tender Authorit Tendering Entity				_		_		_				
06)	Tender Exchange	e Rate:	Pula		] EU	R 9,00	] GBF	R 12,00	]				
	A. Exempte	ed imported co	ntent					Calculation of	imported conte	nt			Summary
	Tender item no's	Description of in	nported content	Local supplier	Overseas Supplier	Forign currency value as per Commercial Invoice	Tender Exchange Rate	Local value of imports	Freight costs to port of entry	All locally incurred landing costs & duties	Total landed cost excl VAT	Tender Qty	Exempted imported value
	(D7)	(D.	8)	(D9)	(D10)	(D11)	(D12)	(D13)	(D14)	(D15)	(D16)	(D17)	(D18)
				1		<u> </u>	<u> </u>	-	I	(D19	 9) Total exempt	This total m	R 0 ust correspond with nex C - C 21
	B. Imported	d directly by the	e Tenderer					Calculation of	imported conte	nt			Summary
	Tender item no's	Description of in	ported content	Unit of measure	Overseas Supplier	Forign currency value as per Commercial Invoice	Tender Rate of Exchange		Freight costs to port of entry	All locally incurred landing costs & duties	Total landed cost excl VAT	Tender Qty	Total imported value
	(D20)	(D2	1)	(D22)	(D23)	(D24)	(D25)	(D26)	(D27)	(D28)	(D29)	(D30)	(D31)
			42 .	<u> </u>	L	<u> </u>	L	1		(D32) To	tal imported va	ue by tensierer	R O
	C Immortos	l by a 3rd party	and cumplied	to the Tond	0.00			Calculation of	imported conter				C
		f imported content	Unit of measure	Local supplier	Overseas Supplier	Forign currency value as per Commercial Invoice	Tender Rate of Exchange		Freight costs to port of entry	All locally incurred landing costs & duties	Total landed cost excl VAT	Quantity imported	Summary  Total imported value
		(D33)	(D34)	(D35)	(D36)	(D37)	(D38)	(D39)	(D40)	(D41)	(D42)	(D43)	(D44)
l							<u> </u>	l		(D45) To	tal imported val	ue by 3rd party	R O
	D. Other for	reign currency	payments		Calculation of foreig					(545) 10	tai importeu vai	ac by Sta party	Summary of payments
	Туре с	of payment	Local supplier making the payment	Overseas beneficiary	Foreign currency value paid								Local value of payments
		(D46)	(D47)	(D48)	(D49)	(D50)	1						(D51)
-							-						
-													
L				L			, (	(D52) Total of fe	oreign currency pa	yments declare	d by tenderer ar	nd/or 3rd party	
	Signature of tend	lerer from Annex B					(D53) Tota	l of imported co	ntent & foreign cu	rrency paymen	ts - (D32), (D45)	& (D52) above	R O
_							. ,		5	, ,	. "	This total mi	ıst correspond with
•	Date:												ex C - C 23

SATS 1286.2011

## Annex E

Tender No.  Tender description:  Designated products:  Tender Authority:		Note: VAT to be excluded from	all calculations
Fendering Entity name:			
Local Products (Goods, Services and Works)	Description of items purchased	Local suppliers	Value
	(E6)	(E7)	(E8)
	(A)		
	. W		
L	(E9) Total local produ	icts (Goods, Services and Works)	R O
(E10) Manpower costs ( Ter	nderer's manpower cost)	Γ	R O
	tal, depreciation & amortisation, utility costs,	annoumables stal)	
		consumables etc.)	RO
(E12) Administration overheads	(Marketing, insurance, finar	ncing, interest etc.)	R O
		(E13) Total local content	R O
		This total must correspond wit	h Annex C - C24
ignature of tenderer from Annex B			







## Application for a Tax Clearance Certificate

Purpose																																					
Select the applicable o	ptio	n . ,																									T	end	der	S		Go	od :	stan	ndin	ıg .	. 1
If "Good standing",	plea	ase	sta	ate	the	е р	urp	ose	e of	f th	is	apţ	olic	ati	on																						
																		· · ·																			
Particulars of appli	car	nt																																			
Name/Legal name (Initials & Surname or registered name)			1																											The second secon							
Trading name (if applicable)	1	1000	:			- 1											4								- :						-	The state of the state of	-		The second secon		
ID/Passport no	•	i.			1										r	Con	npa iste	ny	/Cl	056 0	e C	orp	•					-						-1.		1	1
Income Tax ref no	1				i			!		-												P	ΑY	E re	ef r	10	7			i.		A. C. Carrier			1		
VAT registration no	4				i	1		i															SD	L re	ef r	10	L	1				:					-
Customs code									1	11.0													UI	Fre	ef r	10	U			1							1
Telephone no	1				i							Ì				1			Fax nc					1		-										1	1
E-mail address				i				:				•								1	Ì									1							
Physical address	-			1	i									1			1															1					-
	į			4										To see an a		1				1																	
			4	į																1					1				1								-
Postal address				1			-															i						İ	-	1							
					i		-		1	1							Ĵ			:			1	i					Ì				1				
						!	Alexander and the second secon											1				***************************************		1						- Company of the Comp	- F	-		į	. !		
Particulars of repre	sei	nta	tiv	'e (	(Pu	bli	c C	)ffi	cei	r/1	ru	sto	ee,	/Pa	art	ne	er)																				
Surname		-			!											į														-			i				1
First names		1			:					:	1			i				-		2						i		:		1							
ID/Passport no	1	1					i				1									In	cor	ne	Tax	c re	fn	0									† :		
Telephone no		1				1				1		1			1	1			Fax no		1	1		1				i					1				į
E-mail address					1		i	1							1			1	110	1																	
Physical address									i			-																		1							į
				1			:									:			:													1				i	

Particulars of tender (If applicable)
Tender number
Estimated Tender amount R
Expected duration year(s) of the tender
Particulars of the 3 largest contracts previously awarded  Date started Date finalised Principal Contact person Telephone number Amount
Audit
Are you currently aware of any Audit investigation against you/the company?  YES NO If "YES" provide details
in service the service of the servic
Appointment of representative/agent (Power of Attorney)
I the undersigned confirm that I require a Tax Clearance Certificate in respect of Tenders or Goodstanding.
I hereby authorise and instruct to apply to and receive from SARS the applicable Tax Clearance Certificate on my/our behalf.
Signature of representative/agent Date
Name of representative/ agent
Declaration
I declare that the information furnished in this application as well as any supporting documents is true and correct in every respect.
Signature of applicant/Public Officer Date  Name of applicant/ Public Officer
Name of applicant/ Public Officer
Notes:
1. It is a serious offence to make a false declaration.
2. Section 75 of the Income Tax Act, 1962, states: Any person who
(a) fails or neglects to furnish, file or submit any return or document as and when required by or under this Act; or
(b) without just cause shown by him, refuses or neglects to-
(i) furnish, produce or make available any information, documents or things;

3. SARS will, under no circumstances, issue a Tax Clearance Certificate unless this form is completed in full.
4. Your Tax Clearance Certificate will only be issued on presentation of your South African Identity Document or Passport (

(ii) reply to or answer truly and fully, any questions put to him  $\dots$  As and when required in terms of this Act  $\dots$  shall be guilty of an offence  $\dots$ 

## **BIDDER'S DISCLOSURE**

## 1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disgualified from the bid process.

## 2. Bidder's declaration

- 2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest1 in the enterprise, employed by the state?
  YES/NO
- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Identity Number	Name of State institution

2.2 Do you, or any person connected with the bidder, have a relationship

<sup>1</sup> the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

with any person who is employed by the procuring institution? YES/NO

2.2.1	If so, furnish particulars:		
		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	***************************************
		,,	
2.3	Does the bidder or any of its members / partners or any pers enterprise have any interest in a not they are bidding for this cont	on having a controlling ny other related enterpri	interest in the
2.3.1	If so, furnish particulars:		
3 D	ECLARATION		
ט ט			
	I, the (name)submitting the accompanying statements that I certify to be tru	bid, do hereby make	the following
3.1 3.2	I have read and I understand the I understand that the accompadisclosure is found not to be true	anying bid will be disqu	ualified if this
3.3	The bidder has arrived at the a and without consultation, commutation with any competitor. However, or a second consultation with any competitor.	ccompanying bid independent of communication agreement of communication between	endently from, arrangement partners in a
3.4	joint venture or consortium2 will In addition, there have been agreements or arrangements wit quantity, specifications, prices, i used to calculate prices, market submit or not to submit the bid, bid and conditions or delivery pawhich this bid invitation relates.	no consultations, cor in any competitor regardincluding methods, facto allocation, the intention bidding with the intention	mmunications, ing the quality, rs or formulas or decision to not to win the
3.4	The terms of the accompanying disclosed by the bidder, directly the date and time of the official contract.	or indirectly, to any comp	petitor, prior to
2 .Toi	nt vanture or Consortium mean	s an association of no	preone for

<sup>2</sup> Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.
  - I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.
    I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

•••••	
Signature	Date
	• · · · · · · · · · · · · · · · · · · ·
 Position	Name of hidder

## PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

#### 1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
  - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
  - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).
  - a) The applicable preference point system for this tender is the 80/20 preference point system.
  - b) 80/20 preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.
- 1.2 Points for this tender (even in the case of a tender for impome-generating contracts) shall be awarded for:
  - (a) Price; and
  - (b) Specific Goals.
- 1.3 The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

- 1.3 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.4 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

## 2. **DEFINITIONS**

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation; mn
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

## 3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

#### 3.1. POINTS AWARDED FOR PRICE

## 3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 or 90/10

$$Ps = 80\left(1 - \frac{Pt - Pmin}{Pmin}\right)$$
 or  $Ps = 90\left(1 - \frac{Pt - Pmin}{Pmin}\right)$ 

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

## 3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

## 3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$Ps = 80\left(1 + \frac{Pt - Pmax}{Pmax}\right)$$
 or  $Ps = 90\left(1 + \frac{Pt - Pmax}{Pmax}\right)$ 

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

#### 4. POINTS AWARDED FOR SPECIFIC GOALS

4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
  - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
  - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the cogan of state must indicate the points allocated for specific goals for both the 90/10 and 30/20 preference point system.

The applicable preference point system for this tender is the 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)
An Enterprise owned by at least 51% black people	4	
An Enterprise owned by at least 51% black people who are youth (35 years or younger)	4	
An Enterprise owned by at least 51% black people who are women	4	

	Enterprise owned by a black people with a c		4	
Promotion of South African Owned companies through the promotion of local manufacturers- local production and content  Local production and content designated items and designated percentage required to claim preference points:			4	
No	Designated items	Designated percentage		
1	Motors	70		
2	Steel	100		
3	Cement	100		
4	Cables	90		
5	Conveyor belts	100	NB: (Points are allocated only when the bidder meets the	
6	Rubber	100	designated percentage for all listed items)	
7	Transformer II	70	,	
8	Pipes	100		
9	Valves	70		

## **DECLARATION WITH REGARD TO COMPANY/FIRM**

4.3.	Name of company/firm
4.4.	Company registration number:
4.5.	TYPE OF COMPANY/ FIRM
	Partnership/Joint Venture / Consortium One-person business/sole propriety Close corporation Public Company Personal Liability Company (Pty) Limited Non-Profit Company State Owned Company

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
  - i) The information furnished is true and correct;

- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have
  - (a) disqualify the person from the tendering process;
  - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
  - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
  - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
  - (e) forward the matter for criminal prosecution, if deemed necessary.

	SIGNATURE(S) OF TENDERER(S)
SURNAME AND NAME:	<u> </u>
DATE:	
ADDRESS:	

## DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS

This Standard Bidding Document (SBD) must form part of all bids invited. It contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, bidders must study the General Conditions, Definitions, Directives applicable in respect of Local Content as prescribed in the Preferential Procurement Regulations, 2017, the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Summary Schedule), D (Imported Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)].

#### 1. General Conditions

- 1.1. Preferential Procurement Regulations, 2017 (Regulation 8) make provision for the promotion of local production and content.
- 1.2. Regulation 8.(2) prescribes that in the case of designated sectors, organs of state must advertise such tenders with the specific bidding condition that only locally produced or manufactured goods, with a stipulated minimum threshold for local production and content will be considered.
- 1.3. Where necessary, for tenders referred to in paragraph 1.2 above, a two stage bidding process may be followed, where the first stage involves a minimum threshold for local production and content and the second stage price and B-BBEE.
- 1.4. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.5. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286: 2011 as follows:

$$LC = [1 - x / y] * 100$$

## Where

- x is the imported content in Rand
- y is the bid price in Rand excluding value added tax (VAT)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid as indicated in paragraph 4.1 below.

The SABS approved technical specification number SATS 1286:2011 is accessible on http://www.thedti.gov.za/industrial development/ip.jsp at no cost.

1.6		claration Certificate and the Annex C (Local Conten- not submitted as part of the bid documentation;
2.	The stipulated minimum threshold(s A of SATS 1286:2011) for this bid is	s) for local production and content (refer to Annex /are as follows:
	Description of services, works or good	Stipulated minimum threshold
		%
		%
		%
3.	Does any portion of the goods or se have any imported content?  (Tick applicable box)  YES NO	rvices offered
31	prescribed in paragraph 1.5 of the g SARB for the specific currency at 12	e used in this bid to calculate the local content as eneral conditions must be the rate(s) published by 2:00 on the date of advertisement of the bid.
	Indicate the rate(s) of exchange aga (refer to Annex A of SATS 1286:201	ainst the appropriate currency in the table below (1):
	Currency	Rates of exchange
	US Dollar	
	Pound Sterling Euro	
	Yen	
	Other	
	NB: Bidders must submit proof of the	e SARB rate (s) of exchange used.
r		allenges are experienced in meeting the stipulated e dti must be informed accordingly in order for the dti D/AA provide directives in this regard.
		TENT DECLARATION EX B OF SATS 1286:2011)
LEC	BALLY RESPONSIBLE PERSON I ECUTIVE OR SENIOR MEMBER/PER	Y CHIEF FINANCIAL OFFICER OR OTHER NOMINATED IN WRITING BY THE CHIEF RSON WITH MANAGEMENT RESPONSIBILITY
(CL	OSE CORPORATION, PARTNERSHI	P OR INDIVIDUAL)
	OSE CORPORATION, PARTNERSHI	·

NB

- The obligation to complete, duly sign and submit this declaration cannot be transferred to an external authorized representative, auditor or any other third party acting on behalf of the bidder.
- Guidance on the Calculation of Local Content together with Local Content Declaration Templates (Annex C, D and E) is accessible on <a href="http://www.thdti.gov.za/industrial\_development/ip.jsp">http://www.thdti.gov.za/industrial\_development/ip.jsp</a>. Bidders should first complete Declaration D. After completing Declaration D, bidders should complete Declaration E and then consolidate the information on Declaration C. Declaration C should be submitted with the bid documentation at the closing date and time of the bid in order to substantiate the declaration made in paragraph (c) below. Declarations D and E should be kept by the bidders for verification purposes for a period of at least 5 years. The successful bidder is required to continuously update Declarations C, D and E with the actual values for the duration of the contract.

I, the undersigned,	full	na	mes),
do hereby declare, in my capacity as			,
of(nan	e c	of	bidder
entity), the following:			

- (a) The facts contained herein are within my own personal knowledge.
- (b) I have satisfied myself that:
  - (i) the goods/services/works to be delivered in terms of the above-specified bid comply with the minimum local content requirements as specified in the bid, and as measured in terms of SATS 1286:2011; and
- (c) The local content percentage (%) indicated below has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E which has been consolidated in Declaration C:

Bid price, excluding VAT (y)	R
Imported content (x), as calculated in terms of SATS 1286:2011	R
Stipulated minimum threshold for local content (paragraph 3 above)	
Local content %, as calculated in terms of SATS 1286:2011	

If the bid is for more than one product, the local content percentages for each product contained in Declaration C shall be used instead of the table above. The local content percentages for each product has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1

(d) I accept that the Procurement Authority / Institution has the right to request that the local content be verified in terms of the requirements of SATS 1286:2011.

above and the information contained in Declaration D and E.

(e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SATS 1286:2011, may result in the Procurement Authority / Institution imposing any or all of the remedies as provided for in Regulation 14 of the Preferential Procurement Regulations, 2017

promulgated under the Preferential Policy Fr of 2000).	ramework Act (PPPFA), 2000 (Act No. 5
SIGNATURE:	DATE:
WITNESS No. 1	DATE:
WITNESS No. 2	DATE:

## THE NATIONAL TREASURY

## Republic of South Africa



# GOVERNMENT PROCUREMENT: GENERAL CONDITIONS OF CONTRACT

**July 2010** 

## **GOVERNMENT PROCUREMENT**

## GENERAL CONDITIONS OF CONTRACT July 2010

## **NOTES**

The purpose of this document is to:

- (i) Draw special attention to certain general conditions applicable to government bids, contracts and orders; and
- (ii) To ensure that clients be familiar with regard to the rights and obligations of all parties involved in doing business with government.

In this document words in the singular also mean in the plural and vice versa and words in the masculine also mean in the feminine and neuter.

- The General Conditions of Contract will form part of all bid documents and may not be amended.
- Special Conditions of Contract (SCC) relevant to a specific bid, should be compiled separately for every bid (if (applicable) and will supplement the General Conditions of Contract. Whenever there is a conflict, the provisions in the SCC shall prevail.

## TABLE OF CLAUSES

1.	Definitions
2.	Application
3.	General
4.	Standards
5.	Use of contract documents and information; inspection
6.	Patent rights
7.	Performance security
8.	Inspections, tests and analysis
9.	Packing
10.	Delivery and documents
11.	Insurance
12.	Transportation
13.	Incidental services
14.	Spare parts
15.	Warranty
16.	Payment
17.	Prices
18.	Contract amendments
19.	Assignment
20.	Subcontracts
21.	Delays in the supplier's performance
22.	Penalties
23.	Termination for default
24.	Dumping and countervailing duties
25.	Force Majeure
26.	Termination for insolvency
27.	Settlement of disputes
28.	Limitation of liability
29.	Governing language
30.	Applicable law
31.	Notices
32.	Taxes and duties
33.	National Industrial Participation Programme (NIPP)
34.	Prohibition of restrictive practices

#### **General Conditions of Contract**

#### 1. Definitions

- 1. The following terms shall be interpreted as indicated:
- 1.1 "Closing time" means the date and hour specified in the bidding documents for the receipt of bids.
- 1.2 "Contract" means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- 1.3 "Contract price" means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
- 1.4 "Corrupt practice" means the offering, giving, receiving, or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution.
- 1.5 "Countervailing duties" are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
- 1.6 "Country of origin" means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 1.7 "Day" means calendar day.
- 1.8 "Delivery" means delivery in compliance of the conditions of the contract or order.
- 1.9 "Delivery ex stock" means immediate delivery directly from stock actually on hand.
- 1.10 "Delivery into consignees store or to his site" means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
- 1.11 "Dumping" occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the

#### RSA.

- 1.12 "Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 1.13 "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14 "GCC" means the General Conditions of Contract.
- 1.15 "Goods" means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.16 "Imported content" means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.
- 1.17 "Local content" means that portion of the bidding price which is not included in the imported content provided that local manufacture does take place.
- 1.18 "Manufacture" means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.
- 1.19 "Order" means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20 "Project site," where applicable, means the place indicated in bidding documents.
- 1.21 "Purchaser" means the organization purchasing the goods.
- 1.22 "Republic" means the Republic of South Africa.
- 1.23 "SCC" means the Special Conditions of Contract.
- 1.24 "Services" means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such

obligations of the supplier covered under the contract.

1.25 "Written" or "in writing" means handwritten in ink or any form of electronic or mechanical writing.

#### 2. Application

- 2.1 These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.
- 2.2 Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.
- 2.3 Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

#### 3. General

- 3.1 Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a non-refundable fee for documents may be charged.
- 3.2 With certain exceptions, invitations to bid are only published in the Government Tender Bulletin. The Government Tender Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretoria 0001, or accessed electronically from <a href="https://www.treasury.gov.za">www.treasury.gov.za</a>

#### 4. Standards

4.1 The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.

# 5. Use of contract documents and information; inspection.

- 5.1 The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
- 5.2 The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.
- 5.3 Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.
- 5.4 The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.

## 6. Patent rights

6.1 The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

## 7. Performance security

- 7.1 Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.
- 7.2 The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.3 The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms:
  - (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or
  - (b) a cashier's or certified cheque
- 7.4 The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in SCC.

## 8. Inspections, tests and analyses

- 8.1 All pre-bidding testing will be for the account of the bidder.
- 8.2 If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organization acting on behalf of the Department.
- 8.3 If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4 If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5 Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6 Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7 Any contract supplies may on or after delivery be inspected, tested or

analyzed and may be rejected if found not to comply with the requirements of the contract. Such rejected supplies shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirements of the contract. Failing such removal the rejected supplies shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier.

8.8 The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 23 of GCC.

#### 9. Packing

- 9.1 The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the purchaser.

## 10. Delivery and documents

- 10.1 Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The details of shipping and/or other documents to be furnished by the supplier are specified in SCC.
- 10.2 Documents to be submitted by the supplier are specified in SCC.

#### 11. Insurance

11.1 The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the SCC.

## 12. Transportation

12.1 Should a price other than an all-inclusive delivered price be required, this shall be specified in the SCC.

## 13. Incidental services

- 13.1 The supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:
  - (a) performance or supervision of on-site assembly and/or commissioning of the supplied goods;
  - (b) furnishing of tools required for assembly and/or maintenance of the supplied goods;
  - (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;

- (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
- (e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods.
- 13.2 Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.

## 14. Spare parts

- 14.1 As specified in SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:
  - (a) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and
  - (b) in the event of termination of production of the spare parts:
    - (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
    - (ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

#### 15. Warranty

- 15.1 The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.
- 15.2 This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.
- 15.3 The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.
- 15.4 Upon receipt of such notice, the supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.
- 15.5 If the supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, the purchaser may proceed to take

such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

## 16. Payment

- 16.1 The method and conditions of payment to be made to the supplier under this contract shall be specified in SCC.
- 16.2 The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfillment of other obligations stipulated in the contract.
- 16.3 Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.
- 16.4 Payment will be made in Rand unless otherwise stipulated in SCC.

#### 17. Prices

17.1 Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized in SCC or in the purchaser's request for bid validity extension, as the case may be.

## 18. Contract amendments

18.1 No variation in or modification of the terms of the contract shall be made except by written amendment signed by the parties concerned.

## 19. Assignment

19.1 The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.

#### 20. Subcontracts

20.1 The supplier shall notify the purchaser in writing of all subcontracts awarded under this contracts if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.

## 21. Delays in the supplier's performance

- 21.1 Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.
- 21.2 If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.
- 21.3 No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local authority.
- 21.4 The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the

supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.

- 21.5 Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 21.2 without the application of penalties.
- 21.6 Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without canceling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.

#### 22. Penalties

22.1 Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

## 23. Termination for default

- 23.1 The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
  - (a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2;
  - (b) if the Supplier fails to perform any other obligation(s) under the contract; or
  - (c) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 23.2 In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.
- 23.3 Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 23.4 If a purchaser intends imposing a restriction on a supplier or any

person associated with the supplier, the supplier will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated fourteen (14) days the purchaser may regard the intended penalty as not objected against and may impose it on the supplier.

- 23.5 Any restriction imposed on any person by the Accounting Officer / Authority will, at the discretion of the Accounting Officer / Authority, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the Accounting Officer / Authority actively associated.
- 23.6 If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:
  - (i) the name and address of the supplier and / or person restricted by the purchaser;
  - (ii) the date of commencement of the restriction
  - (iii) the period of restriction; and
  - (iv) the reasons for the restriction.

These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.

- 23.7 If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.
- 24. Anti-dumping and countervailing duties and rights
- 24.1 When, after the date of bid, provisional payments are required, or antidumping or countervailing duties are imposed, or the amount of a
  provisional payment or anti-dumping or countervailing right is
  increased in respect of any dumped or subsidized import, the State is
  not liable for any amount so required or imposed, or for the amount of
  any such increase. When, after the said date, such a provisional
  payment is no longer required or any such anti-dumping or
  countervailing right is abolished, or where the amount of such
  provisional payment or any such right is reduced, any such favourable
  difference shall on demand be paid forthwith by the contractor to the
  State or the State may deduct such amounts from moneys (if any)
  which may otherwise be due to the contractor in regard to supplies or
  services which he delivered or rendered, or is to deliver or render in
  terms of the contract or any other contract or any other amount which

may be due to him

## 25. Force Majeure

- 25.1 Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.
- 25.2 If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

## 26. Termination for insolvency

26.1 The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

## 27. Settlement of Disputes

- 27.1 If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.
- 27.2 If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
- 27.3 Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.
- 27.4 Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SCC.
- 27.5 Notwithstanding any reference to mediation and/or court proceedings herein,
  - (a) the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and
  - (b) the purchaser shall pay the supplier any monies due the supplier.

## 28. Limitation of liability

- 28.1 Except in cases of criminal negligence or willful misconduct, and in the case of infringement pursuant to Clause 6;
  - (a) the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and

(b) the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

## 29. Governing language

29.1 The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.

## 30. Applicable law

30.1 The contract shall be interpreted in accordance with South African laws, unless otherwise specified in SCC.

#### 31. Notices

- 31.1 Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice
- 31.2 The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.

## 32. Taxes and duties


- 32.1 A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.
- 32.2 A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.
- 32.3 No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate, submitted by the bidder. This certificate must be an original issued by the South African Revenue Services.

# 33. National Industrial Participation (NIP) Programme

33.1 The NIP Programme administered by the Department of Trade and Industry shall be applicable to all contracts that are subject to the NIP obligation.

## 34 Prohibition of Restrictive practices

- 34.1 In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder (s) is / are or a contractor(s) was / were involved in collusive bidding (or bid rigging).
- 34.2 If a bidder(s) or contractor(s), based on reasonable grounds or evidence obtained by the purchaser, has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in the Competition Act No. 89 of 1998.



Js General Conditions of Contract (revised July 2010)