

DEPARTMENT OF HEALTH
PORT SHEPSTONE PSYCHIATRIC WARD
SANWARE SCHEDULE

1518 - 404 – F

GENERAL NOTES







1. The Contractor is required to check that none of the pages are missing or duplicated. If any part of this Schedule is indistinct or contains any obvious errors, he must make written application to the Architects to have such errors rectified.







ARTEK4 ARCHITECTS
REGISTERED ARCHITECTS

23 August 2024

20.8.24	Rev F. Quantities S29. S34 . S35 . S36
23.8.24	Rev G. Quantities S25 added

S1. WHB 1	LOCATION: DISPENSARY, SLUICE ROOMS, CONSULTING ROOMS, COUNSELLING ROOMS, TREATMENT ROOMS, KITCHENS, NURSES STATIONS, ISOLATION ROOMS, ANTE ROOMS	
IMAGE	QTY	DESCRIPTION
	Total refer index 48 - Items per fitting 1	Vaal Sola Medical basin - Wall-hung - White Semi-rectangular medical basin with 3 punched tapholes, no overflow or chain stay hole. Dimensions : 490LX575WX210H.
	1	Cobra Medical tap - Basin Mixer WT Swivel spout 15mm CP Heavy Pattern Medical elbow-action, wall-type mixer, chrome. Includes: 1/4 turn ceramic disc, 1/2 BSP male inlet, aerated swan-neck swivel outlet, fixed centre bent inlet connections swivel outlet. Comes with 4.5l/min flow restrictor SANS 226 Type 2. (Product code: COB-515/055-21/HP)
	1	Waste - Basin Unslotted. With flanged back nut and washer, and plug. 62mm Ø flange, 77mm long shank. 1 1/4BSP Male iron connection end. Code 308/N
	1	Vaal Fixation - Chrome 10mm fixing bolt set - set of 2. (Product code: 8448Z000/N)
	1	Vaal Fixation - White Concealed bracket. (Product code: 8131Z300/N)
	1	Cobra Bottle Trap - Chrome Universal Bottle trap. With adjustable telescopic waste connection pipe. 1 1/4BSP female inlet connection. 1 1/4BSP male iron outlet connection. Brass body. Comes with waste adaptor 1 1/4 to 1 1/2 BSP & outlet adaptors 1 1/4 & 1 1/2. Maximum flow rate +/- 37.5 l/min for trap alone, with Cobra pop-up waste, the flow rate is +/- 35.5 l/min. Code 340/N

S2. WHB 2		LOCATION: GUARD HOUSE TOILET, ASSETS ABLUTIONS, OPD ABLUTIONS, ADMISSIONS ABLUTIONS, CLINICAL & SUPPORT ABLUTIONS, STAFF ABLUTIONS
IMAGE	QTY	DESCRIPTION
	Total refer index 23 - Items per fitting 1	Vaal Daisy Round wall hung basin. Dimensions: 415mm long, 495mm wide, 200mm high. 3 X pre-punched tap holes. With overflow.
	1	Vaal Fixation - Chrome 10mm fixing bolt set - set of 2. (Product code: 8448Z000/N)
	1	Cobra basin demand, pillar tap Demand pillar tap, chrome. Includes: pushbutton, raised nose, hot and cold indices, 1/2 BSP male inlet, and flanged backnut. An excellent water-saving product, and can be easily installed in place of conventional taps. SANS 1808-66.
	1	Cobra Waste - Chrome plated Slotted. With flanged back nut and washer, and plug. 62mm \varnothing flange, 77mm long shank. 1 1/4BSP Male iron connection end. (Product code: SKU:303/N)
	1	Cobra Bottle Trap - Chrome Universal Bottle trap. With adjustable telescopic waste connection pipe. 1 1/4BSP female inlet connection. 1 1/4BSP male iron outlet connection. Brass body. Comes with waste adaptor 1 1/4 to 1 1/2 BSP & outlet adaptors 1 1/4 & 1 1/2. Maximum flow rate +/- 37.5 l/min for trap alone, with Cobra pop-up waste, the flow rate is +/- 35.5 l/min. Code 340/N
	1	Cobra 232-10/N Angle stop valve - Chrome Angle regulating valve with durable ABS handle, DZR body, flow regulating spindle type headpart G1/2 X G1/2 BSP connections. Including 350mm SABS braided flexi hose. (FxF - 15x350mm)

S3. WHB 3		LOCATION: ASSETS DISABLED TOILET, OPD DISABLED TOILETS, ADMISSIONS DISABLED TOILET, CLINICAL & SUPPORT DISABLED TOILETS, STAFF DISABLED TOILETS
IMAGE	QTY	DESCRIPTION
	Total refer index 11 - Items per fitting 1	Vaal Daisy Round wall hung basin. Dimensions: 415mm long, 495mm wide, 200mm high. 3 X pre-punched tap holes. With overflow.
	1	Vaal Fixation - Chrome 10mm fixing bolt set - set of 2. (Product code: 8448Z000/N)
	1	Cobra Tap – 15mm heavy Pattern Blue Pillar tap - Chrome Heavy Pattern Medical elbow-action, square-type pillar tap, chrome. Includes: 1/4 turn ceramic disc, blue indice, 1/2 BSP male inlet, and flanged backnut. Ideal for medical, kitchen and industrial installations. Comes with 4.5l/min flow restrictor SANS 226 Type 2. (Product code: COB-505-21B/HP)
	1	Cobra Waste - Chrome plated Slotted. With flanged back nut and washer, and plug. 62mm \varnothing flange, 77mm long shank. 1 1/4BSP Male iron connection end. (Product code: SKU:303/N)
	1	Cobra Bottle Trap - Chrome Universal Bottle trap. With adjustable telescopic waste connection pipe. 1 1/4BSP female inlet connection. 1 1/4BSP male iron outlet connection. Brass body. Comes with waste adaptor 1 1/4 to 1 1/2 BSP & outlet adaptors 1 1/4 & 1 1/2. Maximum flow rate +/- 37.5 l/min for trap alone, with Cobra pop-up waste, the flow rate is +/- 35.5 l/min. Code 340/N
	1	Cobra 232-10/N Angle stop valve - Chrome Angle regulating valve with durable ABS handle, DZR body, flow regulating spindle type headpart G1/2 X G1/2 BSP connections. Including 350mm SABS braided flexi hose. (FxF - 15x350mm)







S4. WHB 4





LOCATION:



FEMALE & MALE WARD ABLUTIONS, FEMALE & MALE ACUTE SINGLE BEDROOMS, FEMALE & MALE SECLUSION ROOMS, FEMALE & MALE ISOLATION ROOM EN-SUITES, FEMALE & MALE DINING/LOUNGES

IMAGE	QTY	DESCRIPTION
	Total refer index 34 - Items per fitting 1	<p>HDSWMB – Heavy Duty surround Wash Hand Basin</p> <p>Franke Surround Wall Mount Basin 390x322x600mm with a 150mm splash back manufactured from Grade 304 (18/10) Stainless Steel 1.2mm gauge in a satin finish. The unit has a pressed bowl 360x280x140mm deep and a polished outer casing with a 40 degree angled base with an inspection panel with security screws. Unit complete with a 40mm perforated waste outlet. Basin supplied with four 8mmx250mm long galvanised mild steel treaded rods for fixed through the wall.</p> <p>Includes:</p> <ul style="list-style-type: none"> - Walcro 155UWS Metering Basin Valve - Walcro BBD/15 Basin Spout <p>(Product code: 2520023)</p>
	1	<p>Waste - Basin</p> <p>Unslotted. With flanged back nut and washer, and plug. 62mm A~ flange, 77mm long shank. 1 1/4BSP Male iron connection end. Code 308/N</p>
	1	<p>Cobra Bottle Trap - Chrome</p> <p>Universal Bottle trap. With adjustable telescopic waste connection pipe. 1 1/4BSP female inlet connection. 1 1/4BSP male iron outlet connection. Brass body. Comes with waste adaptor 1 1/4 to 1 1/2 BSP & outlet adaptors 1 1/4 & 1 1/2. Maximum flow rate +/- 37.5 l/min for trap alone, with Cobra pop-up waste, the flow rate is +/- 35.5 l/min. Code 340/N</p>
	1	<p>Cobra 232-10/N Angle stop valve - Chrome</p> <p>Angle regulating valve with durable ABS handle, DZR body, flow regulating spindle type headpart G1/2 X G1/2 BSP connections. Including 350mm SABS braided flexi hose. (FxF - 15x350mm)</p>





S5. WHB 5		LOCATION: CLEAN UTILITIES
IMAGE	QTY	DESCRIPTION
	Total refer index 2 - Items per fitting 1	<p>Franke Oval A – Wall Mounted Wash Hand Basin</p> <p>Franke Model Oval A Wash Hand Basins, 420x340x185mm deep. Unit to be manufactured from Grade 304 (18/10) Stainless Steel, 1,2mm gauge. Unit to include a one piece pressed bowl, 360x280x130mm deep with a 40mm waste outlet, with a 50mm splashback and 100mm radiused apron. Basin to be fixed to the wall with 4 x 6mm anchor bolts (bolts elsewhere measured).</p> <p>- Grade 304 (18/10) polished (Product code: 2520029)</p>
	1	<p>Cobra Medical tap - Basin Mixer WT Swivel spout 15mm CP</p> <p>Heavy Pattern Medical elbow-action, wall-type mixer, chrome. Includes: 1/4 turn ceramic disc, 1/2 BSP male inlet, aerated swan- neck swivel outlet, fixed centre bent inlet connections swivel outlet. Comes with 4.5l/min flow restrictor SANS 226 Type 2. (Product code: COB-515/055-21/HP)</p>
	1	<p>Waste - Basin</p> <p>Unslotted. With flanged back nut and washer, and plug. 62mm $\tilde{\sim}$ flange, 77mm long shank. 1 1/4BSP Male iron connection end. Code 308/N</p>
	1	<p>Cobra Bottle Trap - Chrome</p> <p>Universal Bottle trap. With adjustable telescopic waste connection pipe. 1 1/4BSP female inlet connection. 1 1/4BSP male iron outlet connection. Brass body. Comes with waste adaptor 1 1/4 to 1 1/2 BSP & outlet adaptors 1 1/4 & 1 1/2. Maximum flow rate +/- 37.5 l/min for trap alone, with Cobra pop-up waste, the flow rate is +/- 35.5 l/min. Code 340/N</p>
	1	<p>Cobra 232-10/N Angle stop valve - Chrome</p> <p>Angle regulating valve with durable ABS handle, DZR body, flow regulating spindle type headpart G1/2 X G1/2 BSP connections. Including 350mm SABS braided flexi hose. (FxF - 15x350mm)</p>

S6. SINK1		LOCATION: ASSETS TEA KITCHEN, KITCHEN HATCHES, STAFF KITCHEN
IMAGE	QTY	DESCRIPTION
	Total refer index 7 - Items per fitting 1	Franke Trendline SEB Sink - Stainless steel 900mm x 535mm x 166mm single bowl sink. (Product code:711)
	1	Cobra Nile Sink Mixer – Pillar Type Nile pillar type sink mixer single lever flow rate restricted to 6 ltrs/ min G1/2 female connection ends chrome. Jaswic Approved (Product code: NL-970)
	1	Waste - Sink With flanged back nut and washer, plug with stirrup. 86mm Ø flange, 93mm long shank. 1 1/2BSP Male iron connection end. Code 311/N
	1	Franke Spazi F/1 Plumbing kit Single bowl plumbing kit. (Product code: 112.0312.025)
	1	Franke Hydroboil - White White epoxy 5 litre zip hydroboil - 25-30 cups.
	2	Cobra 232-10/N Angle stop valve - Chrome Angle regulating valve with durable ABS handle, DZR body, flow regulating spindle type headpart G1/2 X G1/2 BSP connections. Including 350mm SABS braided flexi hose. (FxF - 15x350mm)





S7. SINK2		LOCATION: TREATMENT ROOMS, CLEANERS ROOMS
IMAGE	QTY	DESCRIPTION
	Total refer index 6 - Items per fitting 1	Franke Trendline SEB Sink - Stainless steel 900mm x 535mm x 166mm single bowl sink. (Product code:711)
	1	Cobra Medical tap - Chrome Medical elbow-action, wall-type mixer. Includes ¼" turn ceramic disc, ½" BSP male inlet, aerated swan-neck swivel outlet, fixed centre bent inlet connections, and hook for swivel outlet. SANS 226 Type 2. (Product code: COB-515/055-21)-970LH)
	1	Waste - Sink With flanged back nut and washer, plug with stirrup. 86mm Ø flange, 93mm long shank. 1 1/2BSP Male iron connection end. Code 311/N
	1	Franke Spazi F/1 Plumbing kit Single bowl plumbing kit. (Product code: 112.0312.025)
	2	Cobra 232-10/N Angle stop valve - Chrome Angle regulating valve with durable ABS handle, DZR body, flow regulating spindle type headpart G1/2 X G1/2 BSP connections. Including 350mm SABS braided flexi hose. (FxF - 15x350mm)

S8. SINK3		LOCATION: STAFF KITCHEN/DINING
IMAGE	QTY	DESCRIPTION
	Total refer index 2 - Items per fitting 1	Franke Trendline SEB Sink - Stainless steel 1200mm x 535mm x 166mm single bowl sink. (Product code:712)
	1	Cobra Nile Sink Mixer – Deck Type (Product code: SKU: FSK1D1NI-0GT0426)
	2	Waste - Sink With flanged back nut and washer, plug with stirrup. 86mm Ø flange, 93mm long shank. 1 1/2BSP Male iron connection end. Code 311/N
	1	Franke Spazi F/2 Plumbing kit Double bowl plumbing kit. (Product code: 112.0166.438)
	1	Franke Hydroboil - White White epoxy 5 litre zip hydroboil - 25-30 cups.
	2	Cobra 832/850F Angle stop valve - Chrome Angle stop valve. Including 350mm braided flexi hose. (Product code: 007636)

S9. DS		LOCATION: CLEANERS ROOM
IMAGE	QTY	DESCRIPTION
DS1 	Total refer index 2 - Items per fitting 1	Franke LDS Drip sink - Stainless steel Drip sink with grid & stainless steel falcon brackets. (Product code: 2630026)
DS2 	1	Cobra Metsi Bibtap – Chrome plated (Product code: SKU: MI-206-15)
	1	Waste - Sink With flanged back nut and washer, plug with stirrup. 86mm Ø flange, 93mm long shank. 1 1/2BSP Male iron connection end. Code 311/N
	2	Cobra 832/850F Angle stop valve - Chrome Angle stop valve. Including 350mm braided flexi hose. (Product code: 007636)

S10. SL		LOCATION: SLUICE ROOM
IMAGE	QTY	DESCRIPTION
SL3 	Total refer index 4 - Items per fitting 1	Franke CH Slop hopper - Stainless steel Slop hopper with 100mm splash back & stainless-steel grid. (Product code: 2630035)
	1	Cobra Flush Valve – Chrome Cobra Flush Master exposed back inlet flush valve for Slop Hopper. (Product code: SKU: FFUUSTFM-0GT01)
SL4 	1	Franke EC Combination Bedpan & wash-up sink - Stainless steel Unit combination bedpan & wash-up sink left hand bowl. (Product code: 2630001)
SL5 	2	Franke BR6 Rack - Stainless steel Rack for 6 pans / 6 wash bowls & 7 bottle urinals. (Product code: 2630020)



S14. SHR		LOCATION: FEMALE & MALE PATIENT ABLUTIONS.
IMAGE	QTY	DESCRIPTION

	<p>Total refer index 10 Items per fitting 1</p>	<p>Walcro Shower head - Stainless steel</p> <p>Vandal resistant shower head. Inlet connection: 15mm BSP female. Flow range: 6L/min to 9L/min. Minimum pressure: 1 bar. Strainer: Internal, removable for cleaning. (Product code: CIRS-V2)</p>
	<p>1</p>	<p>Walcro Shower button - Stainless steel</p> <p>Vandal resistant metered shower valve. Valve includes stainless steel sleeve around shower button. (Product code: 155S)</p>
	<p>1</p>	<p>Cobra Pre-mixing valve - Stainless steel</p> <p>Mechanic pre-mixing valve to manually regulate water temperature. (Product code: SKU:EL-X60)</p>
		<p>Shower trap – Refer to Sanware item S37</p> <p>Stainless steel floor drain with secure grating.</p>
	<p>1</p>	<p>Shower curtain - PVC</p> <p>200mm wide x 2mm thick PVC strip curtains, supplied with stainless steel mounting strips, wall brackets, bolts, nuts and washers. Strips to be header/lintel mounted and installed in a lap pattern. Colour – Blue.</p>



S15. WC1

LOCATION:



ASSETS FEMALE & MALE ABLUTIONS, OPD FEMALE & MALE ABLUTIONS, ADMISSIONS FEMALE & MALE ABLUTIONS, CLINICAL & SUPPORT FEMALE

		& MALE ABLUTIONS, STAFF FEMALE & MALE ABLUTIONS
IMAGE	QTY	DESCRIPTION
	Total refer index 18 Items per fitting 1	Geberit Selnova wall-hung WC Code – 500.265.01.1 Geberit Selnova WC seat Code - 500.331.01.1
	1	Cobra prison type toilet valve - Stainless steel Concealed type, back entry toilet flush valve with prison secure push button flush activation. Includes connector. (Product code: SKU:KF3-420)

Part S15.E025		LOCATION: GENERAL USE STAFF AND PUBLIC TOILETS
IMAGE	QTY	DESCRIPTION
	Total refer index Per S15: 18	Franke RODX672 Double toilet roll holder with spindle system for wall mounting, 0.8 mm Stainless Steel, surface satin finished. Folded front cover. Cylinder lock with Franke standard key. For 2 rolls with max. Ø 120 mm, second roll will be released after consumption of first roll, reserve roll not visible, includes Stainless Steel screws and dowels. 301mm x 144mm x 138mm wall mounted double toilet roll holder. (Product code: 2120101)

S16. WC2		LOCATION: ASSETS DISABLED TOILET, OPD DISABLED TOILETS, CLINICAL & SUPPORT DISABLED TOILETS, STAFF DISABLED TOILETS
IMAGE	QTY	DESCRIPTION
	Total refer index 11 Items per fitting 1	Geberit Selnova comfort wall-hung WC, large projection, barrier free, rim free Code 500.262.01.1 Geberit Selnova Comfort WC seat, barrier-free, antibacterial code 501.559.01.1
	1	Cobra prison type toilet valve - Stainless steel Concealed back entry. Non-hold open feature. With integral vacuum breaker, and 'Ball O Stop control inlet. Straight flushpipe with elbow, 3/4BSP female iron connection end (Product code: FJ4-203/N)

Part S16.TRH001		LOCATION: PARAPLEGIC PUBLIC / STAFF TOILETS
IMAGE	QTY	DESCRIPTION
	Total refer index Per S16: 11	Franke RODX672E Double toilet roll holder with spindle system for recessed mounting, 0.8 mm Stainless Steel, surface satin finished. Folded front cover. Cylinder lock with Franke standard key. For 2 rolls with max. Ø 120 mm, second roll will be released after consumption of first roll, reserve roll not visible, includes Stainless Steel screws and dowels. 341mm x 184mm x 138mm Recessed double toilet roll holder. (Product code: 2120102)

S17. WC3		LOCATION: FEMALE & MALE WARD ABLUTIONS, FEMALE & MALE SINGLE BEDROOMS
IMAGE	QTY	DESCRIPTION
	Total refer index 17 Items per fitting 1	Franke CMPX592 WC - Wall mounted - Stainless steel 360mm x 550mm x 350mm Wall-mounted vandal proof WC pan with a shroud with corner mounting gussets and 10mm nuts and to be supplied with galvanised mild steel threaded rods for securing the pan through the wall. Compliant with SABS 1733:1998 and SABS 497:1991 WC pan to flush with 4 and 6 litres of water. Pan to withstand point load of 400kg as per international standards. (Product code: 356109)
	1	Cobra prison type toilet valve - Stainless steel Code - FJ4-203PR/N Concealed back entry. Institutional version. Non-hold open feature. With integral vacuum breaker, and 'Ball O Stop control inlet. Capillary reducing coupling outlet for 28mm copper flushpipes, Through the wall vandal resistant guide tube, pushrod and captive linkage, pushbutton assembly and rubber pan connector. 3/4BSP female iron connection end. CP pushbutton assembly



S18. WC4		LOCATION: FEMALE & MALE WARD DISABLED ABLUTIONS, FEMALE & MALE ISOLATION ROOM EN-SUITES, FEMALE & MALE DINING/LOUNGE TOILETS
IMAGE	QTY	DESCRIPTION
	Total refer index 8 Items per fitting 1	Franke HDTX594 WC - Wall mounted - Stainless steel 360mm x 700mm x 350mm Wall-mounted vandal proof WC pan with a shroud with corner mounting gussets and 10mm nuts and to be supplied with galvanised mild steel threaded rods for securing the pan through the wall. Compliant with SABS 1733:1998 and SABS 497:1991 WC pan to flush with 4 and 6 litres of water. Pan to withstand point load of 400kg as per international standards. (Product code: 356116)
	1	Cobra prison type toilet valve - Stainless steel Code - FJ4-203PR/N Concealed back entry. Institutional version. Non-hold open feature. With integral vacuum breaker, and 'Ball O Stop control inlet. Capillary reducing coupling outlet for 28mm copper flushpipes, Through the wallvandal resistant guide tube, pushrod and captive linkage, pushbutton assembly and rubber pan connector. 3/4BSP female iron connection end. CP pushbutton assembly










IMAGE	QTY	DESCRIPTION
	1	Franke "Paraplegic Model CNTXPAR" 300 x 96 x 300mm grab rail manufactured from 18/10 stainless steel, satin finish to prevent slipping, with 31,8mm diameter. Certified product. Includes screws and dowels. (Product code: 359885)

IMAGE	QTY	DESCRIPTION
	1	Franke "Straight Model CNTX750" 750 x 95mm straight grab rail manufactured from 18/10 stainless steel, satin finish to prevent slipping, with 31,8mm diameter. Certified product. Includes screws and dowels. (Product code: 359874)




Part S17/18/19. SAN063		LOCATION: SECLUSION ROOM + PSYCHIATRIC SINGLE WARD ROOMS
IMAGE	QTY	DESCRIPTION
	Total refer index Per S17+ S18+ S19: 27	Franke recessed type toilet roll holder , 2.0 mm Stainless Steel, surface satin finished. 118Øx110mm manufactured from Grade 304 (18/10) Stainless Steel, 2mm gauge. Unit with 20mm ange and 2 o x M10 treaded rods for bolting the unit through the wall. 155Øx260mm Recessed toilet roll holder. (Product code: 2120037)


S19. WC5		LOCATION: FEMALE & MALE SECLUSION ROOMS
IMAGE	QTY	DESCRIPTION
	Total refer index 2 Items per fitting 1	Franke HDTX597 WC - Wall & floor mounted - Stainless steel 360mm x 550mm x 410mm Wall & floor mounted vandal proof WC pan with a pressed flushing rim and integral "P" trap with a 102mm outlet pipe and a 60mm back entry inlet pipe to suit a rubber flush inlet sealing bung. Unit to include a shroud, with internal flanges for securing the pan through the wall and into the floor with anchor bolts. Compliant with SABS 1733:1998 and SABS 497:1991 WC pan to flush with 4 and 6 litres of water. Pan to withstand point load of 400kg as per international standards. (Product code: 356082)
	1	Cobra prison type toilet valve - Stainless steel Concealed type, back entry toilet flush valve with prison secure push button flush activation. Includes connector. (Product code: SKU:KF3-420)


S20. UR1		LOCATION: OPD MALE ABLUTION, ADMISSIONS MALE ABLUTION, CLINICAL & SUPPORT MALE ABLUTION, STAFF MALE ABLUTION
IMAGE	QTY	DESCRIPTION
	Total refer index 6 Items per fitting 1	Cobra Snug Urinal - Wall-hung - White Code - 705600WH Anti-splash flushing design with an efficient 1.9L flush. Convenient top entry installation. Compact concealed trapway. Suitable for commercial use. P-trap, hanging bracket set, braided hose 254mm and top inlet connection G1/2 included
	1	Cobra Flush valve - Chrome 115mm x 50mm exposed flush valve. Includes 3/4" control inlet, wall flange, additional toilet piston screw, and non-hold open feature. SANS 1240, JASWIC-listed. (Product code: COB-FJ6-000/N)
	1	Cobra Flush pipe - Chrome Offset urinal flush pipe, 215mm long x 15mm outlet with 27mm offset. For urinal flush, including inlet adaptor for urinal flush valves. (COB-FJT5-5)
	1	Urinal Flush Valve Concealed. Non-hold open feature. Econoflush with 'Ball O Stop control inlet, palm press pushbutton assembly with pushrod and captive linkage and straight urinal tail pipe. 3/4BSP female iron connection end. Code. FJ8-102/N
	1	Cobra Bottle Trap - Chrome Universal Bottle trap. With adjustable telescopic waste connection pipe. 1 1/4BSP female inlet connection. 1 1/4BSP male iron outlet connection. Brass body. Comes with waste adaptor 1 1/4 to 1 1/2 BSP & outlet adaptors 1 1/4 & 1 1/2. Maximum flow rate +/- 37.5 l/min for trap alone, with Cobra pop-up waste, the flow rate is +/- 35.5 l/min. Code 340/N


S21. UR2



LOCATION:
MALE WARD ABLUTIONS


IMAGE	QTY	DESCRIPTION
	Total refer index 3 Items per fitting 1	<p>Franke Barron Bowl Urinal</p> <p>Franke Model SBE (Back Entry Inlet) Barron Bowl Urinal, 316mm x 425mm x 241mm. Unit to be complete with 40mm waste outlet with a pressed perforated Stainless Steel grid and a chrome plated button spreader with a 15mm thick mounting plate with two key hole slots for mounting the unit to the wall. (Bolts to be elsewhere measured. (Product code: 2540055)</p>
	1	<p>Cobra Bottle Trap - Chrome</p> <p>Universal Bottle trap. With adjustable telescopic waste connection pipe. 1 1/4BSP female inlet connection. 1 1/4BSP male iron outlet connection. Brass body. Comes with waste adaptor 1 1/4 to 1 1/2 BSP & outlet adaptors 1 1/4 & 1 1/2. Maximum flow rate +/- 37.5 l/min for trap alone, with Cobra pop-up waste, the flow rate is +/- 35.5 l/min. Code 340/N</p>
	1	<p>Urinal Flush Valve</p> <p>Concealed. Non-hold open feature. Econoflush with 'Ball O Stop control inlet, palm press pushbutton assembly with pushrod and captive linkage and straight urinal tail pipe. 3/4BSP female iron connection end. Code. FJ8-102/N</p>

S22. E-014		LOCATION: ASSETS ABLUTIONS, OPD ABLUTIONS, ADMISSIONS ABLUTIONS, CLINICAL & SUPPORT ABLUTIONS, STAFF ABLUTIONS, CONSULTING ROOMS, COUNSELLING ROOMS, TREATMENT ROOMS, DISPENSARY, SLUICE ROOMS, CLEAN UTILITIES, KITCHEN HATCHES, NURSES STATIONS
IMAGE	QTY	DESCRIPTION
	Total refer index 50	Franke STRX618 Soap dispenser - Stainless steel 304mm x 100mm x 134mm Surface mounted soap dispenser. (Product code: 2120041)


S23. E-014		LOCATION: STAFF AND PUBLIC ABLUTIONS
IMAGE	QTY	DESCRIPTION
	Total refer index 36	Franke RODX619 Soap dispenser for wall mounting, 0.8 mm Stainless Steel, surface satin finished, folded front cover. Cylinder lock with Franke standard key, suitable for liquid soaps and lotions, 1 litre soap tank, push button on front, includes Stainless Steel screws and dowels. 200mm x 140mm x 85mm wall mounted soap dispenser. (Product code: 2120095)


S24.		LOCATION: FEMALE & MALE WARD SINGLE BED WARDS and COMMON ABLUTIONS
IMAGE	QTY	DESCRIPTION
	Total refer index 34	Franke recessed type toilet roll holder, 2.0 mm Stainless Steel, surface satin finished. 118Øx110mm manufactured from Grade 304 (18/10) Stainless Steel, 2mm gauge. Unit with 20mm ange and 2 o x M10 treaded rods for bolting the unit through the wall. 155Øx260mm Recessed toilet roll holder. (Product code: 2120037)


S25. E-020		LOCATION: CONSULTING, ISOLATION, TREATMENT, DISPENSARY ROOMS
IMAGE	QTY	DESCRIPTION
	17	Basterfield PPE dispenser: Single PPE Dispenser Large Stainless Steel Grade 304 . code B30840(SL-109) size. 250mm length x 170mm width x 220mm height
	17	Basterfield Glove dispenser: Two Compartment Glove Dispenser with hinged lid and slots. Stainless Steel Grade 304, code B30846(DL-109) 620mm L X 185mm W X 610mm Suitable For Packets 11" X 6"


S26. E-020		LOCATION: ASSETS ABLUTIONS, OPD ABLUTIONS, ADMISSIONS ABLUTIONS, CLINICAL & SUPPORT ABLUTIONS, STAFF ABLUTIONS, CONSULTING ROOMS, COUNSELLING ROOMS, TREATMENT ROOMS, DISPENSARY, SLUICE ROOMS, CLEAN UTILITIES, KITCHEN HATCHES, NURSES STATIONS
IMAGE	QTY	DESCRIPTION
	96	Franke RODX600 Paper towel dispenser - Stainless steel Surface mounted paper towel dispenser. (Product code: 2120099)


S27 F-014		LOCATION: ASSETS ABLUTIONS, OPD ABLUTIONS, ADMISSIONS ABLUTIONS, CLINICAL & SUPPORT ABLUTIONS, STAFF ABLUTIONS, CONSULTING ROOMS, COUNSELLING ROOMS, TREATMENT ROOMS, DISPENSARY, SLUICE ROOMS, CLEAN UTILITIES, KITCHEN HATCHES, NURSES STATIONS
IMAGE	QTY	DESCRIPTION
	106	Franke CHRH401 Mirror - Stainless steel 18/10 Stainless steel 400mm x 300mm x 1mm stainless steel wall-mounted mirror with reflective polished surface and concealed fixings. Reinforced with polystyrene plate, includes steel screws and dowels. (Product code: 2120077)


S28		LOCATION: FEMALE & MALE WARD DISABLED SHOWER
IMAGE	QTY	DESCRIPTION
	6	Franke Shower seat - Stainless steel (Disabled showers only) 484mm x 526mm fold down shower seat manufactured from grade 304 stainless steel, white battens made from Polyethylene, round corners. (Product code: CNTX400A)

S30		LOCATION: PARAPLEGIC PUBLIC / STAFF TOILETS
IMAGE	QTY	DESCRIPTION
	Total refer index 20	Vaal Grab rail - Stainless steel satin 670mm x 246mm cistern grab rail for pearl paraplegic suite. (Product code: VAA-SR2A)


S31		LOCATION: PARAPLEGIC PUBLIC / STAFF TOILETS + SHOWERS
IMAGE	QTY	DESCRIPTION
	Total refer index 25	Vaal Grab rail - Stainless steel satin 300mm x 300mm x 300mm dogleg grab rail with 2 flanges. (Product code: VAA-DL2)


S32		LOCATION: WARD TOWEL HOOK
IMAGE	QTY	DESCRIPTION
	Total refer index 22	Cranium Anti-Ligature wall hook. Brushed s/steel finish. Code CCH01 Range IBEX


S33		LOCATION: PUBLIC BABY CHANGE TABLE
IMAGE	QTY	DESCRIPTION
	Total refer index 1	Rubbermaid Baby Changing Station Horizontal. Medicare Medical equipment code. 781888 high-density polypropylene fabrication. Size 840 x 540mm

S34. E-003		LOCATION: ASSETS ABLUTIONS, OPD ABLUTIONS, ADMISSIONS ABLUTIONS, CLINICAL & SUPPORT ABLUTIONS, STAFF ABLUTIONS, CONSULTING ROOMS, COUNSELLING ROOMS, TREATMENT ROOMS, DISPENSARY, SLUICE ROOMS, CLEAN UTILITIES, KITCHEN HATCHES, NURSES STATIONS
IMAGE	QTY	DESCRIPTION
	76	Medical Innovations Medical refuse bag holder Epoxy coated steel frame. Code 275-00

S35. Bin		LOCATION: STAFF AND PUBLIC SANITARY TOWEL DISPOSAL BINS
IMAGE	QTY	DESCRIPTION
	Total refer index 20	Franke Sanitary towel disposal - Stainless steel 18/10 Stainless steel X00mm x x00mm x xmm stainless steel wall-mounted , includes steel screws and dowels. (Product code: 2120070)

S29.S36. Shelf		LOCATION: STAFF AND PUBLIC DISABLED ABLUTIONS. ISOLATION, ANTE ROOM
IMAGE	QTY	DESCRIPTION
	Total refer index 13	Kwikot Z Series Shelving (solid shelves on wall band rails) From Grade 304 (18/10) Stainless Steel 1,2mm shelf code SSZSS-900-300 Solid on wall bands code SSWBDZ-1000 double slotted

S37. Floor drain		LOCATION: WARD ABLUTIONS, SLUICES, SINGLE WARD ROOMS
IMAGE	QTY	DESCRIPTION
	Total refer index 32	HB125 SQUARE FLANGE FLOOR DRAIN The HERBISH® HB125 floor drain, 150X150Square flange with Standard s/steel scew down grating lid. Bottom 50mm outlet, with 110mm s/steel drain body diameter.

S38. Bin		LOCATION: PUBLIC AND STAFF GENERAL ABLUTIONS
IMAGE	QTY	DESCRIPTION
	Total refer index 20	Franke RODX605 Waste disposal bin - Stainless steel 18/10 Stainless steel X00mm x x00mm x xmm stainless steel wall-mounted , includes steel screws and dowels. (Product code: 2120097)