



OKHAHLAMBA
 LOCAL MUNICIPALITY • UMKHANDLU WENDAWO
 Home of Heritage and Tourism

BID DOCUMENT

CONTRACT NO		8/1/1/4/9 SOC01/2026	
TENDER DESCRIPTION		REPAIRS AND MAINTENANCE OF CCTV CAMERAS AND QUEUING SYSTEM FOR THE PERIOD THREE YEARS	
CLOSING TIME	12H00	CLOSING DATE	01 April 2026
Tender Box: OKHAHLAMBA LOCAL MUNICIPALITY 259 KINGSWAY STREET MUNICIPAL BUILDING BERGVILLE 3350		NB: 1. All bids must be submitted on the official forms (not to be re-typed) 2. Bids must be completed in black ink in writing 3. No bids will be considered from persons in the service of the state	
Name of Bidder:			
Total Bid Price (Refer to pricing schedule on page 48)			
Prepared and Issued by: Directorate: Social and economic development department OKHAHLAMBA LOCAL MUNICIPALITY P.O. BOX 71, BERGVILLE, 3350		For technical enquiries, contact: X Sibaya at Tel: 078 389 7744/036 448 1066, e-mail: xolani.sibaya@okhahlamba.gov.za	

1. INDEX TO BID DOCUMENT

	PAGE
1. INVITATION TO BID	3
2. FUNCTIONALITY	6
3. CONDITIONS OF BID	7
4. GENERAL CONDITIONS OF CONTRACT	9
5. SPECIAL CONDITIONS OF CONTRACT	22
6. SPECIFICATION OF CONTRACT	24
7. FORMS TO BE COMPLETED BY THE BIDDER	
1. FORM OF ACCEPTANCE AND DECLARATION	45
2. PRICING SCHEDULE (MBD 3.1)	48
3. DECLARATION OF INTEREST (MBD4)	71
8. PROCUREMENT DOCUMENTS	
PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022	74
A) CONTRACT FORM –PURCHASE FOR GOODS/SERVICES (MBD 7.2)	78
B) DECLARATION OF BIDDER’S PAST SUPPLY CHAIN MANAGEMENT PRACTICES (MBD 8)	80
C) CERTIFICATE OF INDEPENDENT BID DETERMINATION (MBD 9)	82
D) PARTICULARS OF BIDDER	85
E) ENQUIRY CONTACT DETAILS	87
9. CHECK LIST	88

2. TENDER NOTICE AND INVITATION TO TENDER

BID NOTICE

Bids are hereby invited in terms of Section 83 of the Municipal Systems Act, Act 32 of 2000 (as amended) and Sections 110 and 112 of the Municipal Finance Management Act, Act 56 of 2003.

Bid documents are obtainable from the SCM Bids office after paying non-refundable deposit of R400.00 per bid document at cashiers or by EFT made out in favor of Okhahlamba Local Municipality prior to bid collection of the bid document: First National Bank, Branch Code. 220625, **Acc no. 51660362710.**

Any eligible bidder can also download documents free of charge on the web-based portal www.etenders.gov.za with effect **02 March 2026 @ 15:30pm** only service providers registered on National Treasury Central Supplier Database (CSD) and Okhahlamba Local Municipality's database will be considered for bidding.

	Contract Name and Description	Bid Documents availability date	Briefing Session Date, time & Venue	Closing & Opening Date & Time	Bid Enquiries
SOC 01/2026 Functionality 70%	Repairs and maintenance of CCTV cameras and queuing systems for the period of three (3) years.	From : 02 March 2026 Contact Mrs M Dlamini /B Shezi 036 448 8062/ 036 448 9209	None	01 April 2026 @12:00 pm	Social Depart: X Sibaya 078 389 7744/036 448 1066 Email: xolani.sibaya@okhahlamba.gov.za

BID SUBMISSION

Sealed bids **with the contract number and description of the bids endorsed on the envelope with the bidders details clearly indicated** may be couriered using courier services at least two days before closing date to avoid late delivery or be hand delivered and must be deposited at the Okhahlamba Local Municipality's bid box situated in the reception at or before **the specified date and time above**, at which bids will be opened in public in the municipal's Boardroom .Bids received after the said closing date and time as prescribed will not be considered. Facsimile and e-mailed bids will not be accepted.

Bids will be evaluated and adjudicated in terms of the Preferential Procurement Regulations, 2022 pertaining to Specific Goals and other applicable legislations and will be based on 80/20 preference points system.

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

Bids must only be submitted on the bid documentation that is issued. CSD registration, valid Tax Clearance Certificate plus SARS status verification pin, CK document and other required certificates must accompany the bid document.

The Okhahlamba Local Municipality is not bound to accept the lowest or any bid and reserves the right to accept the whole or part of a bid.

INVITATION TO BID – PART A

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE OKHAHLAMBA LOCAL MUNICIPALITY

BID NUMBER:	8/1/1/4/9– SOC 01/2026	CLOSING DATE:	01 APRIL 2026	CLOSING TIME:	12: 00PM
-------------	------------------------	---------------	---------------	---------------	----------

DESCRIPTION	REPAIRS AND MAINTENANCE OF CCTV CAMERAS AND QUEUING SYSTEM FOR THE PERIOD OF THREE YEARS
-------------	--

THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (MBD7).

BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT
(STREET ADDRESS

259 KINGSWAY STREET (OPPOSITE TO ASTRON GARAGE)

PO BOX 71

BERGVILLE

3350

SUPPLIER INFORMATION

NAME OF BIDDER			
POSTAL ADDRESS			
STREET ADDRESS			
TELEPHONE NUMBER	CODE		NUMBER
CELLPHONE NUMBER			
FACSIMILE NUMBER	CODE		NUMBER
E-MAIL ADDRESS			
VAT REGISTRATION NUMBER			
TAX COMPLIANCE STATUS	TCS PIN:		OR CSD No:

PREFERENTIAL POINTS (80/20) OR (90/10) PRICE = 80 / 90 PREFERENT POINTS = 20 / 10 TOTAL = 100

	20	10	TICK FOR CLAIM
SPECIFIC CONTRACT PARTICIPATION GOALS			
RACE (EQUITY HDI'S)	10	4	
DISABILITY/YOUTH	3	2	
BLACK PEOPLE WHO ARE WOMEN	2	2	
LOCALITY	5	2	
TOTAL HDI SCORE	20	10	

ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	Yes No [IF YES ENCLOSE PROOF]	ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?	Yes No [IF YES, ANSWER PART B:3]
---	---	--	--

TOTAL NUMBER OF ITEMS OFFERED	TOTAL BID PRICE	R
-------------------------------	-----------------	---

SIGNATURE OF BIDDER	DATE
---------------------	------

CAPACITY UNDER WHICH THIS BID IS SIGNED

BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO: TECHNICAL INFORMATION MAY BE DIRECTED TO:

DEPARTMENT	FINANCE – SUPPLY CHAIN MANAGEMENT DEPT	CONTACT PERSON	SIYABONGA MNCUBE
CONTACT PERSON	THULILE MAPHALALA	TELEPHONE NUMBER	036 448 8066
TELEPHONE NUMBER	036 – 448 8056/ 087 086 9209	FACSIMILE NUMBER	036 – 448 1986
FACSIMILE NUMBER	036 – 448 1986	E-MAIL ADDRESS	
E-MAIL ADDRESS	Thulile.Maphalala@okhahlamba.gov.za		smncube@okhahlamba.gov.za

PART B

TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:	
1.1.	BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
1.2.	ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED–(NOT TO BE RE-TYPED) OR ONLINE
1.3.	THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
2. TAX COMPLIANCE REQUIREMENTS	
2.1	BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
2.2	BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPAYER’S PROFILE AND TAX STATUS.
2.3	APPLICATION FOR THE TAX COMPLIANCE STATUS (TCS) CERTIFICATE OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE WWW.SARS.GOV.ZA.
2.4	FOREIGN SUPPLIERS MUST COMPLETE THE PRE-AWARD QUESTIONNAIRE IN PART B:3.
2.5	BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
2.6	IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
2.7	WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
3. QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS	
3.1.	IS THE ENTITY RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? YES NO
3.2.	DOES THE ENTITY HAVE A BRACH IN THE RSA? YES NO
3.3.	DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA? YES NO
3.4.	DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA? YES NO
3.5.	IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION? YES NO
IF THE ANSWER IS “NO” TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 ABOVE.	

**NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.
NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE.**

SIGNATURE OF BIDDER:
CAPACITY UNDER WHICH THIS BID IS SIGNED:
DATE:

3. FUNCTIONALITY POINTS FOR BID EVALUATION

1. Bidders will first be evaluated on the following point scoring criteria and be subjected to a further evaluation thereafter; bidders will be further evaluated on the targeted procurement / preferential points.
2. Bidders, who do not score more than 70% upon the functionality, will not be considered for a further evaluation.
3. Bidders are to submit documentary proof and the page reference number in support of the description of items above as part of the bid document.
4. Points allocated column is for Municipal Official use only.
5. **Failure to complete points claimed will lead to automatic disqualification.**

DESCRIPTION	TOTAL POINTS	POINTS CLAIMED BY THE BIDDER	POINTS ALLOCATED BY THE MUNICIPALITY	PAGE REFERENCE
PREVIOUS WORK CARRIED OUT OF SIMILAR NATURE, REF. LETTERS (6 POINTS PER LETTER) (MAXIMUM 5 LETTERS)	30			
ISO 9001:2015 CERTIFICATION	30			
CCTV CONTROL ROOM CERTIFICATION	20			
CCTV INSTALLER TRAINING CERTIFICATION	20			
TOTAL	100			

4. CONDITIONS OF THE BID

A. GENERAL

1. Bid documents must be completed in black ink and prices must **NOT** include VAT.
2. **All pages and annexures must be initialled / sign in full signature where required.**
3. The lowest or any bid will not necessarily be accepted and Okhahlamba Local Municipality reserves the right to accept the whole or any part of a bid or to reject any or all the bid without stating the reasons thereof.
4. No bid will be accepted by fax or e-mail.
5. Bids are to remain open for acceptance for a period of ninety (90) days from the date they are lodged and may be accepted at any time during the said period of ninety (90) days.
6. All prices and details must be legible / readable to ensure the bid will be considered for adjudication.
7. Full details of services offered must be supplied together with the return documents. All additional documents returned with the bid documents must be firmly bound and marked as “**Additional**” to the specific bid reference number.
8. Only bids on Okhahlamba Local Municipality official bid document will be accepted and the original document must be returned, fully completed and signed, in the form presented. **Failure to do so will invalidate such bid.**
9. **Corrections may not be made by means of a correcting fluid. In the event of a mistake having been made it shall be crossed out in ink and be accompanied by a full signature at each and every alteration.** The Municipality reserves the right to reject the bid if corrections are not made in accordance with the above.
10. Should it be considered necessary by the bidder that officials of Okhahlamba Local Municipality should proceed to other centres for inspection purposes, such costs shall be for the account of the bidder.
11. This contract will be governed by Okhahlamba Local Municipality “Conditions of the Bid” only and not any conditions supplied by the bidder.
12. The bidder must submit a comprehensive company profile, for example the founding company statements, as well as detailed exposition of previous work done.
13. If items are not in line with the bid must be drawn through the space in pen.
14. Only bids received by **12:00pm** on the given closing date in the bid box will be considered.

B. DEMONSTRATIONS AND INSPECTIONS

1. All bidders must be prepared to demonstrate where required, free of charge and obligation, at the Okhahlamba Local Municipality or any other area within the boundary of the Okhahlamba Local Municipality, any services offered in this bid.
2. Where officials are required to attend demonstrations or inspections outside the boundary of the Bergville Area, all costs to attend such demonstration must be borne by the bidder.

5. GENERAL CONDITIONS OF CONTRACT

TABLE OF CLAUSES

1. Definitions
2. Application
3. General
4. Standards
5. Use of contract documents and information inspection
6. Patent Rights
7. Performance security
8. Inspections, tests and analyses
9. Packing
10. Delivery and documents
11. Insurance
12. Transportation
13. Incidental Services
14. Spare parts
15. Warranty
16. Payment
17. Prices
18. Variation orders
19. Assignment
20. Subcontracts
21. Delays in the supplier's performance
22. Penalties
23. Termination for default
24. Anti-dumping and countervailing duties and rights
25. Force Majeure
26. Termination for insolvency
27. Settlement of Disputes
28. Limitation of Liability
29. Governing language
30. Applicable law
31. Notices
32. Taxes and duties
33. Transfer of contracts
34. Amendments of contracts
35. Prohibition of restrictive practices

5. 1 DEFINITIONS

1. The following terms shall be interpreted as indicated:

- 1.1 "Closing time" means the date and hour specified in the bidding documents for the receipt of bids.
- 1.2 "Contract" means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- 1.3 "Contract price" means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
- 1.4 "Corrupt practice" means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.
- 1.5 "Countervailing duties" are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
- 1.6 "Country of origin" means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 1.7 "Day" means calendar day.
- 1.8 "Delivery" means delivery in compliance of the conditions of the contract or order.
- 1.9 "Delivery ex stock" means immediate delivery directly from stock actually on hand.
- 1.10 "Delivery into consignee's store or to his site" means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the goods are so delivered and a valid receipt is obtained.
- 1.11 "Dumping" occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the RSA.
- 1.12 "Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the

purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.

- 1.13 “Fraudulent practice” means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14 “GCC” means the General Conditions of Contract.
- 1.15 “Goods” means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.16 “Imported content” means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the goods covered by the bid will be manufactured.
- 1.17 “Local content” means that portion of the bidding price, which is not included in the imported content provided that local manufacture does take place.
- 1.18 “Manufacture” means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.
- 1.19 “Order” means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20 “Project site,” where applicable, means the place indicated in bidding documents.
- 1.21 “Purchaser” means the organization purchasing the goods.
- 1.22 “Republic” means the Republic of South Africa.
- 1.23 “SCC” means the Special Conditions of Contract.
- 1.24 “Services” means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such obligations of the supplier covered under the contract.

- 1.25 "Supplier" means the successful bidder who is awarded the contract to maintain and administer the required and specified service(s) to the State.
- 1.26 "Tort" means in breach of contract.
- 1.27 "Turnkey" means a procurement process where one service provider assumes total responsibility for all aspects of the project and delivers the full end product / service required by the contract.
- 1.28 "Written" or "in writing" means hand-written in ink or any form of electronic or mechanical writing.

2. Application

- 2.1 These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services (excluding professional services related to the building and construction industry), sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.
- 2.2 Where applicable, special conditions of contract are also laid down to cover specific goods, services or works.
- 2.3 Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

3. General

- 3.1 Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a non-refundable fee for documents may be charged.
- 3.2 Invitations to bid are usually published in locally distributed news media and on the municipality/municipal entity website.

4. Standards

- 4.1 The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.

5. Use of contract documents and information inspection

- 5.1 The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
- 5.2 The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.
- 5.3 Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the

purchaser on completion of the supplier's performance under the contract if so required by the purchaser.

- 5.4 The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.

6. Patent Rights

- 6.1 The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

- 6.2 When a supplier developed documentation / projects for the municipality /municipal entity, the intellectual, copy and patent rights or ownership of such documents or projects will vest in the municipality / municipal entity.

7. Performance security

- 7.1 Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.

- 7.2 The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.

- 7.3 The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms:

(a) A bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or

(b) A cashier's or certified cheque.

- 7.4 The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified.

8. Inspections, tests and analyses

- 8.1 All pre-bidding testing will be for the account of the bidder.

- 8.2 If it is a bid condition that goods to be produced or services to be rendered should at any stage be subject to inspections, tests and analyses, the bidder or contractor's

premises shall be open, at all reasonable hours, for inspection by a representative of the purchaser or organization acting on behalf of the purchaser.

- 8.3 If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that

inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.

- 8.4 If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the goods to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5 Where the goods or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such goods or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6 Goods and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7 Any contract goods may on or after delivery be inspected, tested or analysed and may be rejected if found not to comply with the requirements of the contract. Such rejected goods shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with goods, which do comply with the requirements of the contract. Failing such removal the rejected goods shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute goods forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected goods, purchase such goods as may be necessary at the expense of the supplier.
- 8.8 The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 22 of GCC.

9. Packing

- 9.1 The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation

during transit, and open storage. Packing, case size weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.

- 9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, and in any subsequent instructions ordered by the purchaser.

10. Delivery and documents

- 10.1 Delivery of the goods and arrangements for shipping and clearance obligations, shall be made by the supplier in accordance with the terms specified in the contract.

11. Insurance

11.1 The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified.

12. Transportation

12.1 Should a price other than an all-inclusive delivered price be required, this shall be specified.

13. Incidental Services

13.1 The supplier may be required to provide any or all of the following services, including additional services, if any:

(a) Performance or supervision of on-site assembly and/or commissioning of the supplied goods;

(b) Furnishing of tools required for assembly and/or maintenance of the supplied goods;

(c) Furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;

(d) Performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and

(e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods.

13.2 Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.

14. Spare parts

14.1 As specified, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:

(a) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract and;

(b) In the event of termination of production of the spare parts:
(i) advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements and;

(ii) Following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

15. Warranty

15.1 The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements

in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.

- 15.2 This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise.
- 15.3 The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.
- 15.4 Upon receipt of such notice, the supplier shall, within the period specified and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.
- 15.5 If the supplier, having been notified, fails to remedy the defect(s) within the period specified, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

16. Payment

- 16.1 The method and conditions of payment to be made to the supplier under this contract shall be specified.
- 16.2 The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfilment of other obligations stipulated in the contract.
- 16.3 Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.
- 16.4 Payment will be made in Rand unless otherwise stipulated.

17. Prices

17.1 Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized or in the purchaser's request for bid validity extension, as the case may be.

In cases where the estimated value of the envisaged changes in purchase does not vary more than 15% of the total value of the original contract, the contractor may be instructed to deliver the goods or render the services as such. In cases of measurable quantities, the contractor may be approached to reduce the unit price, and such offers may be accepted provided that there is no escalation in price.

18. Variation orders

18.1 In cases where the estimated value of the envisaged changes in purchase does not vary more than 15% of the total value of the original contract, the contractor may be

instructed to deliver the goods or render the services as such. In cases of measurable quantities, the contractor may be approached to reduce the unit price, and such offers may be accepted provided that there is no escalation in price.

19. Assignment

19.1 The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.

20. Subcontracts

20.1 The supplier shall notify the purchaser in writing of all subcontracts awarded under these contracts if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.

21. Delays in the supplier's performance

21.1 Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.

21.2 If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.

21.3 The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the supplier's point of supply is not situated at or near the place where the goods are required, or the supplier's services are not readily available.

21.4 Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 22.2 without the application of penalties.

21.5 Upon any delay beyond the delivery period in the case of a goods contract, the purchaser shall, without cancelling the contract, be entitled to purchase goods of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.

22. Penalties

22.1 Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the

contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for

each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

23. Termination for default

23.1 The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:

(a) If the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by purchaser pursuant to GCC Clause 21.2;

(b) If the supplier fails to perform any other obligation(s) under the contract; or

(c) If the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.

23.2 In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner, as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.

23.3 Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

23.4 If a purchaser intends imposing a restriction on a supplier or any person associated with the supplier, the supplier will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated fourteen (14) days the purchaser may regard the supplier as having no objection and proceed with the restriction.

23.5. Any restriction imposed on any person by the purchaser will, at the discretion of the purchaser, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the purchaser actively associated.

23.6 If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:

- (i) the name and address of the supplier and / or person restricted by the purchaser;
- (ii) The date of commencement of the restriction
- (ii) The period of restriction; and
- (iii) The reasons for the restriction.

- (iv) These details will be loaded in the National Treasury's central database of
- (v) Suppliers or persons prohibited from doing business with the public sector.

23.7. If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Bid Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits.

According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.

24. Antidumping and countervailing duties and rights

24.1 When, after the date of bid, provisional payments are required, or anti-dumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such

anti-dumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall on demand be paid forthwith by the supplier to the purchaser or the purchaser may deduct such amounts from moneys (if any) which may otherwise be due to the supplier in regard to goods or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other contract or any other amount which may be due to him.

25. Force Majeure

25.1 Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.

25.2 If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

26. Termination for insolvency

26.1 The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy, which has accrued or will accrue thereafter to the purchaser.

27. Settlement of Disputes

- 27.1 If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.
- 27.2 If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
- 27.3 Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.
- 27.4 Notwithstanding any reference to mediation and/or court proceedings herein,
- (a) The parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and
 - (b) The purchaser shall pay the supplier any monies due the supplier for goods delivered and / or services rendered according to the prescripts of the contract.

28. Limitation of Liability

- 28.1 Except in cases of criminal negligence or wilful misconduct, and in the case of infringement pursuant to Clause 6;
- (a) The supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or
 - (b) Interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and
 - (c) The aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

29. Governing language

- 29.1 The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.

30. Applicable law

- 30.1 The contract shall be interpreted in accordance with South African laws, unless otherwise specified.

31. Notices

- 31.1 Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice.

31.2 The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.

32. Taxes and duties

32.1 A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.

32.2 A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.

32.3 No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid SARS must have certified that the tax matters of the preferred bidder are in order.

32.4 No contract shall be concluded with any bidder whose municipal rates and taxes and municipal services charges are in arrears.

33. Transfer of contracts

33.1 The contractor shall not abandon, transfer, cede assign or sublet a contract or part thereof without the written permission of the purchaser.

34. Amendment of contracts

34.1 No agreement to amend or vary a contract or order or the conditions, stipulations or provisions thereof shall be valid and of any force unless such agreement to amend or vary is entered into in writing and signed by the contracting parties. Any waiver of the requirement that the agreement to amend or vary shall be in writing, shall also be in writing.

35. Prohibition of restrictive practices

35.1 In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms is prohibited if it is between parties in a horizontal relationship and if a bidder(s) is / are or a contractor(s) was / were involved in collusive bidding.

35.2 If a bidder(s) or contractor(s) based on reasonable grounds or evidence obtained by the purchaser has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and

possible imposition of administrative penalties as contemplated in section 59 of the Competition Act No 89 Of 1998.

35.3 If a bidder(s) or contractor(s) has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s) concerned.

6. SPECIAL CONDITIONS OF CONTRACT

1. DURATION

The duration for this contract will be three (3) years from the day of finalisation of appointment.

2. PAYMENT

All payments will be made to the Service Provider within thirty (30) days upon the receipt of an invoice.

3. PRICE

Prices charged by the service provider for services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized or in the purchaser's request for bid validity extension, as the case may be.

In cases where the estimated value of the envisaged changes in purchase does not vary more than 15% of the total value of the original contract, the contractor may be instructed to deliver the goods or render the services as such. In cases of measurable quantities, the contractor may be approached to reduce the unit price, and such offers may be accepted provided that there is no escalation in price.

3. RETURNABLE DOCUMENTS

The issued documents must be returned in the form and order in which they were issued to assist the Municipality to expedite adjudication of the bids. The Okhahlamba Local Municipality reserves the right to disqualify a bid in the event that the bidder does not fully comply with this provision.

4. BID VALIDITY

This bid shall not be withdrawn during a period of ninety (90) days from the date on which it is to be lodged and it may be accepted at any time during that period.

5.1 DOCUMENTS TO BE SUBMITTED TOGETHER WITH BID DOCUMENT

- CSD Registration Full Report (not older than three (3) months)
- Copy of tax clearance certificate and Status Verification Pin from SARS.
- Company Registration certificate.
- Certified copies of identity documents of directors or management.
- Copy of B-BBEE Status Level Verification Certificates or certified copies

5.2 COMPULSORY DOCUMENTS FOR EVALUATION PURPOSES

- Rates bill / lease agreement or proof residence
- Psira security certification
- Psira good standing for company & director

6. MANDATORY OBJECTION PERIOD

All administrative actions and decisions taken by the Municipality through its officials may become subject to an appeal process. As such, in terms of Section 49 of the Municipal Supply Chain Management Regulations No 27636 of 2005, a period of fourteen (14) days will be set aside to allow for the submission of appeals against the award/ process of making the award to a particular bidder by any interested party. Except in scenarios where the decision of a duly appointed appeal panel sets aside the appointment of the successful bidder as the service provider for this contract, the appointment will then be confirmed by the municipality in writing.

Kindly note that the notice of award will be published on the municipal website.

7. SPECIFICATION OF CONTRACT/SCOPE OF WORK

PROJECT SCOPE

Supply installation, maintenance of the surveillance camera systems and queuing system.

1.
 - 1.1 Maintenance contract for Okhahlamba Local Municipality's wide area CCTV crime surveillance system and all other camera systems within The Okhahlamba Local Municipality. The scope will be broken down into two sections. The first section is the maintenance of all CCTV systems and queuing system within the Okhahlamba Local Municipality. The second and final section will involve refurbishment maintenance, which would include replacement and upgrading/expansion of assets as they wear out and are no longer serviceable.
2.
 - 2.1 Okhahlamba Local Municipality does not guarantee the successful Company/Supplier work throughout the year although the bidder may be called upon to do work on an "as and when required" basis.
3.
 - 3.1 The historical usage patterns in no way indicate future trends. The estimated quantities provided in the bidder form are information and adjudication purpose only and in no way imply that future usage or buying patterns will be similar.
 - 3.2 The SLA will consist of maintenance of Queuing system and wide area wireless CCTV Network, preventative maintenance and monthly maintenance as well as an expansion of the systems if needed over the 3 year contract period.
 - 3.3 Installations and extensions to be maintained include:
 - CCTV Control room located at Municipal Disaster Management Centre (MDMC)
 - Wireless PTZ CCTV System throughout the Municipal Area.
 - All other control rooms forming part of the Okhahlamba Local Municipality.
 - All Municipal buildings from all departments under governance by the Okhahlamba Local Municipality.
 - Camera sites: All camera sites existing, and future will be located within the Okhahlamba Local Municipality boundaries.
4.
 - 4.1 **Okhahlamba Local Municipality recommends that all Companies/Suppliers intending to quote need to visit Okhahlamba to see all the systems currently in place, to assist in quoting accordingly.**

CCTV

	UPS	
1	1000VA ON-LINE TOWER UPS	
2	2000VA 2U ON-LINE RACKMOUNT UPS	
3	1000VA 2U ON-LINE RACKMOUNT UPS	
4	RACK MOUNT KIT FOR RBK UPS	
5	1200VA INVERTER UNIT	
6	2.4KVA INVERTER UNIT COMPLETE	
7	3KVA INVERTER UNIT COMPLETE	
8	5KVA INVERTER UNIT COMPLETE	
9	100AH 12V DEEP CYCLE BATTERY	
10	200AH 12V DEEP CYCLE BATTERY	
11	330W SOLAR PV MODULE	
12	INVERTER BATTERY BOX WITH TOP PLATE	
13	ELECTRICAL SUNDRIES – INVERTER TURNKEY	
	DISPLAY	
1	32" LED PANEL HDMI	
2	43" LED PANEL HDMI	
3	MONITOR 23 INCH HDMI	
4	HDMI EXTENDER – SINGLE 40M	
5	HDMI EXTENDER 50 METER	
6	HDMI EXTENDER 200 METER	
7	HDMI SPILTTER 4 WAY	
8	TV WALL MOUNT BRACKET – 32 INCH	
9	TV WALL MOUNT BRACKET – 42 INCH	
10	HDMI CABLE 2 METER	
11	HDMI CABLE 5 METER	
12	HDMI CABLE 10 METER	
13	HDMI CABLE 15 METER	
14	Mini Display port to Hdmi Converter	
15	VGA TO HDMI ADAPTOR	
16	DP TO HDMI ADAPTOR	
	NETWORKING	
1	CABINET 4U 400MM DEEP	
2	CABINET 6U 500 +100MM	
3	Cabinet WALL BOX 9U 400 + 100, GLASS DOOR	
4	Cabinet 12U 400 +100MM WALLBOX - GLASS DOOR	
5	Cabinet RACK 27U X 600 X 800 GLASS FRONT -FULL SPEC	
6	Cabinet 42U 600 X 800MM - GLASS F & SOLID	
7	PATCH PANEL 24 WAY CAT6	
8	1U BRUSH PANEL	
9	Cat 6 Metal Connector	
10	JUNCTION BOX	
11	Cat 6 Boot	
12	Cat 6 single patch Box	

13	Cat 6 Dual patch Box	
14	10WAY METAL POWER DUCT	
15	RACK MOUNT SHELF	
16	2U FRONT MOUNT SHELF,	
17	1u Blank Black Metal Plates	
18	Fan kit, 120mm 220v Fan Steel Finger Guard,Lead	
19	CAT 6 SHEILDED CABLE-EARTHERED	
20	CAT 6 SOLID COPPER CABLE PER METER	
21	CCTV RJ59 CABLE	
22	CCTV BNC CONNECTOR	
23	CCTV DC JACK	
24	CCTV VIDEO BAUILAN	
25	CCTV 30 AMP POWER SUPPLY	
26	APC SURGE PROTECTION MULTIPLUGPLUG 5 WAY	
27	UBIQUITI SURGE PROTECTOR PLUG	
28	SWITCH 4 PORT POE	
29	SWITCH 8 PORT POE GIGABIT RACKMOUNTABLE	
30	SWITCH 24 PORT POE GIGABIT RACKMOUNTABLE	
31	CONDUIT + SADDLES	
32	FIBRE INJECTORS	
33	Fibre Patch Fly leads	
34	10GB FIBER CONVERTOR	
35	10 GB Fibre Gbic SFP + module	
36	LC Pigtails	
37	LC Midcouplers	
38	LC to LC Patch leads	
39	24 Port LC patch panel	
40	Splice Kit complete	
41	Splice Box	
42	Fibre switch 8 port	
43	Fibre switch 16 port	
44	Fibre switch 24 port	
45	Heavy duty fibre cable 12 core (per meter)	
46	Heavy duty fibre cable 24 core (per meter)	
47	Heavy duty fibre cable 48 core (per meter)	
48	Armoured tube Fibre 12 core (per meter)	
49	Armoured tube Fibre 24 core (per meter)	
50	Armoured tube Fibre 48 core (per meter)	
51	Ubiquiti Gen2 power Beam 5Ghz	
52	Ubiquiti Nano Station 5Ghz	
53	Ubiquiti sector	
54	Ubiquiti Multi sector	
55	Ubiquiti Gen2 Rocket 5Ghz	
56	Wireless Microwave Dish 800/1600mbps	
57	UBIQUITI LR UNIFI 6	
58	Hap ROUTER BOARD + LTE	
59	ROUTER BOARD SWITCH RB4011	

60	ROUTER BOARD CONFIGURATION PER HOUR	
61	RADWIN NEO 5000	
62	RADWIN ALPHA 2000	
63	RADWIN 5000 CPE SU-AIR	
64	RADWIN LIGHTNING SURGE ARRESTOR	
65	RADWIN POE INJECTOR 48V	
66	RADWIN POE INJECTOR 24V	
	SERVERS/CONTROL UNITS	
1	DESKTOP TOWER i7 16GB 512ssd	
2	LAPTOP i7 16GB 512ssd 4GB GRAPHICS	
3	SERVER TOWER INTEL Single Xeon Processor 32gb	
4	Server TOWER Intel Xeon Dual Processor 64gb ram	
5	DESKTOP MEMORY 8GB	
6	DESKTOP MEMORY 16GB	
7	LAPTOP MEMEORY 8GB	
8	LAPTOP MEMORY 16GB	
9	SERVER MEMORY – 8GB	
10	SERVER MEMERY – 16GB	
11	GRAPHIC CARD 4GB GDDR5 – 4 OUTPUT	
12	GRAPHIC CARD 6GB GDDR5 – 4 OUTPUT	
13	WINDOWS SERVER 2022 SOFTWARE	
14	WINDOWS SERVER RDP SOFTWARE 0-5 USER	
15	WINDOWS SERVER CALS 5 USER	
16	WINDOWS 11 PROFESSIONAL	
17	512 SSD 6GBPS	
18	1TB SSD 6GBPS	
22	SEAGATE SV35 HARDDRIVE 4TB	
23	SEAGATE SV35 HARDDRIVE 6TB	
24	SEAGATE SV35 HARDDRIVE 8TB	
25	SEAGATE SV35 HARDDRIVE 10TB	
26	NAS Storage device 6 bay	
27	NAS Storage device 8 bay	
28	NAS Storage device 16 bay	
29	NAS Storage device 24 bay	
	CCTV EQUIPMENT	
1	CCTV HIKVISION 16 CHANNEL 1080 HD DVR	
2	CCTV HIKVISION 16 CHANNEL NVR+POE 7716	
3	CCTV HIKVISION 32 CHANNEL NVR+POE 7732	
4	CCTV BLAZER ALL IN ONE SERVER 256CH 16HDD BAY (SERVER)	
5	HIKVISION 1080P HD BULLET FIXED 2.8/3.6 CAMERA	
6	HIKVISION 1080P HD DOME FIXED 2.8/3.6 CAMERA	
7	HIKVISION 1080P HD VERIFOVAL BULLET 2.8-12mm CAMERA	
8	HIKVISION 1080P HD VERIFOVAL DOME 2.8-12mm CAMERA	
9	HIKVISION IP BULLET 2MP H.265 2.8MM WITH SD 30M IR	
10	HIKVISION IP DOME 2MP H.265 2.8MM WITH SD 30M IR	
11	HIKVISION IP BULLET 4MP 2.8MM 30M IR WDR	
12	HIKVISION IP DOME 4MP 2.8MM 30M IR WDR	
13	HIKVISION IP BULLET 4MP WDR VERIFOVAL 2.8-12mm	

14	HIKVISION IP DOME 4MP WDR VERIFOCAL 2.8-12mm	
15	HIKVISION 2.8-12MM/PR- 7 LINE SMART ANPR BULLET CAMERA (For Number plate recognition)	
16	HIKVISION 4MP PTZ DARKFIGHTER 23X OPTZOOM 200M IR HI-POE	
17	HIKVISION NETWORK KEYBOARD NETWORK (PTZ CONTROLLER)	
18	HIKVISION COLOURVU 4MP BULLET	
19	HIKVISION COLOURVU 4MP DOME	
20	HIKVISION ACCUSENSE 4MP BULLET	
21	HIKVISION ACCUSENSE 4MP DOME	
18	AXIS P1364-E- Outdoor, NEMA 4X, IP66/67 and IK10-rated, lightweight, HDTV 720p, day/night, fixed network camera with CS-mount varifocal 2.8-8.5 mm P-iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p resolution at 60 fps. WDR- Forensic Capture Lightfinder and Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio. MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Operation in -40°C to +50°C. Powered by IEEE 802.3af midspan. Includes a removable sunshield, wall bracket, intrusion switch, Torx T20 screw driver and IP66/67- rated cable glands. Midspan not included.	
19	AXIS P1365 Mk II HDTV 1080p resolution, day/night, fixed camera with CS-mount varifocal 2.8-8 mm P-Iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 60 fps. WDR – Forensic Capture, Lightfinder and Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Power over Ethernet. Includes stand with cable management. Power supply not included.	
20	AXIS P1375 HDTV 1080p resolution, day/night, fixed box camera providing Forensic WDR and Lightfinder 2.0 technology. Includes an IR corrected varifocal 2.8-10 mm F1.2 P-Iris lens and remote back focus. Camera also supports CS-mount DC-iris lenses and i-CS lenses for remote installation zoom and focus. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; full HDTV 1080p at 50/60 fps. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, shock detection, active tampering alarm and security lock slot. Corridor format, barrel distortion correction, defogging and electronic image stabilization.	

	<p>Scene profiles. Two-way audio, audio detection with either built-in microphone or optional analog or digital microphone. Supervised I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Power over Ethernet or 12-28VDC input. Includes black stand for wall and ceiling mount with hole for easy cable management. Midspan or power supply not included.</p>	
21	<p>AXIS P1375-E</p> <p>Outdoor, NEMA 4X, IP66/67 and IK10-rated, light weight HDTV 1080p resolution, day/night, fixed box camera providing Forensic WDR and Lightfinder 2.0 technology. Includes an IR corrected varifocal 2.8-10 mm F1.2 P-Iris lens and remote back focus. Camera also supports CS-mount DC-iris lenses and i-CS lenses for remote installation zoom and focus. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; full HDTV 1080p at 50/60 fps. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, shock detection, active tampering alarm and open casing intrusion switch. Corridor format, barrel distortion correction, defogging and electronic image stabilization. Scene profiles. Two-way audio, audio detection with optional analog or digital microphone. Supervised I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage. Support for optional AXIS Fixed Box IR Illuminator Kit A and AXIS P13 Weathershield Extension A. Serial port for RS422/485 communication. Operation in -40°C to +60°C. Power over Ethernet or 12-28VDC input. Includes removable sunshield, wall bracket, Torx T20 screw driver and IP66/67- rated cable glands. Midspan or power supply not included.</p>	
22	<p>AXIS P1367</p> <p>5MP resolution, day/night, fixed box camera providing Forensic WDR and Lightfinder technology for demanding light conditions. Includes an IR corrected varifocal 2.8-8.5 mm F1.2 P-iris lens and remote back focus (camera also supports i-CS and DC-iris lenses with CS Mount). Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP at 25/30 fps in in 16:9 format. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, Memory card slot for optional local video storage. Serial port for RS422/485 communication. Power over Ethernet or 8-28 V DC input. Includes black metal stand with hole for easy cable management. Midspan not included.</p>	
23	<p>AXIS P1367-E</p> <p>Outdoor, 5MP resolution, day/night, fixed box camera providing Forensic WDR and Lightfinder for demanding light conditions Includes an IR corrected varifocal 2.8-8.5 mm F1.2 P-iris lens and remote back focus (camera also supports i-CS and DC-iris lenses with CS Mount).</p>	

	<p>Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP at 25/30 fps in 16:9 format. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio. I/O for alarm/event handling, Memory card slot for optional local video storage. Serial port for RS422/485 communication. Corridor format.</p> <p>NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +55°C and intermittent up to +60°C. Powered by IEEE 802.3af Type 1 Class 3 midspan. Includes a removable sunshield, wall bracket, Torx T20 screw driver and IP66/67- rated cable glands. Midspan not included.</p>	
24	<p>AXIS P1368-E</p> <p>Outdoor, 4K Ultra HD (8MP) camera, day/night, fixed box camera providing Forensic WDR and Lightfinder for demanding light conditions. Includes an IR corrected varifocal 2.8-8.5 mm F1.2 i-CS lens with P-Iris, remote zoom and focus for installation (camera also supports P-Iris and DC-iris lenses with CS Mount).</p> <p>Multiple, individually configurable H.264 and Motion JPEG streams; max 4K Ultra HD/8MP at 25/30 fps in 16:9 format. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio. I/O for alarm/event handling, Memory card slot for optional local video storage. Serial port for RS422/485 communication</p> <p>NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +55°. Powered by IEEE 802.3af Type 1 Class 3 midspan. Includes a removable sunshield, wall bracket, Torx T20 screw driver and IP66/67- rated cable glands. Midspan not included.</p>	
25	<p>AXIS P1435-LE</p> <p>Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated, varifocal 3-10.5 mm P-iris lens . Remote 3.5 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 50/60 fps. Video motion detection, active tampering alarm, corridor format, Lightfinder, Zipstream technology and WDR – Forensic Capture. I/O ports, microSD/SDHC memory card slot for edge storage. OptimizedIR, a power-efficient LED technology with adaptable angle of IR illumination up to 30 meters (100 feet). Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 60 °C (-22 °F to 140 °F).</p>	
26	<p>AXIS P1435-LE 22MM</p> <p>Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated, varifocal 10-22 mm P-iris lens . Remote 2 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 50/60 fps. Video motion detection, active tampering alarm, corridor format, Lightfinder, Zipstream technology and WDR – Forensic Capture. I/O ports, microSD/SDHC memory card slot for edge storage. OptimizedIR, a power-efficient LED technology with adaptable angle of IR illumination up to 50 meters (164 feet).</p>	

	<p>Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 60 °C (-22 °F to 140 °F).</p>	
27	<p>AXIS P1445-LE</p> <p>Compact outdoor, HDTV, day/night, fixed bullet camera providing Forensic WDR and Lightfinder for demanding light conditions. IR corrected varifocal 2.8-8.5 mm F1.2 P-iris lens with remote 3x optical zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 50/60 fps.. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, active tampering alarm, shock detection and corridor format. Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology covering 40 meters (131 feet). Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +60°C(-40 °F to 140 °F). Powered by IEEE 802.3af Type 1 Class 3 midspan (PoE). Midspan not included.</p>	
28	<p>AXIS P1447-LE</p> <p>Compact outdoor, 5MP resolution, day/night, fixed bullet camera providing Forensic WDR and Lightfinder for demanding light conditions. IR corrected varifocal 2.8-8.5 mm F1.2 P-iris lens with remote 3x optical zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP at 25/30 fps in 16:9 format. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, active tampering alarm, shock detection and corridor format. Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology covering 30 meters (98 feet). Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +60°C(-40 °F to 140 °F). Powered by IEEE 802.3af Type 1 Class 3 midspan (PoE). Midspan not included.</p>	
29	<p>AXIS P1448-LE</p> <p>Compact outdoor, 4K Ultra HD (8MP) resolution, day/night, fixed bullet camera providing Forensic WDR and Lightfinder for demanding light conditions. IR corrected varifocal 2.8-9.8 mm F1.6 P-iris lens with remote 3.5x optical zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams; max 4K Ultra HD/8MP at 25/30 fps in 16:9 format. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, active tampering alarm, shock detection and corridor format. Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology covering 25 meters (82 feet). Integrated bracket for easy mounting on wall and ceiling.</p>	

	<p>NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +60°C (-40 °F to 140 °F). Powered by IEEE 802.3af Type 1 Class 3 midspan (PoE). Midspan not included.</p>	
30	<p>AXIS Q1615 Mk II</p> <p>HDTV, Day/night fixed camera providing WDR – Forensic Capture and Lightfinder for demanding light conditions. Varifocal 2.8-8.5 mm i-CS lens with remote zoom and focus for installation. Support for P-Iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution at up to 60 fps second and 720p/1MP resolution at 120 fps. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Electronic image stabilization. Scene profiles. Two-way audio and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Power over Ethernet or 8-28 V DC input. Includes stand for wall and ceiling mount. Power supply not included.</p>	
31	<p>AXIS Q1615-E Mk II</p> <p>Outdoor, NEMA 4X, IP66 and IK10-rated, HDTV, Day/night fixed camera providing WDR – Forensic Capture and Lightfinder for demanding light conditions. Varifocal 2.8-8.5 mm i-CS lens with remote zoom and focus for installation. Support for P-Iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution at up to 60 fps second and 720p/1MP resolution at 120 fps. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Electronic image stabilization. Scene profiles. Two-way audio and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Arctic Temperature Control, operation in -30°C to 60°C (-22 °F to 140 °F) when powered by IEEE 802.3af midspan or -40°C to 60°C (-40 °F to 140 °F) with PoE+ Midspan. Includes a removable sunshield and wall bracket. Midspan not included.</p>	
32	<p>AXIS Q1645</p> <p>1/2" image sensor, HDTV, Day/night fixed camera providing Forensic WDR and Lightfinder for demanding light conditions. Varifocal 3.9-10 mm i-CS lens with remote zoom and focus for installation. Support for P-Iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution up to 60 fps with Forensic WDR and up to 120 fps without. Zipstream for reduced bandwidth and storage. Fence Guard, Motion Guard, Video motion detection, shock detection and active tampering alarm. Barrel distortion correction, Defog and Electronic image stabilization. Scene profiles. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Power</p>	

	<p>over Ethernet or 8-28 V DC input. Includes stand for wall and ceiling mount. Midspan or power supply not included</p>	
33	<p>AXIS Q1645-LE</p> <p>1/2" image sensor, outdoor, NEMA 4X, IP66 and IK10-rated HDTV, day/night fixed camera providing OptimizedIR, Forensic WDR and Lightfinder. Varifocal 3.9-10 mm i-CS lens with remote zoom and focus. Support for CS-mount P-Iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution up to 60 fps with Forensic WDR and up to 120 fps without. Zipstream for reduced bandwidth and storage. Includes analytics AXIS Guard Suite, shock detection and active tampering alarm. Barrel distortion correction, Defog and Electronic image stabilization. Scene profiles. Two-way audio and I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Powered by IEEE 802.3at Type 2 Class 4 (PoE+). Built-in heaters and fan, Arctic Temperature Control for start up in -40°C to 60°C (-40 °F to 140 °F). Includes a removable sunshield and wall bracket. Midspan not included.</p>	
34	<p>AXIS Q1647</p> <p>1/2" sensor, 5 MP, Day/night fixed camera providing Forensic WDR and Lightfinder for demanding light conditions. Varifocal 3.9-10 mm i-CS lens with remote zoom and focus for installation. Support for P-Iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; 5 MP at 30 fps with Forensic WDR, and 4 MP at up to 60 fps without Forensic WDR. Zipstream for reduced bandwidth and storage. Fence Guard, Motion Guard, Video motion detection, shock detection and active tampering alarm. Barrel distortion correction, Defog and Electronic image stabilization. Scene profiles. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Power over Ethernet or 8-28 V DC input. Includes stand for wall and ceiling mount. Midspan or power supply not included</p>	
35	<p>AXIS Q1647-LE</p> <p>1/2" sensor, outdoor, NEMA 4X, IP66 and IK10-rated, 5 MP, Day/night fixed camera providing OptimizedIR, Forensic WDR and Lightfinder. Varifocal 3.9-10 mm i-CS lens with remote zoom and focus. Support for CS-mount P-Iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; 5 MP at 30 fps with Forensic WDR, and 4 MP at up to 60 fps without Forensic WDR. Zipstream for reduced bandwidth and storage. Includes analytics AXIS Guard Suite, shock detection and active tampering alarm and shock detection. Barrel distortion correction, Defog and Electronic image stabilization. Scene profiles. Two-way audio and I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Powered by IEEE 802.3at Type 2 Class 4 (PoE+). Built-in heaters and fan, Arctic Temperature Control for start up in -40°C to 60°C (-40 °F to 140 °F).</p>	

	Includes a removable sunshield and wall bracket. Midspan not included.	
36	<p>AXIS Q1700-LE</p> <p>Robust outdoor, color 2 MP/1080p HDTV license plate camera for sharp license plate images day and night. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p / 2MP resolution at up to 50/60 fps.</p> <p>Varifocal 18–137 mm, 8x optical zoom lens, 16°-2.3° HFOV, F2.9 with remote zoom and installation focus. License plate capture range 20-50 meter at night with built-in OptimizedIR at speeds up to 130 km/h (81 mph)</p> <p>Includes license plate capture assistant for easy setup, pixel counter, shock detection, active tampering alarm, defogging and electronic image stabilization.</p> <p>Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage.</p> <p>Integrated bracket for easy mounting on wall and ceiling. Dark grey (NCS S5502-B) casing, black fixed metal weather shield with anti-glare coating.</p> <p>NEMA 4X, IP66/67 and impact resistant in -40°C to +60°C(-40 °F to 140 °F).</p> <p>Powered by PoE (IEEE 802-3af), RJ45 or IDC punchdown connector, 20-28 V DC or 20-24 V AC. License plate recognition software, power supply or midspan not included.</p>	
37	<p>AXIS Q1785-LE</p> <p>Robust outdoor, 2 MP/HDTV, day/night fixed bullet camera with 32x optical zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 50/60 fps.</p> <p>Forensic WDR and Lightfinder for demanding light conditions and Axis Zipstream technology for reduced bandwidth and storage needs.</p> <p>Varifocal 4.3–137 mm, F1.4 with remote zoom and autofocus.</p> <p>Includes analytics AXIS Guard Suite, shock detection and active tampering alarm. Corridor format, Barrel distortion correction, Defog, Electronic image stabilization and Scene profiles</p> <p>Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage.</p> <p>OptimizedIR, a power-efficient IR LED technology.</p> <p>Integrated bracket for easy mounting on wall and ceiling.</p> <p>NEMA 4X, IP66/67 and impact resistant in -40°C to +60°C(-40 °F to 140 °F). Powered by PoE (IEEE 802-3af), 20-28 V DC or 20-24 V AC.</p> <p>Includes a removable sunshield.</p> <p>Power supply or midspan not included.</p>	
38	<p>AXIS Q1786-LE</p> <p>Robust outdoor, 4 MP/Quad HD1440p, day/night fixed bullet camera with 32x optical zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1440p /4MP resolution at 50/60 fps.</p> <p>Forensic WDR and Lightfinder for demanding light conditions and Axis Zipstream technology for reduced bandwidth and storage</p>	

	<p>needs. Varifocal 4.3–137 mm, F1.4 with remote zoom and autofocus. Includes analytics AXIS Guard Suite, shock detection and active tampering alarm. Corridor format, Barrel distortion correction, Defog, Electronic image stabilization and Scene profiles Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology. Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and impact resistant in -40°C to +60°C(-40 °F to 140 °F). Powered by PoE (IEEE 802-3af), 20-28 V DC or 20-24 V AC. Includes a removable sunshield. Power supply or midspan not included.</p>	
39	<p>AXIS Q1798-LE</p> <p>Robust outdoor, NEMA 4X, IP66/67 and IK10-rated 10 MP/ 4K, day/night, fixed bullet camera providing Forensic WDR and Lightfinder 2.0 technology. Features a 4/3" type image sensor, built-in varifocal 12–48 mm, 4 x optical Canon zoom lens, 90°-21° HFOV, F1.7 with remote zoom and autofocus. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max 4K at 30 fps /10MP resolution at 20 fps. Axis Zipstream technology for reduced bandwidth and storage needs. Includes analytics AXIS Guard Suite, Video motion detection, shock detection and active tampering alarm. Corridor format, barrel distortion correction, defogging and electronic image stabilization. Scene profiles. Audio mic/line in, audio detection with optional analog or digital microphone. Supervised I/O for alarm/event handling. MicroSD/MicroSDHC memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology. Integrated bracket for easy mounting on wall and ceiling. Operation in -40°C to +60°C (-40 °F to 140 °F). Powered by PoE class 4 (IEEE 802-3at), 20-28 V DC or 20-24 V AC. Includes a removable sunshield, Torx T20 allen key, IP66/67- rated cable glands and optional IDC punch connector. Power supply or midspan not included.</p>	
40	<p>AXIS M3015</p> <p>Ultra-discreet, indoor fixed mini dome for recessed mounting in ceiling or wall. Fixed lens. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max HDTV 1080p at 30 fps with WDR. Axis Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.</p>	
41	<p>AXIS M3016</p> <p>Ultra-discreet, indoor fixed mini dome for recessed mounting in ceiling or wall. Fixed lens. Multiple, individually configurable H.264,</p>	

	<p>H.265 and Motion JPEG streams; max 3 MP at 30 fps with WDR. Axis Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.</p>	
42	<p>AXIS M3047-P</p> <p>Ultra-compact, indoor fixed mini dome with 6 MP sensor, fixed lens and tamper-resistant casing for easy mounting on wall or ceiling. Provides 360°/180° overview and dewarped panorama, quad, corner, corridor or digital PTZ views in up to 30 fps. Multiple, individually configurable H.264 and Motion JPEG streams. Client dewarping also supported. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. HDMI output (micro). Memory card slot for optional local video storage. Environment-friendly, PVC-free with recycled plastics. Power over Ethernet. Midspan not included.</p>	
43	<p>AXIS M3105-LVE Network Camera</p> <p>AXIS M3105-LVE is a flexible mini dome that gives you built-in IR illumination and HDTV 1080p video quality at an attractive price. It's suitable for outdoor use and perfect at the back entrance of a store, restaurant or hotel, for instance.</p> <p>Built-in IR illumination HDTV 1080p video quality Axis' Zipstream technology Supports video analytics Discreet, flexible and outdoor-ready Fast, easy, cost-effective installation</p>	
44	<p>AXIS Q8685-LE 24V AC/DC</p> <p>High accuracy outdoor PTZ positioning camera with IR illuminators. HDTV 1080p video, 30x optical zoom, built-in IR pass filter for sharper images in mixed lighting conditions. IR range up to 500m. Integrated long-life silicone wiper for remote maintenance, and integrated SFP slot for long-distance fiber connection. IK10, IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included)</p>	
45	<p>AXIS Q8741-E 35MM 30 FPS 24V</p> <p>High accuracy outdoor PTZ positioning bispectral camera. Thermal sensor features a 384x288 resolution, 30 fps and 35 mm lens with 10.5° angle of view. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, focus recall and are extremely light sensitive. Integrated long-life silicone wiper for remote maintenance. The bispectral camera supports Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount.</p>	

	<p>Powered by 24 V AC/DC from external power supply (not included). This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.</p>	
46	<p>AXIS Q6125-LE 50HZ</p> <p>Top of the line PTZ with IR, HDTV 1080 and 30x optical zoom, H264/265 with Zipstream and Motion JPEG. IP66 for both indoor and outdoor use, WDR . Perfect image quality in all directions without distortion. WDR, EIS, Speed dry. Includes Advanced gate keeper analytics. With its compact size and repaintable surface, it will easily blend into the surroundings. Midspan with fiber slot and RJ45 input included.</p>	
47	<p>Discreet PTZ with HDTV 1080p, 1920x1080, 10x optical zoom, automatic day/night and autofocus. Continuous 360° pan. WDR-Forensic Capture, IP66, PoE and 24V. 30fps in H.264 and Motion JPEG, Zipstream, Scene profiles, two-way audio, 4 I/O. Surface mount or Axis PTZ standard mount. Midspan not included.</p>	
48	<p>AXIS P5414-E 50HZ</p> <p>Intelligent Direct Drive PTZ camera with HDTV 720p, day/night and 18x zoom, designed for mounting on a wall or building. No extra bracket are needed, build in junction box. Audio In/Out, full size SD card, 24 V DC, 4 configurable I/Os and Ethernet connector with PoE. Repaintable sunshield covering the entire unit. Power supply not included.</p>	
49	<p>AXIS P5415-E 50HZ</p> <p>Intelligent Direct Drive PTZ camera with HDTV 1080p, day/night and 18x zoom, designed for mounting on a wall or building. No extra bracket are needed, build in junction box. Audio In/Out, full size SD card, 24 V DC, 4 configurable I/Os and Ethernet connector with PoE. Repaintable sunshield covering the entire unit. Power supply not included.</p>	
50	<p>AXIS P5624-E MK II 50HZ</p> <p>PTZ camera with continuous 360° pan for both indoor and outdoor with 23x optical zoom. HDTV 720p @ 25fps (1280x720) in H.264, Motion JPEG and Axis Zipstream and Focus Recall, Day & Night, IP66 and NEMA 4X classification. Advanced Gatekeeper, full-size SD-card slot, smoked and clear dome. Mounting brackets and Midspan are not included.</p>	
51	<p>AXIS P5655-E 50HZ</p> <p>PTZ camera with continuous 360° pan for both indoor and outdoor with 32x optical zoom, Lightfinder 2, Autofocus and Focus Recall. HDTV 1080p @ 25/50fps (1920x1080) in Motion JPEG, H.264, H.265, and Axis Zipstream. Two-way audio, 4xI/O, 24V and PoE, Day & Night,</p>	

	<p>IP66, IK10 and NEMA 4X classification. Advanced Gatekeeper, full-size SD-card slot. Mounting brackets, Midspan/Power supply and connector or cable for audio, I/O and 24V are not included.</p>	
52	<p>AXIS Q6055 50HZ</p> <p>HDTV 1080p compliant, high-speed PTZ dome camera with 32x optical zoom for indoor use. HDTV 1080p (1920x1080)@25 fps, 720P@50fps. Continuous 360° rotation and 220° tilt with E-flip. Day & Night, IP52, Zipstream, Shock detection, autotracking, tour recording and Active Gatekeeper. Two-way audio, I/O and external power with multi-connector cable (not included). Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection</p> <p>Includes High PoE midspan, smoked and clear dome covers, and mounting kits for hard and drop ceilings</p>	
53	<p>AXIS Q6055-E 50HZ</p> <p>Top performance HDTV 1080p compliant, outdoor-ready, IP66, IK10 and NEMA 4X-rated PTZ dome camera with 32x optical zoom and Zipstream. Arctic Temperature Control enables operation and start up from -50 °C to +50 °C (-58 °F to 122 °F). Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p (1920x1080)@25 fps, 720P@50fps. Shock detection, autotracking, tour recording and Active Gatekeeper. Power through High PoE only. Highlight compensation. Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection. Clear transparent dome cover and High PoE midspan with fiber slot are included. No mounting bracket included (several different accessories available).</p>	
54	<p>AXIS Q6055-C 50HZ</p> <p>Actively cooled, outdoor-ready high-speed PTZ dome camera with 32x optical zoom. IP66-, MIL-, IK10 and NEMA 4X-rated. Temperature range -20 °C to +75 °C. Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p (1920x1080) @ 25 fps. 720P@50 fps. Shock detection, autotracking, tour recording and Active Gatekeeper. Highlight compensation. Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection. Including 5 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 24 V in. Power supply and brackets are not included. (several different accessories available).</p>	
55	<p>AXIS Q6055-S 50HZ</p> <p>Stainless steel, (SS-316L) pressurized (5psi) Top performance HDTV 1080p compliant, outdoor-ready, IP66, IK10 and NEMA 4X-rated PTZ dome camera with 32x optical zoom. Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p (1920x1080) @ 25 fps, 720@50 fps. Shock detection, autotracking, tour recording and Active Gatekeeper. Highlight compensation. Basic built-in analytics: object removed, fence detector, object counter,</p>	

	enter/exit detection, video motion detection. Including 7 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 24V in. Brackets and power adapter are not included (several different accessories available).	
56	<p>AXIS Q6075-E 50HZ</p> <p>Top performance PTZ camera with HDTV 1080p @50fps, 40x optical zoom, outdoor-ready, IP66, IK10 and NEMA 4x-rated. Zipstream with H.264/ H.265, Arctic Temperature Control enables operation and start up from -40 °C to +50 °C (-58 °F to 122 °F). Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. Shock detection, Autotracking 2, tour recording and Active Gatekeeper. Compass ruler overlay, Privacy mask with mosaic. Highlight compensation. Build in analytics; object removed, loitering guard, fence detector, object counter, enter/exit detection, video motion detection. Clear transparent dome cover and High PoE midspan with fiber slot are included. No mounting bracket included (several different accessories available).</p>	
57	<p>AXIS Q6074 50HZ</p> <p>Top performance PTZ camera with HDTV 720p @50fps 30x optical zoom for indoor use. IP52 rated. Zipstream with H.264/ H.265. Auto day/night functionality. Continuous 360° rotation and 180° tilt with E-flip. Two-way audio, I/O and external power with multi-connector cable (not included). Shock detection, Autotracking 2, tour recording and Active Gatekeeper. Compass ruler overlay, Privacy mask with mosaic. Highlight compensation. Build in analytics; object removed, loitering guard, fence detector, object counter, enter/exit detection, video motion detection. Clear and smoked transparent dome cover and High PoE midspan are included. Mounting kits for hard and drop ceilings</p>	
58	<p>AXIS Q6074-E 50HZ</p> <p>Top performance PTZ camera with HDTV 720p @50fps, 30x optical zoom, outdoor-ready, IP66, IK10 and NEMA 4x-rated. Zipstream with H.264/ H.265, Arctic Temperature Control enables operation and start up from -40 °C to +50 °C (-58 °F to 122 °F). Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. Shock detection, Autotracking 2, tour recording and Active Gatekeeper. Compass ruler overlay, Privacy mask with mosaic. Highlight compensation. Build in analytics; object removed, loitering guard, fence detector, object counter, enter/exit detection, video motion detection. Clear transparent dome cover and High PoE midspan with fiber slot are included. No mounting bracket included (several different accessories available).</p>	
59	<p>AXIS Q6215-LE 50HZ</p> <p>PTZ for the toughest conditions. MIL specified, build in IR illumination 400M (1300t), can be mounted face up or face down. IP66/67/68, IK10, MIL 8105 521.</p> <p>Camera part; 1/2" sensor with HDTV 1080p, 30x optical zoom, 50fps, H264 with Zipstream and Motion JPEG, WDR. Perfect image quality in</p>	

	all directions without distortion, window wiper. Advanced gate keeper analytics. 90W Midspan included. Color; Urban grey.	
60	AXIS T92E05 PROTECTIVE HOUSING Protective camera housing for P13XX, M11XX, Q16XX and Q1755. Die cast aluminum casing and wallbracket, polycarbonate sunshield. The housing is IP66-, Nema 4X rated and IK10 impact-resistant. Sunshield, wallbracket and screwdriver included.	
61	AXIS T92E20 OUTDOOR HOUSING Outdoor PoE camera housing with window-/camera heaters and fan for P13XX, M11XX, Q16XX and Q1755. Die cast aluminum casing and wallbracket, polycarbonate sunshield. The housing is IP66-, Nema 4X-, Vibration 4M3 rated and IK10 impact-resistant. Sunshield, wallbracket and screwdriver included.	
62	AXIS T98A15-VE SURVEILLANCE CABINET IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included.	
63	AXIS T91B47 50-410MM AXIS T91B47 Pole Mount for indoor and outdoor installations, for poles with diameter between 100-410 mm (4"-16"). Includes 1 pair of AXIS Stainless Steel Straps 1450mm (57") with TX30 screw interface for ease-of-installation. AXIS T91B47 is directly compatible with a wide range of Axis cameras.	
64	AXIS T91L61 WALL-AND-POLE MOUNT Wall-and-Pole Mount for Axis PTZ and multi-sensor cameras. Built-in Ethernet cable with an IP66 RJ45 connector for quick installation with protection against dust and water. Connect PoE via either RJ45 or IDC (insulation-displacement contact) connectors. Suitable for both indoor and outdoor environments. Separate stainless steel straps required for pole installation.	
65	Axis P3235-LVE AXIS P3235-LVE Network Camera is a outdoor-ready fixed dome, ideal for surveillance in retail, banking, hotels and other service industries, HDTV 1080p video quality Outdoor-ready and IK10-rated Remote zoom and focus WDR – Forensic Capture, Lightfinder and OptimizedIR Two-way audio: connectors for mic or line in, and line out Supervised digital input and digital output Zipstream	
66	AXIS P3245-LVE Network Camera AXIS P3245-LVE is a robust, outdoor-ready fixed dome that delivers HDTV 1080p. This streamlined camera offers flexible, cost-efficient	

	<p>installation making it ideal for various surveillance situations, such as in retail, banking and office environments.HDTV 1080p video quality Lightfinder 2.0, Forensic WDR and OptimizedIR Zipstream supporting H.264 and H.265 Signed firmware and secure boot Two-way audio and I/O connectivity</p>	
67	<p>AXIS M2025-LE Network Camera</p> <p>AXIS M2025-LE Network Camera is a small bullet camera that offers Axis excellence at a surprisingly affordable price. It has built-in IR illumination and HDTV 1080p video quality, and it's a perfect choice when you need small, easy-to-install cameras both outdoors and in. The camera is available in both black and white.</p> <p>Small bullet camera Built-in IR illumination Outdoor-ready HDTV 1080p Zipstream</p>	
68	<p>Axis P3245-LVE</p> <p>Fixed dome with support for Forensic WDR, Lightfinder 2.0 and OptimizedIR illumination. Discreet, dust- and IK10 vandal-resistant outdoor-ready casing. Varifocal 3.4-8.9 mm P-Iris lens with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264, H.265 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR. Zipstream for reduced bandwidth and storage. Video motion detection and tampering alarm. Two-way audio and audio detection. Supervised digital input / digital output for alarm / event handling. Signed firmware and secure boot ensure firmware authenticity. Memory card slot for optional local video storage. Power over Ethernet. Includes mounting bracket for wall/ceiling or junction boxes.</p>	
69	<p>Axis P1445-LE</p> <p>Compact outdoor, HDTV, day/night, fixed bullet camera providing Forensic WDR and Lightfinder for demanding light conditions. IR corrected varifocal 2.8-8.5 mm F1.2 P-iris lens with remote 3x optical zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 50/60 fps.. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, active tampering alarm, shock detection and corridor format. Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology covering 40 meters (131 feet). Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +60°C(-40</p>	

	°F to 140 °F). Powered by IEEE 802.3af Type 1 Class 3 midspan (PoE). Midspan not included.	
70	AXIS P3235-LVE Day/night fixed dome with support for WDR – Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. IK10 vandal-resistant outdoor casing. Varifocal 3-10 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised digital input / digital output for alarm / event handling. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	
71	AXIS M2025-LE Day/night, compact and outdoor-ready bullet style HDTV camera, IP66- and IK08-rated. Built-in IR illumination and WDR – Forensic Capture. Fixed lens with 115° HFOV. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and corridor format. Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F). Midspan not included.	
72	AXIS C3003-E Network Horn Speaker Clear, long-range speech Simple installation with network cable and PoE Easy integration with major video management software Supports SIP (VoIP) Ensured reliability with Auto Speaker Test Outdoor-ready	
73	2N SIP Mic All-in-one microphone console 12 configurable buttons for 12 zones Pre-recorded or live announcements Quick installation with just one network cable (PoE) Future-proof with openness and integration AXIS 2N SIP Mic is an all-in-one network microphone console that give you a smart and easy way to turn your Axis network speakers into a complete public address system	
74	AXIS Audio Manager C7050 Server AXIS Audio Manager C7050 Server is a complete audio management package that includes both hardware and software. The heart and the brain of your network audio system, it lets you manage and control all your audio devices from a single user interface.	
75	AXIS A8207-VE Network Video Door Station	

	AXIS A8207-VE Network Video Door Station combines video surveillance, two-way communication and access control in a single device. Not only is it our most advanced door station yet, it's also a powerful enabler of better overall security. Its open interfaces offer countless possibilities for integration, so it can easily be combined with other systems within your security solution to meet your specific needs. AXIS A8207-VE is perfect for installation at entrances where there are many known and unknown visitors passing through on a regular basis.	
76	Axis T8134 POE DC 60W POWER ADAPTOR	
77	64ch SOFTWARE PER YEAR	
78	SOFTWARE – SINGLE USER 3 YEAR LICENSE	
79	SOFTWARE – SINGLE USER LICENSE PER YEAR	
80	SNIPR ANNUAL LICENSE FEE PER CAMERA	
80	SOFTWARE – SERVER REGISTRATION – 3YR	
	TOWERS	
1	WIRELESS BASE TOWER SUPPORT 3 DISH	
2	MAST POLE 8M FOR PTZ Camera & 5 normal	
3	MAST POLE 12M FOR PTZ Camera & 5 normal	
4	POLE + BRACKET MOUNTING	
5	Over-head Road L Camera tower Camera to hold 4 Cameras	
6	IP67 survelience pole mount box	
7	Bullet out door camera housing	

	CIVILS	
1	Pole mounting (Turnkey project)	
2	Trenching per meter	
3	LABOUR RATES per hour	
4	LABOUR RATE PER NETWORK POINT	
5	Project manager	
6	Civil engineer	
7	Mechanical engineer	
8	Steel Works – welder per hour	
9	I.T Engineer Per Hour	
10	Software Config Per Hour	
	Software Engineer Per Hour	
11	Electrician Per Hour	
12	Foreman Per Hour	
13	Driver Per Hour	
14	Camera technician per Hour	
15	General Labourer Per Hour	
16	Fibre Splicing Per splice	

17	Fibre technician	
18	Preventative monthly maintenance cost including wireless coverage to all surveillance poles	
19	Call out cost per hour	
20	Traveling cost per km	
21	Wireless Point to point	
22	Wireless point to multi point	
23	Cherry Picker Hire – Per hour	
24	Cherry picker Hire – Per Day	
	QUEUE SYSTEM	
1	FLOOR MOUNTED TOUCH SCREEN TICKET ISSUE KIOSK AND PRINTER	
2	QUEUE MANAGEMENT CONTROL UNIT	
3	CONTROL UNIT CABINET AND UPS	
4	QUEUE SYSTEM SOFTWARE CONFIGURATION PER HOUR	
5	WIRELESS CALLING KEYPADS - "CALL, SERVE AND CLOSE ONLY "	
6	GRAPHICS SET UP PER HOUR	
7	LED SCREEN 40 INCH	
8	CONFIGURATION TESTING OF SYSTEM	
9	IMPLEMENTATION SUPPORT FOR 12 MONTHS	
10	THERMAL 80x83 PAPER (BOX OF 50)	
11	SPEAKERS	
12	AMPLIFIER	
13	Slip Printer	
14	Tablet	
16	Router board	
17	Server control unit	
	INTERNET	
1	10MB LINE UNCAPPED PER MONTH	
2	20MB LINE UNCAPPED PER MONTH	
3	30 MB LINE UNCAPPED PER MONTH	
4	40 MB LINE UNCAPPED PER MONTH	
5	50 MB LINE UNCAPPED PER MONTH	
6	100 MB LINE UNCAPPED PER MONTH	

8. FORM OF BID

FORM OF ACCEPTANCE

DEPARTMENT: _____

FORM OF BID: _____

To: **Municipal Manager**
P O Box 71
Bergville
3350

1. I/we hereby bid to supply and deliver the goods as and when ordered by the Head of Department at prices quoted and/or to render all of any of the services described in the attached documents to the Okhahlamba Local Municipality on the terms and conditions and in accordance with the specifications stipulated in the bid documents (and which shall be taken as part of, and incorporated into, this bid) at prices and on the terms regarding time for delivery and/or execution inserted therein.
 2. I/we agree that: the offer herein shall remain binding upon me/us and open for acceptance by the Okhahlamba Local Municipality during the validity period of 90 days indicated and calculated from the closing time of bid;
 - 2.1. this bid and its acceptance shall be subject to the terms and conditions contained in the Preference Points Claim Form;
 - 2.2. if I/we withdraw my/our bid within the period for which I/we have agreed that the bid shall remain open for acceptance, or fail to fulfil the contract when called upon to do so, the Council may, without prejudice to its other rights, agree to the withdrawal of my/our bid or cancel the contract that may have been entered into between me/us and the Council and I/we will then pay to the Council any additional expense incurred by the Council having either to accept any less favourable bid or, if fresh bids have to be invited, the additional expenditure incurred by the invitation of fresh bids and by the subsequent acceptance of any less favourable bid. The Council shall also have the right to recover such additional expenditure by set-off against monies which may be due to become due to me/us under this or any other bid or contract and pending the ascertainment of the amount of such additional expenditure to retain such monies, guarantee or deposit as security for any loss the Council may sustain by reasons of my/our default;
 - 2.3. If my/our bid is accepted, the acceptance may be communicated to me/us by letter or order by ordinary post or registered post and that the SA Post Office Ltd shall be regarded as my/our agent, and delivery of such acceptance to SA Post Office Ltd shall be treated as delivery to me/us;
 - 2.4. I/we understand that the Council is not bound to accept the lowest or any bid and also reserves the right to divide the contract between one or more bids;
 - 2.5. this bid, together with Council's written acceptance thereof, shall constitute a binding contract between us;
 - 2.6. the law of the Republic of South Africa shall govern the contract created by the acceptance of my/our bid and that I/we choose Dom cilium citadel et executant in the Republic at (full address of this place):
-

3. I/we furthermore confirm that I/we have satisfied myself/ourselves as to the correctness and validity of my/our bid, that the price(s) and rate(s) quoted cover all the work/item(s) specified in the bid documents and that the price(s) and rate(s) cover all my/our obligations under a resulting contract and that I/we accept that any mistakes regarding price(s) and calculations will be at my/our risk.
4. I/we hereby accept full responsibility for the proper execution and fulfilment of all obligations and conditions devolving on me/us under the agreement as the Principal(s) liable for the due fulfilment of this contract.
5. I/we agree that any action arising from this contract may in all respects be instituted against me/us and I/we hereby undertake to satisfy fully any sentence of judgment which may be pronounced against me/us as a result of such action.

5.1 Are you duly authorized to sign the bid? *

5.2 Has the Declaration of Interest been duly completed and included with the other bid forms?
*

*Delete whichever is not applicable

SIGNATURE: _____

DATE: _____

CAPACITY AND PARTICULARS OF THE AUTHORITY UNDER WHICH THIS BID IS SIGNED:

NAME OF BIDDER: _____

POSTAL ADDRESS: _____

TELEPHONE NUMBERS: _____

FACSIMILE NUMBERS: _____

BID NUMBER: _____

NAME OF CONTACT PERSON: _____

Refer to the under-mentioned important Conditions:

IMPORTANT CONDITIONS

1. Failure on the part of the bidder to sign this bid form and thus to acknowledge and accept the conditions in writing or to complete the attached forms, questionnaire and specifications in all respects, may invalidate the bid.

2. Bids should be submitted on the official forms and should not be qualified by the bidders own conditions of bid. Failure to comply with these requirements or to renounce specifically the bidders own conditions of bid, when called upon to do so, may invalidate the bid.
3. If any of the conditions of this bid form are in conflict with any special conditions, stipulations or provisions incorporated in the bid, such special conditions, stipulations or provisions shall apply.

**9. MBD 3.1 PRICING SCHEDULE – FIRM PRICES
(PURCHASES)**

NOTE: ONLY FIRM PRICES WILL BE ACCEPTED. NON-FIRM PRICES (INCLUDING PRICES SUBJECT TO RATES OF EXCHANGE VARIATIONS) WILL NOT BE CONSIDERED

IN CASES WHERE DIFFERENT DELIVERY POINTS INFLUENCE THE PRICING, A SEPARATE PRICING SCHEDULE MUST BE SUBMITTED FOR EACH DELIVERY POINT

Name of Bidder.....	Bid Number.....
Closing Time	Closing Date

NB: PRICING SCHEDULES MUST HAVE YEAR1, YEAR 2 AND YEAR

CCTV	PRICE PER UNIT	
UPS	R	
1	1000VA ON-LINE TOWER UPS	
2	2000VA 2U ON-LINE RACKMOUNT UPS	
3	1000VA 2U ON-LINE RACKMOUNT UPS	
4	RACK MOUNT KIT FOR RBK UPS	
5	1200VA INVERTER UNIT	
6	2.4KVA INVERTER UNIT COMPLETE	
7	3KVA INVERTER UNIT COMPLETE	
8	5KVA INVERTER UNIT COMPLETE	
9	100AH 12V DEEP CYCLE BATTERY	
10	200AH 12V DEEP CYCLE BATTERY	
11	330W SOLAR PV MODULE	
12	INVERTER BATTERY BOX WITH TOP PLATE	
13	ELECTRICAL SUNDRIES – INVERTER TURNKEY	
DISPLAY	R	
1	32" LED PANEL HDMI	
2	43" LED PANEL HDMI	
3	MONITOR 23 INCH HDMI	
4	HDMI EXTENDER – SINGLE 40M	
5	HDMI EXTENDER 50 METER	
6	HDMI EXTENDER 200 METER	
7	HDMI SPILTTER 4 WAY	
8	TV WALL MOUNT BRACKET – 32 INCH	
9	TV WALL MOUNT BRACKET – 42 INCH	
10	HDMI CABLE 2 METER	
11	HDMI CABLE 5 METER	

12	HDMI CABLE 10 METER	
13	HDMI CABLE 15 METER	
14	Mini Display port to Hdmi Converter	
15	VGA TO HDMI ADAPTOR	
16	DP TO HDMI ADAPTOR	
	NETWORKING	
1	CABINET 4U 400MM DEEP	
2	CABINET 6U 500 +100MM	
3	Cabinet WALL BOX 9U 400 + 100, GLASS DOOR	
4	Cabinet 12U 400 +100MM WALLBOX - GLASS DOOR	
5	Cabinet RACK 27U X 600 X 800 GLASS FRONT -FULL SPEC	
6	Cabinet 42U 600 X 800MM - GLASS F & SOLID	
7	PATCH PANEL 24 WAY CAT6	
8	1U BRUSH PANEL	
9	Cat 6 Metal Connector	
10	JUNCTION BOX	
11	Cat 6 Boot	
12	Cat 6 single patch Box	
13	Cat 6 Dual patch Box	
14	10WAY METAL POWER DUCT	
15	RACK MOUNT SHELF	
16	2U FRONT MOUNT SHELF,	
17	1u Blank Black Metal Plates	
18	Fan kit, 120mm 220v Fan Steel Finger Guard,Lead	
19	CAT 6 SHEILDED CABLE-EARTHERED	
20	CAT 6 SOLID COPPER CABLE PER METER	
21	CCTV RJ59 CABLE	
22	CCTV BNC CONNECTOR	
23	CCTV DC JACK	
24	CCTV VIDEO BAUILAN	
25	CCTV 30 AMP POWER SUPPLY	
26	APC SURGE PROTECTION MULTIPLUGPLUG 5 WAY	
27	UBIQUITI SURGE PROTECTOR PLUG	
28	SWITCH 4 PORT POE	
29	SWITCH 8 PORT POE GIGABIT RACKMOUNTABLE	
30	SWITCH 24 PORT POE GIGABIT RACKMOUNTABLE	
31	CONDUIT + SADDLES	
32	FIBRE INJECTORS	
33	Fibre Patch Fly leads	
34	10GB FIBER CONVERTOR	
35	10 GB Fibre Gbic SFP + module	
36	LC Pigtails	
37	LC Midcouplers	
38	LC to LC Patch leads	
39	24 Port LC patch panel	
40	Splice Kit complete	

41	Splice Box	
42	Fibre switch 8 port	
43	Fibre switch 16 port	
44	Fibre switch 24 port	
45	Heavy duty fibre cable 12 core (per meter)	
46	Heavy duty fibre cable 24 core (per meter)	
47	Heavy duty fibre cable 48 core (per meter)	
48	Armoured tube Fibre 12 core (per meter)	
49	Armoured tube Fibre 24 core (per meter)	
50	Armoured tube Fibre 48 core (per meter)	
51	Ubiquiti Gen2 power Beam 5Ghz	
52	Ubiquiti Nano Station 5Ghz	
53	Ubiquiti sector	
54	Ubiquiti Multi sector	
55	Ubiquiti Gen2 Rocket 5Ghz	
56	Wireless Microwave Dish 800/1600mbps	
57	UBIQUITI LR UNIFI 6	
58	Hap ROUTER BOARD + LTE	
59	ROUTER BOARD SWITCH RB4011	
60	ROUTER BOARD CONFIGURATION PER HOUR	
61	RADWIN NEO 5000	
62	RADWIN ALPHA 2000	
63	RADWIN 5000 CPE SU-AIR	
64	RADWIN LIGHTNING SURGE ARRESTOR	
65	RADWIN POE INJECTOR 48V	
66	RADWIN POE INJECTOR 24V	
	SERVERS/CONTROL UNITS	R
1	DESKTOP TOWER i7 16GB 512ssd	
2	LAPTOP i7 16GB 512ssd 4GB GRAPHICS	
3	SERVER TOWER INTEL Single Xeon Processor 32gb	
4	Server TOWER Intel Xeon Dual Processor 64gb ram	
5	DESKTOP MEMORY 8GB	
6	DESKTOP MEMORY 16GB	
7	LAPTOP MEMEORY 8GB	
8	LAPTOP MEMORY 16GB	
9	SERVER MEMORY – 8GB	
10	SERVER MEMERY – 16GB	
11	GRAPHIC CARD 4GB GDDR5 – 4 OUTPUT	
12	GRAPHIC CARD 6GB GDDR5 – 4 OUTPUT	
13	WINDOWS SERVER 2022 SOFTWARE	
14	WINDOWS SERVER RDP SOFTWARE 0-5 USER	
15	WINDOWS SERVER CALS 5 USER	
16	WINDOWS 11 PROFESSIONAL	
17	512 SSD 6GBPS	
18	1TB SSD 6GBPS	
22	SEAGATE SV35 HARDDRIVE 4TB	
23	SEAGATE SV35 HARDDRIVE 6TB	
24	SEAGATE SV35 HARDDRIVE 8TB	
25	SEAGATE SV35 HARDDRIVE 10TB	
26	NAS Storage device 6 bay	

27	NAS Storage device 8 bay	
28	NAS Storage device 16 bay	
29	NAS Storage device 24 bay	
	CCTV EQUIPMENT	R
1	CCTV HIKVISION 16 CHANNEL 1080 HD DVR	
2	CCTV HIKVISION 16 CHANNEL NVR+POE 7716	
3	CCTV HIKVISION 32 CHANNEL NVR+POE 7732	
4	CCTV BLAZER ALL IN ONE SERVER 256CH 16HDD BAY (SERVER)	
5	HIKVISION 1080P HD BULLET FIXED 2.8/3.6 CAMERA	
6	HIKVISION 1080P HD DOME FIXED 2.8/3.6 CAMERA	
7	HIKVISION 1080P HD VERIFOVAL BULLET 2.8-12mm CAMERA	
8	HIKVISION 1080P HD VERIFOVAL DOME 2.8-12mm CAMERA	
9	HIKVISION IP BULLET 2MP H.265 2.8MM WITH SD 30M IR	
10	HIKVISION IP DOME 2MP H.265 2.8MM WITH SD 30M IR	
11	HIKVISION IP BULLET 4MP 2.8MM 30M IR WDR	
12	HIKVISION IP DOME 4MP 2.8MM 30M IR WDR	
13	HIKVISION IP BULLET 4MP WDR VERIFOVAL 2.8-12mm	
14	HIKVISION IP DOME 4MP WDR VERIFOVAL 2.8-12mm	
15	HIKVISION 2.8-12MM/PR- 7 LINE SMART ANPR BULLET CAMERA (For Number plate recognition)	
16	HIKVISION 4MP PTZ DARKFIGHTER 23X OPTZOOM 200M IR HI-POE	
17	HIKVISION NETWORK KEYBOARD NETWORK (PTZ CONTROLLER)	
18	HIKVISION COLOURVU 4MP BULLET	
19	HIKVISION COLOURVU 4MP DOME	
20	HIKVISION ACCUSENSE 4MP BULLET	
21	HIKVISION ACCUSENSE 4MP DOME	
18	<p>AXIS P1364-E-</p> <p>Outdoor, NEMA 4X, IP66/67 and IK10-rated, lightweight, HDTV 720p, day/night, fixed network camera with CS-mount varifocal 2.8-8.5 mm P-iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p resolution at 60 fps. WDR-Forensic Capture Lightfinder and Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio. MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Operation in -40°C to +50°C. Powered by IEEE 802.3af midspan. Includes a removable sunshield, wall bracket, intrusion switch, Torx T20 screw driver and IP66/67- rated cable glands. Midspan not included.</p>	

19	<p>AXIS P1365 Mk II</p> <p>HDTV 1080p resolution, day/night, fixed camera with CS-mount varifocal 2.8-8 mm P-Iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 60 fps. WDR – Forensic Capture, Lightfinder and Axis’ Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Power over Ethernet. Includes stand with cable management. Power supply not included.</p>	
20	<p>AXIS P1375</p> <p>HDTV 1080p resolution, day/night, fixed box camera providing Forensic WDR and Lightfinder 2.0 technology. Includes an IR corrected varifocal 2.8-10 mm F1.2 P-Iris lens and remote back focus. Camera also supports CS-mount DC-iris lenses and i-CS lenses for remote installation zoom and focus. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; full HDTV 1080p at 50/60 fps. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, shock detection, active tampering alarm and security lock slot. Corridor format, barrel distortion correction, defogging and electronic image stabilization. Scene profiles. Two-way audio, audio detection with either built-in microphone or optional analog or digital microphone. Supervised I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage. Serial port for RS422/485 communication. Power over Ethernet or 12-28VDC input. Includes black stand for wall and ceiling mount with hole for easy cable management. Midspan or power supply not included.</p>	
21	<p>AXIS P1375-E</p> <p>Outdoor, NEMA 4X, IP66/67 and IK10-rated, light weight HDTV 1080p resolution, day/night, fixed box camera providing Forensic WDR and Lightfinder 2.0 technology. Includes an IR corrected varifocal 2.8-10 mm F1.2 P-Iris lens and remote back focus. Camera also supports CS-mount DC-iris lenses and i-CS lenses for remote installation zoom and focus. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; full HDTV 1080p at 50/60 fps. Axis Zipstream</p>	

	<p>technology for reduced bandwidth and storage needs. Video motion detection, shock detection, active tampering alarm and open casing intrusion switch. Corridor format, barrel distortion correction, defogging and electronic image stabilization. Scene profiles. Two-way audio, audio detection with optional analog or digital microphone. Supervised I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage. Support for optional AXIS Fixed Box IR Illuminator Kit A and AXIS P13 Weathershield Extension A. Serial port for RS422/485 communication. Operation in -40°C to +60°C. Power over Ethernet or 12-28VDC input. Includes removable sunshield, wall bracket, Torx T20 screw driver and IP66/67- rated cable glands. Midspan or power supply not included.</p>	
22	<p>AXIS P1367</p> <p>5MP resolution, day/night, fixed box camera providing Forensic WDR and Lightfinder technology for demanding light conditions. Includes an IR corrected varifocal 2.8-8.5 mm F1.2 P-iris lens and remote back focus (camera also supports i-CS and DC-iris lenses with CS Mount). Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP at 25/30 fps in 16:9 format.</p> <p>Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, Memory card slot for optional local video storage. Serial port for RS422/485 communication. Power over Ethernet or 8-28 V DC input. Includes black metal stand with hole for easy cable management. Midspan not included.</p>	
23	<p>AXIS P1367-E</p> <p>Outdoor, 5MP resolution, day/night, fixed box camera providing Forensic WDR and Lightfinder for demanding light conditions Includes an IR corrected varifocal 2.8-8.5 mm F1.2 P-iris lens and remote back focus (camera also supports i-CS and DC-iris lenses with CS Mount). Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP at 25/30 fps in 16:9 format.</p> <p>Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio. I/O for alarm/event handling, Memory card slot for optional local video storage. Serial port for RS422/485 communication. Corridor format.</p> <p>NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +55°C and intermittent up to +60°C. Powered by IEEE</p>	

	<p>802.3af Type 1 Class 3 midspan. Includes a removable sunshield, wall bracket, Torx T20 screw driver and IP66/67- rated cable glands. Midspan not included.</p>	
24	<p>AXIS P1368-E</p> <p>Outdoor, 4K Ultra HD (8MP) camera, day/night, fixed box camera providing Forensic WDR and Lightfinder for demanding light conditions. Includes an IR corrected varifocal 2.8-8.5 mm F1.2 i-CS lens with P-Iris, remote zoom and focus for installation (camera also supports P-Iris and DC-iris lenses with CS Mount).</p> <p>Multiple, individually configurable H.264 and Motion JPEG streams; max 4K Ultra HD/8MP at 25/30 fps in 16:9 format. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio. I/O for alarm/event handling, Memory card slot for optional local video storage. Serial port for RS422/485 communication</p> <p>NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +55°. Powered by IEEE 802.3af Type 1 Class 3 midspan. Includes a removable sunshield, wall bracket, Torx T20 screw driver and IP66/67- rated cable glands. Midspan not included.</p>	
25	<p>AXIS P1435-LE</p> <p>Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated, varifocal 3-10.5 mm P-iris lens . Remote 3.5 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 50/60 fps. Video motion detection, active tampering alarm, corridor format, Lightfinder, Zipstream technology and WDR – Forensic Capture. I/O ports, microSD/SDHC memory card slot for edge storage. OptimizedIR, a power-efficient LED technology with adaptable angle of IR illumination up to 30 meters (100 feet). Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 60 °C (-22 °F to 140 °F).</p>	
26	<p>AXIS P1435-LE 22MM</p> <p>Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated, varifocal 10-22 mm P-iris lens . Remote 2 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 50/60 fps. Video motion detection, active tampering alarm, corridor format, Lightfinder, Zipstream technology and WDR – Forensic Capture. I/O ports, microSD/SDHC memory card slot for edge storage.</p>	

	<p>OptimizedIR, a power-efficient LED technology with adaptable angle of IR illumination up to 50 meters (164 feet). Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 60 °C (-22 °F to 140 °F).</p>	
27	<p>AXIS P1445-LE</p> <p>Compact outdoor, HDTV, day/night, fixed bullet camera providing Forensic WDR and Lightfinder for demanding light conditions. IR corrected varifocal 2.8-8.5 mm F1.2 P-iris lens with remote 3x optical zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 50/60 fps.. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, active tampering alarm, shock detection and corridor format. Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology covering 40 meters (131 feet). Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +60°C(-40 °F to 140 °F). Powered by IEEE 802.3af Type 1 Class 3 midspan (PoE). Midspan not included.</p>	
28	<p>AXIS P1447-LE</p> <p>Compact outdoor, 5MP resolution, day/night, fixed bullet camera providing Forensic WDR and Lightfinder for demanding light conditions. IR corrected varifocal 2.8-8.5 mm F1.2 P-iris lens with remote 3x optical zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP at 25/30 fps in 16:9 format. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, active tampering alarm, shock detection and corridor format. Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology covering 30 meters (98 feet). Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +60°C(-40 °F to 140 °F). Powered by IEEE 802.3af Type 1 Class 3 midspan (PoE). Midspan not included.</p>	
29	<p>AXIS P1448-LE</p> <p>Compact outdoor, 4K Ultra HD (8MP) resolution, day/night, fixed bullet camera providing Forensic WDR</p>	

	<p>and Lightfinder for demanding light conditions. IR corrected varifocal 2.8-9.8 mm F1.6 P-iris lens with remote 3.5x optical zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams; max 4K Ultra HD/8MP at 25/30 fps in 16:9 format. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, active tampering alarm, shock detection and corridor format. Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology covering 25 meters (82 feet). Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +60°C(-40 °F to 140 °F). Powered by IEEE 802.3af Type 1 Class 3 midspan (PoE). Midspan not included.</p>	
30	<p>AXIS Q1615 Mk II</p> <p>HDTV, Day/night fixed camera providing WDR – Forensic Capture and Lightfinder for demanding light conditions. Varifocal 2.8-8.5 mm i-CS lens with remote zoom and focus for installation. Support for P-Iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution at up to 60 fps second and 720p/1MP resolution at 120 fps. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Electronic image stabilization. Scene profiles.Two-way audio and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Power over Ethernet or 8-28 V DC input. Includes stand for wall and ceiling mount. Power supply not included.</p>	
31	<p>AXIS Q1615-E Mk II</p> <p>Outdoor, NEMA 4X, IP66 and IK10-rated, HDTV, Day/night fixed camera providing WDR – Forensic Capture and Lightfinder for demanding light conditions. Varifocal 2.8-8.5 mm i-CS lens with remote zoom and focus for installation. Support for P-Iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution at up to 60 fps second and 720p/1MP resolution at 120 fps. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Electronic image stabilization. Scene profiles.Two-way audio and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422</p>	

	<p>communication. Arctic Temperature Control, operation in -30°C to 60°C (-22 °F to 140 °F) when powered by IEEE 802.3af midspan or -40°C to 60°C (-40 °F to 140 °F) with PoE+ Midspan. Includes a removable sunshield and wall bracket. Midspan not included.</p>	
32	<p>AXIS Q1645</p> <p>1/2" image sensor, HDTV, Day/night fixed camera providing Forensic WDR and Lightfinder for demanding light conditions. Varifocal 3.9-10 mm i-CS lens with remote zoom and focus for installation. Support for P-Iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution up to 60 fps with Forensic WDR and up to 120 fps without. Zipstream for reduced bandwidth and storage. Fence Guard, Motion Guard, Video motion detection, shock detection and active tampering alarm. Barrel distortion correction, Defog and Electronic image stabilization. Scene profiles. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Power over Ethernet or 8-28 V DC input. Includes stand for wall and ceiling mount. Midspan or power supply not included</p>	
33	<p>AXIS Q1645-LE</p> <p>1/2" image sensor, outdoor, NEMA 4X, IP66 and IK10-rated HDTV, day/night fixed camera providing OptimizedIR, Forensic WDR and Lightfinder. Varifocal 3.9-10 mm i-CS lens with remote zoom and focus. Support for CS-mount P-Iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution up to 60 fps with Forensic WDR and up to 120 fps without. Zipstream for reduced bandwidth and storage. Includes analytics AXIS Guard Suite, shock detection and active tampering alarm. Barrel distortion correction, Defog and Electronic image stabilization. Scene profiles. Two-way audio and I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Powered by IEEE 802.3at Type 2 Class 4 (PoE+). Built-in heaters and fan, Arctic Temperature Control for start up in -40°C to 60°C (-40 °F to 140 °F). Includes a removable sunshield and wall bracket. Midspan not included.</p>	
34	<p>AXIS Q1647</p> <p>1/2" sensor, 5 MP, Day/night fixed camera providing Forensic WDR and Lightfinder for demanding light conditions. Varifocal 3.9-10 mm i-CS lens with remote</p>	

	<p>zoom and focus for installation. Support for P-Iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; 5 MP at 30 fps with Forensic WDR, and 4 MP at up to 60 fps without Forensic WDR. Zipstream for reduced bandwidth and storage. Fence Guard, Motion Guard, Video motion detection, shock detection and active tampering alarm. Barrel distortion correction, Defog and Electronic image stabilization. Scene profiles. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Power over Ethernet or 8-28 V DC input. Includes stand for wall and ceiling mount. Midspan or power supply not included</p>	
35	<p>AXIS Q1647-LE 1/2" sensor, outdoor, NEMA 4X, IP66 and IK10-rated, 5 MP, Day/night fixed camera providing OptimizedIR, Forensic WDR and Lightfinder. Varifocal 3.9-10 mm i-CS lens with remote zoom and focus. Support for CS-mount P-Iris and DC-iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; 5 MP at 30 fps with Forensic WDR, and 4 MP at up to 60 fps without Forensic WDR. Zipstream for reduced bandwidth and storage. Includes analytics AXIS Guard Suite, shock detection and active tampering alarm and shock detection. Barrel distortion correction, Defog and Electronic image stabilization. Scene profiles. Two-way audio and I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Powered by IEEE 802.3at Type 2 Class 4 (PoE+). Built-in heaters and fan, Arctic Temperature Control for start up in -40°C to 60°C (-40 °F to 140 °F). Includes a removable sunshield and wall bracket. Midspan not included.</p>	
36	<p>AXIS Q1700-LE Robust outdoor, color 2 MP/1080p HDTV license plate camera for sharp license plate images day and night. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p / 2MP resolution at up to 50/60 fps. Varifocal 18–137 mm, 8x optical zoom lens, 16°-2.3° HFOV, F2.9 with remote zoom and installation focus. License plate capture range 20-50 meter at night with built-in OptimizedIR at speeds up to 130 km/h (81 mph) Includes license plate capture assistant for easy setup, pixel counter, shock detection, active tampering alarm, defogging and electronic image stabilization. Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. Integrated bracket for easy mounting on wall and ceiling. Dark grey (NCS S5502-B) casing, black fixed</p>	

	<p>metal weather shield with anti-glare coating. NEMA 4X, IP66/67 and impact resistant in -40°C to +60°C(-40 °F to 140 °F). Powered by PoE (IEEE 802-3af), RJ45 or IDC punchdown connector, 20-28 V DC or 20-24 V AC. License plate recognition software, power supply or midspan not included.</p>	
37	<p>AXIS Q1785-LE Robust outdoor, 2 MP/HDTV, day/night fixed bullet camera with 32x optical zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 50/60 fps. Forensic WDR and Lightfinder for demanding light conditions and Axis Zipstream technology for reduced bandwidth and storage needs. Varifocal 4.3–137 mm, F1.4 with remote zoom and autofocus. Includes analytics AXIS Guard Suite, shock detection and active tampering alarm. Corridor format, Barrel distortion correction, Defog, Electronic image stabilization and Scene profiles Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology. Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and impact resistant in -40°C to +60°C(-40 °F to 140 °F). Powered by PoE (IEEE 802-3af), 20-28 V DC or 20-24 V AC. Includes a removable sunshield. Power supply or midspan not included.</p>	
38	<p>AXIS Q1786-LE Robust outdoor, 4 MP/Quad HD1440p, day/night fixed bullet camera with 32x optical zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1440p /4MP resolution at 50/60 fps. Forensic WDR and Lightfinder for demanding light conditions and Axis Zipstream technology for reduced bandwidth and storage needs. Varifocal 4.3–137 mm, F1.4 with remote zoom and autofocus. Includes analytics AXIS Guard Suite, shock detection and active tampering alarm. Corridor format, Barrel distortion correction, Defog, Electronic image stabilization and Scene profiles Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology. Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and impact resistant in -40°C to</p>	

	<p>+60°C(-40 °F to 140 °F). Powered by PoE (IEEE 802-3af), 20-28 V DC or 20-24 V AC. Includes a removable sunshield. Power supply or midspan not included.</p>	
39	<p>AXIS Q1798-LE</p> <p>Robust outdoor, NEMA 4X, IP66/67 and IK10-rated 10 MP/ 4K, day/night, fixed bullet camera providing Forensic WDR and Lightfinder 2.0 technology. Features a 4/3" type image sensor, built-in varifocal 12–48 mm, 4 x optical Canon zoom lens, 90°-21° HFOV, F1.7 with remote zoom and autofocus. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max 4K at 30 fps /10MP resolution at 20 fps. Axis Zipstream technology for reduced bandwidth and storage needs. Includes analytics AXIS Guard Suite, Video motion detection, shock detection and active tampering alarm. Corridor format, barrel distortion correction, defogging and electronic image stabilization. Scene profiles. Audio mic/line in, audio detection with optional analog or digital microphone. Supervised I/O for alarm/event handling. MicroSD/MicroSDHC memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology. Integrated bracket for easy mounting on wall and ceiling. Operation in -40°C to +60°C (-40 °F to 140 °F). Powered by PoE class 4 (IEEE 802-3at), 20-28 V DC or 20-24 V AC. Includes a removable sunshield, Torx T20 allen key, IP66/67- rated cable glands and optional IDC punch connector. Power supply or midspan not included.</p>	
40	<p>AXIS M3015</p> <p>Ultra-discreet, indoor fixed mini dome for recessed mounting in ceiling or wall. Fixed lens. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max HDTV 1080p at 30 fps with WDR. Axis Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.</p>	
41	<p>AXIS M3016</p> <p>Ultra-discreet, indoor fixed mini dome for recessed mounting in ceiling or wall. Fixed lens. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max 3 MP at 30 fps with WDR. Axis Zipstream technology for reduced bandwidth and storage needs.</p>	

	Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	
42	<p>AXIS M3047-P</p> <p>Ultra-compact, indoor fixed mini dome with 6 MP sensor, fixed lens and tamper-resistant casing for easy mounting on wall or ceiling. Provides 360°/180° overview and dewarped panorama, quad, corner, corridor or digital PTZ views in up to 30 fps. Multiple, individually configurable H.264 and Motion JPEG streams. Client dewarping also supported. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. HDMI output (micro). Memory card slot for optional local video storage. Environment-friendly, PVC-free with recycled plastics. Power over Ethernet. Midspan not included.</p>	
43	<p>AXIS M3105-LVE Network Camera</p> <p>AXIS M3105-LVE is a flexible mini dome that gives you built-in IR illumination and HDTV 1080p video quality at an attractive price. It's suitable for outdoor use and perfect at the back entrance of a store, restaurant or hotel, for instance.</p> <p>Built-in IR illumination HDTV 1080p video quality Axis' Zipstream technology Supports video analytics Discreet, flexible and outdoor-ready Fast, easy, cost-effective installation</p>	
44	<p>AXIS Q8685-LE 24V AC/DC</p> <p>High accuracy outdoor PTZ positioning camera with IR illuminators. HDTV 1080p video, 30x optical zoom, built-in IR pass filter for sharper images in mixed lighting conditions. IR range up to 500m. Integrated long-life silicone wiper for remote maintenance, and integrated SFP slot for long-distance fiber connection. IK10, IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included)</p>	
45	<p>AXIS Q8741-E 35MM 30 FPS 24V</p> <p>High accuracy outdoor PTZ positioning bispectral camera. Thermal sensor features a 384x288 resolution, 30 fps and 35 mm lens with 10.5° angle of view. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, focus recall and are extremely light sensitive. Integrated long-life silicone wiper for remote maintenance. The bispectral camera supports Zipstream, ONVIF, H.264 and local storage. It includes</p>	

	<p>Video motion detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC from external power supply (not included). This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.</p>	
46	<p>AXIS Q6125-LE 50HZ</p> <p>Top of the line PTZ with IR, HDTV 1080 and 30x optical zoom, H264/265 with Zipstream and Motion JPEG. IP66 for both indoor and outdoor use, WDR . Perfect image quality in all directions without distortion. WDR, EIS, Speed dry. Includes Advanced gate keeper analytics. With its compact size and repaintable surface, it will easily blend into the surroundings. Midspan with fiber slot and RJ45 input included.</p>	
47	<p>Discreet PTZ with HDTV 1080p, 1920x1080, 10x optical zoom, automatic day/night and autofocus. Continues 360° pan. WDR- Forensic Capture, IP66, PoE and 24V. 30fps in H.264 and Motion JPEG, Zipstream, Scene profiles, two-way audio, 4 I/O. Surface mount or Axis PTZ standard mount. Midspan not included.</p>	
48	<p>AXIS P5414-E 50HZ</p> <p>Intelligent Direct Drive PTZ camera with HDTV 720p, day/night and 18x zoom, designed for mounting on a wall or building. No extra bracket are needed, build in junction box. Audio In/Out, full size SD card, 24 V DC, 4 configurable I/Os and Ethernet connector with PoE. Repaintable sunshield covering the entire unit. Power supply not included.</p>	
49	<p>AXIS P5415-E 50HZ</p> <p>Intelligent Direct Drive PTZ camera with HDTV 1080p, day/night and 18x zoom, designed for mounting on a wall or building. No extra bracket are needed, build in junction box. Audio In/Out, full size SD card, 24 V DC, 4 configurable I/Os and Ethernet connector with PoE. Repaintable sunshield covering the entire unit. Power supply not included.</p>	
50	<p>AXIS P5624-E MK II 50HZ</p>	

	<p>PTZ camera with continues 360° pan for both indoor and outdoor with 23x optical zoom. HDTV 720p @ 25fps (1280x720) in H.264, Motion JPEG and Axis Zipstream and Focus Recall, Day & Night, IP66 and NEMA 4X classification. Advanced Gatekeeper, full-size SD-card slot, smoked and clear dome. Mounting brackets and Midspan are not included.</p>	
51	<p>AXIS P5655-E 50HZ</p> <p>PTZ camera with continues 360° pan for both indoor and outdoor with 32x optical zoom, Lightfinder 2, Autofocus and Focus Recall. HDTV 1080p @ 25/50fps (1920x1080) in Motion JPEG, H.264, H.265, and Axis Zipstream. Two-way audio, 4xI/O, 24V and PoE, Day & Night, IP66, IK10 and NEMA 4X classification. Advanced Gatekeeper, full-size SD-card slot. Mounting brackets, Midspan/Power supply and connector or cable for audio, I/O and 24V are not included.</p>	
52	<p>AXIS Q6055 50HZ</p> <p>HDTV 1080p compliant, high-speed PTZ dome camera with 32x optical zoom for indoor use. HDTV 1080p (1920x1080)@25 fps, 720P@50fps. Continuous 360° rotation and 220° tilt with E-flip. Day & Night, IP52, Zipstream, Shock detection, autotracking, tour recording and Active Gatekeeper. Two-way audio, I/O and external power with multi-connector cable (not included). Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection Includes High PoE midspan, smoked and clear dome covers, and mounting kits for hard and drop ceilings</p>	
53	<p>AXIS Q6055-E 50HZ</p> <p>Top performance HDTV 1080p compliant, outdoor-ready, IP66, IK10 and NEMA 4X-rated PTZ dome camera with 32x optical zoom and Zipstream. Arctic Temperature Control enables operation and start up from -50 °C to +50 °C (-58 °F to 122 °F). Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p (1920x1080)@25 fps, 720P@50fps. Shock detection, autotracking, tour recording and Active Gatekeeper. Power through High PoE only. Highlight compensation. Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection. Clear transparent dome cover and High PoE midspan with fiber slot are included. No mounting bracket included (several different accessories available).</p>	
54	<p>AXIS Q6055-C 50HZ</p>	

	<p>Actively cooled, outdoor-ready high-speed PTZ dome camera with 32x optical zoom. IP66-, MIL-, IK10 and NEMA 4X-rated. Temperature range -20 °C to +75 °C. Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p (1920x1080) @ 25 fps. 720P@50 fps. Shock detection, autotracking, tour recording and Active Gatekeeper. Highlight compensation. Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection. Including 5 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 24 V in. Power supply and brackets are not included. (several different accessories available).</p>	
55	<p>AXIS Q6055-S 50HZ</p> <p>Stainless steel, (SS-316L) pressurized (5psi) Top performance HDTV 1080p compliant, outdoor-ready, IP66, IK10 and NEMA 4X-rated PTZ dome camera with 32x optical zoom. Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p (1920x1080) @ 25 fps, 720@50 fps. Shock detection, autotracking, tour recording and Active Gatekeeper. Highlight compensation. Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection. Including 7 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 24V in. Brackets and power adapter are not included (several different accessories available).</p>	
56	<p>AXIS Q6075-E 50HZ</p> <p>Top performance PTZ camera with HDTV 1080p @50fps, 40x optical zoom, outdoor-ready, IP66, IK10 and NEMA 4x-rated. Zipstream with H.264/ H.265, Arctic Temperature Control enables operation and start up from -40 °C to +50 °C (-58 °F to 122 °F). Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. Shock detection, Autotracking 2, tour recording and Active Gatekeeper. Compass ruler overlay, Privacy mask with mosaic. Highlight compensation. Build in analytics; object removed, loitering guard, fence detector, object counter, enter/exit detection, video motion detection. Clear transparent dome cover and High PoE midspan with fiber slot are included. No mounting bracket included (several different accessories available).</p>	
57	<p>AXIS Q6074 50HZ</p> <p>Top performance PTZ camera with HDTV 720p @50fps 30x optical zoom for indoor use. IP52 rated. Zipstream with H.264/ H.265. Auto day/night functionality. Continuous 360° rotation and 180° tilt with E-flip. Two-</p>	

	<p>way audio, I/O and external power with multi-connector cable (not included). Shock detection, Autotracking 2, tour recording and Active Gatekeeper. Compass ruler overlay, Privacy mask with mosaic. Highlight compensation. Build in analytics; object removed, loitering guard, fence detector, object counter, enter/exit detection, video motion detection. Clear and smoked transparent dome cover and High PoE midspan are included. Mounting kits for hard and drop ceilings</p>	
58	<p>AXIS Q6074-E 50HZ</p> <p>Top performance PTZ camera with HDTV 720p @50fps, 30x optical zoom, outdoor-ready, IP66, IK10 and NEMA 4x-rated. Zipstream with H.264/ H.265, Arctic Temperature Control enables operation and start up from -40 °C to +50 °C (-58 °F to 122 °F). Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. Shock detection, Autotracking 2, tour recording and Active Gatekeeper. Compass ruler overlay, Privacy mask with mosaic. Highlight compensation. Build in analytics; object removed, loitering guard, fence detector, object counter, enter/exit detection, video motion detection. Clear transparent dome cover and High PoE midspan with fiber slot are included. No mounting bracket included (several different accessories available).</p>	
59	<p>AXIS Q6215-LE 50HZ</p> <p>PTZ for the toughest conditions. MIL specified, build in IR illumination 400M (1300t), can be mounted face up or face down. IP66/67/68, IK10, MIL 8105 521.</p> <p>Camera part; ½” sensor with HDTV 1080p, 30x optical zoom, 50fps, H264 with Zipstream and Motion JPEG, WDR. Perfect image quality in all directions without distortion, window wiper. Advanced gate keeper analytics. 90W Midspan included. Color; Urban grey.</p>	
60	<p>AXIS T92E05 PROTECTIVE HOUSING</p> <p>Protective camera housing for P13XX, M11XX, Q16XX and Q1755. Die cast aluminum casing and wallbracket, polycarbonate sunshield. The housing is IP66-, Nema 4X rated and IK10 impact-resistant. Sunshield, wallbracket and screwdriver included.</p>	
61	<p>AXIS T92E20 OUTDOOR HOUSING</p> <p>Outdoor PoE camera housing with window-/camera heaters and fan for P13XX, M11XX, Q16XX and Q1755. Die cast aluminum casing and wallbracket, polycarbonate sunshield. The housing is IP66-, Nema 4X-, Vibration 4M3 rated and IK10 impact-resistant. Sunshield, wallbracket and screwdriver included.</p>	

62	<p>AXIS T98A15-VE SURVEILLANCE CABINET</p> <p>IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included.</p>	
63	<p>AXIS T91B47 50-410MM</p> <p>AXIS T91B47 Pole Mount for indoor and outdoor installations, for poles with diameter between 100-410 mm (4"-16"). Includes 1 pair of AXIS Stainless Steel Straps 1450mm (57") with TX30 screw interface for ease-of-installation. AXIS T91B47 is directly compatible with a wide range of Axis cameras.</p>	
64	<p>AXIS T91L61 WALL-AND-POLE MOUNT</p> <p>Wall-and-Pole Mount for Axis PTZ and multi-sensor cameras. Built-in Ethernet cable with an IP66 RJ45 connector for quick installation with protection against dust and water. Connect PoE via either RJ45 or IDC (insulation-displacement contact) connectors. Suitable for both indoor and outdoor environments. Separate stainless steel straps required for pole installation.</p>	
65	<p>Axis P3235-LVE</p> <p>AXIS P3235-LVE Network Camera is a outdoor-ready fixed dome, ideal for surveillance in retail, banking, hotels and other service industries, HDTV 1080p video quality Outdoor-ready and IK10-rated Remote zoom and focus WDR – Forensic Capture, Lightfinder and OptimizedIR Two-way audio: connectors for mic or line in, and line out Supervised digital input and digital output Zipstream</p>	
66	<p>AXIS P3245-LVE Network Camera</p> <p>AXIS P3245-LVE is a robust, outdoor-ready fixed dome that delivers HDTV 1080p. This streamlined camera offers flexible, cost-efficient installation making it ideal for various surveillance situations, such as in retail, banking and office environments. HDTV 1080p video quality Lightfinder 2.0, Forensic WDR and OptimizedIR Zipstream supporting H.264 and H.265 Signed firmware and secure boot Two-way audio and I/O connectivity</p>	
67	<p>AXIS M2025-LE Network Camera</p> <p>AXIS M2025-LE Network Camera is a small bullet camera that offers Axis excellence at a surprisingly affordable price. It has built-in IR illumination and HDTV 1080p video quality, and it's a perfect choice when you need small, easy-to-</p>	

	<p>install cameras both outdoors and in. The camera is available in both black and white.</p> <p>Small bullet camera Built-in IR illumination Outdoor-ready HDTV 1080p Zipstream</p>	
68	<p>Axis P3245-LVE</p> <p>Fixed dome with support for Forensic WDR, Lightfinder 2.0 and OptimizedIR illumination. Discreet, dust- and IK10 vandal-resistant outdoor-ready casing. Varifocal 3.4-8.9 mm P-Iris lens with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264, H.265 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR. Zipstream for reduced bandwidth and storage. Video motion detection and tampering alarm. Two-way audio and audio detection. Supervised digital input / digital output for alarm / event handling. Signed firmware and secure boot ensure firmware authenticity. Memory card slot for optional local video storage. Power over Ethernet. Includes mounting bracket for wall/ceiling or junction boxes.</p>	
69	<p>Axis P1445-LE</p> <p>Compact outdoor, HDTV, day/night, fixed bullet camera providing Forensic WDR and Lightfinder for demanding light conditions. IR corrected varifocal 2.8-8.5 mm F1.2 P-iris lens with remote 3x optical zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 50/60 fps.. Axis Zipstream technology for reduced bandwidth and storage needs. Video motion detection, active tampering alarm, shock detection and corridor format. Audio mic/line in, I/O for alarm/event handling and memory card slot for optional local video storage. OptimizedIR, a power-efficient IR LED technology covering 40 meters (131 feet). Integrated bracket for easy mounting on wall and ceiling. NEMA 4X, IP66/67 and IK10-rated for operation in -40°C to +60°C(-40 °F to 140 °F). Powered by IEEE 802.3af Type 1 Class 3 midspan (PoE). Midspan not included.</p>	
70	<p>AXIS P3235-LVE</p> <p>Day/night fixed dome with support for WDR – Forensic Capture, Lightfinder and OptimizedIR with built-in IR</p>	

	illumination. IK10 vandal-resistant outdoor casing. Varifocal 3-10 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Two-way audio and audio detection. Supervised digital input / digital output for alarm / event handling. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	
71	AXIS M2025-LE Day/night, compact and outdoor-ready bullet style HDTV camera, IP66- and IK08-rated. Built-in IR illumination and WDR – Forensic Capture. Fixed lens with 115° HFOV. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and corridor format. Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F). Midspan not included.	
72	AXIS C3003-E Network Horn Speaker Clear, long-range speech Simple installation with network cable and PoE Easy integration with major video management software Supports SIP (VoIP) Ensured reliability with Auto Speaker Test Outdoor-ready	
73	2N SIP Mic All-in-one microphone console 12 configurable buttons for 12 zones Pre-recorded or live announcements Quick installation with just one network cable (PoE) Future-proof with openness and integration AXIS 2N SIP Mic is an all-in-one network microphone console that give you a smart and easy way to turn your Axis network speakers into a complete public address system	
74	AXIS Audio Manager C7050 Server AXIS Audio Manager C7050 Server is a complete audio management package that includes both hardware and software. The heart and the brain of your network audio system, it lets you manage and control all your audio devices from a single user interface.	
75	AXIS A8207-VE Network Video Door Station	

	<p>AXIS A8207-VE Network Video Door Station combines video surveillance, two-way communication and access control in a single device. Not only is it our most advanced door station yet, it's also a powerful enabler of better overall security. Its open interfaces offer countless possibilities for integration, so it can easily be combined with other systems within your security solution to meet your specific needs. AXIS A8207-VE is perfect for installation at entrances where there are many known and unknown visitors passing through on a regular basis.</p>	
76	Axis T8134 POE DC 60W POWER ADAPTOR	
77	64ch SOFTWARE PER YEAR	
78	SOFTWARE – SINGLE USER 3 YEAR LICENSE	
79	SOFTWARE – SINGLE USER LICENSE PER YEAR	
80	SNIPR ANNUAL LICENSE FEE PER CAMERA	
80	SOFTWARE – SERVER REGISTRATION – 3YR	
	TOWERS	R
1	WIRELESS BASE TOWER SUPPORT 3 DISH	
2	MAST POLE 8M FOR PTZ Camera & 5 normal	
3	MAST POLE 12M FOR PTZ Camera & 5 normal	
4	POLE + BRACKET MOUNTING	
5	Over-head Road L Camera tower Camera to hold 4 Cameras	
6	IP67 surveillance pole mount box	
7	Bullet out door camera housing	

	CIVILS	R
1	Pole mounting (Turnkey project)	
2	Trenching per meter	
3	LABOUR RATES per hour	
4	LABOUR RATE PER NETWORK POINT	
5	Project manager	
6	Civil engineer	
7	Mechanical engineer	
8	Steel Works – welder per hour	
9	I.T Engineer Per Hour	
10	Software Config Per Hour	
	Software Engineer Per Hour	
11	Electrician Per Hour	
12	Foreman Per Hour	
13	Driver Per Hour	
14	Camera technician per Hour	
15	General Labourer Per Hour	
16	Fibre Splicing Per splice	
17	Fibre technician	
18	Preventative monthly maintenance cost including wireless coverage to all surveillance poles	
19	Call out cost per hour	
20	Traveling cost per km	

21	Wireless Point to point	
22	Wireless point to multi point	
23	Cherry Picker Hire – Per hour	
24	Cherry picker Hire – Per Day	
	QUEUE SYSTEM	R
1	FLOOR MOUNTED TOUCH SCREEN TICKET ISSUE KIOSK AND PRINTER	
2	QUEUE MANAGEMENT CONTROL UNIT	
3	CONTROL UNIT CABINET AND UPS	
4	QUEUE SYSTEM SOFTWARE CONFIGURATION PER HOUR	
5	WIRELESS CALLING KEYPADS - "CALL, SERVE AND CLOSE ONLY "	
6	GRAPHICS SET UP PER HOUR	
7	LED SCREEN 40 INCH	
8	CONFIGURATION TESTING OF SYSTEM	
9	IMPLEMENTATION SUPPORT FOR 12 MONTHS	
10	THERMAL 80x83 PAPER (BOX OF 50)	
11	SPEAKERS	
12	AMPLIFIER	
13	Slip Printer	
14	Tablet	
16	Router board	
17	Server control unit	
	INTERNET	R
1	10MB LINE UNCAPPED PER MONTH	
2	20MB LINE UNCAPPED PER MONTH	
3	30 MB LINE UNCAPPED PER MONTH	
4	40 MB LINE UNCAPPED PER MONTH	
5	50 MB LINE UNCAPPED PER MONTH	
6	100 MB LINE UNCAPPED PER MONTH	
	OVERALL TOTAL PER ITEM	R

10. MBD 4 DECLARATION OF INTEREST

- 1. No bid will be accepted from persons in the service of the state¹.
- 2. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder or their authorised representative declare their position in relation to the evaluating/adjudicating authority.
- 3 In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.**

3.1 Full Name of bidder or his or her representative:.....

3.2 Identity Number:

3.3 Position occupied in the Company (director, trustee, hareholder²):.....

3.4 Company Registration Number:

3.5 Tax Reference Number:.....

3.6 VAT Registration Number:

3.7 The names of all directors / trustees / shareholders members, their individual identity numbers and state employee numbers must be indicated in paragraph 4 below.

3.8 Are you presently in the service of the state? **YES / NO**

3.8.1 If yes, furnish particulars.
.....

¹MSCM Regulations: “in the service of the state” means to be –

- (a) a member of –
 - (i) any municipal council;
 - (ii) any provincial legislature; or
 - (iii) the national Assembly or the national Council of provinces;
- (b) a member of the board of directors of any municipal entity;
- (c) an official of any municipality or municipal entity;
- (d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);
- (e) a member of the accounting authority of any national or provincial public entity; or
- (f) an employee of Parliament or a provincial legislature.

² Shareholder” means a person who owns shares in the company and is actively involved in the

management of the company or business and exercises control over the company.

3.9 Have you been in the service of the state for the past twelve months?**YES / NO**

3.9.1 If yes, furnish particulars.....
.....

3.10 Do you have any relationship (family, friend, other) with persons in the service of the state and who may be involved with the evaluation and or adjudication of this bid? **YES / NO**

3.10.1 If yes, furnish particulars.
.....
.....

3.11 Are you, aware of any relationship (family, friend, other) between any other bidder and any persons in the service of the state who may be involved with the evaluation and or adjudication of this bid? **YES / NO**

3.11.1 If yes, furnish particulars
.....
.....

3.12 Are any of the company's directors, trustees, managers, principle shareholders or stakeholders in service of the state? **YES / NO**

3.12.1 If yes, furnish particulars.
.....
.....

3.13 Are any spouse, child or parent of the company's directors trustees, managers, principle shareholders or stakeholders in service of the state? **YES / NO**

3.13.1 If yes, furnish particulars.
.....
.....

3.14 Do you or any of the directors, trustees, managers, principle shareholders, or stakeholders of this company have any interest in any other related companies or business whether or not they are bidding for this contract. **YES / NO**

3.14.1 If yes, furnish particulars:
.....
.....

4. Full details of directors / trustees / members / shareholders.

Full Name	Identity Number	State Employee Number

CERTIFICATION

I, THE UNDERSIGNED (FULL NAME)
CERTIFY THAT THE INFORMATION FURNISHED ON THIS DECLARATION FORM IS TRUE AND CORRECT.

I ACCEPT THAT, IN ADDITION TO CANCELLATION OF A CONTRACT, ACTION MAY BE TAKEN AGAINST ME SHOULD THIS DECLARATION PROVE TO BE FALSE.

SIGNATURE		NAME (PRINT)	
CAPACITY		DATE	
NAME OF FIRM			

11. MBD 6. 1 PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to all bids:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 The value of this bid is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable or

1.3 Points for this bid shall be awarded for:

- (a) Price; and
- (b) Specific contract participation goals, as specified in the attached forms.

1.4 The maximum points for this bid are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. DEFINITIONS

- (a) **“tender”** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) **“price”** means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) **“rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

- (d) **“tender for income-generating contracts”** means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) **“the Act”** means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1 POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

80/20

$$P_s = 80 \left(1 - \frac{P_t - P_{\min}}{P_{\min}} \right)$$

Where

- P_s = Points scored for price of tender under consideration
- P_t = Price of tender under consideration
- P_{min} = Price of lowest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1 In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2 In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
 - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

SPECIFIC GOALS FOR THE TENDER AND POINTS CLAIMED ARE INDICATED PER THE TABLE BELOW.

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)	Proof to be attached
Race: *100% Black owned enterprise – 10 points *51% Black & 49% Other – 6 points *50% Black & 50% other – 4 points * Other – 2 Points	10		CK Document
Gender : *Women – 2 points	02		ID Copies
Youth (18 – 35years) – 2 points	02		ID Copies
Disabled - 1 points (medical document proof provided)	01		Medical Certificate
Geographical Location (Enterprises located in:- *Provincial – 5 *National – 3	05		Proof of resident

Total Specific Goals = _____

NB: Proof must be attached for claimed points.

- CK Document
- Certified ID Copy
- Proof of Residents
- Medical Certificate (if applicable)

DECLARATION WITH REGARD TO COMPANY/FIRM

- 4.3 Name of company/firm.....
- 4.4 Company registration number:
- 4.5 TYPE OF COMPANY/ FIRM

- Partnership/Joint Venture / Consortium
- One-person business/sole propriety
- Close corporation
- Public Company

- Personal Liability Company
- (Pty) Limited
- Non-Profit Company
- State Owned Company

[TICK APPLICABLE BOX]

4.6 I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
 - (a) disqualify the person from the tendering process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution, if deemed necessary.

SIGNATURE(S) OF TENDERER(S)		SURNAME AND NAME (PRINT)	
CAPACITY		DATE	
ADDRESS			

12. MBD 7.2 CONTRACT FORM - RENDERING OF SERVICES

THIS FORM MUST BE FILLED IN DUPLICATE BY BOTH THE SERVICE PROVIDER (PART 1) AND THE PURCHASER (PART 2). BOTH FORMS MUST BE SIGNED IN THE ORIGINAL SO THAT THE SERVICE PROVIDER AND THE PURCHASER WOULD BE IN POSSESSION OF ORIGINALLY SIGNED CONTRACTS FOR THEIR RESPECTIVE RECORDS.

PART 1 (TO BE FILLED IN BY THE SERVICE PROVIDER)

1. I hereby undertake to render services described in the attached bidding documents to (name of the institution)..... in accordance with the requirements and task directives /proposals specifications stipulated in Bid Number..... at the price/s quoted. My offer/s remains binding upon me and open for acceptance by the Purchaser during the validity period indicated and calculated from the closing date of the bid.

2. The following documents shall be deemed to form and be read and construed as part of this agreement:

- Bidding documents;
- Invitation to bid;
- Tax clearance certificate;
- Pricing schedule(s);
- Filled in task directive/proposal;
- Preference claims for Broad Based Black Economic Empowerment Status Level of Contribution in terms of the Preferential Procurement Regulations 2011;
- Declaration of interest;
- Declaration of Bidder's past SCM practices;
- Certificate of Independent Bid Determination;
- Special Conditions of Contract;
- General Conditions of Contract; and
- Other (specify)

3. I confirm that I have satisfied myself as to the correctness and validity of my bid; that the price(s) and rate(s) quoted cover all the services specified in the bidding documents; that the price(s) and rate(s) cover all my obligations and I accept that any mistakes regarding price(s) and rate(s) and calculations will be at my own risk.

2. I accept full responsibility for the proper execution and fulfilment of all obligations and conditions devolving on me under this agreement as the principal liable for the due fulfilment of this contract.

3. I declare that I have no participation in any collusive practices with any bidder or any other person regarding this or any other bid.

I confirm that I am duly authorised to sign this contract.

PRINT NAME		DATE	
CAPACITY			
SIGNATURE		NAME OF FIRM	
WITNESS 1		WITNESS 2	

CONTRACT FORM - RENDERING OF SERVICES

PART 2 (TO BE FILLED IN BY THE PURCHASER)

I..... in my capacity as.....
 accept your bid under reference numberdated.....for the rendering of services
 indicated hereunder and/or further specified in the annexure(s).

An official order indicating service delivery instructions is forthcoming.

I undertake to make payment for the services rendered in accordance with the terms and conditions of the
 contract, within 30 (thirty) days after receipt of an invoice.

DESCRIPTION OF SERVICE	PRICE (ALL APPLICABLE TAXES INCLUDED)	COMPLETION DATE	B-BBEE STATUS LEVEL OF CONTRIBUTION	MINIMUM THRESHOLD FOR LOCAL PRODUCTION AND CONTENT (if applicable)

I confirm that I am duly authorized to sign this contract.

SIGNED AT (PLACE)		ON (DATE)	
PRINT NAME			
SIGNATURE		WITNESS 2	
WITNESS 1		DATE	

OFFICIAL STAMP

□

13. MBD 8 DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES

- (i) This Municipal Bidding Document must form part of all bids invited.
- (ii) It serves as a declaration to be used by municipalities and municipal entities in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
- (iii) The bid of any bidder may be rejected if that bidder, or any of its directors have:

abused the municipality's / municipal entity's supply chain management system or committed any improper conduct in relation to such system;

been convicted for fraud or corruption during the past five years;

willfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or

been listed in the Register for BID Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004).

- (iv) In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

Item	Question	Yes	No
4.1	<p>Is the bidder or any of its directors listed on the National Treasury's Database of Restricted Suppliers as companies or persons prohibited from doing business with the public sector?</p> <p>(Companies or persons who are listed on this Database were informed in writing of this restriction by the Accounting Officer/Authority of the institution that imposed the restriction after the <i>audi alteram partem</i> rule was applied).</p> <p>The Database of Restricted Suppliers now resides on the National Treasury's website (www.treasury.gov.za) and can be accessed by clicking on its link at the bottom of the home page.</p>	Yes	No
4.1.1	If so, furnish particulars:		
4.2	<p>Is the bidder or any of its directors listed on the Register for BID Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004)?</p> <p>The Register for BID Defaulters can be accessed on the National Treasury's website (www.treasury.gov.za) by clicking on its link at the bottom of the home page.</p> <p>(v)</p>	Yes	No

4.2.1	If so, furnish particulars:		
4.3	Was the bidder or any of its directors convicted by a court of law (including a court of law outside the Republic of South Africa) for fraud or corruption during the past five years?	Yes	No
4.3.1	If so, furnish particulars:		
Item	Question	Yes	No
4.4	Does the bidder or any of its directors owe any municipal rates and taxes or municipal charges to the municipality / municipal entity, or to any other municipality / municipal entity, that is in arrears for more than three months?	Yes	No
4.4.1	If so, furnish particulars:		
4.5	Was any contract between the bidder and the municipality / municipal entity or any other organ of state terminated during the past five years on account of failure to perform on or comply with the contract?	Yes	No
4.7.1	If so, furnish particulars:		

CERTIFICATION

**I, THE UNDERSIGNED (FULL NAME)
 CERTIFY THAT THE INFORMATION FURNISHED ON THIS DECLARATION FORM IS
 TRUE AND CORRECT.**

**I ACCEPT THAT, IN ADDITION TO CANCELLATION OF A CONTRACT, ACTION MAY BE
 TAKEN AGAINST ME SHOULD THIS DECLARATION PROVE TO BE FALSE.**

SIGNATURE		NAME (PRINT)	
CAPACITY		DATE	
NAME OF FIRM			

14. MBD 9 CERTIFICATE OF INDEPENDENT BID DETERMINATION

1. This Municipal Bidding Document (MBD) must form part of all bids¹ invited.
1. Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).² Collusive bidding is a *pe se* prohibition meaning that it cannot be justified under any grounds.
2. Municipal Supply Regulation 38 (1) prescribes that a supply chain management policy must provide measures for the combating of abuse of the supply chain management system, and must enable the accounting officer, among others, to:
 - (a). take all reasonable steps to prevent such abuse;
 - (b). reject the bid of any bidder if that bidder or any of its directors has abused the supply chain management system of the municipality or municipal entity or has committed any improper conduct in relation to such system; and
 - (c). cancel a contract awarded to a person if the person committed any corrupt or fraudulent act during the bidding process or the execution of the contract.
3. This MBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.
4. In order to give effect to the above, the attached Certificate of Bid Determination (MBD 9) must be completed and submitted with the bid:

¹ Includes price quotations, advertised competitive bids, limited bids and proposals.

² Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

CERTIFICATE OF INDEPENDENT BID DETERMINATION

I, the undersigned, in submitting the accompanying bid:

(Bid Number and Description)

In response to the invitation for the bid made by:

(Name of Municipality / Municipal Entity)

Do hereby make the following statements that I certify to be true and complete in every respect:

I certify, on behalf of: _____ that:
(Name of Bidder)

1. I have read and I understand the contents of this Certificate;
2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign, the bid, on behalf of the bidder;
5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
 - (a) Has been requested to submit a bid in response to this bid invitation;
 - (b) Could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
 - (c) Provides the same goods and services as the bidder and/or is in the same line of business as the bidder

6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint venture or consortium³ will not be construed as collusive bidding.

7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:

- (a) Prices;
- (b) Geographical area where product or service will be rendered (market allocation)
 - (c) Methods, factors or formulas used to calculate prices;
 - (d) The intention or decision to submit or not to submit, a bid;
 - (e) The submission of a bid which does not meet the specifications and conditions of the bid; or
 - (f) Bidding with the intention not to win the bid.

8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates.

9. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.

³ Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

SIGNATURE		NAME (PRINT)	
CAPACITY		DATE	
NAME OF FIRM			

15. PARTICULARS OF BIDDER

THE FOLLOWING PARTICULARS MUST BE FURNISHED
(FAILURE TO DO SO MAY RESULT IN YOUR BID BEING DISQUALIFIED)

Name of Bidder: _____

Postal Address _____

Street Address _____

Telephone Number

Code _____ Number _____

Cell phone Number _____

Facsimile Number Code _____ Number _____

E-mail Address _____

Contact Person _____

Company / Enterprise Income Tax
Reference Number: _____

Has an original Tax Clearance Certificate been attached? (MBD2) (Tick one box)

YES

NO

Vat Registration Number _____

Company Registration No _____

Is the Firm registered or does it have a Business Licence(s): (Tick one box)

YES

NO

If YES, give details and quote relevant Reference numbers and dates

Are you the accredited Representative in South Africa for the Goods / services offered by you?

YES / NO (If YES enclose proof)

A VALID TAX CLEARANCE CERTIFICATE MUST BE ATTACHED TO YOUR BID.

The undersigned, who warrants that he/she is duly authorised to do so on behalf of the firm, affirms that the information furnished is true and correct.

Signature: _____

Date: _____

Duly authorised to sign on behalf of: _____

Address: _____

Telephone Number: _____

Banking Details:

Name of Bank: _____

Account Number: _____

Branch Code: _____

16. ENQUIRY CONTACT DETAILS

ANY ENQUIRIES REGARDING THE BIDDING PROCEDURE MAY BE DIRECTED TO:

MUNICIPALITY: OKHAHLAMBA LOCAL MUNICIPALITY

DEPARTMENT: FINANCE DEPARTMENT

CONTACT PERSON: MS T MAPHALALA

TEL: 036 448 8000 (Ext 8056)

FAX: 036 448 1986

ANY ENQUIRIES REGARDING TECHNICAL INFORMATION MAY BE DIRECTED TO:

CONTACT PERSON: MR X SIBAYA

DEPARTMENT SOCIAL

TEL: 036 448 1066/078 389 7744

FAX: 036 448 1986

17. CHECK LIST

No	Description	Ticked by Bidder	Ticked by Municipal Representative
1	Initial/ Sign of all pages		
2	Briefing Session Attended....N/A....		
3	Closing/ Bid Submission at 01 April 2026 @ 12:00PM		
4	Form of bid completed		
5	Valid Tax Clearance Certificate with status verification pin attached MBD 2		
6	Copy of CK Certificate		
7	Original valid B-BBEE Status Level Verification Certificates or certified copies		
8	Pricing Schedule completed – MBD 3.1		
9	Bid Declaration of interest Completed – MBD 4		
10	Preferential Points Claimed – MBD 6.1		
11	Contract Form - Rendering Of Services – MBD 7.2		
12	Declaration Of Bidder's Past Supply Chain Management Practices – MBD 8		
13	Certificate Of Independent Bid Determination MBD 9		
14	All witnesses signed where it's required		
15	Particulars of Bidders Completed		
16	Functionality Score Card		