

Business Management System

Supply Chain Management

Warehouse

Plumbing BOQ Two

Material	Short Text	Purchase Order Text	Requested Quantity	UMC
0667242	ADAPTOR:CONEX FEMALE;BRASS;15 MM	ADAPTOR: TYPE: CONEX FEMALE; MATERIAL: BRASS; SIZE: 15 MM; MEDUPI CONTACT PERSON: RALPH SCHOLTZ TEL NO 082 603 2560	3195	EA
0667246	ADAPTOR:CONEX FEMALE;BRASS;22 MM	ADAPTOR: TYPE: CONEX FEMALE; MATERIAL: BRASS; SIZE: 22 MM	3195	EA
0667243	ADAPTOR:CONEX MALE;BRASS;15 MM	ADAPTOR: TYPE: CONEX MALE; MATERIAL: BRASS; SIZE: 15 MM	6388	EA
0667247	ADAPTOR:WELD ON FEMALE;COPPER;15 MM	ADAPTOR: TYPE: WELD ON FEMALE; MATERIAL: COPPER; SIZE: 15 MM	4792	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

0667244	ADAPTOR:WELD ON FEMALE;COPPER;22 MM	ADAPTOR: TYPE: WELD ON FEMALE; MATERIAL: COPPER; SIZE: 22 MM	6388	EA
0667248	ADAPTOR:WELD ON MALE;COPPER;15 MM	ADAPTOR: TYPE: WELD ON MALE; MATERIAL: COPPER; SIZE: 15 MM	4792	EA
0667245	ADAPTOR:WELD ON MALE;COPPER;22 MM	ADAPTOR: TYPE: WELD ON MALE; MATERIAL: COPPER; SIZE: 22 MM	4792	EA
0667464	ARM:15MM SHOWER ARM;WD 15 X LG 150 MM;SS	ARM: TYPE: 15MM SHOWER ARM; DIMENSIONS: WD 15 X LG 150 MM; MATERIAL: STAINLESS STEEL	4792	EA
0667465	ARM:COBRA AL FP 23 D/A;WD 15 X LG 150 MM	ARM: TYPE: COBRA AL FP 23 D/A; DIMENSIONS: WD 15 X LG 150 MM; MATERIAL: STAINLESS STEEL	3195	EA
0667522	BALL VLV:MALE 15 MM;200 MM	BALL, VALVE: VALVE SIZE: MALE 15 MM; DIAMETER: 200 MM; MATERIAL: PLASTIC, ORANGE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION	2396	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

		NUMBER (IF APPLICABLE).		
0753751	BOARD:CEILING;WD 3 M;LG 1.2 M;THK 6 MM	BOARD: TYPE: CEILING; WIDTH: 3 M; LENGTH: 1.2 M; THICKNESS: 6 MM; MATERIAL: GYPSUM; APPLICATION: CEILING; SUPPL P/N: 001136; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	69	EA
0753750	BOARD:CEILING;WD 3 M;LG 1.2 M;THK 9 MM	BOARD: TYPE: CEILING; WIDTH: 3 M; LENGTH: 1.2 M; THICKNESS: 9 MM; MATERIAL: GYPSUM; SUPPL P/N: 001142; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	69	EA
0753752	BOARD:MERLEY SHELL WHITE;WD 600 MM;THK 9	BOARD: TYPE: MERLEY SHELL WHITE; WIDTH: 600 MM; LENGTH: 1.2 M; THICKNESS: 9 MM; MATERIAL: PVC; APPLICATION: CEILING; SUPPL P/N: 000168; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	920	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

0667539	BREAKER VACM:COMPLETE FITTING; PLUMBING	BREAKER, VACUUM: TYPE: COMPLETE FITTING; PLUMBING; VALVE SIZE: 15/22 MM; CONNECTION TYPE: FEMALE; PRESSURE RATING: 4 BAR; BODY MATERIAL: BRASS	2396	EA
0667544	BUSH:PLUMBING;ID 15 MM;OD 16 MM;LG 50 MM	BUSH: TYPE: PLUMBING; INSIDE DIAMETER: 15 MM; OUTSIDE DIAMETER: 16 MM; LENGTH: 50 MM; MATERIAL: GALVANIZED	4792	EA
0667548	CAP:END;20 MM;GALVANIZED	CAP: TYPE: END; DIMENSIONS: 20 MM; MATERIAL: GALVANIZED	4792	EA
0704427	CARPET:TILE;CORAL;SQ 500 X THK 6.5 MM	CARPET: TYPE: TILE; COLOR: CORAL; DIMENSIONS: SQ 500 X THK 6.5 MM; PILE MATERIAL: STAIN PROOF MIRACLE FIBRE AND ECO FIBRE BLEND; FABRICATION METHOD: RESIN BACK; TO COMPLY WITH SANS 10186 FITTING CODE AND FIRE INDEX OF 2 SANS 10177-IV	2875	EA
0667435	CLAMP HOSE:ADJUSTABLE;ID 14-27 MM;SS	CLAMP, HOSE: TYPE: ADJUSTABLE; INSIDE DIAMETER: 14-27 MM; WIDTH: 12 MM; MATERIAL: STAINLESS STEEL	4792	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

0667434	CLAMP HOSE:ADJUSTABLE;ID 19-44 MM;SS	CLAMP, HOSE: TYPE: ADJUSTABLE; INSIDE DIAMETER: 19-44 MM; WIDTH: 12 MM; MATERIAL: STAINLESS STEEL	4792	EA
0667405	CLAMP HOSE:ADJUSTABLE;ID 60-80 MM;SS	CLAMP, HOSE: TYPE: ADJUSTABLE; INSIDE DIAMETER: 60-80 MM; WIDTH: 12 MM; MATERIAL: STAINLESS STEEL	4792	EA
0667549	COMPRESSOR:1/4 HP TGH1374YFS;FRIDGE	COMPRESSOR: TYPE: 1/4 HP TGH1374YFS;FRIDGE; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	6388	EA
0667447	CONNECTOR:BRAIDED; FLEXI;15 X 15 MM	CONNECTOR: TYPE: BRAIDED; FLEXI; DIMENSIONS: 15 X 15 MM; MATERIAL: FLEXI STEEL WIRE WITH SS THREAD ENDS	4792	EA
0667394	CONNECTOR:PAN; PLUMBING;PVC;SPEC SG 40	CONNECTOR: TYPE: PAN; PLUMBING; DIMENSIONS: 147 X 116 X 110 MM; MATERIAL: PVC; SPECIFICATION: SG 40	19167	EA
0667329	COUPLER:CONEX STRAIGHT;15 MM;SCREW ON	COUPLER: TYPE: CONEX STRAIGHT; SIZE: 15 MM; CONNECTION: SCREW ON; MATERIAL: BRASS; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION	9583	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

		NUMBER (IF APPLICABLE).		
0667240	COUPLER:CONEX STRAIGHT;22 MM;SCREW ON	COUPLER: TYPE: CONEX STRAIGHT; SIZE: 22 MM; CONNECTION: SCREW ON; MATERIAL: BRASS; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	9583	EA
0667241	COUPLER:PVC STRAIGHT;50 MM;GLUE ON;PVC	COUPLER: TYPE: PVC STRAIGHT; SIZE: 50 MM; CONNECTION: GLUE ON; MATERIAL: PVC; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	9583	EA
0667239	COUPLER:STRAIGHT;15 MM;WELD ON;COPPER	COUPLER: TYPE: STRAIGHT; SIZE: 15 MM; CONNECTION: WELD ON; MATERIAL: COPPER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	9583	EA
0667238	COUPLER:STRAIGHT;22 MM;WELD ON;COPPER	COUPLER: TYPE: STRAIGHT; SIZE: 22 MM; CONNECTION: WELD ON; MATERIAL: COPPER; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF	7987	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

		APPLICABLE).		
0667409	DOOR:SHOWER, ADJUSTABLE	DOOR: TYPE: SHOWER, ADJUSTABLE; DIMENSIONS: WD 900MM X HT 1.85M; MATERIAL: AL FRAME, GLASS DOOR	7987	EA
0667367	DOOR:SHOWER, EXPANDABLE	DOOR: TYPE: SHOWER, EXPANDABLE; DIMENSIONS: WD 900MM X HT 1.85M; MATERIAL: AL FRAME, GLASS DOOR	7987	EA
0667323	ELBOW:CONEX;15 MM;SCREW ON;BRASS;90 DEG	ELBOW: TYPE: CONEX; SIZE: 15 MM; CONNECTION: SCREW ON; MATERIAL: BRASS; DEGREE: 90 DEG	7987	EA
0667325	ELBOW:CONEX;22 MM;SCREW ON;BRASS;90 DEG	ELBOW: TYPE: CONEX; SIZE: 22 MM; CONNECTION: SCREW ON; MATERIAL: BRASS; DEGREE: 90 DEG	6388	EA
0667348	ELBOW:PLUMBING;15 MM;GLUE ON;PVC;90 DEG	ELBOW: TYPE: PLUMBING; SIZE: 15 MM; CONNECTION: GLUE ON; MATERIAL: PVC; DEGREE: 90 DEG	6388	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

0667347	ELBOW:PLUMBING;20 MM;GLUE ON;PVC;90 DEG	ELBOW: TYPE: PLUMBING; SIZE: 20 MM; CONNECTION: GLUE ON; MATERIAL: PVC; DEGREE: 90 DEG	6388	EA
0667345	ELBOW:PLUMBING;22 MM;MALE SCREW IN	ELBOW: TYPE: PLUMBING; SIZE: 22 MM; CONNECTION: MALE SCREW IN; MATERIAL: GALVANIZED; DEGREE: 90 DEG	6388	EA
0667320	ELBOW:PLUMBING;22 MM;WELD ON;COPPER	ELBOW: TYPE: PLUMBING; SIZE: 22 MM; CONNECTION: WELD ON; MATERIAL: COPPER; DEGREE: 90 DEG	9583	EA
0667321	ELBOW:PLUMBING;22 TO 15 MM;WELD ON	ELBOW: TYPE: PLUMBING; SIZE: 22 TO 15 MM; CONNECTION: WELD ON; MATERIAL: COPPER; DEGREE: 90 DEG	4792	EA
0669208	ELBOW:PLUMBING;50 MM;COUPLER;PVC	ELBOW: TYPE: PLUMBING; SIZE: 50 MM; CONNECTION: COUPLER; MATERIAL: PVC; DEGREE: 87.5 DEG; INCLUDES INSPECTION EYE	4792	EA
0667319	ELBOW:WALL PLATE;22 MM;BRASS;90 DEG	ELBOW: TYPE: WALL PLATE; SIZE: 22 MM; CONNECTION: SCREW ON AND FEMALE SCREW IN; MATERIAL: BRASS; DEGREE: 90 DEG	4792	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

0669209	END:CAP;15 MM;COPPER	END: TYPE: CAP; DIMENSIONS: 15 MM; MATERIAL: COPPER	4792	EA
0667414	EYE:INSPECTION; PLUMBING;110 MM;PVC	EYE: TYPE: INSPECTION; PLUMBING; SIZE: 110 MM; MATERIAL: PVC; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	4792	EA
0667393	EYE:RODDING; PLUMBING;110 MM	EYE: TYPE: RODDING; PLUMBING; SIZE: 110 MM; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	4792	EA
0667366	FITTING:STRAP ON BOSS;50 MM;PVC	FITTING: TYPE: STRAP ON BOSS; SIZE: 50 MM; MATERIAL: PVC	4792	EA
0667349	GASKET:FLANGE;RADIUS 70 X THK 6 MM	GASKET: TYPE: FLANGE; DIMENSIONS: RADIUS 70 X THK 6 MM; MATERIAL: RUBBER; HOLES: 6 X DIA 11MM	4792	EA
0667441	HOLDER:HOLDER BAT; PLUMBING;15 MM	HOLDER: TYPE: HOLDER BAT; PLUMBING; DIMENSIONS: 15 MM; MATERIAL: PVC PLASTIC/STL; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING	1597	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

		AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).		
0667443	HOLDER:HOLDER BAT; PLUMBING;22 MM	HOLDER: TYPE: HOLDER BAT; PLUMBING; DIMENSIONS: 22 MM; MATERIAL: PVC PLASTIC/STL; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	1597	EA
0667439	HOLDER:SOAP;WD 60 X LG 100 MM;STL	HOLDER: TYPE: SOAP; DIMENSIONS: WD 60 X LG 100 MM; MATERIAL: STL; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	3195	EA
0548515	HOLDER:TOILET ROLL;SS 430	HOLDER: TYPE: TOILET ROLL; DIMENSIONS: WD130 X HT570 X DP140 MM; MATERIAL: SS 430; SPECIAL FEATURES: LOCKABLE WITH STD KEY; SUPPL P/N: TR5; VANDAL-RESISTANT FRONT GUSSET PLATE; RUST RESISTANT BRUSHES ONE PIECE BODY, 0.9 MM WALL TICKNESS; FRONTAL SIGHT-HOLE INDICATE REFIL TIME; SURFACE MOUNTED WITH 3 SCREWS AND 5MM WALL PLUGS; SUITABLE FOR HIGH TRAFFIC FACILITIES; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION	3195	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.



Business Management System

Supply Chain Management

Plumbing BOQ Two

		NUMBER (IF APPLICABLE).		
--	--	-------------------------	--	--

Compiled By: Cynthia Tsotetsi

Signature.....*C. Tsotetsi*.....

Date...18/02/2026.....

Approved By: Boitshoko Mokolobate

Signature.....*B. Mokolobate*.....

Date.....18/02/2026....

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.