

Item	Material	Short Text	Quantity requested	Umc
10	69	BRG BAL:DEEP GROOVE;OPEN;ID 80 MM;OD 170	90	EA
20	83	BRG BAL:DEEP GROOVE;DOUBLE SHIELD;ID 15	120	EA
30	84	BRG BAL:DEEP GROOVE;OPEN;ID 70 MM;OD 150	60	EA
40	87	BRG BAL:DEEP GROOVE;OPEN;ID 40 MM;OD 90	15	EA
50	25316	BUSH TAPR LK:65 MM;3020;STL;3020	5	EA
60	26531	BUSH TAPR LK:40 MM;2012;STL;2012	100	EA
70	26568	BUSH TAPR LK:1/2 IN;1210;STL;1210	100	EA
80	29816	BRG BAL:DEEP GROOVE;DOUBLE SEAL;ID 17 MM	15	EA
90	29826	BRG BAL:DEEP GROOVE;OPEN;ID 15 MM;OD 42	5	EA
100	29837	BRG BAL:DEEP GROOVE;DOUBLE SHIELD;ID 30	40	EA
110	29859	BRG RLR:CYLINDRICAL;ID 40 MM;OD 90 MM	10	EA
120	29863	BRG RLR:CYLINDRICAL;ID 75 MM;OD 160 MM	5	EA
130	29918	BRG BAL:ANGULAR CONTACT;OPEN;ID 85 MM	5	EA
140	29921	BRG BAL:ANGULAR CONTACT;OPEN;ID 40 MM	35	EA
150	29927	BRG BAL:DEEP GROOVE;DOUBLE SEAL;ID 20 MM	10	EA
160	29952	BRG BAL:CONRAD;OPEN;ID 45 MM;OD 120 MM	5	EA
170	29956	BRG BAL:ANGULAR CONTACT;OPEN;ID 20 MM	10	EA
180	29957	BRG BAL:DEEP GROOVE;OPEN;ID 25 MM;OD 52	10	EA
190	29985	BRG RLR:SLEW RING;ID 715 MM;OD 979 MM	10	EA
200	30043	SLEEVE ADPTR:BEARING;50 MM;LG 45 MM;STL	120	EA
210	30048	SLEEVE ADPTR:BEARING;75 MM;LG 63 MM;STL	100	EA
220	30050	SLEEVE ADPTR:BEARING;90 MM;LG 71 MM;STL	150	EA
230	30090	BRG RLR:SELF ALIGNING;ID 160 MM;OD 290	10	EA
240	30093	BRG RLR:SELF ALIGNING;ID 170 MM;OD 280	10	EA
250	30138	SLEEVE ADPTR:BEARING;150 MM;LG 122 MM	15	EA
260	30157	BRG BAL:ANGULAR CONTACT;OPEN;ID 65 MM	10	EA
270	30157	BRG BAL:ANGULAR CONTACT;OPEN;ID 65 MM	10	EA
290	30161	BRG RLR:CYLINDRICAL;ID 90 MM;OD 160 MM	80	EA
300	30161	BRG RLR:CYLINDRICAL;ID 90 MM;OD 160 MM	65	EA
310	30161	BRG RLR:CYLINDRICAL;ID 90 MM;OD 160 MM	100	EA
320	30165	BRG BAL:SPHERICAL;OPEN;ID 85 MM;OD 150	100	EA
330	30184	BRG BAL:ANGULAR CONTACT;OPEN;ID 30 MM	50	EA
340	30192	BRG THRST:BALL;ID 65 MM;OD 100 MM;WD 27	25	EA
350	30204	BRG RLR:SELF ALIGNING;ID 130 MM;OD 230	100	EA
360	30213	SLEEVE ADPTR:BEARING;100 MM;LG 77 MM;STL	50	EA
370	30259	BRG RLR:SELF ALIGNING;ID 110 MM;OD 200	120	EA
380	30264	BRG BAL:DEEP GROOVE;DOUBLE SEAL;ID 20 MM	15	EA
390	30265	BRG BAL:ANGULAR CONTACT;OPEN;ID 25 MM	5	EA
400	30268	BRG BAL:DEEP GROOVE;OPEN;ID 55 MM;OD 120	10	EA
410	30281	BRG BAL:ANGULAR CONTACT;OPEN;ID 35 MM	10	EA
420	30290	BRG BAL:DEEP GROOVE;SHIELD;ID 20 MM	25	EA
430	30304	SLEEVE ADPTR:BEARING;65 MM;LG 55 MM;STL	50	EA
440	30305	SLEEVE ADPTR:BEARING;100 MM;LG 77 MM;STL	100	EA

450	30307	SLEEVE ADPTR:BEARING;115 MM;LG 92 MM;STL	200	EA
460	30309	SLEEVE ADPTR:BEARING;140 MM;LG 119 MM	35	EA
470	30333	BRG THRST:AXIAL SPHERICAL ROLLER;ID 130	15	EA
480	30339	BRG BAL:DEEP GROOVE;OPEN;ID 45 MM;OD 120	75	EA
490	30372	BRG BAL:DEEP GROOVE;DOUBLE SHIELD;ID 8	5	EA
500	30382	BRG BAL:DEEP GROOVE;SHIELD;ID 25 MM	5	EA
510	30383	BRG BAL:DEEP GROOVE;DOUBLE SHIELD;ID 25	50	EA
520	30384	BRG BAL:DEEP GROOVE;SEAL;ID 25 MM;OD 52	5	EA
530	30429	BRG THRST:BALL;ID 50 MM;OD 78 MM;WD 22	10	EA
540	30451	BRG RLR:SELF ALIGNING;ID 75 MM;OD 130 MM	200	EA
550	30451	BRG RLR:SELF ALIGNING;ID 75 MM;OD 130 MM	200	EA
560	30453	BRG RLR:SELF ALIGNING;ID 130 MM;OD 230	200	EA
570	30488	BRG BAL:DEEP GROOVE;OPEN;ID 25 MM;OD 62	10	EA
580	30492	BRG BAL:DEEP GROOVE;DOUBLE SEAL;ID 55 MM	10	EA
590	30497	BRG RLR:SELF ALIGNING;ID 90 MM;OD 160 MM	20	EA
600	30500	BRG RLR:23026-E1-TVPB-C3-XL;ID 130 MM	10	EA
610	30560	BRG BAL:DEEP GROOVE;SEAL;ID 20 MM;OD 52	10	EA
620	30561	BRG BAL:ANGULAR CONTACT;OPEN;ID 70 MM	35	EA
630	30595	BRG BAL:DEEP GROOVE;DOUBLE SEAL;ID 45 MM	8	EA
640	30595	BRG BAL:DEEP GROOVE;DOUBLE SEAL;ID 45 MM	400	EA
650	30595	BRG BAL:DEEP GROOVE;DOUBLE SEAL;ID 45 MM	500	EA
660	30598	BRG BAL:THRUST SINGLE DIRECTION;OPEN	5	EA
670	30624	BRG BAL:DEEP GROOVE;DOUBLE SEAL;ID 25 MM	160	EA
680	30636	BRG RLR:SELF ALIGNING;ID 65 MM;OD 120 MM	25	EA
690	30647	BRG BAL:DEEP GROOVE;OPEN;ID 50 MM;OD 90	5	EA
700	30648	BRG BAL:DEEP GROOVE;OPEN;ID 45 MM;OD 100	10	EA
710	30652	BRG BAL:DEEP GROOVE;DOUBLE SEAL;ID 35 MM	5	EA
720	30985	BRG BAL:DEEP GROOVE;OPEN;ID 30 MM;OD 72	15	EA
730	31121	BRG BAL:ANGULAR CONTACT;OPEN;ID 80 MM	100	EA
740	31121	BRG BAL:ANGULAR CONTACT;OPEN;ID 80 MM	100	EA
750	31123	BRG BAL:ANGULAR CONTACT;OPEN;ID 45 MM	5	EA
760	31126	BRG BAL:DEEP GROOVE;DOUBLE SEAL;ID 45 MM	5	EA
770	31130	BRG BAL:DEEP GROOVE;OPEN;ID 55 MM;OD 120	15	EA
790	31131	BRG BAL:DEEP GROOVE;OPEN;ID 45 MM;OD 85	5	EA
800	31148	BRG RLR:SELF ALIGNING;ID 55 MM;OD 100 MM	200	EA
810	31162	BRG SLV:JOURNAL THRUST;ID 80 MM;OD 133	5	EA
820	31295	BRG BAL:DEEP GROOVE;OPEN;ID 30 MM;OD 62	35	EA
830	31741	BRG RLR:CUP/CONE, TAPER;ID 71.44 MM	50	EA
840	31758	BRG RLR:SELF ALIGNING; SPHERICAL;ID 45	10	EA
850	31882	SLEEVE ADPTR:BEARING;60 MM;LG 65 MM;STL	30	EA
860	31883	BRG BAL:SELF ALIGNING;OPEN;ID 65 MM	120	EA
870	31911	BRG RLR:SELF ALIGNING; SPHERICAL;ID 318	40	EA
890	32294	BRG THRST:ROLLER NEEDLE;ID 40 MM;OD 60	5	EA
900	32378	BRG RLR:SELF ALIGNING;ID 40 MM;OD 80 MM	10	EA
910	32381	BRG BAL:DEEP GROOVE;DOUBLE SEAL;ID 30 MM	15	EA

920	32387	BRG RLR:SELF ALIGNING;ID 75 MM;OD 160 MM	5	EA
930	32446	BRG:SE-HAMMER SHAFT;OD 65 MM;SPLIT;CI	800	EA
940	32470	BRG BAL:DEEP GROOVE;DOUBLE SEAL;ID 100	120	EA
950	32486	BRG RLR:SELF ALIGNING;ID 190 MM;OD 320	5	EA
960	32511	BRG RLR:SELF ALIGNING;ID 190 MM;OD 320	5	EA
970	32519	BRG RLR:NEEDLE;ID 25 MM;OD 42 MM;WD 4 MM	5	EA
990	32525	BRG FLNG BLCK:BALL;ID 75 MM;SQ;4;M23;CI	650	EA
1000	32529	BRG SLV:HORIZONTAL SPLIT DE/NDE JOURNAL	20	EA
1010	32531	BRG RLR:CYLINDRICAL;ID 180 MM;OD 300 MM	10	EA
1020	32597	BRG RLR:CYLINDRICAL;ID 55 MM;OD 120 MM	5	EA
1030	32601	BRG BAL:CONRAD;DOUBLE SHIELD;ID 65 MM	125	EA
1040	32676	BRG BAL:ANGULAR CONTACT;OPEN;ID 55 MM	10	EA
1050	32700	BRG BAL:ANGULAR CONTACT;DOUBLE SHIELD	25	EA
1060	33409	BRG SLV:A37913340025	20	EA
1070	33411	BRG:BULLGEAR	10	EA
1080	33412	BRG SLV:JOURNAL;ID 530 MM;OD 620 MM	5	EA
1090	33413	BRG SLV:JOURNAL;ID 535 MM;OD 615 MM	5	EA
1111	33414	BUSH TAPR LK:75 MM;4040;STL;4040	5	EA
1110	34206	BRG SLV:MILL MOTOR;ID 125 MM;OD 215 MM	35	EA
1120	34219	SLEEVE:CONTROL;ID 35 X OD 80 X LG 415 MM	10	EA
1130	34244	BUSH TAPR LK:60 MM;3020;STL;3020	5	EA
1140	34252	SLEEVE SHFT:PROTECTION;ID 90 MM;OD 121	10	EA
1150	34253	BRG BAL:CONRAD;DOUBLE SHIELD;ID 42.86 MM	40	EA
1160	34257	BRG BAL:ANGULAR CONTACT;SHIELD;ID 43 MM	5	EA
1170	34263	BRG BAL:CONRAD;OPEN;ID 25 MM;OD 42 MM	5	EA
1180	34266	BRG BAL:CONRAD;DOUBLE SEAL;ID 19 MM	200	EA
1190	34270	BRG SLV:BUSH;ID 330 MM;OD 387 MM;LG 285	20	EA
1200	34276	BUSH TAPR LK:42 MM;1615;STL;1615	15	EA
1210	34280	SLEEVE ADPTR:BEARING;H2312	65	EA
1220	34599	BRG PILW BLCK:ID 118 MM;2;28 MM;150 MM	90	EA
1230	34614	BRG PILW BLCK:ID 85 MM;2;28 MM;124 MM	35	EA
1240	34615	BRG PILW BLCK:ID 90 MM;M20;WD 160 MM;STL	50	EA
1250	34691	BRG PILW BLCK:ID 67 MM;2;M20;70 MM;CI	10	EA
1260	34815	BRG PILW BLCK:ID 100 MM;2;M24;CI	5	EA
1270	34842	BRG PILW BLCK:ID 50 MM;2;M20;71 MM;STL	15	EA
1280	34973	BRG SLV:SPLIT BUSH;ID 502 MM;OD 545 MM	10	EA
1290	34982	BRG PILW BLCK:ID 93 MM;2;21 MM;95 MM;CI	36	EA
1300	37044	SLEEVE:ROCKER ARM CLAMPING;STL	5	EA
1310	37049	SLEEVE:SEAL;ID 460 MM;CS	5	EA
1320	39172	BUSH TAPR LK:115 MM;5050;CAST IRON	5	EA
330	44034	SLEEVE SHFT:PUMP;ID 88 MM;OD 121 MM	5	EA
1340	44196	BUSH TAPR LK:55 MM;2517;STL;2517	15	EA
1350	45636	SLEEVE SHFT:PUMP;G075D21	5	EA
1360	45788	BRG SLV:JOURNAL;ID 260 MM;OD 278 MM;STL	4	EA
1370	48196	BUSH TAPR LK:100 MM;4040;STL	5	EA

1380	48491	SLEEVE SHFT:PUMP DE;ID 135 MM;OD 189.5;M	5	EA
1390	48886	SLEEVE SHFT:ID 38 MM;OD 49 MM;LG 110 MM	5	EA
1400	48978	SLEEVE SHFT:DISTANCE;ID 215 MM;OD 250 MM	5	EA
1410	49057	BRG SLV:JOURNAL;ID 190 MM;OD 355 MM;STL	12	EA
1420	49166	SLEEVE SHFT:PUMP;ID 90 MM;OD 105 MM;BRZ	10	EA
1430	53139	BRG SLV:SPLIT BUSH;ID 60 MM;OD 63 MM	300	EA
1440	70371	SLEEVE:DISTANCE	5	EA
1450	78178	SLEEVE ADPTR:TAPER;75 MM;LG 82 MM;STL	5	EA
1460	113020	BUSH TAPR LK:28 MM;2517;CI	5	EA
1470	144504	BRG PILW BLCK:ID 125 MM;2;30 MM;420 MM	5	EA
1480	186163	BRG BAL:DEEP GROOVE;DOUBLE SHIELD;ID 90	150	EA
1490	216629	BRG SLV:JOURNAL;WHITE METAL;905X5289	5	EA
1500	216630	BRG SLV:JOURNAL;WHITE METAL;905X5284	5	EA
1510	219366	BRG PILW BLCK:ID 4-1/2 IN;4;M20;120.65	400	EA
1520	232671	BRG BAL:DEEP GROOVE;DOUBLE SHIELD;ID 45	11	EA
1530	243950	BRG RLR:TAPER;ID 152.4 MM;OD 307.975 MM	5	EA
1540	541156	SLEEVE ADPTR:BEARING;35 MM;LG 58 MM;STL	5	EA
1550	552726	SLEEVE ADPTR:ASH CRUSHER;63.5 MM;LG 56	60	EA
1560	552727	BUSH TAPR LK:63.5 MM;3030;CAST IRON	60	EA
1570	552730	BUSH TAPR LK:140 MM;6050;CAST IRON	12	EA
1580	568753	SLEEVE CPLG:LP1/LP2;LG 220 MM;STL	22	EA
1590	571540	SLEEVE CPLG:LP2 GEN;LG 220 MM;STL;H4795	22	EA
1600	576075	SLEEVE SHFT:UPPER PUMP;ID 258 MM;OD 384	12	EA
1610	587648	BRG PILW BLCK:ID 45 MM;2;M12;STL;SNH 510	15	EA
1620	587649	BRG PILW BLCK:ID 60 MM;2;M12;SNH 508	5	EA
1630	606297	BRG:PA FAN;ID 178.021 MM;OD 209.611 MM	5	EA
1670	610959	BUSH TAPR LK:75 MM;4030;CAST IRON	5	EA
1680	611431	BUSH TAPR LK:100 MM;4030;CAST IRON	16	EA
1690	611432	BUSH TAPR LK:65 MM;4030;CAST IRON	10	EA
1700	611433	BUSH TAPR LK:80 MM;4030;CAST IRON	10	EA
1710	621229	BUSH TAPR LK:38 MM;2012;CAST IRON	10	EA
1720	629989	BUSH TAPR LK:125 MM;6050;STL	10	EA
1730	636043	BRG SLV:NO 5 JOURNAL;ID 170 MM;OD 210 MM	15	EA
1740	636044	BRG SLV:NO 4 JOURNAL;ID 170 MM;OD 210 MM	10	EA
1750	636045	BRG SLV:NO 1 AND 2 JOURNAL;ID 220 MM	18	EA
1760	636046	BRG SLV:NO 6 JOURNAL;ID 170 MM;OD 210 MM	12	EA
1770	644807	BRG SLV:NO 7 BFPT STEAM END;OD 222.25 MM	12	EA
1780	676159	BUSH TAPR LK:115 MM;6050;CAST IRON	5	EA
1800	706741	BRG BAL:ANGULAR CONTACT;OPEN;ID 25 MM	12	EA
1820	30525	BRG RLR:CYLINDRICAL;ID 80 MM;OD 170 MM	80	EA
1830	219366	BRG PILW BLCK:ID 4-1/2 IN;4;M20;120.65	300	EA
1840	737978	BRG BAL:DEEP GROOVE;2 SHIELDS;ID 10 MM	60	EA

--	--	--