



## REQUEST FOR QUOTATION (RFQ)

RFQ NUMBER: KZN/PRASA/2026/02/09/Q

**REQUEST FOR QUOTATION (RFQ): APPOINTMENT OF A QUALIFIED SERVICE PROVIDER TO  
SUPPLY AND DELIVER OF TELECOMMUNICATION TOOLS FOR MAINTENANCE OF  
TELECOMMUNICATION SYSTEMS.**

**SECTION 1: SBD1****PART A INVITATION TO BID****YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF PASSENGER RAIL AGENCY (PRASA)**

BID NUMBER:	<b>KZN/PRASA/2026/02/09/Q</b>	CLOSING DATE:	<b>27 FEBRUARY 2026</b>	CLOSING TIME:	<b>12:00 PM</b>
DESCRIPTION	REQUEST FOR QUOTATION (RFQ): THE APPOINTMENT OF A QUALIFIED SERVICE PROVIDER TO SUPPLY AND DELIVER OF TELECOMMUNICATION TOOLS FOR MAINTENANCE OF TELECOMMUNICATION SYSTEMS.				

**BID RESPONSE DOCUMENTS SHALL BE ADDRESSED AS FOLLOWS:**

BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX 04 SITUATED AT (STREET ADDRESS):

**65 MASABALALA YENGWA AVENUE****PRASA REGIONAL OFFICE FOYER AREA****HELPDESK****PRASA SCM****KWAZULU NATAL****BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO**

CONTACT PERSON	<b>Sihesenkosi Ngubane</b>		
TELEPHONE NUMBER	<b>031 813 0139</b>		
E-MAIL ADDRESS	<b>Sihesenkosi.Ngubane@prasa.com</b>		

**SUPPLIER INFORMATION**

NAME OF BIDDER					
POSTAL ADDRESS					
STREET ADDRESS					
TELEPHONE NUMBER	CODE		NUMBER		
CELLPHONE NUMBER					
FACSIMILE NUMBER	CODE		NUMBER		
E-MAIL ADDRESS					
VAT REGISTRATION NUMBER					
SUPPLIER COMPLIANCE STATUS	TAX SYSTEM PIN:	COMPLIANCE	OR	CENTRAL DATABASE No:	SUPPLIER MAAA.....

2.1 ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES OFFERED?	[IF YES ENCLOSURE PROOF]	<input type="checkbox"/> Yes <input type="checkbox"/> No	2.2 ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No	[IF YES, ANSWER THE QUESTIONNAIRE BELOW ]

**QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS**

IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?

 YES  NO

DOES THE ENTITY HAVE A BRANCH IN THE RSA?	<input type="checkbox"/> YES <input type="checkbox"/> NO
DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA?	<input type="checkbox"/> YES <input type="checkbox"/> NO
DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?	<input type="checkbox"/> YES <input type="checkbox"/> NO
IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?	<input type="checkbox"/> YES <input type="checkbox"/> NO

**IF THE ANSWER IS “NO” TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW.**

#### **PART B: TERMS AND CONDITIONS FOR BIDDING**

##### **1. BID SUBMISSION:**

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. **ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED- (NOT TO BE RE-TYPED) OR IN THE MANNER**
- 1.3. **PRESCRIBED IN THE BID DOCUMENT.**
- 1.4. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.

##### **2. TAX COMPLIANCE REQUIREMENTS**

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE PRASA TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE [WWW.SARS.GOV.ZA](http://WWW.SARS.GOV.ZA).
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE.

**NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.**

SIGNATURE OF BIDDER: .....

CAPACITY UNDER WHICH THIS BID IS SIGNED: .....

(Proof of authority must be submitted e.g. company resolution)

DATE: .....

**NB:**

- *Quotation(s) must be addressed to PRASA before the closing date and time shown above.*
- *PRASA General Conditions of Purchase shall apply.*
- *PRASA is not obliged to award this bid.*
- *PRASA is not obliged to award to one supplier.*
- *PRASA reserves the right to use its discretion to award multiple suppliers where possible.*

## **SECTION 2**

### **NOTICE TO BIDDERS**

#### **1. RESPONSES TO RFQ**

Responses to this RFQ [Quotations] must not include documents or reference relating to any other quotation or proposal. Any additional conditions must be embodied in an accompanying letter.

Proposals must reach PRASA before the closing hour on the date shown on SBD1 above and must be enclosed in a sealed envelope.

#### **2 COMMUNICATION**

Bidder/s are warned that a response will be liable for disqualification should any attempt be made either directly or indirectly to canvass any SCM Officer(s) or PRASA employee in respect of this RFQ between the closing date and the date of the award of the business.

#### **3 BIDDERS COMPLAINTS PROCESS**

- 3.1 Bidders are advised utilize this email address ([Complaints@prasa.com](mailto:Complaints@prasa.com)) for lodging of complaints to PRASA in relation to this bid process. The following minimum information about the bidder must be included in the complaint:
  - 3.1.1 Bid/Tender Description;
  - 3.1.2 Bid/Tender Reference Number;
  - 3.1.3 Closing date of Bid/Tender;
  - 3.1.4 Supplier Name;
  - 3.1.5 Supplier Contact details; and
  - 3.1.6 The detailed compliant.

#### **4 LEGAL COMPLIANCE**

The successful Bidder shall be in full and complete compliance with any and all applicable national and local laws and regulations.

#### **5 CHANGES TO QUOTATIONS**

Changes by the Bidder to its submission will not be considered after the closing date and time.

#### **6 PRICING**

All prices must be quoted in South African Rand on a fixed price basis, including all applicable taxes

## **7 BINDING OFFER**

Any Quotation furnished pursuant to this RFQ shall be deemed to be an offer. Any exceptions to this statement must be clearly and specifically indicated.

## **8 DISCLAIMERS**

PRASA is not committed to any course of action as a result of its issuance of this RFQ and/or its receipt of a Quotation in response to it. Please note that PRASA reserves the right to:

- Modify the RFQ's goods / service(s)/works and request Bidders to re-bid on any changes;
- Reject any Quotation which does not conform to instructions and specifications which are detailed herein; and
- Reject Quotations submitted after the stated submission deadline or at the incorrect venue.

Should a contract be awarded on the strength of information furnished by the bidder, which after conclusion of the contract, is proved to have been incorrect, PRASA reserves the right to cancel the contract.

PRASA reserves the right to award business to the highest scoring bidder/s unless objective criteria justify the award to another bidder.

Should the preferred bidder fail to sign or commence with the contract within a reasonable period after being requested to do so, PRASA reserves the right to award the business to the next highest ranked bidder provided that he/she/it is still prepared to provide the required goods at the quoted price.

## **9 LEGAL REVIEW**

Proposed contractual terms and conditions submitted by a bidder will be subjected to review and acceptance or rejection by PRASA's Legal Counsel, prior to consideration for an award of business.

## **10 NATIONAL TREASURY'S CENTRAL SUPPLIER DATABASE**

Bidders are required to self-register on National Treasury's Central Supplier Database (CSD) which has been established to centrally administer supplier information for all organs of state and facilitate the verification of certain key supplier information. PRASA is required to ensure that price quotations are invited and accepted from prospective bidders listed on the CSD. Business may not be awarded to a

bidder who has failed to register on the CSD. Only foreign suppliers with no local registered entity need not register on the CSD. The CSD can be accessed at <https://secure.csd.gov.za/>.

## 11 PROTECTION OF PERSONAL DATA

In responding to this bid, PRASA acknowledges that it may obtain and have access to personal data of the Bidders. PRASA agrees that it shall only process the information disclosed by Bidders in their response to this bid for the purpose of evaluating and subsequent award of business and in accordance with any applicable law.

Furthermore, PRASA will not otherwise modify, amend or alter any personal data submitted by Bidders or disclose or permit the disclosure of any personal data to any Third Party without the prior written consent from the Bidders. Similarly, PRASA requires Bidders to process any personal information disclosed by PRASA in the bidding process in the same manner.

## 12 EVALUATION METHODOLOGY

PRASA will utilise the following criteria in choosing a Supplier/Service Provider:

EVALUATION CRITERIA	WEIGHTING
Stage 1 – Compliance	
Stage 1A	Mandatory Requirements
Stage 1B	Returnable Documents
Stage 2	
Price	80
Specific Goals	20
<b>TOTAL</b>	<b>100</b>

## 13 ADMINISTRATIVE RESPONSIVENESS

The test for administrative responsiveness will include completeness of response and whether all returnable and/or required documents, certificates; verify completeness of warranties and other bid requirements and formalities have been complied with. Incomplete Bids will be disqualified.

## 14 VALIDITY PERIOD

14.1 PRASA requires a validity period of **60 Working Days** from the closing date.

14.2 Bidders are to note that they may be requested to extend the validity period of their response, on the same terms and conditions, if the internal processes are not finalized within the validity period.

However, once the delegated authority has approved the process the validity of the successful bidder(s)' bid will be deemed to remain valid until finalization of the award.).

## **15 PUBLICATION OF INFORMATION ON THE NATIONAL TREASURY E-TENDER PORTAL**

Bidders are to note that, bid awards, amendments and cancellations will be published on the e-tender portal and or media used to advertise the bid. For the award of business, PRASA is required to publish the prices and preferences claimed of the successful and unsuccessful Bidders *inter alia* on the National Treasury e-Tender Publication Portal, ([www.etenders.gov.za](http://www.etenders.gov.za)), on CIDB website for construction related RFQ's. (*Where applicable*).

## **16 RETURNABLE DOCUMENTS**

**Returnable Documents** means all the documents, Sections and Annexures, as listed in the tables below. There are three types of returnable documents as indicated below and Bidders are urged to ensure that these documents are returned with the quotation based on the consequences of non-submission as indicated below:

### **16.1. Mandatory Returnable Documents**

Failure to provide Mandatory Returnable Documents at the Closing Date and time of this RFQ will result in a Bidder's disqualification. Bidders are therefore urged to ensure that all documents are returned with their Quotations.

## SECTION 3

### EVALUATION CRITERIA:

#### Stage 1 – Mandatory Requirement

The following requirement is mandatory, only bidders complying with stage 1A will be evaluated further.

No.	Description of requirement	TICK
a)	Bidders to fill the closing register on submission of quotation document; failure which the bidder must provide a proof that the document was submitted on time.	

#### Stage 2 - Price and Specific Goals

The following formula, shall be used to allocate scores to the interested bidders :

The maximum points for this tender are allocated as follows:

DETAILS	POINTS
PRICE	80
SPECIFIC GOALS	20
<b>TOTAL POINTS FOR PRICE AND SPECIFIC GOALS</b>	<b>100</b>

### FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

#### POINTS AWARDED FOR PRICE

#### THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of **80** points is allocated for price on the following basis:

**80/20**

$$PS = 80 \left( 1 - \frac{Pt - P_{min}}{P_{min}} \right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

## POINTS AWARDED FOR SPECIFIC GOALS

3.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

**Table 1: Specific goals for the tender and points claimed are indicated per the table below.**

***Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)***

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)	Evidence required for specific goals
B-BBEE Level 1	10		B-BBEE Certificate/Affidavit (In case of a JV, a consolidated scorecard will be acceptable).
51% Black Owned	10		CIPC documents/ B-BBEE Certificate/Affidavit
<b>TOTAL</b>	<b>20</b>		

- A CIPC Registration Documents/CSD Registration Report will be used to verify the above evidence.
- Points will be awarded/allocated on a proportional/pro-rata basis.
- Formula: Number of Points allocated x Percentage (%) owned = Number of Points Claimed.

### Stage 3 – Returnable Documents

The following documents must be submitted with the tender. If they are not submitted or incomplete the conditions of the requirement will apply.

Only bidders who comply with stage 1A will be evaluated further.

No.	Description of requirement	TICK
a)	Completion of ALL RFQ documentation (includes form of offer and all declarations).	
b)	Joint Venture, Consortium Agreement or Partnering Agreement signed by all parties. The agreement should indicate the leading bidder where applicable.	
c)	Supply of valid SARS Pin	
d)	CSD supplier report	
e)	CIPC Certificate/registration document.	
f)	B-BBEE Certificate/ affidavit	

**NB:**

- Responsive bidder/s with incomplete returnable documents will be requested to resubmit completed documents within the timeframe provided by PRASA, failure which will result in automatic disqualification.

### OBJECTIVE CRITERIA

- 4.1 Section 2(1)(f) of the PPPFA empowers an organ of state to award a tender to the highest scoring bidder unless there is an objective criteria that justify the award to another tenderer.
- 4.2 PRASA reserves the right to apply the objective criteria for this bid.
- 4.3 PRASA may award a bid to a bidder that did not score the highest points under the following circumstances:
  - a) A negative track record of the bidder in other related projects;
  - b) spreading the award to bidders that have not been previously appointed;
  - c) the need to avoid concentrating awards to the previously appointed bidders.
 Prasa shall take into account the following:
  - i. the number of bid(s) awarded to the highest scoring bidder(s) in the preceding financial years;
  - ii. the capacity of the highest scoring bidder(s) despite the previous appointments;
  - iii. the value and scope of the bid(s) already awarded to the highest scoring bidder(s);

- iv. the materiality of the price difference between the highest scoring bidder and other bidders; and
- v. whether the goods, services or works are of a specialised nature.

## **SPLITTING OF AWARDS**

**4.4** PRASA reserves the right to split the award of this bid to more than one service provider, provided that the nature of the services or goods or works to be provided are capable of being split to more than one service provider.

## **APPOINTMENTS OTHER THAN THE SUCCESSFUL BIDDER**

**4.5** PRASA may appoint a bidder other than the successful bidder under the following instances:

- (i) When a successful bidder, after having been informed of the acceptance of its Bid, fails to sign a contract within a prescribe period of time e.g. 14 (fourteen) days after being called upon to do so;
- (ii) When a successful bidder has failed to provide the necessary security, bonds or guarantees within the time required to do so by PRASA;
- (iii) When a successful bidder fails to meet a condition precedent for the award of business (e.g. to obtain the necessary funding); and
- (iv) When final contract negotiations with a preferred bidder fails and a contract is not agreed upon.

**4.6** PRASA will only award a bid to a bidder other than the highest scoring bidder provided that such bid is still within the bid validity period.

**4.7** Only if the second ranked bidder is also unable/unwilling, PRASA may proceed to the third ranked bidder.

## SECTION 4

### **PRICING AND DELIVERY SCHEDULE**

Bidders are required to complete the attached Pricing Schedule **Annexure: .....**

- 1 Prices must be quoted in South African Rand, inclusive of all applicable taxes.
- 2 Price offer is firm and clearly indicate the basis thereof.
- 3 Pricing Bill of Quantity is completed in line with schedule if applicable (delete if not applicable).
- 4 Cost breakdown must be indicated.
- 5 Price escalation basis and formula must be indicated.
- 6 To facilitate like-for like comparison bidders must submit pricing strictly in accordance with this price schedule and not utilise a different format. Deviation from this pricing schedule could result in a bid being declared non-responsive.
- 7 Please note that should you have offered a discounted price(s), PRASA will only consider such price discount(s) in the final evaluation stage on an unconditional basis.
- 8 Bidders are to note that if price offered by the highest scoring bidder is not market related, PRASA may not award the contract to the Bidder. PRASA may:
  - 9 Negotiate a market-related price with the Bidder scoring the highest points;
  - 10 If that Bidder does not agree to a market-related price, negotiate a market-related price with the Bidder scoring the second highest points;
  - 11 If the Bidder scoring the second highest points does not agree to a market-related price, negotiate a market-related price with the Bidder scoring the third highest points;
  - 12 If a market-related price is not agreed with the Bidder scoring the third highest points, PRASA must cancel the RFQ.

I / We \_\_\_\_\_ (Insert Name of  
Bidding Entity) of

\_\_\_\_\_  
\_\_\_\_\_  
(Full address) conducting business under the style or title of:  
\_\_\_\_\_  
\_\_\_\_\_  
represented by:

\_\_\_\_\_  
\_\_\_\_\_  
in my capacity as:  
\_\_\_\_\_  
\_\_\_\_\_  
being duly authorised, hereby  
offer to undertake and complete the above-mentioned work/services at the prices quoted in the bills of  
quantities / schedule of quantities or, where these do not form part of the contract, at a lumpsum, of  
R \_\_\_\_\_ (amount in numbers);

\_\_\_\_\_  
\_\_\_\_\_  
(amount in words) Incl. VAT.

**DELIVERY PERIOD:** Suppliers are requested to offer their earliest delivery period possible.

Delivery will be effected within ..... working days from date of order. (To be completed by Service provider)

## **SECTION 5**

### **PRASA GENERAL CONDITIONS OF PURCHASE**

#### **General**

PRASA and the Supplier enter into an order/contract on these conditions to supply the items (goods/services/works) as described in the order/contract.

#### **Conditions**

These conditions form the basis of the contract between PRASA and the Supplier. Notwithstanding anything to the contrary in any document issued or sent by the Supplier, these conditions apply except as expressly agreed in writing by PRASA.

No servant or agent of PRASA has authority to vary these conditions orally. These general conditions of purchase are subject to such further special conditions as may be prescribed in writing by PRASA in the order/contract.

#### **Price and payment**

The price or rates for the items stated in the order/contract may include an amount for price adjustment, which is calculated in accordance with the formula stated in the order/contract.

The Supplier may be paid in one currency other than South African Rand. Only one exchange rate is used to convert from this currency to South African Rand. Payment to the Supplier in this currency other than South African Rand, does not exceed the amounts stated in the order/contract. PRASA pays for the item within 30 days of receipt of the Suppliers correct tax invoice.

#### **Delivery and documents**

The Supplier's obligation is to deliver the items on or before the date stated in the order/contract. Late deliveries or late completion of the items may be subject to a penalty if this is imposed in the order/contract. No payment is made if the Supplier does not provide the item as stated in order/contract.

Where items are to be delivered the Supplier:

Clearly marks the outside of each consignment or package with the Supplier's name and full details of the destination in accordance with the order and includes a packing note stating the contents thereof; On dispatch of each consignment, sends to PRASA at the address for delivery of the items, an advice note specifying the means of transport, weight, number of volume as appropriate and the point and date of dispatch; Sends to PRASA a detailed priced invoice as soon as is reasonably practical after dispatch of

the items, and states on all communications in respect of the order the order number and code number (if any).

### **Containers / packing material**

Unless otherwise stated in the order/contract, no payment is made for containers or packing materials or return to the Supplier.

### **Title and risk**

Without prejudice to rights of rejection under these conditions, title to and risk in the items passes to PRASA when accepted by PRASA.

### **Rejection**

If the Supplier fails to comply with his obligations under the order/contract, PRASA may reject any part of the items by giving written notice to the Supplier specifying the reason for rejection and whether and within what period replacement of items or re-work are required.

In the case of items delivered, PRASA may return the rejected items to the Supplier at the Supplier's risk and expense. Any money paid to the Supplier in respect of the items not replaced within the time required, together with the costs of returning rejected items to the Supplier and obtaining replacement items from a third party, are paid by the Supplier to PRASA.

In the case of service, the Supplier corrects non-conformances as indicated by PRASA.

### **Warranty**

Without prejudice to any other rights of PRASA under these conditions, the Supplier warrants that the items are in accordance with PRASA's requirements, and fit for the purpose for which they are intended, and will remain free from defects for a period of one year (unless another period is stated in the Order) from acceptance of the items by PRASA.

### **Indemnity**

The Supplier indemnifies PRASA against all actions, suits, claims, demands, costs, charges and expenses arising in connection therewith arising from the negligence, infringement of intellectual or legal rights or breach of statutory duty of the Supplier, his subcontractors, agents or servants, or from the Supplier's defective design, materials or workmanship.

The Supplier indemnifies PRASA against claims, proceedings, compensation and costs payable arising out of infringement by the Supplier of the rights of others, except an infringement which arose out of the use by the Supplier of things provided by PRASA.

### **Assignment and sub-contracting**

The successful Bidder awarded the contract may only enter into a subcontracting arrangement with PRASA's prior approval. The contract will be concluded between the successful Bidder and PRASA,

therefore, the successful Bidder and not the sub-contractor will be held liable for performance in terms of its contractual obligations.

### **Governing law**

The order/contract is governed by the law of the Republic of South Africa and the parties hereby submit to the non-exclusive jurisdiction of the South African courts.

### **Special Conditions: Funding Contingency**

- 1. Paragraph 8.4 of the PFMA SCM Instruction No. 3 of 2021/22 states that the Accounting Authority may not invite price quotations or bids if no or sufficient provision is made in the budget of the institution.**
- 2. PRASA has, in terms of section 79 of the PFMA, obtained approval from National Treasury, for a departure from paragraph 8.4 of the PFMA SCM Instruction No. 3 of 2021/22.**
- 3. PRASA is currently in the process of making provision and allocation of budget for the services required in this RFQ, which provision and/or budget allocation has not yet been completed at the time of the issuance of this RFQ.**
- 4. PRASA will, however, ensure that provision and/or budget allocation is made prior to the award of business in this RFQ.**
- 5. Accordingly, any award pursuant to this RFQ is strictly subject to PRASA, *inter alia*:**
  - 5.1. securing the necessary funding allocation; and**
  - 5.2. confirming that sufficient budget exists to meet the intended award.**
- 6. PRASA undertakes to keep bidders reasonably informed of the progress and status of the funding allocation and budgeting process.**
- 7. By submitting a bid, bidders expressly acknowledge and agree that PRASA reserves the right to cancel this RFQ at any stage prior to award, in the event that PRASA is unsuccessful in making sufficient provision and/or budget allocation for the required services.**
- 8. PRASA shall not be liable for:**

- 8.1. any claim, loss, or damages of whatsoever nature arising from or in connection with a failure to source funding; or**
- 8.2. the non-award of tender due to a failure to source funding; and**
- 8.3. bidders waive any right to institute proceedings against PRASA in respect of the circumstances contemplated above.**

**SIGNED at \_\_\_\_\_ on this \_\_\_\_\_ day of \_\_\_\_\_ 20\_\_\_\_**

**Signature of Witness**

**1 \_\_\_\_\_**

**Name \_\_\_\_\_**

**Signature of Witness**

**2 \_\_\_\_\_**

**Name \_\_\_\_\_**

**Signature of Bidder's Authorised Representative: \_\_\_\_\_**

**Name: \_\_\_\_\_**

**Designation: \_\_\_\_\_**

### BIDDER'S DISCLOSURE

#### 1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

#### 2. Bidder's declaration

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest<sup>1</sup> in the enterprise, employed by the state? **YES/NO**

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? **YES/NO**

2.2.1 If so, furnish particulars:

.....  
.....

2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? **YES/NO**

2.3.1 If so, furnish particulars:

---

<sup>1</sup> the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

.....

.....

### 3 Bidder's declaration regarding PEPs/PIPs

PRASA requires bidders to disclose if they have Politically Exposed Persons ("PEP")<sup>2</sup> or Prominent Influential Persons ("PIP")<sup>3</sup> and related individuals in their organisation and/or beneficial owners / shareholders who are PEP/PIP.

PRASA reserves the right not to enter into a business relationship with such person, official or entity, provided there are objective factors that justify the conclusion of such business relationship, and the decision is based on achieving the best interest of PRASA.<sup>4</sup>

3.1 Is the bidder a PEP/PIP? **YES/NO**

3.2 Does the bidder have an existing relationship with a PEP/PIP? **YES/NO**

3.3 Where a relationship with a PEP/PIP exists, the bidder is required to furnish particulars of the nature of the exposure, term of the office and description of activities relating to exposure, in table below.

Name of PEP/PIP & Nature of the Exposure/Influence	Term of the office	Description of activities relating to Exposure/Influence

**3.4 Declaration:**

I/We the undersigned \_\_\_\_\_ (Name) hereby certify that the PEP/PIP information furnished in this bid document is true and correct. We further certify

<sup>2</sup> Both foreign and domestic politically exposed person as specified in Schedule 3A and 3B of the Financial Intelligence Centre Act No. 38 of 2001 as amended. (refer to Annexure 2 of the PRASA Code of Conduct for dealing with Politically Exposed Persons, Prominent Influential Persons and Related Parties).

<sup>3</sup> As reflected in Schedule 3C of the Financial Intelligence Centre Act No.38 of 2001 (refer to Annexure 2.1.2 of the PRASA Code of Conduct for dealing with Politically Exposed Persons, Prominent Influential Persons and Related Parties).

<sup>4</sup> Clause 4.5 of the PRASA Code of Conduct for dealing with Politically Exposed Persons, Prominent Influential Persons and Related Parties.

that we understand that where it is found that we have made a false declaration or statement in this bid, PRASA may disqualify our bid or terminate a contract we may have with PRASA where we are successful in this tender.

---

Signature

---

Date

---

Position

---

Name of bidder

#### 4 DECLARATION

I, the undersigned, (name)..... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium<sup>5</sup> will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention

---

<sup>5</sup> Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2, 3 and 4 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....  
Signature

.....  
Date

.....  
Position

.....  
Name of bidder

**SBD 6.1**

**PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022**

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

**NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022**

---

**1. GENERAL CONDITIONS**

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 **To be completed by the organ of state**  
*(delete whichever is not applicable for this tender).*

- a) The applicable preference point system for this tender is the **90/10** preference point system.
- b) The applicable preference point system for this tender is the **80/20** preference point system.
- c) Either the **90/10 or 80/20 preference point system** will be applicable in this tender. The lowest/highest acceptable tender will be used to determine the accurate system once tenders are received.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

- (a) Price; and
- (b) Specific Goals.

**To be completed by the organ of state:**

The maximum points for this tender are allocated as follows:

	<b>POINTS</b>
<b>PRICE</b>	<b>80</b>
<b>SPECIFIC GOALS</b>	<b>20</b>
<b>Total points for Price and Specific Goals</b>	<b>100</b>

1.4 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.5 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

## 2. DEFINITIONS

- (a) “**tender**” means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) “**price**” means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) “**rand value**” means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) “**tender for income-generating contracts**” means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) “**the Act**” means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

## 3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

### 3.2. POINTS AWARDED FOR PRICE

#### 3.1.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

**80/20**

$$Ps = 80 \left( 1 - \frac{Pt - P_{min}}{P_{min}} \right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

### 3.3. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

#### 3.3.1. POINTS AWARDED FOR PRICE

A maximum of 80 points is allocated for price on the following basis:

$$Ps = 80 \left( 1 + \frac{Pt - P_{max}}{P_{max}} \right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

#### 4. POINTS AWARDED FOR SPECIFIC GOALS

4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—

- (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
- (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

**Table 1: Specific goals for the tender and points claimed are indicated per the table below.**

*(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such. Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)*

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)	Evidence required for specific goals
B-BBEE Level 1	10		B-BBEE Certificate/Affidavit (In case of a JV, a consolidated scorecard will be acceptable).
51% Black Owned	10		CIPC documents/ B-BBEE Certificate/Affidavit
<b>TOTAL</b>	<b>20</b>		

- A CIPC Registration Documents/CSD Registration Report will be used to verify the above evidence.

- **Points will be awarded/allocated on a proportional/pro-rata basis.**
- **Formula: Number of Points allocated x Percentage (%) owned = Number of Points Claimed**

### **DECLARATION WITH REGARD TO COMPANY/FIRM**

4.3. Name of company/firm.....

4.4. Company registration number: .....

4.5. **TYPE OF COMPANY/ FIRM**

- Partnership/Joint Venture / Consortium
- One-person business/sole proprietor
- Close corporation
- Public Company
- Personal Liability Company
- (Pty) Limited
- Non-Profit Company
- State Owned Company

[TICK APPLICABLE BOX]

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/firm for the preference(s) shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
  - (a) disqualify the person from the tendering process;
  - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
  - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
  - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
  - (e) forward the matter for criminal prosecution, if deemed necessary.

.....  
**SIGNATURE(S) OF TENDERER(S)**

**SURNAME AND NAME:** .....

**DATE:** .....

**ADDRESS:** .....

.....

.....

## SECTION 7

### SPECIFICATION/SCOPE OF WORK

#### 1. PROJECT PURPOSE

This project covers supply and delivery of telecommunication tools for the maintenance of the different systems and networks within PRASA

#### 2. SCOPE OF WORK

- a. To supply and deliver test equipment
- b. To supply and deliver installation/maintenance tools

#### 3. WARRANTY/ GUARANTEE

- a. All test equipment shall include a factory warranty that equipment is free from defects in design, material, manufacturing, and operation.
- b. Factory warranty period shall be for 12 months from date of shipment.
- c. All tools should also have a 6-month guarantee
- d. All testing/installation equipment should be serviced and calibrated by the supplier after 6 month or 12 months of delivery
- e. Fibre tools must have a manufacturer or agent within South Africa that will be able to service or calibrate these equipment/tools (Letter of assurance must be supplied with quotations)

#### 4. LOCAL CONTENT (NOT APPLICABLE)

- Only bids with the stipulated minimum threshold, Annexure C (as per SBD 6.2), for local production and content will be considered. Failing to meet this, will lead to your bid being disqualified. Local content per item is listed on the Bill of Quantities (BOQ)
- Bidders can apply to the DTI for an Exemption letter, (Contact details - Tebogo Makube – [tmakube@thedi.gov.za](mailto:tmakube@thedi.gov.za)), if the minimum threshold cannot be met. The Exemption letter must be submitted with this tender. Failure to provide an Exemption letter with this tender will render the tender incomplete and the tender will therefore not be considered for award of business.

## 5. BASIC SPECIFICATIONS WITH FIGURES

### a) 9pcs Torx Screwdriver Hole L Shape Female Hollow Bit Security Torx Screwdriver Set

Dimensions: 10cm x 22.5cm x 2.5cm

- For security type torx head screws, this set includes T10, T15, T20, T25, T27, T30, T40, T45 and T50
- Comes in a handy organizer
- Material: Metal
- Colour: Silver
- Weight: 300ga



### b) Heavy duty HDPE resin folding chair

Strong Heavy-Duty powder coated steel frame with HDPE resin seat and back. Very comfortable and easy to store

Colour: Cream/White Plastic and Grey Steel Frame.

Material: HDPE Plastic Seat and Plastic Backrest with a Steel Frame

Back Height: 79 cm

Seat Height: 45 cm

Seat Size: 39 X 39 cm

Weight: 4,5 Kg

Max Weight: 150 Kg



### c) 86CM Square Resin folding plastic table

Product Name: 86CM Square Folding Table


Unfolded Size: 86\*86\*74CM

Foldable Size: 86\*86\*4.5CM

Table Plate Material: HDPE Thickness:4.5cm

Frame Leg tube: 25\*1.0mm+Powder coating

Material: HDPE Tabletop with Steel Frame



**d) RJ 45 multipurpose crimper**

Cut and strip flat cable by one option

- Functions for 8P/RJ-45 and 6P/RJ-12, RJ-11
- All steel construction for long term durability
- Crimps two sizes of plugs
- Built-in cutter and stripper
- Precision ground
- Compact size, easy to handle
- Ratchet mechanism to keep tool closed when not in use



**e) 3m x3m Heavy-Duty pop-up gazebo**

3m x 3m Heavy Duty Steel Frame Gazebo Set with Heavy Duty Steel Frame Canopy 3 x sides and carry bag with wheels

- adjustable height legs (3.1m max to top of peak)
- Heavy duty powder coated steel frame
- Canopy x 1 – 250g polyester with PVC coating
- Sides x 3 – 420D waterproof Oxford fabric (x3) 2.9m x 1.95m each
- Push button canopy locks
- Quick and convenient Velcro attachments
- Main frame – 30 x 30mm 0.6mm thick
- Inner tube – 25 x 25mm 0.6mm thick
- Roof beam – 25x12mm 0.5mm thick
- Adjustable height – 198cm 191cm 184cm 177cm



**f) 7inch 4K Camera Tester Engineering Treasure Video Surveillance Tester for CFTV  
IPC Tester Poe Testers Camera Tester**

**Product Overview**

7-inch IPS touch screen, 1280\*800 resolution

4K H.265 H.264 video display via mainstream.4K IP Camera test.

RJ45 cable TDR test, cable quality test.

POE, DC 12V power voltage test, HDMI input,1080P.

Tester Play: Tester, android version mobile phone, PC display at the same time.

Batch activate Hik camera.

Language support: English, Chinese, Korean, Russian, Italian, Polish ,Spanish, French or Japanese

**Features:**

New 7-inch IPS touch screen cctv tester,1280\*800 resolution.

New- H.264 and H .265 ,4K video display via mainstream

IP & CVBS camera test, PTZ controller

New- Rapid video, just by one key to detect all network cameras and auto display

Rapid ONVIF, auto log in and display image from the camera, activate Hikvision camera, and also can create testing report

New- IP and analog testing at the same time, converter test from analog to digital with dual test window

IP & CVBS

New- Screen management, change function's icons order, create new directory

New- Shortcut button, drop-down menu, can select PoE power, IP setting, WLAN switch, HDMI IN functions etc in any interface

Improvement cable tester, UTP cable, telephone cable etc order and connectivity test, can save testing report, if special number, need customized

New- RJ45 cable TDR test, test cable pair status, length, attenuation, reflectivity, impedance, skew etc

Tester Play (screen projection): tester, android version mobile phone and PC display at the same time

New- Screen lock, password lock and pattern lock are optional

New- HDMI signal input,720×480p /720×576p /1280×720p /1920×1080p /1024×768p/1280×1024p /1280×900p /1440×900p display image, record.

HDMI output, support 1080P

New- CVBS loop test, the tester sends and receive generator signal, to check BNC cable

New- Traffic monitoring of the tester "LAN port", display network port or WIFI connection real-time upload and download speeds and other network parameters

New- Customers self-update software, you can install apps with android version, such as Skype, WeChat etc

ONVIF camera test, support 2592\*1520, Network PTZ controller (ONVIF)

Built in Wi-Fi, display image from the wireless camera, create WIFI hotspot

New- 4K video files and MKV/MP4 media files play

PoE DC48V power output, Max power 24W, 12V /2A power output/ 5V 2A power output, as a power bank

New- Quick office, quick office app (support excel, word, ppt format) doc. editable

8GB SD card including

IP discovery, it can auto-scan the whole network segment IP, and auto-modify tester's IP address

Display its genuine resolution of the IP camera images

Supports more than 30 protocols such as PELCO-P, PELCO-D.

Enhanced generator, PAL/NTSC multi-system video generator

POE voltage measurement, PING test, IP address scan, port flashing etc

Audio in /out, support record and save the audio/LED lamp, calculators, music players and other application tools

7.4 V /5400mAh Lithium Ion Polymer Battery, after 5~6 hours charging, working time lasts 10 hours.



### g) Binoculars 10x50

- Field of View (ft. at 100yds./m at 100m):  
367/122
- Weight (oz./g): 27/770
- Magnification X Objective Lens: 10x 50mm
- Size Class: Standard
- Focus System: Centre
- Prism System: Porro
- Lens Coating: Fully Coated
- Close Focus (ft): 18
- Model: 170150
- Color: Black



### **h) ACS-2 Armoured Fibre Cable Slitter 4-10mm Armoured Cable Jacket Stripper**

- Versatile design allows jacket or shield slitting on non-fiber optic cables as well
- Tool slits outer polyethylene jacket and Armor in one operation
  - Performs longitudinal slitting and circumferential (ringing) for end stripping
  - Blade rotates 90 degrees by activating blade lever, allowing easy mid-span preparation (ringing and slitting)
- ACS 2 is adjustable from 0.157 in. (4 mm) to .393 in. (10 mm) for smaller cable O.D. options
- Adjustable blade depth to 5.5 mm maximum to accommodate different cable jackets
- Cable guide wheel provides cable stability and allows for easier tool movement along the cable
- Rugged anodized aluminium and steel construction



### **i) Rotary Coaxial Cable Wire Stripping Stripper Cutter Stripper for RG-59 / 6 / 58 Network Tool Computer Networking (Grey)**

- Stripper Tool, RG6, RG58, RG59
- Cable crimp Tools for all types of Terminals, Connectors
- It is suitable for crimping connectors onto RG6 RG8, RG11, RG213, LMR-400
- High quality light-weight stripper is perfect for anyone working on electronics or other precision work
  - Crimp cable and Connector
  - Strip Cable
  - Compression Connector
  - Crimp Telephone Wiring



### **j) 180mm Diagonal cutter pliers**

- Dimensions: 23.5 x 9 x 23.5cm
- Weight: 0.29kg
- Material: Stainless steel
- Durable hardened edge for wire cutting and electrical work
- Satin finish
- Drop forged carbon steel
- Induction hardened edges for cleaner cutting and durability
- Non-slip cushion rubber grips for comfort
- Nickel plated



**k) 92-piece socket set**

1/4" 2C lever reversible ratchet, \_x001F\_ne-toothed, 72 teeth | 150 mm

1/4" square plug-in handle 165 mm

1/4" socket hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 mm

1/4" socket hexagon 4 5 6 7 8 9 10 11 12 13mm | 50 mm

1/4" socket extension 50 100 mm

1/4" sliding T-bar with slider | 115 mm

1/4" universal joint | 32 mm

Bit holder 1/4" hex x 1/4" hex with magnet | 60 mm

Bit adapter 1/4" sq. x 1/4" hex | 25 mm

Drive adapter 1/4" hex x square with ball lock | 25 mm

1/4" bits in-hex 3 4 5 6 8 10 | 25 mm

1/4" bits slotted 4 5.5 7 | 25 mm

1/4" bits crosshead PH 0 1 2 3 4 | 25 mm

1/4" bits crosshead PZ 1 2 3 | 25 mm

1/4" bits Tx T8 T10 T15 T20 T25 T27 T30 T40 | 25 mm

5/16" bits socket Tx T45 T50 T55 | 30 mm

1/2" 2C lever reversible ratchet, \_x001F\_ne-toothed, 72 teeth | 250 mm



1/2" socket hexagon 10 11 12 13 6 15 17 19 22 24  
 27 30 32 mm  
 1/2" spark plug socket 21 mm (13/16") | 65 mm  
 1/2" socket extension 125 250 mm  
 1/2" universal joint | 65 mm  
 Socket extension piece/slider 3/8" x 1/2" | 44 mm  
 Bit adapter 1/4" square x 5/16" hex | 38 mm  
 Double swivel head wrenches 8x9 10x11 12x13  
 14x15 mm  
 Combination spanners 8 10 12 13 14 17mm  
 Hexagon socket key 1.5, 2 2.5 mm

### **l) 250mm cable cutter**

Force Cable Cutters  
 250mm Long  
 Hardened Steel Cutting Jaws  
 12mm Max Cut Diameter  
 Lifetime Warranty  
 Coating: Polished Blade and Black Body  
 Long, ergonomically designed handles for extended reach and enhanced leverage.  
 Designed for fast & efficient cutting of aluminium & copper wires



### **m) Telescopic Fiberglass Pole**

Material: Fiberglass  
 Type: Telescopic  
 characteristic: Insulation  
 Name: Fiberglass Telescopic Link Stick  
 Specification: 33KV  
 Feature: Triangular Shape  
 Length: 10 meters (8 parts)



### n) Digital Multimeter

•	DIY	
•	Continuity	
•	Diode	
•	Data	hold
• DC Voltage (V):	200mV, 2, 20, 200, 600V	( $\pm 0.5\%$ )
+ 4	Digit	
• AC Voltage (V):	200, 500V	( $\pm 1.2\% + 10$ Digit)
• DC Current (A):	200mA, 2mA, 20mA, 200mA, 10A	( $\pm 1.0\% + 2$ Digit)
• Resistance (?):	200, 2k, 20k, 200k, 20M?	(0.8%)
+ 10	Digit	
• Temperature (°C):	-20°C to 1000°C	( $\pm 1.0\% + 3$ Digit)
• Counts:	3 -1/2 Digits (1 999 Counts)	
• Power Source:	1 x 9V Battery	
• Standard Accessories:	Temp Probe	
TBMTEMPPROBE		



### o) Fiberglass Wonder Ladder

• 4.8m Multipurpose stepladder	
• Fiberglass Stile sections	
• Steel locking hinges	
• Construction stabiliser bar at the base	
• Rubber non-slip feet	
• Load Capacity: 135kg	
• An electroplated platform can be added as an optional extra that can be used as a secure standing platform for indoor painting or maintenance etc	



**p) Telescopic Ladder**

<ul style="list-style-type: none"> <li>• Telescopic Ladder 3.8m</li> <li>• Easy to store</li> <li>• Ideal for use as a loft ladder and for around the home/workplace</li> <li>• Great for cleaning windows, painting, decorating etc.</li> <li>• Safely easy-to-use locking mechanism</li> <li>• Quickly &amp; easily extends rung by rung to the required height</li> <li>• Soft close anti pinch finger protection</li> <li>• Easily extends</li> <li>• Materials: Aluminium frame, PVC heavy duty sides</li> <li>• Approx. Max load: 150kg</li> </ul>	
--	--

**q) Chain Block**

<p>A labor-saving chain hoist. The loaded chain is made of G80 manganese steel and the pulling chain is galvanized steel (rust-resistant). Ratchet type brake safety design prevents loaded chain from dropping.</p> <p>Capacity 500</p> <p>Standard Lift Height (m) 2.5</p> <p>Running test load 1000</p> <p>The min distance between hooks (mm) 70</p> <p>Pull to lift-full load (n) 309</p> <p>No. of loaded chains (mm) 1</p> <p>Load chain diameter (mm) 6</p>	
---	--

**r) Gas blow Torch Self ignite**

<ul style="list-style-type: none"> <li>• Screw-able cartridge holder</li> <li>• Uses 190g butane cartridge</li> <li>• Piezo Self-Ignition</li> <li>• Anti-Flare Brass Nozzle</li> </ul>	
---	--

**s) Telecommunications Tool Kit**

The telecommunication tool kit must comprise of the following basic items

1. Cable Tie, (Pkt 100) 2.5mm X 104mm
2. Mirror, Swivel Plastic
3. S/Driver, Neon 100-500 Volt, 3x40mm Blade
4. S/Driver, Jeweller 4 Flat&Ph0 in Handle
5. Wrist Strap, 3snap 4ban/Croc Clp S/Blue
6. Cord, Grounding 10mm, Snap & Eye 1.5m S2
7. Magnetic Pickup, Telescopic & Pen 630mm
8. Volta Lert, Non-Contact Voltage Detector

9. Tweezer, Universal 1mm Tip 115mm
10. Tweezer, Universal Bent 1.5mm Tip 150mm
11. Tape Measure 3m, 12ft Met. /Imp.
12. Plier, Water Pump 7" 175mm
13. Cutter, Side - Heavy Duty, Redline 140mm
14. Cutter, Side Box Joint Senso Plus 115mm
15. Plier, Snipe - Serrated Jaw S/Plus 150mm
16. Plier, Combination 160mm
17. Nut Driver 5.0mm
18. Nut Driver 8.0mm
19. Nut Driver 10.0mm
20. S/Driver, Engineers 5x75mm
21. S/Driver, Engineers 7x125mm
22. S/Driver, Philips 0x60mm
23. S/Driver, Philips 1x80mm
24. S/Driver, Philips 2x100mm
25. S/Driver, Pozi 1x80mm
26. S/Driver, Stubby Slot 1/4" 6.5x25mm
27. S/Driver, Stubby Philips 1x25mm
28. S/Driver, Electrician 3.0x75mm
29. S/Driver, Electrician 5.0x150mm
30. Knife, Trimming Retractable 160mm
31. Torch Penlight Aluminium 1w 2aa
32. Solder Dispenser + 2.5m Solder
33. Screw Starter, Torx/Pozi/Philips Screws
34. Brush 25mm Everyman
35. Insulation Tape, Nitto 18mmx20m Black
36. Hammer, 100g Ballpein
37. Sponge For Magnum Solder Stations
38. Soldering Iron 50w 220v, Temp Control
39. Desolder Tool Mini Silver #38450040
40. Scissor 150mm Straight Sharp/Sharp
41. Needle Holder, 150mm, Serrated Jaws
42. All Purpose Water Repelling Penetrating
43. Nick Knacks Parts Tube
44. Case, Black Vinyl, 490x360x170mm

- 45. Foam Top For 1708 Toolkit 0196
- 46. Foam For 1608/1708 Bottom Layer 0195
- 47. Tray Large For 17/1800 Kits 425x333x25mm
- 48. Table Mat 430mmx315mm Toolkit Lid Beige
- 49. File Handle, Small Plastic 85mm
- 50. File Flat 150mm Second Cut
- 51. Multitool Black
- 52. Shifter, Phosphate Finish 150mm
- 53. Wire Stripper and Cutter #43200100
- 54. Side Cutter Blue Handles on Display Card
- 55. Black Tool Case to House All Above Equipment



**t) Fibre Optic Quick Connector for Optical Fibre Mechanical Splice****Features:**

Metal V groove design, optical fibre butt precision is high, technical indicators are excellent.

The core structure: the box structure design, good sealing performance, matching fluid is not easy to lose, weather resistance is strong.

Applicable optical cable: suitable for any combination of 0.25mm optical fibre and 0.9mm optical fibre.

Simple operation, fast construction speed, high success rate of installation, long life cycle, simple and convenient maintenance later.

Application for FTTH engineering and optical cable repair.

10 pieces per box

**Specification:**

Fibre diameter: 125 $\mu$ m (657A & 657B)

Tight cladding diameter: 250 $\mu$ m & 900 $\mu$ m

Applicable mode: single mode; multi-mode

Bare fibre tightening force: >5N

Clamping force of tight package: >8N

Operating temperature: -40~75°C

Repeated use: IL≤0.2dB RL≤5dB

Material: Plastic

Length: app.4.5cm /1.77in



## u) FL-600 light source

Model	12D	23BL	23BL	23BL
Central wavelength (nm)	$850 \pm 25$ $1300 +50/-20$	$1310 \pm 20$ $1300 +50/-20$	$1310 \pm 20$ $1550 \pm 20$	$1310 \pm 20$ $1550 \pm 20$
Spectral width b (nm)	$1490 \pm 10$	$1625 \pm 15$	$1550$	
	$\pm 20$			
	<b>50/135</b>	$\leq 5$	$\leq 5$	$\leq 5$
Output power (dBm)	$\geq -20/\geq -20$ (62.5/125 $\mu$ m)	$\geq 1/\geq 1$	$\geq 1/\geq -3/\geq -5$	$\geq 1/\geq -4.5/\geq -3$
	<b>8h</b>	$\pm 0.1$	$\pm 0.1$	$\pm 0.1$
Auto-switching	<b>yes</b>			
Power stability c (dB 15 min)	$\pm 0.05$	$\pm 0.03$	$\pm 0.03$	$\pm 0.03$
Tone generation	270 Hz	1 kHz	2 kHz	
Battery life (hours/typical in Auto mode)	<b>50 hours</b>			
Warranty (years)	<b>3 years</b>			



**v) MAX TESTER 730D PON/METRO OTDR**

**TECHNICAL SPECIFICATIONS**

Display 7-in (178-mm) outdoor-enhanced touchscreen, 800 x 480 TFT

Interfaces Two USB 2.0 ports

RJ45 LAN 10/100 Mbit/s

Storage 2 GB internal memory (20 000 OTDR traces, typical)

Batteries Rechargeable lithium-polymer battery

12 hours of operation as per Telcordia (Bell core) TR-NWT-001138

Power supply Power supply AC/DC adapter, input 100-240 VAC, 50-60 Hz

Wavelength (nm) b 1310 ± 20/1550 ± 20/1625 ± 10/1650 ± 15

Live wavelength (nm) 1650

Isolation: 50 dB from 1265 nm to 1617 nm

Dynamic range (dB) c 39/38/39/39

Event dead zone (m) d 0.5

Attenuation dead zone (m) e 2.2

PON dead zone (m) f 30

Distance range (km) 0.1 to 400

Pulse width (ns) 3 to 20 000

Linearity (dB/dB) ±0.03

Loss threshold (dB) 0.01

Loss resolution (dB) 0.001

Sampling resolution (m) 0.04 to 10

Sampling points Up to 256 000

Distance uncertainty (m) g ±(0.75 + 0.0025 % x distance + sampling resolution)

Measurement time User-defined

Reflectance accuracy (dB) b ±2

Typical real-time refresh (Hz) 4

**IN-LINE POWER CHECKER**

Power range (dBm) -60 to 23

Power uncertainty (dB) h, i ±0.5

Calibrated wavelengths (nm) 1310, 1490, 1550, 1625, 1650

Selectable wavelengths (nm) 1310, 1490, 1550, 1577, 1625, 1650

Tone detection 270 Hz/330 Hz/1 kHz/2 kHz

**TECHNICAL SPECIFICATIONS (in-line PON power meter with OPM2 in option) b, j**

Power range (dBm) -60 to 23

PON power meter (nm) Two channels: 1490/1550 and 1490/1577

Power uncertainty (dB)  $\pm 0.5$

Calibrated wavelengths (nm) 1310, 1490, 1550, 1625, 1650

Selectable wavelengths (nm) 1310, 1490, 1550, 1577, 1625, 1650, 1490/1550, 1490/1577



#### w) OPTICAL POWER EXPECT

Dimension 133 mm x 78 mm x 30 mm (5 1/4 in x 3 in x 1 1/8 in)

Display size 71 mm (2.8 in)

Weight (with battery) 225 g (0.5 lb)

Display type Color display with capacitive touchscreen

Interface languages Chinese (Simplified and Traditional), English, French, German, Russian, Spanish

Battery charging < 3 hours charging time, when unit is off

USB Type C charging port connector

AC/DC charger/adapter input: 100 - 240 V; 50/60 Hz; 1.0 A max, output: 5 V; 2 A

Battery autonomy 10 h (continuous use)

Interfaces Bluetooth 5.0 with BLE

USB Type C

Storage capacity 1000 test results for local reading

Reporting Two methods available:

- Connect PX1 to smartphone via Bluetooth. Generate and share PDF reports via EXFO application.
- Transfer results to a PC via USB cable and generate reports with Fast Reporter software.

Warranty 3 years

Calibration interval 3 years

Temperature Storage f

Operating

-40 °C to 70 °C (-40 °F to 158 °F)

-10 °C to 50 °C (14 °F to 122 °F)



**x) TYPE-72C+ FUSION SPLICER**

Item	Type72C+	
<b>Optical fibre requirements</b>	Material	Silica glass
	Fibre count/profile types	Single/SFM(G.651-G.657)
	Fibre diameter	Cladding diameter:80-150um
	Cleave length	5-16mm with coating clamp
<b>Standard performance</b>	Splice loss	SMF:0.1dB,MMF:0.1dB,
	Return loss	60dB or greater
	Splice time	5sec
	Heating time	8sec
	Splice &heat cycles per battery	Aprox 320 (BU-16)
	Fiber view & magnification	2 cmos camera
	Proof test	1.96-2.09N
	Applicable protection sleeve	60mm, 40mm & sumitomo slee
<b>Power supply</b>	AC input	AC 100-240V, 50/60Hz
	DC input	DC 10-15V
	Battery pack	Li-ion 10.8V, 6400mAh (BU-16)



**y) RTU Remote terminal unit Hardware and Software**

: - Fibre Application Software (Unlimited remote users)

FMS Management Software with GIS capabilities.

For 1 new RTUs

Customer to provision and maintain one of the following two environments of their choice: Cloud or Bare Metal Server

Auto wavelength recognition/switching with Tone detection

Storage and report capable (via Test Flow Mobile App)

3-year warranty and recommended calibration interval

: - Fibre Hardware (Remote Test Units)

OTH-7000 Rackmount 1/2U height

Standard model with fixed number of test ports

- Filtered 1650nm, 42 dB

- Linux OS

- Dual Core Processor

- Storage: > 16 GB

"- Interfaces:

> G. ethernet (optical and electrical) interfaces

> USB 2.0 ports (qty:5)

> BLE (Bluetooth Low Energy)"

16x Ports with LC-APC Connectors

DC Power Supply

19" Rack mount kit

## 6. TIME FRAME FOR DELIVERY OF TOOLS

a. All installation tools should be delivered within 3 weeks of the issue of the purchase order

### Bill of Quantities (BOQ)

TELECOMS TOOLS					
No	ITEM	QTY	UNIT	RATE	TOTAL AMOUNT
a	9pcs Torx Screwdriver Hole L Shape Female Hollow Bit Security Torx Screwdriver Set	8	Each		
b	Heavy duty HDPE resin folding chair	6	Each		
c	86CM Square Resin folding plastic table	4	Each		
d	RJ 45 multipurpose crimper	8	Each		
e	3m x3m Heavy-Duty pop-up gazebo	2	Each		
f	7inch 4K Camera Tester Engineering Treasure Video Surveillance Tester for CFTV IPC Tester Poe Testers Camera Tester	2	Each		
g	Binoculars 10x50	2	Each		
h	ACS-2 Armoured fibre Cable Slitter 4-10mm Armoured Cable Jacket Stripper	8	Each		
i	Rotary Coaxial Cable Wire Stripping Stripper Cutter Stripper for RG-59 / 6 / 58 Network Tool Computer Networking (Grey)	4	Each		
j	180mm Diagonal cutter pliers	4	Each		
k	92-piece socket set	8	Each		
l	250mm cable cutter	8	Each		
m	Telescopic fiberglass pole	2	Each		
n	Digital Multimeter	4	Each		
o	Fiberglass wounnder ladder	4	Each		
p	Telescopic Ladder	2	Each		
Q	Chain Block	2	Each		
R	Gas blow torch with self-ignite	4	Each		
S	Telecommunications Tool Kit	2	Each		
T	Fibre Optic Quick Connector for Optical fibre Mechanical Splice	10	Box		
U	FL 600 light source	1	Each		
V	Max tester 730D PON/Metro OTDR	1	Each		
W	PX1-plush-H Optical power expect	1	Each		
X	TYPE-72C+ FUSION SPLICER	1	Each		
y	Professional Services incl. Install, Commissioning and Training	1	Each		

Remote FMS Validation and Installation RTU Installation of 1x site Fibre User Training with FMS-GIS for System Remote System Acceptance Project Management AND Support maintenance Services, Annual support - Basic – 1 <sup>st</sup> year Basic support package includes: - Web Portal access with basic package SLA - HW Warranty Repair or Replacement (30-day TAT)				
		Sub total		
		VAT 15%		
		Total		