E 762 04-293-021

SECTION 1-1 (5 pieces)
B1 40×65

SECTION 2-2 (11 pieces)
B5 (30×45)

SECTION 3-3 (6 pieces) 3×2
B2 (30×65)

B7 (40×65) 1 piece

7-7 (Scale 1/20)

4-4 (Scale 1/20)

10-10

(B6) 6-6 (12 pieces) (Scale 1/20)

(B3) 5-5 (6 pieces) (Scale 1/10)

(B4) 8-8 (Scale 1/10)

B4 (12 pieces 3×4)

B3 (30×45)

B2 (30×65)

B1 (40×65)

B5 (30×45)

B6

B7 (40×65)

TANK RAFT

MARK	NR
B1	5
B2	6
B3	6
B4	12
B5	11
B6	12
B7	1

STEEL RELATED ELEMENT
- Ø DEFORMED BARS: CREASE: 1 PARTS
- YIELD POINT MIN: 48 kg/mm²
- Ø MILD STEEL BARS: .....
- CONCRETE: CLASS I : 90,5 N/mm² AT 28 DAYS

APPROVED FOR T... NOT AS CONSTRUCTED

S.A. COPPEE-RUST N.V.
AVENUE LOUISE, 251 1050 BRUXELLES

INSTALLATION: APAY

DIGESTION TANK'S - FOUNDATION.
FILTRATION
BEAMS - REINFORCEMENT

ECHELLE	Nr		REV:
1/20 - 1/10	E 762	04-293-021	0

REVISIONS	MADE	CKD	DATE	REFERENCE DWG Nr.	REFERENCE DWG TITLE
FOR CONSTRUCTION	GC	GC	25-7-91	Nov. 293.91 Nov. 341 - 20	APAY: DIGESTION TANK'S FOUNDATION. FILTRATION

SCALE	VISA	DATE
DESIGN		
DRAWN		
CHECKED	G.C.	Oct.91
SUPV.		
SUBMITD		
APP'D	A.J.	19-7-91
APP'D		
APP'D		

A042