



## INVITATION TO QUOTE

<b>RFQ NUMBER:</b>	EKZNW 02/2024
<b>DESCRIPTION OF GOODS/SERVICE/WORK REQUIRED:</b>	<b>Repairs to Roof of Water Treatment Plant at Midmar Resort for Ezemvelo KZN Wildlife</b>
<b>REQUIRED CIDB GRADING</b>	<b>LEVEL 1 GB OR HIGHER</b>
<b>COMPULSORY BRIEFING SESSION DATE &amp; ADDRESS:</b>	Date: 23 February 2024  Time: 11:00am  Venue: Midmar Nature Reserve, R103, Howick 3290, KwaZulu Natal
<b>CLOSING DATE AND TIME:</b>	01 March 2024  16:00pm
<b>BID VALIDITY PERIOD:</b>	60 calendar days (commencing from the Closing Date)
<b>QUOTATION DOCUMENT MUST BE SUBMITTED BY E-MAIL TO:</b>	<a href="mailto:procurement@kznwildlife.com">procurement@kznwildlife.com</a>
<b>FOR ATTENTION:</b>	Ms Silindile Ngcobo

<b>NAME OF BIDDER:</b>	
<b>QUOTE PRICE:</b>	
<b>QUOTE PRICE IN WORDS:</b>	
<b>BIDDERS SIGNATURE:</b>	

<b>Contents</b>	
Number	Heading
<b>The Tender</b>	
<b>Part T1: Tendering procedures</b>	
T1.1	Tender Notice
T1.2	Site Inspection Certificate
T1.3	Invitation to Tender
<b>Part T2: Returnable documents</b>	
T2.1	Returnable Schedules
<b>Part T3: Bid procedures</b>	
T3.1	Special Conditions of Bid
T3.2	Standard Conditions of Bid
<b>The Contract</b>	
<b>Part C1: Agreements and Contract Data</b>	
C1.1	Building Agreement & Preliminaries
C1.2	Contract Data
C1.3	Health and Safety Specification
C1.4	Health and Safety Declaration
C1.5	Reserve Rules for Contractors
<b>Part C2: Pricing data</b>	
C2.1	Pricing Instructions
C2.2	Bill of Quantities
<b>Part C3: Scope of Work</b>	
C3.1	Description of the Works
<b>Part C4: Site information</b>	
C4.1	Site Information

## **SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF BIDDING FORMS**

PLEASE NOTE THAT THIS BID IS SUBJECT TO TREASURY REGULATIONS 16A ISSUED IN TERMS OF THE PUBLIC FINANCE MANAGEMENT ACT, 1999, EZEMVELO KZN WILDLIFE SUPPLY CHAIN MANAGEMENT POLICY AND ALL OTHER PRESCRIPTS THAT REGULATE PUBLIC PROCUREMENT IN THE REPUBLIC OF SOUTH AFRICA.

1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and visa versa and with words importing the masculine gender shall include the feminine and the neuter.
2. Under no circumstances whatsoever may the quotation forms be retyped or redrafted.
3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
4. Bids submitted must be accurately completed. Bidders must ensure that all questions are answered. If questioned are “not applicable”, bidders must ensure that “N/A” is indicated in the relevant space. It is not permissible to leave blank spaces or unanswered questions. Bidders will only be considered if the quotation document is accurately completed and accompanied by all relevant certificates and other necessary applicable information. Failure to comply with the same will invalidate your quote.
5. Any alteration made by the bidder must be initialed.
6. Bidder must initial each and every page of the quotation document.
7. For compulsory briefing sessions - Bidders must ensure that during a briefing session, the attendance register is signed. Failure to sign the attendance will result in the bid being disqualified.
8. “Proof of B-BBEE status level of contributor” means-
  - (a) the B-BBEE status level certificate issued by an authorised body or person;
  - (b) a sworn affidavit as prescribed by the B-BBEE Codes of Good Practice; or
  - (c) any other requirement prescribed in terms of the Broad-Based Black Economic Empowerment Act;

## REGISTRATION ON THE CENTRAL SUPPLIERS DATABASE

1. In terms of the National Treasury Instruction Note, all suppliers of goods and services to the State are required to register on the Central Suppliers Database.
2. Prospective suppliers should self-register on the CSD website [www.csd.gov.za](http://www.csd.gov.za)
3. If a business is registered on the Database and it is found subsequently that false or incorrect information has been supplied, then the Ezemvelo KZN Wildlife may, without prejudice to any other legal rights or remedies it may have;
  - 3.1 cancel a bid or a contract awarded to such supplier, and the supplier would become liable for any damages if a less favorable bid is accepted or less favorable arrangements are made.
4. **The same principles as set out in paragraph 3 above are applicable should the supplier fail to request updating of its information on the Central Suppliers Database, relating to changed particulars or circumstances.**
5. IF THE SUPPLIER IS NOT REGISTERED AT THE CLOSING TIME OF BID, THE SUPPLIER WILL BE DISQUALIFIED AT THE BID EVALUATION PROCESS.

THIS IS TO CERTIFY THAT I (name of bidder/authorized representative)  
....., WHO

REPRESENTS (state name of bidder)  
..... CSD Registration

Number.....

AM AWARE OF THE CONTENTS OF THE CENTRAL SUPPLIER DATABASE WITH RESPECT TO THE BIDDER'S DETAILS AND REGISTRATION INFORMATION, AND THAT THE SAID INFORMATION IS CORRECT AND UP TO DATE AS ON THE DATE OF SUBMITTING THIS BID.

AND I AM AWARE THAT INCORRECT OR OUTDATED INFORMATION MAY BE A CAUSE FOR DISQUALIFICATION OF THIS BID FROM THE BIDDING PROCESS, AND/OR POSSIBLE CANCELLATION OF THE CONTRACT THAT MAY BE AWARDED ON THE BASIS OF THIS BID.

.....  
**SIGNATURE OF BIDDER OR AUTHORISED REPRESENTATIVE**

**DATE:** .....

**PART A**  
**INVITATION TO BID**

<b>YOU ARE HEREBY INVITED TO QUOTE FOR REQUIREMENTS OF THE EZEMVELO KZN WILDLIFE</b>				
RFQ NUMBER:	EKZNW 02/2024	CLOSING DATE:	01 March 2024	CLOSING TIME:
DESCRIPTION	Repairs to Roof of Water Treatment Plant at Midmar Resort for Ezemvelo KZN Wildlife			
<b>BID RESPONSE DOCUMENTS MUST BE DEPOSITED TO THE FOLLOWING ADDRESS:</b>				
QUOTATION DOCUMENT MUST BE SUBMITTED BY E-MAIL TO: <a href="mailto:procurement@kznwildlife.com">procurement@kznwildlife.com</a>				
<b>BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO</b>		<b>TECHNICAL ENQUIRIES MAY BE DIRECTED TO:</b>		
CONTACT PERSON	Ms. Silindile Ngcobo	CONTACT PERSON	Mr. Sihle Ximba	
TELEPHONE NUMBER	033 845 1828	TELEPHONE NUMBER	033 330 5179	
FACSIMILE NUMBER		FACSIMILE NUMBER		
E-MAIL ADDRESS	<a href="mailto:Silindile.Ngcobo@kznwildlife.com">Silindile.Ngcobo@kznwildlife.com</a>	E-MAIL ADDRESS	Sihle.Ximba@kznwildlife.com	
<b>SUPPLIER INFORMATION</b>				
NAME OF BIDDER				
POSTAL ADDRESS				
STREET ADDRESS				
TELEPHONE NUMBER	CODE		NUMBER	
CELLPHONE NUMBER				
FACSIMILE NUMBER	CODE		NUMBER	
E-MAIL ADDRESS				
VAT REGISTRATION NUMBER				
SUPPLIER COMPLIANCE STATUS	TAX COMPLIANCE SYSTEM PIN:	OR	CENTRAL SUPPLIER DATABASE No:	MAAA
B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE	TICK APPLICABLE BOX] <input type="checkbox"/> Yes <input type="checkbox"/> No	B-BBEE STATUS LEVEL SWORN AFFIDAVIT		[TICK APPLICABLE BOX] <input type="checkbox"/> Yes <input type="checkbox"/> No
<b>[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/ SWORN AFFIDAVIT (FOR EMES &amp; QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]</b>				
ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES ENCLOSURE PROOF]	ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES, ANSWER THE QUESTIONNAIRE BELOW ]	
<b>QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS</b>				
IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?			<input type="checkbox"/> YES <input type="checkbox"/> NO	
DOES THE ENTITY HAVE A BRANCH IN THE RSA?			<input type="checkbox"/> YES <input type="checkbox"/> NO	
DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA?			<input type="checkbox"/> YES <input type="checkbox"/> NO	
DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?			<input type="checkbox"/> YES <input type="checkbox"/> NO	
IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?			<input type="checkbox"/> YES <input type="checkbox"/> NO	
<b>IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER.3 BELOW.</b>				

## PART B

### TERMS AND CONDITIONS FOR BIDDING

#### **1. BID SUBMISSION:**

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. **ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED—(NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.**
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. **THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).**

#### **2. TAX COMPLIANCE REQUIREMENTS**

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE [WWW.SARS.GOV.ZA](http://WWW.SARS.GOV.ZA).
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

**NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.**

SIGNATURE OF BIDDER: .....

CAPACITY UNDER WHICH THIS BID IS SIGNED: .....

(Proof of authority must be submitted e.g. company resolution)

DATE: .....

## BIDDER'S DISCLOSURE

### 1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

### 2. Bidder's declaration

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest<sup>1</sup> in the enterprise, employed by the state? **YES/NO**

2.1.1. If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

2.2. Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? **YES/NO**

2.2.1. If so, furnish particulars:

.....  
 .....

2.3. Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? **YES/NO**

2.3.1 If so, furnish particulars:

.....  
 .....

---

<sup>1</sup> the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

### 3 DECLARATION

I, the undersigned, (name)..... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium<sup>2</sup> will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.5 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.6 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.7 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.  
 I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF  
 PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING  
 ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO  
 BE FALSE.

..... Signature	..... Date
..... Position	..... Name of bid der

<sup>2</sup> Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

## PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

**NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022**

### 1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

#### 1.2 To be completed by the organ of state

*(delete whichever is not applicable for this tender).*

- a) The applicable preference point system for this tender is the **80/20** preference point system.
- b) **80/20 preference point system** will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

- (a) Price; and
- (b) Specific Goals.

#### 1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
<b>Total points for Price and SPECIFIC GOALS</b>	<b>100</b>

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

## 2. DEFINITIONS

- (a) **“tender”** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) **“price”** means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) **“rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) **“tender for income-generating contracts”** means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) **“the Act”** means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

### 3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

### 3.1. POINTS AWARDED FOR PRICE

### 3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

<b>80/20</b>	<b>or</b>	<b>90/10</b>
$Ps = 80 \left(1 - \frac{Pt-P}{min}\right)$	<b>or</b>	$Ps = 90 \left(1 - \frac{Pt-P min}{P min}\right)$
$P min$		

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

### 3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

### 3.2.1. **POINTS AWARDED FOR PRICE**

A maximum of 80 or 90 points is allocated for price on the following basis:

$$\begin{array}{ccc}
 \mathbf{80/20} & \text{or} & \mathbf{90/10} \\
 \hline
 \frac{Ps}{max} = 80 \left(1 + \frac{Pt-P}{max}\right) & \text{or} & \frac{Ps}{max} = 90 \left(1 + \frac{Pt-P max}{Pmax}\right)
 \end{array}$$

Where

Ps = Points scored for price of tender under consideration  
Pt = Price of tender under consideration  
Pmax = Price of highest acceptable tender

#### 4. POINTS AWARDED FOR SPECIFIC GOALS

4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—

- (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
- (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

**Table 1: Specific goals for the tender and points claimed are indicated per the table below.**

***80/20 preference point system is applicable, corresponding points must also be indicated as such. Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)***

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system) <b>(To be completed by the organ of state)</b>	Number of points claimed (80/20 system) <b>(To be completed by the tenderer)</b>
51% Black owned enterprise	8	
51% owned by Black people who are women	4	
51% owned by Black people who are youth	4	
Geographical Location <b>(Enterprises located in UMgungundlovu District Municipality)</b>	4	

#### DECLARATION WITH REGARD TO COMPANY/FIRM

4.3. Name of company/firm.....

4.4. Company registration number: .....

4.5. TYPE OF COMPANY/ FIRM

- Partnership/Joint Venture / Consortium
- One-person business/sole proprietor

- Close corporation
- Public Company
- Personal Liability Company
- (Pty) Limited
- Non-Profit Company
- State Owned Company

[TICK APPLICABLE BOX]

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
  - (a) disqualify the person from the tendering process;
  - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
  - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
  - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
  - (e) forward the matter for criminal prosecution, if deemed necessary.

**SIGNATURE(S) OF TENDERER(S)**

**SURNAME AND NAME:** .....

**DATE:** .....

**ADDRESS:** .....

.....

## AUTHORITY TO SIGN A BID

The bidder must indicate the enterprise status by signing the appropriate box hereunder.

(I) CLOSE CORPORATION	(II) COMPANIES	(III) SOLE PROPRIETOR	(IV) PARTNERSHIP	(V) CO- OPERATIVE	(VI) JOINT VENTURE / CONSORTIUM	
					Incorporated	
					Unincorporated	

I/We, the undersigned, being the Member(s) of Cooperative/ Sole Owner (Sole Proprietor)/ Close Corporation/ Partners (Partnership)/ Company (Representative) or Lead Partner (Joint Venture / Consortium), in the enterprise trading as:

..... hereby authorise Mr/Mrs/Ms .....

acting in the capacity of .....

whose signature is .....

to sign all documents in connection with this bid and any contract resulting therefrom on behalf of the enterprise.

NAME	ADDRESS	SIGNATURE	DATE

(if the space provided is not enough please list all the director in the resolution letter)

**Note:**

The following document must be attached to this form according to the status of the enterprise, in the form of a resolution authorising the signatory to sign all documents in connection with this bid and any contract resulting therefrom on behalf of the enterprise, and **such resolution shall include a specimen signature of the signatory.**

Co-operative:	Resolution letter from the directors
Close Corporation:	Resolution letter from the directors
Company:	Resolution letter from the director/s
Sole Proprietor:	Resolution letter from the director
Partnership:	Resolution letter from the director
Joint Venture / Consortium:	Resolution/agreement passed/reached' signed by the authorised representatives of the enterprises

**Note: Director/s may appoint themselves if they will be the one signing all documents in connection with this bid and any contract resulting therefrom on behalf of the enterprise.**

**Failure to complete, sign and date this form or failure to provide the certificate(s) in the form of a resolution as described above shall result in the tender being considered non-responsive and rejected.**

## SPECIAL CONDITIONS OF CONTRACT

### 1. INTRODUCTION

This bid is subject to the Preferential Procurement Policy Framework Act and the Preferential Procurement Regulations, 2022; the General Conditions of Contract (GCC) and the following applicable other Special Conditions of Contract.

### 2. VALIDITY PERIOD

The offers must remain valid for a period of 60 calendar days from the closing date of the submission of bids.

### 3. NATIONAL TREASURY CENTRAL SUPPLIER DATABASE

Tenderers who are not registered on the National Treasury Central Supplier Database at close of tender, shall submit a copy of their application of registration, with their tender submission. Tenders received from such tenderers who have not submitted proof of their registration within 21 days after the closing date for tender submissions, will not be considered.

### 4. TAX MATTERS

It is a condition of this bid that the tax matters of a successful bidder must be in order, or that satisfactory arrangements have been made with South African Revenue Services (SARS) to meet the bidder's obligation.

The Tax Compliance status requirements are also applicable to foreign bidders/individual who wish to submit bids.

Bidder must be registered on the Central Supplier Database (CSD) and provide its CSD number.

When a Consortium, Joint Venture, Sub-contractors is involved, each party must be registered on the CSD and their tax compliance status will be verified through the Central Supplier Database.

The bid will be awarded to the bidder who is tax compliant.

### 5. DECLARATION OF INTEREST (SBD 4)

A bidder or his/her authorized representative is required to declare if the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest has any interest(s) in any other related enterprise whether or not they are bidding for this contract. The Bidder's Disclosure (SBD 4) must be completed fully and if disclosure is found not to be true and complete in every respect the bidder will be disqualified.

### 6. SPECIFIC GOALS FOR THE TENDER AND POINTS CLAIM (SBD 6.1)

The tenderer must indicate how they claim points for specific goals and substantiate by submitting proof/ documentation stated in the conditions of this tender. Failure on the part of a tenderer to submit proof or documentation required in terms of this tender for specific goals will be interpreted to mean that preference points are not being claimed. The failure by the tenderer to indicate the points claimed will also result in points not being allocated.

## 7. EVALUATION CRITERIA

The evaluation process will be conducted in phase as follows:

PHASE 1	PHASE 2
<b>Mandatory requirement and Completeness Screening</b>	<b>Price and Preference Points System</b>
Compliance and completeness of proposal per the set of bid conditions.	The bid will be evaluated in terms of Preferential Procurement Regulations, 2022.

### 7.1. Phase 1: Compliance and completeness screening

- The bidder must be fully registered on the National Treasury Central Supplier Database (CSD) at the closing time of the bid.
- Bid documents must be properly received on the bid closing date and time specified on the invitation.
- Bidder must ensure compliance with their tax obligations. No tender may be awarded to any tenderer whose tax matters have not been declared by the SARS to be in order.
- In bids where consortia / joint ventures / sub-contractors are involved; each party must submit a separate TCS.
- The bid document must be fully completed, dated, signed and initial every page of the bid.
- The bidder or any of its directors/shareholders is not listed on the Register of Tender Defaulters in terms of the Prevention and Combating of Corrupt Activities Act of 2004 as a person prohibited from doing business with the public sector.
- The bidder or any of its directors/shareholders are not restricted from doing business with government in terms of SCM Practice Note 05 of 2006.
- The bidder has made the necessary disclosures on SBD4.

### 7.2. Phase 2: Preference Point System

- The applicable preference point system for this tender is the 80/20 preference point system.
- Points shall be awarded for price is (80) and (20) for specific goals.
- The specific goals for the tender and points claimed are indicated per the table below:

Specific Goals for Ezemvelo KZN Wildlife			
51% Black owned enterprise	51% Women owned enterprise	51% owned by Black youth	Bidder Geographic location

- Points claimed must be substantiated by the following valid documents:
  - ✓ Proof of B-BBEE status level of contributor.

- ✓ In the case of B-BBEE certificates, the bidder must also submit the full verification report which shows the percentage of Black women and Black Youth ownership.
- ✓ Confirmation of bidder location in the form of a utility bill or letter from the ward Councillor.

### **Mandatory Requirements**

If a bidder does not comply fully with each of the mandatory requirements, it Shall be regarded as mandatory non-performance/non-compliance and the bid Shall be disqualified. No “unanswered” questions will be allowed. If a response to a question has been indicated as comply but not elaborated upon or substantiated it shall be regarded as mandatory non- performance/non-compliance and the bid shall be disqualified.

The bidder who fails to comply with the Mandatory Requirements will be disqualified.

#### **NOTE:**

- Provide details and registration confirmation with CIDB in terms of the CIDB Act 38 of 2000. Provide proof of grading level 1 GB

No.	Certificate and/or license	Comply	Do Not Comply
1	Provide details and registration confirmation with CIDB in terms of the CIDB Act 38 of 2000. Provide proof of grading level 1 GB		

### **CHECKLIST: COMPILED BID DOCUMENT**

No.	Description	Yes	No
1.	Did you take note of the closing date, time and how to submit your bid?		
2.	Did you sign the SBD 1 form?		
3.	Did you take note of the Tax Compliance Status requirement?		
4.	Is the SBD 4 (Bidders Disclosure) true and complete in every respect?		
5.	With regards to SBD 4; Have the companies that appear under each Director/Shareholder/Member been declared on paragraph 2.3?		
6.	Is the SBD 6.1-form completed, signed and has documentary proof of points claimed provided?		
7.	Has the Price page (SBD 3) been verified to be accurate?		
8.	Has the Form of Offer and Acceptance been completed and signed?		

# **THE CONTRACT**

# **PART C1: AGREEMENT AND**

## **DATA**

**PART C1 AGREEMENT AND CONTRACT DATA**

C1.1 CONTRACT DATA

C1.2 AGREEMENT IN TERMS OF THE OCCUPATIONAL HEALTH AND SAFETY ACT, 1993  
(ACT NO 85 OF 1993)

## **Part 2: CONTRACT DATA PROVIDED BY THE EMPLOYER**

The definitions contained in the JBCC Minor Works Agreement apply to this document. A word or phrase in bold type in the text has the same meaning assigned to it in the definitions of such agreement. Where a word or phrase is not in bold type it has the meaning consistent with the context of its use

This contract data contains unique requirements applicable to the project and variables referred to in the JBCC Minor Works Agreement and the JBCC General Preliminaries. The information provided in this document by the principal agent is complete and accurate at the time of calling for tenders. Where additional information becomes available, all tenderers will be informed in writing. Reference to clause numbers in the JBCC Minor Works Agreement are shown in [square brackets] in this contract data eg [3.2.1]. Spaces requiring information must be filled in, or marked as 'not applicable' but not left blank

This contract data, when completed and submitted by the contractor, becomes the form of tender. Where the contractor is appointed, the contract documents comprise the signed JBCC Minor Works Agreement, this completed contract data, the priced document, drawings and other listed documents.

---

### **A PROJECT INFORMATION**

---

#### A 1.0 Works [1.1]

Project name	Appointment of Service Provider for the Repairs to Roof of Water Treatment Plant at Midmar Resort for Ezemvelo KZN Wildlife
Reference number	N/A
Works description	- Repairs to galvanized roof sheeting for water treatment plant at Midmar Resort

A	2.0	Site [1.1]
Erf / stand number	Midmar Resort	
Township / Suburb	Howick	
Site address	Midmar Nature Reserve, R103, Howick 3290	
Local Authority	Umngeni Local Municipality	

---

### A 3.0 Employer [1.1]

---

Name	EZEMVELO KZN WILDLIFE
Contact person	<p>Sihle Ximba 033 330 5179 <a href="mailto:Sihle.ximba@kznwildlife.com">Sihle.ximba@kznwildlife.com</a></p>

---

Legal entity of above

---

Business registration

---

VAT number

---

Country	RSA
Postal address	N/A
Physical address	<p>Midmar Nature Reserve, R103, Howick 3290</p>

---

## A CONTRACT INFORMATION

---

### B 1.0 Definitions [1.1]

---

**Bills of Quantities:** System/Method of measurement ASAQS Standard System of Measuring

---

### B 2.0 Law, regulations and notices [2.0]

---

Law applicable to the works, state country [2.1] Republic of South Africa

---

B 3.0 Offer and acceptance [3.0]

---

Currency applicable to this **agreement** [3.2] South African Rands

---

B 4.0 Documents [4.0]

The original signed agreement is to be held by the  
**principal** agent [4.2], if not, indicate by whom

Number of copies of <b>construction information</b> issued to the <b>contractor</b> at no cost [4.5]	1 x hard copy and electronic files
--	------------------------------------

Documents comprising this <b>agreement</b>	Page numbers
The JBCC Minor Works Agreement, Edition 5.2 May 2018	
The JBCC Minor Works Agreement — Contract Data, Edition 5.2 May 2018	
The JBCC General Preliminaries for use with the JBCC Minor Works Agreement, Edition 5.2, May 2018	
Bill of Quantities	

Contract drawings — description			Number/Rev/Date
N/A			
B	5.0	Employer's agents [5.0]	
Authority is delegated to the following agents to issue <b>contract instructions</b> and perform duties for the specific aspects of the works [5.2]			
N/A			
<b>Principal agent's</b> and <b>agents'</b> interest or involvement in the works other than a professional interest [5.3]			
None			
<b>B</b>	<b>6.0</b>	<b>Insurances [8.0]</b>	
Clause 8.0 are amended as follows:			
The contractor shall take out all insurances as required by the agreement on behalf of the <b>employer</b> .			
Contract works insurance to be effected by the <b>contractor</b>			
to the amount of the contract sum plus 20%			
Public liability insurance to be effected by the <b>contractor</b>			
To the amount of R 1 000 000.00 with a deductible of R 5 000.00			

#### B 7.0 Obligations of the employer [10.1]

Existing premises will be in use and occupied [10.1.3] YES

If yes, description	The site and surrounding buildings will remain occupied and fully functional for the duration of the works.
---------------------	---

Restriction of working hours [10.1.3] YES

If yes, description	The site will only be accessible weekdays during normal office hours.
---------------------	---

Natural features & known services to be preserved by the **contractor** [10.1.4] YES

If yes, description	All existing services.
---------------------	------------------------

Restrictions to the site or areas that the contractor may not occupy [10.1.5]			YES		
If yes, description			The contractor is only allowed in the immediate area of the works. Workers are not allowed to wonder on site.		
Supply of free issue [10.1.12]			NO		
If yes, description					
<b>B 8.0 Direct contractors [13.0]</b>					
Extent of work [10.1.13] N/A					
<b>B 9.0 Possession of site [10.1.6], practical completion [15.0;17.0] penalties [18.0]</b>					
<p><b>Practical completion</b> for the works as a whole</p> <p>Intended date of possession of the site [10.1.6] — To be agreed between parties</p> <p>Period for inspection by the <b>principal agent</b> [15.3] — 7 working days</p> <p>Date for <b>practical completion</b> [15.1.1] — 2 weeks after site handover</p> <p>Penalty [18.1] amount per calendar day excl. TAX — R 100.00</p>					
B	10.0	Payment [19.0]			
Date of month for the issue of regular <b>payment certificates</b> [19.2] — 20 <sup>th</sup> of each month					
Clause 19.9 is amended by replacing fourteen (14) <b>calendar days</b> with thirty (30) calendar days.					
B	11.0	<b>Dispute resolution [22.0]</b>			
Adjudication [22.5.1]					
Name of nomination body		Construction Adjudication Association of South Africa			
Arbitration [22.6.4]					
Name of nomination body		Association of Arbitrators (Southern Africa) NPC			
Applicable rules for arbitration [22.6.5]					
B	12.0	<b>JBCC General Preliminaries — selections</b>			
Provisional bills of quantities [P2.2]			N/A		
Availability of construction information [P2.3]			Yes		
Previous work — dimensional accuracy — details [P3.1]			N/A		
Inspection of adjoining properties — details [P3.2]			N/A		
Handover of site in stages — specific requirements [P4.1]			N/A		

Enclosure of the works — specific requirements [P4.2]	As per OHS
Geotechnical and other investigations — specific requirements [P4.3]	N/A
Existing premises occupied — details [P4.5]	As above
Services — known — specific requirements [P4.6]	N/A
Water [P8.1]	Contractor
Electricity [P8.2]	Contractor
Ablution and welfare facilities [P8.3] — By <b>contractor</b>	Contractor

Communication facilities — specific requirements [P8.4]

None

Protection of the works — specific requirements [P11.1]

None

Protection / isolation of existing works and works occupied in **sections** — specific requirements [P11.2]

None

Disturbance — specific requirements [P11.2]

None

Environmental disturbance — specific requirements [P11.5]

Refer to Reserve Rules for Working in a Protected Areas

## B 13.0 Changes made to the JBCC documentation

Clause 8.0 — Insurances

Clause 19.0 — Payment

## C Tender Closing

Tender closing date and time Refer to RFQ

Tender submission address Refer to RFQ

Tender may be submitted by e-mail YES

E-mail

<b>D                   Tenderer's Selections</b>		
<b>D    1.0    Securities [9.0]</b>		
<b>Guarantee for construction:</b> Option B		
<p>Option A - Guarantee for construction (variable) by contactor [9.1.1]</p> <p>Option B — Payment reduction [9.1.2]</p>		
Guarantee for payment by <b>employer</b> [9.2]		N/A
Advance payment, subject to a guarantee for advance payment [9.4]		N/A
<b>D    2.0    Contractor's annual holiday periods during the construction period</b>		
N/A		
<b>D    3.0    Payment of preliminaries [19.0]</b>		
<p><b>Contractor's selection:</b> Select Option A or B</p> <p>Where the contractor does not select an option, Option A shall apply.</p> <p>Option A — The Preliminaries shall be paid in accordance with an amount prorated to the value of the works executed in the same ration as the amount of the <b>preliminaries</b> to the contract sum, which contract sum shall exclude the amount of preliminaries, contingency sum(s) and any provision for cost fluctuation shall be excluded for the calculation of the aforesaid ratio.</p> <p>Option B — The Preliminaries shall be paid in accordance with an amount agreed by the principal agent and the contractor in terms of the <b>priced document</b> to identify an initial establishment charge, a time related charge and a final dis-establishment charge. Payment of the time related charged shall be assessed by the principal agent and adjusted from time to time as may be necessary to take into account the rate of progress of the works.</p>		
<b>D</b>	4.0	<b>Adjustment of preliminaries [20.6.3]</b>
<p><b>Contractor's selection:</b> Select Option A or B</p> <p>Where the contractor does not select an option, Option A shall apply.</p> <p><b>Provision of particulars</b></p> <p>The contractor shall provide the particulars for the purpose of the adjustment of the preliminaries in terms of his selection. Where completion in sections is required, the contractor shall provide an apportionment of <b>preliminaries</b> per <b>section</b></p> <p>Option A — An allocation of the preliminaries amounts into Fixed, Value-related and Time-related amounts as defined for adjustment method Option A below, within fifteen (15) working days of the date of acceptance of the tender</p> <p>Option B — A detailed breakdown of the <b>preliminaries</b> amounts within fifteen (15) working days of possession of the site. Such breakdown shall include, inter alia, the administrative and supervisory stadd, the use of <b>construction equipment</b>, establishment and dis-establishment charges, insurances and guarantees, all in terms of the programme.</p>		
<b>E</b>		<b>FORM OF TENDER</b>

<b>E</b>	<b>1.0</b>	<b>Tenderer's details</b>
Name		
Contact person		
Phone / E-mail		
Legal entity of above		
Business registration		
VAT number		
Country		
Postal address		
Physical address		
<b>E</b>	<b>2.0</b>	<b>Acceptance of bid conditions</b>
<p>By submission of this tender to the <b>employer</b> the tenderer offers and agrees to execute and complete the works and to remedy any defects in conformity with the specification for the tender amount stated.</p> <p>The tender shall remain in full legal force for ninety (90) calendar days from the closing date of the tender. The tenderer accepts liability for loss and damage that may be suffered by the employer should the tender validity period not be honoured.</p> <p>The lowest or any tender will not necessarily be accepted by the <b>employer</b> not will reasons be given for such a decision.</p>		

### **E 3.0 Bid amount compilation**

Tenderer's work excluding tax	R
<b>Tax (15.00%)</b>	R
Total tender amount including tax	R
Total tender amount including tax, in words	
Signature	
Name	
Capacity	Company stamp (if available)



## PRE-CONSTRUCTION HEALTH AND SAFETY SPECIFICATION

**Project: Repairs to Roof of Water Treatment Plant at Midmar Resort for Ezemvelo KZN Wildlife**

### TABLE OF CONTENTS

	Pages
<b>1. Introduction and Background</b>	<b>4</b>
1.1    Background to the Pre-construction Health and Safety Specification	
1.2    Purpose of the Pre-construction Health and Safety Specification	
1.3    Implementation of the Pre-construction Health and Safety Specification	
<b>2. Pre-construction Health and Safety Specification</b>	<b>4</b>
2.1    Scope	
2.2    Interpretation	
2.2.1    Application	
2.2.2    Definitions	
2.3    Minimum Administrative Requirements	
2.3.1    Notification of Intention to Commence Construction Work	
2.3.2    Assignment of Contractor's Responsible Person to Supervise Health and Safety on Site	5
2.3.3    Competency for Contractor's Responsible Persons	
2.3.4    Compensation of Occupational injuries and Diseases Act (COIDA) Act 130 or 1993	
2.3.5    Occupational Health and Safety Policy	
2.3.6    Health and Safety Organogram	
2.3.7    Preliminary Hazard Identification and Risk Assessment and Progress Hazard Identification and Risk Assessment	
2.3.8    Health and Safety Representative(s)	6

2.3.9	Health and Safety Committee(s)	
2.3.10	Health and Safety Training	
2.3.10.1	Induction	
2.3.10.2	Awareness	
2.3.10.3	Competency	
2.3.11	General Record Keeping	
2.3.12	Health & Safety Audits, Monitoring and Reporting	
2.3.13	Emergency Procedures	7
2.3.14	First Aid Box and First Aid Equipment	
2.3.15	Accident / Incident Reporting and Investigation	
2.3.16	Hazards and Potential Situations	
2.3.17	Personal Protection Equipment and Clothing	
2.3.18	Occupational Health and Safety Signage	
2.3.19	Permits	8
2.3.20	Sub-contractors	
2.3.21	Incentives and Penalties	
2.4	Physical Requirements	8
2.4.1	Demolition Work	
2.4.2	Excavations, Shoring, Dewatering or Drainage	
2.4.3	Edge Protection and Penetrations	
2.4.4	Explosives and Blasting	
2.4.5	Piling	9
2.4.6	Stacking of Materials	
2.4.7	Speed Restrictions and Protection	
2.4.8	Hazardous Chemical Substances (HCS)	
2.4.9	Asbestos	
2.5	Plant and Machinery	9

2.5.1	Construction Plant	
2.5.2	Vessels under Pressure (Gas bottles including Operations)	
2.5.3	Fire Extinguishers and Fire Fighting Equipment	
2.5.4	Hired Plant and Machinery	10
2.5.5	Scaffolding / Working on Heights	
2.5.6	Falsework for Structures	
2.5.7	Lifting Machine and Tackle	
2.5.8	Ladders and Ladder work	
2.5.9	General Machinery	
2.5.10	Portable Electrical Tools / Explosive Power Tools	11
2.5.11	High Voltage Electrical Equipment (Not maintained by CDC)	
2.5.12	Public Health and Safety	
2.5.13	Night Work	
2.5.14	Facilities for Safekeeping and Eating Areas (Mess Area) for workers	
2.5.15	Transport of Workers	
2.6	Occupational Health	12
2.6.1	Occupational Hygiene	
2.6.2	Welfare Facilities	
2.6.3	Alcohol and Other Drugs	
3.	<b>Annexure A</b>	13
	Task Completion Form	
4.	<b>Annexure B</b>	14
	Principal Contractor's Responsible Persons	
5.	<b>Annexure C</b>	16
	Other Requirements	
6.	<b>Annexure D</b>	17
	Initial Hazard Identification and Risk Assessment	
7.	<b>Annexure E</b>	23

## Acknowledgement of Receipt of Document

## 1. INTRODUCTION AND BACKGROUND

### 1.1 Background to the Pre-construction Health and Safety Specification

The Construction Regulations (2014) place the onus on the Client to prepare a pre-construction health & safety specification, highlighting all risks not successfully eliminated during design.

### 1.2 Purpose of the Pre-construction Health and Safety Specification

To assist in achieving compliance with the Occupational Health & Safety Act 85/1993 and the now promulgated Construction Regulations (2014) in order to reduce incidents and injuries. This pre-construction specification shall act as the basis for the drafting of the construction phase health & safety plan.

The pre-construction specification sets out the requirements to be followed by the Principal Contractor and other Contractors so that the health & safety of all persons potentially at risk may receive the same priority as other facets of the project e.g. cost, programme, environment, etc.

### 1.3 Implementation of the Pre-construction Health and Safety Specification

This specification forms an integral part of the contract, and the Contractor is required to use it at pre-tender phase when drawing up its project-specific construction phase health & safety plan. The Principal Contractor shall forward a copy of this specification to all Contractors at their bidding stage so that they can in turn prepare health & safety plans relating to their operations.

## 2. PRE-CONSTRUCTION HEALTH AND SAFETY SPECIFICATION

### 2.1 Scope

This Specification covers the requirements for eliminating and mitigating incidents and injuries on the particular project

The scope also addresses legal compliance, hazard identification and risk assessment, risk control, and promoting a health and safety culture amongst those working on the project. The specification also makes provision for the protection of those persons other than employees.

### 2.2 Interpretations

#### 2.2.1 **Application**

This specification is a compliance document drawn up in terms of South African legislation and is therefore binding. It must be read in conjunction with relevant legislation as noted previously.

#### 2.2.2 **Definitions**

The definitions as listed in the Occupational Health & Safety Act 85/1993 and Construction Regulations (2014) shall apply.

### 2.3 Minimum Administrative Requirements

#### 2.3.1 **Notification of Intention to Commence Construction Work**

The Contractor shall notify the Provincial Director of the Department of Labour in writing before construction work commences. A copy of this notification must be forwarded to the Client on appointment.

### **2.3.2 Assignment of Contractor's Responsible Persons to Supervise Health and Safety on Site**

The Contractor shall submit supervisory appointments as well as any relevant appointments in writing (as stipulated by the OHSA and Construction Regulations), prior to commencement of work. Proof of competency must be included. See annexure B.

### **2.3.3 Competency for Contractor's Appointed Competent Persons**

Contractors' competent persons for the various risk management portfolios shall fulfil the criteria as stipulated under the definition of Competent in accordance with the Construction Regulations (2014). Proof of competence for the various appointments must be included.

### **2.3.4 Compensation of Occupational Injuries and Diseases Act 130 of 1993 (COIDA)**

The Principal Contractor shall submit a letter of good standing with its Compensation Insurer to the Client as proof of registration. Contractors shall submit proof of registration to the Principal Contractor before they commence work on site.

### **2.3.5 Occupational Health and Safety Policy**

The Principal Contractor and all Contractors shall submit a Health and Safety Policy signed by their Chief Executive Officer. The Policy must outline objectives and how they will be achieved and implemented by the Company / Contractor.

### **2.3.6 Health and Safety Organogram**

The Principal Contractor and all Contractors shall submit an organogram, outlining the Health and Safety Site Management Structure including the relevant appointments/competent persons. In cases where appointments have not been made, the organogram shall reflect the intended positions. The organogram shall be updated when there are any changes in the Site Management Structure.

### **2.3.7 Preliminary Hazard Identification and Risk Assessment and Progress Hazard Identification and Risk Assessment**

The Contractor shall cause a hazard identification to be performed by a competent person before commencement of construction work, and the assessed risks shall form part of the construction phase health and safety plan submitted for approval by the Client. The risk assessment must include;

- a) A list of hazards identified as well as potentially hazardous tasks;
- b) A documented risk assessment based on the list of hazards and tasks;
- c) A set of safe working procedures (method statements) to eliminate, reduce and/or control the risks assessed;
- d) A monitoring and review procedure of the risks assessment as the risks change.

The Principal Contractor shall ensure that all Contractors are informed, instructed and trained by a competent person regarding any hazards, risks and related safe work procedures before any work commences and thereafter at regular intervals as the risks change and as new risks develop.

The Principal Contractor shall be responsible for ensuring that all persons who could be negatively affected by its operations are informed and trained according to the hazards and risks and are conversant with the safe work procedures, control measures and other related rules (tool box talk strategy to be implemented).

### **2.3.8 Health and Safety Representative(s)**

The Principal Contractor and all Contractors shall ensure that where required Health and Safety Representative(s) are appointed under consultation and trained to carry out their functions. The appointment must be in writing. The Health

and Safety Representative shall carry out regular inspections, keep records and report all findings to the Responsible Person forthwith and at health & safety meetings

### **2.3.9 Health and Safety Committees**

The Principal Contractor shall ensure that project health and safety meetings are held monthly and minutes are kept on record. Meetings must be organised and chaired by the Principal Contractor's Responsible Person. All Contractors' Responsible Persons and Health & Safety Representatives shall attend the monthly health & safety meetings. Contractors shall also have their own internal health & safety committees in accordance with the OHS Act 85/1993 and minutes of their meetings shall be forwarded to the Principal Contractor on a monthly basis.

### **2.3.10 Health and Safety Training**

#### **2.3.10.1 Induction**

The Principal Contractor shall ensure that all site personnel undergo a risk-specific health & safety induction training session before starting work. A record of attendance shall be kept in the health & safety file. **A suitable venue must be supplied to house this training.**

#### **2.3.10.2 Awareness**

The Principal Contractor shall ensure that, on site, periodic toolbox talks take place at least once per week. These talks should deal with risks relevant to the construction work at hand. A record of attendance shall be kept in the health & safety file. All Contractors have to comply with this minimum requirement.

#### **2.3.10.3 Competency**

All competent persons shall have the knowledge, experience, training, and qualifications specific to the work they have been appointed to supervise, control, carry out. This will have to be assessed on a regular basis e.g. periodic audits by the Client, progress meetings, etc. The Principal Contractor is responsible to ensure that competent Contractors are appointed to carry out construction work.

### **2.3.11 General Record Keeping**

The Principal Contractor and all Contractors shall keep and maintain Health and Safety records to demonstrate compliance with this Specification, with the OHS Act 85/1993; and with the Construction Regulations (2014). The Principal Contractor shall ensure that all records of incidents/accidents, training, inspections, audits, etc. are kept in a health & safety file held in the site office. The Principal Contractor must ensure that every Contractor opens its own health & safety file, maintains the file and makes it available on request.

### **2.3.12 Health & Safety Audits, Monitoring and Reporting**

The Client shall conduct monthly health & safety audits of the work operations including a full audit of physical site activities as well as an audit of the administration of health & safety. The Principal Contractor is obligated to conduct similar audits on all Contractors appointed by it. Detailed reports of the audit findings and results shall be reported on at all levels of project management meetings/forums. Copies of the Client audit reports shall be kept in the Primary Project Health & Safety File while the Principal Contractor audit reports shall be kept in their file, a copy being forwarded to the Client. Contractors have to audit their sub-contractors and keep records of these audits in their health & safety files, available on request.

### **2.3.13 Emergency Procedures**

The Principal Contractor shall submit a detailed Emergency Procedure for approval by the Client prior to commencement on site. The procedure shall detail the response plan including the following key elements:

- List of key competent personnel;
- Details of emergency services;
- Actions or steps to be taken in the event of the specific types of emergencies;

- Information on hazardous material/situations.

Emergency procedure(s) shall include, but shall not be limited to, fire, spills, accidents to employees, use of hazardous substances, bomb threats, major incidents/accidents, etc. The Principal Contractor shall advise the Client in writing forthwith, of any emergencies, together with a record of action taken. A contact list of all service providers (Fire Department, Ambulance, Police, Medical and Hospital, etc) must be maintained and available to site personnel.

#### **2.3.14 First Aid Boxes and First Aid Equipment**

The Principal Contractor and all Contractors shall appoint in writing First Aider(s). The appointed First Aider(s) are to be sent for accredited first aid training. Valid certificates are to be kept on site. The Principal Contractor shall provide an on-site First Aid Station with first aid facilities, including first aid boxes adequately stocked at all times. All Contractors with more than 5 employees shall supply their own first aid box. Contractors with more than 10 employees shall have a trained, certified first aider on site at all times.

#### **2.3.15 Accident / Incident Reporting and Investigation**

Injuries are to be categorised into first aid; medical; disabling; and fatal. The Principal Contractor must stipulate in its construction phase health & safety plan how it will handle each of these categories. When reporting injuries to the Client, these categories shall be used. All injuries shall be investigated by the Principal Contractor, with a report being forwarded to the Client forthwith. All Contractors have to report on the 4 categories of injuries to the Principal Contractor at least monthly. The Principal Contractor must report all injuries to the Client in the form of a detailed injury report at least monthly.

#### **2.3.16 Hazards and Potential Situations**

The Principal Contractor shall immediately notify other Contractors as well as the Client of any hazardous or potentially hazardous situations that may arise during performance of construction activities.

#### **2.3.17 Personal Protective Equipment (PPE) and Clothing**

The Principal Contractor shall ensure that all workers are issued and wear hard hats, safe footwear and overalls. The Principal Contractor and all Contractors shall make provision and keep adequate quantities of SABS approved PPE on site at all times. The Principal Contractor shall clearly outline procedures to be taken when PPE or Clothing is:

- Lost or stolen;
- Worn out or damaged.

The above procedure applies to Contractors and their Sub-contractors, as they are all Employers in their own right.

#### **2.3.18 Occupational Health and Safety Signage**

The Contractor shall provide adequate on-site OHS signage. Including but not limited to: 'no unauthorised entry', 'report to site office', 'site office', 'beware of overhead work', 'hard hat area'. Signage shall be posted up at all entrances to site as well as on site in strategic locations e.g. access routes, stairways, entrances to structures and buildings, scaffolding, and other potential risk areas/operations.

#### **2.3.19 Permits**

Permits may include the following:

- Use of Explosives and Blasting
- Work for which a fall prevention plan is required
- Use of cradles

#### **2.3.20 Contractors and Sub-contractors**

The Principal Contractor shall ensure that all Contractors under its control comply with this Specification, the OHS Act 85/1993, Construction Regulations (2014), and all other relevant legislation that may relate to the activities directly or

indirectly. The Contractor, when appointing other Contractors as 'Sub-contractors', shall mutatis mutandis ensure compliance.

### **2.3.21 Incentives and Penalties**

Certain incentives will be provided for ongoing compliance to the provisions of the construction phase health & safety plan submitted by the Principal Contractor.

Penalties will be implemented for ongoing non-compliance to the provisions of the construction-phase health & safety plan as submitted by the Principal Contractor.

## **2.4 Physical Requirements**

### **2.4.1 Demolition Work**

Prior to any demolition work being carried out, the Principal Contractor shall submit a safe working procedure and a detailed engineering survey for approval by the Client. Acceptance will then be issued to the Principal Contractor to proceed with the demolition work. The Principal Contractor shall ensure that demolition work complies with the Construction Regulations (2014).

### **2.4.2 Excavations, Shoring, Dewatering or Drainage**

The Principal Contractor and any relevant Contractors shall make provision in their tender for shoring, dewatering or drainage of any excavation as per this specification.

The Contractor shall make sure that:

- a) The excavations are inspected before every shift and a record is kept;
- b) Safe work procedures have been communicated to the workers;
- c) The safe work procedures are enforced and maintained by the Contractor's Responsible Persons at all times;
- d) The requirements as per section 13 of the Construction Regulations are adhered to.

### **2.4.3 Edge Protection and Penetrations**

The Principal Contractor must ensure that all exposed edges and openings are guarded and demarcated at all times until permanent protection has been erected. The Principal Contractor's risk assessment must include these items. E.g. protection of decking edges, finished floor slab edges, stairways, floor penetrations, lift shafts, and all other openings and areas where a person may fall.

### **2.4.4 Explosives and Blasting**

The Principal Contractor shall ensure that the use of explosives and blasting (where required) be undertaken by a competent Contractor. A Safe Work Procedure (SWP) must be submitted to the Client for approval before commencement of blasting work. The Client will issue a permit to authorise the operation.

### **2.4.5 Piling**

The Contractor shall ensure that piling is undertaken by a competent Contractor. A SWP shall be submitted to the Client for approval before commencement of this work.

### **2.4.6 Stacking of Materials**

The Principal Contractor and other relevant Contractors shall ensure that there is an appointed staking supervisor and all materials, formwork and all equipment is stacked and stored safely.

#### **2.4.7 Speed Restrictions and Protection**

The Principal Contractor shall ensure that all persons in its employ, all Contractors, and all those that are visiting the site are aware and comply with the site speed restriction(s), especially in big 5 game reserves. Separate vehicle and pedestrian access routes shall be provided, maintained, controlled, and enforced.

#### **2.4.8 Hazardous Chemical Substances (HCS)**

The Principal Contractor and other relevant Contractors shall provide the necessary training and information regarding the use, transport, and storage of HCS. The Principal Contractor shall ensure that the use, transport, and storage of HCS is carried out as prescribed by the HCS Regulations. The Contractor shall ensure that all hazardous chemicals on site have a Material Safety Data Sheet (MSDS) on site and the users are made aware of the hazards and precautions that need to be taken when using the chemicals. The First Aiders must be made aware of the MSDS and how to treat HCS incidents appropriately.

#### **2.4.9 Asbestos**

Not applicable

### **2.5 Plant and Machinery**

#### **2.5.1 Construction Plant**

“Construction Plant” includes all types of plant including but not limited to, cranes, piling rigs, excavators, road vehicles, and all lifting equipment.

The Principal Contractor shall ensure that all such plant complies with the requirements of the OHS Act 85/1993 and Construction Regulations (July 2014). The Principal Contractor and all relevant Contractors shall inspect and keep records of inspections of the construction plant used on site. Only authorised/competent persons are to use machinery under proper supervision. Appropriate PPE and clothing must be provided and maintained in good condition at all times.

#### **2.5.2 Pressure Equipment Regulations and Gas Bottles**

The Principal Contractor and all relevant Contractors shall comply with the Vessels under Pressure Regulations, including:

- Providing competency and awareness training to the operators;
- Providing PPE or clothing;
- Inspect equipment regularly and keep records of inspections;
- Providing appropriate fire fighting equipment (Fire Extinguishers) on hand.

#### **2.5.3 Fire Extinguishers and Fire Fighting Equipment**

The Principal Contractor and relevant Contractors shall provide adequate, regularly serviced fire fighting equipment located at strategic points on site, specific to the classes of fire likely to occur. The appropriate notices and signs must be posted up as required.

#### **2.5.4 Hired Plant and Machinery**

The Principal Contractor shall ensure that any hired plant and machinery used on site is safe for use. The necessary requirements as stipulated by the OHS Act 85/1993 and Construction Regulations (2014) shall apply. The Principal Contractor shall ensure that operators hired with machinery are competent and that certificates are kept on site in the health & safety file. All relevant Contractors must ensure the same.

## **2.5.5 Scaffolding / Working at Heights**

Working at heights includes any work that takes place in an elevated position. The Contractor must submit a risk-specific fall prevention plan in accordance with the Construction Regulations (2014) before this work is undertaken. The fall prevention plan must be approved by the Client before work may commence, and a permit to operate will be issued.

## **2.5.6 Formwork and Support work for Structures**

The Principal Contractor shall ensure that the provisions of section 10 of the Construction Regulations (2014) are adhered to. These provisions must include but not be limited to ensuring that all equipment used is examined for suitability before use; that all formwork and support work is inspected by a competent person immediately before, during and after placement of concrete or any other imposed load and thereafter on a daily basis until the formwork and support work has been removed. Records of all inspections must be kept in a register on site.

## **2.5.7 Lifting Machines and Tackle**

The Principal Contractor and all Contractors shall ensure that lifting machinery and tackle is inspected before use and thereafter in accordance with the Driven Machinery Regulations and the Construction Regulations (section 22). There must be a competent lifting machinery and tackle inspector who must inspect the equipment daily or before use, taking into account that:

- All lifting machinery and tackle has a safe working load clearly indicated;
- Regular inspection and servicing is carried out;
- Records are kept of inspections and of service certificates;
- There is proper supervision in terms of guiding the loads that includes a trained banksman to direct lifting operations and check lifting tackle;
- The tower crane bases have been approved by an engineer;
- The operators are competent as well as physically and psychologically fit to work and in possession of a medical certificate of fitness to be available on site.

## **2.5.8 Ladders and Ladder Work**

The Principal Contractor shall ensure that all ladders are inspected monthly, are in good safe working order, are the correct height for the task, extend at least 1m above the landing, fastened and secured, and at a safe angle. Records of inspections must be kept in a register on site. Contractors using their own ladders must ensure the same.

## **2.5.9 General Machinery**

The Principal Contractor and relevant Contractors shall ensure compliance with the Driven Machinery Regulations, which include inspecting machinery regularly, appointing a competent person to inspect and ensure maintenance, issuing PPE or clothing, and training those who use machinery

## **2.5.10 Portable Electrical Tools and Explosive Powered Tools**

The Contractor shall ensure that use and storage of all explosive powered tools and portable electrical tools are in compliance with relevant legislation. The Contractor shall ensure that all electrical tools, electrical distribution boards, extension leads, and plugs are kept in safe working order. Regular inspections and toolbox talks must be conducted to make workers aware of the dangers and control measures to be implemented e.g. personal protection equipment, guards, etc.

The Contractor shall consider the following:

- A competent person undertakes routine inspections and records are kept;
- Only authorised trained persons use the tools;
- The safe working procedures apply;
- Awareness training is carried out and compliance is enforced at all times; and

- PPE and clothing is provided and maintained.
- A register indicating the issue and return of all explosive round;
- Signs to be posted up in the areas where explosive powered tools are being used.

### **2.5.11 High Voltage Electrical Equipment**

No high voltage electrical equipment is present on, under or above the construction area.

### **2.5.12 Public and Site Visitor Health & Safety**

The Principal Contractor shall ensure that every person working on or visiting the site, as well as the public in general, shall be made aware of the dangers likely to arise from site activities, including the precautions to be taken to avoid or minimise those dangers. Appropriate health and safety notices and signs shall be posted up, but shall not be the only measure taken.

Both the Client and the Principal Contractor have a duty in terms of the OHS Act 85/1993 to do all that is reasonably practicable to prevent members of the public and site visitors from being affected by the construction activities.

Site visitors must be briefed on the hazards and risks they may be exposed to and what measures are in place or should be taken to control these hazards and risks. A record of these 'inductions' must be kept on site in accordance with the Construction Regulations.

### **2.5.13 Night Work**

The Principal Contractor must ensure that adequate lighting is provided to allow for work to be carried out safely.

### **2.5.14 Transport of Workers**

The Principal Contractor and other Contractors shall not:

- Transport persons together with goods or tools unless there is an appropriate area or section to store them;
- Transport persons in a non-enclosed vehicle, e.g. truck; there must be a proper canopy (properly covering the back and top) with suitable sitting area. Workers shall not be permitted to stand or sit at the edge of the transporting vehicle.
- Transport workers in bakkies unless they are closed/covered and have the correct number of seats for the passengers.

## **2.6 Occupational Health**

### **2.6.1 Occupational Hygiene**

Exposure of workers to occupational health hazards and risks is very common in any work environment, especially in construction. Occupational exposure is a major problem and all Contractors must ensure that proper health and hygiene measures are put in place to prevent exposure to these hazards. Prevent inhalation, ingestion, absorption, and noise induction. Site-specific health risks are tabled in Annexure C e.g. cement dust, wet cement, wood-dust, noise, etc.

### **2.6.2 Welfare Facilities**

The Principal Contractor must supply Sufficient toilets (1 toilet per 30 workers), showers (1 for every 15 workers), changing facilities, hand washing facilities, soap, toilet paper, and hand drying material must be provided. Waste bins must be strategically placed and emptied regularly. Safe, clean storage areas must be provided for workers to store personal belongings and personal protective equipment. Workers should not be exposed to hazardous materials/substances while eating and must be provided with sheltered eating areas.

### **2.6.3 Alcohol and other Drugs**

No alcohol and other drugs will be allowed on site. No person may be under the influence of alcohol or any other drugs while on the construction site. Any person on prescription drugs must inform his/her superior, who shall in turn report this to the Principal Contractor forthwith. Any person suffering from any illness/condition that may have a negative effect on his/her safety performance must report this to his/her superior, who shall in turn report this to the Principal Contractor forthwith. Any person suspected of being under the influence of alcohol or other drugs must be sent home immediately, to report back the next day for a preliminary inquiry. A full disciplinary procedure must be followed by the Contractor concerned and a copy of the disciplinary action must be forwarded to the Principal Contractor for his records.

Project name:  
Date:

**PRE-CONSTRUCTION HEALTH AND SAFETY SPECIFICATION (HSS)**

Project:

**ANNEXURE A**

The Principal Contractor and Contractors must submit proof of compliance with Annexure A with the construction phase H&S plan where applicable.

HSS Item No.	Requirement	OHSA Requirement	Submission Date
2.3.1	Notification of Intention to Commence Construction / Building Work	Complete Schedule 1 (Construction Regulations)	Before commencement on site
2.3.2	Assignment of Responsible Person to Supervise Construction Work	All relevant appointments, as per OHS Act and Construction Regs.	Before commencement on site
2.3.3	Competence of Responsible Persons	Client Requirement & OHS Act	Together with H&S plan
2.3.4	Compensation of Occupational Injuries and Diseases Act (COIDA) 130 of 1993	COIDA Requirement	Together with H&S plan
2.3.5	Occupational Health and Safety Policy	OHS Act	Together with H&S plan
2.3.6	Health and Safety Organogram	Client Requirement	Together with H&S plan
2.3.7	Initial Hazard Identification and Risk Assessment based on the Client's assessment	Construction Regs.	Together with H&S plan
2.3.8	Health and Safety Representative	OHS Act	Submit as soon as there are more than 20 employees on site
	Other		

**ASSIGNMENT OF PRINCIPAL CONTRACTOR'S RESPONSIBLE PERSONS**

Project:

**ANNEXURE B**

The Principal Contractor shall make the following appointments according to the initial risk assessment: (further appointments could become necessary as project progresses)

Appointment	OHSA Reference	Requirement
CEO Assignee	Section 16(2)	A competent person to assist with the on-site H&S overall responsibility – Contractor's Responsible Person
Construction Work Supervisor	CR 8.7	A competent person to supervise and be responsible of Health & Safety related issues on site. The person is appointed to assist the CEO with his/her overall duties.
Subordinate Construction Work Supervisors	CR 8.8	A competent person to assist with daily supervision of construction / building work. The person assists the Construction Work Supervisor.
Health & Safety Representative(s)	Section 17	A competent person(s) to inspect H&S in reference to plant, machinery and Health & Safety of persons in the workplace.
Health & Safety Committee Member(s)	Section 19	A competent person(s) representing the employer to assist with the on site Health & Safety matters.
Incident Investigator	GAR 8	A competent person to investigate incidents / accidents on site and could be: <ul style="list-style-type: none"><li>• The employer</li><li>• H&amp;S Representative</li><li>• Designated person</li><li>• Member of the H&amp;S Committee</li></ul>
Risk assessment co-ordinator	CR 9	A competent person to co-ordinate all risk assessments on behalf of the Principal Contractor. The same applies to Contractors.
Fall protection plan co-ordinator	CR 10	A competent person to prepare & amend the fall protection plan.
First Aiders	GSR 3	A qualified person to address all on site first aid cases.
Machinery Inspector	GSR 2.1	A competent person to supervise machinery.
Lifting machine & equipment inspector	DMR 18	A competent person to inspect lifting machines, equipment & tackle.

Scaffolding Inspector	SABS 085	A competent person to inspect scaffolding before use and every time after bad weather, etc.
Scaffolding erector	GSR 13D	A competent person to erect scaffolding.
Scaffolding supervisor	SABS 085	A competent person to supervise scaffolding.
Formwork & support work inspector	CR 12	A competent person to inspect formwork & support work.
Excavation Inspector	CR 13	A competent person to inspect excavation work and ensure that approved safe working procedures. Are followed at all times.
Ladder Inspector	GSR 13A	A competent person to inspect ladders daily and ensure they are safe for use, keeping monthly record.
Stacking Supervisor	CR 28	A competent person to supervise all stacking and storage operations.
Explosive powered tools inspector/supervisor	CR 21	A competent person to inspect & clean the tool daily and controlling all operations thereof.
Temporary electrical installations supervisor	CR 24	A competent person to control all temporary electrical installations.
Fire-fighting equipment inspector	CR 29	A competent person to inspect fire-fighting equipment.

## OTHER REQUIREMENTS

Project:

### ANNEXURE C

The Principal Contractor shall comply but not be limited to the following requirements: report on these to the Client at progress meetings or at least monthly which ever is sooner.

What	When	Output	Accepted by Client & date
Induction training	Every worker before he/she starts work.	Attendance registers	
Awareness Training (Tool Box Talks)	At least weekly	Attendance registers	
Health & Safety Reports	Monthly	Report covering: <ul style="list-style-type: none"> <li>• Incidents / accidents and investigations</li> <li>• Non conformances by employees &amp; contractors</li> <li>• Internal &amp; External H&amp;S audit reports</li> </ul>	
Emergency procedures	Ongoing evaluation of procedure	Table procedure in writing as well as tel. numbers	
Risk assessment	Updated and signed off at least monthly	Documented risk assessment	
Safe work procedures	Drawn up before workers are exposed to new risks	Documented set of safe work procedures (method statements), updated and signed off.	
General Inspections	Weekly & daily	Report OHS Act compliance: <ul style="list-style-type: none"> <li>• Scaffolding</li> <li>• Excavations</li> <li>• Formwork &amp; support work</li> <li>• Explosive tools</li> </ul>	
General Inspections	Monthly	<ul style="list-style-type: none"> <li>• Fire fighting equipment</li> <li>• Portable electrical equipment</li> <li>• Ladders</li> <li>• Lifting equipment/slings</li> </ul>	
List of contractors	List to be updated weekly	Table list, number of workers and Company tel. numbers	
Workman's Compensation	Ongoing	Table a list of Contractors' workman's compensation proof of good standing.	
Construction site rules & Section	Ongoing	Table a report of all signed up Mandatories.	

37.2 Manadatory Agreement			
------------------------------	--	--	--

## CONTRACTOR'S HEALTH AND SAFETY DECLARATION

In terms of Clause 5 (h) of the OHSA 1993 Construction Regulations 2014 (referred to as "the Regulations" hereafter), a Contractor may only be appointed to perform construction work if the Employer is satisfied that the Contractor has the necessary competencies and resources to carry out the work safety in accordance with the Occupational Health and Safety Act No 85 of 1993 and the OHSA 1993 Construction Regulations 2014

To that effect a person duly authorised by the Tenderer must complete and sign the declaration hereafter in detail.

### Declaration by Tenderer

1. I the undersigned hereby declare and confirm that I am fully conversant with the Occupational Health and Safety Act No 85 of 1993 (as amended by the Occupational Health and Safety Amendment Act No181 of 1993), and the OHSA 1993 Construction Regulations 2014.
2. I hereby declare that my company has the competence and the necessary resources to safely carry out the construction work under this contract in compliance with the Construction Regulations and the Employer's Health and Safety Specifications.
3. I propose to achieve compliance with the Regulations by one of the following:
  - a) From my own competent resources as detailed in 4(a) hereafter: ..... \*Yes/No
  - b) From my own resources still to be appointed or trained until competency is achieved, as detailed in 4(b) hereafter: ..... \*Yes/No
  - c) From outside sources by appointment of competent specialist subcontractors as detailed in 3(c) hereafter: ..... \*Yes/No

(\*= delete whatever is not applicable)
4. Details of resources I propose:
 

(Note: Competent resources shall include safety personnel such as a construction supervisor and construction safety officer as defined in Regulation 8, and competent persons as defined in the OHSA 1993 Construction Regulations 2014, as applicable to this contract)

  - a) Details of the competent and qualified key persons from my company's own resources, who will form part or the contract team:

NAMES OF COMPETENT PERSONS	POSITIONS TO BE FILLED BY COMPETENT PERSONS

(b) Detail of training of persons from my company's own resources (or to be hired) who still

have to be trained to achieve the necessary competency:

(i) By whom will training be provided?

.....

(ii) When will training be undertaken? .....

(iii) List the positions to be filled by persons to be trained or hired: .....

.....

.....

.....

(c) Details of competent resources to be appointed as subcontractors if competent persons cannot be supplied from own company:

Name of proposed subcontractors:

.....

.....

.....

.....

5. I hereby undertake, if my tender is accepted, before commencement of the works under the contract, a suitable and sufficiently documented Health and Safety Plan in accordance with Regulation 7(1) of the Construction Regulations, which plan shall be subject to approval by the Employer.

6. I confirm that copies of my company's approved Health and safety plan, the employer's safety specifications as well as the OHSA 1993 Construction Regulations 2014 will be provided on site and will at all times be available for inspection by the contractor's personnel, the Employer's personnel, the Engineer, Visitors, and officials and inspectors of the Department of Labour.

7. I hereby confirm that adequate provision has been made in my tendered rates and prices in the schedule of quantities to cover the cost of all resources, action, training and all health and safety measures envisaged in the OHSA 1993 Construction Regulations (Regulation 33) for failure on the Contractor's part to comply with the provisions of the Act and the Regulations.

8. I agree that my failure to complete and execute this declaration to the satisfaction of the employer will mean that I am unable to comply with the requirements of the OHSA 1993 Construction Regulations 2014, and accept that my tender will be prejudiced and may be rejected at the discretion of the Employer.

SIGNATURE: ..... DATE.....

(Of person authorised to sign on behalf of the Tenderer)

# RESERVE RULES FOR CONTRACTORS

1. No person may leave or enter the Protected Area after set Gate closing hours without authorisation from the Officer in Charge or responsible Park Manager (OIC) of the Protected Area. The Gate opening and closing times may be seasonal and must be strictly adhered to.
2. No person may enter or exit the Protected Area except through an agreed designated point but, irrespective of whether or not a designated point is used the person will be bound by these Rules.
3. Should the Contractor wish to enter the Protected Area for business purposes after hours, this must be pre-arranged with the OIC of the Protected Area and the necessary authority obtained in advance. There shall be no after-hours access for private purposes.
4. Night driving in the Protected Area is prohibited unless on official business with appropriate prior authority from the OIC of the Protected Area.
5. No vehicle may leave the designated roads without the express permission of the OIC of the Protected Area.
6. Access to the Protected Area and construction sites within the Protected Area shall be by official work vehicles. No children shall be permitted entry to the construction areas.
7. All construction related activities must be conducted in accordance with the Reserve Rules, applicable legislation and the care due to a Protected Area.
8. All Reserve Rules must be adhered to by contractors, subcontractors and staff (this includes behaviour, disturbance and access). The lead contractor will be held responsible for subcontractors and their staff, although this does not prevent legal action being taken directly against the perpetrators.
9. Staff and subcontractors may be refused entrance from the Protected Area should they fail to comply with the EMPr, Reserve Rules or relevant legislation.
10. The principle of Minimum Tools applies within Protected Areas, both during construction work and rehabilitation work. Essentially this requires that the tools used are those that have the least impact on the environment. The contractor must designate a list of materials and tools/equipment/machinery/vehicles to Ezemvelo prior to starting work on site.
11. It must be clearly understood that the National Road Traffic Act applies to the Protected Area roads and will be enforced where necessary, in particular:
  - Non-licensed drivers will not be tolerated.
  - No person shall enter, drive or operate in the Protected Area, a motor vehicle that is not lawfully registered and licensed, in terms of the National Road Traffic Act (NRTA).
12. No person shall enter with or operate any vehicle other than a vehicle that conforms to the dimensions and other requirements prescribed by Ezemvelo. Special permission is required for construction type vehicles and the route to be followed may be specified in order to protect roads or avoid disturbance to visitors or particular species.
13. Drive, park or stop in such a manner that it constitutes a nuisance, disturbance, inconvenience or danger to any other person, causes an obstruction, blocks the pathway of an emergency vehicle or causes damages of any kind including damage to plants.
14. Tourists have right of way and every effort should be made not to inconvenience them by inconsiderate driving or speeding. Tourists reporting such incidents will have their complaints fully investigated and offenders will be held accountable.

15. The maximum speed limit in the Reserve is 40 km/h unless indicated as a slower speed.
16. No-one is permitted to damage or potentially damage any road or property within the Protected Area without prior permission from the OIC of the Protected Area.
17. No one may damage, hurt or endanger any animal, human being, plant or property of Ezemvelo KZN Wildlife. No animal or plant may be disturbed, removed or harmed. No rocks may be defaced. It is forbidden to feed the animals.
18. Any person who causes any damage to any property within the Protected Area or to any animal or plant in the Protected Area shall be liable for the costs or repair or replacement of such property or the costs of treatment of such animal or plant. In addition the offending person may be prosecuted.
19. Littering and pollution is prohibited. No person may discard any article, including cigarette ends, or refuse of whatever nature, except in receptacles and containers provided specifically for this purpose. All other refuse or litter must be kept and removed from the Protected Area.
20. Designated toilets must be provided and only these may be used for ablutions.
21. No one may discard any burning object in any place where it may set fire to any other object or otherwise act in a manner likely to cause a fire other than where the making of a fire is specifically permitted. No open fires are permitted and the use of gas must be by prior arrangement with the OIC of the Protected Area.
22. No firearms will be permitted into the Protected Area. Any person wishing to bring a firearm into the Protected Area or construction site must make prior arrangement with the OIC of the Protected Area.
23. No animals are to be brought to site or into the Protected Area. No pets are permitted.
24. The consumption of alcohol is prohibited in all areas except booked accommodation and the designated, demarcated contractor's accommodation units.
25. Advertising or trading within the Protected Area is not allowed.
26. Any person to whom special permission of any nature whatsoever may be granted to enter into or reside in the Protected Area shall, in addition to the provisions of the Act, the regulations and these rules, observe all instructions which the OIC may deem fit to issue in connection with such permission.
27. Noise levels are to be kept to approved limits. Machinery must use appropriate silencers and must be well maintained to reduce pollution.
28. Night lighting must be appropriate and directed towards the construction works.
29. No person shall stay or overnight in any part of the Protected Area at any place other than a resort or any other place designated by the Authority for such stay.
30. Overnight security must be with the prior arrangement with the OIC of the Protected Area.
31. Contractors and their staff and sub-contractors must remain within the designated construction sites and access routes at all times.
32. No person shall fail to comply with a lawful instruction issued by the Authority or an officer while inside the Protected Area.
33. Any person who persists in causing a nuisance to any other user of the Protected Area or who persists in disregarding the applicable regulations, rules, notices or lawful instructions of an officer may be required to leave the Protected Area and may be prohibited from re-entering the Protected Area.

## **PART C2: PRICING DATA**

## **PART C2: PRICING DATA**

C2.1 PRICING

INSTRUCTIONS C2.2

BILLS OF

QUANTITIES

## C2.1 PRICING INSTRUCTIONS

1. The GCC Conditions of Contract, the Contract Data, the Specifications (including the Project Specifications) and the Drawings shall be read in conjunction with the Bill of Quantities.
2. The Bill comprises items covering the Contractor's profit and costs of general liabilities and of the construction of Temporary and Permanent Works.

Although the Contractor is at liberty to insert a rate of his own choosing for each item in the Bill, he should note the fact that the Contractor is entitled, under various circumstances, to payment for additional work carried out and that the Engineer is obliged to base his assessment of the rates to be paid for such additional work on the rates the Contractor inserted in the Bill.

Clause 8 of each Standardized Specification, and the measurement and payment clause of each Particular Specification, read together with the relevant clauses of the Project Specifications, all set out which ancillary or associated activities are included in the rates for the specified operations.

3. Descriptions in the Bill of Quantities are abbreviated and may differ from those in the Standardized and Scope of Work. No consideration will be given to any claim by the Contractor submitted on such a basis. The Bill has been drawn up generally in accordance with the latest issue of Civil Engineering Quantities<sup>2</sup>. Should any requirement of the measurement and payment clause of the appropriate Standardized or Project Specification(s) be contrary to the terms of the Bill or, when relevant, to the Civil Engineering Quantities, the requirement of the appropriate Standardized, Project, or Particular Specification as the case may be, shall prevail.
4. Unless stated to the contrary, items are measured net in accordance with the Drawings without any allowance having been made for waste.
5. The amounts and rates to be inserted in the Bill of Quantities shall be the full inclusive amounts to the Employer for the work described under the several items. Such amounts shall cover all the costs and expenses that may be required in and for the construction of the work described, and shall cover the costs of all general risks, profits, taxes (but excluding value-added tax), liabilities and obligations set forth or implied in the documents on which the Quotation is based.
6. An amount or rate shall be entered against each item in the Bill of Quantities, whether or not quantities are stated. An item against which no amount or rate is entered will be considered to be covered by the other amounts or rates in the Bill.

The Contractor shall also fill in a rate against the items where the words "rate only" appear in the amount column. Although no work is foreseen under these items and no quantities are consequently given in the quantity column, the Quotation rates shall apply should work under these items actually be required.

Should the Contractor group a number of items together and Quotation one sum for such group of items, the single Quotation sum shall apply to that group of items and not to each individual item, or should he indicate against any item that full compensation for such item has been included in another item, the rate for the item included in another item shall be deemed to be nil.

The Quotation rates, prices and sums shall, subject only to the provisions of the Conditions of Contract, remain valid irrespective of any change in the quantities during the execution of the Contract.

7. The quantities of work as measured and accepted and certified for payment in accordance with the Conditions of Contract, and not the quantities stated in the Bill of Quantities, will be used to determine payments to the Contractor. The validity of the Contract shall in no way be affected by differences between the quantities in the Bill of Quantities and the quantities certified for payment.

**Ordering of materials** are not to be based on the Bill of Quantities, but only on information issued for construction purposes.

8. For the purposes of this Bill of Quantities, the following words shall have the meanings hereby assigned to them:

Unit	:	The unit of measurement for each item of work as defined in the Standardized, Project or Particular Specifications
Quantity	:	The number of units of work for each item
Rate	:	The payment per unit of work at which the Contractor Quotations to do the work
Amount	:	The quantity of an item multiplied by the Quotation rate of the (same) item
Sum	:	An amount Quotation for an item, the extent of which is described in the Bill
		of Quantities, the Specifications or elsewhere, but of which the quantity of work is not measured in units

9 The units of measurement indicated in the Bill of Quantities are metric units. The following abbreviations may appear in the Bill of Quantities:

%	=	percent
h	=	hour
ha	=	hectare
kg	=	kilogram
kl	=	kiloliter
km	=	kilometer
km-pass	=	kilometre-pass
kPa	=	kilopascal
kW	=	kilowatt
l	=	liter
m	=	meter
mm	=	millimeter
m <sup>2</sup>	=	square meter
m <sup>2</sup> -pass	=	square meter-pass
m <sup>3</sup>	=	cubic meter
m <sup>3</sup> -km	=	cubic meter-kilometer
MN	=	meganewton
MN.m	=	meganewton-meter
MPa	=	megapascal
No.	=	number
Prov sum	=	Provisional sum
PC sum	=	Prime Cost sum
R/only	=	Rate only
sum	=	lump sum
t	=	ton (1000 kg)
W/day	=	Work day

## C2.2 PRICING SCHEDULE

PRICING SCHEDULE					
Project title:	Repairs to Roof of Water Treatment Plant at Midmar Resort for Ezemvelo KZN Wildlife				
Quotation no:					

Rate shall mean inclusive of labour, markup and equipment only.

ITEM NO	DESCRIPTION	UNIT	QTY	RATE	PRICE
1	Allow the amount of R 2 000.00 for Health and Safety requirements.	Sum	1		
	<b>ALTERATIONS</b>				
2	Taking out and removal of existing corrugated sheeting set aside and refix in new position	m2	46		
3	Taking out and removal of existing rafters	m	8		
4	Taking out and removal of existing purlins	m	5		
	<b>ROOF COVERINGS ETC.</b>				
5	Install Corrugated Iron Sheeting 0.3mm, colour to be charcoal grey, fixed to timber purlins (elsewhere measured), all in accordance with manufacturer's recommendations and specifications	m2	60		
	<b>CARPENTRY AND JOINERY</b>				
6	Install 38x114mm Rafters at minimum 200mm centres	m	60		
7	Install 50x 76mm Purlins at minimum 100mm centres	m	40		
	<b>PAINTWORK</b>				
8	Prepare surfaces and apply one undercoat and two coats "Plascon Double Velvet pure Acrylic" or equal Project Manager approved emulsion paint for roof corrugated sheeting	m2	52		

<b>TOTAL OF WORK</b>	
<b>Add: Preliminary and General Costs of 5%</b>	
<b>Add: Contingencies of 5%</b>	
<b>TOTAL OF WORK INCLUDING CONTINGENCIES</b>	
<b>VAT (15%)</b>	
<b>GRAND TOTAL (Transfer to Offer)</b>	

## **C4.1 - Site Information**

### **General**

a) Midmar Resort is situated on the shores of the Midmar Dam within the Midmar Nature Reserve close to the town of Howick in KwaZulu-Natal.

b) Site is a live environment. Caution must be made not to disrupt the day to day functions of the surrounding buildings, staff, and general public accessing the facility. Site to be kept clean and neat at all times. All work and equipment are to be safely hoarded off.

Special care must be taken to limit noise and not disrupt current and adjacent buildings, as well as the day to day functioning of the building. The contractor is to take note of the handling requirements for materials from the contractors yard.