

Amount

BILL NO. 1**PRELIMINARIES**

The JBCC Series 2000 Principal Building Agreement (March 2005 edition) prepared by the Joint Building Contracts Committee shall be the applicable building agreement, amended as hereinafter described

The JBCC Series 2000 Preliminaries (May 2005 edition) prepared by the Joint Building Contracts Committee for use with the said JBCC Principal Building Agreement shall be deemed to be incorporated in these bills of quantities

Contractors are referred to the above mentioned documents for the full intent and meaning of each clause thereof

These clauses are hereinafter referred to by clause number and heading only. Where standard clauses or alternatives are not entirely applicable to this contract such modifications, corrections or supplements as will apply are given under each relevant clause heading and such modifications, corrections or supplements shall take precedence notwithstanding anything contrary contained in the above mentioned documents

Where any item is not relevant to this specific contract such item is marked N/A, signifying 'not applicable'

PREAMBLES FOR TRADES

The Model Preambles for Trades (1999 edition) as published by the Association of South African Quantity Surveyors shall be deemed to be incorporated in these bills of quantities and no claim arising from brevity of description of items fully described in the said Model Preambles will be entertained

Supplementary preambles are incorporated in these bills of quantities to satisfy the requirements of this project. Such supplementary preambles shall take precedence over the provisions of the said Model Preambles

The contractor's prices for all items throughout these bills of quantities must take account of and include for all of the obligations, requirements and specifications given in the said Model Preambles and in any supplementary preambles

PRICING OF PRELIMINARIES**SECTION A - PRINCIPAL BUILDING AGREEMENT****Objective and preparation**

- 1 Clause 2.0 - Offer, acceptance and performance
- 2 Clause 3.0 - Documents
- 3 Clause 4.0 - Design responsibility
- 4 Clause 5.0 - Employer's agents
- 5 Clause 6.0 - Site representative

Item

Item

Item

Item

Item

Carried to Collection

R

Bill No. 1

Preliminaries

		Amount	
6	Clause 7.0 - Compliance with regulations	Item	
7	Clause 8.0 - Works risk	Item	
8	Clause 9.0 - Indemnities	Item	
9	Clause 10.0 - Works insurances	Item	
10	Clause 11.0 - Liability insurances	Item	
11	Clause 12.0 - Effecting insurances	Item	
12	Clause 13.0 - No clause	Item	
13	Clause 14.0 - Security	Item	
	<u>Execution</u>		
14	Clause 15.0 - Preparation for and execution of the works	Item	
15	Clause 16.0 - Access to the works	Item	
16	Clause 17.0 - Contract instructions	Item	
17	Clause 18.0 - Setting out of the works	Item	
18	The contractor shall notify the principal agent if any encroachments of adjoining foundations, buildings, structures, pavements, boundaries, etc. exist in order that the necessary arrangements may be made for the rectification of any such encroachments	Item	
19	Clause 19.0 - Assignment	Item	
20	Clause 20.0 - Nominated subcontractors	Item	
21	Clause 21.0 - Selected subcontractors	Item	
22	Clause 22.0 - Employer's direct contractors	Item	
23	Clause 23.0 - Contractor's domestic subcontractors	Item	
	<u>Completion</u>		
24	Clause 24.0 - Practical completion	Item	
25	Clause 25.0 - Works completion	Item	
26	Clause 26.0 - Final completion	Item	
27	Clause 27.0 - Latent defects liability period	Item	
28	Clause 28.0 - Sectional completion	Item	
29	Clause 29.0 - Revision of the date for practical completion	Item	
Carried to Collection		R	
Bill No. 1			
Preliminaries			

		Amount
30	The removal and replacement of materials and/or workmanship which do not conform to specification or drawings shall not constitute grounds for an extension of the construction period nor for an adjustment to the contract value (clause 29.3)	Item
31	Clause 30.0 - Penalty for noncompletion	Item
	<u>Payment</u>	
32	Clause 31.0 - Interim payment to the contractor	Item
33	Clause 32.0 - Adjustment to the contract value	Item
34	All fluctuations in costs, with the exception of fluctuations in the rate of Value Added Tax, shall be for the account of the contractor?	Item
35	Where prices are submitted by the contractor or nominated/selected subcontractors during the progress of the works in respect of contract instructions or in regard to a claim under the terms of the contract and notwithstanding the fact that such prices may be used in an interim payment certificate, there is to be no presumption of acceptance. Should the principal agent wish to accept any such prices prior to the issue of the final certificate, it will be in writing?	Item
36	Clause 33.0 - Recovery of expense and loss	Item
37	Clause 34.0 - Final account and final payment	Item
38	Clause 35.0 - Payment to other parties	Item
	<u>Cancellation</u>	
39	Clause 36.0 - Cancellation by employer - contractor's default	Item
40	Clause 37.0 - Cancellation by employer - loss and damage	Item
41	Clause 38.0 - Cancellation by contractor - employer's default	Item
42	Clause 39.0 - Cancellation - cessation of the works	Item
	<u>Dispute</u>	
43	Clause 40.0 - Dispute settlement	Item
	<u>Contract variables</u>	
44	Clause 42.0 - Pre-tender information	Item
45	Information necessary for the completion of those clauses contained in the schedule which are necessary for tender purposes is given hereunder	Item
46	42.1 CONTRACTING AND OTHER PARTIES	Item
Carried to Collection		R
Bill No. 1		
Preliminaries		

		Amount
47	42.1.1 Employer: Postal address:Code: Tel:Fax: E- mail: Tax/VAT registration No: Physical address:	Item
48	42.1.2 Principal agent: Postal address:Code: Tel:Fax: E- mail:	Item
49	42.1.3 Agent (1) Agent's service: Postal address:Code: Tel:Fax: E- mail:	Item
50	42.1.4 Agent (2) Agent's service: Postal address:Code: Tel:Fax: E- mail:	Item
51	42.1.5 Agent (3) Agent's service: Postal address:Code: Tel:Fax: E- mail:	Item
52	42.1.6 Agent (4) Agent's service: Postal address:Code: Tel:Fax: E- mail:	Item
53	42.1.7 Agent (5) Agent's service: Postal address:Code: Tel:Fax: E- mail:	Item
54	42.1.8 Agent (6) Agent's service: Postal address:Code: Tel:Fax: E- mail:	Item
Carried to Collection		R
Bill No. 1 Preliminaries		

		Amount
55	42.1.9 Agent (7) Agent's service: Postal address: Code: Tel: Fax: E- mail:	Item
56	42.2 CONTRACT DETAILS	Item
57	42.2.1 Works description:	Item
58	42.2.2 Site description:	Item
59	42.2.3 Work or installations by direct contractors	Item
60	42.2.4 Specific options that are applicable to a state organ only Where so: (1) Interest rate legislation: (2) Lateral support insurance to be effected by the contractor ? yes/no ? (3) Payment will be made for materials and goods ? yes/no ? (4) Dispute resolution by litigation ? yes/no ? (5) Extended defects liability period applicable to the following elements:	Item
61	42.2.5 Possession of the site is intended to be given on (date).....	Item
62	42.2.6 Period for the commencement of the works after the contractor takes possession of the site (No of working days)	Item
63	42.2.7 For the works as a whole: The date for practical completion and the penalty per calendar day Date Penalty R.....	Item
Carried to Collection		R
Bill No. 1 Preliminaries		

		Amount
64	42.2.8 For the works in sections: The date for practical completion and the penalty per calendar day Section 1 Date Penalty R..... Section 2 Date Penalty R..... Section 3 Date Penalty R..... Section 4 Date Penalty R..... Section 5 Date Penalty R Section 6 Date Penalty R	Item
65	42.2.9 The law applicable to this agreement shall be that of (country)	Item
66	42.3 INSURANCES	Item
67	42.3.1 Contract works insurance to be effected by ? employer ? contractor ? For the sum of: R With a deductible of: R	Item
68	42.3.2 Supplementary insurance is required - ? yes/no ? If 'yes' state requirement	Item
69	42.3.3 Public liability insurance to be effected by ? employer ? contractor ? For the sum of: R..... With a deductible of: R.....	Item
70	42.3.4 Support insurance to be effected by employer For the sum of: R..... With a deductible of: R.....	Item
71	42.4 DOCUMENTS	Item
72	42.4.1 Waiver of the contractor's lien or right of continuing possession is required - ? yes/no ?	Item
73	42.4.2 Construction document copies to be supplied to the contractor free of charge (No of)	Item
74	42.4.3 State measuring system used for drawing up bills of quantities (lump sum document?)	Item
75	42.4.4 Number of working days for submission of priced documents (No of)	Item
76	42.4.5 JBCC Engineering General Conditions are to be included in the contract documents - ? yes/no ?	Item
77	42.4.6 The contract value is to be adjusted using CPAP indices ? yes/no ? Where CPAP is to be used (base month) Alternative indices (if applicable)	Item
Carried to Collection		R
Bill No. 1 Preliminaries		

78 42.4.7 Details of changes made to the provisions of JBCC standard
documentation -
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

79 Clause 42.0 - Post-tender information

80 The required post-tender information shall be inserted in the agreement after
consultation with the contractor

SUMMARY OF CATEGORIES
BUILDING AGREEMENT AND PRELIMINARIES

Item
Item
Item

Carried to Collection

R

BILL NO. 1
PRELIMINARIES
COLLECTION

Page No

Brought Forward from Page

- 1
- 2
- 3
- 4
- 5
- 6
- 7

Carried to Summary

R

	Unit	Quantity	Rate	Amount
<u>BILL NO. 2</u> <u>ALTERATIONS</u>				
<p>For preambles see "Model Preambles for trades (2008 Edition)" and applicable Supplementary Preambles as specified in the Trades. The said Model and Supplementary Preambles apply to all work described in this document. Tenderers are therefore referred to these documents for the full meaning and intention of all descriptions and no claims of any kind whatsoever will be entertained in this regard.</p>				
<u>SUPPLEMENTARY PREAMBLES</u>				
<u>View site</u>				
<p>Before submitting his tender the tenderer shall visit the site and satisfy himself as to the nature and extent of the work to be done and the value of the materials salvageable from the alterations. No claim for any variations of the contract sum in respect of the nature and extent of the work or of inferior or damaged materials will be entertained</p>				
<u>Old Material</u>				
<p>Old materials from alterations except where described to be reused or handed over, become the property of the Contractor who must allow credit for same in the item rates as described below. Old materials from the removals and alterations except where described to be reused or handed over, as well as old rubbish, etc must regularly be carted from the site and not be allowed to accumulate on or around the site. None of the old materials are to be used for new work except where specifically described as to be handed over by the contractor to the Employer. Such materials or articles shall be properly stored by the contractor until handing over thereof. The contractor shall obtain an official receipt listing the materials or articles and dates of handing over. If the contractor fails to submit the receipt when requested to do so it shall be deemed that the materials or articles are still in his possession</p>				
Carried to Collection			R	
Bill No. 2 Alterations				

	Unit	Quantity	Rate	Amount
<u>Credit of Old Materials</u>				
<u>Credit for old materials, if so desired, is to be allowed for in the item rates and indicated at the end of each relevant item.</u>				
<u>The Employer reserve the right to keep any or all of the old materials described in the bill of quantities irrespective of such materials having been priced or not at the rates indicated against the respective items.</u>				
<u>General</u>				
The contractor shall carry out the whole of the works with as little mess and noise as possible and with a minimum of disturbance to adjoining premises and their tenants. He shall provide proper protection and provide, erect and remove when directed, any temporary tarpaulins that may be necessary during the progress of the works, all to the satisfaction of the principal agent				
Prices for taking out of doors, windows, etc. shall include for removal of all beads, architraves, ironmongery, etc.				
Making good of finishes shall include making good of the brick and concrete surfaces onto which the new finishes are applied, where necessary				
<u>REMOVAL OF EXISTING WORK</u>				
<u>Taking out and removing ironmongery</u>				
1	No	13		
<u>Taking out and removing sanitary fittings, tanks, geysers, etc, including disconnecting from pipes, traps, etc and making good floor and wall finishes (making good tiling and paintwork elsewhere)</u>				
2	No	10		
3	No	5		
4	No	3		
<u>Taking out and removing doors, windows, etc. from brickwork to be demolished</u>				
5	No	65		
<u>Taking down and removing roofs, floors, panelling, ceilings, partitions, etc.</u>				
6	m ²	3 455		
Carried to Collection			R	
Bill No. 2 Alterations				

BILL NO. 2
ALTERATIONS
COLLECTION

Page No

Brought Forward from Page

9
10
11

Carried to Summary

R

	Unit	Quantity	Rate	Amount
<u>BILL NO. 3</u>				
<u>MASONRY</u>				
<u>MASONRY</u>				
For preambles see "Model Preambles for trades (2008 Edition)" and applicable Supplementary Preambles as specified in the Trades. The said Model and Supplementary Preambles apply to all work described in this document. Tenderers are therefore referred to these documents for the full meaning and intention of all descriptions and no claims of any kind whatsoever will be entertained in this regard.				
<u>SUPPLEMENTARY PREAMBLES</u>				
<u>Sizes in descriptions</u>				
Where sizes in descriptions are given in brick units, 'one brick' shall represent the length and 'half brick' the width of a brick				
<u>Bagged and sealed walls</u>				
Walls in two skins described as bagged and sealed shall be deemed to include having the outer face of the inner skin bagged with 1:6 cement and sand mixture and sealed with two coats bitumen emulsion waterproofing coating				
<u>Face bricks</u>				
Bricks shall be ordered timeously to obtain uniformity in size and colour				
<u>Pointing</u>				
Descriptions of recessed pointing to fair face brickwork and face brickwork shall be deemed to include square recessed, hollow recessed, weathered pointing, etc				
<u>BRICKWORK IN SUPERSTRUCTURE</u>				
<u>Brickwork of NFP bricks in class II mortar</u>				
1	Half brick walls in patches	m ²	120	
2	Half brick walls in beamfilling	m ²	291	
3	One brick walls in patches	m ²	128	
<u>BRICKWORK SUNDRIES</u>				
<u>Sundries</u>				
4	Cutting toothings and bonding new brickwork to existing	m ²	22	
Carried to Collection			R	
Bill No. 3 Masonry				

[illegible]

BILL NO. 3
MASONRY
COLLECTION

Page No

Brought Forward from Page

13
14

Carried to Summary

R

	Unit	Quantity	Rate	Amount
<u>BILL NO. 4</u> <u>ROOF COVERINGS</u>				
<p>For preambles see "Model Preambles for trades (2008 Edition)" and applicable Supplementary Preambles as specified in the Trades. The said Model and Supplementary Preambles apply to all work described in this document. Tenderers are therefore referred to these documents for the full meaning and intention of all descriptions and no claims of any kind whatsoever will be entertained in this regard. galvanising is used in inland areas and Z600 spelter galvanising for coastal areas. However galvanised sheeting is generally not used in coastal areas When the pitch of troughed roof covering is less than 5 degrees or if dustproofing is required then the description of roof coverings 'with side laps sealed' is to be used Where roof coverings are fixed on top of rigid board insulation to purlins etc. they are to be described as such Note that besides galvanised steel, sheeting is also available in corten steel, stainless steel, copper and aluminium</p> <p>Where BS reference to grades, etc and SANS 92 in the following two headings is not applicable, refer to other suitable construction standards or provide full specifications</p> <p>Where battens for roof coverings form part of the plate nailed timber roof truss design it shall be included under the roof construction in the Carpentry and Joinery trade and not under this trade</p>				
<u>ROOF COVERINGS, CLADDINGS, ETC</u>				
<u>Klip-loc 700 light industrial pressed steel sheets, powder coated to both sides installed on battens spaced as per manufacturers instructions on damp proofing(elsewhere measured) on and including 38 x 152 rafters, posts, ties and struts.</u>				
1	Roof covering complete with trusses and pitches not exceeding 25 degrees	m ²	3 455	
2	Ridge cappings 460mm girth	m	596	
Carried to Collection			R	
Bill No. 4 Roof Coverings				

	Unit	Quantity	Rate	Amount
<u>ROOF AND WALL INSULATION (CPAP WORK GROUP NO. 122)</u>				
<u>Multi-layered reinforced double-sided aluminium foil sheeting in accordance with SANS 1381-4 with a mass of not less than 293g/m² and a Class I fire rating in accordance with SANS 0177-3</u>				
3 Polyethylene bubblefold aluminium foil faced one side sheeting	m ²	3 455		
Carried to Collection			R	
Bill No. 4 Roof Coverings				

BILL NO. 4
ROOF COVERINGS
COLLECTION

Page No

Brought Forward from Page

16
17

Carried to Summary

R

	Unit	Quantity	Rate	Amount
<u>BILL NO. 5</u> <u>CARPENTRY AND JOINERY</u>				
<p>For preambles see "Model Preambles for trades (2008 Edition)" and applicable Supplementary Preambles as specified in the Trades. The said Model and Supplementary Preambles apply to all work described in this document. Tenderers are therefore referred to these documents for the full meaning and intention of all descriptions and no claims of any kind whatsoever will be entertained in this regard.</p>				
<u>SUPPLEMENTARY PREAMBLES</u>				
<u>Fixing</u>				
<p>References given in descriptions refer to the respective types of trusses detailed on the architect's/engineer's drawings numbered ? annexed to these bills of quantities (accompanying these bills of quantities?) for tender purposes</p>				
<p>Dimensions in descriptions of trusses are nominal and actual measurements are to be obtained from the architect/engineer and/or taken on site before design or fabrication commences.</p>				
<p>Items described as 'nailed' shall be deemed to be fixed with hardened steel nails or pins, or to be shot-pinned, to brickwork or concrete</p>				
<p>Items described as 'plugged' shall be deemed to include screwing to fibre, plastic or metal plugs at not exceeding 500mm centres, and where described as 'bolted', the bolts have been given elsewhere.</p>				
<u>Joinery</u>				
<p>Descriptions of frames shall be deemed to include frames, transomes, rails, etc.</p>				
<p>Descriptions of hardwood joinery shall be deemed to include sinking and pelleting heads and nuts of bolts</p>				
<p>All timber purlins to be at approximately 700mm centres on SA Pine timber trusses at approximately 1135mm c/c according to engineers detail. The contractor must engage with a truss specialist prior procurement and installation of trusses to ensure TR1 and TR2 certification.</p>				
<p>The contractor will be required to be compliant with regulations and quality standards outlined in the PW371 Construction works specifications, Second edition July 2013.</p>				
Carried to Collection			R	
Bill No. 5 Carpentry And Joinery				

	Unit	Quantity	Rate	Amount
<u>Joinery Fittings</u>				
General The following cupboard fittings have been measured as complete units,i.e.,the components of the units have not been separately measured. The description, therefore, of such units shall be deemed to include all components, assembling, housing, notching, gluing, blocking, painting on and screwing with the counter screws, edge strips, decorative plastic finish, glass, ironmongery, metalwork, paint or varnish finishes, etc. Forming openings for sanitaryware, etc are included in approximate sizes and actual measurements shall be obtained prior to fabrication all as per architects specifications/design.				
<u>PLATE NAILED TIMBER ROOF TRUSS CONSTRUCTION ETC</u>				
1 Detailed shop drawings indicating truss sizes, truss positions, bracings, etc	No	1		
<u>PRE-FABRICATED TIMBER ROOF TRUSSES</u>				
2 Timber Roof Construction including fixing in position of all necessary girders, trusses, rafters, hips, valleys, bracing, cleats, timber connections, purlins, runners, wire ties, etc.	m ²	3 455		
3 Allow for two coats creosote on swan timbers	m ²	620		
<u>Sawn softwood</u>				
4 38 x 100mm Wall plates	m	922		
<u>EAVES, VERGES, ETC</u>				
<u>Fibre-cement socketless barge boards</u>				
5 250 x 150mm Barge boards, including aluminium H-profile joiners etc.	m	288		
6 250 x 150mm Fascia boards, including aluminium H-profile joiners etc.	m	1 432		
<u>SKIRTINGS</u>				
<u>Wrought softwood</u>				
7 76 x 19mm Skirtings, plugged	m	950		
8 Allow for treatment of timber skirting and quarter round against termites	m	950		
<u>DOORS</u>				
NOTE : a sample of internal and external wooden doors is to be submitted to the Principal Agent for approval before ordering doors				
Carried to Collection			R	
Bill No. 5 Carpentry And Joinery				

BILL NO. 5
CARPENTRY AND JOINERY
COLLECTION

Page No

Brought Forward from Page

19
20
21

Carried to Summary

R

	Unit	Quantity	Rate	Amount
<u>BILL NO. 6</u>				
<u>CEILINGS PARTITIONS AND ACCESS FLOORING</u>				
<p>For preambles see "Model Preambles for trades (2008 Edition)" and applicable Supplementary Preambles as specified in the Trades. The said Model and Supplementary Preambles apply to all work described in this document. Tenderers are therefore referred to these documents for the full meaning and intention of all descriptions and no claims of any kind whatsoever will be entertained in this regard.</p>				
<u>SUPPLEMENTARY PREAMBLES</u>				
<u>Fixing</u>				
Items described as 'nailed' shall be deemed to be fixed with hardened steel nails or pins, or to be shot-pinned, to brickwork or concrete				
Items described as 'plugged' shall be deemed to include screwing to fibre, plastic or metal plugs at not exceeding 500mm centres, and where described as 'bolted', the bolts have been given elsewhere				
<u>Ceilings</u>				
Unless otherwise described ceilings shall be deemed to be horizontal				
<u>Steel components</u>				
All steel components for ceilings, partitions, etc. are to be galvanised in accordance with SANS 12				
<u>NAILED-UP CEILINGS</u>				
<u>6.4mm Gypsum plasterboard</u>				
1		Ceilings including standard steel branderling at 300mm centres in one direction only, joined with joiner sections and hung with suspension brackets including standard steel perimeter angles fixed to walls etc.	m ²	3 455
2		Extra over ceiling for opening for 600 x 600mm trap door formed of 42 x 42mm wrot softwood rebated framing with on e38 x38mm sawn softwood cross drander covered with ceiling board and fitted flush in opening.	No	20
<u>Gypsum plasterboard cornices</u>				
3		75mm Coved cornices, plugged	m	1 543
Carried to Summary			R	
Bill No. 6 Ceilings Partitions And Access Flooring				

	Unit	Quantity	Rate	Amount
<u>BILL NO. 7</u> <u>FLOOR COVERINGS</u>				
For preambles see "Model Preambles for trades (2008 Edition)" and applicable Supplementary Preambles as specified in the Trades. The said Model and Supplementary Preambles apply to all work described in this document. Tenderers are therefore referred to these documents for the full meaning and intention of all descriptions and no claims of any kind whatsoever will be entertained in this regard.				
<u>SUPPLEMENTARY PREAMBLES</u>				
<u>Fixing</u> Floor coverings, wall linings, etc. shall, where applicable, be fixed with adhesive as recommended by the manufacturers of the flooring, linings, etc.				
<u>FLOOR COVERINGS</u>				
<u>300 x 300 x 2.5mm "Marley Superflex" fully flexible vinyl tiles</u>				
1	On floors	m ²	1 388	
<u>POLISH, SEALERS, ETC</u>				
<u>Polish, Sealers, etc.</u>				
2	Two coats wax polish on vinyl flooring	m ²	1 388	
Carried to Summary			R	
Bill No. 7 Floor Coverings				

	Unit	Quantity	Rate	Amount
<u>BILL NO. 8</u> <u>IRONMONGERY</u>				
<p>For preambles see "Model Preambles for trades (2008 Edition)" and applicable Supplementary Preambles as specified in the Trades. The said Model and Supplementary Preambles apply to all work described in this document. Tenderers are therefore referred to these documents for the full meaning and intention of all descriptions and no claims of any kind whatsoever will be entertained in this regard.</p>				
<u>SUPPLEMENTARY PREAMBLES</u>				
<u>Proprietary items</u>				
<p>Where applicable the manufacturers' names or product catalogue titles are given in sub-headings preceding the items. Prices are to be based on the specific products/articles specified. If tenderers wish to offer alternative products/articles for certain items, these items are to be clearly marked and the alternative specification given with supporting brochures etc. clarifying the features of the products/articles offered. On request returnable samples are to be provided to the principal agent for consideration.</p>				
<u>Finishes to Ironmongery</u>				
<p>Where applicable finishes to ironmongery are indicated by suffixes in accordance with the following list: BS Satin bronze lacquered CH Chromium plated SC Satin chromium plated SE Silver enamelled GE Grey enamelled AN Anodised natural AS Anodised silver AB Anodised bronze AG Anodised gold ABL Anodised black PB Polished brass PL Polished and lacquered PT Epoxy coated SD Sanded</p>				
<u>HINGES, BOLTS, ETC.</u>				
<u>'Union' or similar approved</u>				
1	100 x 75mm ball bearing stainless steel butt hinges.	No	130	
<u>LOCKS</u>				
<u>Manufactured by Dorma or similar approved</u>				
2	Four-lever lockset with striking plate fixed to metal	No	65	
<u>LETTERS, NAMEPLATES, ETC.</u>				
<u>'Union' or similar approved</u>				
3	Perspex plate with engraved and painted letters or numerals	No	100	
Carried to Collection			R	
Bill No. 8 Ironmongery				

BILL NO. 8
IRONMONGERY
COLLECTION

Page No

Brought Forward from Page

25
26

Carried to Summary

R

	Unit	Quantity	Rate	Amount
<u>BILL NO. 9</u> <u>METALWORK</u>				
<p>For preambles see "Model Preambles for trades (2008 Edition)" and applicable Supplementary Preambles as specified in the Trades. The said Model and Supplementary Preambles apply to all work described in this document. Tenderers are therefore referred to these documents for the full meaning and intention of all descriptions and no claims of any kind whatsoever will be entertained in this regard.</p>				
<u>SUPPLEMENTARY PREAMBLES</u>				
<u>Descriptions of bolts, anchors, etc</u>				
<p>Descriptions of bolts shall be deemed to include nuts and washers</p>				
<p>Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete</p>				
<p>Items described as holed for bolt(s) shall be deemed to exclude the bolts unless otherwise described</p>				
<p>Items described as plugged shall be deemed to include screwing to fibre, plastic or metal plugs at not exceeding 600mm centres</p>				
<u>Aluminium doors, windows, etc</u>				
<p>Doors and windows shall comply with AAAMSA design criteria</p>				
<p>Glazing shall comply with SAGGA regulations. Glass shall be type ? laminated performance glass as shown on the window schedules/drawings appended to these bills of quantities (as described in the headings to window descriptions?). Glass thickness shall comply with SAGGA regulations irrespective of thicknesses shown on the schedules/drawings</p>				
<p>Doors and windows shall be supplied with protective tape and plastic and shall be removed only once surrounding trades have been completed</p>				
Carried to Collection			R	
Bill No. 9 Metalwork				

	Unit	Quantity	Rate	Amount
For purpose made windows and doors, refer to drawings annexed to (issued separately with?) these bills of quantities				
The following certificates shall be provided prior to commencement of site work:				
1 A copy of the relevant AAAMSA Performance Test Certificate from the manufacturer/contractor supplying the architectural aluminium product				
2 A Certificate of Conformance confirming that anodising or powder coating has been processed in accordance with SANS 999 and SANS 1796 respectively				
3 A powder guarantee of not less than 15 years issued by the powder manufacturer. The				
specific conditions contained in this guarantee shall form part of the powder coating process				
4 A Certificate of Conformance confirming that glazing has been installed in accordance with SANS 0137, ensuring that safety glazing materials have been installed in the mandatory areas and that each individual pane of safety glazing materials has been permanently marked				
5 A warranty from the manufacturer of the				
laminated safety glass and/or hermetically				
sealed glazing units guaranteeing the products against delamination and colour degradation for a period of not less than five years				
Carried to Collection			R	
Bill No. 9				
Metalwork				

	Unit	Quantity	Rate	Amount
<u>PRESSED STEEL DOOR FRAMES</u>				
<u>1,6mm Double rebated frames suitable for half brick walls complete with ironmongery, hinges, paint, etc. and fixing to brickwork or concrete</u>				
1	No	13		
<u>1,6mm Double rebated frames suitable for One brick walls complete with ironmongery, hinges, paint, etc. and fixing to brickwork or concrete</u>				
2	No	12		
<u>GALVANISED STEEL WINDOWS, DOORS, ETC</u>				
<u>Standard school windows</u>				
3	No	20		
<u>GALVANISED STEEL GATES, SCREENS, ETC</u>				
<u>Pedestrian Gates</u>				
4	No	20		
Carried to Collection			R	
Bill No. 9 Metalwork				

BILL NO. 9
METALWORK
COLLECTION

Page No

Brought Forward from Page
28
29
30

Carried to Summary

R

	Unit	Quantity	Rate	Amount
<u>BILL NO. 10</u>				
<u>PLASTERING</u>				
For preambles see "Model Preambles for trades (2008 Edition)" and applicable Supplementary Preambles as specified in the Trades. The said Model and Supplementary Preambles apply to all work described in this document. Tenderers are therefore referred to these documents for the full meaning and intention of all descriptions and no claims of any kind whatsoever will be entertained in this regard.				
<u>SCREEDS (LIC)</u>				
<u>Screeds wood floated, on concrete</u>				
1	20mm Thick on floors and landings to receive floor sheeting	m ²	354	
2	30mm Thick on floors and landings in patches	m ²	125	
<u>INTERNAL PLASTER</u>				
<u>Cement plaster steel trowelled, on brickwork</u>				
3	On walls	m ²	279	
4	On walls in narrow widths	m ²	11	
<u>EXTERNAL PLASTER</u>				
<u>Cement plaster wood floated, on brickwork</u>				
5	On walls	m ²	120	
6	On walls in narrow widths	m ²	15	
Carried to Summary			R	
Bill No. 10 Plastering				

	Unit	Quantity	Rate	Amount
<u>BILL NO. 11</u> <u>PLUMBING AND DRAINAGE</u>				
<p>For preambles see "Model Preambles for trades (2008 Edition)" and applicable Supplementary Preambles as specified in the Trades. The said Model and Supplementary Preambles apply to all work described in this document. Tenderers are therefore referred to these documents for the full meaning and intention of all descriptions and no claims of any kind whatsoever will be entertained in this regard.</p>				
<u>SUPPLEMENTARY PREAMBLES</u>				
<u>Stormwater Channels</u>				
<p>Descriptions of channels shall be deemed to include necessary excavation, surface preparation, compaction, etc., and disposal of surplus material on site</p>				
<u>Sealing of Edges</u>				
<p>Outer edges of sinks, basins, baths, urinals, etc. are to be sealed against adjacent surfaces with approved silicone</p>				
<u>uPVC Pipes and Fittings</u>				
<p>Sewer and drainage pipes and fittings shall be jointed and sealed with butyl rubber rings. Soil, waste and vent pipes and fittings shall be solvent weld jointed or sealed with butyl rubber rings.</p>				
<u>uPVC pressure pipes and fittings</u>				
<p>Pipes of 50mm diameter and smaller shall be plain ended with solvent welded uPVC loose sockets and fittings. Pipes of 63mm diameter and greater shall have sockets and spigots with push-in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast iron, all with similar push-in type joints</p>				
<u>High density polyethylene (HDPE) pipes and fittings</u>				
<p>Pipes shall be hard drawn and half-hard Maksal pipes of the class described. Class 0 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled half-hard), Class 2 (half-hard) and Class 3 (heavy walled half-hard) pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-siphon pipes, capillary solder fittings and compression fittings shall be Cobra Watertech type. Capillary solder fittings shall comply with ISO 2016</p>				
Carried to Collection			R	
Bill No. 11 Plumbing And Drainage				

	Unit	Quantity	Rate	Amount
<p><u>Reducing Fittings</u></p> <p>Where fittings have reducing ends or branches they are described as 'reducing' and only the largest end or branch size is given. Should the contractor wish to use other fittings and bushes or reducers he may do so on the understanding that no claim in this regard will be entertained</p> <p><u>Fixing of Pipes</u></p> <p>Unless specifically otherwise stated, descriptions of pipes shall be deemed to include fixing to walls, etc., casting in, building in or suspending not exceeding 1m below suspension level</p> <p><u>Disinfection of water pipework</u></p> <p>Water pipework is to be disinfected at completion in accordance with SABS 1200L (provision for disinfection elsewhere)</p> <p><u>Laying, backfilling, bedding, etc. of pipes</u></p> <p>Pipes shall be laid and bedded in accordance with manufacturers' instructions and trenches shall be carefully backfilled</p> <p>Where no manufacturers' instructions exist, pipes shall be laid in accordance with Clauses 5.1 and 5.2 of each of the following: SABS 1200L : Medium-pressure pipelines SABS 1200LD : Sewers SABS 1200LE : Stormwater drainage Pipe trenches, etc. shall be backfilled in accordance with Clauses 3, 5.5, 5.6, 5.7 and 7 of SABS 1200DB : Earthworks (Pipe trenches) Pipes shall be bedded in accordance with Clauses 3.1 to 3.4.1, 5.1 to 5.3 and 7 of SABS 1200LB : Bedding (Pipes) Unless otherwise described bedding of rigid pipes shall be Class B bedding</p> <p><u>General</u></p> <p>Descriptions of pipes laid in and including trenches and of inspection chambers, catchpits, etc. shall be deemed to include excavation, bedding, backfilling, compaction to a minimum of 95% Mod AASHTO density and disposal of surplus material on site</p> <p>Descriptions of service pipes and flexible connecting pipes shall be deemed to include connections to taps, cisterns, etc. and to steel pipes (adaptors for connections to copper pipes, etc. are given separately)</p> <p>Descriptions of WC pans, slop hoppers, etc. shall be deemed to include for joints to soil pipes (pan connectors are separately measured)</p>				
Carried to Collection			R	
Bill No. 11 Plumbing And Drainage				

		Unit	Quantity	Rate	Amount
<u>As-Built Drawings</u>					
Where required, the contractor shall prepare an updated set of as-built drawings. At completion of the contract the contractor shall hand these drawings to the principal agent for reproducing onto the originals for handing over to the employer (provision for allowance of as-built drawings elsewhere)					
<u>RAINWATER DISPOSAL</u>					
<u>Seamless aluminium prepainted gutters and rainwater pipes</u>					
1	150mm Half-round roof gutters	m	992		
2	110mm Diameter rainwater pipes	m	176		
3	Extra over gutter for stopped end	No	16		
4	Extra over gutter for angle	No	16		
5	Extra over gutter for outlet for 110mm pipe	No	16		
6	Extra over rainwater pipe for bend	No	16		
7	Extra over rainwater pipe for shoe	No	16		
8	Extra over rainwater pipe for swan-neck	No	16		
<u>SANITARY FITTINGS</u>					
<u>Ceramic Sanware or simillar approved</u>					
9	Ceramic christy basin with glavanized bracket 570mm, 400mm, 245mm, 2,2kg or simillar approved	No	15		
<u>Vaal</u>					
10	Klip 400010 WC pan with double flap heavy duty plastic seat including flush valve, pan connectors and all necessary fittings.	No	24		
<u>WASTE UNIONS ETC</u>					
11	32mm 303 CP basin waste union and 309CP anti-theft plug	No	15		
12	32mm 320 CP bath overflow union	No	2		
<u>BUDGETARY ALLOWANCES</u>					
13	Provide the sum of R 250 000,00 (Two Hundred and Fifty Thousand Rands) for Plumbing and Drainage Sundry Items	Item			
Carried to Collection				R	
Bill No. 11 Plumbing And Drainage					

BILL NO. 11
PLUMBING AND DRAINAGE
COLLECTION

Page No

Brought Forward from Page

33
34
35

Carried to Summary

R

	Unit	Quantity	Rate	Amount
<u>BILL NO. 12</u>				
<u>PAINTWORK</u>				
<u>PREPARATORY WORK TO EXISTING WORK</u>				
<u>Previously painted plastered surfaces</u>				
Surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied. Blistered or peeling paint shall be completely removed and cracks shall be opened, filled with a suitable filler and finished smooth				
<u>Previously painted metal surfaces</u>				
Surfaces shall be thoroughly rubbed and cleaned down. Blistered or peeling paint shall be completely removed down to bare metal				
<u>Previously painted wood surfaces</u>				
Surfaces shall be thoroughly cleaned down. Blistered or peeling paint shall be completely removed and cracks and crevices shall be primed, filled with suitable filler and finished smooth				
<u>ON INTERNAL FLOATED PLASTER SURFACES</u>				
<u>One coat alkali resistant primer and two coats PVA emulsion paint for interior use</u>				
1 Walls	m ²	4 953		
<u>ON EXTERNAL FLOATED PLASTER SURFACES</u>				
<u>One coat alkali resistant primer and two coats superior quality acrylic emulsion paint for interior and exterior use</u>				
2 Walls	m ²	354		
<u>ON INTERNAL GYPSUM PLASTER SURFACES</u>				
<u>One coat primer and two coats superior quality acrylic emulsion paint for interior and exterior use</u>				
3 Ceilings and beams	m ²	1 480		
<u>ON METAL SURFACES</u>				
<u>One coat alkyd based zinc phosphate primer and two coats premium quality polyurethane enamel paint, on steel</u>				
4 Door frames	m ²	12		
5 Windows	m ²	20		
Carried to Collection			R	
Bill No. 12 Paintwork				

		Unit	Quantity	Rate	Amount
<u>ON WOOD SURFACES</u>					
<u>One coat primer and two coats premium quality polyurethane enamel paint</u>					
6	Doors	m²	55		
Carried to Collection				R	
Bill No. 12 Paintwork					

BILL NO. 12
PAINTWORK
COLLECTION

Page No

Brought Forward from Page

37
38

Carried to Summary

R

		Unit	Quantity	Rate	Amount
<u>BILL NO. 13</u>					
<u>GLAZING</u>					
<u>GLAZING TO STEEL WITH PUTTY</u>					
<u>6,5mm Obscure laminated glass (safety glazing)</u>					
1	Panes exceeding 0,1m ² and not exceeding 0,5m ²	m ²	24		
<u>6mm Clear toughened safety glass</u>					
2	Panes not exceeding 0,1m ²	m ²	454		
Carried to Summary				R	
Bill No. 13 Glazing					

	Unit	Quantity	Rate	Amount
<u>BILL NO. 14</u>				
<u>EXTERNAL WORKS</u>				
<u>WATER TANK AND STANDS</u>				
For preambles see "Model Preambles for trades (2008 Edition)" and applicable Supplementary Preambles as specified in the Trades. The said Model and Supplementary Preambles apply to all work described in this document. Tenderers are therefore referred to these documents for the full meaning and intention of all descriptions and no claims of any kind whatsoever will be entertained in this regard.				
<u>Horizontal water storage tank with black internal lining with cover and lid, connected to eaves gutter harvesting system</u>				
1	5000 Litre horizontal water storage Jojo tank including and constructing the plinth 2790 x 3283mm with foundations, brickwork and necessary galvanised hoop iron straps for holding down complete.	No	10	
2	15mm Rough brass hose bib tap as 'Cobra Watertech' Ref. No. 108-15 or equal and approved including hose union, wall plate elbow, etc, with couplings for copper	No	10	
<u>CONCRETE STORMWATER CHANNELS</u>				
<u>Stormwater channels</u>				
3	100mm thick x 1000mm wide Channel with segmental channel formed therein and finished smooth on exposed surfaces including necessary excavation and formwork	m	85	
<u>BUDGETARY ALLOWANCES</u>				
4	Provide the sum of R 150 000,00 (One Hundred and Fifty Thousand Rands) for External works sundries	Item		
Carried to Summary			R	
Bill No. 14 External Works				

Amount

BILL NO. 15**PROVISIONAL SUMS**

For preambles see "Model Preambles for trades (2008 Edition)" and applicable Supplementary Preambles as specified in the Trades. The said Model and Supplementary Preambles apply to all work described in this document. Tenderers are therefore referred to these documents for the full meaning and intention of all descriptions and no claims of any kind whatsoever will be entertained in this regard.

SUPPLEMENTARY PREAMBLES**General**

Work for which budgetary allowances are provided will be measured and valued in accordance with the relevant JBCC building agreement March 2005 contract and deducted in whole or in part if not required without any compensation for loss of profit on the said allowances

Profit

Prime cost amounts and provisional sums are net. Prime cost amounts shall include for delivery to site of all articles concerned. Provisional sums are for material and equipment supplied and installed complete by firms of specialists

Where stated, the contractor may allow for profit if required

Builder's work

Builder's work in connection with specialist services is given elsewhere in these bills of quantities

BUDGETARY ALLOWANCES**Sundry building work**

- 1 Provide the sum of R 250 000,00 (Two Hundred and Fifty Thousand Rands) for alterations and demolitions

Item 250 000 00

PROVISIONAL SUMS**ELECTRICAL, ELECTRONIC AND MECHANICAL INSTALLATIONS**

- 2 Provide the sum of R 1 550 000,00 (One Million Five Hundred and Fifty Thousand Rands) for Electrical installation

Item 1 550 000 00

- 3 Profit

%

- 4 Attendance

%

COMMUNITY LIASON OFFICER (CLO)

- 5 Provide the sum of R 100 000.00 (One Hundred Thousand Rands) for the Community Liason Officer

Item 100 000 00

- 6 Profit

%

Carried to Collection

R

Bill No. 15

Provisional Sums

7 Attendance

%

Carried to Collection

R

Item No			Quantity	Rate	Amount R
	CPG Bill of Quantities:				
	Note to tenderers: As CPGs may not provide any bidder a competitive advantage. Provisional amounts and fixed percentages for profit and attendance have been provided. Only the provisional amount will be adjusted once the awarded tender amount and/or the beneficiaries have been appointed, and the final values have been ascertained.				
	MINIMUM TARGETED LOCAL BUILDING MATERIAL MANUFACTURERS				
	Provision is made for the Minimum Targeted Local Building Material Manufacturers CPG in the execution of this project as described in C3.1 Project Specifications. Allowance for monitoring and monthly reporting on material purchased from Local Building Material Manufacturers by main contractor and subcontractors based on determination by Employer taking into account specific project variables	PS	1	R26 149,46	R26 149,46
	Allowance for profit and attendance, all inclusive of associated costs to the contractor for implementation.	%			
	Allowance for attendance all inclusive of associated costs to the contractor for implementation.	%			
	MINIMUM TARGETED LOCAL BUILDING MATERIAL SUPPLIERS				
	Provision is made for the Minimum Targeted Local Building Material Suppliers CPG in the execution of this project as described in C3.1 Project Specifications. Allowance for monitoring and monthly reporting on material purchased from Local Building Material Suppliers by main contractor and subcontractors based on determination by Employer taking into account specific project variables	PS	1	R26 149,46	R26 149,46
	Allowance for profit and attendance, all inclusive of associated costs to the contractor for implementation.	%			
	Allowance for attendance all inclusive of associated costs to the contractor for implementation	%			
				R	
	Carried Forward to Summary of Section No.				
	Bill No. 15 Provisional Sums				

Item No			Quantity	Rate	Amount R
	MINIMUM TARGETED ENTERPRISE DEVELOPMENT				
	A provisional amount has been allowed for in the execution of this project as described in C3.1 Project Specifications. The provisional amount allowed is for the appointment of training coordinator, mentor, training service providers and training of the beneficiary enterprises including monitoring and monthly reporting.	PS	1	R261 404,61	R261 404,61
	Allowance for profit all inclusive of associated costs to the contractor for implementation.	%			
	Allowance for attendance all inclusive of associated costs to the contractor for implementation.	%			
	LABOUR INTENSIVE PARTICIPATION GOAL				
	Labour Intensive Participation Goal - Allowance for monthly reporting of labour intensive works by main contractor based on determination by Employer taking into account specific project variables. Allowance for monitoring and monthly reporting on Works executed by means of Labour Intensive methods by main contractor and subcontractors based on determination by Employer taking into account specific project variables	PS	1	R72 000,00	R72 000,00
	Allowance for profit all inclusive of associated costs to the contractor for implementation.	%			
	Allowance for attendance all inclusive of associated costs to the contractor for implementation.	%			
	Carried to Collection			R	
	SECTION NO.3 – ASBESTOS REPLACEMENT				
	Bill No. 15				
	Provisional Sums				

<p>MINIMUM 30% SUB-CONTRACTING</p> <p>Provision is made for 30% subcontracting to SMMEs in the execution of this project as described in C3.1 Project Specifications . This is the contractors allowance for the P&G's for the 30% sub-contractors (SMME's).The Employer will define the actual P&G items applicable to the SMME's after tender award</p> <p>Allowance for profit and attendance, all inclusive of associated costs to the contractor for implementation.</p> <p>Allowance for attendance all inclusive of associated costs to the contractor for implementation.</p> <p>Carried Forward to Summary of Section No.</p> <p>Bill No. 15 Provisional Sums</p>	<p>PS</p> <p>%</p> <p>%</p>	<p>1</p>	<p>R270 646,91</p>	<p>R270 646,91</p>
--	-----------------------------	----------	--------------------	--------------------

BILL NO. 15
PROVISIONAL SUMS
COLLECTION

Page No

Brought Forward from Page

42-46

Carried to Summary

R

		Amount	
Bill No.	<u>SUMMARY</u>	Page	
1	PRELIMINARIES	8	
2	ALTERATIONS	12	
3	MASONRY	15	
4	ROOF COVERINGS	18	
5	CARPENTRY AND JOINERY	22	
6	CEILINGS PARTITIONS AND ACCESS FLOORING	23	
7	FLOOR COVERINGS	24	
8	IRONMONGERY	27	
9	METALWORK	31	
10	PLASTERING	32	
11	PLUMBING AND DRAINAGE	36	
12	PAINTWORK	39	
13	GLAZING	40	
14	EXTERNAL WORKS	41	
15	PROVISIONAL SUMS	47	
	ADD: CONTINGENCIES		
	Allow 5% for contingencies, to be used by the Principal Agent in terms of Clause 17 of the Principal Building Agreement.		
	Carried to Next	R	
	SUMMARY		

		Amount
Brought from Previous	R	
SubTotal excluding Value Added Tax		
ADD VAT @ 15%:		
Carried to Tender	R	
SUMMARY		