



## **TABLE OF CONTENTS**

<b>RETURNABLE DOCUMENTS</b>	
<b>Doc. Number</b>	<b>Document</b>
C1	ADVERT
ANNEXURE 7	INSTRUCTION TO BIDDERS: PURCHASES
SBD 1	INVITATION TO TENDER
SBD 6.1	PREFERENCE POINTS CLAIM FORM I.T.O PPR, 2017:
SBD 4	DECLARATION OF INTEREST
SBD 3.1	PRICING SCHEDULE – FIRM PRICES (PURCHASES)
	GENERAL CONDITIONS OF CONTRACT

<b>DOCUMENTS THAT RELATE TO THE CONTRACT</b>	
<b>Doc. Number</b>	<b>Document</b>
	TECHNICAL SPECIFICATION AND BOQ-TO BE COMPLETED IN FULL
	EVALUATION CRITERIA

## PART A INVITATION TO BID

### YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE DEPARTMENT OF WATER AND SANITATION BERGVILLE OFFICE

BID NUMBER:	WTE 1027 ES	CLOSING DATE:	24 October 2023	CLOSING TIME:	11H00
DESCRIPTION	SUPPLY AND DELIVERY ELECTRICAL SPARES AND ACCESSORIES AT TUGELA VAAL AREA OFFICE				

### RESPONSE DOCUMENTS ARE TO BE DEPOSITED INTO A TENDER BOX SITUATED AT:

Department of Water and Sanitation - Bergville  
No1 Kiepersol Avenue  
Jagersrust  
3354

#### BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO

CONTACT PERSON	Ms S.O Magubane
TELEPHONE NUMBER	036 438 8307 / 083 648 0422
FACSIMILE NUMBER	n/a
E-MAIL ADDRESS	<a href="mailto:magubanes@dws.gov.za">magubanes@dws.gov.za</a>

#### TECHNICAL ENQUIRIES MAY BE DIRECTED TO:

CONTACT PERSON	Mr VM Mabizela
TELEPHONE NUMBER	083 254 9093
FACSIMILE NUMBER	n/a
E-MAIL ADDRESS	<a href="mailto:Mabizelav@dws.gov.za">Mabizelav@dws.gov.za</a>

#### SUPPLIER INFORMATION

NAME OF BIDDER					
POSTAL ADDRESS					
STREET ADDRESS					
TELEPHONE NUMBER	CODE		NUMBER		
CELLPHONE NUMBER					
FACSIMILE NUMBER	CODE		NUMBER		
E-MAIL ADDRESS					
VAT REGISTRATION NUMBER					
SUPPLIER COMPLIANCE STATUS	TAX COMPLIANCE SYSTEM PIN:		OR	CENTRAL SUPPLIER DATABASE No:	MAAA
B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE	TICK APPLICABLE BOX]  <input type="checkbox"/> Yes <input type="checkbox"/> No		B-BBEE STATUS LEVEL SWORN AFFIDAVIT		[TICK APPLICABLE BOX]  <input type="checkbox"/> Yes <input type="checkbox"/> No

### [A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/ SWORN AFFIDAVIT (FOR EMES & QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]

ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES ENCLOSE PROOF]	ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES, ANSWER PART B:3 ]
---	--	--	--

#### QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS

IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
DOES THE ENTITY HAVE A BRANCH IN THE RSA?	<input type="checkbox"/> YES <input type="checkbox"/> NO
DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA?	<input type="checkbox"/> YES <input type="checkbox"/> NO
DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?	<input type="checkbox"/> YES <input type="checkbox"/> NO
IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?	<input type="checkbox"/> YES <input type="checkbox"/> NO
IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW.	

## PART B TERMS AND CONDITIONS FOR BIDDING

<b>1. BID SUBMISSION:</b>	
1.1.	BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
1.2.	ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED-(NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
1.3.	THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
1.4.	THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).
<b>2. TAX COMPLIANCE REQUIREMENTS</b>	
2.1	BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
2.2	BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
2.3	APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
2.4	BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
2.5	IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
2.6	WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
2.7	NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

**NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.**

SIGNATURE OF BIDDER:

.....

CAPACITY UNDER WHICH THIS BID IS SIGNED:

.....

(Proof of authority must be submitted e.g. company resolution)

DATE:

.....



**DEPARTMENT OF WATER AND SANITATION  
REPUBLIC OF SOUTH AFRICA**

DUE AT 11:00 ON

**(24 OCTOBER 2023)**

**BID WTE 1027 ES**

**SUPPLY AND DELIVERY OF ELECTRICAL SPARES AND ACCESSORIES AT  
TUGELA VAAL AREA OFFICE**

**SUBMIT BID DOCUMENTS TO:**

THE BID BOX AT THE SAFETY AND SECURITY OFFICE:

N01 Kiepersol Avenue  
Jagersrust Bergville 3354

BIDDER: (Company address and stamp)

COMPILED BY: (WRIOM Eastern Operations -Tugela Vaal)

**DEPARTMENT OF WATER AND SANITATION**

**BID WTE 1027 ES**

**SUPPLY AND DELIVERY OF ELECTRICAL SPARES AND ACCESSORIES AT TUGELA VAAL AREA  
OFFICE**

**CONTENTS**

SECTION 1: LEGALITIES

SECTION 2: SPECIFICATIONS

SECTION 3: PRICING SCHEDULE

# **DEPARTMENT OF WATER AND SANITATION**

## **BID WTE 1027 ES**

### **SUPPLY AND DELIVERY OF ELECTRICAL SPARES AND ACCESSORIES AT TUGELA VAAL AREA OFFICE**

#### **SECTION 1: LEGALITIES**

##### **CONTENTS**

1. Instructions to Bidders
2. Bidders Disclosure (SBD 4)
3. Instructions to Bidders: Purchases (ANNEXURE 7)

# **DEPARTMENT OF WATER AND SANITATION**

## **BID WTE 1027 ES**

### **SUPPLY AND DELIVERY OF ELECTRICAL SPARES AND ACCESSORIES AT TUGELA VAAL AREA OFFICE**

#### **1. INSTRUCTIONS TO BIDDERS**

#### **CONTENTS**

1. Issuing of documents
2. Queries with respect to this bid
3. Completion of Bids
4. Submission of Bids
5. Signature on Bids
6. General Conditions of Contract
7. Form SBD 1
8. Preference Points
9. Bids to comply with documents
10. Telegraphic bids
11. The Department's right to decline any bid
12. Department is not liable for bidder's expenses
13. Payments made under this contract
14. Rejection of bids
15. Results of bids

## INSTRUCTIONS TO BIDDERS

### 1. ISSUING OF DOCUMENTS

- (a) A complete sets of bid documents are issued to a prospective Bidder.
- (b) Bidders must satisfy themselves that the document is complete and conform to the index of this document. Should any figures or writing be indistinct or should any pages be missing from this document or should this document or the drawing(s) contain any obvious errors, the Bidders must immediately notify the Department in order to have any discrepancy rectified or clarified before submitting his bid. Such clarification will be valid only if made by the Department by means of formal amendment as described hereunder prior to the date of submission of bids. The Department may issue amendments to clarify or modify the Bid Documents. A copy of each amendment will be issued to each bidder and shall be acknowledged on the form issued with the amendments. No claim whatsoever will be entertained for faults in the bid price resulting from the above-mentioned discrepancies.
- (c) No alterations, omissions or additions shall be made to this document, but should it be deemed necessary to do so, the Bidder is at liberty to qualify his bid.
- (d) All Bidders shall be deemed to have waived, renounced and abandoned any conditions printed or written upon any stationery used by them for the purpose of or in connection with the submission of bids which are in conflict with the conditions laid down in this document.
- (e) Each page of the completed document that will be submitted should be initialled by the Bidder at the bottom of the page.

### 2. QUERIES WITH RESPECT TO THIS BID

Queries of a specific technical nature may be discussed personally or telephonically with **Ms SO Magubane on 083 648 0422** or may be directed in writing to: The Area Manager : WRIOM: Eastern Operations DEPARTMENT OF WATER AND SANITATION, Private Bag x 1652 , Bergville 3354

### 3. COMPLETION OF BIDS

- (a) The bid must be signed on the Invitation to Bid form (SBD 1) annexed hereto with all blanks in the bid and the appendix filled in.
- (b) All spaces in the bid forms and other annexures shall be completed in full.
- (c) **SBD 3.1 in the bid document and the Pricing Schedule must be fully completed and priced out by the bidder. Failure to do so will deem your bid invalid.**
- (d) The bid documents shall not be separated in any way nor must any pages be detached from the original documents.

### 4. SUBMISSION OF BIDS

The Bid Document shall be completed, signed and submitted as follows:

- (a) The original Bid, together with a covering letter and supporting documents, shall be sealed in an envelope endorsed:

**ORIGINAL BID WTE 1027 ES**

## **SUPPLY AND DELIVERY OF ELECTRICAL SPARES AND ACCESSORIES AT TUGELA VAAL AREA OFFICE**

- (b) Bids sealed and endorsed as above must be deposited in the bid box at the entrance of Safety and security Building No1 kiepersol avenue, Jagersrust, Bergville 3354 and not later than 11:00 on the date stipulated on the front cover of this document.



## 5. SIGNATURE ON BIDS

The Bid, if by an individual, must be signed by that individual or by someone on his behalf duly authorised thereto and proof of such authority must be produced. If the bid is by a Company it must be signed by a person duly authorised thereto by a Resolution of a Board of Directors a copy of which Resolution, duly certified by the Chairman of the Company is to be submitted with the bid.

The successful bidder will be required to submit a "Letter from the manufacturer" confirming the supply arrangement within 14 days after the approval of the bid.

If the bid is submitted by joint venture of more than one person and/or Companies and/or firms it shall be accompanied by the following:

- (a) The original or a notarial certified copy of the original document under which such joint venture was constituted which must define precisely inter alia the conditions under which the joint venture will function, its period of duration and the participation of the several constituent persons and/or companies and/or firms.
- (b) A certificate signed by or on behalf of each participating person and/or company and/or firm authorising the person who signed the bid to do so.

## 6. GENERAL CONDITIONS OF CONTRACT

The General Conditions of Contract, as attached shall be regarded as an integral part of the contract documents.

## 7. FORM SBD 1

The copy of Form SBD 1 (Invitation to Bid), annexed to these documents, must be completed and signed by the Bidder. **Failure to do so will deem your bid invalid.**

## 8. PREFERENCE POINT SYSTEM

Bidder desirous of claiming preference must fully complete and sign the Preference Certificate, Form SBD 6.1 or **no preference will be allowed**. A copy of your company registration forms must be submitted with the bid document.

### NOTICE TO ALL POTENTIAL BIDDERS

**PLEASE NOTE THAT PREFERENCE POINTS CLAIMED IN THE STANDARD BIDDING DOCUMENT PROVIDED WILL BE AUDITED BY AN INDEPENDENT PROFESSIONAL SERVICE PROVIDER. SUPPLIERS THAT PROVIDE INCORRECT OR FALSE INFORMATION REGARDING THE OWNERSHIP OF THEIR COMPANY, RUNS THE RISK OF BEING PROSECUTED WITH THE POSSIBLE RESTRICTION FROM PARTICIPATING IN CONTRACT WITH ANY DEPARTMENT IN THE SPHERE OF GOVERNMENT. PARTICULAR ATTENTION SHOULD BE GIVEN TO THE CONTENT OF SBD 6.1, PARAGRAPH 8.10.**

## 9. BIDDERS TO COMPLY WITH DOCUMENTS

Where applicable, Bidders must allow in their Bids for all labour, material, machinery and everything necessary for the execution and completion of the Contract in accordance with the bid documents. No alterations may be made in the Invitation to Bid, Schedule of Quantities or other documents and the bid will be deemed to comply entirely with the terms of the documents.

## 10. TELEGRAPHIC BIDS

No bid forwarded by telegram, telex, facsimile, e-mail or similar apparatus will be considered.

## 11. THE DEPARTMENTS RIGHT TO DECLINE ANY BID

The Department does not bind itself to accept the lowest or any bid.

## 12. DEPARTMENT NOT LIABLE FOR BIDDER'S EXPENSES

The Department will not be held liable for any expenses incurred in preparing and submitting bids.

### 13. PAYMENTS UNDER THE CONTRACT

All payments due to the Bidder in terms of the contract will be done by means of Electronic Fund Transfer.

The evaluation committee will be following a phased approach during evaluation

#### **Phase 1**

##### **Administrative Compliance**

Bidders are required to complete and submit the following documents which should form part of the bid submitted by closing date.

- a) Tax Compliant with SARS. To be verified through Central Supplier Database on the day of evaluation. Bidders must attach proof of Tax Compliant from SARS
- b) Completion, signing and submission of standard bidding document (SBD 1, SBD 4 & SBD 6.1)
- c) Submit Active registration with CIPC/ CIPRO.
- d) **Resolution/Authorization or Proxy letter to prove that the representative or signatory of the service provider/Institution is duly authorized to sign on behalf of the service provider/institution and must attach a certified ID copy of the person assigned.**
- e) Indicate with an X comply or not comply with the required specifications)

COMPLY

NOT COMPLY

#### **Phase 2 -MANDATORY COMPLIANCE-** Omission to comply the bidder will be disqualification)

- a) Completion of pricing schedule ( SBD 3.1)

Bids must be in response to the attached specification

#### **Phase 3**

Evaluation of price and preference points claimed as set out in SBD 6.1

Evaluation on special goals set as follows

- a) Women = 5 points
- b) Disability = 5 points
- c) Youth = 5 points
- d) Location of enterprise (local equals province) = 2 points
- e) B – BBEE status level contribution from level 1 – 2 which are QSE and EME = 3 Points

Bidders should note that, points may be claimed for B-BBEE in terms of the preferential procurement Regulation, 2017. Such claim should be accompanied by either an **Original SANAS** accredited certificate or a **certified copy** of such a certificate to qualify for the points, affidavit will be accepted.

#### **14. REJECTION OF BID**

Bids not complying with the above-mentioned requirements and specifications may be regarded as incomplete and may not be considered.

**“The Department reserves the right not to award more than one or two contracts to a company or companies owned by same person(s) as director(s) or managing director(s)”**

#### **15. RESULTS OF BIDS**

Results of non-acceptance of bids will be sent to individual unsuccessful bidders and particulars of accepted bids are published weekly in the Government Tender Bulletin.

#### **16. EVALUATION CRITERIA**

Bids will be evaluated in accordance with the new preferential procurement regulation , 2022 , using 80/20 preference point system as prescribed in the PPPFA Act of 2000. The lowest acceptable bid will score special goals as follows: Women = 5 points, Disability = 5 points, Youth = 5 points, Location of enterprise (local equals province) = 2 points, B – BBEE status level contribution from level 1 – 2 which are QSE and EME = 3 Points

Bids will be evaluated on three phases : namely : Administrative compliance , Technical compliance and Preference points claimed

## **DEPARTMENT OF WATER AND SANITATION**

### **BID WTE 1027 ES**

### **SUPPLY AND DELIVERY OF ELECTRICAL SPARES AND ACCESSORIES AT TUGELA VAAL AREA OFFICE**



#### **SECTION 2:            SPECIFICATIONS**



#### **CONTENTS**





##### **1.        SPECIFICATION**


## SPECIFICATIONS








(Clearly indicate with a YES or a NO in the below columns)

LINE	UNITY OF MEASURE	DESCRIPTION	QUANTITY	COMPLIANT	NON COMPLIANT
1	Each	Fuse-link, medium voltage, 100A / 12kV AC / 63kA / 50Hz / back-out / outdoor / striker pin 80N (medium) / IEC 60282-1 / VDE 0670-4 and 402 (Similar 3001213.100 SIBA)	09 		
2	Each	Multi-LED Signal lamps, red colour, 100 per box	01		
3	Each	Multi-LED Signal lamps, yellow colour, 100 per box	01		
4	Each	Multi-LED Signal lamps, blue colour, 100 per box	01		
5	Each	Multi-LED Signal lamps, green colour, 100 per box	01		
6	Each	Multi-LED Signal lamps, amber colour,	01		
7	Each	<b>Thermal-magnetic motor circuit breaker TeSys GV2ME, with pushbutton control, standard power ratings of 3-phase motors 400V / 50 Hz, in category AC-3, connection by screw clamp terminals (Schneider Electric)</b>	05 		
8	Each	GV2ME10, 2,2kW power rating 3-phase 400V / 50Hz, setting range of thermal trips. 4...6 A	10		










9	Each	GV2ME14, 4kW power rating 3- phase 400V / 50Hz, setting range of thermal trips. 6...10 A	10		
10	Each	GV2ME20, 7,5kW power rating 3- phase 400V / 50Hz, setting range of thermal trips. 13...18 A	10		
11	Each	GV2ME22, 11kW power rating 3- phase 400V / 50Hz, setting range of thermal trips. 20...25 A	10		
12	Each	<b>3- pole TeSys D contactors for motor control at 400V, in category AC-3, connection by screw clamp terminals and lugs, control voltage 230V AC / 50Hz (Schneider Electric)</b>	05 		
13	Each	LC1D09P5 TeSys D contactor, 4kW power rating 3-phase 50Hz, up to 9A rated operational current in AC-3 / 440V	10		
14	Each	LC1D18P5 TeSys D contactor, 7,5kW power rating 3-phase 50Hz, up to 18A rated operational current in AC-3 / 440V	10		
15	Each	LC1D32P5 TeSys D contactor, 15kW power rating 3-phase 50Hz, up to 32A rated operational current in AC-3 / 440V	10		
16	Each	LAD-N11 instantaneous auxiliary contact blocks for TeSys D contactor, front mounted, 2 contacts 1 N/O & 1 N/C (Schneider Electric)	10 		







17	Each	<b>3-pole thermal overload relay for motors, class 10 A, use with TeSys D contactors, connection by screw clamp terminals and lugs (Schneider Electric)</b>	05			
18	Each	LRD10 TeSys thermal overload relay, setting range 4...6 A	05			
19	Each	LRD12 TeSys thermal overload relay, setting range 5,5...8 A	05			
20	Each	LRD14 TeSys thermal overload relay, setting range 7...10 A	05			
21	Each	LRD21 TeSys thermal overload relay, setting range 12...18 A	05			
22	Each	LRD22 TeSys thermal overload relay, setting range 16...24 A	05			
23	Each	60.13.8.230.0040 Finder general purpose relays, 3 pole changeover contacts, 10 A, 11 pin plug-in, 90 series socket, control voltage 230V AC / 50Hz	10			
24	Each	90.21 socket for 60.13 Finder general purpose relays, 11 pin plug-in, screw terminal (box clamp) socket, panel or 35 mm rail mount	10			
25	Each	72.11.8.230.0000 Finder level control relays for conductive liquids, 16A, 1 CO (SPDT) contact configuration, reinforced insulation, screw	10			








		terminal, 35 mm rail mount, control voltage 230V AC / 50Hz			
26	Each	72.42.8.230.0000 Finder relay for alternating loads, for applications with pumps, 12A, 2 NO (2 DPST-NO) contact configuration, 35 mm rail mount, control voltage 230V AC / 50Hz	10		
27	Each	QF17C63 CBi Earth leakage 1 + N 63A / 240V AC / 6kA / 30mA, dual mount	80		
28	Each	CBi Escutcheon blank 26mm module To closeup a 26 mm wide space in a mini rail panel board	100		
29	Each	Industrial welding switch socket and plug Ampco 63A / 3 + earth / 500V AC, metal clad, wall mounted, outdoor use	10		
30	Each	Industrial welding switch socket and plug Waco 40A / 3 + earth / 500V AC, metal clad, wall mounted, outdoor use	10		
31	Each	6881/001P Crabtree Classic double Monoblock switched 164-1 sockets on yoke 100 x 100 mm, flush, white, 16A / 250V AC, 5 pack complete with cover	25		
32	Each	6859P Crabtree Classic combination switched socket (1x164-1, 1x164-2) on yoke 100 x 100 mm, flush, white, 16A / 250V AC, 5 pack complete with cover	25		





33	Each	Multi-plugs 8 way: 4x16A + 3x5A + 1x5A Schuko, with overload and surge protection, white	25			
34	Each	Ballast EC 40 A50 / 230V AC / 50Hz / lamp current 0,43A	25			
35	Each	Ballast kit for mercury vapor lamps 1000W / 230V AC / 50Hz / lamp current 7,50A / with capacitor, ignitor, and accessories	30			
36	Each	Ballast kit for mercury vapor lamps 400W / 230V AC / 50Hz / lamp current 3,25A / with capacitor, ignitor and accessories	05			
37	Each	<b>Day - night switch, with wall-mounting bracket and cable gland incomer</b>	30			
38	Each	Day - night switch 10A / 220V AC / 50Hz	50			
39	Each	Day - night switch 20A / 220V AC / 50Hz	50			
40	Each	<b>Floodlights portable telescopic LED 2x20W, aluminium body with tempered glass lens, adjustable steel tripod, switch, and cable with plug, 230V AC / IP65</b>	02			
41	Each	Bulkhead round white, UV stabilized flame-retardant polycarbonate body and lens, lamps base 2xE27 / 2x60W / 230V AC / IP55	20			





















42	Each	Bulkhead round white, UV stabilized flame-retardant polycarbonate body and lens, lamp base 1xE27 / 1x60W / 230V AC / IP55	30			
43	Each	Bulkhead round white, UV stabilized flame-retardant polycarbonate body and lens, compact fluorescent lamp 2D 2-pin 1x16W and ballast included / 230V AC / 50Hz / IP55	15			
44	Each	Compact fluorescent lamp Osram Dulux L 18 W/840, cool white, 4-pin 2G11 base, 10 per box	10			
45	Each	Compact fluorescent lamp Osram Dulux D/E 18 W/840, cool white, 2 tubes, 4-pin base, 10 per box	25			
46	Each	Compact fluorescent lamp Osram Dulux S 9 W/840, cool white, 2-pin base, 10 per box	50			
47	Each	<b>Compact fluorescent lamp 3U cool white E27 11W / 230V AC / 50Hz, 10 per box</b>	50			
48	Each	Compact fluorescent lamp 3U cool white B22 11W / 230V AC / 50Hz, 10 per box	50			
49	Each	Opal globe LED cool white E27 6W / 230V AC / 50Hz, 10 per box	50			
50	Each	Opal globe LED cool white B22 6W / 230V AC / 50Hz, 10 per box	25			
51	Each	Fluorescent lamp 22W, T6 circle, cool	10			










		white, (similar EUROLUX bulb G531), 4-pin base, 10 per box			
52	Each	Fluorescent starter 4-80W / 240V AC / 50/Hz	100		
53	Each	Porcelain lamp holder unit 4A /240V, standard Edison screw type fitting	25		
54	Each	Oven lamp round E27 40W / 230V / 300°C / 1000h	25		
55	Each	Oven lamp round E14 15W / 230V / 300°C / 1000h	25		
56	Each	Electrical stove plate solid red dot big, 2 pcs per box	50		
57	Each	Electrical stove plate solid red dot small, 2 pcs per box	50		
58	Each	Electrical stove grill element 621 size Defy, 230V AC / 50Hz	50		
59	Each	Electrical stove bake element 621 size Defy, 230V AC / 50Hz	50		
60	Each	Electrical stove bake element 521 size Defy, 230V AC / 50Hz	50		
61	Each	Electrical Stove grill element 521 size Defy, 230V AC / 50Hz	50		
62	Each	Geyser element spiral 3kW / 230Vac	40		
63	Each	Thermostat geyser clip-in KUT02 20A	50		
64	Each	Denso tape, 10 m roll width 50 mm	20		









		For corrosion protection, sealing and waterproofing			
65	Each	Densoseal 16A Mastic sealing compound. For sealing cable entries and ducts, 8 x 1 kg blocks per carton	10 		
66	Each	Double-sided mounting tape, 18mmx11m	02 		
67	Each	Scotch 23 rubber splicing tape, self-fusing EPR (Ethylene Propylene Rubber) based, for insulating, splicing, and padding low- to high-voltage cables	20 		
68	Each	Scotch super 33+ vinyl electrical tape, professional grade, black, primary electrical insulation for all wire and cable splices rated up to 600 volts and up to 105°C	30 		
69	Box	<b>3M Cold shrink connector insulators, 8420 Series, insulating tube made of EPDM rubber</b>	5 		
70	Each	Cold shrink connector insulators 10-18mm	30		
71	Each	Cold shrink connector insulators 13-25mm	30		
72	Each	Cold shrink connector insulators 18-33mm	30		
73	Each	Cold shrink connector insulators 24-48mm	30		
74	Box	<b>Heat tubing shrinks dispenser box</b>	05 		
75	Each	Heat shrink tube black 10mm	05		

76	Each	Heat shrink tube black 16mm	05		
77	Each	Heat shrink tube black 20mm	05		
78	Each	Non-shrinkable PVC tubing / black / 100m	01		
79	Each	Non-shrinkable PVC tubing 4mm inside diameter	01		
80	Each	Non-shrinkable PVC tubing 4mm inside diameter	01		
81	Each	Non-shrinkable PVC tubing 6mm inside diameter	01		
82	Each	Non-shrinkable PVC tubing 10mm inside diameter	01		
83	Each	Heat shrink PVC tubing 2:1 / black / 100m	01		
84	Each	Heat shrink PVC tubing 6,4-3,2mm	01		
85	Each	heat shrink PVC tubing 9,5-4,8mm	01		
86	Each	heat shrink PVC tubing 19-9,5mm	01		
		<b>Lugs for copper conductor / cable, with inspection hole</b>			
87	Each	Copper lug 1,5mm <sup>2</sup>	100		
	Each	Copper lug 2,5mm <sup>2</sup>	100		
88	Each	Copper lug 4mm <sup>2</sup>	100		
89	Each	Copper lug 6mm <sup>2</sup>	100		
90	Each	Copper lug 10mm <sup>2</sup>	100		
91	Each	Copper lug 16mm <sup>2</sup>	100		
92	Each	Copper lug 25mm <sup>2</sup>	100		
		<b>Ferrules for copper conductor / cable</b>			
93	Each	Copper ferrules 1,5mm <sup>2</sup>	100		
94	Each	Copper ferrules 2,5mm <sup>2</sup>	100		
95	Each	Copper ferrules 4mm <sup>2</sup>	100		
96	Each	Copper ferrules 6mm <sup>2</sup>	100		
97	Each	Copper ferrules 10mm <sup>2</sup>	100		
98	Each	Copper ferrules 16mm <sup>2</sup>	100		









99	Each	Copper ferrules 25mm <sup>2</sup>	100		
		<b>Insulated crimp butt splice connector for copper conductor / cable, 600V</b>			
100	Each	Red, 0,5 - 1,5mm <sup>2</sup>	100		
101	Each	Blue, 1,5 - 2,5mm <sup>2</sup>	100		
102	Each	Yellow, 2,5 - 6mm <sup>2</sup>	100		
		<b>Insulated crimp female spade connector for copper conductor / cable, 600V</b>			
103	Each	Red, 0,5 - 1,5mm <sup>2</sup> , 6,35 x 0,8mm tab size	100		
104	Each	Blue, 1,5 - 2,5mm <sup>2</sup> , 6,35 x 0,8mm tab size	100		
105	Each	Yellow, 2,5 - 6mm <sup>2</sup> , 6,35 x 0,8mm tab size	100		
		<b>Insulated crimp blade terminal for copper conductor / cable, 600V</b>			
106	Each	Red, 0,5 - 1,5mm <sup>2</sup> 11mm blade length, 3mm blade width	100		
107	Each	Blue, 1,5 - 2,5mm <sup>2</sup> 13mm blade length, 2,4mm blade width	100		
108	Each	Yellow, 2,5 - 6mm <sup>2</sup> 14mm blade length, 4,5mm blade width	100		
		<b>Insulated crimp female and male bullet connector for copper conductor / cable, 600V</b>			
109	Each	Red, 0,5 - 1,5mm <sup>2</sup>	100		
110	Each	Blue, 1,5 - 2,5mm <sup>2</sup>	100		

					
111	Each	Yellow, 1,5 - 2,5mm <sup>2</sup>	100		
		<b>PVC strip connector 12-way black 240V</b>			
112	Each	PVC strip connector 5A	100		
113	Each	PVC strip connector 10A	100		
114	Each	PVC strip connector 15A	100		
115	Each	PVC strip connector 30A	100		
116	Each	Wire connector midget screw-its, porcelain (CO6MID)	50		
117	Each	3M Performance Plus Wire Connectors T/Y+ 0,5-2,5mm <sup>2</sup> ridged and flexible copper conductors / 600V, 100 per box	10		
118	Each	3M Performance Plus Wire Connectors B/G+ 2,5-10mm <sup>2</sup> ridged and flexible copper conductors / 600V, 100 per box	10		
		<b>Plastic cable gland, IP 68, black</b>			
119	Each	Plastic cable gland M20x1,5 / 6-12mm	30		
120	Each	Plastic cable gland M25x1,5 / 13-18mm	30		
121	Each	Plastic cable gland M32x1,5 / 18-25mm	20		
		<b>Cable ties for outdoor use, UV and weather resistance, black</b>			
122	Each	Cable ties 2,5x100mm, 100 per pack	10		
123	Each	Cable ties 4,6x200mm, 100 per pack	10		
124	Each	Cable ties 4,6x300mm, 100 per pack	10		












125	Each	Cable ties 7,6x390mm, 100 per pack	10		
		<b>PVC electrical cable clips round</b>			
126	Each	PVC electrical cable clips round 6mm, 100 per box	05		
127	Each	PVC electrical cable clips round 8mm, 100 per box	05		
128	Each	PVC electrical cable clips round 10mm, 100 per box	05		
129	Each	Electrical saddles 20mm, galvanized steel	100 		
130	Each	Electrical saddles 25mm, galvanized steel	100 		
131	Each	Electrical hospital saddles 20mm, galvanized steel / aluminium	100 		
132	Each	Electrical hospital saddles 25mm, galvanized steel / aluminium	100 		
133	Each	Fixing nylon plug 6x30mm, with double thread screw wide head and double recess (PZ+slotted) special design for nylon plugs, 100 per box	10 		
134	Each	Fixing nylon plug 8x40mm, with double thread screw wide head and double recess (PZ+slotted) special design for nylon plugs, 100 per box	10 		
135	Each	Fixing nylon anchor 10x50mm, with hex- head wood screw design for nylon plugs, 100 per box	10 		
		<b>Slotted cheese head machine screws DIN 84, stainless steel, grade 18/8 - (A2) 304</b>			
136	Each	Screw M4x20, 200 per box	4		

137	Each	Screw M5x16, 200 per box	4		
138	Each	Screw M5x25, 200 per box	4		
139	Each	Screw M6x16, 200 per box	4		
140	Each	Screw M6x25, 200 per box	4		
		<b>Flat washers, stainless steel, grade 18/8 - (A2) 304</b>			
141	Each	M4, 1000 per box	01		
142	Each	M5, 1000 per box	01		
143	Each	M6, 1000 per box	01		
144	Each	Electrical extension box 4x4, pressed steel body, powder coated white, surface mounted	25 		
145	Each	Electrical extension box 4x2, pressed steel body, powder coated white, surface mounted	25 		
146	Each	Stainless steel 304 strapping – assorted, 19mm width, 30m roll	02 		
147	Each	Electrical extension box 4x4, pressed steel body, powder coated white, surface mounted	25 		
148	Each	Electrical extension box 4x2, pressed steel body, powder coated white, surface mounted	25 		
149	Each	Buckle stainless steel 304, 12mm, 100/box	01 		
150	Each	3M Wire Pulling Lubricant, 0,95 L For pulling power, control, instrumentation, and communication cables	10 		
151	Each	WD-40 Multi-Use Product, industrial size For protects metal from rust and	10		









		corrosion, penetrates stuck parts, displaces moisture and lubricate				
152	Each	TZe-S641 pro-tape for P-touch E300VP, 18 mm black on yellow tape, 8 m Strong adhesive laminated for texture and smooth surface	10			
153	Each	TZe-S221 pro-tape for P-touch E300VP, 9 mm black on white tape, 8 m Strong adhesive laminated for texture and smooth surface	10			
154	Each	TZe-FX221 pro-tape for P-touch E300VP, 9 mm black on white tape, 8 m Flexible-ID laminated for wire and cable identification	10			
155	Each	Stanley tool storage tool bag - 305mm	01			
156	Each	J2000-9NE Klein Lineman's Pliers, 9-Inch, dual-material Journeyman handles, cuts ACSR, screws, nails and most hardened wire	01			
157	Each	J2000-48 Klein Diagonal Cutting Pliers, Heavy-Duty, Angled Head, 8-Inch, dual-material Journeyman handles, cuts ACSR, screws, nails and most hardened wire	01			
158	Each	J207-8CR Klein Pliers, All-Purpose Needle Nose Pliers with Crimper, 8,5-Inch, dual-material Journeyman handles	01			

159	Each	607-3-INS Klein Insulated Screwdriver, 3/32-Inch Cabinet, 3-Inch, 1000V	01			
160	Each	601-7-INS Klein Insulated Screwdriver, 3/16-Inch Cabinet, 7-Inch, 1000V	01			
161	Each	605-7-INS Klein Insulated 1/4-Inch Cabinet Tip Screwdriver, 7-Inch, 1000V	01			
162	Each	6334INS Klein Insulated Screwdriver, #1 Phillips Tip, 4-Inch, 1000V	01			
163	Each	6037INS Klein Insulated Screwdriver, #2 Phillips, 7-Inch Round Shank, 1000V	01			
164	Each	D86930 Klein Reversible Jaw/Adjustable Pipe Wrench, 10-Inch	01			
165	Each	44133 Klein-Kurve® Retractable Utility Knife, internal blade storage includes and holds six blades	05			
166	Each	MAG2 Klein Magnetizer / Demagnetizer	05			
167	Each	56048 Klein Rechargeable Headlamp with Fabric Strap, 400 Lumens, All-Day Runtime	05			
168	Each	56412 Klein Rechargeable LED Flashlight with Work light	05			
169	Each	1571INS Klein Lineman's Skinning Knife, Insulated 1000V	05			
170	Each	D504-12B Klein Quick-Adjust Klaw™ Pump Pliers, 12-Inch	05			

171	Each	1202S Klein Aviation Snips with Wire Cutter, Straight, cuts 18-gauge steel and 22-gauge stainless steel	05			
172	Each	24001 Klein Rapid Cutting Snip, cuts stranded wire, light metal and cordage	05			
173	Each	H80820 Klein Straight-Claw Electrician's Hammer, 20-Ounce, 13-Inch	05			
174	Each	H80332 Klein Ball-Peen Hammer, 32-Ounce, 15-Inch	05			
175	Each	935RLBT Klein Lighted Torpedo Billet Level, Rare-Earth Magnet	05			
176	Each	935L Klein Bubble Level, 3 Vial, 24-Inch	01			
177	Each	56341 Klein Stainless Steel Fish Tape, 1/8-Inch x 240-Foot	02			
178	Each	50402 Klein Cable Bender, 14-Inch	02			
179	Each	150mm electronic digital clipper, 0,1 mm resolution of plastic carbon fibre composites, 4-way measurement feature, button to switch between inches to mm, battery included	05			
180	Each	Crimper tool ratchet pre-insulated terminal, crimping range 1,5-6mm <sup>2</sup> (Similar to HellermannTyton KST2000A)	05			
181	Each	Crimper tool uninsulated terminals, crimping range 1,5-10mm <sup>2</sup>	01			

		(Similar to HellermannTyton HYYT8)			
182	Each	Crimper tool bootlace ferrule, crimping range 0,08-6mm <sup>2</sup> (Similar to HellermannTyton HYAC9)	05		
183	Each	Crimper tool hex ratchet uninsulated terminals and cable lugs, crimping range 6-25mm <sup>2</sup> (Similar to HellermannTyton HD25X)	05		
184	Each	Hand hydraulic crimper kit, crimping range 10-400mm <sup>2</sup> , force at die face 12 ton (700 bar), head rotates 180°, C-head opening 32mm, include dies (Similar to HellermannTyton HYCP400KT)	01		
185	Each	Cable cutter ratchet, cutting Cu, Al and multi conductor cable, capacity 50mm diameter. (Similar to HellermannTyton RC500)	02		
186	Each	Cable cutter ratchet, cutting XLPE, armoured Cu / Al cable, capacity 55mm diameter. (Similar to HellermannTyton HTJ55)	01		
187	Each	Cable cutter copper cable 60mm <sup>2</sup> , wire rope 7mm and steel rod 5mm (Similar to HellermannTyton SCC60)	02		
		<b>Tungsten carbide-tipped hole saw,</b>			

		<b>for cutting hard metal like stainless steel and steel plate</b>			
188	Each	Tungsten carbide tipped hole saws 20mm	05		
189	Each	Tungsten carbide tipped hole saws 22mm	05		
190	Each	Tungsten carbide tipped hole saws 25mm	05		
191	Each	Tungsten carbide tipped hole saws 32mm	05		
192	Each	Tungsten carbide tipped hole saws 40mm	02		
193	Each	Tungsten carbide tipped hole saws 50mm	02		
194	Each	Tungsten carbide tipped hole saws 63mm	02		
195	Each	Tungsten carbide tipped hole saws 75mm	02		
196	Each	Tungsten carbide tipped hole saws 80mm	02		
197	Each	Tungsten carbide tipped hole saws 90mm	02		
198	Each	Tungsten carbide tipped hole saws 100mm	02		
		<b>Tungsten carbide-tipped hammer drill bits, connection end SDS-Max, for high drilling performance in reinforced concrete</b>			
199	Each	Drill bit 12-340mm	04		
200	Each	Drill bit 16-340mm	04		
201	Each	Drill bit 20-340mm	04		
202	Each	Drill bit 24-340mm	04		
203	Each	Drill bit 32-340mm	04		
204	Each	Drill bit 40-340mm	04		
205	Each	<b>Flat chisel 25-400mm, connection end SDS-Max, chipping, edging, channelling, and breaking away</b>	04 		

		larger chunks of concrete			
		<b>Omnibohrer straight shank multipurpose drill bit, percussion sharpened high resistance carbide tip with reinforced head</b>			
206	Each	Omnibohrer multipurpose drill bit 6-150mm	10		
207	Each	Omnibohrer multipurpose drill bit 8-150mm	10		
208	Each	Omnibohrer multipurpose drill bit 10-150mm	10		
		<b>HSS Titanium Nitride (Tin) coated drill bits. For regular use by professionals</b>			
209	Each	HSS-Tin metal drill bit 2-49mm	10		
210	Each	HSS-Tin metal drill bit 2,5-57mm	10		
211	Each	HSS-Tin metal drill bit 3-61mm	10		
212	Each	HSS-Tin metal drill bit 3,5-70mm	10		
213	Each	HSS-Tin metal drill bit 4-75mm	10		
214	Each	HSS-Tin metal drill bit 4,5-80mm	10		
215	Each	HSS-Tin metal drill bit 6-93mm	10		
216	Each	HSS-Tin metal drill bit 7-109mm	10		
217	Each	HSS-Tin metal drill bit 12-151mm	05		
218	Each	Dynamics sport bulb light 150W-RX7S per Box	10		
219	Each	Thermostat-switch <b>defy 621</b> 71th 5mm-B/M per Box	50		
220	Each	Step drill bit straight 4-20mm	05		

Therewith I, \_\_\_\_\_ (Bidder's Name) declare that I have read, completed and understood the above specifications.\

**BIDDER'S SIGNATURE**

\_\_\_\_\_

**DEPARTMENT OF WATER AND SANITATION**

**BID WTE 1027 ES**

**SUPPLY AND DELIVERY OF ELECTRICAL SPARES AND ACCESSORIES AT TUGELA VAAL AREA  
OFFICE**

**SECTION 3:    SBD 3.1 – PRICING SCHEDULE**

**CONTENTS**

PREAMBLE TO THE SBD 3.1 – PRICING SCHEDULE

SBD 3.1 – PRICING SCHEDULE



## PREAMBLE TO THE SBD 3.1 – PRICING SCHEDULE

### 4. GENERAL

The SBD 3.1 forms part of the Contract Documents and must be read and priced in conjunction with all the other documents which include the Conditions of Contract and all other Specifications in the bid document.

### 2. QUANTITIES REFLECTED IN THE PRICING SCHEDULE

The quantities given in the SBD 3.1 can be subject to change. **The Department reserves the right to only purchase one product per item or one item or none of the items in the pricing schedule.**

The validity of the contract will in no way be affected by differences between the quantities in the SBD 3.1 and the quantities finally certified for payment.

### 3. PRICING OF THE SCHEDULE

The rates to be filled in the SDB 3.1 should include all costs. All rates and amounts quoted in the SBD 3.1 shall be in Rand and shall include VAT.

### 4. CORRECTION OF ENTRIES

Incorrect entries shall not be erased or obliterated with correction fluid, use of correction fluid will invalidate your bid, but must be crossed out neatly. The correct figures must be entered above or adjacent to the deleted entry, and the alteration must be initialled by the Bidder, failure to initial where the correction was done will invalidate your bid.

**PRICING SCHEDULE  
(Firm Prices)**

**PRICING SCHEULE FOR BID WTE 1027 ES**

**SUPPLY AND DELIVERY OF ELECTRICAL SPARES AND ACCESSORIES AT TUGELA VAAL AREA  
OFFICE**

THIS PRICING SCHEDULE MUST BE COMPETED IN FULL – FAILURE TO COMPLY WILL  
INVALIDATE YOUR BID

All prices must include labour, etc.

CLOSING TIME 11:00 ON: **24 OCTOBER 2023**

BID NO.: **WTE 1027 ES**

NAME OF BIDDER: .....

**OFFER TO BE VALID FOR 90 DAYS FROM CLOSING DATE OF BID**

ITEM	UNIT OF MEASURE	DESCRIPTION	QUANTITY	RATE IN RAND	TOTAL PRICE
<b>SUPPLY AND DELIVERY OF STEEL MATERIAL AT TUGELA VAAL AREA OFFICE</b>					
1	Each	Fuse-link, medium voltage, 100A / 12kV AC / 63kA / 50Hz / back-out / outdoor / striker pin 80N (medium) / IEC 60282-1 / VDE 0670-4 and 402	09	R.....	R.....
2	Each	Multi-LED Signal lamps, red colour, 100 per box	01	R.....	R.....
3	Each	Multi-LED Signal lamps, yellow colour, 100 per box	01	R.....	R.....
4	Each	Multi-LED Signal lamps, blue colour, 100 per box	01	R.....	R.....
5	Each	Multi-LED Signal lamps, green colour, 100 per box	01	R.....	R.....
6	Each	Multi-LED Signal lamps, amber colour,	01	R.....	R.....
7	Each	Thermal-magnetic motor circuit breaker TeSys GV2ME, with pushbutton control, standard power ratings of 3-phase motors	05	R.....	R.....
8	Each	GV2ME10, 2,2kW power rating 3-phase 400V / 50Hz, setting range of thermal trips. 4...6 A	10	R.....	R.....
9	Each	GV2ME14, 4kW power rating 3-phase 400V / 50Hz, setting range of thermal trips. 6...10 A	10	R.....	R.....
10	Each	GV2ME20, 7,5kW power rating 3-phase 400V / 50Hz, setting range of thermal trips. 13...18 A	10	R.....	R.....
11	Each	GV2ME22, 11kW power rating 3-phase 400V / 50Hz, setting range of thermal trips. 20...25 A	10	R.....	R.....

ITEM	UNIT OF MEASURE	DESCRIPTION	QUANTITY	RATE IN RAND	TOTAL PRICE
12	Each	3- pole TeSys D contactors for motor control at 400V, in category AC-3, connection by screw clamp terminals and lugs, control voltage 230V AC / 50Hz (Schneider Electric)	05	R.....	R.....
13	Each	LC1D09P5 TeSys D contactor, 4kW power rating 3-phase 50Hz, up to 9A rated operational current in AC-3 / 440V	10	R.....	R.....
14	Each	LC1D18P5 TeSys D contactor, 7,5kW power rating 3-phase 50Hz, up to 18A rated operational current in AC-3 / 440V	10	R.....	R.....
15	Each	LC1D32P5 TeSys D contactor, 15kW power rating 3-phase 50Hz, up to 32A rated operational current in AC-3 / 440V	10	R.....	R.....
16	Each	LAD-N11 instantaneous auxiliary contact blocks for TeSys D contactor, front mounted, 2 contacts 1 N/O & 1 N/C (Schneider Electric)	10	R.....	R.....
17	Each	3-pole thermal overload relay for motors, class 10 A, use with TeSys D contactors, connection by screw clamp terminals and lugs (Schneider Electric)	05	R.....	R.....
18	Each	LRD10 TeSys thermal overload relay, setting range 4...6 A	05	R.....	R.....
19	Each	LRD12 TeSys thermal overload relay, setting range 5,5...8 A	05	R.....	R.....
20	Each	LRD14 TeSys thermal overload relay, setting range 7...10 A	05	R.....	R.....
21	Each	LRD21 TeSys thermal overload relay, setting range 12...18 A	05	R.....	R.....
22	Each	LRD22 TeSys thermal overload relay, setting range 16...24 A	05	R.....	R.....
23	Each	60.13.8.230.0040 Finder general purpose relays, 3 pole changeover contacts, 10 A, 11 pin plug-in, 90 series socket control voltage 230V AC / 50Hz	10	R.....	R.....
24	Each	90.21 socket for 60.13 Finder general purpose relays, 11 pin plug-in, screw terminal (box clamp) socket, panel or 35 mm rail mount	10	R.....	R.....
25	Each	72.11.8.230.0000 Finder level control relays for conductive liquids, 16A, 1 CO (SPDT) contact configuration reinforced insulation screw	10	R.....	R.....
26	Each	72.42.8.230.0000 Finder relay for alternating loads, for applications with pumps, 12A, 2 NO (2 DPST-NO) contact configuration 35 mm rail	10	R.....	R.....
27	Each	QF17C63 CBi Earth leakage 1 + N 63A / 240V AC / 6kA / 30mA, dual mount	80	R.....	R.....
28	Each	CBi Escutcheon blank 26mm module To closeup a 26 mm wide space in a mini rail panel board	100	R.....	R.....
29	Each	Industrial welding switch socket and plug Ampco 63A / 3 + earth / 500V AC, metal clad, wall mounted outdoor use	10	R.....	R.....
30	Each	Industrial welding switch socket and plug Waco 40A / 3 + earth / 500V AC, metal clad, wall mounted outdoor use	10	R.....	R.....
31	Each	6881/001P Crabtree Classic double Monoblock switched 164-1 sockets on yoke 100 x 100 mm, flush white 16A / 250V AC 5 pack complete	25	R.....	R.....

ITEM	UNIT OF MEASURE	DESCRIPTION	QUANTITY	RATE IN RAND	TOTAL PRICE
32	Each	6859P Crabtree Classic combination switched socket (1×164-1, 1×164-2) on yoke 100 x 100 mm flush white 16A / 250V AC 5 pack	25	R.....	R.....
33	Each	Multi-plugs 8 way: 4x16A + 3x5A + 1x5A Schuko, with overload and surge protection, white	25	R.....	R.....
34	Each	Ballast EC 40 A50 / 230V AC / 50Hz / lamp current 0,43A	25	R.....	R.....
35	Each	Ballast kit for mercury vapor lamps 1000W / 230V AC / 50Hz / lamp current 7,50A / with capacitor ignitor and accessories	30	R.....	R.....
36	Each	Ballast kit for mercury vapor lamps 400W / 230V AC / 50Hz / lamp current 3,25A / with capacitor, ignitor and accessories	05	R.....	R.....
37	Each	Day - night switch, with wall-mounting bracket and cable gland incomer	30	R.....	R.....
38	Each	Day - night switch 10A / 220V AC / 50Hz	50	R.....	R.....
39	Each	Day - night switch 20A / 220V AC / 50Hz	50	R.....	R.....
40	Each	Floodlights portable telescopic LED 2x20W, aluminium body with tempered glass lens, adjustable steel tripod, switch, and cable with plug, 230V AC / IP65	02	R.....	R.....
41	Each	Bulkhead round white, UV stabilized flame-retardant polycarbonate body and lens, lamps base 2xE27 / 2x60W / 230V AC / IP55	20	R.....	R.....
42	Each	Bulkhead round white, UV stabilized flame-retardant polycarbonate body and lens, lamp base 1xE27 / 1x60W / 230V AC / IP55	30	R.....	R.....
43	Each	Bulkhead round white, UV stabilized flame-retardant polycarbonate body and lens, compact fluorescent lamp 2D 2-pin 1x16W and ballast	15	R.....	R.....
44	Each	Compact fluorescent lamp Osram Dulux L 18 W/840, cool white, 4-pin 2G11 base, 10 per box	10	R.....	R.....
45	Each	Compact fluorescent lamp Osram Dulux D/E 18 W/840, cool white, 2 tubes, 4-pin base, 10 per box	25	R.....	R.....
46	Each	Compact fluorescent lamp Osram Dulux S 9 W/840, cool white, 2-pin base, 10 per box	50	R.....	R.....
47	Each	Compact fluorescent lamp 3U cool white E27 11W / 230V AC / 50Hz, 10 per box	50	R.....	R.....
48	Each	Compact fluorescent lamp 3U cool white B22 11W / 230V AC / 50Hz, 10 per box	50	R.....	R.....
49	Each	Opal globe LED cool white E27 6W / 230V AC / 50Hz, 10 per box	50	R.....	R.....
50	Each	Opal globe LED cool white B22 6W / 230V AC / 50Hz, 10 per box	25	R.....	R.....

ITEM	UNIT OF MEASURE	DESCRIPTION	QUANTITY	RATE IN RAND	TOTAL PRICE
51	Each	Fluorescent lamp 22W, T6 circle, cool white, (similar EUROLUX bulb G531), 4-pin base, 10 <del>per box</del>	10	R.....	R.....
52	Each	Fluorescent starter 4-80W / 240V AC / 50/Hz	100	R.....	R.....
53	Each	Porcelain lamp holder unit 4A /240V, standard Edison screw type fitting	25	R.....	R.....
54	Each	Oven lamp round E27 40W / 230V / 300°C / 1000h	25	R.....	R.....
55	Each	Oven lamp round E14 15W / 230V / 300°C / 1000h	25	R.....	R.....
56	Each	Electrical stove plate solid red dot big, 2 pcs per box	50	R.....	R.....
57	Each	Electrical stove plate solid red dot small, 2 pcs per box	50	R.....	R.....
58	Each	Electrical stove grill element 621 size Defy, 230V AC / 50Hz	50	R.....	R.....
59	Each	Electrical stove bake element 621 size Defy, 230V AC / 50Hz	50	R.....	R.....
60	Each	Electrical stove bake element 521 size Defy, 230V AC / 50Hz	50	R.....	R.....
61	Each	Electrical Stove grill element 521 size Defy, 230V AC / 50Hz	50	R.....	R.....
62	Each	Geyser element spiral 3kW / 230Vac	40	R.....	R.....
63	Each	Thermostat geyser clip-in KUT02 20A	50	R.....	R.....
64	Each	Denso tape, 10 m roll width 50 mm For corrosion protection, sealing and <del>waterproofing</del>	20	R.....	R.....
65	Each	Densoseal 16A Mastic sealing compound. For sealing cable entries and ducts, <del>8 x 1 kg blocks per carton</del>	10	R.....	R.....
66	Each	Double-sided mounting tape, 18mmx11m	02	R.....	R.....
67	Each	Scotch 23 rubber splicing tape, self-fusing EPR (Ethylene Propylene Rubber) based, for <del>insulating splicing and padding low- to high-</del>	20	R.....	R.....
68	Each	Scotch super 33+ vinyl electrical tape, professional grade, black, primary electrical <del>insulation for all wire and cable splices rated up to</del>	30	R.....	R.....
69	Box	<b>3M Cold shrink connector insulators, 8420 Series, insulating tube made of EPDM rubber</b>	5		
70	Each	Cold shrink connector insulators 10-18mm	30	R.....	R.....
71	Each	Cold shrink connector insulators 13-25mm	30	R.....	R.....

ITEM	UNIT OF MEASURE	DESCRIPTION	QUANTITY	RATE IN RAND	TOTAL PRICE
72	Each	Cold shrink connector insulators 18-33mm	30	R.....	R.....
73	Each	Cold shrink connector insulators 24-48mm	30	R.....	R.....
74	Box	Heat shrinks tubing dispenser box	05	R.....	R.....
75	Each	Heat shrink tube black 10mm	05	R.....	R.....
76	Each	Heat shrink tube black 16mm	05	R.....	R.....
77	Each	Heat shrink tube black 20mm	05	R.....	R.....
78	Each	Non-shrinkable PVC tubing / black / 100m	01	R.....	R.....
79	Each	Non-shrinkable PVC tubing 4mm inside diameter	01	R.....	R.....
80	Each	Non-shrinkable PVC tubing 4mm inside diameter	01	R.....	R.....
81	Each	Non-shrinkable PVC tubing 6mm inside diameter	01	R.....	R.....
82	Each	Non-shrinkable PVC tubing 10mm inside diameter	01	R.....	R.....
83	Each	Heat shrink PVC tubing 2:1 / black / 100m	01	R.....	R.....
84	Each	Heat shrink PVC tubing 6,4-3,2mm	01	R.....	R.....
85	Each	heat shrink PVC tubing 9,5-4,8mm	01	R.....	R.....
86	Each	heat shrink PVC tubing 19-9,5mm	01	R.....	R.....
		<b>Lugs for copper conductor / cable, with inspection hole</b>			
87	Each	Copper lug 1,5mm <sup>2</sup>	100	R.....	R.....
	Each	Copper lug 2,5mm <sup>2</sup>	100	R.....	R.....
88	Each	Copper lug 4mm <sup>2</sup>	100	R.....	R.....
89	Each	Copper lug 6mm <sup>2</sup>	100	R.....	R.....
90	Each	Copper lug 10mm <sup>2</sup>	100	R.....	R.....
91	Each	Copper lug 16mm <sup>2</sup>	100	R.....	R.....

ITEM	UNIT OF MEASURE	DESCRIPTION	QUANTITY	RATE IN RAND	TOTAL PRICE
92	Each	Copper lug 25mm <sup>2</sup>	100	R.....	R.....
		<b>Ferrules for copper conductor / cable</b>			
93	Each	Copper ferrules 1,5mm <sup>2</sup>	100	R.....	R.....
94	Each	Copper ferrules 2,5mm <sup>2</sup>	100	R.....	R.....
95	Each	Copper ferrules 4mm <sup>2</sup>	100	R.....	R.....
96	Each	Copper ferrules 6mm <sup>2</sup>	100	R.....	R.....
97	Each	Copper ferrules 10mm <sup>2</sup>	100	R.....	R.....
98	Each	Copper ferrules 16mm <sup>2</sup>	100	R.....	R.....
99	Each	Copper ferrules 25mm <sup>2</sup>	100	R.....	R.....
		<b>Insulated crimp butt splice connector for copper conductor / cable, 600V</b>			
100	Each	Red, 0,5 - 1,5mm <sup>2</sup>	100	R.....	R.....
101	Each	Blue, 1,5 - 2,5mm <sup>2</sup>	100	R.....	R.....
102	Each	Yellow, 2,5 - 6mm <sup>2</sup>	100	R.....	R.....
		<b>Insulated crimp female spade connector for copper conductor / cable, 600V</b>		R.....	R.....
103	Each	Red, 0,5 - 1,5mm <sup>2</sup> , 6,35 x 0,8mm tab size	100	R.....	R.....
104	Each	Blue, 1,5 - 2,5mm <sup>2</sup> , 6,35 x 0,8mm tab size	100	R.....	R.....
105	Each	Yellow, 2,5 - 6mm <sup>2</sup> , 6,35 x 0,8mm tab size	100	R.....	R.....
		<b>Insulated crimp blade terminal for copper conductor / cable, 600V</b>			
106	Each	Red, 0,5 - 1,5mm <sup>2</sup> 11mm blade length, 3mm blade width	100	R.....	R.....
107	Each	Blue, 1,5 - 2,5mm <sup>2</sup> 13mm blade length, 2,4mm blade width	100	R.....	R.....
108	Each	Yellow, 2,5 - 6mm <sup>2</sup> 14mm blade length, 4,5mm blade width	100	R.....	R.....
		<b>Insulated crimp female and male bullet connector for copper conductor / cable, 600V</b>			

ITEM	UNIT OF MEASURE	DESCRIPTION	QUANTITY	RATE IN RAND	TOTAL PRICE
109	Each	Red, 0,5 - 1,5mm <sup>2</sup>	100	R.....	R.....
110	Each	Blue, 1,5 - 2,5mm <sup>2</sup>	100	R.....	R.....
111	Each	Yellow, 1,5 - 2,5mm <sup>2</sup>	100	R.....	R.....
		<b>PVC strip connector 12-way black 240V</b>		R.....	R.....
112	Each	PVC strip connector 5A	100	R.....	R.....
113	Each	PVC strip connector 10A	100	R.....	R.....
114	Each	PVC strip connector 15A	100	R.....	R.....
115	Each	PVC strip connector 30A	100	R.....	R.....
116	Each	Wire connector midget screw-its, porcelain (CO6MID)	50	R.....	R.....
117	Each	3M Performance Plus Wire Connectors T/Y+ 0,5-2,5mm <sup>2</sup> ridged and flexible copper conductors / 600V 100 per box	10	R.....	R.....
118	Each	3M Performance Plus Wire Connectors B/G+ 2,5-10mm <sup>2</sup> ridged and flexible copper conductors / 600V 100 per box	10	R.....	R.....
		<b>Plastic cable gland, IP 68, black</b>			
119	Each	Plastic cable gland M20x1,5 / 6-12mm	30	R.....	R.....
120	Each	Plastic cable gland M25x1,5 / 13-18mm	30	R.....	R.....
121	Each	Plastic cable gland M32x1,5 / 18-25mm	20	R.....	R.....
		<b>Cable ties for outdoor use, UV and weather resistance, black</b>			
122	Each	Cable ties 2,5x100mm, 100 per pack	10	R.....	R.....
123	Each	Cable ties 4,6x200mm, 100 per pack	10	R.....	R.....
124	Each	Cable ties 4,6x300mm, 100 per pack	10	R.....	R.....
125	Each	Cable ties 7,6x390mm, 100 per pack	10	R.....	R.....
		<b>PVC electrical cable clips round</b>			
126	Each	PVC electrical cable clips round 6mm, 100 per box	05	R.....	R.....



ITEM	UNIT OF MEASURE	DESCRIPTION	QUANTITY	RATE IN RAND	TOTAL PRICE
127	Each	PVC electrical cable clips round 8mm, 100 per box	05	R.....	R.....
128	Each	PVC electrical cable clips round 10mm, 100 per box	05	R.....	R.....
129	Each	Electrical saddles 20mm, galvanized steel	100	R.....	R.....
130	Each	Electrical saddles 25mm, galvanized steel	100	R.....	R.....
131	Each	Electrical hospital saddles 20mm, galvanized steel / aluminium	100	R.....	R.....
132	Each	Electrical hospital saddles 25mm, galvanized steel / aluminium	100	R.....	R.....
133	Each	Fixing nylon plug 6x30mm, with double thread screw wide head and double recess (PZ+slotted) special design for nylon plugs 100 per box	10	R.....	R.....
134	Each	Fixing nylon plug 8x40mm, with double thread screw wide head and double recess (PZ+slotted) special design for nylon plugs 100 per box	10	R.....	R.....
135	Each	Fixing nylon anchor 10x50mm, with hex-head wood screw design for nylon plugs, 100 per box	10	R.....	R.....
		<b>Slotted cheese head machine screws DIN 84, stainless steel, grade 18/8 - (A2) 304</b>			
136	Each	Screw M4x20, 200 per box	4	R.....	R.....
137	Each	Screw M5x16, 200 per box	4	R.....	R.....
138	Each	Screw M5x25, 200 per box	4	R.....	R.....
139	Each	Screw M6x16, 200 per box	4	R.....	R.....
140	Each	Screw M6x25, 200 per box	4	R.....	R.....
		<b>Flat washers, stainless steel, grade 18/8 - (A2) 304</b>			
141	Each	M4, 1000 per box	01	R.....	R.....
142	Each	M5, 1000 per box	01	R.....	R.....
143	Each	M6, 1000 per box	01	R.....	R.....
144	Each	Electrical extension box 4x4, pressed steel body, powder coated white, surface mounted	25	R.....	R.....
145	Each	Electrical extension box 4x2, pressed steel body, powder coated white, surface mounted	25	R.....	R.....
146	Each	Stainless steel 304 strapping – assorted, 19mm width, 30m roll	02	R.....	R.....

ITEM	UNIT OF MEASURE	DESCRIPTION	QUANTITY	RATE IN RAND	TOTAL PRICE
147	Each	Electrical extension box 4x4, pressed steel body, powder coated white, surface mounted	25	R.....	R.....
148	Each	Electrical extension box 4x2, pressed steel body, powder coated white, surface mounted	25	R.....	R.....
149	Each	Buckle stainless steel 304, 12mm, 100/box	01	R.....	R.....
150	Each	3M Wire Pulling Lubricant, 0,95 L For pulling power, control, instrumentation, and communication cables	10	R.....	R.....
151	Each	WD-40 Multi-Use Product, industrial size For protects metal from rust and corrosion, penetrates stuck parts, displaces moisture and	10	R.....	R.....
152	Each	TZe-S641 pro-tape for P-touch E300VP, 18 mm black on yellow tape, 8 m Strong adhesive laminated for texture and smooth	10	R.....	R.....
153	Each	TZe-S221 pro-tape for P-touch E300VP, 9 mm black on white tape, 8 m Strong adhesive laminated for texture and smooth	10	R.....	R.....
154	Each	TZe-FX221 pro-tape for P-touch E300VP, 9 mm black on white tape, 8 m Flexible-ID laminated for wire and cable	10	R.....	R.....
155	Each	Stanley tool storage tool bag - 305mm	01	R.....	R.....
156	Each	J2000-9NE Klein Lineman's Pliers, 9-Inch, dual-material Journeyman handles, cuts ACSR, screws, nails and most hardened wire	01	R.....	R.....
157	Each	J2000-48 Klein Diagonal Cutting Pliers, Heavy-Duty, Angled Head, 8-Inch, dual-material Journeyman handles, cuts ACSR, screws, nails	01	R.....	R.....
158	Each	J207-8CR Klein Pliers, All-Purpose Needle Nose Pliers with Crimper, 8,5-Inch, dual-material Journeyman handles	01	R.....	R.....
159	Each	607-3-INS Klein Insulated Screwdriver, 3/32-Inch Cabinet, 3-Inch, 1000V	01	R.....	R.....
160	Each	601-7-INS Klein Insulated Screwdriver, 3/16-Inch Cabinet, 7-Inch, 1000V	01	R.....	R.....
161	Each	605-7-INS Klein Insulated 1/4-Inch Cabinet Tip Screwdriver, 7-Inch, 1000V	01	R.....	R.....
162	Each	6334INS Klein Insulated Screwdriver, #1 Phillips Tip, 4-Inch, 1000V	01	R.....	R.....
163	Each	6037INS Klein Insulated Screwdriver, #2 Phillips, 7-Inch Round Shank, 1000V	01	R.....	R.....
164	Each	D86930 Klein Reversible Jaw/Adjustable Pipe Wrench, 10-Inch	01	R.....	R.....
165	Each	44133 Klein-Kurve® Retractable Utility Knife, internal blade storage includes and holds six blades	05	R.....	R.....
166	Each	MAG2 Klein Magnetizer / Demagnetizer	05	R.....	R.....
167	Each	56048 Klein Rechargeable Headlamp with Fabric Strap, 400 Lumens, All-Day Runtime	05	R.....	R.....
168	Each	56412 Klein Rechargeable LED Flashlight with Work light	05	R.....	R.....

ITEM	UNIT OF MEASURE	DESCRIPTION	QUANTITY	RATE IN RAND	TOTAL PRICE
169	Each	1571INS Klein Lineman's Skinning Knife, Insulated 1000V	05	R.....	R.....
170	Each	D504-12B Klein Quick-Adjust Klaw™ Pump Pliers, 12-Inch	05	R.....	R.....
171	Each	1202S Klein Aviation Snips with Wire Cutter, Straight, cuts 18-gauge steel and 22-gauge stainless steel	05	R.....	R.....
172	Each	24001 Klein Rapid Cutting Snip, cuts stranded wire, light metal and cordage	05	R.....	R.....
173	Each	H80820 Klein Straight-Claw Electrician's Hammer, 20-Ounce, 13-Inch	05	R.....	R.....
174	Each	H80332 Klein Ball-Peen Hammer, 32-Ounce, 15-Inch	05	R.....	R.....
175	Each	935RLBT Klein Lighted Torpedo Billet Level, Rare-Earth Magnet	05	R.....	R.....
176	Each	935L Klein Bubble Level, 3 Vial, 24-Inch	01	R.....	R.....
177	Each	56341 Klein Stainless Steel Fish Tape, 1/8-Inch x 240-Foot	02	R.....	R.....
178	Each	50402 Klein Cable Bender, 14-Inch	02	R.....	R.....
179	Each	150mm electronic digital clipper, 0,1 mm resolution of plastic carbon fibre composites, 4-way measurement feature button to switch	05	R.....	R.....
180	Each	Crimper tool ratchet pre-insulated terminal, crimping range 1,5-6mm² (Similar to HellermannTyton KST2000A)	05	R.....	R.....
181	Each	Crimper tool uninsulated terminals, crimping range 1,5-10mm² (Similar to HellermannTyton HYYT8)	01	R.....	R.....
182	Each	Crimper tool bootlace ferrule, crimping range 0,08-6mm² (Similar to HellermannTyton HYAC9)	05	R.....	R.....
183	Each	Crimper tool hex ratchet uninsulated terminals and cable lugs, crimping range 6-25mm²	05	R.....	R.....
184	Each	Hand hydraulic crimper kit, crimping range 10-400mm², force at die face 12 ton (700 bar), head rotates 180° C head opening 32mm	01	R.....	R.....
185	Each	Cable cutter ratchet, cutting Cu, Al and multi conductor cable, capacity 50mm diameter. (Similar to HellermannTyton RC500)	02	R.....	R.....
186	Each	Cable cutter ratchet, cutting XLPE, armoured Cu / Al cable, capacity 55mm diameter. (Similar to HellermannTyton HT155)	01	R.....	R.....
187	Each	Cable cutter copper cable 60mm², wire rope 7mm and steel rod 5mm (Similar to HellermannTyton SCC60)	02	R.....	R.....
		<b>Tungsten carbide-tipped hole saw, for cutting hard metal like stainless steel and steel plate</b>			
188	Each	Tungsten carbide tipped hole saws 20mm	05	R.....	R.....

ITEM	UNIT OF MEASURE	DESCRIPTION	QUANTITY	RATE IN RAND	TOTAL PRICE
189	Each	Tungsten carbide tipped hole saws 22mm	05	R.....	R.....
190	Each	Tungsten carbide tipped hole saws 25mm	05	R.....	R.....
191	Each	Tungsten carbide tipped hole saws 32mm	05	R.....	R.....
192	Each	Tungsten carbide tipped hole saws 40mm	02	R.....	R.....
193	Each	Tungsten carbide tipped hole saws 50mm	02	R.....	R.....
194	Each	Tungsten carbide tipped hole saws 63mm	02	R.....	R.....
195	Each	Tungsten carbide tipped hole saws 75mm	02	R.....	R.....
196	Each	Tungsten carbide tipped hole saws 80mm	02	R.....	R.....
197	Each	Tungsten carbide tipped hole saws 90mm	02	R.....	R.....
198	Each	Tungsten carbide tipped hole saws 100mm	02	R.....	R.....
		<b>Tungsten carbide-tipped hammer drill bits, connection end SDS-Max, for high drilling performance in reinforced concrete</b>			
199	Each	Drill bit 12-340mm	04	R.....	R.....
200	Each	Drill bit 16-340mm	04	R.....	R.....
201	Each	Drill bit 20-340mm	04	R.....	R.....
202	Each	Drill bit 24-340mm	04	R.....	R.....
203	Each	Drill bit 32-340mm	04	R.....	R.....
204	Each	Drill bit 40-340mm	04	R.....	R.....
205	Each	Flat chisel 25-400mm, connection end SDS-Max, chipping, edging, channelling, and breaking away larger chunks of concrete	04	R.....	R.....
		<b>Omnibohrer straight shank multipurpose drill bit, percussion sharpened high resistance carbide tip with reinforced head</b>			
206	Each	Omnibohrer multipurpose drill bit 6-150mm	10	R.....	R.....

ITEM	UNIT OF MEASURE	DESCRIPTION	QUANTITY	RATE IN RAND	TOTAL PRICE
207	Each	Omnibohrer multipurpose drill bit 8-150mm	10		
208	Each	Omnibohrer multipurpose drill bit 10-150mm	10	R.....	R.....
		<b>HSS Titanium Nitride (Tin) coated drill bits. For regular use by professionals</b>		R.....	R.....
209	Each	HSS-Tin metal drill bit 2-49mm	10		
210	Each	HSS-Tin metal drill bit 2,5-57mm	10	R.....	R.....
211	Each	HSS-Tin metal drill bit 3-61mm	10	R.....	R.....
212	Each	HSS-Tin metal drill bit 3,5-70mm	10	R.....	R.....
213	Each	HSS-Tin metal drill bit 4-75mm	10	R.....	R.....
214	Each	HSS-Tin metal drill bit 4,5-80mm	10	R.....	R.....
215	Each	HSS-Tin metal drill bit 6-93mm	10	R.....	R.....
216	Each	HSS-Tin metal drill bit 7-109mm	10	R.....	R.....
217	Each	HSS-Tin metal drill bit 12-151mm	05	R.....	R.....
218	Each	Dynamics sport bulb light 150W-RX7S per Box	10	R.....	R.....
219	Each	Thermostat-switch <b>defy 621</b> 71th 5mm-B/M per Box	50	R.....	R.....
220	Each	Step drill bit straight 4-20mm	05	R.....	R.....
221				R.....	R.....

SUB TOTAL	R.....	R.....
VAT @ 15%	R.....	R.....
<b>TOTAL BID PRICE</b>	<b>R.....</b>	<b>R.....</b>

NB: All prices must include travelling, labour cost etc.

- Country of origin:
- Delivery basis.  
(See note hereunder)

---

**To Site**

- **Period required for delivery after receipt of order:**
- Delivery period:
- Is the price firm?

---

**\*FIRM / NOT FIRM**

**\*FIRM / NOT FIRM**

- Is the offer strictly to specification?
- If not to specification, state deviation(s)

**\*YES / NO**

---

---

Pricing Schedule: Purchases (Firm prices)

**GOVERNMENT PROCUREMENT**  
**GENERAL CONDITIONS OF CONTRACT**  
**July 2010**

**NOTES**

The purpose of this document is to:

- (i) Draw special attention to certain general conditions applicable to government bids, contracts and orders; and
- (ii) To ensure that clients be familiar with regard to the rights and obligations of all parties involved in doing business with government.

In this document words in the singular also mean in the plural and vice versa and words in the masculine also mean in the feminine and neuter.

- The General Conditions of Contract will form part of all bid documents and may not be amended.
- Special Conditions of Contract (SCC) relevant to a specific bid, should be compiled separately for every bid (if applicable) and will supplement the General Conditions of Contract. Whenever there is a conflict, the provisions in the SCC shall prevail.

## TABLE OF CLAUSES

1.	Definitions
2.	Application
3.	General
4.	Standards
5.	Use of contract documents and information; inspection
6.	Patent rights
7.	Performance security
8.	Inspections, tests and analysis
9.	Packing
10.	Delivery and documents
11.	Insurance
12.	Transportation
13.	Incidental services
14.	Spare parts
15.	Warranty
16.	Payment
17.	Prices
18.	Contract amendments
19.	Assignment
20.	Subcontracts
21.	Delays in the supplier's performance
22.	Penalties
23.	Termination for default
24.	Dumping and countervailing duties
25.	Force Majeure
26.	Termination for insolvency
27.	Settlement of disputes
28.	Limitation of liability
29.	Governing language
30.	Applicable law
31.	Notices
32.	Taxes and duties
33.	National Industrial Participation Programme (NIPP)
34.	Prohibition of restrictive practices



## General Conditions of Contract

### 1. Definitions

1. The following terms shall be interpreted as indicated:

- 1.1 "Closing time" means the date and hour specified in the bidding documents for the receipt of bids.
- 1.2 "Contract" means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- 1.3 "Contract price" means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
- 1.4 "Corrupt practice" means the offering, giving, receiving, or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution.
- 1.5 "Countervailing duties" are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
- 1.6 "Country of origin" means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 1.7 "Day" means calendar day.
- 1.8 "Delivery" means delivery in compliance of the conditions of the contract or order.
- 1.9 "Delivery ex stock" means immediate delivery directly from stock actually on hand.
- 1.10 "Delivery into consignee store or to his site" means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
- 1.11 "Dumping" occurs when a private enterprise abroad markets its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the

RSA.

- 1.12 "Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 1.13 "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14 "GCC" means the General Conditions of Contract.
- 1.15 "Goods" means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.16 "Imported content" means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.
- 1.17 "Local content" means that portion of the bidding price which is not included in the imported content provided that local manufacture does take place.
- 1.18 "Manufacture" means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.
- 1.19 "Order" means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20 "Project site," where applicable, means the place indicated in bidding documents.
- 1.21 "Purchaser" means the organization purchasing the goods.
- 1.22 "Republic" means the Republic of South Africa.
- 1.23 "SCC" means the Special Conditions of Contract.
- 1.24 "Services" means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such

obligations of the supplier covered under the contract.

- 1.25 "Written" or "in writing" means handwritten in ink or any form of electronic or mechanical writing.

- |   |   |
|---|---|
| 2. Application  | 2.1 These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.   |
|   | 2.2 Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.  |
|   | 2.3 Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.  |
| 3. General  | 3.1 Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a non-refundable fee for documents may be charged.   |
|   | 3.2 With certain exceptions, invitations to bid are only published in the Government Tender Bulletin. The Government Tender Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretoria 0001, or accessed electronically from <a href="http://www.treasury.gov.za">www.treasury.gov.za</a>   |
| 4. Standards  | 4.1 The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.  |
| 5. Use of contract documents and information; inspection. | 5.1 The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance. |
|   | 5.2 The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.  |
|   | 5.3 Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.   |
|   | 5.4 The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.   |
| 6. Patent rights  | 6.1 The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.   |

7. Performance security

- 7.1 Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.
- 7.2 The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.3 The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms:
- (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or
  - (b) a cashier's or certified cheque
- 7.4 The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in SCC.

8. Inspections, tests and analyses

- 8.1 All pre-bidding testing will be for the account of the bidder.
- 8.2 If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organization acting on behalf of the Department.
- 8.3 If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4 If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5 Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6 Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7 Any contract supplies may on or after delivery be inspected, tested or

analyzed and may be rejected if found not to comply with the requirements of the contract. Such rejected supplies shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirements of the contract. Failing such removal the rejected supplies shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier.

8.8 The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 23 of GCC.

#### 9. Packing

9.1 The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.

9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the purchaser.

#### 10. Delivery and Documents

10.1 Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The details of shipping and/or other documents to be furnished by the supplier are specified in SCC.

10.2 Documents to be submitted by the supplier are specified in SCC.

#### 11. Insurance

11.1 The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the SCC.

#### 12. Transportation

12.1 Should a price other than an all-inclusive delivered price be required, this shall be specified in the SCC.

#### 13. Incidental services

13.1 The supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:

- (a) performance or supervision of on-site assembly and/or commissioning of the supplied goods;
- (b) furnishing of tools required for assembly and/or maintenance of the supplied goods;
- (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;

- (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
- (e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods.

13.2 Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.

#### 14. Spare parts

14.1 As specified in SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:

- (a) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and
- (b) in the event of termination of production of the spare parts:
  - (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
  - (ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

#### 15. Warranty

15.1 The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.

15.2 This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.

15.3 The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.

15.4 Upon receipt of such notice, the supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.

15.5 If the supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, the purchaser may proceed to take

such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

- |  |   |
|--|---|
| 16. Payment                              | 16.1 The method and conditions of payment to be made to the supplier under this contract shall be specified in SCC.   |
|  | 16.2 The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfillment of other obligations stipulated in the contract.  |
|  | 16.3 Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.  |
|  | 16.4 Payment will be made in Rand unless otherwise stipulated in SCC.   |
| 17. Prices                               | 17.1 Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized in SCC or in the purchaser's request for bid validity extension, as the case may be.   |
| 18. Contract amendments                  | 18.1 No variation in or modification of the terms of the contract shall be made except by written amendment signed by the parties concerned.  |
| 19. Assignment                           | 19.1 The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.  |
| 20. Subcontracts                         | 20.1 The supplier shall notify the purchaser in writing of all subcontracts awarded under this contract if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.   |
| 21. Delays in the supplier's performance | 21.1 Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.  |
|  | 21.2 If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract. |
|  | 21.3 No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local authority.  |
|  | 21.4 The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the   |

supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.

21.5 Except as provided under GCC Clause 23, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 21.2 without the application of penalties.

~~21.6 Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without canceling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.~~

## 22. Penalties

22.1 Subject to GCC Clause 23, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

## 23. Termination for default

23.1 The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:

- (a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2;
- (b) if the supplier fails to perform any other obligation(s) under the contract; or
- (c) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.

23.2 In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.

23.3 Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

23.4 If a purchaser intends imposing a restriction on a supplier or any



person associated with the supplier, the supplier will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated fourteen (14) days the purchaser may regard the intended penalty as not objected against and may impose it on the supplier.

23.5 Any restriction imposed on any person by the Accounting Officer / Authority will, at the discretion of the Accounting Officer / Authority, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the Accounting Officer / Authority actively associated.

23.6 If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:

- (i) the name and address of the supplier and / or person restricted by the purchaser;
- (ii) the date of commencement of the restriction
- (iii) the period of restriction; and
- (iv) the reasons for the restriction.

These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.

23.7 If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.

#### 24. Anti-dumping and countervailing duties and rights

24.1 When, after the date of bid, provisional payments are required, or anti-dumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such anti-dumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall on demand be paid forthwith by the contractor to the State or the State may deduct such amounts from moneys (if any) which may otherwise be due to the contractor in regard to supplies or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other contract or any other amount which

may be due to him

25. Force  
Majeure

25.1 Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.

25.2 If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

26. Termination  
for insolvency

26.1 The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

27. Settlement of  
Disputes

27.1 If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.

27.2 If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.

27.3 Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.

27.4 Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SOC.

27.5 Notwithstanding any reference to mediation and/or court proceedings herein,

- (a) the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and
- (b) the purchaser shall pay the supplier any monies due the supplier.

28. Limitation of  
liability

28.1 Except in cases of criminal negligence or willful misconduct, and in the case of infringement pursuant to Clause 6:

- (a) the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and

		(b) the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.
29. Governing language	29.1	The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.
30. Applicable law	30.1	The contract shall be interpreted in accordance with South African laws, unless otherwise specified in SCC.
31. Notices	31.1	Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice.
	31.2	The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.
32. Taxes and duties	32.1	A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.
	32.2	A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.
	32.3	No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate, submitted by the bidder. This certificate must be an original issued by the South African Revenue Services.
33. National Industrial Participation (NIP) Programme	33.1	The NIP Programmes administered by the Department of Trade and Industry shall be applicable to all contracts that are subject to the NIP obligation.
34. Prohibition of Restrictive practices	34.1	In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder (s) is / are or a contractor(s) was / were involved in collusive bidding (or bid rigging).
	34.2	If a bidder(s) or contractor(s), based on reasonable grounds or evidence obtained by the purchaser, has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in the Competition Act No. 89 of 1998.

- 34.3 If a bidder(s) or contractor(s), has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s) concerned.

Js General Conditions of Contract (revised July 2010)

## BIDDER'S DISCLOSURE

### 1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

### 2. Bidder's declaration

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest<sup>1</sup> in the enterprise, employed by the state? **YES/NO**

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

2.2 Do you, or any person connected with the bidder, have a relationship

---

<sup>1</sup> the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

with any person who is employed by the procuring institution? **YES/NO**

2.2.1 If so, furnish particulars:

.....  
 .....

2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? **YES/NO**

2.3.1 If so, furnish particulars:

.....  
 .....

### 3 DECLARATION

I, \_\_\_\_\_ the \_\_\_\_\_ undersigned,  
 (name)..... in  
 submitting the accompanying bid, do hereby make the following  
 statements that I certify to be true and complete in every respect:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium<sup>2</sup> will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring

---

<sup>2</sup> Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.

- 3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....	.....
Signature	Date
.....	.....
Position	Name of bidder

## PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

**NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022**

### 1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

### 1.2 To be completed by the organ of state

*(delete whichever is not applicable for this tender).*

a) The applicable preference point system for this tender is the 80/20 preference point system.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

- (a) Price; and
- (b) Specific Goals.

### 1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
<b>Total points for Price and SPECIFIC GOALS</b>	<b>100</b>

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to



preferences, in any manner required by the organ of state.

## 2. DEFINITIONS

- (a) **“tender”** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) **“price”** means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) **“rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) **“tender for income-generating contracts”** means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) **“the Act”** means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

## 3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

### 3.1. POINTS AWARDED FOR PRICE

#### 3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

<b>80/20</b>	or	<b>90/10</b>	
$P_s = 80 \left( 1 - \frac{P_t - P_{min}}{P_{min}} \right) \text{ or } P_s = 90 \left( 1 - \frac{P_t - P_{min}}{P_{min}} \right)$			

Where

- $P_s$  = Points scored for price of tender under consideration
- $P_t$  = Price of tender under consideration
- $P_{min}$  = Price of lowest acceptable tender

### 3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

#### 3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$Ps = 80 \left( 1 + \frac{Pt - P_{max}}{P_{max}} \right) \text{ or } Ps = 90 \left( 1 + \frac{Pt - P_{max}}{P_{max}} \right)$$

Where

- $P_s$  = Points scored for price of tender under consideration  
 $P_t$  = Price of tender under consideration  
 $P_{max}$  = Price of highest acceptable tender

#### 4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
- (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
  - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,
- then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

*(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.)*

*Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)*

The specific goals allocated points in terms of this tender	90/10 system Points claimed (80/20 system)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Women	5	
People with disability	5	
Youth (35 and below)	5	
Location of enterprise (Province)	2	
B-BBEE status level contributors from level 1 to 2 which are QSE or EME	3	
<b>Total points for SPECIFIC GOALS</b>	<b>20</b>	

#### DECLARATION WITH REGARD TO COMPANY/FIRM

4.3. Name of company/firm.....

4.4. Company registration number: .....

4.5. TYPE OF COMPANY/ FIRM

- ☐ Partnership/Joint Venture / Consortium
- ☐ One-person business/sole propriety
- ☐ Close corporation
- ☐ Public Company
- ☐ Personal Liability Company
- ☐ (Pty) Limited
- ☐ Non-Profit Company
- ☐ State Owned Company

[TICK APPLICABLE BOX]

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
  - (a) disqualify the person from the tendering process;
  - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
  - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
  - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
  - (e) forward the matter for criminal prosecution, if deemed necessary.

.....  
**SIGNATURE(S) OF TENDERER(S)**

**SURNAME AND NAME:** .....

**DATE:** .....

**ADDRESS:** .....

.....

.....

.....