




TRANSNET ENGINEERING BLOEMFONTEIN SPECIFICATION FOR THE REPLACEMENT OF TRANSLUCENT SHEETS AND BROKEN WINDOWS AT CONTAINER PARK, ELECTRICAL TRAINING CENTER AND PATTEN SHOP FOR FOE BUSINESS, BAY 1A-3, PATTEN SHOP LIFT AREA AND SAND PLANT FOR FOUNDRY BUSINESS, BAY 40-45, BAY 39, BAY 25, LOCO- STORE, RM STORE AND LOCOMOTIVE MAIN BUILDING FOR LOCOMOTIVE BUSINESS, BAY 32-38-BAY 26 AND BAY 48-50 FOR WAGON MANUFACTURING BUSINESS, BAY46-47 AT WHEELS, BAY 9-13, RFR STORE WAGON STORE, BAY 13A OFFICES AND KITCHEN FOR WAGON BUILD BUSINESS, FOR A PERIOD OF 1 MONTH.		
Compiled By:	Leanoria Mogapi	Signature: 
Accepted By	Rosy Chakane	Signature: 
Approved By:	William Ramahlaha	Signature: 

Document No: TE-IMS-PEMM-P&E-BFN-SPEC 103 Version: 1.0

Specification for replacement of translucent sheets and broken windows in the plant



Table of Contents

1. Scope of Work	3
2. Specific Requirements.....	3
3. Project program.....	4
4. General Safety	4
5. Commissioning.....	5
6. Guarantee.....	5

Document No: TE-IMS-PEMM-P&E-BFN-SPEC 103 Version: 1.0

Specification for replacement of translucent sheets and broken windows in the plant

1 Scope of Work

- 1.1** This specification is for replacement of translucent sheets and replacement of broken windows in the plant.
- 1.2** The specification requirement covers all the requirements that will be needed to inform the supplier to carry out what is expected from him / her.

2. Specific Requirements

THIS SPECIFICATION IS FOR REPLACEMENT OF TRANSLUCENT SHEETS AND BROKEN WINDOWS IN THE PLANT.

ITEM	DISCRIPTION	
2.1	Remove all broken translucent sheets and replace all damaged translucent sheets with 1.2mm thick IBR clear polycarbonate translucent Corrugated sheets.	
2.2	Inspect all windows that are not broken and use silicon and glazing putty where is needed.	
2.3	Install clear Perspex windowpanes 450 X 300mm where they are broken, and seal them using silicon and glazing putty.	

Document No: TE-IMS-PEMM-P&E-BFN-SPEC 103 Version: 1.0

Specification for replacement of translucent sheets and broken windows in the plant

<p>3.</p>	<p>Project Program</p>
<p>3.1</p>	<p>A detailed program (Gantt chart) shall be submitted with the tender, indicating the main activities and periods necessary up to handover.</p>
<p>4.</p>	<p>General Safety</p>
<p>4.1</p>	<p>Employer must submit all working on height certificate of the employees.</p>
<p>4.2</p>	<p>The appropriate PPE must be always worn (Safety shoes, Reflector jacket, etc.)</p>
<p>4.3</p>	<p>The contractor and its employees shall always adhere to Transnet Engineering security and safety procedures.</p>
<p>4.4</p>	<p>After the contract is awarded, the service provider is required to provide a Safety, Health, and Environmental file, (SHE files) before any contractor shall be allowed to perform any work on Transnet premises. These files shall be approved by safety office of Transnet Engineering.</p>



Document No: TE-IMS-PEMM-P&E-BFN-SPEC 103 Version: 1.0

Specification for replacement of translucent sheets and broken windows in the plant