

Title: **Contractor SHEQ Specification**

Document Identifier: **6020915**

Alternative Reference Number: **Not Applicable**

Area of Applicability: **ERI Logistics Services**

Functional Area: **Operations, Multi-Axle, and Warehouse**

Revision: **1**

Total Pages: **36**

Next Review Date: **January 2030**

Disclosure Classification: **Controlled Disclosure**

---

**Compiled by**

**Functional Responsibility**

**Authorised by**



**T Nzimande**  
**SHE Officer**

**N Tlatsi**  
**Acting SHEQ Business Partner**

**Zanele Mokwena**  
**Acting Operations and Brokerage Head of Department**

Date: 04/02/2025

Date: 04/02/2025

Date: 05/02/2025

---

## Content

	Page
1 INTRODUCTION .....	3
2 SUPPORTING CLAUSES .....	3
2.1 Scope .....	3
2.2 Normative/Informative References .....	4
3 ROLES AND RESPONSIBILITIES .....	9
4 SCOPE OF WORK .....	9
5 AGREEMENTS .....	9
6 LEGISLATIVE COMPLIANCE/HEALTH AND SAFETY REGULATIONS .....	10
8 APPOINTMENTS .....	10
9 ORGANOGRAM .....	12
10 ROLES AND RESPONSIBILITIES .....	13
11 COMPLIANCE REQUIREMENTS .....	13
12 DISCIPLINARY PROCESS .....	23
13 NON COMPLIANCE .....	<b>Error! Bookmark not defined.</b>
14 UNLAWFUL ORDERS .....	25
15 CHECKLISTS AND INSPECTION REPORTS .....	25
16 SECURITY .....	25
17 QUALITY MANAGEMENT SYSTEM .....	25
18 ACCEPTANCE .....	31
19 REVISIONS .....	31
20 DEVELOPMENT TEAM .....	31
21 ACKNOWLEDGEMENTS .....	31
22 ANNEXURE A - SHEQ CHECK SHEET .....	32

### CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

## 1 INTRODUCTION

- 1.1 This document outlines the client's requirements for the collection, transportation and delivery of Eskom and non-Eskom material, equipment and tools including warehousing. The transportation of goods ranges from 0 to 32Ton within Operations and Brokerage department.
- 1.2 The commodity transported include but not limited to transformers of all sizes, wooden poles, mono poles, cable drums, meters, and various components.
- 1.3 ERI's responsibility and commitment is to ensure a safe working environment which is in line with the Safety, Health, Environmental and Quality Policies, along with the legislative obligations which ERI subscribes to.
- 1.4 This SHEQ specification is ERI's minimum requirements which shall be met by the contractor including subcontractors under his/her control for the duration of the contract. The contractor shall develop a SHEQ Plan in line with this specification including applicable legislation they comply to.
- 1.5 Logistics Services in no way assumes the contractors legal responsibilities. The contractor is and remains accountable for the quality and the execution of his/her SHEQ programme/plan, for his employees and appointed contractor's employees.
- 1.6 Where a contractor appoints a subcontractor/s, the subcontractor/s shall develop a SHEQ plan in line with this specification including applicable legislation they conform to.
- 1.7 This SHEQ specification reflects minimum requirements and should not be construed as all encompassing.

**NOTE:** All the requirements listed hereunder are in relation to the contract and project and do not supersede or replace any organisational SHEQ requirements.

## 2 SUPPORTING CLAUSES

### 2.1 Scope

#### 2.1.1 Purpose

To provide a detailed SHEQ Specification for the collection, transportation and delivery of Eskom and non-Eskom commodity and various components within the country and the SADC Region as and when required.

#### 2.1.2 Applicability

This SHEQ specification is applicable to ERI Logistics Services, contractors and their appointed subcontractors.

#### 2.1.3 Effective Date

This document shall be effective once authorised by all designated signatories.

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

## 2.2 Normative/Informative References

Parties using this document shall apply the most recent edition of the documents listed in the following paragraphs.

### 2.2.1 Normative

- a) Occupational Health and Safety Act 85 of 1993 and all applicable Regulations
- b) Compensation for Occupational Injuries and Diseases Act 130 of 1993
- c) National Environmental Management Act 107 of 1998
- d) National Water Act 36 of 1998
- e) National Environmental Management Waste Act 59 of 2008
- f) National Environmental Management Biodiversity Act 10 of 2004
- g) National Veld and Forest Fire Act 101 of 1998
- h) AARTO Act 1998
- i) ISO 9001: 2015, Quality Management System
- j) ISO 14001: 2015, Environmental Management System
- k) ISO 45001: 2018, Occupational Health and Safety Management System
- l) National Road Traffic Act 93 of 1996
- m) TRH11 – Dimensional and mass limitations and other requirements for abnormal load vehicle
- n) Eskom Safety, Health, Environment and Quality Policy 32-727
- o) Applicable South African National Standards (SANS)

### 2.2.2 Informative

- a) Control of Documents and Records Work Instruction (240-94027247)
- b) Coding of Business Management System Documentation Work Instruction (240-94027233)
- c) Environmental Aspects and Impacts, Occupational Health and Safety Hazard Identification Risk Assessment (240-94027465)
- d) Baseline Hazard Identification Risk Assessment (Form No.: 240-94026665)
- e) Job Specific Hazard Identification Risk Assessment (Form No.: 240-115779893)
- f) Occupational Health and Safety Incident Management Procedure (32-95)
- g) ERI Environmental Incident Management Work Instruction (15533245)
- h) Waste Management Work Instruction (240-95405655)
- i) ERI Spill Response Work instruction (240-94027271)
- j) Initial Notification of Occurrence (240-94026713)
- k) Safety Health & Environment Strategy – Strategy Plan (240-94027547)

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

- l) Compliance Obligations and Evaluation of Compliance for Safety, health and Environmental Procedure (240-94027489)
- m) SHEQ Communication, Participation and Consultation (240-111519336)
- n) Management Review (240-94027491)
- o) Eskom Procurement and Supply Management Procedure (32-1034)
- p) Emergency Evacuation Procedure (240-94027449)
- q) Business Management System Audit Work Instruction (240-94027195)
- r) Control of Non-Conforming Product Corrective and Preventive Action Work Instruction (240-103649507)
- s) SHEQ Statement of Commitment (240- 9402409)
- t) Disciplinary Code and Procedure (E-136)
- u) Management of SHEQ Objectives Work Instruction (6043029)
- v) SHEQ Policy (32-727)
- w) Supplier Contract Quality Requirements Specification (240-105658000)
- x) SHE Representative and SHE Committee Work Instruction (240-104581716)
- y) Substance Abuse
- z) Visible Felt Leadership Inspections and Walkabout (240-94027509)
- aa) Employees' Right of Refusal to work in an Unsafe Situation Procedure (240-43848327)
- bb) SHEQ Recognition Guideline (240-94027171)
- cc) PPE Specification
- dd) Management and Control of Personal Protective Equipment (240-96234694)
- ee) Eskom Vehicle Safety Specification (32-345)
- ff) Vehicle and Driver Safety Management (240-62946386)
- gg) Safe work procedures transportation requirements for material handling (240-105691858)

**CONTROLLED DISCLOSURE**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

### 2.2.3 Definitions

Definition	Explanation
Abnormal Vehicle	Means a vehicle or a combination of vehicles which; by virtue of its dimensions or mass, or a combination of both, does not comply with the requirements of Chapter III Part Three and Part Four of the Road Traffic Regulation.
Client	Means any person for whom work is being performed.
Contractor	Means an employer who performs work on behalf of ERI Logistics Services.
Duty of care to the environment	Anybody who causes or has caused or may cause significant pollution or degradation of the environment must take reasonable measures to prevent such pollution or degradation from occurring, continuing, or recurring. If such harm to the environment is authorised by law, or cannot reasonably be avoided or stopped, such person must minimise and rectify such pollution or degradation of the environment.
Employee	Means a person who is employed by or works for an employer and who receives or is entitled to receive any remuneration or who works under the direction or supervision of an employer or any other person.
Employer	Means any person who employs or provides work for any person and remunerates that person or expressly or tacitly undertakes to remunerate him/her, but excludes a labour broker.
ERI Logistics Services requirements	Means requirements flowing from directives, policies, standards, specifications, work instructions & procedures
Environment	<ul style="list-style-type: none"> <li>• the land, water, and atmosphere of the earth;</li> <li>• micro-organisms, plant and animal life;</li> <li>• any part or combination of (i) and (ii) and the interrelationships among and between them; and the physical, chemical, aesthetic, and cultural properties and conditions of the foregoing that influence human health and well-being</li> </ul>
Hazard	Means a source of or exposure to danger.
Hazard identification	Means the identification and documenting of existing or expected hazards to the safety and health of persons, which hazards are normally associated with the type of activity/task being/to be executed.

#### CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

Occupational Health and Safety Act 85 of 1993 including regulations	To provide for the health and safety of persons at work and for the health and safety of persons in connection with the use of plant and machinery; the protection of persons other than persons at work against hazards to health and safety and safety arising out of or in connection with the activities of persons at work, to establish an advisory council for occupational health and safety; and to provide for matters connected therewith.
Pollution	Refers to: <ul style="list-style-type: none"> <li>• Substances radioactive or other waves; or</li> <li>• Noise, odours, dust, or heat,</li> <li>• Emitted from any activity, including the storage or treatment of waste or substances, construction, and the provision of services, whether engaged in by any person or an organ of state, where that change has an adverse effect on human health or well-being or on the composition, resilience, and productivity of natural or managed ecosystems or on materials useful to people, or will have such an effect in the future.</li> </ul>
Subcontractor	Means an employer appointed by the Contractor to perform an activity/task.
Project	Means an activity or a group of activities that has a defined start and end date, a defined scope, and a defined sum of money allocated to complete the activities
Risk assessment	Means a programme to determine any hazard at a site and to identify the steps needed to remove, reduce, or control such hazard
Safety, health, and environmental (SHE) specification	Means a site, activity or project specific document prepared by the client pertaining to all health and safety requirement.
Safety, health, and environmental file	Means a permanent record containing information about the SHE management system in writing during the contract and all information relating to the post-contract phase after the handover to the client, so that the client can maintain the works in a healthy and safe way.
Safety, Health, and Environmental Plan	Means a site, activity or project specific document plan in accordance with the client 's health and safety specification This plan must include any required method statements, safe work procedures to mitigate, reduce, or control the hazards identified, SHE rules, and monitoring procedures. It is specific to each project undertaken and site where work is done, is compiled by the contractor or subcontractor, and must be approved by the client or agent prior to the commencement of any activities. The contractor and the client (or agent, where applicable) must both be signatories to the SHE plan once negotiated, agreed, and accepted. This plan has to be regularly updated to take account of any changes in project scope and unanticipated conditions.

**CONTROLLED DISCLOSURE**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

Site	Means a specific project site, or the site where the contractor does the work.
Travel Permit	Means an abnormal load/vehicle or other exemption permit issued by a Roads Authority in terms of Section 139 of the Road Traffic Act ( Act 29 of 1989), authorising the movement on or use of a public road for an event or of an abnormal load/vehicle/combination of vehicles subject to such terms and combinations and the payment of such fees as may be imposed.
Vehicle inspection	Means a technical evaluation for determining the roadworthiness and fitness of a vehicle to operate in compliance to acceptable legislative standards.

## 2.2.4 Abbreviations

Abbreviation	Explanation
AV	Abnormal vehicle
AARTO	Administrative Adjudication of Road Traffic Offences 1998
BBSO	Behavioural Based Safety Observation
ERI	Eskom Rotek Industries SOC Ltd
GAR	General Admin Regulations
GSR	General Safety Regulations
HIRA	Hazard Identification and Risk Assessment
ISO	International Standards Organisation
OSHACT	Occupational Health and Safety Act
PPE	Personal Protective Equipment
PM	Project Manager
SANAS	South African National Accreditation System
SDR	System Deficiencies Report
SHE Officer	Safety Health and Environmental Officer
SHEQ	Safety Health Environment and Quality
CQP	Contract Quality Plan
PQP	Project Quality Plan

### CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

### 2.2.5 Process for Monitoring

Monitoring of compliance will be done via evaluation of SHEQ files, site inspections, walkabouts and audits.

### 2.2.6 Related/Supporting Documents

Not Applicable

## 3 ROLES AND RESPONSIBILITIES

### 3.1 SHEQ Department: Logistics Services

It is the responsibility of Logistics Services SHEQ department to audit/evaluate the contractor's SHEQ file to ensure compliance as set out under this specification before any work is performed by the contractor.

**NOTE:** *Driver safety files will be audited prior to the issuing of the employees permit cards of the contractor.*

### 3.2 Contractor

It is the responsibility of the contractor to ensure that requirements listed in this specification are complied with by developing a SHEQ Plan before any work commences.

## 4 SCOPE OF WORK

The scope of work includes the collection, transportation and delivery of Eskom and non-Eskom commodity and various components.

## 5 AGREEMENTS

### 5.1 Section 37(2) Agreement

5.1.1 Section 37(2) agreement will be issued to the contractor upon approval of the SHEQ file and will be signed between the client and the contractor.

5.1.2 The original copy of the section 37(2) agreement must be kept by the contractor on the SHEQ file.

5.1.3 Where a contractor appoints a subcontractor, the contractor is required to sign a Section 32(7) agreement with the subcontractor and a copy of the agreement must be placed on the SHEQ file.

#### CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

## 5.2 Letter of Good Standing CR 5(1)(j)

5.2.1 The Letter of Good Standing ensures that a contractor / subcontractor is in good standing with the Compensation Commissioner or a registered insurer and in the event of an incident occurring, the Commissioner will incur the cost of the injury if the injured is an employee of the contractor / subcontractor. A valid copy of the Letter of Good Standing shall be placed in the SHEQ file.

**NOTE:** *No proof of payment or deposit slips will be accepted as confirmation of having a valid Letter of Good Standing.*

## 6 LEGISLATIVE COMPLIANCE/HEALTH AND SAFETY REGULATIONS

6.1 The following legislation is applicable for LS contractors but not limited to:

- 6.1.1 The Constitution of the Republic of South Africa
- 6.1.2 Occupational Health and Safety Act 85 of 1993 and Regulations
- 6.1.3 National Environmental Management Act 1998 (Act 107 of 1998)
- 6.1.4 Compensation for Occupational Injuries and Diseases Act
- 6.1.5 Applicable South African National Standards (SANS)
- 6.1.6 Labour Relations Act 66 Of 1995
- 6.1.7 Applicable International Standards.

## 7 ACT AND POLICY STATEMENT

### 7.1 OHS Act Book

7.1.1 The contractor and appointed subcontractors shall have the latest copy of the OHS Act and Regulations which should be made available to all employees.

### 7.2 SHEQ Policy

7.2.1 A SHEQ policy is a statement of intent and a commitment by the organisation's Chief Executive Officer and senior management in relation to the relevant SHEQ roles and responsibilities, the achievement of their strategic objectives, values of integrity, customer satisfaction, excellence, and innovation.

7.2.2 The contractor shall have an approved SHEQ policy signed by the Chief Executive Officer and the policy shall be displayed in prominent areas within the workplace and be kept in the SHEQ files.

## 8 APPOINTMENTS

### 8.1 Dedicated Employer Section (16)(1)

This appointment is made in terms of Section 16 of the Occupational Health and Safety Act 85 of 1993. The appointment is for the Chief Executive Officer of the company.

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

## 8.2 Dedicated Employer Section (16)(2)

This appointment is made in terms of Section 16 of the Occupational Health and Safety Act 85 of 1993. A 16(2) Appointment does not alleviate the 16(1) from his/her responsibilities with regards to Occupational Health and Safety issues but allows a 16(2) to assist the 16(1) in his/her responsibilities.

## 8.3 Contractor Appointment

This appointment shall be signed by the client and contractor. Where a contractor contracts work to a subcontractor, the contractor shall appoint the subcontractor formally. The appointment shall be signed if the contractor meets the requirements as listed under this specification.

## 8.4 Responsible Manager

A competent person shall be appointed for supervising the work with duties as listed in his/her role profile. The appointed person shall have SHEQ and technical training certificates to support the appointment.

## 8.5 Site Supervisor / Controller

A competent person shall be appointed for supervising the work with duties as listed in his/her role profile. The appointed person shall have SHEQ and technical training certificates to support the appointment.

## 8.6 Assistant Site Supervisor / Assistant Controller

A competent person shall be appointed for supervising the work with duties as listed in his/her role profile. The appointed person shall have SHEQ and technical training certificates to support the appointment.

## 8.7 Safety Health and Environmental Officer

The appointed person shall have a National Diploma in Occupational Health and Safety Management, Environmental Health or equivalent. A full time SHE Officer is non-negotiable if the contractor has five (5) or more trucks.

## 8.8 Risk Assessor

The contractor shall appoint a competent person to conduct risk assessments. The appointed person shall have a Hazard Identification and Risk Assessment competency training certificate to support the appointment.

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

## 8.9 Competent Person for Vehicle and Mobile Plant

- 8.9.1 The contractor shall ensure that operators of a vehicle and mobile plant are competent for the vehicle/plant in use.
- 8.9.2 The contractor shall ensure that the operators of a vehicle and mobile plant are in possession of a valid PDP.
- 8.9.3 The operator is issued with a valid medical surveillance for the vehicle/plant.
- 8.9.4 Daily inspections of the vehicle/plant are conducted prior to use.

## 8.10 Competent Person for Fire Fighting

The contractor shall appoint a competent person for firefighting. The appointed person will have a valid firefighting competency certificate to support the appointment.

## 8.11 Incident Investigator GAR 9(2)

This appointment shall be made in terms of General Administrative Regulation 9. The appointed person shall have a Root Cause Analysis (RCAT) or Incident Investigation competency training certificate to support the appointment.

## 8.12 Competent Person for First Aid GSR 3(4)

This appointment shall be made in terms of General Safety Regulations 3(4). The appointed person will have a valid first aid certificate to support the appointment.

## 8.13 Appointment of SHE Representatives and Responsibilities Section 17

SHE representatives shall be nominated, elected and appointed as per Section 17 and 18 of the Occupational Health and Safety Act No 85 of 1993.

# 9 ORGANOGRAM

## 9.1 Contractor Organogram

- 9.1.1 The contractor shall provide an organisational organogram related to this contract, listing all the levels of responsibility from the employer Section 16(1) down to the supervisors responsible for the contract. The organogram must list the relevant positions held, names of appointees and legal appointments.
- 9.1.2 The contractor must ensure that all appointed subcontractors comply with this requirement. The contractor is responsible for keeping copies of all of the organograms. All organograms shall be updated timeously when appointments are changed and filed in the project SHEQ files.
- 9.1.3 All appointees shall be made conversant of their roles and responsibilities, through training and awareness. In addition, copies of the role profiles shall be made available in the SHEQ file for review - the role profile provides a detailed list of responsibilities for the contract team.

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

## 10 ROLES AND RESPONSIBILITIES

Visible commitment is essential to providing a safe work environment. Managers, supervisors and employees at all levels must demonstrate their commitment by being proactively involved in the day-to-day operations, in particular the SHEQ of any contract. Legislation requires that each employee must take reasonable care of themselves and their fellow workers, being it management down to the lowest level employee.

### 10.1 Appointed Contractors

10.1.1 Carry out applicable duties as listed in section 8, 9 and 10 of the OHS Act.

10.1.2 Carry accountability and responsibility for the safety and health of their employees and their appointed subcontractors within their working area, as contemplated by Section 37(2) of the OHS Act.

### 10.2 Employees

All contractors are required to list employee's roles and responsibilities pertaining to the contract

## 11 COMPLIANCE REQUIREMENTS

### 11.1 Induction Training

11.1.1 Every contractor shall provide Logistics Services SHEQ with proof of induction.

11.1.2 Ensure that every visitor is inducted prior to entering the site.

11.1.3 Every contractor shall attend the Logistics Services SHEQ Induction.

11.1.4 Every contractor employer and their employees shall attend an onboarding Operations and Brokerage Induction.

*Note: Logistics Services SHEQ shall induct contractors upon approval of the SHEQ file. Where a new employee or contractor joins the business and the contract has already commenced, that employee or contractor employees may only start working after the completion of the contractor and Logistics Services induction.*

### 11.2 Medical Surveillance

Contractors shall ensure that a valid medical certificate of fitness is available for each employee on site and that the medical surveillance is conducted by a registered Occupational Medical Practitioner (OMP) or Occupational Health Practitioner (OHP). Logistics Services SHEQ may request verification that the Practitioner is an OMP or OHP if need be, in which case the contractor will provide such verification.

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

### 11.3 Toolbox Talk

The toolbox talks shall be conducted weekly by the contractor with his/her team members and an attendance register signed for verification purposes. Toolbox talks shall address topics relevant for the work to be performed including all aspects of SHEQ. Logistics Services SHEQ can request toolbox talks records from previous jobs if need be.

### 11.4 Monthly Reporting

Monthly SHE statistics shall be provided to Logistics Services SHEQ. The report shall include:

11.4.1 The names of drivers.

11.4.2 Actual head counts of employees.

11.4.3 Actual man-hours worked on the particular month.

11.4.4 Number of near miss, first aid, medical, lost time, fatality, environmental or rework incidents.

11.4.5 Safe Disposal Certificates (copies), for hazardous waste disposed in a case of oil/diesel spills.

### 11.5 Issuing of Personal Protective Equipment (PPE) GSR 2

11.5.1 Every contractor shall issue his/her employees with PPE as per General Safety Regulations 2. If additional and/or specialised PPE is required in order to address hazards as per the scope of work to be performed, the contractor shall provide such PPE. PPE shall be inspected every month and results of such inspections recorded.

11.5.2 Personal Protective Equipment shall be maintained in a good and clean condition. Torn (damaged) equipment should be replaced when necessary.

11.5.3 Personal Protective Equipment shall comply with Eskom PPE Specification (240-44175132).

11.5.4 Personal Protective Equipment shall include, but will not be limited to, the following:

- a) Approved head protection;
- b) Eye and face protection;
- c) Foot protection;
- d) Respiratory equipment;
- e) Hand protection;
- f) Hearing protection;
- g) Protective clothing e.g. overalls;
- h) Reflective vests.

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

## 11.6 Fire Extinguisher

The contractor shall provide his/her team with fire extinguisher(s) on site and such fire extinguisher(s) must be inspected monthly and tested annually. Each truck and trailer shall have a valid fire extinguisher which is inspected monthly and the annual pressure test date visible. They should be mounted for easy access and not locked in the toolbox.

## 11.7 First Aid Box

Each contractor shall provide each team with First Aid boxes as per General Safety Regulations 3(2). First aid boxes shall be equipped with medical supplies as listed under GSR 3(3)(a) Annexure. Every first aid box under a contractor's control shall be inspected monthly. An inspection register shall be kept in the SHEQ file. The name of the first aider including contact details must be placed on the first aid box. Each truck must have a valid first aid kit which is inspected monthly and the records of previous inspections available.

## 11.8 Reporting of Incidents

11.8.1 All incidents occurring at work must be reported immediately or within twenty-four (24) hours on an Initial Notification or similar document to the Logistics Services Operations and SHEQ department. In addition, the contractor shall immediately report incidents by telephone/personally to the Logistics Services responsible manager and SHEQ Department. The incident must be investigated by the contractor's incident investigator and the investigation report shall to be handed to Logistics Services SHEQ Department within seven (7) working days of the incident occurring.

11.8.2 The investigation report shall cover the following aspects:

- a) Scope of Work;
- b) Project Reporting Structure;
- c) Investigation Team;
- d) Interviewees and Statements;
- e) Dates when Investigation Took Place;
- f) Sequence of Initial Events;
- g) Root and Contributory Causes;
- h) Management and System Shortcomings;
- i) Immediate Corrective Action;
- j) Preventive Action;
- k) Conclusion;
- l) Appendices; and
- m) Photographs of Incident.

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

11.8.3 **NOTE:** Please ensure the Occupational Health and Safety Incident Management Procedure (32-95) is followed for incident management. All Environmental incidents are to be reported and investigated by complying to the Environmental incident management procedure (240-133087117) and ERI incident management Work Instruction (240-15533245).

## 11.9 Lifting Activities and Associated Equipment

11.9.1 Contractors shall ensure that all lifting activities are conducted by a competent person.

11.9.2 The following information shall be provided to Logistics Services SHEQ and/or the Technical department before any lifting machine shall be used:

- a) Certificate of conformance that the lifting machine has been designed and constructed according to a generally acceptable technical standard.
- b) A six monthly (06) Inspection report of all attaching devices and components that form an integral part of the lifting machine.
- c) The annual load test certificate conducted and certified by an ECSA registered Lifting Machine Inspector (LMI) working for a Lifting Machine Entity (LME).
- d) The certified copy of the training certificate of the Lifting Machine Operator for the relevant category of lifting machine to be used on site.
- e) Valid medical certificate for the operator conducted by an OMP or OHP.

**NOTE:** Lifting machine means a power driven machine which is designed and constructed for the purpose of raising or lowering a load or moving it in suspension and includes a block and tackle, hoist, crane, lift truck or jib crane but excludes an elevator, escalator, goods hoist or builder's hoist.

## 11.10 Certificates of Competency for Contractors

Every Contractor shall provide to Logistics Services SHEQ a copy of competency certificates for every employee under his/her control. All contractor Supervisors/Controllers shall as a minimum have a matric certificate.

**NOTE:** Competency certificates for team members as per their duties shall also be included.

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

11.10.1 The following information shall be provided to Logistics Services SHEQ and/or the Technical department before any lifting tackle may be used:

- a) Certificate of conformance that the lifting machine has been designed and constructed according to a generally acceptable technical standard.
- b) A three (03) monthly inspection report conducted by a competent person who has knowledge and experience in the type of tackle to be used.

**NOTE:** *Lifting tackle means chain sling, rope sling, rings, hooks, shackles, swivels, spreaders or similar appliances.*

### 11.11 Risk Assessments

11.11.1 Every contractor shall conduct a baseline risk assessment before the work is to be performed. Thereafter a task specific risk assessment shall be conducted and discussed daily or when there is a change in the task/risk/mitigation with all affected employees.

11.11.2 Every risk assessment conducted shall be discussed with employees performing the work and a register signed for verification purposes.

11.11.3 Environmental aspects and impacts shall be recorded as part of the baseline and task specific risk assessment.

11.11.4 Where any other person, other than the team performing the actual work may be impacted by the hazards and risks of the activity being performed, those other persons must also be aware of and sign the risk assessment.

11.11.5 The copy of the risk assessment to be attached to the POD and submitted to operations and/or warehouse controller for record purposes and verification.

### 11.12 Housekeeping

11.12.1 Contractors shall ensure that good housekeeping practices are maintained continuously in the trucks, trailer and at their depot.

### 11.13 Contractor Facilities

11.13.1 An adequate supply of drinking water shall be provided at or within reasonable access.

11.13.2 The following facilities should, depending on the number of workers and the duration of the work, be provided, kept clean and maintained at or within reasonable access:

- a) Sanitary and washing facilities or showers;
- b) Facilities for changing and for storage;
- c) Accommodation for taking meals and for taking shelter during interruption to work due to adverse weather conditions; and
- d) Men and women workers should be provided with ablution and washing facilities.

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

### 11.14 Portable Electrical Equipment

- 11.14.1 The contractor shall ensure that all portable electrical equipment complies with the requirements as listed under the OHS Act including Regulations.
- 11.14.2 All portable electrical tools shall be maintained together with their flexible cord and plug in good working order and inspected every time before use. No cable joining shall be allowed on the flexible cord of the electric tool.
- 11.14.3 Any portable electric light to be used shall be suitable for the application in accordance with Electrical Machinery Regulations 11.

### 11.15 Electrical Protection

- 11.15.1 Any work on the electrical network, installation or machinery shall not commence before electrical isolations are affected according to Plant Safety Regulations (PSR) and Operating Regulations for High Voltage Systems (ORHVS), provided a permit to work is issued.
- 11.15.2 Any cable required to be cut must be properly isolated according to PSR and ORHVS as well as spiked to earth.
- 11.15.3 Where the truck is required for pole planting and/or pole mounted transformer changing, the earth plate should be fitted.
- 11.5.4 Any work performed on any electrical network shall be executed by a competent person.

### 11.16 Earth Leakage Relays

Earth leakage relays - portable or permanently fixed - must be provided and tested on a regular basis. Records to be kept for audit purposes

### 11.17 Pressure Equipment

Any portable compressed air unit with a receiver or any pressure vessel shall have a pressure test certificate valid for thirty-six (36) months.

### 11.18 Ladders

- 11.18.1 All ladders are to comply with the requirements as listed under General Safety Regulations 13(A). Ladders shall be inspected before use.
- 11.18.2 In addition, the contractor shall ensure the following:
- Ladders must be constructed of suitable material of adequate strength.
  - Homemade ladders will not be allowed on site.
  - All ladders shall be prominently identified with the contractor's name and ladder unique identifier.
  - Ladders shall be checked monthly.
  - Records are to be kept. A register must be available for audit purposes.
  - All trailer to be designed with fixed cat ladders for easy access

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

### 11.19 Scaffolding

All scaffolding must be erected by people who have been trained and appointed in writing to erect scaffolding. The scaffolding must also be inspected weekly, or after inclement weather if outside or after adjustments have been made, by a trained person who is appointed in writing. All scaffolding to comply with SANS 085.

### 11.20 Compressed Gas Cylinders

11.20.1 The contractor shall ensure that cylinders transported to site are in an upright position and chained to ensure safe transportation practices.

11.20.2 In addition, the contractor shall ensure the following:

- a) Industrial gases must be stored in an isolated and well-ventilated covered area.
- b) Full and empty cylinders are to be stored separately.
- c) Cylinders must be stored in a shaded area out of direct sunlight.
- d) Equipment must be always kept in a good condition.
- e) Cylinders must be kept in an upright position at all times and must be adequately chained or strapped to prevent them from falling over.
- f) Valves must be closed when equipment is not in use and each set must be provided with a locking spanner.
- g) Handling and storage of gases must be in accordance with the manufacturer specifications and good practices.
- h) Flame cutting equipment shall be fitted with flashback arrestors on both ends of the hoses.
- i) Hoses are to be free of joints.
- j) The oxygen and the acetylene hoses shall not be tied together with electrical straps, wire, and/or insulation tape. Hose clips must be used.
- k) Where flame-cutting work is in progress a protective blanket shall be used in such a manner as to protect persons and equipment in areas below.

### 1.2 Notices and Sign GSR 2B

The contractor shall comply with the requirements as listed under General Safety Regulations 2B. Notices and signs applicable for the work to be performed will be displayed.

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

## 11.21 Health and Safety Meetings

11.21.1 The contractor shall conduct and/or be part of the following SHE Meetings:

a) Contractors Statutory Meetings

Individual contractors shall hold a Statutory SHE meeting at least once a month. Where a contractor has sub-contractors the sub-contractor shall be included in the contractor's meetings. All appointed SHE Representatives shall be a member of at least one committee and the meeting must be held in accordance with the OHS Act.

b) Contractor SHE Meetings

Where Logistics Services SHEQ Department convenes a contractor SHE Meeting, a Senior Representative from each contracting company shall be present at the meeting.

## 11.22 Safe Work Procedure (SWP)

The contractor shall demonstrate to Logistics Services SHEQ in a documented format the procedure undertaken to perform work safely. The approved SWP will be implemented by the contractor on the commencement date of the project and for the duration of the contract.

## 11.23 Planned Job Observations

Two (02) planned job observations shall be conducted by the contractor on a monthly basis and proof of such observations kept in the SHEQ file for approval.

## 11.24 Behavioural Based Safety Observations (BBSO)

11.24.1 BBS observations must be conducted monthly at each workplace on the contract site. It is preferable that the safety observation team comprise of two persons and represent different levels in the organisation. The objective of BBS observations is to assess and address the actual safe and unsafe behaviours of people in the workplace, as well as conditions that are caused by the actions or non-actions of employees, contractors, or their supervisors.

11.24.2 The intent of the BBS observation process is for management to be visible in the workplace and for them to recognise and encourage positive behaviours, so that they are sustained.

## 11.25 Inspection and Audit Reports

Logistics Services SHEQ can at any such time inspect and audit any contractor under their control. Findings from the inspection or audit shall be closed out as per the report close out date. Where any deviations are found, a Nonconformance Report (NCR) will be issued to the contractor. A copy of the inspection or audit report must be kept in the SHEQ File together with a copy of any NCR's that were issued.

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

## 11.26 Permit to Work, Lock-out Procedures, Safe Work Procedures

- 11.26.1 The Permit to Work shall be issued by the Logistics Services Responsible Person. The Responsible Person for the project shall indicate to the contractor which task requires a Permit to Work.
- 11.26.2 The Responsible Person shall ensure that:
- The conditions of permits and cautionary notices are strictly adhered to.
  - The lock-out procedures, mechanical as well as electrical, are strictly adhered to and any deviations shall be corrected immediately.
  - Those safe work procedures as laid down by the Logistics Services SHEQ and the client shall be followed.
  - The workers register and cautionary notices are discussed daily with the workers.
- 11.26.3 All Logistics Services Operations subcontractor drivers conducting work are required to have a driver permit card prior to commencing work. The following process shall be followed to obtain the card:
- The driver shall attend a safety induction with his/her updated driver SHEQ file in full PPE. The induction is held on Monday and Thursday at 09h00am. Arrangements must be done prior with Logistics Services SHEQ department.
  - A photo will be taken to the Logistics Services SHEQ department after approval of the drivers SHEQ file.
  - The documents shall be taken to Risk and Fleet department where the driver permit card will be processed. The contractor will be notified when to collect the driver permit card/s.
- 11.26.4 All drivers must have a valid driver's license and PrPD and dangerous goods competency where necessary.

## 11.27 Walkways and Storage Demarcation

- 11.27.1 Yards and Sites
- Storage areas for materials and equipment shall be established and maintained.
  - Provision must be made for walkways and vehicle traffic.
  - Existing walkways and storage areas must be adhered to.
  - All walkways and storage areas are to be clearly demarcated.
  - Walkways are to be kept free from materials, goods, tools, scaffolding and other articles.

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

**11.28 Fire Alarm**

Contractor employees shall be made aware of the meaning of the client's alarms, how to report a fire, where to report it and what to do in case of a fire emergency.

**11.29 Dust/Asbestos**

- 11.29.1 All employees must be made aware of the inherent dangers of dust. The contractor must take such measures as may be necessary to decrease the generation of dust and post warning signs.
- 11.29.2 The use of thermal insulation materials containing asbestos or any other material containing asbestos is not allowed onto the property. Where any process necessitates the breaking up, grinding, pulverising, crushing or cutting of asbestos cement products the Responsible Manager must be notified immediately of the quantity and location.
- 11.29.3 Where employees are exposed to dusts such as silica, fibreglass and cement etc. adequate protective clothing and appliances must be provided.

**11.30 Environmental Management**

- 11.30.1 The contractor shall ensure that vehicles are maintained and serviced; a maintenance plan shall be submitted upon contract award.
- 11.30.2 Drivers must be trained on how to clean minor spillages and be provided with the hydrocarbon spill kits in case of any spillage occurring.
- 11.31.3 No water abstraction from wetlands, rivers, and boreholes
- 11.31.4 Prevent water pollution (ensure that spillages do not enter water course bodies
- 11.31.5 No killing, feeding and/or pouching of fauna will be allowed on site.
- 11.31.6 All waste generated will be managed and disposed of in accordance to legal and other requirements.

**CONTROLLED DISCLOSURE**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

## 12 DISCIPLINARY PROCESS

### 12.1 Organisational Process

The contractor is required to implement a disciplinary process within his/her organisation to enforce conformance to requirements, similarly, appointed subcontractors must do the same. Disciplinary action must be taken on all non-conformances and the breach of Eskom Lifesaving Rules.

### 12.2 Eskom Life Saving Rules

12.2.1 Eskom views health and safety in high esteem and encourages that any organisation who performs work for Eskom adopt the same view.

12.2.2 Five Life Saving rules have been developed that will apply to all Eskom employees, agents, consultants, visitors and contractors. Failure to adhere to these rules will be considered a serious transgression which will lead to serious disciplinary action, which may include dismissal.

12.2.3 These rules are implemented to prevent serious injuries or death of any person in any area within the ERI. This is to ensure that every person who works on or visits ERI returns home safely to his or her family.

12.2.4 Compliance and adherence to Eskom Life Saving Rules, which consist of the following:

**CONTROLLED DISCLOSURE**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

Rule 1	<p><b>Open, Isolate, Test, Bond and/or Insulate Before Touch</b></p> <p>No person may work on any electrical network unless:</p> <ul style="list-style-type: none"> <li>• He/she is trained and authorised as competent for the task to be done.</li> <li>• A pre-task Risk Assessment to identify all risks and hazards has been conducted prior to any work commencing.</li> <li>• An equipotential zone is created for each worker on the job site by earthing, bonding and/or insulating according to approved procedures.</li> <li>• He/she follows the applicable Operating Regulations for High Voltage Systems (ORHVS) or Plant Safety Regulations (PSR) requirement or any other related standard, procedure and outcome of Risk Assessment fit for the type of work or task to be performed.</li> <li>• The authorised person (Team Leader) has certified and shown all Team Members that the apparatus is safe to work on.</li> </ul>
Rule 2	<p><b>Hook Up at Heights</b></p> <ul style="list-style-type: none"> <li>• Working at height is any work performed above a stable work surface, or where a person puts himself/herself in a position where he/she exposes himself/herself to a fall from or into.</li> <li>• No person may work at height where there is a risk of falling unless:             <ul style="list-style-type: none"> <li>○ A pre-task Risk Assessment to identify all risks and hazards has been conducted prior to commencing any work at height.</li> <li>○ You are appropriately trained.</li> </ul> </li> </ul>
Rule 3	<p><b>Buckle Up</b></p> <ul style="list-style-type: none"> <li>• No person may drive any vehicle on Eskom business and/or on Eskom premises:             <ul style="list-style-type: none"> <li>○ Unless the driver and all passengers are wearing seat belts.</li> </ul> </li> </ul>
Rule 4	<p><b>Be Sober</b></p> <ul style="list-style-type: none"> <li>• No person is allowed to work under the influence of drugs and/or alcohol.</li> </ul>
Rule 5	<p><b>Ensure you have a Permit to Work</b></p> <ul style="list-style-type: none"> <li>• Where an authorisation limitation exists, no person shall work without the required Permit to Work (PTW), which is governed by Plant Safety Regulations, Operating Regulations for High Voltage Systems (ORHVS), etc.</li> <li>• No plant is to be returned to service without the cancellation of all permits on the plant in accordance with procedure.</li> </ul>

**13 NON-COMPLIANCE**

13.1 Any non-compliance to any health and safety requirements in the SHEQ specification is subjected to disciplinary action in terms of the Eskom Procurement and Supply Management Procedure.

13.2 The contractor is required to implement a non-conformance procedure for issuing to subcontractors for transgressions. Similarly, appointed subcontractors must implement a non-conformance procedure.

13.3 The procedure for the issuing of non-conformance reports shall be strictly adhered to.

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

13.4 The contractor shall close out non-conformances issued; this will ensure that recommendations have been implemented to address the non-conformance.

## 14 UNLAWFUL ORDERS

The OHS Act Section 14(c), specifies that an employee shall at work carry out any lawful order given to him/her and obey the health and safety rules and procedures laid down by his/her employer or by anyone authorised thereto by his/her employer in the interest of health or safety.

## 15 CHECKLISTS AND INSPECTION REPORTS

15.1.1 When performing inspections, health and safety representatives must use an inspection check list as a reminder to enable them to cover all the risks areas within the work site/ area of designation.

15.1.2 A vehicle and driver verification / inspection will be conducted on all contractors' vehicles. The contractors' vehicles shall have a permit which is valid for twelve (12) months from the date of issue. Thereafter the contractor shall present the vehicle for the six (06) monthly inspections at Logistics Services Technical Department.

## 16 SECURITY

### 16.1 Site Access and Departure

16.1.1 All employees reporting for duty should always produce their induction cards at the security gates and sign an access register. While on site the cards should always be displayed and visible on every individual. All site visitors will be required to sign the visitors and suppliers register at the project site.

16.1.2 The contractor is required to have a daily work permit before any work can commence. The work permit is issued by the security department, and it should clearly identify the number of people on site, time duration and the associated risks on site. Therefore, any contractor working without a work permit will be immediately stopped and disciplinary actions will be taken.

## 17 QUALITY MANAGEMENT SYSTEM

### 17.1 Leadership

The contractor shall demonstrate its commitment to the development and implementation of the business management system by:

17.1.1 Communicating the importance of meeting customer as well as statutory and regulatory requirements.

17.1.2 Ensuring there is a project plan in place with stipulated time frames to complete specific task.

17.1.3 Ensuring there is resources available to perform the work (approved organogram in place).

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

- 17.1.4 Ensuring an employee's responsibility and authority for relevant roles are assigned, communicated and understood within the team.
- 17.1.5 Identifying risk and opportunities (both SHEQ and business risk) of the project during risk assessments. The risk and opportunities shall be documented in risk registers.
- 17.1.6 Promoting continual improvement.

## **17.2 Control of Non-Conforming Product, Corrective Action and Continual Improvement**

- 17.2.1 Nonconformances will be managed according to the control of nonconforming products or services, corrective and preventive action work instruction.
- 17.2.2 The cause(s) of the nonconformity will be investigated, and all findings recorded including the root cause of the nonconformity
- 17.2.3 Nonconforming product must be quarantined to prevent unintended use. Status must also be clearly indicated e.g. "On-hold", "Awaiting Inspection", etc.
- 17.2.4 Once corrective action has been implemented, the situation must be reviewed to determine the effectiveness of the corrective action taken. The review of corrective actions taken shall be conducted by the responsible Departmental Manager.
- 17.2.5 A copy of the NCR completed NCR must be sent to the respective SHEQ Department which will be responsible for checking the NCR. Proof of root cause analysis, correction, corrective action, and preventive action shall be provided or referenced to allow follow up on the actions taken.
- 17.2.6 All NCR's must be closed out within a maximum of 90 calendar days from date of issue. Where this is not possible due to financial constraints or other justifiable reasons, applications for date extensions may be made by completing the Nonconformance/Audit Finding Extension (Form No.: 240-150270398). The duration of the extension will be at the discretion of the NCR owner, Subject matter expert/customer and the approver. The completed form is submitted to the relevant SAP QIM Administrator where date extension fields will be updated on SAP QIM and the form attached as proof
- 17.2.7 The overall responsibility for addressing all elements of the NCR rests with the NCR Owner.
- 17.2.8 The contractor shall ensure that all non-conforming products are returned to the OEM for inspection and testing until such time as the method of disposition has been decided (e.g. use as-is, repair, rework, scrap).

## **17.3 Quality Management systems and its processes**

- 17.3.1 Processes needed for the quality management system should be determined by the service provider
- 17.3.2 Work instructions and procedures for activities carried out in the scope of the business management system scope to be documented and maintained.

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

## 17.4 Customer Focus

17.4.1 Effective processes determine customer requirements and statutory and regulatory requirements related to the organization's products and services must be in place, understood and met consistently

## 17.5 Quality Policy

17.5.1 A quality policy which aligns with the strategic direction of the organization, including the organization's overall understanding of what quality means to itself and for its customers must be established

## 17.6 Communicating the Quality Policy

17.6.1 The Contractor to ensure that the quality policy is communicated, understood and applied by persons in the organization so they can contribute to the effectiveness of the quality management system, and that it is available to relevant interested parties.

17.6.2 The Contractor to ensure that the quality policy is readily available and maintain it as documented information. To maintain the quality policy, the organization should review it periodically to determine if it is still appropriate to the purpose of the organization

## 17.7 Contract Quality Plan

17.7.1 Contractors to submit a project quality plans (PQPs)/ contract quality plans (CQPs) and associated documentation in accordance with the requirements of project QMS processes applicable to the Service providers' scope of work.

17.7.2 CQPs must be developed and implemented in accordance with the ISO Quality Management System.

## 17.8 Quality Control Plan

17.8.1 The Contractor shall develop and implement processes and procedures that efficiently and effectively monitor, verify and document the quality of the scope of work for deliverables.

17.8.2 Service Provider QCPs/ ITPs to be prepared to address all quality control related activities in from materials collection, transportation to delivery.

## 17.9 Roles, responsibilities and authorities

17.9.1 Contractors to assign the relevant roles in relation to the quality management system, to ensure the effectiveness and the achievement of intended results.

17.9.2 Top management will need to establish specific responsibilities and authorities for the roles and ensure that persons of the organization understand and are aware of their assignments through effective communications activities.

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

## 17.10 Competence

17.10.1 The Contractor to ensure that required competencies for the jobs or activities in the organization that can affect the conformity of products and services, or customer satisfaction are determined to ensure that the persons holding those jobs or carrying out those activities are competent to perform them

17.10.2 The competence of the persons can be based on their education, training, and experience

17.10.3 The contractor should retain appropriate documented information that provides evidence of an employee's competence, e.g. diplomas, licenses, resumes on completion of the training

## 17.11 Awareness and Communication

17.11.1 Relevant persons doing work under the organization's control must be aware of the quality policy, relevant quality objectives, work instructions, how to handle customer complaints and their contribution to the effectiveness of the quality management system and the implications of not conforming with quality management system requirements.

17.11.2 Communication of all kinds is important to ensure awareness and can include regular review meetings, customer communication meetings, gathering feedback and ensuring this feedback is made known to relevant persons.

17.11.3 The Contractor shall establish a communication plan to determine appropriate ways to gain information related to customer complaints, queries, operational, Safety, Health, Environment and Quality support. Communication methods may include but are not limited to emails or phone calls, customer support channels and face-to-face meetings

## 17.12 Risks and Opportunities

17.12.1 The Contractor must determine its risks and opportunities and plans actions to address them to prevent nonconformities, including nonconforming outputs.

17.12.2 When determining the risks and opportunities for the quality management system, the external and internal issues, interested parties' requirements and failure of processes, products and services to meet their requirements should be considered.

17.12.3 The Contractor to ensure that plans of actions to address its determined risks and opportunities are in place and implement the actions, analyse and evaluate the effectiveness of the actions taken.

### CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

### 17.13 Quality Objectives

17.13.1 The Contractor shall establish quality objectives and plan appropriate actions to achieve them.

17.13.2 The Contractor to maintain documented information on quality objectives.

17.13.3 Documented information can include, but are not limited business plans, service level agreement and key performance indicators

17.13.4 The Contractor must evaluate and monitor results on achieving specified quality objectives

### 17.14 Resources

17.14.1 The Contractor must provide the resources necessary for the establishment, implementation, maintenance and continual improvement of the operations.

17.14.2 The Contractor must have the right human resources that are needed for the operation and control of its processes and the effective implementation of the quality management system and documented in an organisational structure

17.14.3 The Contractor must have the facilities, equipment and services needed to consistently execute and provide conforming products and services to its customers

17.14.4 The Contractor shall determine and provide the necessary environment for the operation of its processes, to facilitate provision of conforming products and services.

### 17.15 Monitoring and measuring resources

17.15.1 The Contractor shall determine and provide suitable resources to ensure valid and reliable monitoring and measuring results when evaluating the conformity of the organization's equipment, products and services

17.15.2 Measuring equipment that needs to be verified or calibrated must be determined and documented in an appreciate asset or equipment register

17.15.3 Documented information should be available to demonstrate the fitness of purpose of the monitoring and measuring resources determined

17.15.4 Schedules outlining how often checks are needed to ensure valid results must be documented

17.15.5 The status of calibration or verification should be identified whether the measuring equipment has been calibrated or verified, and until when it can be used. If measuring equipment is found to be unfit for the intended purpose, the potential impact on compliance with measurement requirements should be reviewed and necessary actions taken

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

**17.16 Control of externally provided processes, products and services**

17.16.1 The Contractor shall control processes, products and services that are provided by an external service provider

17.16.2 The Contractor shall provide a documented process to ensure that externally provided processes, products and services conform to requirements of the quality management system

17.16.3 The documented process must include the criteria for the evaluation, selection, monitoring of performance, and re-evaluation of external providers.

**17.17 Storage and Handling**

17.17.1 The Contractor shall ensure that property that does not belong to the contractor, but that is under the contractors' control is protected

17.17.2 The Contractor shall implement appropriate preservation methods to protect the customers' property during handling, transportation and delivery

17.17.3 The Contractor shall ensure that relevant information is available and reported accurately if property is lost, damaged, or otherwise found to be unsuitable for use.

**17.18 Monitoring, Measurement, Analysis and Evaluation**

17.18.1 Internal audits and inspections shall be conducted by both the client and the contractors to ensure continual improvement and conformance to the ISO requirements.

17.18.2 Processes monitoring and measurement shall include but not limited to:

- a) Customers Surveys
- b) Internal audit
- c) Management reviews
- d) Calibration records
- e) Job Observation of critical task
- f) Near Misses
- g) Behavioural Based Safety Observations
- h) Evaluation of compliance to life saving rules
- i) Data Management Verification
- j) Planned maintenance of tools and equipment
- k) Occupational Hygiene Surveys

**17.19 Continual Improvements**

The contractor shall ensure that a continual improvement is driven by the analysis of the SHEQ policy, objectives and targets, audit results, corrective and preventive action management.

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

## 18 ACCEPTANCE

This document has been seen and accepted by:

Name	Designation
Nthabiseng Tlatsi	Acting SHEQ Business Partner
Daphney Modise	Acting Regional SHEQ Manager
Ntombifuthi Vilakazi	Acting Regional SHEQ Manager
Zanele Mokwena	Acting HOD Operations
Mike Masondo	HOD Technical
Thulani Tshuma	Workshop Manager
Nelisiwe Kubheka	Fleet and Risk Support
Mpho Mokwena	Acting HOD Multi-Axle/Lowbeds
Bongani Mosimanga	Acting HOD Logistics Support

## 19 REVISIONS

Date	Rev.	Compiler	Remarks
August 2018	0	M Mkhize	Outline the SHEQ specification for contractors
March 2021	1	K Tshishonga	Align to 0 –32ton contract
January 2025	2	T Nzimande	Align to 0 –32ton contract

## 20 DEVELOPMENT TEAM

The following people were involved in the development of this document:

- Nthabiseng Tlatsi
- Daphney Modise
- Ntombifuthi Vilakazi
- Busisiwe Gabela
- Thabisile Nzimande
- Nhlanhla Dladla
- Dumisile Mbatha
- Lindani Jaca

## 21 ACKNOWLEDGEMENTS

- None

### CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

**22 ANNEXURE A - SHEQ CHECK SHEET**

<b>Name of Contractor</b>		
<b>Name of Contractor's Representative</b>		
<b>Signature of Contractor's Representative</b>		
<b>Project No.</b>		
<b>Scope of Work</b>		
<b>Date of Submission</b>		
<b>File Approved</b>	Y	N
<b>Name of Logistics Services SHE Officer</b>		
<b>Signature of Logistics Services SHE Officer</b>		

No.	Requirements Description	Compliance Yes (Y) No (N) Not Applicable (N/A)	Comments
<b>1</b>	<b>AGREEMENTS</b>		
1.1	Section 37(2) Agreement		
1.3	Copy of OHS Act		
1.4	Valid Letter of Good Standing		
<b>2</b>	<b>LEGISLATIVE COMPLIANCE/HEALTH AND SAFETY REGULATIONS</b>		
2.1	Policies and Procedures listed received		
2.2	Signed SHEQ Policy		
<b>3</b>	<b>APPOINTMENTS</b>		
3.1	Employer Section16(1)		
3.2	Dedicated Employer Section16(2)		
3.3	Contractor Appointment		
3.4	Responsible Manager		
3.5	Site Supervisor / Controller		
3.6	Assistant Site Supervisor / Assistant Controller		
3.7	SHE Officer		
3.8	Risk Assessor		
3.9	Competent Person for Vehicle and Mobile Plant		
3.16	Competent Person for Fire Fighting		
3.19	Incident Investigator GAR 9(2)		
3.20	Competent Person for First Aid GSR 3(4)		

**CONTROLLED DISCLOSURE**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

No.	Requirements Description	Compliance Yes (Y) No (N) Not Applicable (N/A)	Comments
3.21	SHE Representative Section 17		
<b>4</b>	<b>ORGANISATIONAL STRUCTURE</b>		
4.1	Contractor Organogram		
4.2	Appointed Subcontractor's Organogram		
<b>5</b>	<b>COMPLIANCE REQUIREMENTS</b>		
5.1	Induction training (Contractor's induction)		
5.2	Medical Surveillance		
5.3	Toolbox Talk		
5.4	Monthly Reporting		
5.5	Issuing of PPE GSR 2		
5.6	Fire Extinguisher Inspections/Certificate		
5.7	First Aid Box Inspections		
5.8	Reporting of Incidents Document		
5.9	Certificates of Competency for Contractors		
5.10	Lifting Activities and Associated Equipment		
5.11	Risk Assessments - Baseline risk assessment - Task specific risk assessment		
5.13	Inventory list of HCS on site		
5.14	SDS for chemicals listed on inventory list		
5.15	Contractor Facilities		
5.16	Portable Electrical Equipment Inventory List and Inspections		
5.17	Electrical Protection (PTW issued)		
5.18	Earth Leakage Relays Inspections		
5.19	Pressure Equipment Certificate/s		
5.20	Ladder Inspections		
5.21	Scaffolding Inspections		
5.22	Compressed Gas Cylinders Storage		
5.23	Notices and Sign GSR 2B		
5.24	Health and Safety Meeting (Minutes)		
5.25	Safe Work Procedure (SWP)		
5.26	Planned Job Observations		

**CONTROLLED DISCLOSURE**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

No.	Requirements Description	Compliance Yes (Y) No (N) Not Applicable (N/A)	Comments
	- Previous Projects		
5.27	Behavioural Based Safety Observations - Previous Projects		
5.28	Inspections and Audit Reports - ERI		
5.29	Permit to Work, Lock-Out, Procedures, Safe Work Procedures - Supplier Access Form (SAF) - Permit To Work (PTW)		
5.33	Walkways and Storage Demarcation Area designated		
5.34	Fire Alarm - Emergency Evacuation Procedure		
5.35	Dust/Asbestos - SWP - PPE		
5.36	Environmental Management		
5.37	Life Saving Rules Acknowledgment		
5.38	SHE Plan submitted		
5.39	SHE/Q File submitted		
<b>6</b>	<b>QUALITY MANAGEMENT</b>		
6.1	Valid copy of ISO 9001 certificate (if certified)		
<i>If not certified to ISO 9001, the following documents must be submitted to demonstrate compliance to ISO 9001</i>			
6.2	SHEQ/Quality Manual (Signed)		
6.3	SHE/Q Policy (Signed)		
6.4	Procedure for the Control of Documents		
6.5	Procedure for the Control of Records		
6.6	Procedure for Internal Audits		
6.7	Procedure for the Control of Non-Conforming Products		
6.8	Procedure for Corrective Action		
6.9	Procedure for Preventive Action		

**CONTROLLED DISCLOSURE**

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

