

INVITATION FOR BID

YOU ARE HEREBY INVITED TO SUBMIT PROPOSAL FOR THE REQUIREMENTS OF NATIONAL HEALTH LABORATORY SERVICES (NHLS)

BID NUMBER:	RFB002/24/25
CLOSING DATE:	20 SEPTEMBER 2024
CLOSING TIME:	11:00 AM
PUBLIC TENDER	DATE: 20 SEPTEMBER 2024
OPENING:	TIME: 11:30 AM
	VENUE: NATIONAL HEALTH LABORATORY SERVICE
	1 MODDERFONTEIN ROAD
	SANDRINGHAM
BID VALIDITY PERIOD:	180 days (commencing from the RFB Closing Date)
INADODTANT.	COMPLIA CODY DESCRIPTION OF COLONIC WILL BE LIFED ON.
IMPORTANT:	COMPULSORY BRIEFING SESSIONS WILL BE HELD ON: DATE: 27 AUGUST 2024
	TIME: 10:00 AM
	VENUE: LYDENBURG HOSPITAL,
	32 BERG STREET,
	LYDENBURG
	MPUMALANGA, 1120
	COMPULSORY BRIEFING SESSION WILL BE HELD ON:
	DATE: 28 AUGUST 2024
	TIME: 10:00 AM
	VENUE: LOUIS TRICHARDT MEMORIAL HOSPITAL
	1 CORNER SNYMAN AND HOSPITAL STREET
	LOUIS TRICHARDT
	0920
	COMPULSORY BRIEFING SESSION WILL BE HELD ON:
	DATE: 29 AUGUST 2024
	TIME: 10:00 AM
	VENUE: W F KNOBEL LABORATORY

Confidential Page 1 of 84



	KNOBEL HOSPITAL, GILEAD	ROAD			
	CORNER AGANANG MUNICIPALITY				
	MOLETJI 0710				
	PLEASE NOTE THAT LATE COMING WILL NOT BE ACCEPTED				
		mail to	manare.malekutu@nhls.ac.za on or before 04		
	September 2024				
	SUPPLY AND DELIVER 2 MODULAR STEEL CONTAINER LABS AT LYDENBURG AND WF				
DESCRIPTION:	KNOBEL AND 1 PREFABRICATED CONTAINER AT LOUIS TRITCHARDT HOSPITAL				
	INCLUDING ALL INTERIOR AND EXTERIOR FINISHES.				
BID DOCUMENTS MUST BI	E MARKED WITH THE FOLLOWING:	OR	DEPOSITED IN THE BID BOX SITUATED AT:		
NHLS PROCUREMENT TEN	DER OFFICE				
RFB:002/24/25			NHLS MAIN RECEPTION		
Bidders Name:			1 Modderfontein Road, Sandringham,		
			Johannesburg.		
RFB: Enclosed-Regret (dele	ete N/A)				
Closing Date:					
Bidders should ensure that I	Bids are delivered in time to the corr	ect ado	Iress. If the bid is late, it shall not be accepted for		

Bidders should ensure that Bids are delivered in time to the correct address. If the bid is late, it shall not be accepted for consideration.

ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS – (Please note that no changes on the content of this document is allowed)

Bidders should ensure that Bids are delivered in time to the correct address. If the bid is late, it shall not be accepted for consideration.

ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS – (Please note that no changes on the content of this document is allowed)

THIS TENDER IS SUBJECT TO THE GENERAL CONDITIONS OF THE TENDER, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.

THE FOLLOWING PARTICULARS MUST BE FURNISHED (FAILURE TO DO SO SHALL RESULT IN YOUR BID BEING DISQUALIFIED).

SUPPLIER INFORMATION	
NAME OF BIDDER	

Confidential Page 2 of 84



SUPPLIER INFORMATION							
POSTAL ADDRESS							
STREET ADDRESS							
TELEPHONE NUMBER	CODE:		NUMB	ER:			
CELLPHONE NUMBER							
FACSIMILE NUMBER	CODE		NUMB	ER:			
E-MAIL ADDRESS							
VAT REGISTRATION							
NUMBER	TCS PIN:			OR	CSD No:		
B-BBEE STATUS LEVEL	Yes	B-BBEE	STATU:	S LEVEL	SWORN		Yes
VERIFICATION	□ No	AFFIDA	AVIT				No
CERTIFICATE	[TICK APPLICABLE BOX]					[TIC	CK APPLICABLE BOX]
[A B-BBEE STATUS LEVEL				FFIDAVI	T (FOR EMEs	& QSEs) I	MUST BE SUBMITTED
IN ORDER TO QUALIFY FO	OR PREFERENCE POINTS	FOR B-B	BBEEJ				1
SIGNATURE OF BIDDER						Date:	
CAPACITY UNDER WHICH proof of authority to sign	•						
directors, etc.)	tills blu, e.g. resolution	101					
TOTAL BID PRICE							
(ALL INCLUSIVE)							
BIDDING PROCEDURE AN	D TECHNICAL ENQUIRIE	S MAY E	BE DIREC	TED TO	:		
DEPARTMENT/ PUBLIC ENTITY							
CONTACT PERSON							
TELEPHONE NUMBER							
FACSIMILE NUMBER							
E-MAIL ADDRESS							

Confidential Page **3** of **84**



Contents

1.	Confidential information disclosure notice	5
2.	Introduction	5
3.	Definitions	5
4.	Acronyms and abbreviations	9
5.	General Rules and Instructions	9
6.	Response format	13
7.	Key personnel	14
8.	Reasons for Disqualification	14
9.	Bid Preparation	14
10.	Oral presentations and Briefing Sessions	14
11.	General Conditions of Bid and Conditions of Contract	14
12.	EVALUATION CRITERIA AND METHODOLOGY	19
ANN	NEXURE A: Technical Specification	23
ANN	NEXURE C: Bidder's Disclosure (SBD4)	58
ANN	NEXURE D: Preferential Procurement Claim Form (SBD6.1)	61
80/2	20 or 90/10	62
swo	ORN AFFIDAVIT: B-BBEE QUALIFYING SMALL ENTERPRISE: GENERAL	68
swo	ORN AFFIDAVIT: B-BBEE QUALIFYING MICRO ENTERPRISE: GENERAL	70
ANN	NEXURE E: Government Procurement: General Conditions of Contract – July 2011	72



1. Confidential information disclosure notice

- 1.1 This document may contain confidential information that is the property of the NHLS and the Client.
- 1.2 No part of the contents may be used, copied, disclosed or conveyed in whole or in part to any party in any manner whatsoever other than for preparing a proposal in response to this Bid, without prior written permission from NHLS and the Client.
- 1.3 All Copyright and Intellectual Property herein vests with NHLS and its Client.

2. Introduction

2.1 Based on the Bids submitted and the outcome of the evaluation process according to the set evaluation criteria, NHLS intends to select a preferred bidder with the view of concluding a service level agreement (SLA) with such successful bidder. The Bid shall be evaluated in terms of the Preferential Procurement Policy Framework Act (PPPFA)

2.2 Queries

2.2.1 Should it be necessary for a bidder to obtain clarity on any matter arising from or referred to in this RFB document, please refer queries, in writing, and to the contact person_email address number listed below on or before **04 September 2024**. Under no circumstances may any other employee within NHLS be approached for any information. Any such action might result in a disqualification of a response submitted in competition to the RFB. NHLS reserves the right to place responses to such queries on the website.

	Telephone	011 555 0580
QUERIES: Manare Malekutu	E-mail	manare.malekutu@nhls.ac.za

3. Definitions

- 3.1 National Health Laboratory Services [hereinafter referred to as NHLS] is a public health laboratory service with laboratories across South Africa. Its activities comprise diagnostic laboratory services, research, teaching and training, and production of sera for anti-snake venom, reagents and media.
- 3.2 NHLS was established in 2001 by an Act of Parliament to provide diagnostic pathology laboratory services to the National and Provincial Health Department.
- "Acceptable Bid" means any bid, which, in all respects, complies with the specifications and conditions of the RFB as set out in this document.
- 3.4 **"B-BBEE"** means broad bases black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act.

Confidential Page 5 of 84



- 3.5 **"B-BBEE status level of contributor"** means the B-BBEE status received by a measured entity based on its overall performance using the relevant scorecard contained in the Codes of Good Practice on Black Economic Empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act.
- 3.6 **"Bid"** means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of services, works or goods through price quotations, advertised bidding processes or proposals.
- 3.7 **"Bidders"** means any enterprise, consortium or person, partnership, company, close corporation, firm or any other form of enterprise or person, legal or natural, which has been invited by NHLS to submit a bid in response to this bid invitation.
- 3.8 **"Broad-Based Black Economic Empowerment Act"** means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003).
- 3.9 "Client" means the goods or services requestor.
- 3.10 "Comparative Price" Means the price after the factors of a non-firm price and all unconditional discounts that can be utilized have been taken into consideration.
- 3.11 "Consortium" means several entities joining forces as an umbrella entity to gain a strategic collaborative advantage by combining their expertise, capital, efforts, skills and knowledge for the purpose of executing this tender.
- 3.12 "Contractor Agent" means any person mandated by a Prime Contractor or consortium/joint venture to do business for and on behalf of, or to represent in a business transaction, the Prime Contractor and thereby acquire rights for the Prime Contractor or consortium/joint venture against NHLS or an organ of state and incur obligations binding the Prime Contractor or consortium/joint venture in favour of NHLS or an organ of state.
- 3.13 **"Disability"** means, in respect of a person, a permanent impairment of a physical, intellectual, or sensory function, which results in restricted, or lack of, ability to perform an activity in the manner, or within the range, considered normal for a human being.

3.14 Designated group means -

- (a) Black designated groups;
- (b) Black people;
- (c) Women
- (d) People with disabilities; or
- (e) Small enterprises as defined section 1 of the National Small Enterprise Act, 1996 (Act No. 102 of 1996)

Confidential Page 6 of 84



- 3.15 "Designated sector" means a sector, sub-sector or industry or product designated by the Department of Trade and Industry.
- 3.16 "EME" means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- 3.17 "Firm Price" means the price that is only subject to adjustments in accordance with the actual increase or decrease resulting from the change, imposition or abolition of customs or excise duty and any other duty, levy or tax which, in terms of a law or regulation is binding on the contractor and demonstrably has influence on the price of any supplies or the rendering cost of any service, for the execution of a contract.
- 3.18 "Goods" means any work, equipment, machinery, tools, materials or anything of whatever nature to be rendered to NHLS or NHLS's delegate by the Successful Bidder in terms of this bid.
- 3.19 "Historically Disadvantaged Individual" (HDI) means a South African citizen:
- 3.19.1 Who, due to the apartheid policy that had been in place, had no franchise in national elections prior to the introduction of the Constitution of the Republic of South Africa, 1983, (Act No. 110 of 1983) or the Constitution of the Republic of South Africa, 1993 (Act No. 200 of 1993) (the Interim Constitution); and/or;
- 3.19.2 who is a female; and/or;
- 3.19.3 who has a disability;
 - provided that a person who obtained South African citizenship on or after the coming to effect of the Interim Constitution is deemed not to be an HDI.
- 3.20 "Joint Venture" (Project) means two or more businesses joining together under a contractual agreement to conduct a specific business enterprise with both parties sharing profit and losses. The venture is for one specific project only, rather than for a continuing business relationship as in a strategic alliance. It is about sharing risk with others and providing one or more missing and needed assets and competencies.
- "Management" in relation to an enterprise or business, means an activity inclusive of control, and performed on a daily basis, by any person who is a principal executive officer of the company, by whatever name that person may be designated, and whether or not that person is a director.
- 3.22 "Military veteran"- has the meaning assigned to it in section 1 of the Military Veterans Act, 2011 (Act No. 18 of 2011).
- 3.23 "Non-firm Price(s)" means all price(s) other than "firm" price(s).
- "Organ of State" means a National Department or Provincial Administration as stipulated in Schedules 1 and 2 of the Public Service Act, Act 93 of 1994 (as amended).
- 3.25 "Person(s)" refers to a natural and/or juristic person(s).

Confidential Page 7 of 84



- 3.26 "Price" includes all applicable taxes less all unconditional discounts;
- 3.27 **"Prime Contractor"** means any person (natural or juristic) who forwards an acceptable proposal in response to this RFB with the intention of being the main contractor should the proposal be awarded to him/her.
- 3.28 "Proof of B-BBEE status level of contributor" means -
 - (a) B-BBEE Status level certificate issued by an authorized body or person;
 - (b) A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice; and
 - (c) Any other requirement prescribed in terms of the B-BBEE Act.
- 3.29 "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- 3.30 **"Rand Value"** means the total estimated value of a contract in South African currency, calculated at the time of invitations and includes all applicable taxes and excise duties.
- 3.31 "Rural Area" means
 - (a) A sparsely populated area in which people farm or depend on natural resources, including villages and small town that are dispersed through the area; or
 - (b) An area including a large settlement which depends on migratory labour and remittances and government social grants for survival and may have a traditional land tenure system.
- 3.32 **"SMME"** bears the same meaning assigned to this expression in the National Small Business Act, 1996 (Act No. 102 of 1996).
- 3.33 "Stipulated minimum threshold" means the minimum threshold stipulated for local production and content.
- **"Sub-contract"** means the primary contractor's assigning, leasing, making out work to, or employing, another person to support such primary contractor in the execution of part of a project in terms of the contract.
- 3.35 **"Subcontractor"** means any person (natural or juristic) who is subcontracted a portion of an existing contract by a Prime Contractor.
- 3.36 **"Successful Bidder"** means the organization or person with whom the order is placed and who is contracted to execute the work as detailed in the bid.
- 3.37 **"Township"** means an urban living area that any time from late 19th century until 27 April 1994, was reserved for black people, including areas developed for historically disadvantage individuals post 27 April 1994.

Confidential Page 8 of 84



3.38 **"Youth"** has the meaning assigned to it in section 1 of the National Youth Development Agency Act, 2008 (Act No. 54 of 2008).

4. Acronyms and abbreviations

4.1 The following acronyms and abbreviations are used in this proposal and must be similarly used in the proposal submitted in response and shall have the meaning ascribed thereto below.

Abbreviations/Acronyms	Description
BBBEE	Broad Based Black Economic Empowerment.
СРІ	Consumer Price Index.
DIR	Directorate
EDMS	Electronic Document Management System
HDI	Historically Disadvantaged Individuals
ISO	International Standard Organization
IT	Information Technology
ITC	Information Technology Committee
MISS	Minimum Information Security Standard
OEM	Original Equipment Manufacturer
PPPFA	Preferential Procurement Policy Framework Act
RFB	Request for Bid
RSA	Republic of South Africa
NHLS	National Health Laboratory Services
SLA	Service Level Agreement
SW	Software
LIS	Laboratory Information system
24x7	24 hours a day, 7 days a week

5. General Rules and Instructions

5.1 Confidentiality

- 5.1.1 The information contained in this document is of a confidential nature and must only be used for purposes of responding to this RFB. This confidentiality clause extends to Bidder partners and/or implementation agents, whom the Bidder may decide to involve in preparing a response to this RFB.
- 5.1.2 For purposes of this process, the term "Confidential Information" shall include all technical and business information, including, without limiting the generality of the foregoing, all secret knowledge and information (including any and all financial, commercial, market, technical, functional and scientific information, and information relating to a party's strategic objectives and planning and its past, present and future research and development), technical, functional and scientific requirements and specifications, data concerning business

Confidential Page 9 of 84



relationships, demonstrations, processes, machinery, know-how, architectural information, information contained in a party's software and associated material and documentation, plans, designs and drawings and all material of whatever description, whether subject to or protected by copyright, patent or trademark, registered or un-registered, or otherwise disclosed or communicated before or after the date of this process.

- 5.1.3 The receiving party shall not, during the period of validity of this process, or at any time thereafter, use or disclose, directly or indirectly, the confidential information of NHLS (even if received before the date of this process) to any person whether in the employment of the receiving party or not, who does not take part in the performance of this process.
- 5.1.4 The receiving party shall take all such steps as may be reasonably necessary to prevent NHLS's confidential information coming into the possession of unauthorised third parties. In protecting the receiving party's confidential information, NHLS shall use the same degree of care, which does not amount to less than a reasonable degree of care, to prevent the unauthorised use or disclosure of the confidential information as the receiving party uses to protect its own confidential information.
- 5.1.5 Any documentation, software or records relating to confidential information of NHLS, which comes into the possession of the receiving party during the period of validity of this process or at any time thereafter or which has so come into its possession before the period of validity of this process:
- 5.1.5.1 shall be deemed to form part of the confidential information of NHLS;
- 5.1.5.2 shall be deemed to be the property of NHLS;
- 5.1.5.3 shall not be copied, reproduced, published or circulated by the receiving party unless and to the extent that such copying is necessary for the performance of this process and all other processes as contemplated in; and
- 5.1.5.4 shall be surrendered to NHLS on demand, and in any event on the termination of the investigations and negotiations, and the receiving party shall not retain any extracts.

5.2 News and press releases

5.2.1 Bidders or their agents shall not make any news releases concerning this RFB or the awarding of the same or any resulting agreement(s) without the consent of, and then only in co-ordination with, NHLS and its Client.

5.3 Precedence of documents

- 5.3.1 This RFB consists of a number of sections (see list). Where there is a contradiction in terms between the clauses, phrases, words, stipulations or terms and herein referred to generally as stipulations in this RFB and the stipulations in any other document attached hereto, or the RFB submitted hereto, the relevant stipulations in this RFB shall take precedence.
- 5.3.2 Where this RFB is silent on any matter, the relevant stipulations addressing such matter, and which appear in the PPPFA shall take precedence. Bidders shall refrain from incorporating any additional stipulations in its proposal submitted in terms hereof other than in the form of a clearly marked recommendation that NHLS may in its sole discretion elect to import or to ignore. Any such inclusion shall not be used for any purpose of interpretation unless it has been so imported or acknowledged by NHLS.

Confidential Page 10 of 84



5.3.3 It is acknowledged that all stipulations in the PPPFA are not equally applicable to all matters addressed in this RFB. It however remains the exclusive domain and election of NHLS as to which of these stipulations are applicable and to what extent. Bidders are hereby acknowledging that the decision of NHLS in this regard is final and binding. The onus to enquire and obtain clarity in this regard rests with the Bidder(s). The Bidder(s) shall take care to restrict its enquiries in this regard to the most reasonable interpretations required to ensure the necessary consensus.

5.4 Preferential Procurement Reform

- 5.4.1 NHLS supports B-BBEE as an essential ingredient of its business. In accordance with government policy, NHLS insists that the private sector demonstrates its commitment and track record to B-BBEE in the areas of ownership (shareholding), skills transfer, employment equity and procurement practices (SMME Development) etc.
- 5.4.2 NHLS shall apply the principles of the Preferential Procurement Policy Framework Act, (Act No. 5 of 2000) to this proposal.
- 5.4.3 Bidders shall complete the preference certificate attached to this proposal. In the case of a consortium and sub-contractors, the preference certificate must be completed for each legal entity.

5.5 National Industrial Participation Programme

5.5.1 The Industrial Participation policy, which was endorsed by Cabinet on 30 April 1997, is applicable to contracts that have an imported content. The NIP is obligatory and therefore must be complied with. Bidders are required to sign and submit the Standard Bidding Document (SBD5).

5.6 Language

5.6.1 Bids shall be submitted in English.

5.7 Gender

5.7.1 Any word implying any gender shall be interpreted to imply all other genders.

5.8 Headings

5.8.1 Headings are incorporated into this proposal and submitted in response thereto, for ease of reference only and shall not form part thereof for any purpose of interpretation or for any other purpose.

5.9 Security clearances

- 5.9.1 Employees and subcontractors of the successful bidder may be required to be in possession of valid security clearances to the level determined by the State Security Agency (SSA) and/or NHLS commensurate with the nature of the project activities they are involved in. The cost of obtaining suitable clearances is for the account of the bidders. The bidders shall supply and maintain a list of personnel involved on the project indicating their clearance status.
- 5.9.1 Employees and subcontractors of the successful bidder will be required to sign a non-disclosure agreement.

Confidential Page 11 of 84



5.10 Occupational Injuries and Diseases Act 13 of 1993

5.10.1 The Bidder warrants that all its employees (including the employees of any sub-contractor that may be appointed) are covered in terms of the Compensation for Occupational Injuries and Diseases Act 13 of 1993 and that the cover shall remain in force for the duration of the adjudication of this bid and/ or subsequent agreement. NHLS reserves the right to request the Bidder to submit documentary proof of the Bidder's registration and "good standing" with the Compensation Fund, or similar proof acceptable to NHLS.

5.11 Formal contract

- 5.11.1 This RFB, all the appended documentation and the proposal in response thereto read together, form the basis for a formal contract to be negotiated and finalised between NHLS and/or its clients and the enterprise(s) to whom NHLS awards the bid in whole or in part.
- 5.11.2 Any offer and/or acceptance entered verbally between NHLS and any vendor, such offer shall not constitute a contract and thus not binding on the parties.

5.12 Instructions for submitting a proposal

5.12.1 One (1) original, one (1) hard copy and 1 (one) electronic copy on compact disk (CD) in Portable Document Format (PDF) of the Bid shall be submitted on the date of closure of the Bid.

Pricing: Bid Price must be submitted in a separate envelop and marked clearly as follows: RFB number, RFB description and bidder's name). One (1) original, one (1) hard copy and 1 (one) electronic copy on compact disk (CD) in Portable Document Format (PDF) of the Bid shall be submitted on the date of closure of the Bid.

The original copy must be signed in black ink by an authorised employee, agent or representative of the bidder and each and every page of the proposal shall contain the initials of same signatories.

- 5.12.2 Bidders shall submit proposal responses in accordance with the prescribed manner of submissions as specified above.
- 5.12.3 Bids must be submitted in a prescribed response format herewith reflected as **Response Format**, and be sealed in an envelope clearly marked.
- 5.12.4 Bids that are too large to fit into the tender box must be handed in at the reception desk during office hours from 08:00- 16:30 or before 11:00 on the closing date.
- 5.12.5 All Bids in this regard shall only be accepted if they have been placed in the bid box before or on the closing date, 20 September 2024 and stipulated time, 11h00 am.
- 5.12.6 Bids received after the time stipulated shall not be considered.
- 5.12.7 Bid responses sent by post or courier must reach this office at least **36 hours** before the closing date to be deposited into the proposal box. Failure to comply with this requirement shall result in your proposal being treated as a "late proposal" and shall not be entertained. Such proposal shall be returned to the respective bidders.
- 5.12.8 No proposal shall be accepted by NHLS if submitted in any manner other than as prescribed above.

Confidential Page 12 of 84



6. Response format

6.1 Bidders shall submit response in accordance with the response format specified below. Failure to do so shall result rejecting vendor's response. No referrals may be made to comment. Failure to comply shall result in the vendor being penalised.

6.2 Schedule Index:

- 6.2.1 Schedule 1: Pages 1 21 of this RFB document
- 6.2.2 **Schedule 2:** Mandatory Documents
- An original valid Tax Clearance Certificate or a Tax Compliance Status letter (with pin) issued by the South African Revenue Services or a CSD Report reflecting active Tax Clearance Compliance status.
 - If a Consortium, Joint Venture or Subcontractor, an original valid Tax Clearance Certificate or a Tax Compliance Status letter (with pin) issued by the South African Revenue Services or a CSD Report reflecting active Tax Clearance Compliance status must be submitted for each member.
- 6.2.2.2 Central Supplier Database (CSD) Registration Report.
- 6.2.2.3 General Conditions of Contract (Annexure E).
- 6.2.3 **Schedule 3**: Executive Summary of proposal.
- 6.2.4 **Schedule 4**: Technical/Functionality.
- 6.2.5 **Schedule 5**: Preferential Procurement Claim form and copy of the B-BBEE Verification Certificate(s) issued by an authorised body or person, or a sworn affidavit prescribed by the B-BBEE Codes of Good Practice.
- 6.2.6 **Schedule 6:** Bidder's Disclosure SBD 4 (Annexure C).
- 6.2.7 **Schedule 7**: Bidder Profile:
- 6.2.7.1 Credentials of the company/consortium members etc.
- 6.2.7.2 Structure of the company/ consortium members etc.
- 6.2.7.3 Partnership agreements/contracts
- 6.2.8 Schedule 8: Bid Price (to be submitted in a separate envelop and marked clearly as follows: RFB number, RFB description and bidder's name) (Annexure B).

6.3 Bidder background information materials:

- 6.3.1 <u>Bidder Operating Organisation</u> Provide an overview of the operating structure and geographical locations of the firm at the national, regional, and local levels.
- 6.3.2 <u>Standards</u> Include information regarding your firm's utilization of widely known Industry Standards and guidelines, as they apply to your firm, your firm's proposal and proposed hardware assets.
- 6.3.3 <u>Company Contact(s)</u> Provide the name, title, street address, city, state, telephone and fax numbers and e-mail of the primary company's contact person, and for any sub-Contractors.
- 6.3.4 <u>Corporate Financial Solvency</u> Provide solvency statement signed by a qualified independent auditor that the financial position of the company is sound and that the company will be able to mobilise financial resources to deliver the project.

Confidential Page 13 of 84



7. Key personnel

7.1 Identify key personnel, by employer (include subcontractor(s), and provide contact information.

8. Reasons for Disqualification

- 8.1 NHLS reserves the right to disqualify any bidder which does any one or more of the following, and such disqualification may take place without prior notice to the offending bidder, however the bidder shall be notified in writing of such disqualification:
- 8.1.1 bidders who submitted but did not sign the mandatory documents;
- 8.1.2 bidders who submitted information that is fraudulent, factually untrue or inaccurate, for example memberships that do not exist, B-BBEE credentials, experience, etc;
- 8.1.3 bidders who received information not available to other vendors through fraudulent means;
- 8.1.4 bidders who do not comply with mandatory requirements as stipulated in this RFB; and
- 8.1.5 bidders who fail to price according to the costing template provided;
- 8.1.6 bidders who failed to attend the compulsory briefing session.

9. Bid Preparation

- 9.1 All additions to the proposal documents i.e. annexes, supporting documentation pamphlets, photographs, technical specifications and other support documentation covering the goods offered etc. shall be neatly bound as part of the schedule concerned.
- 9.2 All responses regarding questions posed in the annex attached herewith shall be answered in accordance with the prescribed **RFB Response Format**.
- 9.3 Telephonic, faxed, e-mailed or oral tenders shall not be accepted.

10. Oral presentations and Briefing Sessions

10.1 Bidders who submit Bids in response to this RFB may be required to give an oral presentation, which may include, but is not limited to, an equipment/service demonstration of their proposal to NHLS. This provides an opportunity for the vendor to clarify or elaborate on the proposal. This is a fact finding and explanation session only and does not include negotiation. NHLS shall schedule the time and location of these presentations. Oral presentations are an option of NHLS and may or may not be conducted and must not be construed as being successful in, or awarded the tender.

11. General Conditions of Bid and Conditions of Contract

Bidders shall provide full and accurate answers to all (including mandatory) questions posed in this document, and, are required to explicitly indicate either "Comply/Accept (with a √)" or "Do not comply/Do not accept (with an X)" regarding compliance with the requirements. Where necessary, the bidder shall substantiate their response to a specific question.

Confidential Page 14 of 84



NOTE: It is mandatory for bidders to complete or answer this part fully (11.2 to 11.33); otherwise, their bid shall be treated as incomplete and shall be disqualified. Refer to paragraph 8 of this document (reasons for disqualification).

11.2

This bid is subject to the General Conditions of Contract stipulated in this document.	Accept	Do not Accept
This bid is subject to the General Conditions of Contract stipulated in this document.		

11.3

The laws of the Republic of South Africa shall govern this RFB and the Bidders hereby	Do not Accept
accept that the courts of the Republic of South Africa shall have the jurisdiction.	

11.4

NHLS shall not be liable for any costs incurred by the bidder in the preparation of	Accept	Do not Accept
response to this RFB. The preparation of response shall be made without obligation		
to acquire any of the items included in any bidder's proposal or to select any proposal,		
or to discuss the reasons why such vendor's or any other proposal was accepted or		
rejected.		

11.5

NUIC Description of Continue o	Accept	Do not Accept
NHLS Procurement Services may request written clarification regarding any aspect of		
this proposal. The bidders must supply the requested information in writing within the		
specified time frames after the request has been made, otherwise the proposal shall		
be disqualified.		

11.6

In the case of Consortium, Joint Venture or subcontractors, bidders are required to	Accept	Do not Accept
provide copies of signed agreements stipulating the work split and Rand value.		

11.7

In the case of Consortium, Joint Venture or subcontractors, all bidders are required to	Accept	Do not Accept
in the case of consortium, some venture of subcontractors, an bluders are required to		
provide mandatory documents as stipulated in schedule 1 of the Response format.		

11.8

NHLS reserves the right to; cancel or reject any proposal and not to award the	Accept	Do not Accept
proposal to the lowest bidder or award parts of the proposal to different bidders, or		
not to award the proposal at all.		

Confidential Page 15 of 84



Where applicable, bidders who are distributors, resellers and installers of network	Accept	Do not Accept
equipment are required to submit back-to-back agreements and service level		
agreements with their principals.		

11.10

By submitting a proposal in response to this RFB, the bidders accept the evaluation	Accept	Do not Accept
criteria as it stands.		
Criteria as it stantas.		

11.11

Where applicable, NHLS reserves the right to conduct benchmarks on	Accept	Do not Accept
product/services offered during and after the evaluation.		

11.12

NHLS reserves the right to conduct a pre-award survey during the source selection	Accept	Do not Accept
process to evaluate contractors' capabilities to meet the requirements specified in		
the RFB and supporting documents.		

11.13

Where the bid calls for commercially available solutions, bidders who offer provide	Accept	Do not Accept
future based solutions will be disqualified.		

11.14

The bidder should not qualify the proposal with own conditions.	Accept	Do not Accept
Caution: If the bidder does not specifically withdraw its own conditions of proposal		
when called upon to do so, the proposal response shall be declared invalid.		

11.15

Should the bidder withdraw the proposal before the proposal validity period expires,	Accept	Do not Accept
NHLS reserves the right to recover any additional expense incurred by NHLS having to		
accept any less favourable proposal or the additional expenditure incurred by NHLS in		
the preparation of a new RFB and by the subsequent acceptance of any less favourable		
proposal.		

11.16

Delivery of and acceptance of correspondence between NHLS and the bidder sent by	Accept	Do not Accept
prepaid registered post (by air mail if appropriate) in a correctly addressed envelope		
to either party's postal address or address for service of legal documents shall be		
deemed to have been received and accepted after (2) two days from the date of		
postage to the South African Post Office Ltd.		

Confidential Page 16 of 84



Should the parties at any time before and/or after the award of the proposal and prior	Accept	Do not Accept
to, and-or after conclusion of the contract fail to agree on any significant product		
price or service price adjustments, change in technical specification, change in		
services, etc. NHLS shall be entitled within 14 (fourteen) days of such failure to agree,		
to recall the letter of award and cancel the proposal by giving the bidder not less than		
90 (ninety) days written notice of such cancellation, in which event all fees on which		
the parties failed to agree increases or decreases shall, for the duration of such notice		
period, remain fixed on those fee/price applicable prior to the negotiations.		
Such cancellation shall mean that NHLS reserves the right to award the same proposal to next best bidders as it deems fit.		

11.18

In the case of a consortium or JV, each of the authorised enterprise's members and/or	Accept	Do not Accept
partners of the different enterprises must co-sign this document.		

11.19

Any amendment or change of any nature made to this RFB shall only be of force and	Accept	Do not Accept
effect if it is in writing, and an Amendment to the RFB will be issued. Bidders will be		
required to utilise the latest Amendment in preparation of their bid response.		

11.20

Failure or neglect by either party to (at any time) enforce any of the provisions of this proposal shall not, in any manner, be construed to be a waiver of any of that party's	Accept	Do not Accept
right in that regard and in terms of this proposal. Such failure or neglect shall not, in		
any manner, affect the continued, unaltered validity of this proposal, or prejudice the		
right of that party to institute subsequent action.		

11.21

Bidders who make use of subcontractors.	Accept	Do not Accept
The proposal shall however be awarded to the Vendor as a primary contractor who shall be responsible for the management of the awarded proposal. No separate contract shall be entered into between NHLS and/or its client and any such subcontractors. Copies of the signed agreements between the relevant parties must be attached to the proposal responses.		

11.22

Confidential Page 17 of 84



All services supplied in accordance with this proposal must be certified to all legal	Accept	Do not Accept
requirements as per the South African law.		

No interest shall be payable on accounts due to the successful vendor in an event of	Accept	Do not Accept
a dispute arising on any stipulation in the contract.		

11.24

Evaluation of Bids shall be performed by a CFET established by NHLS.	Accept	Do not Accept
Bids shall be evaluated on the basis of conformance to the required specifications as		
outlined in the RFB. Points shall be allocated to each bidder, on the basis that the		
maximum number of points that may be scored for price is 80/90, and the maximum		
number of preference points that may be claimed for B-BBEE (according to the PPPFA)		
is 20/10.		

11.25

District the sure of a sure of a sure of the sure of the SULIC will also all the Duck this is a status	Accept	Do not Accept
Prior to the award of any tender or contract the NHLS will check the Prohibition status		
of recommended suppliers/ service providers on the Treasury website		
(restricted@treasury.gov.za) as well as the Treasury Register for Tender Defaulters		
(www.treasury.gov.za)		

11.26

The NHLS will act against the bidder or person awarded the contract upon detecting	Accept	Do not Accept
that the B-BBEE status level of contribution has been claimed or obtained on a		
fraudulent basis or any of the contract conditions have not been fulfilled.		

11.27

The NHLS may, in addition to any other remedy that it may have against the bidder	Accept	Do not Accept
or person:		
 Disqualify the bidder or person from the bidding process; 		
 Recover all costs, losses or damages it has incurred; 		
 or suffered as a result of that person's conduct; 		
Cancel the contract and claim any damages which it;		
 has suffered as a result of having to make less; 		
 favourable arrangements due to such cancellation; 		
 Restrict the bidder or contractor, its shareholders; 		
 and directors, or only the shareholders and directors; 		
 who acted on a fraudulent basis, from obtaining business; 		
 from any organ of state for a period not exceeding 10; 		
 years, after applying the audi alteram partem (hear the other side) rule; 		
Forward the matter for Blacklisting by Treasury; and		
Forward the matter for criminal prosecution.		

Confidential Page 18 of 84



If the successful bidder disregards contractual specifications, this action may result in	Accept	Do not Accept
the termination of the contract.		

11.29

The bidders' response to this Tender, or parts of the response, shall be included as a	Accept	Do not Accept	
whole or by reference in the final contract.			
•			

11.30

NHLS has discretion to extend the validity period should the evaluation of this bid not	Accept	Do not Accept
be completed within the stipulated validity period.		
, , , , , , , , , , , , , , , , , , , ,		

11.31

Upon receipt of the request to extend the validity period of the bid, the bidder must	Accept	Do not Accept
respond within the required time frames and in writing on whether or not he agrees		
to hold his original bid response valid under the same terms and conditions for a		
further period.		

11.32

Should the bidder change any wording or phrase in this document, the bid shall be	Accept	Do not Accept
deemed unresponsive and may lead to the disqualification of the bid response.		

11.33

	Accept	Do not Accept
No alternative tender offers will be considered.		

12. EVALUATION CRITERIA AND METHODOLOGY

12.1 Evaluation of tenders and selection of contractors'/service providers

The NHLS is a Schedule 3A Government Institution subjected to the Public Finance Management Act (PFMA), the Public Preferential Framework Act (PPPFA) and Treasury Regulations/ Instructions. Bidders must assist the NHLS to eliminate corruption and fraud by completing and submitting form SBD4.

- 12.1.1. Any tender closing is followed by a Public Opening where the names and pricing of all bids received are read out to the bidders attending. NHLS tender opening officials sign the pages where pricing is indicated to prevent any alterations.
- 12.1.2 Next steps of evaluation is administrative pre-qualification verification and the "technical" or so called "functional" evaluation which is purely based on NHLS specifications (Annexure 2) and Scope of Work. NHLS end-user department (who *requested the bid*), Procurement Services, Finance and subject specialists are part

Confidential Page 19 of 84



- of the Cross Functional Evaluation Team (CFET) meeting which is chaired by Quality Assurance (QA). All the members of the CFET must complete Declaration of Interest forms and must recuse themselves in case of any conflict of interest.
- 12.1.3 The final stage of evaluation is done after the CFET has reached their verdict and is done by NHLS Procurement Services and separately from the CFET meeting. B-BBEE score (commercial evaluation) is being added in order to get the final order of merit for the bidders being evaluated.
- 12.1.4 Bidders that score the minimum threshold are recommended and submitted to the NHLS Tender Adjudication Committee (TAC) for adjudication and the bid MUST be awarded to the bidder who scored the highest points (Merit 1) during the CFET and Commercial evaluation(B-BBEE). All the members of the CFET must complete Declaration of Interest forms and must recuse themselves in case of any conflict of interest. Should the TAC decide on a bidder other than Merit 1, this decision must be motivated as a Deviation from NHLS Policy & procedure and Treasury must be advised accordingly.
- 12.1.5 The CEO of the NHLS must finally approve the recommendation by the TAC, in his capacity as the Accounting Officer.
- 12.1.6 Details of the successful bidder to be advertised in the Government Tender Bulletin.
- 12.1.7 Suppliers must accept the Terms & Conditions of our contract(s) which will result from the RFB document".

 RFB conditions and pricing shall be fixed and firm from RFB closing date to the end of contract.

12.2 BID EVALUATION STAGES

The bid evaluation process consists of several stages that are applicable according to the nature of the bid as defined below:

- Stage 1: Administrative Compliance verification.
- Stage 2: Technical Mandatory evaluation.
- Stage 3: Technical Functionality evaluation
- Stage 4: Price / Specific goals evaluation.

NOTE: The bidder must qualify for each stage to be eligible to proceed to the next stage of the evaluation.

12.3 ADMINISTRATIVE COMPLIANCE

- Administrative compliance/responsiveness will be tested based on returnable documents submitted and signatures on the Bid documents.
- At this stage, it must be determined what documents are required to be returned by Bidders.

 Returnable documents are categorised as follows:

ADMINISTRATIVE COMPLIANCE REQUIREMENTS

a) Mandatory Returnable documents

(NOTE: Failure to provide the below listed documents <u>WILL</u> lead to disqualification).

 Proof of Attendance of Compulsory Briefing sessions. 	Comply	Do Not Comply

Confidential Page 20 of 84



Substantiation: The bidder is to indicate whether they attended the Compulsory Briefing session.

b) Essential Returnable Documents

(NOTE: Failure to provide the below listed documents <u>MAY</u> lead to disqualification).

1. Fully completed and signed Bidder's Disclosure SBD 4.	Comply	Do Not Comply
1. Tally completed and signed blader 3 bisclosure 3bb 4.		
Substantiation: The bidder must submit and attach to the bid response the signed	Bidder's Discl	osure SBD 4.

2.	The Service Providers have to agree with NHLS General Conditions of Bid and	Comply	Do Not Comply
	Conditions of Contract.		
Sı	ubstantiation: The bidder must submit and attach to the bid response the signed	and accepted	NHLS General
Co	onditions of Bid and Conditions of Contract.		

3.	Preferential Procurement Claim form and copy of the B-BBEE Verification	Comply	Do Not Comply
	Certificate(s) issued by an authorised body or person or a sworn affidavit		
	prescribed by the B-BBEE Codes of Good Practice.		
Sul	ostantiation: The bidder must submit and attach to the bid response a copy of a	valid certifica	ite.

5. Submission of original valid Tax Clearance Certificate, a Tax Compliance Status	Comply	Do Not Comply
letter (with pin) issued by the South African Revenue Services, or a CSD Report		
reflecting active Tax Clearance Compliance status.		
Substantiation: The bidder must submit and attach to the bid response a copy of	a valid certific	ate.

6. Proof of Central Supplier Database (CSD) Registration.	Comply	Do Not Comply
Substantiation: The bidder must submit a CSD Report with the bid response.		

7. Draducts must be compliant to applicable industry standard/s	Comply	Do Not Comply
7. Products must be compliant to applicable industry standard/s		
Substantiate: (provide proof by means of a Valid Certificate		

Confidential Page 21 of 84



12.4 The evaluation of the Bids shall be based on the 80/20 PPPFA principle and the points for evaluation criteria are as follows:

Price points	80
Specific goals	20
Total	100 points

Confidential Page 22 of 84



ANNEXURE A: Technical Specification

1 SPECIAL INSTRUCTIONS TO VENDORS

- 1.1 Should a Bidder have reasons to believe that the Technical Specification is not open and/or is written for a particular brand or product; the Bidder shall notify Procurement Services within ten (10) days after publication of the bid.
- 1.2 Bidders shall provide full and accurate answers to the mandatory questions posed in this document, and, where required explicitly state either "Comply/Not Comply" regarding compliance with the requirements. Bidders **must** substantiate their response to all questions, including full details on how their proposal/solution will address specific functional requirements. All documents as indicated must be supplied as part of the submission.
- 1.3 Bidders are encouraged to promote the growth and development of SMME's and will be assessed on their efforts in this regard during the evaluation of this Tender.

2 ACRONYMS AND ABBREVIATIONS

Term	Definition
EBS	Oracle e-Business Suite
DR	Disaster Recovery
DB	Database
NHLS	National Health Laboratory Service
PMO	Project Management Office
SLA	Service Level Agreement
НВА	Hazardous Biological Agents

3 BACKGROUND

The NHLS Lydenburg, Louis Tritchardt and WF Knobel Hospitals Laboratory does not have sufficient space to accommodate all laboratory activities. Therefore, the is a need for space to accommodate Supervisor office, tea room, and toilet facilities. The current design does not conform to health and safety requirements as the hospital has no enough space to offer to the laboratory as the hospital building is too small.

4. SCOPE OF WORK

TENDERS SHOULD BE BASED ON THE FOLLOWING SPECIFICATIONS: SITE APPLICATION

Air-conditioners

Contractor to provide adequate power supply to air con unit.

12-month warrantee to be included.

Contractor is liable for any damages to structure.

All work must be SABS approved.

Confidential Page 23 of 84



Each air con to be separately wired via isolator from the DB board and connected with a circuit breaker (see size and Phase requirements as stipulated in Bill).

D/P Isolator to be installed and connected adjacent to air-con unit internally (see size and Phase requirements as stipulated in Bill).

Electrical Certificate of Compliance to be issued on completion.

Allow for drilling through wall and plaster/ patch and paint afterwards. Piping to installed through walls only, never glass panes.

All piping/cabling to be in PVC trunking / ducting. Allow for correct lengths.

Units always to be heating and cooling (unless otherwise stipulated in Bill).

All piping, brackets, gas up to commissioning to be included in pricing.

Supply units of the following Manufacturers: Samsung, LG, Carrier, Daiken, York.

All Air-cons to be Inverter type.

Plumbing

Only registered Plumbers to be employed for any plumbing & drainage work.

Allow for ± 2m² tiling above each basin and sink.

Allow for A Grade Glazed white tiles, 152 x 152mm, 5 – 6.5mm thick.

Sinks size: 1350^{mm} x 535^{mm} unless otherwise specified in bill of quantities.

Sink mixer for tearoom sink to be 15mm chrome plated brass mixer type tap.

All basins to be white glazed, each fitted with an approved 32mm chrome plated brass waste fitting with screwed outlet, and a 15mm chrome plated brass elbow action tap connected to water supply.

All sinks to be stand-alone stainless-steel sink, work area, splash back on Pre-manufactured 40 x 32^{mm} stainless steel square tubing frames, 4 legs on adjustable pedestals. Exposed surfaces having a smooth finish, each fitted with an approved 32mm chrome plated brass waste fitting with screwed outlet, and a 15mm chrome plated brass Hospital goose neck tap.

Stainless steel grade 316 or Type 304 to be used for stainless steel sinks.

All material to be SABS approved.

Make sure all existing water pipes and waste is in good working condition.

All existing basins and sinks to be washed and cleaned.

On each water supply line, a ball valve needs to be installed as close as possible to outlet, this includes basins, sinks, toilets

Each tap to be visibly marked with "H" or a "Red" mark for Hot water and "C" or a "Blue" mark for Cold water

Geysers: Install makes such as Franky, Kwikhot or similar. Install on a drip tray with drainpipe to outside, pressure valve, safety valve, shut off valve, overflow pipe. Isolator to be installed at least 1m from Geyser, hot and cold-water supply lines to be bonded and earthed. Isolator to be wired to DB with dedicated double pole circuit breaker.

Toilets: these shall be deemed to include the following: WC Pan, flush valve or 11-liter cistern with flushing apparatus, float valve and flush pipe and all finishing's to pipes and cistern. To be the wash down type, approximately 400 high manufactured of white glazed fireclay or vitreous china, each provided with the compatible "P" or "S" –Traps, jointed to Pan. Pans and traps to be set on and encased in Class B concrete not less than 100mm thick at any point or position

Wall mounted bowl urinals: to be of white glazed fireclay or vitreous china, approximately 700 x 380mm in size with back flush entry, secured to wall with at least 2 concealed hanger brackets. Each urinal to be fitted with 38mm chrome plated domical grating, urinal flushing valve complete with push button assembly, spreader and all other necessary chrome plated brass fittings as well as a chrome plated brass bottle trap.

Hydroboil installations: Install always above sink (see bill of quantities for size).

Emergency shower: complete body shower with eye station. Flow rate to be 60 liter per minute. At floor level, 700mm below shower head, the radius of water reaching the floor should be 200mm. At the eye station flow rate should be 6 liter per minute at a flow pressure safe enough not to injure the User. This unit to be 1 meter from floor level. Make use of emergency showers as supplied by Broen, Bull Maurice Trading or similar.

Confidential Page 24 of 84



Electrical

Only registered Electricians to be employed for any electrical work.

Wires to be used for sockets outlets; 2.5mm² PVC.

Colour for 2- compartment steel/PVC power skirting unless differently specified in bill of quantities (colour to be confirmed).

Normal plugs to be white and dedicated plugs to be red.

Electrician to consult with Lab Manager regarding lab equipment when circuit are installed to prevent overloading, new plug points to be wired from distribution board and marked properly.

Legend card in DB to be up to date.

Electrical Certificate of Completion to be issued on completion.

All material to be SABS approved.

All installations to comply with SANS10142 installation rules.

All additional /replaced plugs, isolators and light switches must be labelled on the cover and Distribution Board Circuit breakers to be SABS approved and type and size to be confirmed with Project Manager before installation Hydroboils: wire from DB Board with 30Amp double pole isolator next to Unit (at least 1m away) and 20Amp circuit breaker in DB board.

All the lights should be provided with the covers.

Workbenches & Tops

Worktops to be 32^{mm} thick, either 600mm or 900mm, Formica brand postform - white (unless otherwise stipulated in Bill).

Where necessary 75mm holes must be drilled in worktops to accommodate computer cables and power supply to machinery and be made good with a plastic grommet.

Pre-manufacture 30^{mm} x 30^{mm} steel square tubing frames as supplied by SA Lab or similar, sections of 1 000mm wide and 500mm deep or 1000mm wide and 800mm deep, for postform tops. All 4 legs to be on lockable castors or adjustable inserts as per BOQ wheel diameter 100mm. Bench Units to be equipped with water, basins, sinks, to be om adjustable pedestals. Benches could be 730mm or 900mm high (see bill of quantities) Sections to be bolted together, not welded. All steelwork to be epoxy powder coated in dove grey colour.

Cupboards

Steel epoxy powder coated white cupboards to be manufactured by SA Lab or similar and assembled. Units specified in bill will be either a 4 drawer (450mm wide) or 2 doors with 1 shelve unit (750mm wide). Exterior and Interior to be White powder coated. Doors to be affixed with 2 brass piano hinges each and drawers to be mounted on runners. Each drawer and door to be equipped with a PVC recessed handle. All floor cupboards to be on 4 castors each, front wheels to be lockable. All doors to be double paneled for stability. See bill of quantities for sizes and combinations.

In kitchens timber cupboards to be manufactured and installed with 16mm melamine covered pressed wood. All cupboards to be on 100mm pedestals. Exterior to be Oak finish and Interior to be white finish. All visible exterior edges to be finished in Oak and internally white. Each drawer faces and door to have wrap around finish. Doors to be affixed on 2 hinges each and drawers on runners. Each drawer and door to be equipped with an aluminum handle.

Doors

All doors to be hung in such a way that the clearance gap between door and frame after hanging shall not exceed 2mm at sides and head. The floor clearance to be preferably 2mm but may be increased to accommodate an uneven floor finish. Exterior doors shall be hung on brass hinges. Aluminium frame glass doors to have 6mm safety laminated glass fitted, to be hung on aluminium hinges, not less than 4 hinges on a 2 100mm high door. On higher doors at least 5 hinges

Confidential Page 25 of 84



should be fitted. The glass door must have a mid-rail with bottom half either glass or solid aluminium, the aluminium door profile must be 90mm all-round All exterior doors to be fitted with an aluminium and rubber weather strip at the bottom. Each door to be equipped with 2 door handles. Type to be confirmed by Project Manager. Behind every door a doorstop should be installed on top of the floor to prevent the door handle making contact with the wall – clearance between wall and door handle to be approximately 20mm.

VINYL Floors

Only use Heavy duty safety Vinyl flooring which should be slip resistant and factory sealed with Polyurethane as supplied by Marley or Polyfloor. Roll to be at least 2 meters wide and vinyl 2 - 2.5 mm thick. Colour to be confirmed by Project Manager. Sample to be signed off by Project Manager before installation commences.

Ensure that the sub-floor is completely smooth, level, hard, dry and clean before laying commences.

Joints to be butted, grooved and heat welded ensuring that the welding rod bonds to more than 70% of the sheet thickness. It is essential that on completion the installation be rolled, in both directions with an articulated 68kg three sectional metal floor rollers.

Skirting: install coving where wall meets floor and continue with vinyl floor 100mm high. Finish off with Vinyl/PVC Ribbon.

Installation to be done by an approved Installer in accordance with the Manufacturers specifications.

Glazing

All Internal glass in panes not exceeding 1.5m² of surface area shall be 4mm clear float glass.

All Internal glass in panes exceeding 1.5m² of surface area shall be 6mm laminated safety glass with a Manufacturer's warranty against defects and discoloration.

All Exterior glass up to a height of 10m in panes not exceeding 2.9m² of surface area shall be 6.38mm PVB Laminated annealed safety glass. Above 10m the Project Manager should appoint a Glazing Competent Person.

Mirrors to comply with SABS requirements. Unframed mirrors to have polished edges.

All glass in aluminium doors and frames to be fitted with 6mm laminated safety glass.

All exterior facing windows to be tinted with Klingshield or similar product, unless otherwise stipulated. Colour to be confirmed by Project Manager

Blinds

Vertical Group 3 blinds to be installed (colour to be confirmed by Project Manager).

Blinds to be re-measured on site before manufacturing and installation.

Vertical blinds to be 127mm.

Horizontal blinds 50mm.

Horizontal blinds to be either Aluminium/ Wood Venetian conformation on the BOQ.

Measurements given is only for tendering purpose.

Suspended ceilings

Install suspended ceilings as per Manufacturer's instructions such as Donn Products or similar. Panels to be vinyl cladded smooth white panels, 1200 x 600 x 12.5mm on suspended pre-painted exposed tee trusses, including main and cross tees, hangers, grids, etc., all level and properly secured. At edges use 25mm pre-painted shadow line aluminum cornices.

Partitioning

Drywall partitioning construction and support frame system including finishes to be as per Manufacturer's specifications.

Confidential Page 26 of 84



Minimum requirement GPG Gypsum Gyproe Standard 40 Db, ½ hour fire rating with a stud (63.5mm) and track system. Positioning at 600mm cc fixed to 63.5mm top & bottom track clad on both sides with 12.5mm taper edged rhino board affixed with 25mm drywall screws at 220mm cc.

All corners to be finished off with drywall corner strips. All joints to be taped, jointed and smoothed before painting. Aluminum skirting to be affixed to all drywall partitioning unless otherwise specified.

Door and window frames fitted in drywall partitioning to be installed as per Manufacturer's specifications.

Lockers (Timber)

Timber lockers to be manufactured and assembled with 16mm melamine covered pressed wood. Exterior to be Oak melamine finish, including all visible edges. Interior to be White melamine finish, including all visible edges and backing. If the back side of any cupboard will be visible after installation, those exposed areas or entire area should be cladded with white melamine. Inside dimensions of each cubicle to be 300mm². Units to be assembled 3 on top of each other. Each locker to have a wraparound Oak melamine finished door, affixed with piano hinges. Each locker to be equipped with a lock and 2 keys as well as an aluminum handle (no plastic handles). Each stack of 3 to be assembled as 1 unit and 100mm adjustable chrome plated legs to be affixed underneath bottom locker.

Lab Coat Hooks

Lab coat hooks must be aluminum base and hooks with a minimum of three per set.

Lockers (Steel)

Solid steel lockers which should be epoxy powder coated to be supplied. Sets to be single 4 tier lockers. Colour to Ivory/Beige/Karoo. Each door to be lockable and correct size padlocks with 2 keys each, per locker, to be provided.

Locks

All exterior door locks to have 4 lever mortice locks with 2 keys each fitted (unless otherwise specified in bill).

All interior door locks to have 2 lever mortice locks with 2 keys each fitted (unless otherwise specified in bill).

All security type gates to have 7 lever locks with 2 keys each fitted.

All timber lockers to have normal cupboard locks with 2 keys each fitted.

All steel lockers to have padlocks with 2 keys each fitted.

Steel shelving

Only powder coated grey steel shelving to be installed in storage areas, archives & wash up areas (no wood allowed). Shelving to be of an adjustable type with each shelve at least 500mm wide and 450mm deep. Bottom shelve to be at least 200mm from the floor and top shelve not higher than 2 100mm. In between top and bottom another 3 shelves, evenly spaced, to be fitted (in total 5 tier shelving). Each vertical steel supports to be affixed to the wall at, at least 2 positions in the top half. As supplied by Krost shelving or similar.

Signage

All interior signs to be White Perspex with smooth edges, with vinyl (7 year) applied onto the Perspex All exterior signs to be White Chromadeck, with vinyl (7 year) applied onto the metal

colour code.

Pantone: Coated – 383C / Uncoated – 397 U

CMYK – C:40 M:0 Y:100 K0 RGB – R:166 G:206 B:54

Artwork to be signed off by Project Manager before sign is manufactured.

Confidential Page 27 of 84



PLEASE TAKE NOTE THAT THE ABOVE SPECIFICATIONS AND MEASUREMENTS ARE SUBJECT TO CHANGE AS MAY BE DETERMINED BY THE FINAL APPROVED DRAWINGS OR COMPULSORY SITE MEETING FOR THE JOB IN QUESTION.

WORKS AGREEMENT

Contractor: The contactor shall:

- Provide adequate supervision and management of the works at all times.
- Provide toilet facilities for use by his workers except were provided by the client (NHLS).
- Storage space is not always available for material and sufficient arrangements should be catered for and included in pricing.
- Submit all local authority notices by the works.
- Comply with all statutes, regulations and bylaws of local or other authorities having jurisdiction regarding the
 execution of the works and obtain all certificates and other documents required by such authorities.
- Notify the Project Manager where compliance with any statute, regulation or bylaw requires a change or variation to the works upon which such change shall be deemed to be a contract instruction.
- Immediately begin the works and continue at a rate of progress satisfactory to the Project Manager in terms of the agreement.
- Comply with all contract instructions in good time.
- Bring the works, within the constructed period, to practical completion in terms of completion.
- Bring the works to final completion.
- Surplus material and waste to be carted away to a suitable dumping site to be found by the Contractor, outside the boundary of the site.

Completion

Practical Completion

- The Project Manager shall inspect the works from time to time to give the contractor interpretations and guidance
 on the standard and state of completion of the works which he will require the contractor to achieve for practical
 completion.
- The contractor shall inform the Project Manager of the date on which he expects to achieve practical completion.
- The Project Manager shall inspect the works on or before the date requested by the contractor

Where the works

- Has reached practical completion the Project Manager shall at once issue a certificate of practical completion to the contractor.
- Has not reached practical completion the Project Manager shall issue a practical completion list to the contractor detailing the outstanding work to be done and defects to be rectified to achieve practical completion.
- Is not ready for practical completion inspection the Project Manager shall issue a list as a general guide to the contractor of the outstanding areas of work and defects to be attended to before he can request a further inspection.

Final Completion

• Within seven calendar days of practical completion the Project Manager shall prepare and issue to the contractor a final completion list detailing the incomplete work and defects to be rectified within a reasonable period.

Confidential Page 28 of 84



- The defects liability period of fourteen calendar days shall start on the date of practical completion
- On the expiry of the defects liability period the Project Manager shall immediately inspect the works for final completion. Where the works:
- Has reached final completion the Project Manager shall at once issue a certificate of final completion to the contractor
- Has not reached final completion the Project Manager shall issue a defects list to the contractor detailing any incomplete work and defects to be rectified before the Project Manager will undertake a further inspection.
- Where the contractor has achieved final completion the latent defects liability period shall end three years from the date of final completion.

Employer: The employer shall:

- Hand over the site to the contractor by the date stated in the schedule. The construction period and latent defects liability period shall commence with the handover of the site.
- Arrange for water, sewer and electrical connections as required and pay all fees concerning this
- Provide water and electricity as required for the execution of the works free of charge.
- Not issue instructions to, interfere with, hinder or obstruct any of the contractor's workers or any other persons employed or acting on behalf of the contractor.

Risk and Insurance

- The Contractor indemnifies the NHLS against any loss in respect of claims from other parties arising out of or due to the execution of the works or occupation of the site by the contractor consequent upon:
 - o Death or bodily injury or illness of any person.
 - Physical loss and damage to any property other than the works.
 - Removal of or interference with lateral support of an adjoining property.
- The contractor shall take out insurances in respect of his employees as are required by law.
- Where, in the opinion of the Project Manager, loss and damage to the works due to the contractor's negligence the contractor shall be liable for such loss and damage.
- The contractor shall in all circumstances be at risk for loss of, or damage to his construction plant or vehicles.
- The contractor shall enclose the site along the facades where work is being done. He shall furthermore allow for all the required scaffolding, gantries, hoarding, etc. to safeguard pedestrian traffic on the sidewalks or paths as well as vehicular traffic in the streets.
- The form of scaffolding, gantries, hoardings, etc., must be fully detailed in his "method statement" as previously required. It is not the intention to prohibit or deviate pedestrians or traffic during construction and Tenderers are to account for this when pricing the Tender.
- Adequate warning signs/ lights/ etc. are to be employed where required. If the Tenderer requires the full pavement
 width and even part of the adjacent street, then he must make all the necessary arrangements with local authorities
 for the pavement and street closure as well as pay for all fees in connection therewith including the loss of income
 due to parking meters.
- The existing premises will be occupied at all times and the Contractor will be required to keep all noise to a minimum.

Confidential Page 29 of 84



Safety

- From the date of site handover to the Contractor until the completed work is handed back to the Employer, the Contractor shall be responsible for maintaining safe working conditions on site.
- The Contractor shall be responsible in terms of the Occupational Health and Safety Act, 1993 (Act No 85 of 1993) and the regulations promulgated in terms of the Act or Factories, Machinery and Buildings Work Act, whichever is applicable.
- The Contractor shall be responsible for supplying and installing the required safety signs as determined by the
 Occupational Health and Safety Act, 1993 (Act No 85 of 1993) All safety signs shall comply with the requirements of
 the latest edition of SANS 11861 as Applicable.

Programme

The Contractor shall submit his programme of work to the Project Manager not later than 14 days after the
Contractor has been notified of the acceptance of his tender. If necessary, the Project Manager may instruct the
Contractor to adjust his programme to suit other activities.

5. MANDATORY REQUIREMENTS

If a bidder does not comply fully with each of the mandatory requirements, it Shall be regarded as mandatory non-performance/non-compliance and the bid Shall be disqualified. No "unanswered" questions will be allowed. If a response to a question has been indicated as comply but not elaborated upon or substantiated it shall be regarded as mandatory non-performance/non-compliance and the bid shall be disqualified.

Bidders shall provide full and accurate answers to the mandatory questions posed in this document, and, where required, explicitly state either "Comply/Accept (with a "Yes")" or "Do not comply/do not accept (with a "No")" regarding compliance to the requirements. Bidders must substantiate their responses to all mandatory questions. PLEASE NOTE: If the response does not substantiate any of the points or requirements in the body of the tender, it will be deemed to not comply, even if the 'Comply' field has been marked. Please note: All documentation to substantiate the mandatory requirements has to be supplied.

Confidential Page **30** of **84**



1. MANDATORY REQUIREMENTS

The bidder who fails to comply with the Mandatory Requirements will be disqualified

1. Bidders must provide details and registration confirmation with CIDB in terms of		Do Not Comply
the CIDB Act 38 of Provide proof of grading level 3 GB or higher.		
Substantiation: The bidder must submit and attach to the bid's technical response a	valid CIDB r	ating certificate
with a minimum rating of 3GB or higher grading.		_
2.Bidders must provide at least 3 references for a Modular Steel Container or similar	ar Comply	Do Not Comply
(project value should be at least R2 000 000.00 or above) not older than 6 years.		
Substantiation: The bidder must provide proof of at least 3 copies of completion cer	tificates or r	eferences letters
indicating the amongst others the value of the project for a Modular Steel Containe		
details of the company letterhead, physical address, contactable person name, com	pany contact	t number and email
address). Failure to provide information will lead to disqualification.		
3. A Plan / Prototype collaborating with the Bill of Quantity (BOQ) and Specification	Comply	Do Not Comply
Substantiation: A bidder to provide a floor plan design		
		T
4. A valid Letter of good standing (from the Department of Employment and Labour).	Comply	Do Not Comply
Substantiation: The bidder should provide a valid letter of good standing form Depar	tment of Em	ployment and Labour.
5. Provide a trade test certificate for Plumber/s in your Organisation.	Comply	Do Not Comply
, ,	Comply	Do Not comply
Substantiation: Provide a trade test certificate for Plumber/s in your Organisation.		
6. Provide a wiremen's licence certificate of the Electrician in your organization or	Comply	Do Not Comply
subcontractor to issue an electrical COC (certification of compliance).		
Substantiate: The bidder must provide a proof of wiremen's licence certificate. Failure	to provide i	information will lead
to disqualification.		
7. Provide a certificate for the builder/s in your Organisation.	Comply	Do Not Comply
	-	

Confidential Page **31** of **84**



Substantiation: Provide a builder/s certificate in your Organisation.

6. TECHNICAL FUNCTIONALITY

- 6.1 The bidder must complete in full all the TECHNICAL FUNCTIONALITY requirements.
- 6.2 The bidder **must provide a unique reference number** (e.g. binder/folio, chapter, section, page) to locate substantiating evidence in the bid response. During evaluation, NHLS reserves the right to treat substantiation evidence that cannot be in the bid response as "NOT COMPLY".
- 6.3 **Evaluation per requirement**. The evaluation (scoring) of bidders' responses to the requirements will be determined by the completeness, relevance and accuracy of substantiating evidence.

TECHNICAL EVALUATION CRITERIA

Bidders must achieve a minimum of **75%** threshold to be evaluated further. Failure to achieve the minimum score will lead to bid being disqualified.

No		Criteria	Weight	Substantiation reference (to be completed by bidder)		
1	Refer	ence Letters:	40%			
	Bidde	er must provide proof of at least 3 successful				
	previ	ous Similar/ Modular Steel Container Labs in the last				
	6 yea	rs, or a similar nature and magnitude that was				
	delive	ered within the specified / reasonable time of				
	exped	ctation.				
	•	3 Reference letter = 40%				
	•	2 Reference letter = 30%				
	•	1 Reference letter = 10%				
ı	simila	Substantiation: The Bidder should provide proof of company references of a Modular Steel Container Labs or similar works previously done, must indicate Start date and completion date, company name and physical address, of the company.				

No	Criteria	Weight	Substantiation reference (to be completed by bidder)
2	The Bidder must provide minimum number of (3) years	60%	
	of experience of qualified workers assigned to perform		
	this project, provide Comprehensive CV's and		
	certificates	= 15%	
	Electrician x 1	= 15%	

Confidential Page 32 of 84



No	Criteria	Weight	Substantiation reference (to be completed by bidder)	
	Carpenter x 1	= 15%		
	Plumber x1	= 15%		
	Flooring Practitioner/ Builder x 1			
	NB: Please note the CV and Certificate must be for one person.			
	Substantiation: Bidders must provide Comprehensive CV's and certificates			

	TOTAL	100 POINTS

A minimum threshold of **75%** needs to be achieved to be considered for further evaluation.

Confidential Page **33** of **84**



ANNEXURE B: Pricing Schedule

Please indicate your total bid price here: R (Vat Ir	nclusive)							
Important:								
It is mandatory to indicate your total bid price as requested above. This price mu	st be the sa	me as the total bid						
price you submit in your pricing schedule. Should the total bid prices differ, the	total bid prid	ce indicated above						
shall be considered the correct price.								
The following must be noted:								
1. All prices must be VAT exclusive and must be quoted in South African Rand (Z	1. All prices must be VAT exclusive and must be quoted in South African Rand (ZAR).							
2. All prices must be firm and fixed from the tender closing date and for the dur	ation of the	contract						
3. All the consortium or joint venture partners must submit a complete set of the latest audited financia statements.								
4. All bidders must cost according to the costing template provided or this will le	ead to disqu	alification.						
5.								
The cost of installation, delivery, site preparation etc. Must be included in this	Comply	Do Not comply						
proposal.								
Substantiate / Comments.								
6.		T						
No price adjustments that are 100% linked to exchange rate variations shall be	Comply	Do Not comply						
allowed.								
Substantiate / Comments.		1						
7.								
The bidder must indicate clearly which portion of the purchase price as well as	Comply	Do Not comply						
the monthly costs is linked to the exchange rate.								
Substantiate / Comments.								
8.								
All additional costs must be clearly specified	Comply	Do Not comply						
All additional costs must be clearly specified.								
Substantiate / Comments.	Substantiate / Comments.							

Confidential Page **34** of **84**





PRICING SCHEDULE – FIRM PRICES (PURCHASES)

NOTE: ONLY FIRM PRICES WILL BE ACCEPTED. NON-FIRM PRICES (INCLUDING PRICES SUBJECT TO RATES OF EXCHANGE VARIATIONS) WILL NOT BE CONSIDERED.

IN CASES WHERE DIFFERENT DELIVERY POINTS INFLUENCE THE PRICING, A SEPARATE PRICING SCHEDULE MUST BE SUBMITTED FOR EACH DELIVERY POINT.

Name of bidder:						
Bid number: RFB002/24/25 Closing Time 11:00 am Closing date: 20 September 2024						
Bid F	Price (Vat incl.) R					
OFFER		DAYS FROM THE CLOSING DA				
ITEM	QUANTITY	DESCRIPTION	BID PRI	CE IN RSA CURRENCY		
NO.			** (ALL AF	PPLICABLE TAXES INCLUDED)		
-	Required by:					
-	At:					
-	Brand and model					
-	Country of origin					
-	Does the offer compl	y with the specification(s)?	*YES/N	0		
-	If not to specification	, indicate deviation(s)				
-	Period required for d	elivery		*Delivery: Firm/not firm		
-	Delivery basis			——————————————————————————————————————		
Note:	All delivery costs m	ust be included in the bid pri	ice. for deliv	erv at the prescribed destination.		

** "all applicable taxes" includes value- added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies.

Confidential Page 35 of 84



BILL OF QUANTITY
FORM OF TENDER
SUPPLIER:
TENDER NO:
DESCRIPTION: SUPPLY AND DELIVER 2 MODULAR STEEL CONTAINER LABS AT LYDENBURG AND WF KNOBEL
AND 1 PREFABRICATED CONTAINER AT LOUIS TRITCHARDT HOSPITAL INCLUDING ALL INTERIOR AND EXTERIOR
FINISHES.

1. LYDENBURG

Description	Unit	Quantity	Rate	Cost excl. Vat
A minimum of 110m ² A Grade White Modular High	No	1		
Cube Steel container Mobile laboratory including				
walls, green roof (5/12 roof pitch) and ceiling				
partitioned as per the NHLS request.				
Supply and install 18000 BTU Midwall split Unit,	No	5		
heating and cooling air conditioners, must be inverter				
type, using R410A refrigerant, install as per				
specification, air con type must be LG, Carrier, York,				
Samsung, or Daiken or similar.				
Supply and install 24000 BTU Midwall split Unit,	No	3		
heating and cooling air conditioners, must be inverter				
type, using R410A refrigerant, install as per				
specification, air con type must be: LG, Carrier, York,				
Samsung, or Daiken similar.				
Supply and install 30-amp single isolator at air con	No	8		
wired from distribution board including curve 1 x 25				
amp single phase circuit breaker, allow for cabling,				
trunking, bends and end caps.				
Supply and fit aluminium windows 1200 ^{mm} x 900 ^{mm}	No	8		
Supply and fit aluminium windows 600 ^{mm} x 600 ^{mm}	No	3		
Supply and fit venetian blinds to windows above.	No	11		
Burglar bars to all windows.	No	11		
Supply and fit 6 ^{mm} single laminated safety glass door	No	1		
with aluminium frame at reception entrance complete				
with industrial door handle and separate lock and 4				
industrial hinges to door, bottom half must be solid				
aluminium and top half must be frosted glass.				
arammam and top han must be mosted glass.				
Supply and fit door closers to doors	No	6		
Supply and fit Xpanda doors to both front and back	No	2		
door on the inside				
Supply and fit 1 ^{mm} x 1 ^{mm} awning to both front and	No	2		
back door.				
Supply and fit exterior chromodek door at the back,	No	1		
door must be 1 ^m wide.				
Exterior chromodeck door for geyser.	No	1		
Build face brick box for steps – fill in with concrete to	No	1		
front door, each step must have a rise of 180 ^{mm} and a				
,				

Confidential Page 36 of 84



turned of 250mm and 4000mm with its duding only are	l	1		
tread of 250 ^{mm} and 1000 ^{mm} wide including galvanised				
handrails on both sides.				
Supply and fit 500 ^{mm} x 500 ^{mm} grade "A" terracotta	m ²	2		
tiles to steps.				
Supply and fit 3 ^{mm} thick checker plate steel ramp to	No	1		
back door, 1100 ^{mm} wide x 3000 ^{mm} long including				
handrails on both sides.				
Hariarans on both sides.				
Supply and fit 6 ^{mm} safety laminated glass door with 4	No	1		
hinges to Micro lab, door must be 1 ^m wide, bottom	110	_		
half must be solid aluminium and top half must be				
glass.				
Supply and fit 6 ^{mm} safety laminated glass doors with 4	No	4		
hinges, bottom half must be solid aluminium and top	110	_		
half must be clear glass, call room glass must be				
frosted.				
Supply and fit solid chromo deck doors.	No	3		
		+		
Supply and fit locksets to all doors. White chromo deck gutters including brackets and	No m	10	+	
	m	30		
end caps.		15		
White chromo deck down pipes including brackets.	m	15		
Chromo deck skirting from unit to concrete slab.	m	44		
Supply and fit waste cage close to back door exit, 2 ^m	No	1		
high x 2 ^m wide x 600 ^{mm} deep, closed with galvanized				
sheeting on sides and roof, with lockable double door,				
bottom of cage must be 100 of the ground to allow				
rain water to pass through.		20		
Supply and fit pigeonholes, each hole to	No	20		
accommodate A4 paper, 300 ^{mm} x 220 ^{mm} x 50 ^{mm} high.				
Supply and fit toilet with cistern, supply and fit	No	2		
lockable toilet paper holder to accommodate 3 rolls,				
connect to water supply and waste.		1		
Supply and fit porcelain hand wash basin with taps,	No	3		
and 400 ^{mm} x 600 ^{mm} mirror, with towel rail in toilets				
and call room area, connect to hot and cold-water				
supply and drainage.				
Supply and fit porcelain hand wash basin with hospital	No	2		
elbow taps, also fit hand shower to each basin				
connected to cold water.				
Supply and install complete shower with base, panels	No	1		
and swivel door, including shower head and taps,				
connect to water supply and waste				
Supply and fit 150L geyser connect to all, sinks and	No	1		
basins, must be accessible from the outside door		<u> </u>	1	
Supply and install 30-amp isolator next to geyser,	No	1		
wired from distribution board.		-	1	
Supply and fit granite 20 ^{mm} x 600 ^{mm} wide top in tea	m	2.9		
room.		<u> </u>	1	
Supply and fit mahogany cupboards with doors and	No	2		
shelve and door handles, 900 ^{mm} wide			1	
Supply and fit mahogany cupboards with drawers and	No	1		
handles 450 ^{mm} wide.				
Supply and fit mahogany microwave cupboard	No	1		

Confidential Page **37** of **84**



Supply and fit new 7L Hydroboil, connect to water	No	1		
	INO	_		
supply and drainage, all pipes to be chased into wall.				
Supply and fit 30-amp isolator next to Hydroboil,	No	1		
wired from distribution board, including ducting,				
wiring and 25 amp single pole circuit breaker.				
withing and 25 amp single pole circuit breaker.				
Supply and fit 1200 ^{mm} double bowl stainless steel sink	No	1		
with hot and cold-water sink mixer.				
Supply and fit 560 ^{mm} x 360 ^{mm} x 230 ^{mm} deep black	No	2		
single bowl sinks with hot and cold water supply and				
waste pipe				
Supply and fit movable swan neck serrated nozzle tap	No	2		
to sink and connect to water supply.				
to sink and connect to water suppry.				
3 Phase Distribution Board with 3 rows of 20.	No	1		
10 amp single phase 6 ka circuit breakers, for light	No	2		
points.	140	_		
25 amp single phase 6 ka circuit breakers, for normal	No	20	+	
plug points.	110	20		
25 amp single phase 6 ka circuit breakers, for	No	3		
dedicated plug points.	110			
60 amp 3 phase 6 ka circuit breaker, main switch	No	1		
60 amp single phase earth leakage relay, for normal	No	3		
plug points.	INO	3		
25 amp single phase 6 ka circuit breaker, for geyser	No	1		
25 amp single phase circuit breaker, for air	No	8		
conditioners.	INO	0		
	No	3		
Lightning arrestors.	_	1	+	
Supply and install Kent water meter at mobile lab.	No	1		
Supply and install electrical meter GEC Type at mobile	No	1		
lab in weather proof box.	INO	1		
lab III weather proof box.				
Supply and fit Krost shelving in store room, 915 ^{mm}	No	7		
wide x 2000 ^{mm} high x 350 ^{mm} deep, shelves must be	INO	,		
350 ^{mm} apart.				
Supply and fit 5ft LED double tube light fittings	No	11		
complete with lamps and clip on diffusers	INO	11		
Supply and fit waterproof light fittings to external	No	2		
doors.	INO			
Supply and fit Zebbies code 1517 light fitting in toilet.	No	2		
Supply and fit "Cabstrut Jupiter", steel, 2		56		
Compartment type, allow for bends and end caps,	m	30		
power skirting from wire ways for power and data				
reticulation and will be able to accommodate future				
expansion.				
Supply and fit 15 amp standard power skirting plug	No	42		
points.	INU	44		
Supply and fit 15 amp double surface plug points.	No	8		
Supply and fit 1200 ^{mm} x 1200 ^{mm} notice board.	1	1		
	No			
Supply and fit 1200 ^{mm} x 1200 ^{mm} white board.	No	1		
Supply and fit double lever light switches.	No	9		
Supply and fit double lever light switches.	No	2		

Confidential Page 38 of 84



Connect modular steel container to the required			
electrical power source	າ		
Supply and install 2mm Classic Mystique PUR/ Eclipse	m ²	117	
PUR vinyl sheeting with welded joints as per			
specification, vinyl must go up the wall 120mm high			
include cove fillet and capping.			
Supply and install 30 ^{mm} x 30 ^{mm} steel square tubing	m	8	
frame for benches, must be bolted and not welded			
together with adjustable inserts, must be powder			
coated as per specification, 500 ^{mm} x 720 ^{mm} high in			
reception area.			
Supply and fit wrap around Postform top 32 ^{mm} x	m	8	
600 ^{mm} white and 750 ^{mm} high in reception area.			
Supply and install 30 ^{mm} x 30 ^{mm} steel square tubing	m	16	
frame for benches, must be bolted and not welded			
together with adjustable inserts, must be powder			
coated as per specification, 800 ^{mm} x 870 ^{mm} high in			
main lab area.			
Supply and fit wrap around Postform top 32 ^{mm} x	m	16	
900 ^{mm} white and 900 ^{mm} high in main lab area.			
Supply and install 30 ^{mm} x 30 ^{mm} steel square tubing	m	3	
frame for benches, must be bolted and not welded			
together with adjustable inserts, must be powder			
coated as per specification, 800 ^{mm} x 870 ^{mm} high in TB			
lab area.			
Supply and fit wrap around Postform top 32 ^{mm} x	m	3	
900 ^{mm} black and 900 ^{mm} high in TB lab area.			
Supply and deliver steel powder coated under bench	No	8	
cupboards 800 ^{mm} high x 900 ^{mm} with doors and shelve			
on lockable castor wheels as per SA Lab specification			
on lockable castor wheels as per six cas specification			
Supply and deliver steel powder coated under bench	No	6	
cupboards 800 ^{mm} high x 450 ^{mm} with drawers on	110		
lockable castor wheels as per SA Lab specification.			
Complemental delices steel a condense steel condense steel	NI -		
Supply and deliver steel powder coated under bench	No	4	
cupboards 680 ^{mm} high x 450 ^{mm} with drawers on			
lockable castor wheels as per SA Lab specification.			
Supply and fit reception counter, 2000 ^{mm} wide and		Item	
1200 ^{mm} high, close the front and fit 400 ^{mm} wide shelve			
on counter.			
Supply and fit 6 ^{mm} safety laminated glass with alu	m	2	
minium frame above reception counter up to ceiling,			
leave 300 ^{mm} space between counter top and bottom			
of aluminium frame to pass through specimens.			
Supply and fit 6 ^{mm} safety laminated glass door with 4	No	1	
hinges next to reception counter, bottom half must be			
solid aluminium and top half must be glass.			
Supply and fit Gents and Ladies Perspex signs against	No	2	
doors.			
Supply and fit aluminium coat hooks with 5 hooks	No	2	
each.			

Confidential Page **39** of **84**



Supply and fit mahogany lockers against wall, 350 ^{mm} x	No	9	
350 ^{mm} x 300 ^{mm} deep each with lock.		_	
Supply and deliver 900 ^{mm} x 900 ^{mm} square chrome tables.	No	2	
Connect modular steel container to the required			
electrical power source			
Supply and deliver chrome chairs.	No	6	
Supply and fit 500 ^{mm} x 500 ^{mm} concrete blocks	No	40	
Plumbing as per specification including trenching.	m	40	
Sewer installation as per specification including	m	40	
trenching.			
Trenching for cable 500 ^{mm} deep as per specification,	m	130	
allow to re-tar road and refit paving.			
Concrete pathway.	m ²	20	
Supply and lay 16 ^{mm} x 4 core armed cable from kiosk	m	230	
to Modular Steel lab including glands and shrouds.			
Supply and lay 10 ^{mm} bare copper earth wire next to	m	230	
cable.			
Supply and install 70 amp 3 phase circuit breaker in	No	1	
Kiosk feeding lab 10 KA.		_	
Excavate not exceeding 300mm deep clear and cart	m ²	150	
away topsoil.			
away topson.			
Scarify and compact area, supply SABS weed killer to	m ²	150	
entire area, supply and thick SABS plastic to entire		130	
area including steel mesh.			
Prepare framework/shuttering, supply and cast	m ²	150	
25mpa concrete slab.			
25mpu concrete side.			
Excavate ground, compact, supply and erect face brick		Item	
foundation base, 2500 ^{mm} x 2500 ^{mm} x 300 ^{mm} high.			
Todilacion base, 2500 × 2500 × 500 mgm.			
Alternative power supply of 10 KVA invertor and 3	Unit	1	
lithium batteries to last for a minimum of 6 hours			
connected to the Eskom power supply with 12			
months warranty.			
Supply and install 5000L green water tank, complete	No	1	
	INO	_	
with ball valve to control water level, and fit lockable			
tap to tank, tank must be secured with stay wire			
bolted to foundation.			
Cupply and install 1/ in sh "Dahraam" Dahraam dan		20	
Supply and install ½ inch "Polycop" Polypropylene	m	20	
pipe from nearest water supply to water tank 500 ^{mm}			
deep trench with shut-off valve.			
0		-	
Supply and fit Hot rolled 2000 ^{mm} x 3000 ^{mm} Palisade	m	8	
Panels with Devils Fork including all angles or slotted			
channels for crosses.			

Confidential Page 40 of 84



		1	
Supply and fit Hot rolled 76 ^{mm} x76 ^{mm} x 1.6 ^{mm} Palisade	No	8	
poles, tar must be re-done around poles to its original			
surface.			
Supply and fit single gate to match palisade fence	No	1	
including lince barrel lock with 3 heavy duty hinges.			
including inice parter lock with 3 heavy duty filliges.			
Supply and install galvanized water pipe from water	m	30	
	111	30	
tank to main inlet at laboratory with shut off valve.			
Complete and install in line contains a contains	No	1	
Supply and install inline water pump to create	No	1	
pressure to new water line installed, KW to be			
determined by the length including shut off valves.			
Supply and install distribution board with door, allow		Item	
for circuit breakers and relays to control pump to			
keep constant pressure.			
Supply and install filter and pressure gage inline to		Item	
filter and circulate the water.			
inter and encurate the water.			
Assess and prepare the ground to be suitable for the		Item	
design product including possible removal of		1.00	
obstacles on the route to where the product should			
be placed. In some instances the removed obstacles			
may require to be reinstalled			
Supply plumbing certificate.		Item	
Supply electrical certificate (COC).		Item	
Provide the amount of R20 000.00 (Twenty Thousand		1	R20,000-00
Rand) Net for signage executed complete			
Allow the amount of R 90 000-00 (Ninety Thousand		† †	R90,000-00
Rand) for contingency to be used at the discretion of			
the Principal Agent and deducted in whole or in part if			
not required.			
Siting (join Unit).			
Transport.			
TOTAL			
PLUS 15% VAT			
GRAND TOTAL			
		+	
Estimated time to supply and deliver from date of			
order.			

Confidential Page 41 of 84



1. WF KNOBEL

Description	Unit	Quantity	Rate	Cost excl. Vat
A minimum of 110m ² Modular Steel container Mobile	No	1	11410	Cost exem rut
laboratory including walls, roof (5/12 roof pitch) and	110	_		
ceiling partitioned as per the NHLS request.				
Supply and install 18000 BTU Midwall split Unit,	No	5		
heating and cooling air conditioners, must be inverter				
type, using R410A refrigerant, install as per				
specification, air con type must be: LG, Carrier, York,				
Samsung, or Daiken or similar.				
Supply and install 24000 BTU Midwall split Unit,	No	3		
heating and cooling air conditioners, must be inverter				
type, using R410A refrigerant, install as per				
specification , air con type must be: LG, Carrier, York,				
Samsung, or Daiken similar.				
Supply and install 30 amp single isolator at air con	No	8		
wired from distribution board including curve 1 x 25				
amp single phase circuit breaker, allow for cabling,				
trunking, bends and end caps.				
Supply and fit aluminium windows 1200 ^{mm} x 900 ^{mm}	No	8		
Supply and fit aluminium windows 600 ^{mm} x 600 ^{mm}	No	3		
Supply and fit venetian blinds to windows above.	No	11		
Burglar bars to all windows.	No	11		
Supply and fit 6 ^{mm} single laminated safety glass door	No	1		
with aluminium frame at reception entrance complete				
with industrial door handle and separate lock and 4				
industrial hinges to door, bottom half must be solid				
aluminium and top half must be frosted glass.				
Supply and fit door closers to doors.	No	6		
Supply and fit Xpanda doors to both front and back	No	2		
door on the inside.				
Supply and fit 1 ^{mm} x 1 ^{mm} awning to both front and	No	2		
back door.				
Supply and fit exterior chromodek door at the back,	No	1		
door must be 1 ^m wide.				
Exterior chromodeck door for geyser.	No	1		
Build face brick box for steps – fill in with concrete to	No	1		
front door, each step must have a rise of 180mm and a				
tread of 250 ^{mm} and 1000 ^{mm} wide including galvanised				
handrails on both sides.				
nanarans en seur sides.				
Supply and fit 500 ^{mm} x 500 ^{mm} grade "A" terracotta	m ²	2		
tiles to steps.				
and to stope.				
Supply and fit 3 ^{mm} thick checker plate steel ramp to	No	1		
back door, 1100 ^{mm} wide x 3000 ^{mm} long including	-			
handrails on both sides.				
nanarans on both sides.				
Supply and fit 6 ^{mm} safety laminated glass door with 4	No	1		
hinges to Micro lab, door must be 1 ^m wide, bottom				
half must be solid aluminium and top half must be				
glass.				

Confidential Page **42** of **84**



ininges, bottom half must be solid aluminium and top half must be clear glass, call room glass must be frosted. Supply and fit solid chromo deck doors. Supply and fit locksets to all doors. White chromo deck gutters including brackets and end caps. White chromo deck down pipes including brackets. Mithe chromo deck down pipes including brackets. Chromo deck skirting from unit to concrete slab. Supply and fit waste cage close to back door exit, 2" No high x 2" wide x 600" deep, closed with galvanized sheeting on sides and roof, with lockable double door, bottom of cage must be 100 of the ground to allow rain water to pass through. Supply and fit tojlet with cistern, supply and fit clockable toilet paper holder to accommodate AA paper, 300" x 220" x 50" high. Supply and fit toilet with cistern, supply and fit lockable toilet paper holder to accommodate a rolls, connect to water supply and waste. Supply and fit porcelain hand wash basin with taps, and 400" x 600" mirror, with towel rail in toilets and call room area, connect to hot and cold-water supply and frit porcelain hand wash basin with hospital elbow taps, also fit hand shower to each basin connected to cold water. Supply and fit solle gyeser connect to all, sinks and basins, must be accessible from the outside door. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and fit and shower head and taps, connect to water supply and waste. Supply and fit mahogany cupboards with doors and shelve and door handles, 900" with doors and shelve and door h			T	T	1
half must be clear glass, call room glass must be frosted. Supply and fit solid chromo deck doors. No 10 White chromo deck gutters including brackets and end caps. White chromo deck down pipes including brackets. White chromo deck down pipes including brackets. White chromo deck skirting from unit to concrete slab. Supply and fit waste cage close to back door exit, 2" No 1	Supply and fit 6 ^{mm} safety laminated glass doors with 4	No	4		
Frosted. Supply and fit solid chromo deck doors. No 3 Supply and fit locksets to all doors. No 10 White chromo deck gutters including brackets and end caps. White chromo deck down pipes including brackets. Mithic chromo deck down pipes including brackets. Chromo deck skirting from unit to concrete slab. Chromo deck skirting from unit to concrete slab. May 15 Supply and fit waste cage close to back door exit, 2" No 1 high x 2" wide x 600" deep, closed with galvanized sheeting on sides and roof, with lockable double door, bottom of cage must be 100 of the ground to allow rain water to pass through. Supply and fit pigeonholes, each hole to accommodate A4 paper, 300" x 20" x 50" high. Supply and fit toliet with cistern, supply and fit lockable toilet paper holder to accommodate 3 rolls, connect to water supply and waste. Supply and fit porcelain hand wash basin with taps, and 400" x 600"	=				
Supply and fit locksets to all doors. No 10 White chromo deck gutters including brackets and end caps. White chromo deck down pipes including brackets. White chromo deck down pipes including brackets. Thromo deck skirting from unit to concrete slab. Supply and fit waste cage close to back door exit, 2" No 1 No 20 Retering on sides and roof, with lockable double door, bottom of cage must be 100 of the ground to allow rain water to pass through. Supply and fit pigeonholes, each hole to accommodate A4 paper, 300"m x 200"m x 500"m high. Supply and fit pile with cistern, supply and fit lockable toliet paper holder to accommodate 3 rolls, connect to water supply and waste. Supply and fit porcelain hand wash basin with taps, and 400"m x 600"m miror, with towel rail in tollets and call room area, connect to hot and cold-water supply and frit porcelain hand wash basin with hospital elbow taps, also fit hand shower to each basin connected to cold water. Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and fit granite 20"" x 600"m wide top in m 2.9 tearon. Supply and fit mahogany cupboards with doors and shelve and door handles, 900"m wide top in m 2.9 tearon. Supply and fit mahogany cupboards with drawers and handles 450"m wide. Supply and fit mahogany cupboards with drawers and handles 450"m wide. Supply and fit mahogany microwave cupboard. Supply and fit an and cold-water sink miker.	half must be clear glass, call room glass must be				
Supply and fit locksets to all doors. White chromo deck gutters including brackets and end caps. White chromo deck down pipes including brackets. Thromo deck skirting from unit to concrete slab. Supply and fit waste cage close to back door exit, 2 ^m No 1 high x 2 ^m wide x 600 ^{mm} deep, closed with galvanized sheeting on sides and roof, with lockable double door, bottom of cage must be 100 of the ground to allow rain water to pass through. Supply and fit pigeonholes, each hole to accommodate Ad paper, 300 ^{mm} x 220 ^{mm} x 50 ^{mm} high. Supply and fit toilet with cistern, supply and fit lockable idle paper holder to accommodate 3 rolls, connect to water supply and waste. Supply and fit porcelain hand wash basin with taps, and 400 ^{mm} x 600 ^{mm} mirror, with towel rail in toilets and call room area, connect to hot and cold-water supply and fit porcelain hand wash basin with hospital elbow taps, also fit hand shower to each basin connected to cold water. Supply and fit porcelain hand wash basin with hospital elbow taps, also fit hand shower to each basin connected to cold water. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and fit granite 20 ^{mm} x 600 ^{mm} wirlor wide. Supply and fit granite 20 ^{mm} x 600 ^{mm} wirlor wide. Supply and fit mahogany cupboards with doors and shelve and door handles, 900 ^{mm} wide. Supply and fit mahogany cupboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany microwave cupboard. No 1 Supply and fit mahogany microwave cupboard. Supply and fit and fit and pany microwave cupboard. Supply and fit a	frosted.				
White chromo deck gutters including brackets and end caps. White chromo deck down pipes including brackets. Chromo deck skirting from unit to concrete slab. Supply and fit waste cage close to back door exit, 2 ^m high x 2 ^m wide x 600 ^m dece, closed with galvanized sheeting on sides and roof, with lockable double door, bottom of cage must be 100 of the ground to allow rain water to pass through. Supply and fit pigeonholes, each hole to accommodate A4 paper, 300 ^{mm} x 220 ^{mm} x 50 ^{mm} high. Supply and fit toilet with cistern, supply and fit lockable toilet paper holder to accommodate 3 rolls, connect to water supply and waste. Supply and fit porcelain hand wash basin with taps, and 400 ^{mm} x 600 ^{mm} mirror, with towel rail in toilets and call room area, connect to hot and cold-water supply and drainage. Supply and fit porcelain hand wash basin with hospital elbow taps, also fit hand shower to each basin connected to cold water. Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and fit afsol. geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and fit afsol. geyser connect to geyser, wired from distribution board. Supply and fit mahogany cupboards with doors and shelve and door handles, 900 ^{mm} wide top in tearoom. Supply and fit mahogany cupboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany nicrowave cupboard. Supply and fit anahogany microwave cupboard. No 1 Supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducti	Supply and fit solid chromo deck doors.	No	3		
end caps. White chromo deck down pipes including brackets. Chromo deck skirting from unit to concrete slab. Supply and fit waste cage close to back door exit, 2" No 1 high x 2" wide x 600" deep, closed with galvanized sheeting on sides and roof, with lockable double door, bottom of cage must be 100 of the ground to allow rain water to pass through. Supply and fit pigeonholes, each hole to accommodate A4 paper, 300" x 220" x 50" high. Supply and fit toilet with cistern, supply and fit lockable toilet paper holder to accommodate 3 rolls, connect to water supply and waste. Supply and fit porcelain hand wash basin with taps, and 400" x 600" mirror, with towel rail in toilets and call room area, connect to hot and cold-water supply and frainage. Supply and fit porcelain hand wash basin with hospital elbov taps, also fit hand shower to each basin connected to cold water. Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and fits allo-amp isolator next to geyser, wire from distribution board. Supply and fit mahogany cupboards with dors and shelve and door handles, 900" wide. Supply and fit mahogany cupboards with dors and shelve and door handles, 900" wide. Supply and fit mahogany nicrowave cupboard. No 1 supply and fit mahogany nicrowave cupboard. Supply and fit mahogany nicrowave cupboard. No 1 supply and fit mahogany nicrowave cupboard. Supply and fit 130 mp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200" double bowl stainless steel sink with not and cold-water sink mixer.	Supply and fit locksets to all doors.	No	10		
end caps. White chromo deck down pipes including brackets. Chromo deck skirting from unit to concrete slab. Supply and fit waste cage close to back door exit, 2" No 1 high x 2" wide x 600" deep, closed with galvanized sheeting on sides and roof, with lockable double door, bottom of cage must be 100 of the ground to allow rain water to pass through. Supply and fit pigeonholes, each hole to accommodate A4 paper, 300" x 220" x 50" high. Supply and fit toilet with cistern, supply and fit lockable toilet paper holder to accommodate 3 rolls, connect to water supply and waste. Supply and fit porcelain hand wash basin with taps, and 400" x 600" mirror, with towel rail in toilets and call room area, connect to hot and cold-water supply and frainage. Supply and fit porcelain hand wash basin with hospital elbov taps, also fit hand shower to each basin connected to cold water. Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and fits allo-amp isolator next to geyser, wire from distribution board. Supply and fit mahogany cupboards with dors and shelve and door handles, 900" wide. Supply and fit mahogany cupboards with dors and shelve and door handles, 900" wide. Supply and fit mahogany nicrowave cupboard. No 1 supply and fit mahogany nicrowave cupboard. Supply and fit mahogany nicrowave cupboard. No 1 supply and fit mahogany nicrowave cupboard. Supply and fit 130 mp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200" double bowl stainless steel sink with not and cold-water sink mixer.	White chromo deck gutters including brackets and	m	30		
Chromo deck skirting from unit to concrete slab. Supply and fit waste cage close to back door exit, 2 ^m high x 2 ^m wide x 600rm deep, closed with galvanized sheeting on sides and roof, with lockable double door, bottom of cage must be 100 of the ground to allow rain water to pass through. Supply and fit pigeonholes, each hole to accommodate A4 paper, 300rm x 220rm x 50rm high. Supply and fit toilet with cistern, supply and fit lockable toilet paper holder to accommodate 3 rolls, connect to water supply and waste. Supply and fit porcelain hand wash basin with taps, and 400rm mirror, with towel rail in toilets and call room area, connect to hot and cold-water supply and drainage. Supply and fit porcelain hand wash basin with hospital elbow taps, also fit hand shower to each basin connected to cold water. Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and install 30-amp isolator next to geyser, wire from distribution board. Supply and fit stoll geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and fit stoll geyser connect to geyser, wire from distribution board. Supply and fit mahogany cupboards with doors and shelve and door handles, 900rm wide. Supply and fit mahogany cupboards with drawers and handles 450rm wide. Supply and fit mahogany nicrowave cupboard. No 1 Supply and fit mahogany cupboards with drawers and handles 450rm wide. Supply and fit mahogany cupboards with drawers and handles 450rm wide. Supply and fit mahogany cupboards with drawers and handles 450rm wide. Supply and fit mahogany cupboards with drawers and handles 450rm wide. Supply and fit now 7L Hydroboil, connect to water. Supply and fit now 7L Hydroboil, connect to water. Supply and fit 30 amp isolator next to Hydroboil, wire from distribution board, i	end caps.				
Supply and fit waste cage close to back door exit, 2" high x 2" wide x 600" deep, closed with galvanized sheeting on sides and roof, with lockable double door, bottom of cage must be 100 of the ground to allow rain water to pass through. Supply and fit pigeonholes, each hole to accommodate A4 paper, 300" x 220" x 50" high. Supply and fit toilet with cistern, supply and fit lockable toilet paper holder to accommodate 3 rolls, connect to water supply and waste. Supply and fit porcelain hand wash basin with taps, and 400" x 600" mirror, with towel rail in toilets and call room area, connect to hot and cold-water supply and drainage. Supply and fit porcelain hand wash basin with hospital elbow taps, also fit hand shower to each basin connected to cold water. Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and fits 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and fit granite 20" x 600" wide top in tearoom. Supply and fit mahogany cupboards with doors and shelve and door handles, 900" wide. Supply and fit mahogany cupboards with drawers and handles 450" wide. Supply and fit mahogany cupboards with drawers and handles 450" wide. Supply and fit mahogany nicrowave cupboard. No 1 Supply and fit mahogany nicrowave cupboard. Supply and fit mahogany microwave cupboard. No 1 Supply and fit of mahogany nicrowave cupboard. Supply and fit of	White chromo deck down pipes including brackets.	m	15		
Supply and fit waste cage close to back door exit, 2" high x 2" wide x 600" deep, closed with galvanized sheeting on sides and roof, with lockable double door, bottom of cage must be 100 of the ground to allow rain water to pass through. Supply and fit pigeonholes, each hole to accommodate A4 paper, 300" x 220" x 50" high. Supply and fit toilet with cistern, supply and fit lockable toilet paper holder to accommodate 3 rolls, connect to water supply and waste. Supply and fit porcelain hand wash basin with taps, and 400" x 600" mirror, with towel rail in toilets and call room area, connect to hot and cold-water supply and drainage. Supply and fit porcelain hand wash basin with hospital elbow taps, also fit hand shower to each basin connected to cold water. Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and fits 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and fit granite 20" x 600" wide top in tearoom. Supply and fit mahogany cupboards with doors and shelve and door handles, 900" wide. Supply and fit mahogany cupboards with drawers and handles 450" wide. Supply and fit mahogany cupboards with drawers and handles 450" wide. Supply and fit mahogany nicrowave cupboard. No 1 Supply and fit mahogany nicrowave cupboard. Supply and fit mahogany microwave cupboard. No 1 Supply and fit of mahogany nicrowave cupboard. Supply and fit of	Chromo deck skirting from unit to concrete slab.	m	44		
high x 2 ^m wide x 600 ^{mm} deep, closed with galvanized sheeting on sides and roof, with lockable double door, bottom of cage must be a 100 of the ground to allow rain water to pass through. Supply and fit pigeonholes, each hole to Supply and fit pigeonholes, each hole to Supply and fit toilet with cistern, supply and fit lockable toilet paper holder to accommodate 3 rolls, connect to water supply and waste. Supply and fit porcelain hand wash basin with taps, and 400 ^{mm} x 600 ^{mm} mirror, with towel rail in toilets and call room area, connect to hot and cold-water supply and drainage. Supply and fit porcelain hand wash basin with hospital elbow taps, also fit hand shower to each basin connected to cold water. Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and fit stall 30-amp isolator next to geyser, wire form distribution board. Supply and fit mahogany cupboards with doors and shelve and door handles, 900 ^{mm} wide. Supply and fit mahogany cupboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany nucrowave cupboard. Supply and fit mahogany microwave cupboard. No 1 Supply and fit mahogany microwave cupboard. Supply and fit mahogany microwave cupboard. No 1 Supply and fit mahogany microwave cupboard. Supply and fit mahogany microwave cupboard. No 1 Supply and fit of mahogany microwave cupboard. Supply and fit of mahogany microwave cupboard. Supply and fit nahogany microwave cupboard. No 1 Supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker.		No	1		
sheeting on sides and roof, with lockable double door, bottom of cage must be 100 of the ground to allow rain water to pass through. Supply and fit pigeonholes, each hole to accommodate A4 paper, 300°™ x 220°™ x 50°™ high. Supply and fit toilet with cistern, supply and fit lockable toilet paper holder to accommodate 3 rolls, connect to water supply and waste. Supply and fit porcelain hand wash basin with taps, and 400°™ x 600°™ mirror, with towel rail in toilets and call room area, connect to hot and cold-water supply and drainage. Supply and fit porcelain hand wash basin with hospital elbow taps, also fit hand shower to each basin connected to cold water. Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and fit stall 30-amp isolator next to geyser, wired from distribution board. Supply and fit mahogany cupboards with doors and shelve and door handles, 900°™ wide. Supply and fit mahogany cupboards with drawers and handles 450°™ wide. Supply and fit mahogany necessable from the custom of the water supply and fit mahogany cupboards with drawers and handles 450°™ wide. Supply and fit mahogany necessable from the custom of the water supply and fit mahogany cupboards with drawers and handles 450°™ wide. Supply and fit mahogany necessable to be chased into wall. Supply and fit new 7L Hydroboil, connect to water. Supply and fit and amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker.	· · · ·				
bottom of cage must be 100 of the ground to allow rain water to pass through. Supply and fit pigeonholes, each hole to accommodate A4 paper, 300 ^{mm} x 220 ^{mm} x 50 ^{mm} high. Supply and fit toilet with cistern, supply and fit lockable toilet paper holder to accommodate 3 rolls, connect to water supply and waste. Supply and fit procelain hand wash basin with taps, and 400 ^{mm} x 600 ^{mm} mirror, with towel rail in toilets and call room area, connect to hot and cold-water supply and drainage. Supply and fit porcelain hand wash basin with hospital elbow taps, also fit hand shower to each basin connected to cold water. Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and fitsall 30-amp isolator next to geyser, wired from distribution board. Supply and fit granite 20 ^{mm} x 600 ^{mm} wide top in mearoom. Supply and fit mahogany cupboards with doors and shelve and door handles, 900 ^{mm} wide. Supply and fit mahogany cupboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany repboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany repboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany repboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany repboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany repboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany repboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany repboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany repboards with drawers and handles 450 ^{mm} wide. Supply and fit no mangane. Supply and fit no mangane.					
rain water to pass through. Supply and fit pigeonholes, each hole to accommodate A4 paper, 300° x 220° x 220° x 50° m high. Supply and fit toilet with cistern, supply and fit lockable toilet paper holder to accommodate 3 rolls, connect to water supply and waste. Supply and fit porcelain hand wash basin with taps, and 400° x 600° m irror, with towel rail in toilets and call room area, connect to hot and cold-water supply and fit porcelain hand wash basin with hospital elbow taps, also fit hand shower to each basin connected to cold water. Supply and fit porcelain hand wash basin with hospital elbow taps, also fit hand shower to each basin connected to cold water. Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and install 30-amp isolator next to geyser, wired from distribution board. Supply and fit granite 20° x 600° wide top in m 2.9 tearon. Supply and fit mahogany cupboards with doors and shelve and door handles, 900° wide. Supply and fit mahogany cupboards with drawers and handles 450° wide. Supply and fit mahogany microwave cupboard. No 1 Supply and fit mahogany microwave cupboard. No 1 Supply and fit mahogany microwave cupboard. No 1 Supply and fit new 7L Hydroboil, connect to water. Supply and fit mahogany microwave cupboard. No 1 Supply and fit new 7L Hydroboil, connect to water. Supply and fit new 7L Hydroboil, connect to water. Supply and fit new 7L Hydroboil, connect to water. Supply and fit new 7L Hydroboil, connect to water. Supply and fit new 7L Hydroboil, connect to water. Supply and fit new 7L Hydroboil, connect to water. Supply and fit new 7L Hydroboil, connect to water. Supply and fit new 7L Hydroboil, connect to water. Supply and fit new 7L Hydroboil, connect to water. Supply and fit new 7L Hydroboil, connect to water.	=				
Supply and fit pigeonholes, each hole to accommodate A4 paper, 300°° x 220°° x 50°° high. Supply and fit toilet with cistern, supply and fit lockable toilet paper holder to accommodate 3 rolls, connect to water supply and waste. Supply and fit porcelain hand wash basin with taps, and 400°° x 600°° mirror, with towel rail in toilets and call room area, connect to hot and cold-water supply and drainage. Supply and fit porcelain hand wash basin with hospital elbow taps, also fit hand shower to each basin connected to cold water. Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and install 30-amp isolator next to geyser, wired from distribution board. Supply and fit mahogany cupboards with doors and shelve and door handles, 900°° wide. Supply and fit mahogany cupboards with doors and shelve and door handles, 900°° wide. Supply and fit mahogany microwave cupboard. Supply and fit mahogany microwave cupboard. Supply and fit mahogany microwave cupboard. Supply and fit new 7L Hydroboil, connect to water. Supply and fit new 7L Hydroboil, connect to water. Supply and fit new 7L Hydroboil, connect to water. Supply and fit new 7L Hydroboil, connect to water. Supply and fit new 7L Hydroboil, connect to water. Supply and fit new 7L Hydroboil, connect to water. Supply and fit new 7L Hydroboil, connect to water. Supply and fit new 7L Hydroboil, connect to water. Supply and fit new 7L Hydroboil poer in cluding ducting, wiring and 25 amp single pole circuit breaker.					
accommodate A4 paper, 300°m² x 220°m² x 50°m² high. Supply and fit toilet with cistern, supply and fit lockable toilet paper holder to accommodate 3 rolls, connect to water supply and waste. Supply and fit porcelain hand wash basin with taps, and 400°m² x 600°m² mirror, with towel rail in toilets and call room area, connect to hot and cold-water supply and drinage. Supply and fit porcelain hand wash basin with hospital elbow taps, also fit hand shower to each basin connected to cold water. Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and fit granite 20°m² x 600°m² wide top in tearoom. Supply and fit mahogany cupboards with doors and shelve and door handles, 900°m² wide. Supply and fit mahogany cupboards with drawers and handles 450°m² wide. Supply and fit mahogany microwave cupboard. No 1 Supply and fit mahogany microwave cupboard. No 1 Supply and fit mahogany microwave cupboard. No 1 Supply and fit may solution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200°m² double bowl stainless steel sink with hot and cold-water sink mixer.		No	20		
Supply and fit toilet with cistern, supply and fit lockable toilet paper holder to accommodate 3 rolls, connect to water supply and waste. Supply and fit porcelain hand wash basin with taps, and 400 ^{mm} x 600 ^{mm} mirror, with towel rail in toilets and call room area, connect to hot and cold-water supply and fit porcelain hand wash basin with hospital elbow taps, also fit hand shower to each basin connected to cold water. Supply and fit porcelain hand wash basin with hospital elbow taps, also fit hand shower to each basin connected to cold water. Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and install 30-amp isolator next to geyser, with the supply and fit granite 20 ^{mm} x 600 ^{mm} wide top in mearoom. Supply and fit mahogany cupboards with doors and shelve and door handles, 900 ^{mm} wide. Supply and fit mahogany cupboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany microwave cupboard. Supply and fit mahogany microwave cupboard. Supply and fit mey TL Hydroboil, connect to water. Supply and fit mey TL Hydroboil, connect to water. Supply and fit may pisolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink with hot and cold-water sink mixer.					
lockable toilet paper holder to accommodate 3 rolls, connect to water supply and waste. Supply and fit porcelain hand wash basin with taps, and 400mm x 600mm mirror, with towel rail in toilets and call room area, connect to hot and cold-water supply and drainage. Supply and fit porcelain hand wash basin with hospital elbow taps, also fit hand shower to each basin connected to cold water. Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and install 30-amp isolator next to geyser, wired from distribution board. Supply and fit granite 20mm x 600mm wide top in most paper and the accessible from the outside door. Supply and fit mahogany cupboards with doors and shelve and door handles, 900mm wide. Supply and fit mahogany cupboards with drawers and handles 450mm wide. Supply and fit mahogany microwave cupboard. Supply and fit mahogany microwave cupboard. Supply and fit mahogany microwave cupboard. No 1 Supply and fit most of the water. Supply and fit most of the water. Supply and fit most of the water. Supply and fit 1200mm double bowl stainless steel sink with hot and cold-water sink mixer.		No	2		
connect to water supply and waste. Supply and fit porcelain hand wash basin with taps, and 400 ^{mm} x 600 ^{mm} mirror, with towel rail in toilets and call room area, connect to hot and cold-water supply and drainage. Supply and fit porcelain hand wash basin with hospital elbow taps, also fit hand shower to each basin connected to cold water. Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and install 30-amp isolator next to geyser, wired from distribution board. Supply and fit granite 20 ^{mm} x 600 ^{mm} wide top in tearoom. Supply and fit mahogany cupboards with doors and shelve and door handles, 900 ^{mm} wide. Supply and fit mahogany cupboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany microwave cupboard. Supply and fit mahogany microwave cupboard. Supply and fit new 7L Hydroboil, connect to water. supply and fit new 7L Hydroboil, connect to water. Supply and fit 130 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink with hot and cold-water sink mixer.			_		
Supply and fit porcelain hand wash basin with taps, and 400 ^{mm} x 600 ^{mm} mirror, with towel rail in toilets and call room area, connect to hot and cold-water supply and drainage. Supply and fit porcelain hand wash basin with hospital elbow taps, also fit hand shower to each basin connected to cold water. Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and install 30-amp isolator next to geyser, wired from distribution board. Supply and fit granite 20 ^{mm} x 600 ^{mm} wide top in tearoom. Supply and fit mahogany cupboards with doors and shelve and door handles, 900 ^{mm} wide. Supply and fit mahogany cupboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany microwave cupboard. Supply and fit new 7L Hydroboil, connect to water. supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink with hot and cold-water sink mixer.					
and 400mm x 600mm mirror, with towel rail in toilets and call room area, connect to hot and cold-water supply and drainage. Supply and fit porcelain hand wash basin with hospital elbow taps, also fit hand shower to each basin connected to cold water. Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and install 30-amp isolator next to geyser, No 1 wired from distribution board. Supply and fit granite 20mm x 600mm wide top in tearoom. Supply and fit mahogany cupboards with doors and shelve and door handles, 900mm wide. Supply and fit mahogany cupboards with drawers and handles 450mm wide. Supply and fit mahogany microwave cupboard. Supply and fit may T. Hydroboil, connect to water. supply and fit 30 amp isolator next to Hydroboil, No 1 wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200mm double bowl stainless steel sink with hot and cold-water sink mixer.	- 1 1	No	3		
and call room area, connect to hot and cold-water supply and drainage. Supply and fit porcelain hand wash basin with hospital elbow taps, also fit hand shower to each basin connected to cold water. Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and install 30-amp isolator next to geyser, wired from distribution board. Supply and fit granite 20mm x 600mm wide top in metaroom. Supply and fit mahogany cupboards with doors and shelve and door handles, 900mm wide. Supply and fit mahogany cupboards with drawers and handles 450mm wide. Supply and fit mahogany microwave cupboard. Supply and fit new 7L Hydroboil, connect to water. supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200mm double bowl stainless steel sink with hot and cold-water sink mixer.					
supply and fit porcelain hand wash basin with hospital elbow taps, also fit hand shower to each basin connected to cold water. Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and install 30-amp isolator next to geyser, wired from distribution board. Supply and fit granite 20 ^{mm} x 600 ^{mm} wide top in mearoom. Supply and fit mahogany cupboards with doors and shelve and door handles, 900 ^{mm} wide. Supply and fit mahogany cupboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany microwave cupboard. Supply and fit nahogany microwave cupboard. Supply and fit and orall pipes to be chased into wall. Supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink with hot and cold-water sink mixer.	•				
Supply and fit porcelain hand wash basin with hospital elbow taps, also fit hand shower to each basin connected to cold water. Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and install 30-amp isolator next to geyser, wired from distribution board. Supply and fit granite 20 ^{mm} x 600 ^{mm} wide top in tearoom. Supply and fit mahogany cupboards with doors and shelve and door handles, 900 ^{mm} wide. Supply and fit mahogany cupboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany microwave cupboard. Supply and fit and orall pipes to be chased into wall. Supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink with hot and cold-water sink mixer.					
elbow taps, also fit hand shower to each basin connected to cold water. Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and install 30-amp isolator next to geyser, wired from distribution board. Supply and fit granite 20mm x 600mm wide top in tearoom. Supply and fit mahogany cupboards with doors and shelve and door handles, 900mm wide. Supply and fit mahogany cupboards with drawers and handles 450mm wide. Supply and fit mahogany microwave cupboard. Supply and fit mahogany microwave cupboard. Supply and fit mahogany microwave cupboard. Supply and fit nahogany microwave cupboard. Supply and fit aloamp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200mm double bowl stainless steel sink with hot and cold-water sink mixer.		No	2		
connected to cold water. Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and install 30-amp isolator next to geyser, wired from distribution board. Supply and fit granite 20mm x 600mm wide top in tearoom. Supply and fit mahogany cupboards with doors and shelve and door handles, 900mm wide. Supply and fit mahogany cupboards with drawers and handles 450mm wide. Supply and fit mahogany microwave cupboard. Supply and fit mahogany microwave cupboard. Supply and fit mahogany microwave cupboard. Supply and fit nahogany microwave cupboard. Supply and fit an and fit new 7L Hydroboil, connect to water. Supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200mm double bowl stainless steel sink with hot and cold-water sink mixer.		110	_		
Supply and install complete shower with base, panels and swivel door, including shower head and taps, connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and install 30-amp isolator next to geyser, wired from distribution board. Supply and fit granite 20 ^{mm} x 600 ^{mm} wide top in tearoom. Supply and fit mahogany cupboards with doors and shelve and door handles, 900 ^{mm} wide. Supply and fit mahogany cupboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany microwave cupboard. Supply and fit mahogany microwave cupboard. Supply and fit new 7L Hydroboil, connect to water. supply and drainage, all pipes to be chased into wall. Supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink with hot and cold-water sink mixer.	·				
and swivel door, including shower head and taps, connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and install 30-amp isolator next to geyser, wired from distribution board. Supply and fit granite 20 ^{mm} x 600 ^{mm} wide top in mearoom. Supply and fit mahogany cupboards with doors and shelve and door handles, 900 ^{mm} wide. Supply and fit mahogany cupboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany microwave cupboard. Supply and fit new 7L Hydroboil, connect to water. supply and drainage, all pipes to be chased into wall. Supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink with hot and cold-water sink mixer.		No	1		
connect to water supply and waste. Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and install 30-amp isolator next to geyser, wired from distribution board. Supply and fit granite 20 ^{mm} x 600 ^{mm} wide top in tearoom. Supply and fit mahogany cupboards with doors and shelve and door handles, 900 ^{mm} wide. Supply and fit mahogany cupboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany microwave cupboard. Supply and fit mahogany microwave cupboard. Supply and fit new 7L Hydroboil, connect to water. supply and drainage, all pipes to be chased into wall. Supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink with hot and cold-water sink mixer.		140	_		
Supply and fit 150L geyser connect to all, sinks and basins, must be accessible from the outside door. Supply and install 30-amp isolator next to geyser, wired from distribution board. Supply and fit granite 20 ^{mm} x 600 ^{mm} wide top in m 2.9 tearoom. Supply and fit mahogany cupboards with doors and shelve and door handles, 900 ^{mm} wide. Supply and fit mahogany cupboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany microwave cupboard. Supply and fit new 7L Hydroboil, connect to water. supply and drainage, all pipes to be chased into wall. Supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink with hot and cold-water sink mixer.					
basins, must be accessible from the outside door. Supply and install 30-amp isolator next to geyser, wired from distribution board. Supply and fit granite 20 ^{mm} x 600 ^{mm} wide top in mearoom. Supply and fit mahogany cupboards with doors and shelve and door handles, 900 ^{mm} wide. Supply and fit mahogany cupboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany microwave cupboard. Supply and fit mahogany microwave cupboard. Supply and fit new 7L Hydroboil, connect to water. supply and drainage, all pipes to be chased into wall. Supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink with hot and cold-water sink mixer.		No	1		
Supply and install 30-amp isolator next to geyser, wired from distribution board. Supply and fit granite 20 ^{mm} x 600 ^{mm} wide top in m 2.9 tearoom. Supply and fit mahogany cupboards with doors and shelve and door handles, 900 ^{mm} wide. Supply and fit mahogany cupboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany microwave cupboard. Supply and fit new 7L Hydroboil, connect to water. supply and drainage, all pipes to be chased into wall. Supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink with hot and cold-water sink mixer.		110	-		
wired from distribution board. Supply and fit granite 20 ^{mm} x 600 ^{mm} wide top in tearoom. Supply and fit mahogany cupboards with doors and shelve and door handles, 900 ^{mm} wide. Supply and fit mahogany cupboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany microwave cupboard. Supply and fit mahogany microwave cupboard. Supply and fit new 7L Hydroboil, connect to water. supply and drainage, all pipes to be chased into wall. Supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink with hot and cold-water sink mixer.		No	1		
Supply and fit granite 20 ^{mm} x 600 ^{mm} wide top in tearoom. Supply and fit mahogany cupboards with doors and shelve and door handles, 900 ^{mm} wide. Supply and fit mahogany cupboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany microwave cupboard. Supply and fit new 7L Hydroboil, connect to water. Supply and drainage, all pipes to be chased into wall. Supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink with hot and cold-water sink mixer.		110	_		
tearoom. Supply and fit mahogany cupboards with doors and shelve and door handles, 900 ^{mm} wide. Supply and fit mahogany cupboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany microwave cupboard. Supply and fit new 7L Hydroboil, connect to water. Supply and drainage, all pipes to be chased into wall. Supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink with hot and cold-water sink mixer.		m	2.9		
Supply and fit mahogany cupboards with doors and shelve and door handles, 900 ^{mm} wide. Supply and fit mahogany cupboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany microwave cupboard. Supply and fit new 7L Hydroboil, connect to water. Supply and drainage, all pipes to be chased into wall. Supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink with hot and cold-water sink mixer.	,	""	2.3		
shelve and door handles, 900 ^{mm} wide. Supply and fit mahogany cupboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany microwave cupboard. Supply and fit new 7L Hydroboil, connect to water. Supply and drainage, all pipes to be chased into wall. Supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink with hot and cold-water sink mixer.		No	2		
Supply and fit mahogany cupboards with drawers and handles 450 ^{mm} wide. Supply and fit mahogany microwave cupboard. Supply and fit new 7L Hydroboil, connect to water. Supply and drainage, all pipes to be chased into wall. Supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink with hot and cold-water sink mixer.		INO	2		
handles 450 ^{mm} wide. Supply and fit mahogany microwave cupboard. Supply and fit new 7L Hydroboil, connect to water. supply and drainage, all pipes to be chased into wall. Supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink with hot and cold-water sink mixer.		No	1		
Supply and fit mahogany microwave cupboard. Supply and fit new 7L Hydroboil, connect to water. supply and drainage, all pipes to be chased into wall. Supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink with hot and cold-water sink mixer.		INO	_		
Supply and fit new 7L Hydroboil, connect to water. supply and drainage, all pipes to be chased into wall. Supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink with hot and cold-water sink mixer.		No	1		
supply and drainage, all pipes to be chased into wall. Supply and fit 30 amp isolator next to Hydroboil, wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink with hot and cold-water sink mixer.					
Supply and fit 30 amp isolator next to Hydroboil, No 1 wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink with hot and cold-water sink mixer.	, , ,	NO	1		
wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink with hot and cold-water sink mixer.	supply and drainage, all pipes to be chased into wall.				
wired from distribution board, including ducting, wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink with hot and cold-water sink mixer.	Supply and fit 30 amp isolator next to Hydroboil	No	1		
wiring and 25 amp single pole circuit breaker. Supply and fit 1200 ^{mm} double bowl stainless steel sink No 1 with hot and cold-water sink mixer.			_		
Supply and fit 1200 ^{mm} double bowl stainless steel sink No 1 with hot and cold-water sink mixer.					
with hot and cold-water sink mixer.	withing and 23 amp single pole circuit breaker.				
with hot and cold-water sink mixer.	Supply and fit 1200 ^{mm} double bowl stainless steel sink	No	1		
	Supply and fit 560 ^{mm} x 360 ^{mm} x 230 ^{mm} deep black	No	2		
single bowl sinks with hot and cold water supply and					
waste pipe.					
Supply and fit movable swan neck serrated nozzle tap No 2		No	2		
to sink and connect to water supply.					

Confidential Page **43** of **84**



3 Phase Distribution Board with 3 rows of 20.	No	1	
10 amp single phase 6 ka circuit breakers, for light	No	2	+
points.	INO	2	
25 amp single phase 6 ka circuit breakers, for normal	No	20	
plug points.	INO	20	
25 amp single phase 6 ka circuit breakers, for	No	3	
dedicated plug points.	INO	3	
60 amp 3 phase 6 ka circuit breaker, main switch.	No	1	
60 amp single phase earth leakage relay, for normal	No	3	
plug points.	INO	3	
25 amp single phase 6 ka circuit breaker, for geyser.	No	1	
25 amp single phase circuit breaker, for air	No	8	
conditioners.	INO	0	
Lightning arrestors.	No	3	
Supply and install Kent water meter at mobile lab.	No	1	
Supply and install electrical meter GEC Type at mobile	No	1	
lab in weather proof box.	INO	1	
·		_	
Supply and fit Krost shelving in store room, 915 ^{mm}	No	7	
wide x 2000 ^{mm} high x 350 ^{mm} deep, shelves must be			
350 ^{mm} apart .		44	
Supply and fit 5ft LED double tube light fittings	No	11	
complete with lamps and clip on diffusers.	NI-	2	
Supply and fit waterproof light fittings to external	No	2	
doors.	NI-	2	
Supply and fit Zebbies code 1517 light fitting in toilet.	No	2	
Supply and fit "Cabstrut Jupiter", steel, 2	m	56	
Compartment type, allow for bends and end caps,			
power skirting from wire ways for power and data reticulation and will be able to accommodate future			
expansion. Supply and fit 15 amp standard power skirting plug	No	42	+
points.	INO	42	
Supply and fit 15 amp double surface plug points.	No	8	
Supply and fit 1200 ^{mm} x 1200 ^{mm} notice board.	No	1	
Supply and fit 1200 ^{mm} x 1200 ^{mm} white board.	No	1	
Supply and fit single lever light switches.	No	9	
Supply and fit double lever light switches.	No	2	
Supply and install 2mm Classic Mystique PUR/	m ²	117	
	111	11/	
Eclipse PUR vinyl sheeting with welded joints as per			
specification, vinyl must go up the wall 120mm high			
include cove fillet and capping.			
Supply and install 30 ^{mm} x 30 ^{mm} steel square tubing	m	8	
frame for benches, must be bolted and not welded			
together with adjustable inserts, must be powder			
coated as per specification, 500 ^{mm} x 720 ^{mm} high in			
reception area.			
Supply and fit wrap around Postform top 32 ^{mm} x	m	8	
600 ^{mm} white and 750 ^{mm} high in reception area.		1.5	
Supply and install 30 ^{mm} x 30 ^{mm} steel square tubing	m	16	
frame for benches, must be bolted and not welded together with adjustable inserts, must be powder			
coated as per specification, 800 ^{mm} x 870 ^{mm} high in			
main lab area.			
ווומווו ומט מו כמ.			

Confidential Page 44 of 84



	ı		1	1
Supply and fit wrap around Postform top 32 ^{mm} x	m	16		
900 ^{mm} white and 900 ^{mm} high in main lab area.				
Supply and install 30 ^{mm} x 30 ^{mm} steel square tubing	m	3		
frame for benches, must be bolted and not welded				
together with adjustable inserts, must be powder				
coated as per specification, 800 ^{mm} x 870 ^{mm} high in TB				
lab area.				
Supply and fit wrap around Postform top 32 ^{mm} x	m	3		
900 ^{mm} black and 900 ^{mm} high in TB lab area.				
Supply and deliver steel powder coated under bench	No	8		
	110			
cupboards 800 ^{mm} high x 900 ^{mm} with doors and shelve				
on lockable castor wheels as per SA Lab specification.				
Supply and deliver steel powder coated under bench	No	6		
cupboards 800 ^{mm} high x 450 ^{mm} with drawers on				
lockable castor wheels as per SA Lab specification.				
location control and per divided operations				
Supply and deliver steel powder coated under bench	No	4		
	140			
cupboards 680 ^{mm} high x 450 ^{mm} with drawers on				
lockable castor wheels as per SA Lab specification.				
Supply and fit reception counter, 2000mm wide and		Item		
1200 ^{mm} high, close the front and fit 400 ^{mm} wide shelve				
on counter.				
Supply and fit 6 ^{mm} safety laminated glass with alu	m	2		
minium frame above reception counter up to ceiling,				
leave 300 ^{mm} space between counter top and bottom				
of aluminium frame to pass through specimens.				
Supply and fit 6 ^{mm} safety laminated glass door with 4	No	1		
hinges next to reception counter, bottom half must be		_		
solid aluminium and top half must be glass.				
Supply and fit Gents and Ladies Perspex signs against	No	2		
	NO	2		
doors.	NI-	2		
Supply and fit aluminium coat hooks with 5 hooks	No	2		
each.		_		
Supply and fit mahogany lockers against wall, 350 ^{mm} x	No	9		
350 ^{mm} x 300 ^{mm} deep each with lock.				
Supply and deliver 900 ^{mm} x 900 ^{mm} square chrome	No	2		
tables.				
Supply and deliver chrome chairs.	No	6		
Supply and fit 500 ^{mm} x 500 ^{mm} concrete blocks.	No	40		
Plumbing installation as per specification including	m	40		
trenching.		1		
Sewer installation as per specification including	m	40		
trenching.				
Trenching for cable 500 ^{mm} deep as per specification,	m	130		
allow to re-tar road and refit paving.	'''	133		
Concrete pathway.	m ²	20		
			+	+
Supply and lay 16 ^{mm} x 4 core armed cable from kiosk	m	230		
to Modular Steel lab including glands and shrouds.		22.5		
Supply and lay 10 ^{mm} bare copper earth wire next to	m	230		
cable.		1		
Supply and install 70 amp 3 phase circuit breaker in	No	1		
Kiosk feeding lab 10 KA.				
· · · · · · · · · · · · · · · · · · ·	·	· · · · · · · · · · · · · · · · · · ·	·	·

Confidential Page **45** of **84**



Excavate not exceeding 300mm deep clear and cart away topsoil.	m²	150	
Scarify and compact area, supply SABS weed killer to entire area, supply and thick SABS plastic to entire area including steel mesh.	m²	150	
Prepare framework/shuttering, supply and cast 25mpa concrete slab.	m²	150	
Excavate ground, compact, supply and erect face brick foundation base, 2500 ^{mm} x 2500 ^{mm} x 300 ^{mm} high.		Item	
Alternative power supply of 10 KVA invertor and 3 lithium batteries to last for a minimum of 6 hours connected to the Eskom power supply with 12 months warranty.	Unit	1	
Supply and install 5000L green water tank, complete with ball valve to control water level, and fit lockable tap to tank, tank must be secured with stay wire bolted to foundation.	No	1	
Supply and install ½ inch "Polycop" Polypropylene pipe from nearest water supply to water tank 500 ^{mm} deep trench with shut-off valve.	m	20	
Supply and fit Hot rolled 2000 ^{mm} x 3000 ^{mm} Palisade Panels with Devils Fork including all angles or slotted channels for crosses.	m	8	
Supply and fit Hot rolled 76 ^{mm} x76 ^{mm} x 1.6 ^{mm} Palisade poles, tar must be re-done around poles to its original surface.	No	8	
Supply and fit single gate to match palisade fence including lince barrel lock with 3 heavy duty hinges.	No	1	
Supply and install galvanized water pipe from water tank to main inlet at laboratory with shut off valve.	m	30	
Supply and install inline water pump to create pressure to new water line installed, KW to be determined by the length including shut off valves.	No	1	
Supply and install distribution board with door, allow for circuit breakers and relays to control pump to keep constant pressure.		Item	
Supply and install filter and pressure gage inline to filter and circulate the water.		Item	

Confidential Page **46** of **84**



Supply plumbing certificate.	Item	
Supply electrical certificate (COC).	Item	
Assess and prepare the ground to be suitable for the	Item	
design product including possible removal of		
obstacles on the route to where the product should		
be placed. In some instances, the removed obstacles		
may require to be reinstalled		
Provide the amount of R20 000.00 (Twenty Thousand		R20,000-00
Rand) Net for signage executed complete.		
Allow the amount of R 90 000-00 (Ninety Thousand		R90,000-00
Rand) for contingency to be used at the discretion of		
the Principal Agent and deducted in whole or in part if		
not required.		
Siting (join Unit).		
Transport.		
TOTAL		
PLUS 15% VAT		
GRAND TOTAL		
Estimated time to supply and deliver from date of		
order		

FORM OF TENDER	
SUPPLIER:	
TENDER NO:	
DESCRIPTION: SUPPLY AND DELIVER 1X PRE- FABRICATED LABORATORY AT LOUIS TRICHARDT HOSPITA	L

Description	Unit	Quantity	Rate	Cost excl vat
15000 ^{mm} x 7000 ^{mm} Mobile laboratory including walls		Item		
and ceiling				
Supply and install 12000 BTU Midwall split Unit,	No	5		
heating and cooling air conditioners, must be				
inverter type, using R410A refrigerant, install as per				
specification , air con type must be: LG, Carrier,				
York, Samsung, or Daiken				
Supply and install 18000 BTU Midwall split Unit,	No	3		
heating and cooling air conditioners, must be				
inverter type, using R410A refrigerant, install as per				
specification , air con type must be: LG, Carrier,				
York, Samsung, or Daiken				
Alternative power supply of 10 KVA invertor and 3	No	1		
lithium batteries to last for a minimum of 6 hours				
connected to the Eskom power supply with 12				
months warranty.				
Supply and install 30 amp single isolator at air con	No	8		
wired from distribution board including curve 1 x 25				
amp single phase circuit breaker, allow for cabling,				
trunking, bends and end caps				
Supply and fit aluminium windows 1200 ^{mm} x 900 ^{mm}	No	7		
Supply and fit aluminium windows 900 ^{mm} x 900 ^{mm}	No	2		

Confidential Page 47 of 84



Supply and fit aluminium windows 600mm v 600mm	No	2		
Supply and fit aluminium windows 600 ^{mm} x 600 ^{mm} Supply and fit venetian blinds to windows above	No No	3 12		
Burglar bars to all windows Supply and fit 6 ^{mm} single laminated safety glass door	No	12		
	No	1		
with aluminium frame at reception entrance				
complete with industrial door handle and separate				
lock and 4 industrial hinges to door, bottom half				
must be solid aluminium and top half must be				
frosted glass				
Supply and fit door closers to doors	No	6		
Supply and fit Xpanda doors to both front and back	No	2		
door on the inside				
Supply and fit 1 ^{mm} x 1 ^{mm} awning to both front and	No	2		
back door				
Supply and fit exterior chromodeck door at the back,	No	1		
door must be 1 ^m wide				
Exterior chromodeck door for geyser	No	1		
Build face brick box for steps – fill in with concrete	No	1		
to front door, each step must have a rise of 180 ^{mm}				
and a tread of 250 ^{mm} and 1000 ^{mm} wide including				
galvanised handrails on both sides				
Supply and fit 500 ^{mm} x 500 ^{mm} grade "A" terracotta	m ²	2		
tiles to steps				
'				
Supply and fit 3 ^{mm} thick checker plate steel ramp to	No	1		
back door, 1100 ^{mm} wide x 3000 ^{mm} long including				
handrails on both sides				
Supply and fit 6 ^{mm} safety laminated glass doors with	No	2		
4 hinges to TB and Micro labs, door must be 1 ^m				
wide, bottom half must be solid aluminium and top				
half must be glass				
Supply and fit 6 ^{mm} safety laminated glass doors with	No	4		
4 hinges, bottom half must be solid aluminium and				
top half must be glass, call room glass must be				
frosted				
Supply and fit solid chromadeck doors	No	3		
Supply and fit locksets to all doors	No	10	1	
Concrete gully's to each down pipe	No	6		
White pvc gutters including brackets and end caps	m	30	1	
White pvc down pipes including brackets	m	15		
Chromodeck skirting from unit into ground	m	44	1	
Supply and fit waste cage close to back door exit, 2 ^m	No	1		
high x 2 ^m wide x 600 ^{mm} deep, closed with galvanized				
sheeting on sides and roof, with lockable double				
door, bottom of cage must be 100 of the ground to				
allow rain water to pass through			1	
Supply and fit pigeonholes, each hole to	No	20		
accommodate A4 paper, 300 ^{mm} x 220 ^{mm} x 50 ^{mm} high				
Supply and fit toilet with cistern, with toilet paper	No	2		
holder, connect to water supply and waste				

Confidential Page **48** of **84**



	1		, ,	
Supply and fit porcelain hand wash basin with taps,	No	3		
and 400 ^{mm} x 600 ^{mm} mirror, with towel rail in toilet				
and call room area, connect to hot and cold-water				
supply and drainage				
Supply and fit porcelain hand wash basin with	No	2		
hospital elbow taps, also fit hand shower to each				
basin connected to cold water				
Supply and install complete shower with base,	No	1		
panels and swivel door, including shower head and	110	_		
taps, connect to water supply and waste				
Supply and fit 150L geyser connect to all, sinks and	No	1		
basins, must be accessible from the outside door	NO	_		
Supply and install 30 amp isolator next to geyser,	No	1		
1	INO	1		
wired from distribution board		2.0		
Supply and fit granite 20 ^{mm} x 600 ^{mm} wide top in tea	m	2.9		
room		_		
Supply and fit mahogany cupboards with doors and	No	2		
shelve and door handles, 900 ^{mm} wide				
Supply and fit mahogany cupboards with drawers	No	1		
and handles 450 ^{mm} wide				
Supply and fit 1200 ^{mm} double bowl stainless steel	No	1		
sink with hot and cold-water sink mixer and tiles				
above sink				
Supply and fit 560 ^{mm} x 495 ^{mm} x 400 ^{mm} deep black	No	2		
single bowl sinks with hot and cold water supply and				
waste pipe				
Supply and fit movable swan neck serrated nozzle	No	2		
tap to sink and connect to water supply				
tap to omit and comment to mater supply				
3 Phase Distribution Board with 3 rows of 20	No	1		
10 amp single phase 6 ka circuit breakers, for light	No	2		
points	110	_		
25 amp single phase 6 ka circuit breakers, for normal	No	20		
	NO	20		
plug points	No	3		
25 amp single phase 6 ka circuit breakers, for	No	5		
dedicated plug points				
60 amp 3 phase 6 ka circuit breaker, main switch	No	1		
60 amp single phase earth leakage relay, for normal	No	3		
plug points				
25 amp single phase 6 ka circuit breaker, for geyser	No	1		
25 amp single phase circuit breakers, for air	No	8		
conditioners				
Lightning arrestors	No	3		
Supply and install Kent water meter at mobile lab	No	1		
Supply and install electrical meter GEC Type at	No	1		
mobile lab in weather proof box				
Supply and fit Krost shelving in storeroom, 915 ^{mm}	No	7		
wide x 2000 ^{mm} high x 350 ^{mm} deep, shelves must be				
350 ^{mm} apart				
Supply and fit 5ft LED double tube light fittings	No	11		
complete with lamps and clip on diffusers				
complete with famps and the on annusers	L	l		

Confidential Page 49 of 84



Supply and fit waterproof light fittings to external	No	3	
doors	NI-	2	
Supply and fit Zebbies code 1517 light fitting in toilet	No	3 56	
Supply and fit "Cabstrut Jupiter", steel, 2 Compartment type, allow for bends and end caps,	m	56	
power skirting from wire ways for power and data			
reticulation and will be able to accommodate future			
expansion			
Supply and fit 15 amp standard power skirting plug	No	42	
points	NO	42	
Supply and fit 15 amp double surface plug points	No	8	
Supply and fit 1200 ^{mm} x 1200 ^{mm} notice board	No	1	
Supply and fit 1200 x 1200 motice board Supply and fit 1200mm x 1200mm white board	No	1	
Supply and fit single lever light switches	No	9	
Supply and fit double lever light switches	No	2	
Supply and install 2mm Classic Mystique PUR/	m ²	117	
	111	11/	
Eclipse PUR vinyl sheeting with welded joints as per			
specification, vinyl must go up the wall 120mm high			
include cove fillet and capping			
Supply and install 30 ^{mm} x 30 ^{mm} steel square tubing	m	8	
frame for benches, must be bolted and not welded			
together with adjustable inserts, must be powder			
coated as per specification, 500 ^{mm} x 720 ^{mm} high in			
reception area		_	
Supply and fit wrap around Postform top 32 ^{mm} x	m	8	
600 ^{mm} white and 750 ^{mm} high in reception area		1.5	
Supply and install 30 ^{mm} x 30 ^{mm} steel square tubing	m	16	
frame for benches, must be bolted and not welded			
together with adjustable inserts, must be powder			
coated as per specification, 800 ^{mm} x 870 ^{mm} high in main lab area			
Supply and fit wrap around Postform top 32 ^{mm} x	m	16	
900 ^{mm} white and 900 ^{mm} high in main lab area	111	10	
Supply and install 30 ^{mm} x 30 ^{mm} steel square tubing	m	3	
frame for benches, must be bolted and not welded	111	3	
together with adjustable inserts, must be powder			
coated as per specification, 800 ^{mm} x 870 ^{mm} high in			
TB lab area			
Supply and fit wrap around Postform top 32 ^{mm} x	m	3	
900 ^{mm} black and 900 ^{mm} high in TB lab area	•••		
Supply and deliver steel powder coated under bench	No	8	
cupboards 800 ^{mm} high x 900 ^{mm} with doors and			
shelve on lockable castor wheels as per SA Lab			
· ·			
specification			
Supply and deliver steel powder coated under bench	No	6	
cupboards 800 ^{mm} high x 450 ^{mm} with drawers on	. 10		
_			
lockable castor wheels as per SA Lab specification			
Supply and deliver steel powder coated under bench	No	4	
cupboards 680 ^{mm} high x 450 ^{mm} with drawers on			
lockable castor wheels as per SA Lab specification			

Confidential Page **50** of **84**



	I	1	1	
Supply and fit reception counter, 2000 ^{mm} wide and		Item		
1200 ^{mm} high, close the front and fit 400 ^{mm} wide				
shelve on counter				
Supply and fit 6 ^{mm} safety laminated glass with alu	m	2		
minium frame above reception counter up to ceiling,				
leave 300 ^{mm} space between counter top and bottom				
of aluminium frame to pass through specimens				
Supply and fit 6 ^{mm} safety laminated glass door with 4	No	1		
hinges next to reception counter, bottom half must				
be solid aluminium and top half must be glass				
Supply and fit Gents and Ladies Perspex signs	No	2		
against doors	140	_		
Supply and fit aluminium coat hooks with 5 hooks	No	2		
	No	2		
each		10		
Supply and fit mahogany lockers against wall, 350 ^{mm}	No	12		
x 350 ^{mm} x 300 ^{mm} deep each with lock				
Supply and deliver 900 ^{mm} x 900 ^{mm} square chrome	No	2		
tables				
Supply and deliver chrome chairs	No	8		
Supply and fit 500 ^{mm} x 500 ^{mm} concrete blocks	No	40		
Plumbing installation as per specification including	m	40		
trenching				
Sewer installation as per specification including	m	40		
trenching				
Trenching for cable 500 ^{mm} deep as per specification,	m	130		
allow to re-tar road and refit paving				
Concrete pathway	m ²	10		
Supply and lay 16 ^{mm} x 4 core armed cable from kiosk	m	130		
to Pre- Fabricated lab including glands and shrouds	1111	150		
Supply and lay 10 ^{mm} bare copper earth wire next to	m	130		
cable	m	130		
	NI-	1		
Supply and install 70 amp 3 phase circuit breakers in	No	1		
Kiosk feeding lab 10 KA	2			
Excavate not exceeding 300mm deep clear and cart	m ²	150		
away topsoil				
Scarify and compact area, supply SABS weed killer to	m ²	150		
entire area, supply and thick SABS plastic to entire				
area including steel mesh				
area meraamig steer mesm				
Prepare framework/shuttering, supply and cast	m ²	150		
		130		
25mpa concrete slab				
Everyate ground compact cumply and areat face		Itom		
Excavate ground, compact, supply and erect face		Item		
brick foundation base, 2500 ^{mm} x 2500 ^{mm} x 300 ^{mm}				
high				
Supply and install 5000L green water tank, complete	No	1		
with ball valve to control water level, and fit				
lockable tap to tank, tank must be secured with stay				
wire bolted to foundation				
wife softed to foundation				
		<u>i</u>		

Confidential Page **51** of **84**



Supply and install ½ inch "Polycop" Polypropylene pipe from nearest water supply to water tank 500 ^{mm} deep trench with shut-off valve	m	20	
Supply and fit Hot rolled 2000 ^{mm} x 3000 ^{mm} Palisade Panels with Devils Fork including all angles or slotted channels for crosses	m	8	
Supply and fit Hot rolled 76 ^{mm} x76 ^{mm} x 1.6 ^{mm} Palisade poles, tar must be re-done around poles to its original surface	No	8	
Supply and fit single gate to match palisade fence including lince barrel lock with 3 heavy duty hinges	No	1	
Supply and install galvanized water pipe from water tank to main inlet at laboratory with shut off valve	m	30	
Supply and install inline water pump similar to Epic Pentax (Veronella) IP 44, 230/400 volt, 50 Hz, 6.2-3 A, 1.8 Hp / 1.55Kw, max input current 11A and max output current 7.5A	No	1	
Supply and install 30 amp isolator including waterproof box at water tank wired from distribution board	No	1	
Supply and install pressure valve including pressure gage and filter and shut off valves	No	1	
Remove grass, remove trees and excavate topsoil not exceeding 300mm deep	m2	160	
Scarify and compact area, supply SABS weed killer to entire area, supply and lay thick SABS plastic to entire area	m2	160	
Supply and lay fine river sand including 60mm interlocking paving bricks, allow to cover all joints properly	m2	160	
Supply and lay 150mm high curbing	m	90	
Supply plumbing certificate		Item	
Supply electrical certificate (COC)		Item	
Provide the amount of R20 000.00 (Twenty Thousand Rand) Net for signage executed complete			R20,000-00
Allow the amount of R 90 000-00 (Ninety Thousand Rand) for contingency to be used at the discretion of			R90,000-00

Confidential Page 52 of 84



the Principal Agent and deducted in whole or in part		
if not required		
Siting (join Unit)		
Transport		
TOTAL		
PLUS 15% VAT		
GRAND TOTAL		
Estimated time to supply and deliver from date of		
order		

Mobile Laboratory

Area	SQM (Approximately)
Call room including shower	9
Manager's Office	12
Kitchen	8
Store – room	16
TB room	16
Passage	8
Toilets (Male and Female 3 each)	3 x2
Main Lab (open Plan) – including reception area.	40
Total	115

Confidential Page 53 of 84



Costing information: The bid price quoted must be inclusive as per the scope of work.

Note:

- a) Bidder must complete the pricing as per tables below.
- b) Prices must be provided in South African Rand (R).
- c) Line Prices are all VAT EXCLUSIVE and TOTAL PRICE is VAT INCLUSIVE.
- d) Bidder to ensure that the Prices listed below are included on the Total Declared Price.
- e) Bidders who fail to price according to the costing template provided will be disqualified.

Consolidated (Lydenburg, Louis Tritchardt and WF Knobel).

No	Description	Quantity	Cost excl. Vat
	Supply and deliver 2 Modular Steel Container Labs at		
	Lydenburg and WF Knobel and 1 Pre-fabricated Container at		
	Louis Tritchardt Hospital including all interior and exterior		
	finishes.		
1	Lydenburg – (Modular Steel Container)	1	
2	WF Knobel – (Modular Steel Container)	1	
3.	Louis Tritchardt -(Pre-fabricated Container)	1	
	SUBTOTAL (VAT EXCL.)		
	PLUS 15% VAT		
	TOTAL PRICE (VAT INCL.)		

LYDENBURG - (MODULAR STEEL CONTAINER)

No	Description Supply and deliver 2 Modular Steel Container Labs at Lydenburg and WF Knobel and 1 Prefabricated Container at Louis Tritchardt Hospital including all interior and exterior finishes	Quantity	Cost excl. Vat
1	Lydenburg – (Modular Steel Container)	1	
	SUBTOTAL (VAT EXCL.)		
	PLUS 15% VAT		
	TOTAL PRICE (VAT INCL.)		

Confidential Page **54** of **84**



WF KNOBEL - (MODULAR STEEL CONTAINER)

No	Description Supply and deliver 2 Modular Steel Container Labs at Lydenburg and WF Knobel and 1 Pre-fabricated Container at Louis Tritchardt Hospital including all interior and exterior finishes.	Quantity	Cost excl. Vat
1	WF Knobel – (Modular Steel Container)	1	
	SUBTOTAL (VAT EXCL.)		
	PLUS 15% VAT		
	TOTAL PRICE (VAT INCL.)		

LOUIS TRICHARDT - (PREFABRICATED CONTAINER)

No	Description Supply and deliver 2 Modular Steel Container Labs at Lydenburg and WF Knobel and 1 Pre-fabricated Container at Louis Tritchardt Hospital including all interior and exterior finishes.	Quantity	Cost excl. Vat
1.	Louis Tritchardt -(Pre-fabricated Container)	1	
	SUBTOTAL (VAT EXCL.)		
	PLUS 15% VAT		
	TOTAL PRICE (VAT INCL.)		

Confidential Page **55** of **84**



PRICE DECLARATION FORM

Dear Madam /Sir,

Having read through and examined the Tender Document, RFB002/24/25, General Conditions, the requirement and all other Annexures to the Tender Document, we offer to provide RFB002/24/25 Supply and deliver 2 Modular Steel Container Labs at Lydenburg and WF Knobel and 1 Pre-fabricated Container at Louis Tritchardt Hospital including all interior and exterior finishes.

as detailed in the bid document, fo	or the total Tendered Contract Sum of in:
	(VAT Incl.) Amount in Words
R	(VAT Incl.) Amount in Numbers

We confirm that this price covers all activities associated with RFB002/24/25 Supply and deliver 2 Modular Steel Container Labs at Lydenburg and WF Knobel and 1 Pre-fabricated Container at Louis Tritchardt Hospital including all interior and exterior finishes, but not limited to the supply of all required, for the RFB 002/24/25 Supply and deliver 2 Modular Steel Container Labs at Lydenburg and WF Knobel and 1 Pre-fabricated Container at Louis Tritchardt Hospital including all interior and exterior finishes.

We confirm that NHLS will incur no additional costs whatsoever over and above this amount in connection with the supply of this solution.

We further confirm that all licences required for complete implementation of the solution, and the costs associated therewith, as well as any licences that may be required for future expansion have been fully described and disclosed in this document.

We undertake to hold this offer open for acceptance for a period of **180 days** from the date of submission of offers. We further undertake that upon final acceptance of our offer, we will commence with delivery when required to do so by the Client.

Moreover, we agree that until formal Contract Documents have been prepared and executed, this Form of Tender, together with a written acceptance from the Client shall constitute a binding agreement between us, governed by the terms and conditions set out in this Request for Proposals.

We understand that you are not bound to accept the lowest or any offer and that we must bear all costs which we have incurred in connection with preparing and submitting this tender.

Confidential Page **56** of **84**



We hereby undertake for the period during which this tender remains open for acceptance not to divulge to any persons, other than the persons to which the tender is submitted, any information relating to the submission of this tender or the details therein except where such is necessary for the submission of this tender.

SIGNED		DATE	
(Print name of signatory)			
Designation			
FOR AND ON BEHALF OF	COMPANY NAME		
FOR AND ON BEHALF OF:	COMPANY NAME		
	Tel No		
	Fax No		
	Cell No		

Confidential Page **57** of **84**



ANNEXURE C: Bidder's Disclosure (SBD4)

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest¹ in the enterprise,

employed by the state?

YES/NO

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution
		+

2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? **YES/NO**

Confidential Page 58 of 84

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.



2.2.1	If so, furnish particulars:
2.3	Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having
	a controlling interest in the enterprise have any interest in any other related enterprise whether or not they
	are bidding for this contract? YES/NO
2.3.1	If so, furnish particulars:
3 I	DECLARATION
l, the	undersigned, (name) in submitting the accompanying bid, do
hereb	by make the following statements that I certify to be true and complete in every respect:
3.1	I have read and I understand the contents of this disclosure;
3.2	I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and
	complete in every respect;
3.3	The bidder has arrived at the accompanying bid independently from, and without consultation
	communication, agreement or arrangement with any competitor. However, communication between
	partners in a joint venture or consortium ² will not be construed as collusive bidding.
3.4	In addition, there have been no consultations, communications, agreements or arrangements with any
	competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas
	used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid
	bidding with the intention not to win the bid and conditions or delivery particulars of the products or
	services to which this bid invitation relates.
3.4	The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or
	indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of
	the contract.
3.5	There have been no consultations, communications, agreements or arrangements made by the bidder
	with any official of the procuring institution in relation to this procurement process prior to and during
	the bidding process except to provide clarification on the bid submitted where so required by the

Confidential Page 59 of 84

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.



institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.

I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

Signature	Date
Position	Name of bidder

Confidential Page **60** of **84**



ANNEXURE D: Preferential Procurement Claim Form (SBD6.1)

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022.

1 GENERAL CONDITIONS

- **1.1** The following preference point systems are applicable to invitations to tender:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 To be completed by the organ of state

- a) Either the 80/20 or 90/10 preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.
- **1.3** Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
- a) Price; and
- b) Specific Goals.

1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80/90
SPECIFIC GOALS	20/10
Total points for Price and SPECIFIC GOALS	100

- **1.5** Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

Confidential Page **61** of **84**



2 **DEFINITIONS**

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid (c) invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3 FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 90/10 $Ps = 90\left(1 - \frac{Pt - P\min\square}{P\min\square}\right)$ $Ps = 80 \left(1 - \frac{Pt - P \min \square}{P \min \square}\right)$ or Where

or

Ps Points scored for price of tender under consideration

Pt Price of tender under consideration = Pmin Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 90/10 or

Confidential Page 62 of 84



$$Ps = 80\left(1 + \frac{Pt - P\min \square}{P\min \square}\right)$$
 or $Ps = 90\left(1 + \frac{Pt - P\min \square}{P\min}\right)$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of
 - a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Points awarded for historically disadvantaged individuals

Preference points for HDI's are calculated on their percentage shareholding in a business, provided that they are actively involved in and exercise control over the enterprise. The following formula is prescribed

$$NEP = NOP \times \frac{EP}{100}$$

Where

NEP = Points awarded for equity ownership by an HDI

NOP = The maximum number of points awarded for equity by an HDI in that specific category

EP = The percentage of equity ownership by an HDI within the enterprise or business, determined in accordance with the definition of HDI's.

Confidential Page **63** of **84**



A consortium or joint venture (including unincorporated consortia and joint ventures) must submit a consolidated B-BBEE Status Level Verification certificate for every separate tender.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.).

The specific goals allocated points in terms of this tender	Means of Verification	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)
a) Historically Disadvantaged Individuals (Means a South African citizen who, due to the apartheid policy that had been in place, had no franchise in national elections prior to the introduction of the Constitution of the Republic of South Africa, 1983 (Act No. 110 of 1983) or the Constitution of the Republic of South Africa, 1993 (Act No. 200 of 1993) ("The Interim Constitution").	Valid B-BBEE Certificate/Affidavit Sworn under oath, ID copy of owner/s of the business / Ownership certificate issued by Companies and Intellectual Property Commission (CIPC).	6	
Women	Valid B-BBEE Certificate/Affidavit Sworn under oath, ID copy of owner/s of the business / Ownership certificate issued by Companies and Intellectual Property Commission (CIPC). Valid B-BBEE	4	
DISTRICT	Certificate/Affidavit Sworn under oath, ID copy of owner/s of the business /	7	

Confidential Page **64** of **84**



ĺ	I		
	Ownership		
	certificate issued by		
	Companies and		
	Intellectual Property		
	Commission (CIPC).		
Youth	Valid B-BBEE	4	
	Certificate/Affidavit		
	Sworn under oath,		
	ID copy of owner/s		
	of the business /		
	Ownership		
	certificate issued by		
	Companies and		
	Intellectual Property		
	Commission (CIPC).		
b) Other Specific Goals	CSD/proof of		
(Programmes of the RDP	municipal		
& Local Manufacturing	account /letter from		
& Local Manufacturing	the Ward		
	Council confirming		
	the business address		
Locality:		2	
• Limpopo/		2	
Mpumalanga			
= 2			
• National = 1			
Total Points		20	

Confidential Page **65** of **84**



Confidential

DECLARATION WITH REGARD TO COMPANY/FIRM 8.1 Name of company/firm: 8.2 VAT registration number: 8.3 Company registration number: 8.4 Type of Company/Firm Partnership/Joint Venture / Consortium One person business/sole propriety Close corporation Company (Pty) Limited [TICK APPLICABLE BOX] 8.5 Describe Principal Business Activities **Company Classification** Manufacturer Supplier Professional service provider Other service providers, e.g. transporter, etc. [TICK APPLICABLE BOX] 8.6 Total number of years the company/firm has been in business: I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the B-BBE status level of contributor indicated in paragraphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that: The information furnished is true and correct; The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form; In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 6.1, the iii) contractor may be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct;

RFB002/24/25: Supply and deliver 2 Modular Steel Container Labs at Lydenburg and WF Knobel and 1 Prefabricated Container at Louis Tritchardt

Page 66 of 84



- iv) If the B-BBEE status level of contributor has been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have
 - (a) disqualify the person from the bidding process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution.

WI	TNESSES
1.	
2.	

 S	GIGNATURE(S) OF BIDDERS(S)
DATE:	
ADDRESS	

Confidential Page 67 of 84



SWORN AFFIDAVIT: B-BBEE QUALIFYING SMALL ENTERPRISE: GENERAL

I tha	Indorcionac	
ı, uıc	Undersigned	1

Full Name and Surname:	
Identity Number:	

Hereby declare under oath as follows:

by Act No 46 of 2013.

- 1. The contents of this statement are to the best of my knowledge a true reflection of the facts.
- 2. I am a Member / Director / Owner of the following enterprise and am duly authorised to act on its behalf:

Enterprise Name:	
Trading (if applicable):	
Enterprise Physical	
Address:	
Type of Entity (CC, Pty Ltd,	
Sole Prop etc.)	
Nature of Business:	
	As per the Broad-Based Black Economic Empowerment Act 53 of 2003 as
	Amended by Act No 46 of 2013 "Black People" is a generic term which means
	Africans, Coloureds and Indians –
	a. Who are citizens of the Republic of South Africa by birth or descent; or
Definition of "Black People:	b. Who became citizens of the Republic of South Africa by naturalization-
	i. Before 27 April 1994; or
	ii. On or after 27 April 1994 and who would have been entitled to acquire
	citizenship by naturalization prior to that date

	3. I hereby declare under	Oath that:
•	The Enterprise is	% Black Owned as per Amended Code Series 100 of the Amended Codes
	of Good Practice issued under	section 9 (1) of B-BBEE Act No 53 of 2003 as Amended by Act No 46 of
	2013.	
•	The Enterprise is	% Black Woman Owned as per Amended Code Series 100 of the
	Amended Codes of Good Practi	ce issued under section 9 (1) of B-BBEE Act No 53 of 2003 as Amended by
	Act No 46 of 2013.	
•	The Enterprise is	% Black Designated Group Owned as per Amended Code Series 100 of
	the Amended Codes of Good Pr	actice issued under section 9 (1) of B-BBEE Act No 53 of 2003 as Amended

Confidential Page **68** of **84**



•	Based on the Financial Statements/Management Accounts and other information available on the latest				
	financial year-end of	, the annual Total Revenue was between R10,000,	000.00 (Ten		
	Million Rands) and R50,000,000.00 (Fifty Million Rands).				
•	Please confirm on the table below the B-BBEE level contributor, by ticking the applicable box.				
	100% Black Owned	Level One (135% B-BBEE procurement recognition level)			
	At least 51% Black Owned	Level Two (125% B-BBEE procurement recognition level)			
	4. I know and understand the contents of this affidavit and I have no objection to take the				
	•	the oath binding on my conscience and on the Owners of the	e Enterprise		
	which I represent in this matter.				
	5. The sworn affidavit wil	l be valid for a period of 12 months from the date signed by co	mmissioner.		
-	nent Signature:				
Comr	missioner of Oaths				
Signature and Stamp					

Confidential Page 69 of 84



SWORN AFFIDAVIT: B-BBEE Q	SWORN AFFIDAVIT: B-BBEE QUALIFYING MICRO ENTERPRISE: GENERAL			
I, the Undersigned				
Full Name and Surname:				
Identity Number:				
Hereby declare under oath as f	ollows:			
1. The contents of this states	ment are to the best of my knowledge a true reflection of the facts.			
2. I am a Member / Director	/ Owner of the following enterprise and am duly authorised to act on its behalf:			
Enterprise Name:				
Trading (if applicable):				
Enterprise Physical				
Address:				
Type of Entity (CC, Pty Ltd,				
Sole Prop etc.)				
Nature of Business:				
	As per the Broad-Based Black Economic Empowerment Act 53 of 2003 as			
	Amended by Act No 46 of 2013 "Black People" is a generic term which means			
	Africans, Coloureds and Indians –			
D (: ::: (#DL D	c. Who are citizens of the Republic of South Africa by birth or descent; or			
Definition of "Black People:	d. Who became citizens of the Republic of South Africa by naturalization-			
	iii. Before 27 April 1994; or			
	iv. On or after 27 April 1994 and who would have been entitled to acquire			
	citizenship by naturalization prior to that date			
3. I hereby declare under Oa	th that:			
The Enterprise is	% Black Owned as per Amended Code Series 100 of the Amended Codes			
of Good Practice issue	ed under section 9 (1) of B-BBEE Act No 53 of 2003 as Amended by Act No 46 of			
2013.				
• The Enterprise is				
Amended Codes of Go	od Practice issued under section 9 (1) of B-BBEE Act No 53 of 2003 as Amended by			
Act No 46 of 2013.				
The Enterprise is	% Black Designated Group Owned as per Amended Code Series 100 of			
the Amended Codes of	f Good Practice issued under section 9 (1) of B-BBEE Act No 53 of 2003 as Amended			
by Act No 46 of 2013.				
Based on the Financial	Statements/Management Accounts and other information available on the latest			
financial year-end of _	, the annual Total Revenue was between R10,000,000.00 (Ten			

Confidential Page **70** of **84**

Million Rands) or less.



• Please confirm on the table below the B-BBEE level contributor, by ticking the applicable box.

100% Black Owned	Level One (135% B-BBEE procurement recognition level)	
At least 51% Black Owned	Level Two (125% B-BBEE procurement recognition level)	
Less than 51% Black Owned	Level Four (100% B-BBEE procurement recognition level)	

- 4. I know and understand the contents of this affidavit and I have no objection to take the prescribed oath and consider the oath binding on my conscience and on the Owners of the Enterprise which I represent in this matter.
- 5. The sworn affidavit will be valid for a period of 12 months from the date signed by commissioner.

Deponent Signature:	
Date:	
Commissioner of Oaths	_
Signature and Stamp	

Confidential Page 71 of 84



ANNEXURE E: Government Procurement: General Conditions of Contract - July 2011

NOTES

The purpose of this document is to:

- (i) Draw special attention to certain general conditions applicable to government Bids, contracts and orders; and
- (ii) To ensure that clients be familiar with regard to the rights and obligations of all parties involved in doing business with government.

In this document words in the singular also mean in the plural and vice versa and words in the masculine also mean in the feminine and neuter.

The GCC will form part of all bid documents and may not be amended.

② Special Conditions of Contract (SCC) relevant to a specific bid, should be compiled separately for every bid (if (applicable) and will supplement the GCC. Whenever there is a conflict, the provisions in the SCC shall prevail.

TABLE OF CLAUSES

- 1. Definitions
- 2. Application
- 3. General
- 4. Standards
- 5. Use of contract documents and information; inspection
- 6. Patent rights
- 7. Performance security
- 8. Inspections, tests and analysis
- 9. Packing
- 10. Delivery and documents
- 11. Insurance
- 12. Transportation
- 13. Incidental services
- 14. Spare parts
- 15. Warranty
- 16. Payment
- 17. Prices
- 18. Contract amendments
- 19. Assignment
- 20. Subcontracts

Confidential Page 72 of 84



- 21. Delays in the supplier's performance
- 22. Penalties
- 23. Termination for default
- 24. Dumping and countervailing duties
- 25. Force Majeure
- 26. Termination for insolvency
- 27. Settlement of disputes
- 28. Limitation of liability
- 29. Governing language
- 30. Applicable law
- 31. Notices
- 32. Taxes and duties
- 33. National Industrial Participation Programme (NIPP)
- 34. Prohibition of restrictive practices

General conditions of contract

1. Definitions

The following terms shall be interpreted as indicated:

- 1.1 "Closing time" means the date and hour specified in the bidding documents for the receipt of Bids.
- "Contract" means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- 1.3 "Contract price" means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
- "Corrupt practice" means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.
- "Countervailing duties" are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
- "Country of origin" means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 1.7 "Day" means calendar day.
- 1.8 "Delivery" means delivery in compliance of the conditions of the contract or order.
- 1.9 "Delivery ex stock" means immediate delivery directly from stock actually on hand.

Confidential Page **73** of **84**



- "Delivery into consignees store or to his site" means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
- 1.11 "Dumping" occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the RSA.
- 1.12 "Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 1.13 "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14 "GCC" means the General Conditions of Contract.
- 1.15 "Goods" means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- "Imported content" means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.
- 1.17 "Local content" means that portion of the bidding price which is not included in the imported content provided that local manufacture does take place.
- 1.18 "Manufacture" means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.
- 1.19 "Order" means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20 "Project site," where applicable, means the place indicated in bidding documents.
- 1.21 "Purchaser" means the organisation purchasing the goods.
- 1.22 "Republic" means the RSA.
- 1.23 "SCC" means the Special Conditions of Contract.
- "Services" means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such obligations of the supplier covered under the contract.
- 1.25 "Written" or "in writing" means handwritten in ink or any form of electronic or mechanical writing.

Confidential Page 74 of 84



2. Application

- 2.1 These general conditions are applicable to all Bids, contracts and orders including Bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.
- 2.2 Where applicable, SCC are also laid down to cover specific supplies, services or works.
- 2.3 Where such SCC are in conflict with these general conditions, the special conditions shall apply.

3. General

- 3.1 Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a non-refundable fee for documents may be charged.
- 3.2 With certain exceptions, invitations to bid are only published in the Government Tender Bulletin. The Government Tender Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretoria 0001, or accessed electronically from www.treasury.gov.za

4. Standards

4.1 The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.

5. Use of contract documents and information; inspection

- 5.1 The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
- 5.2 The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.
- 5.3 Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.
- 5.4 The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.

6. Patent rights

Confidential Page **75** of **84**



6.1 The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

7. Performance security

- 7.1 Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.
- 7.2 The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.3 The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms:
- 7.3.1 a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or
- 7.3.2 a cashier's or certified cheque
- 7.4 The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in SCC.

8. Inspections, tests and analyses

- 8.1 All pre-bidding testing will be for the account of the bidder.
- 8.2 If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organisation acting on behalf of the Department.
- 8.3 If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4 If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5 Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6 Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.

Confidential Page **76** of **84**



- 8.7 Any contract supplies may on or after delivery be inspected, tested or analysed and may be rejected if found not to comply with the requirements of the contract. Such rejected supplies shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirements of the contract. Failing such removal, the rejected supplies shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier.
- 8.8 The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 23 of GCC.

9. Packing

- 9.1 The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the purchaser.

10. Delivery and documents

- Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract.

 The details of shipping and/or other documents to be furnished by the supplier are specified in SCC.
- 10.2 Documents to be submitted by the supplier are specified in SCC.

11. Insurance

11.1 The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the SCC.

12. Transportation

12.1 Should a price other than an all-inclusive delivered price be required, this shall be specified in the SCC.

13. Incidental services

13.1 The supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:

Confidential Page 77 of 84



- 13.1.1 performance or supervision of on-site assembly and/or commissioning of the supplied goods;
- 13.1.2 furnishing of tools required for assembly and/or maintenance of the supplied goods;
- 13.1.3 furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;
- 13.1.4 performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
- training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods.
- 13.2 Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.

14. Spare parts

- 14.1 As specified in SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:
- such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and
- 14.1.2 in the event of termination of production of the spare parts:
- 14.1.2.1 Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
- 14.1.2.2 following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

15. Warranty

- The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.
- This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.
- 15.3 The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.

Confidential Page 78 of 84



- 15.4 Upon receipt of such notice, the supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.
- 15.5 If the supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

16. Payment

- 16.1 The method and conditions of payment to be made to the supplier under this contract shall be specified in SCC.
- The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfilment of other obligations stipulated in the contract.
- 16.3 Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.
- 16.4 Payment will be made in rand unless otherwise stipulated in SCC.

17. Prices

17.1 Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorised in SCC or in the purchaser's request for bid validity extension, as the case may be.

18. Contract amendments

18.1 No variation in or modification of the terms of the contract shall be made except by written amendment signed by the parties concerned.

19. Assignment

19.1 The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.

20. Subcontracts

20.1 The supplier shall notify the purchaser in writing of all subcontracts awarded under this contract if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.

21. Delays in the supplier's performance

- 21.1 Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.
- 21.2 If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly

Confidential Page **79** of **84**



notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.

- 21.3 No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local authority.
- 21.4 The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.
- 21.5 Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 21.2 without the application of penalties.
- 21.6 Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without cancelling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.

22. Penalties

22.1 Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

23. Termination for default

- 23.1 The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
- 23.1.1 if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2;
- 23.1.2 if the Supplier fails to perform any other obligation(s) under the contract; or
- 23.1.3 if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 23.2 In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those

Confidential Page **80** of **84**



- undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.
- 23.3 Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 23.4 If a purchaser intends imposing a restriction on a supplier or any person associated with the supplier, the supplier will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated fourteen (14) days the purchaser may regard the intended penalty as not objected against and may impose it on the supplier.
- Any restriction imposed on any person by the Accounting Officer / Authority will, at the discretion of the Accounting Officer / Authority, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the Accounting Officer / Authority actively associated.
- 23.6 If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:
- 23.6.1 the name and address of the supplier and / or person restricted by the purchaser;
- 23.6.2 the date of commencement of the restriction
- 23.6.3 the period of restriction; and
- 23.6.4 the reasons for the restriction.
- 23.7 These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.
- 23.8 If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.

24. Anti-dumping and countervailing duties and rights

24.1 When, after the date of bid, provisional payments are required, or anti-dumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment

Confidential Page 81 of 84



is no longer required or any such anti-dumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall on demand be paid forthwith by the contractor to the State or the State may deduct such amounts from moneys (if any) which may otherwise be due to the contractor in regard to supplies or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other contract or any other amount which may be due to him.

25. Force majeure

- 25.1 Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.
- 25.2 If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

26. Termination for insolvency

26.1 The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

27. Settlement of disputes

- 27.1 If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.
- 27.2 If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
- 27.3 Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.
- 27.4 Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SCC.
- 27.5 Notwithstanding any reference to mediation and/or court proceedings herein,
- 27.5.1 the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and
- 27.5.2 the purchaser shall pay the supplier any monies due the supplier.

Confidential Page 82 of 84



28. Limitation of liability

- 28.1 Except in cases of criminal negligence or wilful misconduct, and in the case of infringement pursuant to Clause 6;
- 28.1.1 the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and
- 28.1.2 the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

29. Governing language

29.1 The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.

30. Applicable law

30.1 The contract shall be interpreted in accordance with South African laws, unless otherwise specified in SCC.

31. Notices

- 31.1 Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice
- The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.

32. Taxes and duties

- 32.1 A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.
- 32.2 A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.
- 32.3 No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate, submitted by the bidder. This certificate must be an original issued by the SARSs.

Confidential Page 83 of 84



33. National Industrial Participation (NIP) Programme

The NIP Programme administered by the DTI shall be applicable to all contracts that are subject to the NIP obligation.

34. Prohibition of restrictive practices

- 34.1 In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder (s) is / are or a contractor(s) was / were involved in collusive bidding (or bid rigging).
- 34.2 If a bidder(s) or contractor(s), based on reasonable grounds or evidence obtained by the purchaser, has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in the Competition Act No. 89 of 1998.
- 34.3 If a bidder(s) or contractor(s), has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s) concerned.

The above General Conditions of Contract (GCC) are accepted by:

<u> </u>	
Name:	
Designation:	
Bidder:	
Signature:	
Date:	

Confidential Page **84** of **84**