

RESTRICTED



## PRETORIA METAL PRESSINGS

a division of Denel (Pty.) Ltd

# SPECIFICATION FOR BILLETS: 9% ANTIMONY/LEAD ALLOY

DOCUMENT No: **126 0021**      ISSUE **2**

DBS:      B11  
CODE No: GS 01126002102

Should a Tenderer/Vendor not be able to meet the requirements of this document, it must be declared in writing to the Buying Manager at the time of tendering/receipt of an order.

(1172.wp)

RESTRICTED

**TENDER**

**DATE: 2018-03-14**  
**COPY NO 7**  
**ISSUED BY L. DUP**

**RESTRICTED**



**PRETORIA METAL PRESSINGS** a division of **DENEL (Pty.) Ltd.**

**APPROVAL**

FOR ORIGINAL SIGNATURES SEE ISSUE 1

**COMPILED BY**

H Bezuidenhout  
Configuration Control

27/09/2002  
Date

**APPROVED BY**

A J de Beer  
Product Manager

17/10/2002  
Date

Should a Tenderer/Vendor not be able to meet the requirements of this document, it must be declared in writing to the Buying Manager at the time of tendering/receipt of an order.

H J van Eck  
Acceptance Authority

01/10/2002  
Date

**AMENDMENT HISTORY**

| Issue | Details                     | Job No.     | Done by | Date       |
|-------|-----------------------------|-------------|---------|------------|
| Two   | Marking of container added. | E2/091/03SA | H B     | 04/08/2003 |

**TENDER**

**DATE: 2018-03-14**

**COPY NO 7**

**ISSUED BY L. DUP**

TABLE OF CONTENTS

| PARAGRAPH | SUBJECT                               | PAGE No. |
|-----------|---------------------------------------|----------|
| 1.        | SCOPE                                 | 4        |
| 2.        | APPLICABLE DOCUMENTS                  | 4        |
| 3.        | REQUIREMENTS                          | 4        |
| 3.1       | General material requirements         | 4        |
| 3.2       | Chemical and metallurgical properties | 4        |
| 3.2.1     | Chemical composition                  | 4        |
| 3.2.2     | Metallurgical properties              | 5        |
| 4.        | QUALITY ASSURANCE PROVISIONS          | 5        |
| 4.1       | Responsibility for inspection         | 5        |
| 4.2       | Quality conformance inspections       | 5        |
| 4.2.1     | Lot information                       | 5        |
| 5.        | PREPARATION FOR DELIVERY              | 6        |
| 5.1       | Packing                               | 6        |
| 5.2       | Package marking                       | 6        |
| 5.3       | Documentation for delivery            | 6        |
| 6.        | NOTES                                 | 6        |

Should a Tenderer/Vendor not be able to meet the requirements of this document, it must be declared in writing to the Buying Manager at the time of tendering/receipt of an order.

TENDER

DATE: 2018-03-14

COPY NO 7

ISSUED BY L. DUP

1. **SCOPE**

- 1.1 This specification covers Billets of 9% Antimony/Lead Alloy.

2. **APPLICABLE DOCUMENTS**

None

3. **REQUIREMENTS**3.1 **General material requirements**

- 3.1.1 The material shall be supplied in Billets with the following dimensions:

Length: 175mm <sup>+0/-5mm</sup>

Diameter: 71mm <sup>+0/-5mm</sup>

The Billets may be tapered, within the diameter tolerance, to one side to assist removal after casting. Deformation of the billet on the trimmed side is allowed to a maximum diameter of 74mm.

- 3.1.2 Each Billet shall be stamped on the top side with a number that will identify the alloy. In this case the number shall be 9. The top side of the Billet shall be regarded as the side where the Billet was trimmed to remove shrinkage cavities.
- 3.1.3 Each container shall be marked with the Antimony content (9%) on all four sides. The character size shall be at least 50mm.

3.2 **Chemical and metallurgical properties**3.2.1 **Chemical composition** (Cast analysis)

| Element        | Specification (%) |
|----------------|-------------------|
| Antimony (Sb)  | 8,85 - 9,15       |
| Tin (Sn)       | 0,01 max          |
| Copper (Cu)    | 0,01 max          |
| Arsenic (As)   | 0,01 max          |
| Nickel (Ni)    | 0,01 max          |
| Bismuth (Bi)   | 0,05 max          |
| Silver (Ag)    | 0,04 max          |
| Iron (Fe)      | 0,005 max         |
| Zinc (Zn)      | 0,005 max         |
| Selenium (Se)  | 0,005 max         |
| Calcium (Ca)   | 0,005 max         |
| Aluminium (Al) | 0,005 max         |
| Sulphur (S)    | 0,005 max         |
| Lead (Pb)      | Balance           |

Should a Tenderer/Vendor not be able to meet the requirements of this document, it must be declared in writing to the Buying Manager at the time of tendering/receipt of an order.

**TENDER**  
**DATE: 2018-03-14**  
**COPY NO 7**  
**ISSUED BY L. DUP**



### 3.3.2 Metallurgical properties

- 3.3.2.1 The material shall be dry, clean and of uniform composition and shall not contain segregation, dross, oxides or any foreign material.
- 3.3.2.2 After casting, the Billets shall be trimmed on the top side to ensure that the Billets are free from shrinkage cavities.
- 3.3.2.3 The casting process shall be such that the Billets are free from cold joints, deep surface cavities or internal porosity.

Should a Tenderer/Vendor not be able to meet the requirements of this document, it must be declared in writing to the Buying Manager at the time of tendering/receipt of an order.

## 4. QUALITY ASSURANCE PROVISIONS

### 4.1 Responsibility for inspection

- 4.1.1 Unless otherwise specified in the contract or order, the supplier is responsible for the performance of all inspection requirements as specified herein.
- 4.1.2 Except as otherwise specified, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements.
- 4.1.3 The purchaser or his representative reserves the right of inspection of Laboratory Certificates of raw materials and components used for the manufacture of the material.
- 4.1.4 The supplier shall be responsible, for making available to the purchaser all facilities necessary, if required, for inspection of the material.
- 4.1.5 The supplier will be responsible for the implementation of an applicable quality management system to assure the appropriate quality of the product. The purchaser reserves the right to audit the supplier's production facilities at all times to ascertain whether quality requirements are being met.

### 4.2 Quality conformance inspection

#### 4.2.1 Lot information

- 4.2.1.1 A lot shall consist of one or more batches of material produced by one manufacturer in accordance with the same specifications using one continuous set of operating conditions. All material must be of the same cast or heat.
- 4.2.1.2 If the quantity is such that more than one cast is required, material of the same cast shall be grouped together. Each case or bundle shall be clearly identifiable as to the relevant cast number.
- 4.2.1.3 The supplier shall ensure that all deliveries to the end user are fully traceable by lot number and that identification records are supplied to the end user to match lot numbers with inspection records.

**TENDER**

**DATE: 2018-03-14**  
**COPY NO 7**  
**ISSUED BY L. DUP**



## 5. PREPARATION FOR DELIVERY

### 5.1 Packing

- 5.1.1 To be supplied in reusable steel bins with lids. The design of the bins shall be such that the material remains dry during transport and storage. The mass shall not exceed 1 500 kg, unless otherwise agreed between the supplier and purchaser. The bins may be used for as many consignments as is economically viable.

### 5.2 Package marking

All containers are to be legibly and durably marked with the following details:

- 5.2.1 Document and order number.
- 5.2.2 The name of the supplier.
- 5.2.3 Antimony content as specified in 3.1.3, marked on all four sides.
- 5.2.4 Batch/cast number.

### 5.3 Documentation for delivery

The following documents must be forwarded with each consignment of material:

- 5.3.1 The original specification which accompanied the order in the case of a single consignment or the final consignment of staggered deliveries.
- 5.3.2 A certificate of conformance / analysis stating all the results of the tests conducted by the supplier during manufacture and final acceptance.
- 5.3.3 A certificate of acceptance, issued by the end user or his duly appointed representative or a letter from the end user for the release of the consignment for shipment in the case of an overseas supplier.
- 5.3.4 The supplier's delivery note shall clearly state the relevant order and document number.

## 6. NOTES

If the supplier of the material is not the original manufacturer, the full name and address of the manufacturer must be supplied in writing during the tender process.

Should a Tenderer/Vendor not be able to meet the requirements of this document, it must be declared in writing to the Buying Manager at the time of tendering/receipt of an order.

**TENDER**

**DATE: 2018-03-14**

**COPY NO 7**

**ISSUED BY L. DUP**