

[illegible]

256861	LUBRICANT DRY FILM CONDUCTIVE,USA 1 QT	20	Approved	D50-317-094-GROUP 4, 256861QZ Q2 NF NC-NEW (INTERNAL SAFETY DATA SHEET (PDS) AND OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT); ALL CHEMICALS WITH A SHELF LIFE, SHALL NOT EXPIRE WITHIN ONE (1) YEAR. INCLUDE NO2 DRY FILM CONDUCTIVE LUBRICANT, CRACK APPROVED - CATEGORY 1, DOWEN 1108 QUART CONTAINER, SUGGESTED SUPPLIER: KEMPERA INC. REF: 107036, FUNCT LOC: 88B 0080; ***** END DETAIL DESCRIPTION *****; INF 2011/0714, INF 2013/06/01	Yes
244254	COATING THORCEIT CERAM- FLEX FG 1 KG	5	Approved	D50-317-084/0203/02Q2 NF NC-NEW REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY (INTERNAL SAFETY DATA SHEET (PDS) AND OR TECHNICAL DATA SHEET (TDS) DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF LIFE, SHALL NOT EXPIRE WITHIN ONE (1) YEAR. THORCEIT CERAM- FLEX FG (OR NOTCHNOTE); (CRACK APPROVED GROUP 22 CATEGORY 1, SUPPLIER: GILFORDS, RANGE 340, INT), FUNCT LOC: 519/84/PJ, 4/HP/LS 006X ***** END DETAIL DESCRIPTION *****; INF 2003/03/01, INF 2010/06/20, INF 2014/02/20	Yes
180150	COMPOUND SEAL/ADHESIVE SEALANT,WHITE	100	Approved	D50-317-094-CRACK APPROVED - CATEGORY 1, 0203/09QZ Q2 NF NC-NEW, COMPOUND SEALING NEW 2000ML TIN 7893, TYPE: ADHESIVE SEALANT, COLOR: WHITE, CONTAINER: TUBE 330 ML, MATERIAL: BLACK, MATERIAL SAFETY DATA SHEET (PDS) AND/OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF LIFE, SHALL NOT EXPIRE WITHIN 6 MONTHS, END DETAIL DESCRIPTION; INF 2010/06/20, INF 2010/03/01, INF 2010/06/20, INF 2013/06/01, INF 2014/06/22, BN 2020/11/19	Yes
233204	PENETRANT CONTRAST PAINT,300 GRAM,WHITE	60	Approved	D50-317-094-GROUP 4, 0203/09QZ Q2 NF NC-NEW CONTRAST PAINT NEW 100ML/PAL, PNO: WEP-2, TYPE: WHITE (NON-HALOGEN), CONTAINER: 300 GR, MATERIAL SAFETY DATA SHEET (PDS) AND OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; A MANUFACTURER CERTIFICATE OF ANALYSIS (COA) IS TO BE SUPPLIED, DEMONSTRATING THAT THE HALOGEN AND SULPHUR CONTENTS ARE <0.001% ALL CHEMICALS WITH A SHELF LIFE, SHALL NOT EXPIRE WITHIN ONE (1) YEAR, END DETAIL DESCRIPTION A.V. 2020/06/19 INF 2003/01/07 INF 2004/05/20 ML 2023/03/22 ML 2022/06/13, VA 2025/13/18	Yes
256724	PENETRANT SPOT CHECK CLEANER/REMOVER	61	Approved	D50-317-094-GROUP 4, 0006/07QZ Q2 NF NC-NEW PENETRANT TYPE: SPOT CHECK CLEANER/REMOVER, CONTAINER: 400 ML, TRADE NAME: MAGNAPULVIC, (INTERNAL SAFETY DATA SHEET (PDS) AND OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT); ALL CHEMICALS WITH A SHELF LIFE, SHALL NOT EXPIRE WITHIN ONE (1) YEAR, SPOT CHECK REMOVER/MAGNAPULVIC PENETRANT, CRACK APPROVED - CATEGORY 1, PNO: SEC 5, END DETAIL DESCRIPTION; INF 2013/07/01, INF 2013/06/01, VA 2020/11/19	Yes
157600	MACMAGNETIC,BLACK,CAN AEROSOL 300 G,7HF	50	Approved	D50-317-094-GROUP 4, 0006/07QZ Q2 NF NC-NEW MAGNETIC BLACK INK, WHITE MAGNAPULVIC, PNO: THY, PACKAGING: 300GR, (INTERNAL SAFETY DATA SHEET (PDS) AND OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT); A MANUFACTURER CERTIFICATE OF ANALYSIS (COA) IS TO BE SUPPLIED, DEMONSTRATING THAT THE HALOGEN AND SULPHUR CONTENTS ARE <0.001% ALL CHEMICALS WITH A SHELF LIFE, SHALL NOT EXPIRE WITHIN ONE (1) YEAR, END DETAIL DESCRIPTION; INF 2005/10/27, INF 2014/07/08, ML 2020/08/26, VA 2023/11/27	Yes
256838	DYE MARKING BLUE LAYOUT INK SPRAY	98	Approved	D50-317-094, 0203/09QZ Q2 NF NC-NEW, (INTERNAL SAFETY DATA SHEET (PDS) AND OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT); ALL CHEMICALS WITH A SHELF LIFE, SHALL NOT EXPIRE WITHIN ONE (1) YEAR, INCOOL LAYOUT INK SPRAY, (MARKING INK) (CRACK APPROVED), INF: PROCOL/COLORES, COLOR: BLUE, FUNCT LOC: CONSUMABLE; ***** END DETAIL DESCRIPTION *****; INF 2013/07/12, INF 2013/06/01	Yes
256652	MARKER FELT TIP,BLACK,USA	360	Approved	D50-317-084/0203/02Q2 NF NC-NEW (INTERNAL SAFETY DATA SHEET (PDS) AND OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT); ALL CHEMICALS WITH A SHELF LIFE, SHALL NOT EXPIRE WITHIN ONE (1) YEAR, FELT TIP, USA-BLACK MARKER (CRACK APPROVED) HYPERFELT, COLORED-BLACK, FUNCT LOC: CONSUMABLE; ***** END DETAIL DESCRIPTION *****; INF 2013/06/29	Yes
056764	DETECTOR LEAK,GRAP	100	Approved	D50-317-094, 0203/09QZ Q2 NF NC-NEW, (SEE OLD MATERIAL NO. 0206/03); (INTERNAL SAFETY DATA SHEET (PDS) AND OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF LIFE, SHALL NOT EXPIRE WITHIN ONE (1) YEAR, GRAP, LEAK DETECTOR/MUPAC (TDS), SUPPLIER: ERIQUEX, PNO: 068, APPLICATOR: COLOR-MARK, INSULING POINT: 100°C, PNO: 0, PACKING: 800ML, FUNCT LOC: CONSUMABLE; ***** END DETAIL DESCRIPTION *****; INF 2013/06/01, ML 2023/06/01	Yes
591192	ADHESIVE,CYANOACRYLATE GP-20 G	5	Approved	D50-317-094, 0203/09QZ Q2 NF NC-NEW, (INTERNAL SAFETY DATA SHEET (PDS) AND OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT); ALL CHEMICALS WITH A SHELF LIFE, SHALL NOT EXPIRE WITHIN ONE (1) MONTH, GRAP, CYANOACRYLATE C5000/24, (GENERAL PURPOSE), CRACK APPROVED CATEGORY 1, 1/PT/000/P, PNO: 035 (PNO), PACKING: 20GRAMS, USA 120781036, PNO: 0, REF: 413204, FUNCT LOC: 480 0080; 120CF 0080A, END DETAIL DESCRIPTION *****; INF 2013/07/11, INF 2013/07/07, INF 2014/05/22, INF 2014/05/23, ML 2023/06/14	Yes
084428	LUBRICANT ANTI SEIZE CERAMIC PASTE,PNUC	26	Approved	D50-317-094, 0203/09QZ Q2 NF NC-NEW, LUBRICANT, NEW, GRAP, PNO: 040, TYPE: ANTI SEIZE CERAMIC PASTE, FORM: GRAP, CONTAINER: TIN 500 G, SPECIFICATION: PNUC ***** END DETAIL DESCRIPTION *****; ML 2020/09/26	Yes

567999	CUTTING FLUID/LIQUID/550 ML	140	Approved	ISO 321 09A ISO/9001 QMS/NC/NEV EXTREME PRESSURE FLUID FOR MACHINING. HYDROMAT. PMS2000 NUCLEPAC 15 ISO27 CUTTING FLUID LUBRICANT TYPE LIQUID CAPACITY 550 ML (INTERNAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATE SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPY DATE AND ALLOWABLE DEVIATION OF PRODUCT); ALL CHEMICALS WITH A SHELF LIFE SHALL NOT EXPIRE WITHIN ONE (1) YEAR FROM DATE OF MANUFACTURING (FUNCTION LOC. CONSUMABLE. ***** END DETAIL DESCRIPTION *****; INF 2013/04/16; ML 2013/03/29	Yes
189421	FLUID TAPPING/350 G	12	Approved	ISO 321 09A ISO/9001 QMS/NC/NEV FLUID TAPPING EQUIPMENT TYPE TAPPING CONTAINER 350 G RIGID. ISO27 CLEAN/ISO27 TAPPING FLUID (INTERNAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATE SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPY DATE AND ALLOWABLE DEVIATION OF PRODUCT); ALL CHEMICALS WITH A SHELF LIFE SHALL NOT EXPIRE WITHIN ONE (1) YEAR FROM DATE OF MANUFACTURING (FUNCTION LOC. CONSUMABLE. ***** END DETAIL DESCRIPTION *****; INF 2013/09/23; INF 2012/11/12; ML 2013/09/23	Yes
943109	CHEMICAL/NITRIC ACID PURE 60 PCT/1 L	3	Approved	C.O.C. 0123/09Q QMS/NC/NEV MERCK CHEMICAL TYPE: NITRIC ACID 60% PURE FORM CLEAR SOLUTION CONTAINER: CLEAR PLASTIC BOTTLE CONTAINER CAPACITY: 1 L ***** END DETAIL DESCRIPTION *****; ML 2018/03/04	Yes
014649	SALT BEIGE COLOURLESS/500 G	7	Approved	C.O.C. 0123/09Q QMS/NC/NEV (INTERNAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATE SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPY DATE AND ALLOWABLE DEVIATION OF PRODUCT); ALL CHEMICALS WITH A SHELF LIFE SHALL NOT EXPIRE WITHIN (1) ONE YEAR; PLATE COARSE AGAIN (SALT); HYPERMERCK TYPE BEIGE SALT (FINE) PACKAGE TYPE BEIGE COLOURLESS PACKAGE TYPE WHITE PLASTIC BOTTLE PACKAGE WEIGHT: 500 G; FUNCTION LOC. CONSUMABLE. ***** END DETAIL DESCRIPTION *****; INF 2013/03/17; ML 2013/03/16	Yes
011700	SALT BEIGE FINE BOTTLE PLASTIC WHITE/500	3	Approved	C.O.C. 0123/09Q QMS/NC/NEV (INTERNAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATE SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPY DATE AND ALLOWABLE DEVIATION OF PRODUCT); ALL CHEMICALS WITH A SHELF LIFE SHALL NOT EXPIRE WITHIN (1) ONE YEAR; AGRAIN FINEST (SALT); HYPERMERCK TYPE BEIGE SALT (FINE) PACKAGE TYPE WHITE PLASTIC BOTTLE PACKAGE WEIGHT: 500 G; FUNCTION LOC. CONSUMABLE. ***** END DETAIL DESCRIPTION *****; INF 2013/03/16	Yes
943109	SALT BROMOPHENOL BLUE BOTTLE GLASS JAMBER	12	Approved	C.O.C. 0123/09Q QMS/NC/NEV MERCK TYPE: BROMOPHENOL BLUE PACKAGE TYPE GLASS JAMBER BOTTLE PACKAGE WEIGHT: 10 G ***** END DETAIL DESCRIPTION *****; ML 2013/12/10; ML 2013/09/25	Yes
011700	SALT COLORLESS FINE CRYSTALLINE POWDER	5	Approved	C.O.C. 0123/09Q QMS/NC/NEV (INTERNAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATE SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPY DATE AND ALLOWABLE DEVIATION OF PRODUCT); ALL CHEMICALS WITH A SHELF LIFE SHALL NOT EXPIRE WITHIN (1) ONE YEAR; SODIUMBROMIDE (SALT); HYPERMERCK TYPE COLOURLESS FINE CRYSTALLINE POWDER; PACKAGE TYPE PLASTIC BOTTLE PACKAGE WEIGHT: 250 G; FUNCTION LOC. CONSUMABLE. ***** END DETAIL DESCRIPTION *****; INF 2013/12/07	Yes
920100	SALT EDTA BOTTLE PLASTIC/100 G	3	Approved	C.O.C. 0123/09Q QMS/NC/NEV MERCK TYPE EDTA PACKAGE TYPE PLASTIC BOTTLE PACKAGE WEIGHT: 100 G ***** END DETAIL DESCRIPTION *****; ML 2013/09/13	Yes
012209	SALT FINE POWDER OFF WHITE/250 G	3	Approved	C.O.C. 0123/09Q QMS/NC/NEV (INTERNAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATE SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPY DATE AND ALLOWABLE DEVIATION OF PRODUCT); ALL CHEMICALS WITH A SHELF LIFE SHALL NOT EXPIRE WITHIN (1) ONE YEAR; PHOSPHORUS (SALT); HYPERMERCK TYPE BLACK PLASTIC BOTTLE PACKAGE WEIGHT: 250 G; FUNCTION LOC. CONSUMABLE. ***** END DETAIL DESCRIPTION *****; INF	Yes
011312	SALT FINE POWDER OFF WHITE/500 G	3	Approved	C.O.C. 0123/09Q QMS/NC/NEV (INTERNAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATE SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPY DATE AND ALLOWABLE DEVIATION OF PRODUCT); ALL CHEMICALS WITH A SHELF LIFE SHALL NOT EXPIRE WITHIN (1) ONE YEAR; SODIUM CARBONATE (SALT); HYPERMERCK TYPE OFF WHITE FINE POWDER; PACKAGE TYPE WHITE PLASTIC CONTAINER; CAP JAR/STICKER WRITTEN IN BLACK; PACKAGE WEIGHT: 500 G; FUNCTION LOC. CONSUMABLE. ***** END DETAIL DESCRIPTION *****; INF 2013/11/06	Yes
943109	SALT PHENANTHROLINE BOTTLE PLASTIC/500 G	3	Approved	C.O.C. 0123/09Q QMS/NC/NEV MERCK SALT TYPE PHENANTHROLINE PACKAGE TYPE PLASTIC BOTTLE PACKAGE WEIGHT: 500 G ***** END DETAIL DESCRIPTION *****; ML 2013/03/22	Yes
011903	SALT REDDISH (FINE) JAMPER GLASS BOTTLE	3	Approved	C.O.C. 0123/09Q QMS/NC/NEV (INTERNAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATE SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPY DATE AND ALLOWABLE DEVIATION OF PRODUCT); ALL CHEMICALS WITH A SHELF LIFE SHALL NOT EXPIRE WITHIN (1) ONE YEAR; MERCK RED (SALT); HYPERMERCK TYPE REDDISH (FINE) PACKAGE TYPE GLASS BOTTLE JAMPER; PACKAGE WEIGHT: 250/50 G; FUNCTION LOC. CONSUMABLE. ***** END DETAIL DESCRIPTION *****; INF 2013/03/06	Yes
943109	SALT SODIUM BROMATE BOTTLE PLASTIC WHITE	6	Approved	C.O.C. 0123/09Q QMS/NC/NEV MERCK TYPE SODIUM BROMATE PACKAGE TYPE WHITE PLASTIC BOTTLE PACKAGE WEIGHT: 250 G ***** END DETAIL DESCRIPTION *****; ML 2013/12/04; ML 2013/12/15	Yes
943109	SALT SODIUM CARBONATE ANHYDROUS/500 G	3	Approved	C.O.C. 0123/09Q QMS/NC/NEV MERCK TYPE SODIUM CARBONATE ANHYDROUS PACKAGE TYPE WHITE PLASTIC BOTTLE PACKAGE WEIGHT: 500 G ***** END DETAIL DESCRIPTION *****; ML 2013/12/15	Yes

Chemicals	004933	SALT SODIUM CHLORIDE 500 G	12			Approved	C.O.C. 013308Q, Q4 NSF NC NEV, HMF, HENCK, TYPE: SODIUM CHLORIDE, PACKAGE TYPE: WHITE PLASTIC CONTAINER, PACKAGE WEIGHT: 500 G ***** END DETAIL DESCRIPTION ***** HL 20170911						Yes				
	012181	SALT SODIUM HEXAFLUOROSILICATE 500 G	2			Approved	C.O.C. 013308Q, Q4 NSF NC NEV, (MATERIAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF LIFE, SHALL NOT EXPIRE WITHIN (1) ONE YEAR; SODIUM HEXAFLUOROSILICATE (SALT) TYPE ANALYTICAL, SINGLE LENSAR FORMULA AND SINGLE MOLECULAR WEIGHT 380.06, FORM POWDER, 2.88 G/ML AT 25 °C/1.1, HMF, UNLAR, TYPE: WHITE POWDERY, PACKAGE TYPE: WHITE PLASTIC CONTAINER/BULB CAP, PACKAGE WEIGHT: 500 G, FUNCT LOC. CONSUMABLE, ***** END DETAIL DESCRIPTION ***** , INF 20151214						Yes				
	014526	SALT TAN COLORED, BOTTLE PLASTIC 500 G	4			Approved	C.O.C. 013308Q, Q4 NSF NC NEV, (MATERIAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF LIFE, SHALL NOT EXPIRE WITHIN (1) ONE YEAR; AGAR SABOURAUD DEXTROSE, (SALT), HMF, HENCK, TYPE: TAN COLORED, PACKAGE TYPE: PLASTIC BOTTLE, PACKAGE WEIGHT: 500 G, FUNCT LOC. CONSUMABLE, ***** END DETAIL DESCRIPTION ***** , INF 20160210,						Yes				
	013171	SALT WHITE CRYSTAL 500 G	2			Approved	C.O.C. 013308Q, Q4 NSF NC NEV, (MATERIAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF LIFE, SHALL NOT EXPIRE WITHIN (1) ONE YEAR; POTASSIUM IODIDE, (SALT), HMF, HENCK, TYPE: WHITE CRYSTAL, PACKAGE TYPE: AMBER GLASS BOTTLE/BLACK CAP, WRITTEN IN BLACK INK, PACKAGE WEIGHT: 500 G, FUNCT LOC. CONSUMABLE, ***** END DETAIL DESCRIPTION ***** , INF 20151214						Yes				
	011751	SALT WHITE POWDER, BOTTLE PLASTIC WHITE	2			Approved	C.O.C. 013308Q, Q4 NSF NC NEV, (MATERIAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF LIFE, SHALL NOT EXPIRE WITHIN (1) ONE YEAR; SODIUM METABISULFATE, (SALT), HMF, HENCK, TYPE: WHITE POWDER, PACKAGE TYPE: PLASTIC BOTTLE WHITE, PACKAGE WEIGHT: 500 G, FUNCT LOC. CONSUMABLE, ***** END DETAIL DESCRIPTION ***** , INF 20151214						Yes				
	014526	SALT WHITE, BOTTLE PLASTIC 500 G	4			Approved	C.O.C. 013308Q, Q4 NSF NC NEV, (MATERIAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF LIFE, SHALL NOT EXPIRE WITHIN (1) ONE YEAR; SODIUM THIOSULFATE, (SALT), HMF, HENCK, TYPE: WHITE, PACKAGE TYPE: PLASTIC BOTTLE, PACKAGE WEIGHT: 500 G, FUNCT LOC. CONSUMABLE, ***** END DETAIL DESCRIPTION ***** , INF 20160217						Yes				
	045480	STANDARD ANALYTICAL TEST CHROMATE STANDARD	2			Approved	C.O.C. 013308Q, Q4 NSF NC NEV, HMF, HENCK, STANDARD, ANALYTICAL TEST: INTERNAL, CHROMATE STANDARD 100PPM, WEIGHT: 500 G, ***** END DETAIL DESCRIPTION ***** HL 20171210, HL 20151111						Yes				
	014171	STANDARD ANALYTICAL TEST IRON 500 ML	12			Approved	C.O.C. 013308Q, Q4 NSF NC NEV, (MATERIAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF LIFE, SHALL NOT EXPIRE WITHIN (1) ONE YEAR; STANDARD ANALYTICAL TEST : HMF, HENCK, MATERIAL: IRON, WEIGHT: 500 ML, FUNCT LOC. CONSUMABLE, ***** END DETAIL DESCRIPTION ***** , INF 20160210, HL 20170929						Yes				
	045480	STANDARD ANALYTICAL TEST MERCURY 500 ML	2			Approved	C.O.C. 013308Q, Q4 NSF NC NEV, HMF, HENCK, STANDARD, ANALYTICAL TEST: INTERNAL, MERCURY, WEIGHT: 500 ML ***** END DETAIL DESCRIPTION ***** HL 20160222						Yes				
	157139	INORGANIC SALT SULPHATE ALUMINUM 3004310	2000				Approved	DSS-317-006, 013308Q, Q4 NSF NC NEV, INORGANIC SALT (ALUMINUM), SULPHATES, TYPE: ALUMINUM, GRADE: 1, CONCENTRATION: ALUMINUM AS AL2O3 - 10%, IRON AS Fe2O3 - 0.5%, INSOLUBLE MATTER - 0.01%, PH OF 0.1% SOLUTION - 3.0, BOE - 0.5 SPM, CALIBRATION NUMBER: 0, MOLECULAR FORMULA: AL2(SO4)3, PHYSICAL FORM: AMBER CRISTALLINE GRANULES OR POWDER, ENERGY NUMBER: 0, CONTAINER TYPE: BAG, CONTAINER CAPACITY: 3045, STORAGE CODE: CLOX, 0, MOES NUMBER: 0, INDUSTRY STANDARD: SABSONS 1241, STANDARD (ISSUED SOURCE: 0, IRON FREE CRACK APPROVED MATERIAL SAFETY DATA SHEETS THAT COMPLY WITH THE OCCUPATIONAL HEALTH AND SAFETY ACT 'S REGULATIONS TO BE SUPPLIED, END DETAIL DESCRIPTION, INF 20051008, LT 20160201, INF 20120102, INF 20160702, YA 20120327, YA 20150922					Yes				
150810	BUFFER SOLUTION CRACK WAVERED 500 ML 7	20				Approved	DSS-317-002, 0025090, Q2 NSF NC NEV, (MATERIAL SAFETY DATA SHEET (MSDS) AND OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE/EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT; ALL CHEMICALS WITH A SHELF LIFE, SHALL NOT EXPIRE WITHIN (1) YEAR; PH 7.00 BUFFER SOLUTION CRACK WAVERED - CATEGORY 2, SUGGESTED SUPPLIER: MEDICAL DISTRIBUTIONS (PTY) LTD., (SOLE SOURCE) PACKAGING: 100ML, END DETAIL DESCRIPTION, INF 20051121, INF 20051127, INF 20051008, INF 20130905, YA 20060628						Yes				
030107	SALT SULFATE IRON AGAR, BOTTLE PLASTIC	3				Approved	C.O.C. 013308Q, Q4 NSF NC NEV, HMF, HENCK, TYPE: SULFATE IRON AGAR, PACKAGE TYPE: PLASTIC BOTTLE, PACKAGE WEIGHT: 500 G ***** END DETAIL DESCRIPTION ***** HL 20170915						Yes				

587318	BOTTLE SAMPLE 250 ML POLYETHYLENE	100			Approved	C.O.C. 09040902 Q3 NSF NC NEV BOTTLE NSF MERCK PND: 120F 48 TYPE SAMPLE CAPACITY 250 ML MATERIAL: POLYETHYLENE STYLE: WIDE MOUTH, ROUND WITH CROWN CAP, COLOR: NATURAL ***** END DETAIL DESCRIPTION ***** ML 20200702									
584183	SALT POTASSIUM PERMANGANATE 50 G	11			Approved	C.O.C. 01131802 Q4 NSF NC NEV NSF MERCK SALT TYPE: POTASSIUM PERMANGANATE, PACKAGE TYPE: WHITE PLASTIC CONTAINER, PACKAGE WEIGHT: 50 G ***** END DETAIL DESCRIPTION ***** ML 20180323					Yes				
039118	SALT SODIUM NITRITE BOTTLE PLASTIC 500 G	7			Approved	C.O.C. 01131802 Q4 NSF NC NEV NSF MERCK TYPE: SODIUM NITRITE, PACKAGE TYPE: PLASTIC BOTTLE, PACKAGE WEIGHT: 500 G ***** END DETAIL DESCRIPTION ***** ML 20170918					Yes				
013437	CHEMICAL HYDROGEN PEROXIDE 1 L	1			Approved	C.O.C. 01131802 Q4 NSF NC NEV (MATERIAL SAFETY DATA SHEET (MSDS) AND/OR TECHNICAL DATA SHEET (TDS) REQUIRED WITH EVERY DELIVERY AND MUST INCLUDE MANUFACTURING DATE, EXPIRY DATE AND ALLOWABLE DEVIATION OF PRODUCT. ALL CHEMICALS WITH A SHELF-LIFE, SHALL NOT EXPIRE WITHIN (1) ONE YEAR, CHEMICAL NSF MERCK TYPE: HYDROGEN PEROXIDE FORM: COLORLESS LIQUID, CONTAINER: BOTTLE PLASTIC, CONTAINER CAPACITY: 1 L, FUNCT LOC: CONSUMABLE) ***** END DETAIL DESCRIPTION ***** INF					Yes				
244174	CUTTING FLUID DRUM 20 L	2000			Approved	250-317-084, 00090902, Q3 NSF NC NEV (MATERIAL DATA SHEET (MSDS) REQUIRED WITH EVERY DELIVERY) HIGH DILUTION: 50% SYNTHETIC CUTTING AND GRINDING FLUID, CUTTING FLUID, NSF EQUIPER, CODE: 1A, PRODUCT 570, LUBRICANT TYPE: HIGH DILUTION 100% SYNTHETIC, CAPACITY: DRUM 20 L, FUNCT LOC: (CONSUMABLE) ***** END DETAIL DESCRIPTION ***** INF 20180903, 01 20190902, ML 20190130, 1A, 20210504, ML 20220506					Yes				
674268	COMPOUND HEAT TRANSFER TUBE 20 ML	10			Approved	250-317-084, 00090902, Q3 NSF NC NSA, COMPOUND NSF: RS COMPOUNDS, PND: 217320, TYPE: HEAT TRANSFER, CONTAINER: TUBE 20 ML, PHYSICAL FORM: SILICON THERMAL GREASE, FUNCT LOC: 12 INF 001, 006, 057 ML ***** END DETAIL DESCRIPTION ***** ML 20200528					Yes				
123121	CARTRIDGE IODINE 12217	650			Approved	C.O.C. 09040902 Q3 NSF NC S, IODINE CARTRIDGE, NSF (MOP), PND: 12217, MSD: 0010228, HUMAN 572, FUNCT LOC: 12 INF 006, ***** END DETAIL DESCRIPTION ***** INF 20180107, CLC 20130403, INF 20150309					Yes				