

SECTION T1.1: TENDER NOTICE AND INVITATION TO TENDER

FOR:

APPOINTMENT OF A CONTRACTOR FOR THE COMPLETION OF 20X PRODUCTION TUNNELS WITH IRRIGATION SYSTEM, FOR CARMEL ESTATE FARMER PRODUCTION SUPPORT UNIT(FPSU) IN MOGALE CITY LOCAL MUNICIPALITY, WESTRAND DISTRICT, GAUTENG PROVINCE.

CONTRACT/TENDER NO.: PSSC: GP CON 002 (2022/2023)

INVITATION AND SCOPE OF WORK:

APPOINTMENT OF A CONTRACTOR FOR THE COMPLETION OF 20X PRODUCTION TUNNELS WITH IRRIGATION SYSTEM, FOR CARMEL ESTATE FARMER PRODUCTION SUPPORT UNIT(FPSU) IN MOGALE CITY LOCAL MUNICIPALITY, WESTRAND DISTRICT, GAUTENG PROVINCE.

CONDITIONS:

Bidders shall be registered with the Construction Industry Development Board (CIDB) and should have a minimum CIDB Contractor grading of **4CE** or higher.

Only tenderers who meet the following Pre-qualification criteria for Preferential Procurement may respond:

- An EME or QSE.

Bidders must attach either their B- BBEE Status Level Verification Certificates (Verification Agencies accredited by SANAS or Sworn Affidavit signed by the deponent and attested by the Commissioner of Oaths to substantiate their BBBEE rating claims.)

NB: The department reserves the right to request bidders to submit their current Audited Financial Statement/s.

Note: Any tender not complying with the above-mentioned stipulation, will be regarded as non-responsive and will therefore not be considered for further evaluation.

Preferential Procurement Policy Framework Act (PPPFA), Act no. 5 of 2000 and Preferential Procurement Regulation, 2017. The **80/20** Preference Point system will be applied where a maximum of Eighty (80) tender adjudication points will be awarded for price and Twenty (20) points will be awarded for preference.

The stipulated minimum threshold(s) for local production and content for this bid is/are as follows:

STIPULATED MINIMUM THRESHOLD FOR LOCAL PRODUCTION AND CONTENT FOR ELECTRICAL CABLE PRODUCTS	
CABLE PRODUCTS	STIPULATED MINIMUM THRESHOLD
Low Voltage Bill No: 4; Item: 4.1 to 4.3	90%

STIPULATED MINIMUM THRESHOLD LOCAL PRODUCTION AND CONTENT FOR PLASTIC PIPES	
PRODUCT TYPES	STIPULATED MINIMUM THRESHOLD LOCAL CONTENT
High density polyethylene (HDPE) pipes Bill No: 3; Item: 3.4	100%