



**DANNHAUSER LOCAL MUNICIPALITY**

**QUOTATION INVITATION FOR TENDER NO: DANN/16/03/2026**

**REQUEST FOR QUOTATION DOCUMENT FOR:**

**BOREHOLE DRILLING AND INSTALLATION OF SIX (6) SOLAR POWERED-PUMPS IN  
WARDS 1,2,4,5,10 &11**

**CLOSING DATE: 20 April 2026**

<b>NAME OF SERVICE PROVIDER</b>	
<b>CONTACT PERSON</b>	
<b>E-MAIL ADDRESS</b>	
<b>TELEPHONE NUMBER</b>	
<b>FAX NUMBER</b>	
<b>PHYSICAL ADDRESS</b>	
<b>TOTAL BIDDING PRICE</b>	

<b>Issued By:</b>	<b>Prepared by:</b>
DANNHAUSER MUNICIPALITY Private Bag X1011 Dannhauser 3080 Tel: (034) 621 2291 Fax: (034) 621 3114	FINANCE SERVICES DEPARTMENT DANNHAUSER MUNICIPALITY 1 West Street Dannhauser 3080 Tel: (034) 621 2291 Fax: (034) 621 3114

# DANNHAUSER LOCAL MUNICIPALITY (KZ - 254)

1 West Street  
Private bag X1011  
Dannhauser  
3080



Telephone : (034) 621 2291  
Facsimile : (034) 621 3114  
Email:  
procurement@dannhauser.gov.za

## SUPPLY CHAIN MANAGEMENT NOTICE OF INVITATION

### INVITATION TO QUOTE – TENDER

<b>Quotation Description</b>	<b>BOREHOLE DRILLING AND INSTALLATION OF SIX (6) SOLAR POWERED-PUMPS IN WARDS 1,2,4,5,10 &amp;11</b>
<b>Quotation Number</b>	DANN/16/03/2026
<b>Invitation Date</b>	19 March 2026
<b>Closing Date and time</b>	The quotation must be submitted on the letter head of your business no later than, <b>20 April 2026 at 12h00pm</b>
<b>Technical Enquiries</b>	Technical enquiries may be directed to Ms. Sihle Zwane, Technical Services email: <a href="mailto:sihlez@dannhauser.gov.za">sihleze@dannhauser.gov.za</a> or Telephonically on 034 621 2291 or at 01 West Street, Dannhauser, during working hours, between 07h30 to 16h00 with a lunch interval from 13h00 to 13h30, Monday to Friday.
<b>SCM Enquiries</b>	SCM enquiries may be directed to Mr. Joe Hlongwane, SCM Manager, email: <a href="mailto:joeh@dannhauser.gov.za">joeh@dannhauser.gov.za</a> or Telephonically: 034 621 2291 or at 01 West Street, Dannhauser, during working hours, between 07h30 to 16h00 with a lunch interval from 13h00 to 13h30, Monday to Friday.
<b>Where quotation can be collected</b>	Documents will be available for download from the municipal website <a href="http://www.dannhauser.gov.za">www.dannhauser.gov.za</a> or can be collected at Dannhauser Municipal Offices (01 West Street, Dannhauser, 3080)
<b>Where Quotation should be delivered</b>	Quotations must be submitted in a sealed envelope: clearly marked "Tender number & Description" and must be deposited in the tender box situated at the security room of Dannhauser Municipal offices, 1 West Street, Dannhauser, 3080

#### Administrative Requirements

- Bid submitted must be complete in all respects.
- CIPC Registration certificate
- Central Supplier Database Registration
- Certified Directors ID Copies not older than 3 months

#### Criteria 1 - Mandatory Requirements

- Municipal rates and taxes not in arrears for more than 3 months - bidder to submit municipal rates account not older than 3 months/ Proof of residential address if residing in the non-rate paying area
- Tax Compliance Status "on the award" - bidder to submit Tax Pin for verification
- Bidder must not be employed in the service of the state "on the award"
- Bidder must not be listed in the Register for Tender Defaulters and/or listed on Restricted Suppliers "on the award"
- Bidder must be registered with CIBD Grading 3CE or above proof of registration must be attached

Failure to comply with the Mandatory Administration Requirements shall result in the offer being considered non- responsive and shall be rejected.

**Criteria 2 – Preferential Point System (80/20)**

The specific goals allocated points in terms of this quotation	Number of points claimed (80/20 system) (To be completed by the municipality)	Number of points claimed (80/20 system) (To be completed by the tenderer)	Means of verification
More than 51% owned by black people = 4 Less than 51% owned by black people = 2	4		Certified ID copies (Directors) / CSD Report / Shareholders Certificate
More than 51% owned by women = 4 Less than 51% owned by women = 2	4		Certified ID copies (Directors) / CSD Report / Shareholders Certificate
More than 51% owned by youth = 4 Less than 51% owned by youth = 2	4		Certified ID copies (Directors) / CSD Report / Shareholders Certificate
More than 51% owned by disabled people = 4 Less than 51% owned by black people = 2	4		Medical Certificate
Enterprise located within: Dannhauser Area = 4 Enterprise located within: Amajuba District = 3 Enterprise located within: Kwa- Zulu Natal = 2 Enterprise located outside: Kwa- Zulu Natal = 1	4		CSD / proof of municipal accounts/affidavit/proof of residence signed by ward Councillor (for those residing in rural areas) / lease agreement
<b>Total</b>	<b>20</b>		

- It is mandatory for bidders to complete MBD 6.1 to claim points for specific goals, failure to complete MBD 6.1 shall be interpreted to mean that the points for specific goals are not claimed.
- Bidders must fill in the tender register stating the date and time when they submitted their tender, available at the tender box.
- The Municipality reserves the right to withdraw any invitation to tenders and/or to re-advertise or reject any tender or accept a part of it.
- The Municipality reserves the right to appoint a portion or split the service-to-service providers
- The Municipality does not bind itself to accepting the lowest tender or award a contract to the bidder scoring the highest number of points.

**Borehole Drilling and Installation of six (6) Solar Powered-Pumps, in wards 1, 2,4,5,10 &11**

**TECHNICAL SPECIFICATIONS**

**SECTION A: Borehole Drilling and Installation of Six (x6) Solar Powered-Pumps**

**Table 1 Phase 1: Water Survey**

<b>Specifications Item</b>	<b>Specifications Details</b>
Site establishment	Initial preparation of a construction site for borehole drilling
Borehole siting and geophysical surveys by Geohydrologists ((Use Advanced Electronics Survey Machines)	<p>The survey report must be a detailed analysis of the groundwater potential, and the following must be reflected in the survey report:</p> <ul style="list-style-type: none"> <li>• <b>location</b> of the site to be drilled through the use of Geohydrologist expertise, geological and hydrogeological maps, and advanced geophysical instrumentation.</li> <li>• <b>The correct drilling method/rig</b></li> <li>• <b>Drilling depth/target</b></li> </ul> <p>For each borehole, a surveyor must select a suitable line of survey for identification of suitable drill targets. For each borehole siting/survey, a 200 meters long geophysical traverse must be surveyed at 5m spacing, with the use of both Pulse Quick Wavelet Transform (PQWT), and Magnetic method (Proton Magnetometer). These survey techniques must be used interchangeably.</p> <p>The hydro-geological report must be signed off by a professional Certified Natural Scientist that is registered with <b>SACNASP</b></p>

	<p>Note: <b>Survey report</b> to be handed to the Municipal representative. The survey report must include the instruments and methods used.</p> <p>No drilling work will be conducted without a professional survey report.</p> <p><b>If the geohydrologists reports no ground water availability in the identified area, then no borehole water drilling work will continue. The service provider will be paid for only survey work.</b></p>
--	--

**Table 2 Phase 2: Borehole Drilling, Casing and Capping**

<b>Borehole drilling</b>	100m borehole (165mm diameter) Drilling work to be conducted according to SANS 10299-: 2003 – Development, Maintenance and Management of Groundwater Resources
<b>Casing</b>	<b>12m steel casing: Casing 177mm x 3mm.</b> Steel casings must be welded together one by one while lowering them down the borehole.
<b>Concrete collar around a borehole</b>	The Drilling Contractor will construct a <b>shallow circular concrete collar</b> around a successfully completed borehole. <b>The concrete mixture shall consist of water, Portland cement, stone aggregate (10 mm),</b> and river sand. Quantities of these materials sufficient to make 0.1 m <sup>3</sup> of concrete with the required strength of 30 MPa after 28 days are: (1) 20 litre of water, (2) 42 kg (0.8 bag) of Portland cement, (3) 0.07 m <sup>3</sup> of stone aggregate and (4) 0.07 m <sup>3</sup> of river sand
<b>Cap</b>	The drilling contractor must put a <b>borehole cap</b> to prevent any foreign material from entering the borehole
<b>Drilling Machine Requirements</b>	The equipment must be of a suitable size and capacity to deal, on occasion, with: <ul style="list-style-type: none"> <li>• Deep boreholes (up to 200 m)</li> <li>• Larger than average borehole diameters (up to 254 mm)</li> <li>• Large quantities of groundwater and</li> <li>• Potentially onerous drilling conditions.</li> </ul>

<b>Borehole drilling report</b>	A driller's log gives details of the construction of the borehole. As a minimum the report must include <b>Borehole depths and diameters, Casing depths and diameters, Water level, and so on.</b> A full borehole drilling report must be handed to a municipal representative for noting and approval.
<b>Unsuccessful Borehole</b>	A borehole will be declared unsuccessful at the discretion of the municipal representative who is supervising the borehole drilling. At any time during the course of the work, The representative can order the abandonment of a borehole in progress. When such an unfortunate incidence occurs, the Municipality will cover only the costs of work.
<b>Payment Terms</b>	Payment will be made after successfully completing the project and invoice will be paid within 30 days of submission. 10% retention will be held and will be payable end of defect liability period (6 months).

**PROJECT IMPLEMENTATION & MONITORING PRINCIPLES**

Duration of the project is 3 months, and the implementation of this project will happen through a series of activities namely:

1. Site Hand Over
2. Site Establishment
3. Construction Phase
4. Testing and Commissioning
6. Completion: Final scope and completion certificates must be signed off by Municipal Rep and Ward councilor.
7. De-establishment of facilities

**Table 3 Borehole Yield and Water Tests**

<p><b>48-Hour Borehole Yield Tests- Sustainable yield</b></p>	<p>Step draw-down and constant discharge tests, and water level recovery tests</p> <p>Determine correct <b>sustainable yield</b> according to the South African National Standard for Water Borehole Test Pumping (SANS 10299-4:2003)</p> <p>The borehole yield test serves as a certificate of compliance and as proof that the borehole installation meets the SANS 10299-4:2003 specifications, <b>thus a <u>Borehole Yield Tests Certificate must be issued</u></b></p>
<p><b>Water tests-Chemical and microbial analysis</b></p>	<p>Tests must be according to the SANS 241-1: 2015 standards. Test report must be supplied with the conclusion</p> <p><b>1. Drinking Water Tests</b></p>
	<p>SANS241 Chemistry + Microbiology Testing (Tests to be conducted at SANAS Accredited Laboratory). EC, pH, SAR, Langelier, Ryznar, Turbidity, Colour, Odour, TDS, TSS, Free Cl, F, Cl, SO<sub>4</sub>, NH<sub>4</sub>-N, NO<sub>3</sub>-N, NO<sub>2</sub>-N, Acidity, Alkalinity, Ca, Mg, Na, K, Mn, Fe, Al, HPC Heterotrophic Plate Count, Total coliforms, Faecal Coliforms</p> <p><b>2. Irrigation Water Tests</b></p> <p>Chemistry &amp; Microbiology Testing (SANS241 Accredited Laboratory)</p> <p>EC, pH, COD, SAR, Langelier, Ryznar, TSS, F, Cl, SO<sub>4</sub>, NH<sub>4</sub>-N, NO<sub>3</sub>-N, NO<sub>2</sub>-N, Alkalinity, CO<sub>3</sub>, HCO<sub>3</sub>, Ca, Mg, Na, K, B, Mn, Fe, P, Faecal coliforms, TDS</p>

<p><b>Registration &amp; Permitting Process</b></p>	<p><b>Registration &amp; Permitting Process before any drilling work</b></p> <p>The service provider must check with local municipalities to clarify the registration process. Additionally, all by-laws must be followed before drilling work commences. The municipality with relevant councillors will assist in obtaining approvals to conduct drilling work</p>
---	--

**Water Distribution System**

- **Per borehole:** Supply, deliver and installation of 1 x 10000L JoJo tank (Green SABS approved) with 1 X 1.5m JoJo tank stand, (Supply all pipe network and accessories to the borehole outlet pipe), construct a robust concrete plinth/foundation to support the steel stand (The steel stand must be covered with two layers of paint, one made with a rust-proof paint and the other made with a thick paint finish or galvanized).
- The work should include trenching for pipes leading to the tank, and all the couplings must be fitted and buried together with the pipes
- Fit a valve to the bottom of the tank
- The tank and steel stand are to be installed within 25 m of the borehole and solar PV system. Solar powered pressure pumps. These are DC pumps or DC/AC pumps designed to operate on solar energy.

Adequate 100m rolls, 32mm pipe (Class 16) (Pipe may be 40/50mm and associated fittings, depending on pipe outlet discharge diameter. Change of pipe size must be approved by the Municipality.

- Connect from jojo tank to a communal standpipe – ( Standpipe stand – concrete base with 1m X1m x 300mm thick.)

**Table 4 Phase 4: Renewable Energy-Solar PV installations and Solar System**

<b>Specifications Item</b>	<b>Specifications Details</b>
<p>Monocrystalline Solar modules with a capacity of 1980W (it can be any size of solar module multiplied by the number of solar modules=1980W.</p>	<p>Monocrystalline solar modules aligned to face True North                      Employ the services of a Geomatics Professional (GPr) or Geomatics Technologist (GTg) Optimum tilt angle must be from 20 to 35 degrees.</p> <p><b>Brands:</b> Solar modules: Jinko Solar, Canadian Solar, JA solar, RenewSys, Trinasolar , SunPro, Risen ,Haitai Solar, Astroenergy or <b>Equivalent</b></p>
<p><b>1.1 kW Centrifugal Solar borehole pump</b> and a 1.1kW Solar pump controller with a Built-in MPPT (Maximum Power Point Tracking) technology). Pump must have a non-return valve to ensure water doesn't flow back into the borehole.</p> <p><b>Pump pressure head = 134m Flow = 4m<sup>3</sup> /hour</b></p>	<p>Water pumping at specified depth (Depth as per drilling contractor advice)</p> <p>Use pump data sheets to select the correct pump that fit the required flow and pressure drop</p> <p>Note, the actual required pump and solar PV capacity will be based on the results of the actual borehole yield test, therefore changes due to site specific requirements are expected.</p>
<p><b>Level sensor</b> for the submersible pump (to be installed in the borehole)</p>	<p><b>Dry-run protection</b></p>
<p><b>Float level switches</b></p>	<p>Installed in the 10000-litre tank for controlling the pump and the level of water in the tank</p>
<p>Protection cabinet</p>	<p>Protect equipment from overload (fuses)                      Switch off the installation to perform maintenance via a main switch ON / OFF                      Protect the installation from lightning strikes and surges (surge arresters - SPD)  <b>Create a central point of grounding</b></p>
<p>Grounding</p>	<p>Equipment and System Grounding</p> <p><b>Equipment Grounding:</b> Connect the solar module frame, solar array mounting structure (Steel support structure), enclosures, metal</p>

	frames and conduits of the system to a grounding electrode (metal rod or plate buried in the soil).  <b>System Grounding:</b> Connects the current-carrying conductors/electrical components of the system, to negative/ the neutral, to the grounding electrode/Earth Spike.
Enclosures	All enclosure must have suitable protection against outdoor conditions
Mounting Structure	Solar modules will be mounted on poles (use steel structure, painted, minimum of 4 poles), The steel structure stand for solar modules must be covered with <b>two layers of paint</b> , one made with a rust-proof paint and the other made with a thick paint finish or galvanized.  <b>Mount structure height=3.5m</b> <b>The structure must be structurally strong to withstand winds</b>
Supply all cables	Red and black solar cables, pump power supply cable-submersible wire ( <b>10mm<sup>2</sup>, 4 core</b> ), grounding wires and other related cables
Sundries	All accessories

All solar pump systems must be grounded via a ground rod. Equipment to connect to the ground network are:

<b>Equipment to be grounded</b>	<b>Size and type of wire to connect to the ground rod</b>
Solar panels	Same size as solar panels cables
Solar panel support/stand and metallic frames	16 mm <sup>2</sup> / Insulated or Bare Copper
Lightning arrestor inside the protection cabinet	16 mm <sup>2</sup> / Insulated
Metal frame of pump controller or inverter if in a metal frame	16 mm <sup>2</sup> / Insulated
Pump controller or solar pump inverter	Same size as power supply cables
Submersible pump	Same size as power supply Cables

Note: Sizes and quantities of materials are subject to change due to the final electrical design as per the Electrical Contractor recommendations and thus, a reasonable cost adjustment must be done in considerations of any unforeseen changes due to system design and borehole construction.

### **Lightning Protection and Earthing for Solar PV**

Apply measures to prevent catastrophic damage and failure of the installed PV system due to lightning. South Africa is in a highly lightning-dense region when compared to the rest of the world. Therefore, lightning strikes can still pose a risk to any electrical system, including solar

panels, so **installing lightning protection specific to the installed solar PV system.** Proper grounding, surge protection, and adherence to safety guidelines are crucial to minimizing the potential damage caused by lightning strikes. Grounding involves connecting solar panels and other electrical components to the Earth's surface, creating a path for electrical currents to safely dissipate into the ground. **Use earthing, electrical configurations, and protection products based on standard compliance and protection.**

Note: Only electrical contractor will be allowed to work on electrical installation, thus a registered qualified electrician, either **Installation Electrician (IE)** or a **Master Installation Electrician (MIE)** will be required to submit his/her registration certificate from the Department of Labour to as part of returnable documents. IE or MIE must issue a **CoC** when electrical work is completed. **The IE or MIE who will be signing off the electrical CoC must be in control on site. He must carry out or supervises the work effectively.**

Further note that a **licenced Single-Phase Tester (SPT)** cannot work with DC and will therefore not sign off on DC installations, which would include PV and any three-phase installations. Therefore, a person with SPT qualification cannot issue a Certificate of Compliance for solar installations.

**Table 5 Fencing-Supply and Installation of Security Fencing around the Borehole and Solar System for 6 sites: Fencing perimeter per site=24m**

<b>Fencing Materials</b>	<ul style="list-style-type: none"> <li>• 3000mm x 1800mm steel palisade panels</li> <li>• Palisade Fencing Pale 30mm x 30mm x 2mm/40mm x 40mm x 3mm</li> <li>• Steel posts (square tubing):76mm x 76mm x 2 mm with 2.4m height (Includes concrete mix), Dig 600X300X300mm deep for erecting steel posts</li> <li>• 1800mm x 1000mm Steel pedestrian gate, hinges and locks</li> <li>• Two layers of paints.</li> <li>•</li> </ul>
<b>Installation</b>	<ul style="list-style-type: none"> <li>• Single leaf Galvanised Steel gate specification similar to fencing.</li> <li>• Complete in every respect including hinges, washers, bolts and locking chain attached to the gate</li> </ul>

**Product Compliance**

Solar PV modules must have a Certificate of Compliance with the SANS/ IEC standards. Therefore, the solar modules must conform with the following:

- IEC61215(2016), IEC61730(2016)
- ISO9001:2015: Quality Management System
- ISO14001:2015: Environment Management System
- ISO45001:2018
- Occupational health and safety management systems

The above IEC standards must be reflected in the solar modules data sheets.

All other solar powered system components must comply with IEC/SABS standards, and proof/certificates of compliance will be required for quality assurance.

**System Commissioning**

Commissioning which includes documentation, inspection, and testing should be carried out in accordance with applicable codes of practice and regulations. Commissioning documentation should include single line diagram, individual component documentation, an O&M manual, and equipment warranty information. Warranties against defective components or poor workmanship must be submitted. Under the defects period, any items that fail, and are not installed to standard, or are damaged, must be corrected on site at cost to the contractor/supplier/installer.

Electrical Installation must be done by a qualified electrical wireman with a valid registration with the Department of Labour. A valid electrical certificate of compliance must be issued once installed, specific to the installation of the solar system. The installation must comply with all warranty claim processes specific to each brand of equipment.

The service provider must submit warranty certificates as guided by the following table:

**Table 6 Warranties Periods:**

Component	Warranty Period
Solar modules	12 Year product warranty 25 Years linear power performance Warranty
Pump/motor	Minimum of 1 years
MPPT solar pump controller	Minimum of 1 years
Remaining components	Minimum of 1 year
Workmanship warranty/guarantee for all installations	1 Year
Structural: Solar module structural support	5 years
Defect liability period	3 months – 10%payable after period lapse.

**SECTION B: Contingency and Compulsory Requirements**

**Contingency Provision**

A **contingency amount equal to 10%** of the quoted price must be included. This reserve will be held by the Municipality to address any unforeseen circumstances. The use of this amount will be subject to prior written agreement between the Municipality and the appointed Contractor/Service Provider

## Compulsory Requirements

**Table 7 Compulsory Requirements**

### 3. Functionality Evaluation

Key aspect of criteria	Basis for points allocation	Max points	Verification method
Company experience	<p>The service providers must have completed projects in the last 3 years with similar size of specifications with traceable contact details. Tenderers to submit a traceable letter of appointments.</p> <p>5 and above reference letters = 35 points</p> <p>3 - reference letters = 15 points</p> <p>2 - reference letters = 05 points</p> <p>No reference letters = 0 points</p>	35 points	Attach reference letters and completion certificates.
Team experience	<p>The service provider must have an experience of 5 years or more in borehole construction.</p> <p>Civil Engineer - 15 points</p> <ul style="list-style-type: none"> <li>• 5 years or more = 15 points</li> <li>• 3 to 5 years = 10 points</li> <li>• 1 – 2 years = 05 points</li> </ul> <p>Hydrological survey - 15</p> <ul style="list-style-type: none"> <li>• 5 years or more = 15 points</li> <li>• 3 to 5 years = 10 points</li> <li>• 1 – 2 years = 05 points</li> </ul> <p>Electrical Engineer -15 points</p> <ul style="list-style-type: none"> <li>• 5 years or more = 15 points</li> <li>• 3 to 5 years = 10 points</li> <li>• 1 – 2 years = 05 points</li> </ul>	45 points	Attach curriculum vitae certified qualifications (Diploma NQF level 6 / degree NQF level 7)

Methodology	<p>Excellent Clear method of execution, timeframes, and indication of resources which will be utilized in the project = (20 points)</p> <p>Good Method of execution (from 5 to 8 pages) = (20 points)</p> <p>Fair method (3 to 5 pages) = 10 points</p> <p>Poor method (1 to 3 pages) = 5 points</p>	20 points	Attach detailed methodology.
Total		100 points	

**Bidders must achieve 80% in order to qualify for the second stage.**

Bidders who intend on visiting sites, Site locations & GPS coordinates are provided below.

**Table 8 Project Sites**

Ward	Site Locations	Project Activity
1	<p>Stotoni Area: Behind the crèche, next to the cut tree.</p> <p><b>GPS Coordinates:</b> 28,02965°S 29,98513°E</p>	Solar Powered Borehole Construction and Fencing.
2	<p>eMafusini Community Hall precinct.</p> <p><b>GPS Coordinates:</b> 28,02965°S 30,05966°E</p>	Solar Powered Borehole Construction and Fencing
4	<p>Ngisani VD, Aletter Farm – second gate entrance.</p> <p><b>GPS Coordinates:</b> 28,07048°S 30,22879°E</p>	Solar Powered Borehole Construction and Fencing
5	<p>St Paul Site located next to the old communal tap.</p> <p><b>GPS Coordinates:</b> 27,87732°S 30,18294°E</p>	Solar Powered Borehole Construction and Fencing

<b>10</b>	eSdakeni area, beyond the mine, after the dip and bridge.  <b>GPS Coordinates:</b> 27,87614°S 30,08331°E	Solar Powered Borehole Construction and Fencing
<b>11</b>	Sbahle VD, old dam.  <b>GPS Coordinates:</b> 27,92119°S 30,20302°E	Solar Powered Borehole Construction and Fencing

**PART A  
INVITATION TO BID**

**MBD 1**

**YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE DANNHAUSER LOCAL MUNICIPALITY**

TENDER NO	DANN/16/03/2026	CLOSING DATE:	20 April 2026	CLOSING TIME:	12h00pm
-----------	-----------------	---------------	---------------	---------------	---------

**DESCRIPTION**    **PROCUREMENT AND INSTALLATION OF X6 BOREHOLE PUMP IN WARD 1, 2, 4, 5, 10 AND 11**

**THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (MBD7).**

BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT THE SECURITY ROOM OF DANNHAUSER MUNICIPAL OFFICES

**1 West Street  
Dannhauser  
3080**

**SUPPLIER INFORMATION**

NAME OF BIDDER

POSTAL ADDRESS

STREET ADDRESS

TELEPHONE NUMBER	CODE	NUMBER
------------------	------	--------

CELLPHONE NUMBER

FACSIMILE NUMBER	CODE	NUMBER
------------------	------	--------

E-MAIL ADDRESS

VAT REGISTRATION NUMBER

TAX COMPLIANCE STATUS	TCS PIN:	OR	CSD No:
-----------------------	----------	----	---------

ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES ENCLOSE PROOF]	ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES, ANSWER PART B:3 ]
---	--	--	--

TOTAL NUMBER OF ITEMS OFFERED	TOTAL BID PRICE	R
-------------------------------	-----------------	---

SIGNATURE OF BIDDER	DATE
---------------------	------

CAPACITY UNDER WHICH THIS BID IS SIGNED

<b>BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO:</b>	<b>TECHNICAL INFORMATION MAY BE DIRECTED TO:</b>
--	--

DEPARTMENT	Supply chain Management	DEPARTMENT	Technical Services
CONTACT PERSON	Joe Hlwongwane	CONTACT PERSON	Sihle Zwane
TELEPHONE NUMBER	034 621 2666	TELEPHONE NUMBER	034 621 2291
FACSIMILE NUMBER	034 621 3114	FACSIMILE NUMBER	034 621 3114
E-MAIL ADDRESS	<a href="mailto:joeh@dannhauser.gov.za">joeh@dannhauser.gov.za</a>	E-MAIL ADDRESS	<a href="mailto:sihlez@dannhauser.gov.za">sihle@dannhauser.gov.za</a>

## PART B TERMS AND CONDITIONS FOR BIDDING

### 1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. **ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED- (NOT TO BE RE-TYPED) OR ONLINE**
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.

### 2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR THE TAX COMPLIANCE STATUS (TCS) CERTIFICATE OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE WWW.SARS.GOV.ZA.
- 2.4 FOREIGN SUPPLIERS MUST COMPLETE THE PRE-AWARD QUESTIONNAIRE IN PART B:3.
- 2.5 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.6 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.7 WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.

### 3. QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS

- 3.1. IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?  YES  NO
- 3.2. DOES THE ENTITY HAVE A BRANCH IN THE RSA?  YES  NO
- 3.3. DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA?  YES  NO
- 3.4. DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?  YES  NO
- 3.5. IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?  YES  NO

**IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 ABOVE.**

**NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.  
NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE.**

SIGNATURE OF BIDDER: .....

CAPACITY UNDER WHICH THIS BID IS SIGNED: .....

DATE: .....



**DECLARATION OF INTEREST**

1. No bid will be accepted from persons in the service of the state<sup>1</sup>.
2. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder or their authorised representative declare their position in relation to the evaluating/adjudging authority.
3. In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

3.1 Full Name of bidder or his or her representative:.....

3.2 Identity Number: .....

3.3 Position occupied in the Company (director, trustee, shareholder<sup>2</sup>):.....

3.4 Company Registration Number: .....

3.5 Tax Reference Number:.....

3.6 VAT Registration Number: .....

3.7 The names of all directors / trustees / shareholders members, their individual identity numbers and state employee numbers must be indicated in paragraph 4 below.

3.8 Are you presently in the service of the state? **YES / NO**

3.8.1 If yes, furnish particulars.....

.....

<sup>1</sup>MSCM Regulations: "in the service of the state" means to be –

- (a) a member of –
  - (i) any municipal council;
  - (ii) any provincial legislature; or
  - (iii) the national Assembly or the national Council of provinces;
- (b) a member of the board of directors of any municipal entity;
- (c) an official of any municipality or municipal entity;
- (d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);
- (e) a member of the accounting authority of any national or provincial public entity; or
- (f) an employee of Parliament or a provincial legislature.

<sup>2</sup> Shareholder" means a person who owns shares in the company and is actively involved in the management of the company or business and exercises control over the company.

3.9 Have you been in the service of the state for the past twelve months? .....**YES / NO**

3.9.1 If yes, furnish particulars.....

.....  
3.10 Do you have any relationship (family, friend, other) with persons in the service of the state and who may be involved with the evaluation and or adjudication of this bid? .....**YES / NO**

3.10.1 If yes, furnish particulars.

.....  
3.11 Are you, aware of any relationship (family, friend, other) between any other bidder and any persons in the service of the state who may be involved with the evaluation and or adjudication of this bid? **YES / NO**

3.11.1 If yes, furnish particulars

.....  
3.12 Are any of the company's directors, trustees, managers, Principle shareholders or stakeholders in service of the state? **YES / NO**

3.12.1 If yes, furnish particulars.

.....  
3.13 Are any spouse, child or parent of the company's directors trustees, managers, principle shareholders or stakeholders in service of the state? **YES / NO**

3.13.1 If yes, furnish particulars.

.....  
3.14 Do you or any of the directors, trustees, managers, principle shareholders, or stakeholders of this company have any interest in any other related companies or business whether or not they are bidding for this contract. **YES / NO**

3.14.1 If yes, furnish particulars:

4. Full details of directors / trustees / members / shareholders.

Full Name	Identity Number	State Employee Number

.....  
**Signature**

.....  
**Date**

.....  
**Capacity Name of Bidder**

.....  
**Bidders Name**

**PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022**

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

**NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022**

**1. GENERAL CONDITIONS**

1.1 The following preference point systems is applicable to this invitations to quotation:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and

**1.2 To be completed by the Dannhauser Municipality**

The applicable preference point system for this tender is the 80/20 preference point system.

- a) The 80/20 preference point system will be applicable in this quotation. The lowest/ highest acceptable quotation will be used to determine the accurate system once tenders are received.

1.3 Points for this quotation (even in the case of a tender for income-generating contracts) shall be awarded for:

- (a) Price; and
- (b) Specific Goals.

**1.4 To be completed by the organ of state:**

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

## 2. DEFINITIONS

- (a) “**tender**” means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) “**price**” means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) “**rand value**” means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) “**tender for income-generating contracts**” means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) “**the Act**” means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

## 3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

### 3.1. POINTS AWARDED FOR PRICE

#### 3.1.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

**80/20**

$$P_s = 80 \left( 1 - \frac{P_t - P_{min}}{P_{min}} \right)$$

Where

$P_s$  = Points scored for price of tender under consideration

$P_t$  = Price of tender under consideration

$P_{min}$  = Price of lowest acceptable tender

### 3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

#### 3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 points is allocated for price on the following basis:

**80/20**

$$P_s = 80 \left( 1 + \frac{P_t - P_{max}}{P_{max}} \right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

#### **4. POINTS AWARDED FOR SPECIFIC GOALS**

4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—

(a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or

(b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

**Table 1: Specific goals for the tender and points claimed are indicated per the table below.**

***(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.***

***Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)***

The specific goals allocated points in terms of this quotation	Number of points claimed (80/20 system) (To be completed by the municipality)	Number of points claimed (80/20 system) (To be completed by the tenderer)	Means of verification
More than 51% owned by black people = 4 Less than 51% owned by black people = 2	4		Certified ID copies (Directors) / CSD Report / Shareholders Certificate
More than 51% owned by women = 4 Less than 51% owned by women = 2	4		Certified ID copies (Directors) / CSD Report / Shareholders Certificate
More than 51% owned by youth = 4 Less than 51% owned by youth = 2	4		Certified ID copies (Directors) / CSD Report / Shareholders Certificate
More than 51% owned by disabled people = 4 Less than 51% owned by black people = 2	4		Medical Certificate
Enterprise located within: Dannhauser Area = 4 Enterprise located within: Amajuba District = 3 Enterprise located within: Kwa- Zulu Natal = 2 Enterprise located outside: Kwa- Zulu Natal = 1	4		CSD / proof of municipal accounts/affidavit/proof of residence signed by ward Councillor (for those residing in rural areas) / lease agreement
<b>Total</b>	<b>20</b>		

#### DECLARATION WITH REGARD TO COMPANY/FIRM

4.3. Name of company/firm.....

4.4. Company registration number: .....

4.5. TYPE OF COMPANY/ FIRM

- Partnership/Joint Venture / Consortium
- One-person business/sole propriety
- Close corporation
- Public Company
- Personal Liability Company
- (Pty) Limited
- Non-Profit Company
- State Owned Company

[TICK APPLICABLE BOX]

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary

proof to the satisfaction of the organ of state that the claims are correct;

iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –

- (a) disqualify the person from the tendering process;
- (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
- (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
- (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
- (e) forward the matter for criminal prosecution, if deemed necessary.

.....  
**SIGNATURE(S) OF TENDERER(S)**

**SURNAME AND NAME:** .....  
**DATE:** .....  
**ADDRESS:** .....  
.....  
.....  
.....

**DECLARATION OF BIDDER’S PAST SUPPLY CHAIN MANAGEMENT PRACTICES**

- 1 This Municipal Bidding Document must form part of all bids invited.
- 2 It serves as a declaration to be used by municipalities and municipal entities in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
- 3 The bid of any bidder may be rejected if that bidder, or any of its directors have:
  - a. abused the municipality’s / municipal entity’s supply chain management system or committed any improper conduct in relation to such system;
  - b. been convicted for fraud or corruption during the past five years;
  - c. willfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
  - d. been listed in the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004).
- 4 **In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.**

Item	Question	Yes	No
4.1	<p><b>Is the bidder or any of its directors listed on the National Treasury’s database as a company or person prohibited from doing business with the public sector?</b></p> <p>(Companies or persons who are listed on this database were informed in writing of this restriction by the National Treasury after the <i>audi alteram partem</i> rule was applied).</p>	<p>Yes</p> <input type="checkbox"/>	<p>No</p> <input type="checkbox"/>
4.1.1	If so, furnish particulars:		
4.2	<p>Is the bidder or any of its directors listed on the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004)?</p> <p>(To access this Register enter the National Treasury’s website, <a href="http://www.treasury.gov.za">www.treasury.gov.za</a>, click on the icon “Register for Tender Defaulters” or submit your written request for a hard copy of the Register to facsimile number (012) 3265445).</p>	<p>Yes</p> <input type="checkbox"/>	<p>No</p> <input type="checkbox"/>
4.2.1	If so, furnish particulars:		

4.3	Was the bidder or any of its directors convicted by a court of law (including a court of law outside the Republic of South Africa) for fraud or corruption during the past five years?	Yes <input type="checkbox"/>	No <input type="checkbox"/>
4.3.1	If so, furnish particulars:		
<b>Item</b>	<b>Question</b>	<b>Yes</b>	<b>No</b>
4.4	Does the bidder or any of its directors owe any municipal rates and taxes or municipal charges to the municipality / municipal entity, or to any other municipality / municipal entity, that is in arrears for more than three months?	Yes <input type="checkbox"/>	No <input type="checkbox"/>
4.4.1	If so, furnish particulars:		
4.5	Was any contract between the bidder and the municipality / municipal entity or any other organ of state terminated during the past five years on account of failure to perform on or comply with the contract?	Yes <input type="checkbox"/>	No <input type="checkbox"/>
4.7.1	If so, furnish particulars:		

**CERTIFICATION**

**I, THE UNDERSIGNED (FULL NAME) .....**  
**CERTIFY THAT THE INFORMATION FURNISHED ON THIS**  
**DECLARATION FORM TRUE AND CORRECT.**

**I ACCEPT THAT, IN ADDITION TO CANCELLATION OF A CONTRACT, ACTION MAY**  
**BE TAKEN AGAINST ME SHOULD THIS DECLARATION PROVE TO BE FALSE.**

.....  
**Signature**

.....  
**Date**

.....  
**Position**

.....  
**Name of Bidder**

**CERTIFICATE OF INDEPENDENT BID DETERMINATION**

- 1 This Municipal Bidding Document (MBD) must form part of all bids<sup>1</sup> invited.
- 2 Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).<sup>2</sup> Collusive bidding is a *pe se* prohibition meaning that it cannot be justified under any grounds.
- 3 Municipal Supply Regulation 38 (1) prescribes that a supply chain management policy must provide measures for the combating of abuse of the supply chain management system, and must enable the accounting officer, among others, to:
- a. take all reasonable steps to prevent such abuse;
  - b. reject the bid of any bidder if that bidder or any of its directors has abused the supply chain management system of the municipality or municipal entity or has committed any improper conduct in relation to such system; and
  - c. cancel a contract awarded to a person if the person committed any corrupt or fraudulent act during the bidding process or the execution of the contract.
- 4 This MBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.
- 5 In order to give effect to the above, the attached Certificate of Bid Determination (MBD 9) must be completed and submitted with the bid:

<sup>1</sup> Includes price quotations, advertised competitive bids, limited bids and proposals.

<sup>2</sup> Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

## CERTIFICATE OF INDEPENDENT BID DETERMINATION

I, the undersigned, in submitting the accompanying bid: **PROCUREMENT AND INSTALLATION OF X6 BOREHOLE PUMP IN WARD 1, 2, 4, 5, 10 AND 11**

(Bid Number and Description)

in response to the invitation for the bid made by: Dannhauser Local Municipality

do hereby make the following statements that I certify to be true and complete in every respect:

I certify, on behalf of: \_\_\_\_\_ that:

(Name of Bidder)

1. I have read and I understand the contents of this Certificate;
2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign, the bid, on behalf of the bidder;
5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
  - (a) has been requested to submit a bid in response to this bid invitation;
  - (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
  - (c) provides the same goods and services as the bidder and/or is in the same line of business as the bidder
6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint venture or consortium<sup>3</sup> will not be construed as collusive bidding.
7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:

- (a) prices;
- (b) geographical area where product or service will be rendered (market allocation)
- (c) methods, factors or formulas used to calculate prices;
- (d) the intention or decision to submit or not to submit, a bid;
- (e) the submission of a bid which does not meet the specifications and conditions of the bid; or
- (f) bidding with the intention not to win the bid.

8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates.
9. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

.....  
Signature

.....  
Date

.....  
Position

.....  
Name of Bidder

<sup>3</sup> Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.