



prasa

PASSENGER RAIL AGENCY
OF SOUTH AFRICA

REQUEST FOR QUOTATION (RFQ)

RFQ NUMBER: [NSIP/GARA/11/22]

REQUEST FOR QUOTATION (RFQ) FOR THE *NATIONAL STATION IMPROVEMENT PROGRAMME (NSIP)*
GARANKUWA STATION

SECTION 1: SBD1

PART A INVITATION TO BID

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF PASSENGER RAIL AGENCY (PRASA)					
BID NUMBER:	NSIP/GARA/11/22	CLOSING DATE:	07 December 2022	CLOSING TIME:	12:00PM
DESCRIPTION	NATIONAL STATION IMPROVEMENT PROGRAMME (NSIP) GARANKUWA STATION				
BID RESPONSE DOCUMENTS SHALL BE ADDRESSED AS FOLLOWS:					
BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT (<i>STREET ADDRESS</i>): 546 PAUL KRUGER c/o SCHEIDING STREET PRASA CRES BUILDING PRETORIA STATION PRECINCT PRETORIA					
BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO					
CONTACT PERSON	Thulisile Shabangu				
TELEPHONE NUMBER	012 748 7571				
E-MAIL ADDRESS	CresNGR.Quotation@prasa.com				
SUPPLIER INFORMATION					
NAME OF BIDDER					
POSTAL ADDRESS					
STREET ADDRESS					
TELEPHONE NUMBER	CODE		NUMBER		
CELLPHONE NUMBER					
FACSIMILE NUMBER	CODE		NUMBER		
E-MAIL ADDRESS					
VAT REGISTRATION NUMBER					
SUPPLIER COMPLIANCE STATUS	TAX COMPLIANCE SYSTEM PIN:		OR	CENTRAL SUPPLIER DATABASE No:	MAAA.....
B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE	TICK APPLICABLE BOX] <input type="checkbox"/> Yes <input type="checkbox"/> No		B-BBEE STATUS LEVEL SWORN AFFIDAVIT		[TICK APPLICABLE BOX] <input type="checkbox"/> Yes <input type="checkbox"/> No

[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/ SWORN AFFIDAVIT (FOR EMES & QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]

<p>2.1 ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?</p>	<p><input type="checkbox"/>Yes <input type="checkbox"/>No</p> <p>[IF YES ENCLOSE PROOF]</p>	<p>2.2 ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?</p>	<p><input type="checkbox"/>Yes <input type="checkbox"/>No</p> <p>[IF YES, ANSWER THE QUESTIONNAIRE BELOW]</p>
--	---	---	---

QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS

IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? ☐ YES ☐ NO

DOES THE ENTITY HAVE A BRANCH IN THE RSA? ☐ YES ☐ NO

DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA? ☐ YES ☐ NO

DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA? ☐ YES ☐ NO

IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION? ☐ YES ☐ NO

IF THE ANSWER IS “NO” TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW.

PART B: TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. **ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED–(NOT TO BE RE-TYPED) OR IN THE MANNER**
- 1.3. **PRESCRIBED IN THE BID DOCUMENT.**
- 1.4. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID NVALID.

SIGNATURE OF BIDDER:

CAPACITY UNDER WHICH THIS BID IS SIGNED:

(Proof of authority must be submitted e.g. company resolution)

DATE:

NB:

- *Quotation(s) must be addressed to PRASA before the closing date and time shown above.*
- *PRASA General Conditions of Purchase shall apply.*

SECTION 2

NOTICE TO BIDDERS

1. RESPONSES TO RFQ

Responses to this RFQ [**Quotations**] must not include documents or reference relating to any other quotation or proposal. Any additional conditions must be embodied in an accompanying letter.

Proposals must reach the PRASA before the closing hour on the date shown on SBD1 above and must be enclosed in a sealed envelope.

2. PREQUALIFICATION / ELIGIBILITY CRITERIA

- 2.1 Only those Respondents who satisfy the pre-qualification or eligibility criteria are eligible to submit quotations as per section 3.

3 CIDB Grading (If Applicable)

Only those Respondents who are registered with the CIDB, or are capable of being so prior to the submission of the quotation, in a contractor grading designation equal to or higher than a contractor grading designation determined in accordance with the sum tendered or a value determined in accordance with Regulation 25 (1B) or 25(7A) of the Construction Industry Development Regulations, for a **4GB** or higher class of construction works, are eligible to have their quotations evaluated.

Joint ventures are eligible to submit tenders provided that:

- every member of the joint venture is registered with an active CIDB;
- the lead partner has a higher or equivalent contractor active grading designation in the class of construction work; and
- the combined Contractor active grading designation calculated in accordance with the Construction Industry Development Regulations is equal to or higher than a Contractor grading designation determined in accordance with the sum quoted for a 4GB class of construction works, or a value determined in accordance with Regulation 25(1B) or 25(7A) of the Construction Industry Development Regulations

4 COMMUNICATION

Respondent/s are warned that a response will be liable for disqualification should any attempt be made either directly or indirectly to canvass any SCM Officer(s) or PRASA employee in respect of this RFQ between the closing date and the date of the award of the business.

5 LEGAL COMPLIANCE

The successful Respondent shall be in full and complete compliance with any and all applicable national and local laws and regulations.

6 CHANGES TO QUOTATIONS

Changes by the Respondent to its submission will not be considered after the closing date and time except on condition of correcting arithmetic errors on BOQ

7 PRICING

All prices must be quoted in South African Rand on a fixed price basis, including VAT.

8 BINDING OFFER

Any Quotation furnished pursuant to this Request shall be deemed to be an offer. Any exceptions to this statement must be clearly and specifically indicated.

9 DISCLAIMERS

PRASA is not committed to any course of action as a result of its issuance of this RFQ and/or its receipt of a Quotation in response to it. Please note that PRASA reserves the right to:

- Modify the RFQ's goods / service(s) and request Respondents to re-bid on any changes;
- Reject any Quotation which does not conform to instructions and specifications which are detailed herein;
- Reject Quotations submitted after the stated submission deadline;
- Not necessarily accept the lowest priced Quotation or an alternative bid;
- Bids lodged at the incorrect venue that reach the correct venue late will be regarded as late.
- Reject all Quotations, if it so decides;
- Place an order in connection with this Quotation at any time after the RFQ's closing date;
- Make no award at all.
- Award only a portion of the proposed goods / service/s which are reflected in the scope of this RFQ;
- split the award of the order/s between more than one Supplier/Service Provider should it at PRASA's discretion be more advantageous in terms of, amongst others, cost or developmental consideration; or

Should a contract be awarded on the strength of information furnished by the Respondent, which after conclusion of the contract, is proved to have been incorrect, PRASA reserves the right to cancel the contract. PRASA reserves the right to award business to the highest scoring bidder/s unless objective criteria justify the award to another Respondent.

Should the preferred bidder fail to sign or commence with the contract within a stipulated period after being requested to do so, PRASA reserves the right to terminate contract and award the business to the next highest ranked Respondent provided that the next bidder is still prepared to provide the required goods at the quoted price.

10 LEGAL REVIEW

A Proposal submitted by a Respondent may be subjected to review and acceptance or rejection of its proposed contractual terms and conditions by PRASA's Legal Counsel, prior to consideration for an award of business.

11 NATIONAL TREASURY'S CENTRAL SUPPLIER DATABASE

Respondents are required to self-register on National Treasury's Central Supplier Database (CSD) which has been established to centrally administer supplier information for all organs of state and facilitate the verification of certain key supplier information. PRASA is required to ensure that price quotations are invited and accepted from prospective bidders listed on the CSD. Business may not be awarded to a respondent who has failed to register on the CSD. Only foreign suppliers with no local registered entity need not register on the CSD. The CSD can be accessed at <https://secure.csd.gov.za/>.

12 PROTECTION OF PERSONAL DATA

In responding to this bid, PRASA acknowledges that it may obtain and have access to personal data of the Respondents. PRASA agrees that it shall only process the information disclosed by Respondents in their response to this bid for the purpose of evaluating and subsequent award of business and in accordance with any applicable law.

Furthermore, PRASA will not otherwise modify, amend or alter any personal data submitted by Respondents or disclose or permit the disclosure of any personal data to any Third Party without the prior written consent from the Respondents. Similarly, PRASA requires Respondents to process any personal information disclosed by PRASA in the bidding process in the same manner.

13 EVALUATION METHODOLOGY

PRASA will utilise the following evaluation process in selecting the preferred Supplier/Service Provider.

EVALUATION PROCESS	
Stage 1A	
Prequalification Criteria	
Stage 1B	
Mandatory Criteria	
Stage 2	
Non-Mandatory compliance	
Stage 3	
Technical/Functional Criteria	Testing of capacity – meet minimum threshold of 70%
Stage 4 - Price and B-BBEE	
Price	80
BBBEE	20
TOTAL	100

14 ADMINISTRATIVE RESPONSIVENESS

The test for administrative responsiveness will include completeness of response and whether all returnable and/or required documents, certificates; verify completeness of warranties and other bid requirements and formalities have been complied with. Incomplete Bids will be disqualified.

15 VALIDITY PERIOD

- 15.1 PRASA requires a validity period of **60 Business Days** from the closing date.
- 15.2 Respondents are to note that they may be requested to extend the validity period of their response, on the same terms and conditions, if the internal processes are not finalized within the validity period. However, once the adjudication body has approved the process and award of the business to the

successful respondent(s), the validity of the successful respondent(s)' response will be deemed to remain valid until a final contract has been concluded.

16 DISCLOSURE OF PRICES QUOTED

Respondents are to note that, on award of business, PRASA is required to publish the prices and preferences claimed of the successful and unsuccessful Respondents *inter alia* on the National Treasury e-Tender Publication Portal, (www.etenders.gov.za), on CIDB website for construction related RFQ's. (If applicable)

17 RETURNABLE DOCUMENTS

Returnable Documents means all the documents, Sections and Annexures, as listed in the tables below. There are three types of returnable documents as indicated below and Respondents are urged to ensure that these documents are returned with the quotation based on the consequences of non-submission as indicated below:

17.1 PREQUALIFICATION AND MANDATORY RETURNABLE DOCUMENTS

Failure to provide all Mandatory Returnable Documents at the Closing Date and time of this RFQ will result in a Respondent's disqualification. Respondents are therefore urged to ensure that all these Documents are returned with their Quotations.

17.2 NON -MANDATORY RETURNABLE DOCUMENTS

Failure to provide all Non -Mandatory Returnable Documents at the Closing Date and time of this RFQ, PRASA may request the documents and must be made available at the time of request: Respondents are therefore urged to ensure that all these Documents are made available at the time of request.

17.3 RETURNABLE DOCUMENTS USED FOR SCORING PURPOSES

Failure to provide these Returnable Documents at the Closing Date and time of this RFQ, will not result in Respondent's disqualification. However, bidders will receive a score of zero for the applicable evaluation criteria.

SECTION 3

1 EVALUATION CRITERIA:

NB: Compliance Requirements for all Services/Goods and works

Stage 1A: Prequalification Requirements - If you do not submit the following mandatory documents your Proposal/Quote will be disqualified automatically:

No.	Description of requirement	
a)	Declaration document for local content and production SBD 6.2 must be completed, duly signed and submitted	
b)	Annexure C – Local Content Declaration – Summary Schedule must be completed, duly signed and submitted	

Stage 1B: Mandatory Requirements - If you do not submit the following mandatory documents your Proposal/Quote will be disqualified automatically:

No.	Description of requirement	
a)	Price Schedule and Pricing form (Section 4) To facilitate like-for like comparison bidders must submit pricing strictly in accordance with this price schedule/BOQ and not utilize a different format. Deviation from this pricing schedule will result in a bid being declared non-responsive.	
b)	Completion and submission of RFQ documents, SBD forms, Commissioner of Oath with ALL declarations	
c)	Joint Venture / Consortium agreement / Trust Deed/ Confirmation in writing of their intention to enter into a JV or consortium agreement signed by all parties. (if applicable)	
d)	Active CIDB grading of 4GB or higher	
e)	Attendance certificate of compulsory briefing session (if applicable)	
f)	Valid Original, or certified copy of Letter of Good Standing (COIDA)	

Stage 2: Non - Mandatory Requirements - The following documents are non-mandatory and where not submitted, Prasa may request the documents and must be made available at the time of request:

No.	Description of requirement	
a)	Company Registration Documents	
b)	Copies of Directors' ID documents;	
c)	Valid SARS Tax Pin Letter (must be valid on closing date of submission of the proposal)	
d)	CSD report / CSD reference number	
e)	Proof of UIF registration	
f)	Annexure D – Imported Content Declaration – Supporting Schedule to Annex C	
g)	Annexure E – Local Content Declaration – Supporting Schedule to Annex C	
h)	Proof of Bank Account (i.e. cancelled cheque or letter issued by the bank)	

2.1 Stage 3

Technical / Functionality Requirements

Scoring of Functionality:

The minimum threshold for Technical/functionality criteria is **70%** and bidders who score below this minimum will not be considered for further evaluation in terms of price and B-BBEE.

CRITERIA	WEIGHT	SCORES
Organisational Experience (projects)	30%	
Experience of Key Staff	25%	
Work Plan / Project Schedule	20%	
Financial Capacity	25%	
Total	100%	

Details of the scoring methodology presented above are outlined below:

1 = Poor information submitted, 2 = Fair/average, 3 = Good, 4 = acceptable or very good and 5 = Excellent.

EVALUATION OF A CONTRACTOR			
CRITERIA	SUB-CRITERIA	SCORING	MAXIMUM POINTS
TRACK RECORD OF THE CONTRACTOR Track Record of the Contractor on construction projects and sizes (4GB or higher) of projects previously executed. Proof of Projects executed prior	Full points are allocated for track record of 5 projects of similar type and scale executed and completed by tenderer in consideration in the last 7 years (2016-2022). Item no.1 below must be supported by either item no.2 or item no.3 for all projects presented under the scoring. 1. Appointment letter from client, on client letterhead and 2. Practical Completion (PC) certificates or 3. Letter of reference from the client, on client letterhead, signed or stamped	5 = Proof of 5 or more 4GB or higher projects completed 4 = Proof of 4 4GB or higher projects completed 3 = Proof of 3 4GB or higher projects completed 2 = Proof of 2 4GB or higher projects completed 1 = Proof of 1 or less 4GB or higher projects completed or irrelevant submission 0= No submission	30

<p>CIDB regulation changes in October 2019 within level 4GB grading will also be accepted. Project must still fall within the 2016-2022 period.</p>			
<p>Experience and qualification of Key Staff</p> <p>(assigned site personnel) in relation to the scope of work</p>	<p>Submit proof of minimum 3-year experience and qualifications for:</p> <p>1. Site Manager</p> <p>(Submit CV and certified qualifications not older than 6 months)</p> <p>Professional Registration for registered personnel from either SACAP, ECSA or SACQSP</p>	<p>Score(s) will be based on qualifications, years of experience on building/construction projects, of the proposed Site Manager as per details provided:</p> <p>5- Registered Built Environment Professional, with minimum 3 years' experience within the industry</p> <p>4- B Tech/ B Eng.in Built Environment with minimum 3 years' experience within the industry</p> <p>3- National Diploma in Built Environment with minimum 3 years' experience within the industry</p> <p>2- Certificate (N6) in Built Environment with minimum 3 years' experience within the industry</p> <p>1- Certificate (N5 and below) in Built Environment and/or experience below 3 years' and/or no qualifications</p> <p>0 - No submission</p>	<p>25</p>
<p>Work Plan / Project Schedule</p>	<p>Project schedule or work plan for the project</p> <p>Should show the following:</p> <ul style="list-style-type: none"> • estimated start and finish dates, • major milestones • critical path (bidder to ensure that this is visible) • estimated duration 	<p>Project Schedule/Program for the project capturing details listed in sub-criteria:</p> <p>5- Work plan or project schedule shows all 4 items listed in sub-criteria.</p> <p>4- Work plan or project schedule shows only 3 items listed in sub-criteria.</p> <p>3- Work plan or project schedule shows only 2 items listed in sub-criteria</p> <p>2- Work plan or project schedule shows only 1 item listed in sub-criteria.</p> <p>1- Work plan or project schedule not showing any items listed in sub-criteria</p> <p>0- No submission</p>	<p>20</p>

<p>Financial Capacity</p> <p>The operating cash flow ratio measures a company's short-term liquidity.</p> <p>Use the formula below:</p> <p>Operating cash flow ratio = Net Cash flow from operations/Current liabilities</p> <p>Bidders should submit a complete set of recent financial statements for the company</p>	<p>Demonstration of financial capability of the company</p> <p><i>Recent year's set of financial statements with comparative financials.</i></p> <p><i>Financials prepared and signed by an independent registered accounting professional and signed by the company director.</i></p> <p><i>Financial statements must include cashflow statement and balance sheet.</i></p> <p><i>Incomplete Financial Statements will not be considered</i></p>	<p>5 - Operating Cash Flows Ratio $X \geq 1$</p> <p>4 - Operating Cash Flows Ratio $0.5 > X < 1$</p> <p>3 - Operating Cash Flows Ratio $0 > X < 0.5$</p> <p>2 - Operating Cash Flows Ratio $X < 0$</p> <p>1 - Incomplete financial Statement</p> <p>0 - No submission</p>	25
Total			100

2.2 Stage 4- Price and B-BBEE

Evaluation criteria	Weighting
BBBEE	20
Price	80
TOTAL	100

$$PS = 80 \left(1 - \frac{Pt - Pmin}{Pmin} \right)$$

Where:

Ps = Score for the Bid under consideration

Pt = Price of Bid under consideration

$Pmin$ = Price of lowest acceptable Bid

Evaluation of Preference

Evaluation and final weighted scoring

- a) Broad-Based Black Economic Empowerment criteria [weighted score 20 points] Preference Points will be awarded to a bidder for attaining the B-BBEE status level contribution in accordance with the table indicated in Section 7 B-BBEE claim form.

SECTION 4

PRICING AND DELIVERY SCHEDULE

Respondents are required to complete the attached Pricing Schedule **Section 10**.

- 1 Prices must be quoted in South African Rand, inclusive of VAT.
- 2 Price offer is firm and clearly indicate the basis thereof.
- 3 Pricing Bill of Quantity is completed in line with schedule if applicable.
- 4 Cost breakdown must be indicated.
- 5 Price escalation basis and formula must be indicated where applicable.
- 6 Respondents are to note that if price offered by the highest scoring bidder is not market related, PRASA may not award the contract to the Respondent. PRASA may:
 - 6.1 negotiate a market-related price with the Respondent scoring the highest points or cancel the RFQ;
 - 6.2 if that Respondent does not agree to a market-related price, negotiate a market-related price with the Respondent scoring the second highest points or cancel the RFQ;
 - 6.3 If a market-related price is not agreed with the Respondent scoring the third highest points, PRASA must cancel the RFQ.

I / We _____ (Insert Name of Bidding Entity)

of _____

_____ code _____

(Full address) conducting business under the style or title of: _____

represented by: _____ in my capacity as:

_____ being duly authorised, hereby
offer to undertake and complete the above-mentioned work/services at the prices quoted in the bills of quantities /

schedule of quantities or, where these do not form part of the contract, at a lumpsum, of
R _____ (amount in numbers);
_____ (amount in words) Incl. VAT.

DELIVERY PERIOD: Suppliers are requested to offer their earliest delivery period possible.

Delivery will be affected within working days from date of order. (To be completed by Service provider)

SECTION 5

PRASA GENERAL CONDITIONS OF PURCHASE

General

PRASA and the Supplier enter into an order/contract on these conditions to supply the items (goods/services/works) as described in the order/contract.

Conditions

These conditions form the basis of the contract between PRASA and the Supplier. Notwithstanding anything to the contrary in any document issued or sent by the Supplier, these conditions apply except as expressly agreed in writing by PRASA.

No servant or agent of PRASA has authority to vary these conditions orally. These general conditions of purchase are subject to such further special conditions as may be prescribed in writing by PRASA in the order/contract.

Local Content Obligations

Respondents are to note that the Local Content commitments made by the successful Respondent(s) will be incorporated as a term of the contract and monitored for compliance. Should the successful Respondent fail to meet its Local obligations, non-compliance penalties shall be applicable. Breach of Local Content obligations also provide PRASA cause to terminate the contract in certain cases where material non-compliance with Local Content requirements are not achieved.

Price and payment

The price or rates for the items stated in the order/contract may include an amount for price adjustment, which is calculated in accordance with the formula stated in the order/contract.

The Supplier may be paid in one currency other than South African Rand. Only one exchange rate is used to convert from this currency to South African Rand. Payment to the Supplier in this currency other than South African Rand, does not exceed the amounts stated in the order/contract. PRASA pays for the item within 30 days of receipt of the Suppliers correct tax invoice.

Delivery and documents

The Supplier's obligation is to deliver the items on or before the date stated in the order/contract. Late deliveries or late completion of the items may be subject to a penalty if this is imposed in the order/contract. No payment is made if the Supplier does not provide the item as stated in order/contract.

Where items are to be delivered the Supplier:

Clearly marks the outside of each consignment or package with the Supplier's name and full details of the destination in accordance with the order and includes a packing note stating the contents thereof; On dispatch of each consignment, sends to PRASA at the address for delivery of the items, an advice note specifying the means of transport, weight, number of volume as appropriate and the point and date of dispatch; Sends to PRASA a detailed priced invoice as soon as is reasonably practical after dispatch of the items, and states on all communications in respect of the order the order number and code number (if any).

Containers / packing material

Unless otherwise stated in the order/contract, no payment is made for containers or packing materials or return to the Supplier.

Title and risk

Without prejudice to rights of rejection under these conditions, title to and risk in the items passes to PRASA when accepted by PRASA.

Rejection

If the Supplier fails to comply with his obligations under the order/contract, PRASA may reject any part of the items by giving written notice to the Supplier specifying the reason for rejection and whether and within what period replacement of items or re-work are required.

In the case of items delivered, PRASA may return the rejected items to the Supplier at the Supplier's risk and expense. Any money paid to the Supplier in respect of the items not replaced within the time required, together with the costs of returning rejected items to the Supplier and obtaining replacement items from a third party, are paid by the Supplier to PRASA.

In the case of service, the Supplier corrects non-conformances as indicated by PRASA.

Warranty

Without prejudice to any other rights of PRASA under these conditions, the Supplier warrants that the items are in accordance with PRASA's requirements, and fit for the purpose for which they are intended, and will remain free from defects for a period of one year (unless another period is stated in the Order) from acceptance of the items by PRASA.

Indemnity

The Supplier indemnifies PRASA against all actions, suits, claims, demands, costs, charges and expenses arising in connection therewith arising from the negligence, infringement of intellectual or legal rights or breach of statutory duty of the Supplier, his subcontractors, agents or servants, or from the Supplier's defective design, materials or workmanship.

The Supplier indemnifies PRASA against claims, proceedings, compensation and costs payable arising out of infringement by the Supplier of the rights of others, except an infringement which arose out of the use by the Supplier of things provided by PRASA.

Assignment and sub-contracting

The Supplier may not assign or subcontract any part of this order/contract without the written consent of PRASA.

Termination

PRASA may terminate the order/contract at any time (without prejudice to any right of action or remedy which has accrued or thereafter accrues to PRASA):

If the Supplier defaults in due performance of the order/contract, or if the Supplier becomes bankrupt or otherwise is, in the opinion of PRASA, in such financial circumstances as to prejudice the proper performance of the order/contract, or for any other reason in which case the Supplier will be compensated for all costs incurred.

Governing law

The order/contract is governed by the law of the Republic of South Africa and the parties hereby submit to the non-exclusive jurisdiction of the South African courts.

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest¹ in the enterprise, employed by the state? **YES/NO**

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? **YES/NO**

2.2.1 If so, furnish particulars:

.....

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

-
- 2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract?
YES/NO

- 2.3.1 If so, furnish particulars:

.....
.....

3 DECLARATION

I, the undersigned, (name)..... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium² will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....
Signature

.....
Date

.....
Position

.....
Name of bidder

SECTION 7

B-BBEE PREFERENCE POINTS CLAIM FORM

This preference form must form part of all bids invited. It contains general information and serves as a claim for preference points for Broad-Based Black Economic Empowerment [B-BBEE] Status Level of Contribution.

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to all bids:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and

1.2 The value of this bid is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the preference point system shall be applicable.

1.3 Either the **80/20** preference point system shall be applicable to this bid.

1.4 Preference points for this bid shall be awarded for:

- (a) Price; and
- (b) B-BBEE Status Level of Contribution.

1.5 The maximum points for this bid are allocated as follows:

	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTION	20
Total points for Price and B-BBEE must not exceed	100

1.5.1 Failure on the part of a bidder to submit a B-BBEE Verification Certificate from a Verification Agency accredited by the South African Accreditation System [**SANAS**], or a sworn affidavit confirming annual turnover and level of black ownership in case of all EMEs and QSEs with 51% black ownership or more together with the bid, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.

- 1.6 The purchaser reserves the right to require of a bidder, either before a bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

2. DEFINITIONS

- 2.1 “**all applicable taxes**” includes value-added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies;
- 2.2 “**B-BBEE**” means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- 2.3 “**B-BBEE status level of contributor**” means the B-BBEE status received by a measured entity based on its overall performance using the relevant scorecard contained in the Codes of Good Practice on Black Economic Empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- 2.4 “**bid**” means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of services, works or goods, through price quotations, advertised competitive bidding processes or proposals;
- 2.5 “**Black designated group**” has meaning assigned to it in codes of good practice issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act.
- 2.6 “**Black People**” meaning assigned to in Section 1 of Broad-Based Black Economic Empowerment Act.
- 2.7 “**Broad-Based Black Economic Empowerment Act**” means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- 2.8 “**CIPC**” means the Companies and Intellectual Property Commission, formerly known as CIPRO, the Companies and Intellectual Property Registration Office.
- 2.9 “**comparative price**” means the price after the factors of a non-firm price and all unconditional discounts that can be utilized have been taken into consideration;
- 2.10 “**consortium or joint venture**” means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract;
- 2.11 “**contract**” means the agreement that results from the acceptance of a bid by an organ of state;
- 2.12 “**co-operative**” means a co-operative registered in terms of section 7 of Cooperatives Act, 2005 (Act No. 14 of 2005)

- 2.13 **“Designated Group”** means - i) Black designated groups; ii) Black People; iii) Women; iv) people with disabilities or v) Small enterprise, as defined in Section 1 of National Small Enterprise Act, (102 of 1996)
- 2.14 **“Designated Sector”** means, sub-sector or industry or product designated in terms of regulation 8(1)(a)
- 2.15 **“EME”** means an Exempted Micro Enterprise as defines by Codes of Good Practice under section 9 (1) of the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- 2.16 **“firm price”** means the price that is only subject to adjustments in accordance with the actual increase or decrease resulting from the change, imposition, or abolition of customs or excise duty and any other duty, levy, or tax, which, in terms of the law or regulation, is binding on the contractor and demonstrably has an influence on the price of any supplies, or the rendering costs of any service, for the execution of the contract;
- 2.17 **“functionality”** means the ability of a bidder to provide goods or services in accordance with specification as set out in the bid documents;
- 2.18 **“Military Veteran”** has meaning assigned to it in Section 1 of Military Veterans Act, 2011 (Act No. 18 of 2011);
- 2.19 **“National Treasury”** has meaning assigned to it in Section 1 of Public Finance Management Act, 1999 (Act No. 1 of 1999);
- 2.20 **“non-firm prices”** means all prices other than “firm” prices;
- 2.21 **“person”** includes a juristic person;
- 2.22 **“People with disabilities”** meaning assigned to it in terms of Section 1 of Employment Equity Act, 1998 (Act No. 55 of 1998)
- 2.23 **“Price”** includes all applicable taxes less all unconditional discounts.
- 2.24 **“Proof of B-BBEE Status Level of Contributor”** i) the B-BBBEE status level certificate issued by an unauthorised body or person; ii) a sworn affidavit as prescribed by the B-BBEE Codes of Good Practice; or iii) any other requirement prescribed in terms of the Broad- Based Black Economic Empowerment Act.
- 2.25 **“Rural Area”** i) a sparsely populated area in which people farm or depend on natural resources, including villages and small towns that are dispersed through the area; or ii) an area including a large settlement which depends on migratory labour and remittances and government social grants for survival, and may have traditional land tenure system.

- 2.26 “**QSE**” means a Qualifying Small Enterprise as defines by Codes of Good Practice under section 9 (1) of the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- 2.27 “**rand value**” means the total estimated value of a contract in South African currency, calculated at the time of bid invitations, and includes all applicable taxes and excise duties;
- 2.28 “**sub-contract**” means the primary contractor’s assigning, leasing, making out work to, or employing, another person to support such primary contractor in the execution of part of a project in terms of the contract;
- 2.29 “**total revenue**” bears the same meaning assigned to this expression in the Codes of Good Practice on Black Economic Empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act and promulgated in the *Government Gazette* on 9 February 2007;
- 2.30 “**Township**” means an urban living area that any time from the late 19th century until 27 April 1994, was reserved for black people, including areas developed for historically disadvantaged individuals post 27 April 1994
- 2.31 “**Treasury**” meaning assigned to it in Section 1 of the Public Finance Management Act, 1999 (Act No. 1 of 1999)
- 2.32 “**trust**” means the arrangement through which the property of one person is made over or bequeathed to a trustee to administer such property for the benefit of another person; and
- 2.33 “**trustee**” means any person, including the founder of a trust, to whom property is bequeathed in order for such property to be administered for the benefit of another person.
- 2.34 “**Youth**” meaning assigned to it in terms of Section 1 of National youth Development Agency Act, 2008 (Act No. 54 of 2008).

3. ADJUDICATION USING A POINT SYSTEM

- 3.1 The bidder obtaining the highest number of total points will be awarded the contract.
- 3.2 Preference points shall be calculated after prices have been brought to a comparative basis taking into account all factors of non-firm prices and all unconditional discounts.
- 3.3 Points scored must be rounded off to the nearest 2 decimal places.
- 3.4 In the event that two or more bids have scored equal total points, the successful bid must be the one scoring the highest number of preference points for B-BBEE.
- 3.5 However, when functionality is part of the evaluation process and two or more bids have scored equal

points including equal preference points for B-BBEE, the successful bid must be the one scoring the highest score for functionality.

3.6 Should two or more bids be equal in all respects, the award shall be decided by the drawing of lots.

4. POINTS AWARDED FOR PRICE

4.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

80/20

$$P_s = 80 \left(1 - \frac{P_t - P_{\min}}{P_{\min}} \right)$$

Where

P_s = Points scored for comparative price of bid under consideration

P_t = Comparative price of bid under consideration

P_{\min} = Comparative price of lowest acceptable bid

5. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTION

5.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

- 5.2 A bidder who qualifies as an EME in terms of the B-BBEE Act must submit a sworn affidavit confirming Annual Total Revenue and Level of Black Ownership. Furthermore EMEs may also obtain a sworn affidavit from CIPC (formerly CIPRO) Self Service Terminals when registering a business or filing annual returns. In these instances PRASA would require proof of turnover as well as proof of ownership. Sworn affidavits must substantially comply with the format that can be obtained on the DTI's website at www.dti.gov.za/economic_empowerment/bee_codes.jsp.
- 5.3 QSEs that are at least 51% Black owned or higher are only required to obtain a sworn affidavit on an annual basis confirming that the entity has an Annual Total Revenue of R50 million or less and the entity's Level of Black ownership.
- 5.4 A Bidder other than EME or a QSE that is at least 51% Black owned must submit their original and valid B-BBEE status level verification certificate or a certified copy thereof, substantiating their B-BBEE rating a Verification Agency accredited by SANAS.
- 5.5 A trust, consortium or joint venture (including unincorporated consortia and joint ventures) must submit a consolidated B-BBEE Status Level verification certificate for every separate bid.
- 5.6 Tertiary Institutions and Public Entities will be required to submit their B-BBEE status level certificates in terms of the specialized scorecard contained in the B-BBEE Codes of Good Practice.
- 5.7 A person will not be awarded points for B-BBEE status level if it is indicated in the bid documents that such a bidder intends sub-contracting more than 25% of the value of the contract to any other enterprise that does not qualify for at least the points that such a bidder qualifies for, unless the intended sub-contractor is an EME that has the capability and ability to execute the sub-contract.
- 5.8 A person awarded a contract may not sub-contract more than 25% of the value of the contract to any other enterprise that does not have an equal or higher B-BBEE status level than the person concerned, unless the contract is sub-contracted to an EME that has the capability and ability to execute the sub-contract.
- 5.9 Bidders are to note that the rules pertaining to B-BBEE verification and other B-BBEE requirements may be changed from time to time by regulatory bodies such as National Treasury or the DTI. It is the Bidder's responsibility to ensure that his/her bid complies fully with all B-BBEE requirements at the time of the submission of the bid.

6. BID DECLARATION

6.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

6.1.1 B-BBEE STATUS LEVEL OF CONTRIBUTION CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 5.1

6.2 B-BBEE Status Level of Contribution: . =(maximum of 20 points)
(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 5.1 and must be substantiated by means of a B-BBEE certificate issued by a Verification Agency accredited by SANAS or a Registered Auditor approved by IRBA or a sworn affidavit.

7. SUB-CONTRACTING

7.1 Will any portion of the contract be sub-contracted?

(Tick applicable box)

YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
-----	--------------------------	----	--------------------------

7.1.1 If yes, indicate:

- i) What percentage of the contract will be subcontracted.....%
- ii) The name of the sub-contractor.....
- iii) The B-BBEE status level of the sub-contractor.....
- iv) Whether the sub-contractor is an EME.

(Tick applicable box)

YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
-----	--------------------------	----	--------------------------

- v) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations, 2017:

Designated Group: An EME or QSE which is at last 51% owned by:	EME ✓	QSE ✓
Black people		
Black people who are youth		
Black people who are women		
Black people with disabilities		
Black people living in rural or underdeveloped areas or townships		
Cooperative owned by black people		
Black people who are military veterans		
OR		
Any EME		
Any QSE		

8. DECLARATION WITH REGARD TO COMPANY/FIRM

8.1 Name of company/firm:.....

8.2 VAT registration number:.....

8.3 Company registration number:.....

8.4 TYPE OF COMPANY/ FIRM

- ☐ Partnership/Joint Venture / Consortium
- ☐ One person business/sole propriety
- ☐ Close corporation
- ☐ Company
- ☐ (Pty) Limited

[TICK APPLICABLE BOX]

8.5 DESCRIBE PRINCIPAL BUSINESS ACTIVITIES

.....

.....

.....

COMPANY CLASSIFICATION

- ☐ Manufacturer
- ☐ Supplier
- ☐ Professional service provider
- ☐ Other service providers, e.g. transporter, etc.

[TICK APPLICABLE BOX]

8.7 Total number of years the company/firm has been in business:.....

8.8 I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the B-BBE status level of contribution indicated in paragraph 7 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraph 7, the contractor may be required to furnish documentary proof to the satisfaction of the
- iv) purchaser that the claims are correct;
- v) If a bidder submitted false information regarding its B-BBEE status level of contributor, local production and content, or any other matter required in terms of the Preferential Procurement Regulations, 2017 which will affect or has affected the evaluation of a bid, or where a bidder has failed to declare any subcontracting arrangements or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have.
 - (a) disqualify the person from the bidding process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) if the successful bidder subcontracted a portion of the bidder to another person without disclosing it, PRASA reserves the right to penalise the bidder up to 10 percent of the

value of the contract;

(e) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and

(f) forward the matter for criminal prosecution.

WITNESSES

1.

2.

.....
SIGNATURE(S) OF BIDDERS(S)

DATE:

ADDRESS

.....

.....

SECTION 8

DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS

This Standard Bidding Document (SBD) must form part of all bids invited. It contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, bidders must study the General Conditions, Definitions, Directives applicable in respect of Local Content as prescribed in the Preferential Procurement Regulations, 2017, the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Summary Schedule), D (Imported Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)].

1. General Conditions

- 1.1. Preferential Procurement Regulations, 2017 (Regulation 8) make provision for the promotion of local production and content.
- 1.2. Regulation 8.(2) prescribes that in the case of designated sectors, organs of state must advertise such tenders with the specific bidding condition that only locally produced or manufactured goods, with a stipulated minimum threshold for local production and content will be considered.
- 1.3. Where necessary, for tenders referred to in paragraph 1.2 above, a two stage bidding process may be followed, where the first stage involves a minimum threshold for local production and content and the second stage price and B-BBEE.
- 1.4. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.5. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286: 2011 as follows:

$$LC = [1 - x / y] * 100$$

Where

x is the imported content in Rand

y is the bid price in Rand excluding value added tax (VAT)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid as indicated in paragraph 4.1 below.

The SABS approved technical specification number SATS 1286:2011 is accessible on <http://www.thedti.gov.za/industrial-development/ip.jsp> at no cost.

1.6. A bid may be disqualified if this Declaration Certificate and the Annex C (Local Content Declaration: Summary Schedule) are not submitted as part of the bid documentation;

2. The stipulated minimum threshold(s) for local production and content (refer to Annex A of SATS 1286:2011) for this bid is/are as follows:

	SEC NO	BILL	PAGE NO	Item No	DESCRIPTION	Local Content Threshold
	SEC NO	BILL NO	PAGE NO	Item No	DESCRIPTION	Local Content Threshold
1	2	2	37	1	Raft slab and thickenings	100% Cement
2	2	2	37	2	Aprons	100% Cement
3	2	2	37	3	Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)	100% Cement
4	2	2	38	7	Bars in various diameters	100% Steel Products
5	2	2	38	8	Ref 245 fabric reinforcement in concrete surface beds, slabs, etc	100% Steel Products
6	2	4	41	3	Storm water channel (fitted with 250micron polyethylene underlay sheeting)	100% Cement
7	2	4	41	5	110mm UPVC Pipe laid in and including trenches not exceeding 1m deep.	100% PVC Products
8	2	4	42	6	110mm UPVC Pipe encased in concrete laid in and including trenches not exceeding 1m deep.	100% PVC Products
9	2	4	42	7	110mm Bends	100% PVC Products
10	2	4	42	8	110mm Access bends	100% PVC Products
11	2	4	42	9	110mm Junctions	100% PVC Products
12	2	4	42	10	110mm Access junction	100% PVC Products
13	2	4	42	11	Manhole 800 x 800 x 1000mm deep	100% Steel Products
14	2	4	42	14	110mm Gulley including precast surround and PVC grating etc. not exceeding 500mm deep	100% Cement
15	2	4	42	16	32mm water supply in and including trenches not exceeding 1m deep to join onto existing water supply to other Blocks	100% HDPE pipes
16	2	4	42	17	Fittings to 32mm pipe	100% HDPE pipes
17	2	4	42	18	32mm gate valve	70% valve
18	2	5	44	1	2100mm high palisade fence	100% Steel Products

19	2	5	44	2	300mm high flat razor wire fence to tops of gates and fences	100% Steel Products
20	2	5	44	3	1800mm wide x 2100mm high pedestrian gate	100% Steel Products
21	2	5	45	5	1800mm high hoarding barrier	100% Steel Products
22	2	6	47	4	20mm thick sand bed on compacted earth in preparation for paving blocks (measured elsewhere); allow for grout in paver joints or other suitable adhesive	100% Cement
23	3	1	53	3	One brick walls	100% Cement
24	3	1	53	5	Allow a sum of R15 000.00 (Fifteen Thousand Rands) for repair work to rust damaged steel columns in platform sheds. Amount to include the replacement of redundant steel sections and/or welding or bolting new steel plates to existing steel surfaces	100% Steel Products
25	3	2	55	1	2000mm wide pre-cast concrete steps to existing staircase	100% Cement
26	3	3	56	1	400mm wide x 200mm high box gutters	100% Steel Products
27	3	3	56	2	150mm diameter downpipe to match gutters	100% Steel Products
28	3	3	56	3	Extra over eaves gutter for stopped end	100% Steel Products
29	3	3	56	4	Extra over eaves gutter for outlet for 150mm diameter pipe	100% Steel Products
30	3	3	56	5	Rain water shoe	100% Steel Products
31	3	3	56	6	Manufacture and install purpose made hopper boxes	100% Steel Products
32	3	3	56	8	Circular heavy duty manhole covers 500mm diameter x 40mm with lockable frames to existing openings	100% Steel Products
33	3	5	58	3	20mm thick sand bed on compacted earth in preparation for paving blocks (measured elsewhere); allow for grout in paver joints or other suitable adhesive	100% Cement
34	4	1	62	1	Container of size: 12190mm long x 2350mm wide x 3400mm high	100% Steel Products
35	4	1	63	3	203 x 203 x 46kg/m I-section columns	100% Steel Products
36	4	1	63	4	203 x 203 x 46kg/m I-section beams	100% Steel Products
37	4	1	63	5	M16 HD Bolts	100% Steel Products
38	4	1	63	6	Steel lightweight frame comprising hollow sections below floors complete with steel tread plate below floors to required and approved thickness	100% Steel Products

39	4	1	63	7	Steel lightweight frame comprising hollow sections to internal side of container walls (from floor to ceiling)	100% Steel Products
40	4	2	65	1	Roof coverings with a pitch not exceeding 12 degree complete with flashing on edges	100% Steel Products
41	4	2	65	1	150 x 150 x 6mm eaves gutter	100% Steel Products
42	4	2	65	2	100 x 75mm downpipe to match gutters	100% Steel Products
43	4	2	65	3	Extra over eaves gutter for stopped end	100% Steel Products
44	4	2	65	4	Extra over eaves gutter for bends	100% Steel Products
45	4	2	65	5	Extra over eaves gutter for outlet for 150mm diameter pipe	100% Steel Products
46	4	2	65	6	Extra over rainwater pipe for offset	100% Steel Products
47	4	2	65	7	Rain water shoe	100% Steel Products
48	4	4	69	1	Door type D01 of overall size 900 x 2120mm high including frame	100% Steel Products
49	4	4	69	2	Door type D02 of overall size 900 x 2120mm high including frame	100% Steel Products
50	4	5	72	1	25mm thick screed	100% Cement
51	4	5	72	2	60mm thick mortar bed	100% Cement
52	4	6	73	1	75mm four lever upright mortice lockset with satin chrome furniture	100% Steel Products
53	4	6	73	2	Indicator bolt with 'red/green' indicator	100% Steel Products
54	4	6	73	3	Grade 304 stainless steel round D lever handle on a long backplate with a profiled cylinder opening fixed to timber doors with matching screws	100% Steel Products
55	4	6	73	4	Satin stainless steel paper towel dispenser with min 600 folded paper towels and cylinder lock, plugged and screwed to the wall with stainless steel screws.	100% Steel Products
56	4	6	73	5	Satin stainless steel waste disposal bins with capacity of plus minus 40 litres and with a frame inside the dispenser to hold a liner, plugged and screwed to the wall with stainless steel screws	100% Steel Products
57	4	6	73	6	Satin stainless steel liquid soap dispenser complete with replaceable and refillable 1 litre container, cylinder lock all plugged and screwed to walls with stainless steel screws	100% Steel Products
58	4	6	73	7	Vandal resistant satin stainless steel 3 tier lockable toilet roll holder with central shaft system and cylinder lock, plugged	100% Steel Products

					sand screwed to walls with stainless steel screws	
59	4	6	73	8	Satin stainless steel sanitary towel disposal bins with capacity of minimum 10 litres, free standing or wall mounted (plugged and screwed to the wall with stainless steel screws)	100% Steel Products
60	4	6	73	9	32mm diameter stainless steel cistern back rail in satin polished finish complete with SS fixing screws and plastic wall plugs, installed at 800mm above floor level as per manufacturer" s instructions.	100% Steel Products
61	4	6	74	10	300 x 300 x 300mm x 32mm diameter stainless steel dog-leg side grab rail, without centre flange in satin polished finish complete with SS fixing screws and plastic wall plugs, as per manufacturer" s instructions.	100% Steel Products
62	4	7	76	1	Aluminium window type W01 of size 900 x 900mm high	100% Steel Products
63	4	7	76	2	Aluminium window type W02 of size 600 x 900mm high	100% Steel Products
64	4	7	76	3	Aluminium window type W03 of size 2000 x 1200mm high	100% Steel Products
65	4	7	76	4	Door of overall size 900 x 2120mm high including frame	100% Steel Products
66	4	7	76	5	To walls	100% Steel Products
67	4	7	76	6	To exterior walls including mounting	100% Steel Products
68	4	7	77	7	Feature cladding to external side of container walls (allow a PC sum of R550/m2 for the supply of all material)	100% Steel Products
69	4	9	81	12	50mm Pipes fixed to walls, ceilings, roofs, floors, or laid in filling	100% PVC Products
70	4	9	81	13	50mm Bends	100% PVC Products
71	4	9	81	14	50mm access bends	100% PVC Products
72	4	9	81	15	50mm tee	100% PVC Products
73	4	9	81	16	110mm bend	100% PVC Products
74	4	9	81	17	110 mm Access bend	100% PVC Products
75	4	9	81	18	110 mm Reducer	100% PVC Products
76	4	9	81	19	110mm Pan connector	100% PVC Products
77	4	9	81	21	15mm Pipe fixed to walls, ceilings, chased in, etc.	100% Steel Products

78	4	9	81	22	22mm Pipe fixed to walls, ceilings, chased in, etc.	100% Steel Products
79	4	9	81	23	28mm Pipe fixed to walls, ceilings, chased in, etc.	100% Steel Products
80	4	9	81	24	15mm Fittings	100% Steel Products
81	4	9	81	25	22mm Fittings	100% Steel Products
82	4	9	82	26	28mm Fittings	100% Steel Products
83	4	9	82	27	15mm Gate valve	70% Valve
84	4	9	82	28	22mm Gate valve	70% Valve
85	4	9	82	29	28mm Gate valve	70% Valve
86	5	1	86	2	Supply and lay electrical cable sleeves / Black	90% Electrical cable Products
87	5	1	86	3	35mm ² 4 core 1000V PVC / SWA / PVC Copper Cable	90% Electrical cable Products
88	5	1	86	4	10mm ² 4 core 1000V PVC / SWA / PVC Copper Cable	90% Electrical cable Products
89	5	1	86	5	6mm ² 4 core 1000V PVC / SWA / PVC Copper Cable	90% Electrical cable Products
90	5	1	86	6	16mm ² Bare Copper Earth Wire	90% Electrical cable Products
91	5	1	86	7	6mm ² Bare Copper Earth Wire	90% Electrical cable Products
92	5	1	86	8	4mm ² Bare Copper Earth Wire	90% Electrical cable Products
93	5	1	87	9	35mm ² 4 core PVC / SWA / PVC	90% Electrical cable Products
94	5	1	87	10	10mm ² 4 core 1000V PVC / SWA / PVC Copper Cable	90% Electrical cable Products
95	5	1	87	11	6mm ² 4 core 1000V PVC / SWA / PVC Copper Cable	90% Electrical cable Products
96	5	1	87	12	10mm ² Bare Copper Earth Wire	90% Electrical cable Products
97	5	1	87	13	6mm ² Bare Copper Earth Wire	90% Electrical cable Products
98	5	1	87	14	4mm ² Bare Copper Earth Wire	90% Electrical cable Products
99	5	1	87	15	Supply and Install 25KVA transformer on existing Steel - Hpole including all termination cables	90% Electrical cable Products
100	5	1	87	20	25mm - Galvanised conduit including bending, short lengths, draw boxes, cutting, bands, jointing, couplings, saddles and wastage as per SABS 1065. Fixed to surface or laid in or flush	100% Steel Products
101	5	1	88	21	100 x 50 x 50mm	100% Steel Products
102	5	1	88	22	100 x 100 x 50mm	100% Steel Products

103	5	1	88	23	100 x 50 x 50mm Standard white coverplates complete with chrome screws	100% Steel Products
104	5	1	88	24	100 x 100 x 50mm Standard white coverplates complete with chrome screws	100% Steel Products
105	5	1	88	25	1.5mm ²	90% Electrical cable Products
106	5	1	88	26	2.5mm ²	90% Electrical cable Products
107	5	1	88	27	4mm ²	90% Electrical cable Products
108	5	1	88	28	1.5mm ²	90% Electrical cable Products
109	5	1	88	29	2.5mm ²	90% Electrical cable Products
110	5	1	90	41	2 compartment power skirting installed in the offices server room, service desk and Information desk (To include All elbows, corners sections, Tsections& end caps)	100% Steel Products
111	5	1	90	42	127 mm wide x 76 mm deep (for electronic services, P9000)	100% Steel Products
112	5	1	90	52	4 core Multimode fiber OM3 Cable	90% Electrical cable Products
113	5	1	91	62	CAT6a STP Cable	90% Electrical cable Products
114	5	1	92	72	Supply and install 6mm ² x 4 core insisting cable sleeves for the Mast	90% Electrical cable Products
115	5	1	92	79	Supply and install 4mm ² x 4 core insisting cable sleeves for the Mast	90% Electrical cable Products
116	5	1	93	84	20mm galvanised conduit 4m length with complete with fischer plugs, saddles	100% Steel Products
117	5	1	93	85	9.5mm dia solid Al round air termination conductor including all fixing accessories	100% Steel Products
118	5	1	93	86	10mm dia solid Al alloy down conductors mounted to the the earth electrode.	100% Steel Products
119	5	1	93	87	70mm ² (BCEW) bare stranded copper conductor laid in a trench for the creation of ring earth electrode in trench 500mm below ground. Allow for excavation of soil	100% Steel Products
120	5	1	93	88	Termination of down conductors to roof sheeting, including all fixing accessories	100% Steel Products
121	5	1	93	89	16mm dia. 1 500mm long copper earth electrodes driven into ground+clamps	100% Steel Products

122	5	1	93	90	16mm ² Dia. x 500mm long copper roof termination rod/ Air termination rod	100% Steel Products
123	5	2	96	7	890mm Heigh x 590mm Width x 285mm Depth Fire Extinguishers Cabinet comes with Vandal Proof System	100% Steel Products
124	5	2	97	8	65mm Hydrant Valves	70% Gate Valve
125	5	2	97	9	Dia. 65mm Twin Fire Booster Stand Pipe & Non-Return Valve	70% Gate Valve
126	5	2	97	13	Allow for full water reticulation of fire water from the main water intaketank to the proposed fire water tanks and the fire hydrant system. This shall include all required excavation, Laying of Class 16 uPVC 100mmpressure pipes with rubber ring joints, bedding and padding. This shallensure a reliable and consistent water supply for fire protection system	100% PVC Products
1	2	3	42	1	Raft slab and thickenings	100% Cement
2	2	3	42	2	Aprons	100% Cement
3	2	3	42	3	Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)	100% Cement
4	2	3	43	7	Bars in various diameters	100% Steel Products
5	2	3	43	8	Ref 245 fabric reinforcement in concrete surface beds, slabs, etc	100% Steel Products
6	2	4	45	4	Storm water channel (fitted with 250micron polyethylene underlay sheeting)	100% Cement
7	2	4	45	6	110mm UPVC Pipe laid in and including trenches not exceeding 1m deep.	100% PVC Products
8	2	4	46	7	110mm UPVC Pipe encased in concrete laid in and including trenches not exceeding 1m deep	100% PVC Products
9	2	4	46	8	10mm Bends	100% PVC Products
10	2	4	46	9	110mm Access bends	100% PVC Products
11	2	4	46	10	110mm Junctions	100% PVC Products
12	2	4	46	11	110mm Access junction	100% PVC Products
13	2	4	46	12	Manhole 800 x 800 x 1000mm deep	100% Steel Products
14	2	4	46	15	110mm Gulley including precast surround and PVC grating etc. not exceeding 500mm deep	100% Cement
15	2	4	46	17	32mm water supply in and including trenches not exceeding 1m deep to join onto existing water supply to other Blocks	100% HDPE pipes
16	2	4	46	18	Fittings to 32mm pipe	100% HDPE pipes
17	2	4	46	19	32mm gate valve	70% valve
18	2	5	48	1	2100mm high palisade fence	100% Steel Products

19	2	5	48	2	300mm high flat razor wire fence to tops of gates and fences	100% Steel Products
20	2	5	48	3	1800mm wide x 2100mm high pedestrian gate	100% Steel Products
21	2	5	49	5	1800mm high hoarding barrier	100% Steel Products
22	2	6	51	4	20mm thick sand bed on compacted earth in preparation for paving blocks (measured elsewhere); allow for grout in paver joints or other suitable adhesive	100% Cement
23	2	6	49	1	2100mm high palisade fence	100% Steel Products
24	2	6	49	2	300mm high flat razor wire fence to tops of gates and fences	100% Steel Products
25	2	6	49	3	1800mm wide x 2100mm high pedestrian gate	100% Steel Products
26	2	6	50	5	1800mm high hoarding barrier	100% Steel Products
27	2	7	52	4	20mm thick sand bed on compacted earth in preparation for paving blocks (measured elsewhere); allow for grout in paver joints or other suitable adhesive	100% Cement
28	3	1	57	4	Allow a sum of R15 000.00 (Fifteen Thousand Rands) for repair work to rust damaged steel columns in platform sheds. Amount to include the replacement of redundant steel sections and/or welding or bolting new steel plates to existing steel surface	100% Steel Products
29	3	2	59	1	2000mm wide pre-cast concrete steps to existing staircase	100% Cement
30	3	3	60	1	400mm wide x 200mm high box gutters	100% Steel Products
31	3	3	60	2	150mm diameter downpipe to match gutters	100% Steel Products
32	3	3	60	3	Extra over eaves gutter for stopped end	100% Steel Products
33	3	3	60	4	Extra over eaves gutter for outlet for 150mm diameter pipe	100% Steel Products
34	3	3	60	5	Rain water shoe	100% Steel Products
35	3	5	62	3	20mm thick sand bed on compacted earth in preparation for paving blocks (measured elsewhere); allow for grout in paver joints or other suitable adh suitable adhesive	100% Cement
36	4	1	66	1	Container of size: 12190mm long x 2350 wide x 3400 high	100% Steel Products
37	4	1	67	3	203 x 203 x 46kg/m I-section columns	100% Steel Products
38	4	1	67	4	203 x 203 x 46kg/m I-section beam	100% Steel Products
39	4	1	67	5	M16 HD Bolts	100% Steel Products

40	4	1	67	6	Steel lightweight frame comprising hollow sections below floors complete with steel tread plate below floors to required and approved thickness	100% Steel Products
41	4	1	67	7	Steel lightweight frame comprising hollow sections to internal side of container walls (from floor to ceiling)	100% Steel Products
41	4	2	69	1	Roof coverings with a pitch not exceeding 12 degree complete with flashing on edges	100% Steel Products
42	4	2	69	2	150 x 150 x 6mm eaves gutter	100% Steel Products
43	4	2	69	3	100 x 75mm downpipe to match gutters	100% Steel Products
44	4	2	69	4	Extra over eaves gutter for stopped end	100% Steel Products
45	4	2	69	5	Extra over eaves gutter for bends	100% Steel Products
46	4	2	69	6	Extra over eaves gutter for outlet for 150mm diameter pipe	100% Steel Products
47	4	2	69	7	Extra over rainwater pipe for offset	100% Steel Products
48	4	2	69	8	Rain water shoe	100% Steel Products
49	4	4	73	1	Door type D01 of overall size 900 x 2120mm high including frame	100% Steel Products
50	4	4	73	2	Door type D01 of overall size 900 x 2120mm high including frame	100% Steel Products
51	4	5	76	1	25mm thick screed	100% Cement
52	4	5	76	2	60mm thick mortar bed	100% Cement
53	4	6	77	1	75mm four lever upright mortice lockset with satin chrome furniture	100% Steel Products
54	4	6	77	2	Indicator bolt with 'red/green' indicator	100% Steel Products
55	4	6	77	3	Grade 304 stainless steel round D lever handle on a long backplate with a profiled cylinder opening fixed to timber doors with matching screws	100% Steel Products
56	4	6	77	4	Satin stainless steel paper towel dispenser with min 600 folded paper towels and cylinder lock, plugged and screwed to the wall with stainless steel screws.	100% Steel Products
57	4	6	77	5	Satin stainless steel waste disposal bins with capacity of plus minus 40 litres and with a frame inside the dispenser to hold a liner, plugged and screwed to the wall with stainless steel screws	100% Steel Products
58	4	6	77	6	Satin stainless steel liquid soap dispenser complete with replaceable and refillable 1 litre container, cylinder lock all plugged and screwed to walls with stainless steel screws	100% Steel Products
59	4	6	77	7	Vandal resistant satin stainless steel 3 tier lockable toilet roll holder with central shaft system	100% Steel Products

					and cylinder lock, plugged and screwed to walls with stainless steel screws	
60	4	6	77	8	Satin stainless steel sanitary towel disposal bins with capacity of minimum 10 litres, free standing or wall mounted (plugged and screwed to the wall with stainless steel screws)	100% Steel Products
61	4	6	77	9	32mm diameter stainless steel cistern back rail in satin polished finish complete with SS fixing screws and plastic wall plugs, installed at 800mm above floor level as per manufacturer's instructions.	100% Steel Products
62	4	6	78	10	300 x 300 x 300mm x 32mm diameter stainless steel dog-leg side grab rail, without centre flange in satin polished finish complete with SS fixing screws and plastic wall plugs, as per manufacturer's instructions.	100% Steel Products
63	4	7	80	1	Aluminium window type W01 of size 900 x 900mm high	100% Steel Products
64	4	7	80	2	Aluminium window type W02 of size 600 x 900mm high	100% Steel Products
65	4	7	80	3	Aluminium window type W03 of size 2000 x 1200mm high	100% Steel Products
66	4	7	80	4	Door type D02 of overall size 900 x 2120mm high including frame	100% Steel Products
67	4	7	80	5	To walls	100% Steel Products
68	4	7	80	6	To exterior walls including mounting	100% Steel Products
69	4	7	81	7	Feature cladding to external side of container walls (allow a PC sum of R550/m2 for the supply of all material)	100% Steel Products
70	4	9	85	12	50mm Pipes fixed to walls, ceilings, roofs, floors, or laid in filling	100% Steel Products
71	4	9	85	13	50mm Bends	100% PVC Products
72	4	9	85	14	50mm access bends	100% PVC Products
73	4	9	85	15	50mm tee	100% PVC Products
74	4	9	85	16	110mm bend	100% PVC Products
75	4	9	85	17	110 mm Access bend	100% PVC Products
76	4	9	85	18	110 mm Reducer	100% PVC Products
77	4	9	85	19	110mm Pan connector	100% Steel Products
78	4	9	85	21	15mm Pipe fixed to walls, ceilings, chased in, etc.	100% Steel Products
79	4	9	85	22	22mm Pipe fixed to walls, ceilings, chased in, etc.	100% Steel Products

80	4	9	85	23	28mm Pipe fixed to walls, ceilings, chased in, etc.	100% Steel Products
81	4	9	85	24	15mm Fittings	100% Steel Products
82	4	9	85	25	22mm Fittings	100% Steel Products
83	4	9	86	26	28mm Fittings	100% Steel Products
84	4	9	86	27	15mm Gate valve	70% Valve
85	4	9	86	28	22mm Gate valve	70% Valve
86	4	9	86	29	28mm Gate valve	70% Valve
87	5	1	90	2	Supply and lay electrical cable sleeves / Black	90% Electrical cable Products
88	5	1	90	3	35mm ² 4 core 1000V PVC / SWA / PVC Copper Cable	90% Electrical cable Products
89	5	1	90	4	10mm ² 4 core 1000V PVC / SWA / PVC Copper Cable	90% Electrical cable Products
90	5	1	90	5	6mm ² 4 core 1000V PVC / SWA / PVC Copper Cable	90% Electrical cable Products
91	5	1	90	6	16mm ² Bare Copper Earth Wire	90% Electrical cable Products
92	5	1	90	7	6mm ² Bare Copper Earth Wire	90% Electrical cable Products
93	5	1	90	8	4mm ² Bare Copper Earth Wire	90% Electrical cable Products
94	5	1	91	9	35mm ² 4 core PVC / SWA / PVC	90% Electrical cable Products
95	5	1	91	10	10mm ² 4 core 1000V PVC / SWA / PVC Copper Cable	90% Electrical cable Products
96	5	1	91	11	6mm ² 4 core 1000V PVC / SWA / PVC Copper Cable	90% Electrical cable Products
97	5	1	91	12	10mm ² Bare Copper Earth Wire	90% Electrical cable Products
98	5	1	91	13	6mm ² Bare Copper Earth Wire	90% Electrical cable Products
99	5	1	91	14	4mm ² Bare Copper Earth Wire	90% Electrical cable Products
100	5	1	91	15	Supply and Install 25KVA transformer on existing Steel - Hpole including all termination cables	90% Electrical cable Products
101	5	1	91	20	25mm - Galvanised conduit including bending, short lengths, draw boxes, cutting, bands, jointing, couplings, saddles and wastage as per SABS 1065. Fixed to surface or laid in or flush	100% Steel Products
102	5	1	92	21	100 x 50 x 50mm	100% Steel Products
103	5	1	92	22	100 x 100 x 50mm	100% Steel Products
104	5	1	92	23	100 x 50 x 50mm Standard white coverplates complete with chrome screws	100% Steel Products
105	5	1	92	24	100 x 100 x 50mm Standard white coverplates complete with chrome screws	100% Steel Products

106	5	1	92	25	1.5mm ²	90% Electrical cable Products
107	5	1	92	26	2.5mm ²	90% Electrical cable Products
108	5	1	92	27	4mm ²	90% Electrical cable Products
109	5	1	92	28	1.5mm ²	90% Electrical cable Products
110	5	1	92	29	2.5mm ²	90% Electrical cable Products
111	5	1	94	41	2 compartment power skirting installed in the offices server room,, service desk and Information desk (To include All elbows, corners sections, Tsections& end caps)	100% Steel Products
112	5	1	94	42	127 mm wide x 76 mm deep (for electronic services, P9000)	100% Steel Products
113	5	1	94	52	4 core Multimode fiber OM3 Cable	90% Electrical cable Products
114	5	1	95	62	CAT6a STP Cable	90% Electrical cable Products
115	5	1	96	72	Supply and install 6mm ² x 4 core insisting cable sleeves for the Mast	90% Electrical cable Products
116	5	1	96	79	Supply and install 4mm ² x 4 core insisting cable sleeves for the Mast	90% Electrical cable Products
117	5	1	97	84	20mm galvanised conduit 4m length with complete with fischer plugs, saddles	100% Steel Products
118	5	1	97	85	9.5mm dia solid Al round air termination conductor including all fixing accessories	100% Steel Products
119	5	1	97	86	10mm dia solid Al alloy down conductors mounted to the the earth electrode.	100% Steel Products
120	5	1	97	87	70mm ² (BCEW) bare stranded copper conductor laid in a trench for the creation of ring earth electrode in trench 500mm below ground. Allow for excavation of soil	100% Steel Products
121	5	1	97	88	Termination of down conductors to roof sheeting, including all fixing accessories	100% Steel Products
122	5	1	97	89	16mm dia. 1 500mm long copper earth electrodes driven into ground+clamps	100% Steel Products
123	5	1	97	90	16mm ² Dia. x 500mm long copper roof termination rod/ Air termination rod	100% Steel Products
124	5	2	100	7	890mm Heigh x 590mm Width x 285mm Depth Fire Extinguishers Cabinet comes with Vandal Proof System	100% Steel Products
125	5	2	101	8	65mm Hydrant Valves	70% Gate Valve
126	5	1	101	9	Dia. 65mm Twin Fire Booster Stand Pipe & Non Return Valve	70% Gate Valve

127	5	1	101	13	Allow for full water reticulation of fire water from the main water intaketank to the proposed fire water tanks and the fire hydrant system. This shall include all required excavation , Laying of Class 16 uPVC 100mm pressure pipes with rubber ring joints ,bedding and padding. This shall ensure a reliable and consistant water supply for fire protection system	100% PVC Products
-----	---	---	-----	----	--	-------------------

3. Does any portion of the goods or services offered have any imported content?

(Tick applicable box)

YES		NO	
-----	--	----	--

3.1 If yes, the rate(s) of exchange to be used in this bid to calculate the local content as prescribed in paragraph 1.5 of the general conditions must be the rate(s) published by SARB for the specific currency at 12:00 on the date of advertisement of the bid.

The relevant rates of exchange information is accessible on www.reservebank.co.za

Indicate the rate(s) of exchange against the appropriate currency in the table below (refer to Annex A of SATS 1286:2011):

Currency	Rates of exchange
US Dollar	
Pound Sterling	
Euro	
Yen	
Other	

NB: Bidders must submit proof of the SARB rate (s) of exchange used.

4. Where, after the award of a bid, challenges are experienced in meeting the stipulated minimum threshold for local content the dti must be informed accordingly in order for the dti to verify and in consultation with the AO/AA provide directives in this regard.

LOCAL CONTENT DECLARATION
(REFER TO ANNEX B OF SATS 1286:2011)

LOCAL CONTENT DECLARATION BY CHIEF FINANCIAL OFFICER OR OTHER LEGALLY RESPONSIBLE PERSON NOMINATED IN WRITING BY THE CHIEF EXECUTIVE OR SENIOR MEMBER/PERSON WITH MANAGEMENT RESPONSIBILITY (CLOSE CORPORATION, PARTNERSHIP OR INDIVIDUAL)

IN RESPECT OF BID NO.

ISSUED BY: (Procurement Authority / Name of Institution):

NB

- 1 The obligation to complete, duly sign and submit this declaration cannot be transferred to an external authorized representative, auditor or any other third party acting on behalf of the bidder.
- 2 Guidance on the Calculation of Local Content together with Local Content Declaration Templates (Annex C, D and E) is accessible on http://www.thdti.gov.za/industrial_development/ip.jsp. Bidders should first complete Declaration D. After completing Declaration D, bidders should complete Declaration E and then consolidate the information on Declaration C. **Declaration C should be submitted with the bid documentation at the closing date and time of the bid in order to substantiate the declaration made in paragraph (c) below.** Declarations D and E should be kept by the bidders for verification purposes for a period of at least 5 years. The successful bidder is required to continuously update Declarations C, D and E with the actual values for the duration of the contract.

I, the undersigned, (full names),

do hereby declare, in my capacity as

of(name of bidder entity), the following:

- (a) The facts contained herein are within my own personal knowledge.
- (b) I have satisfied myself that:
 - (i) the goods/services/works to be delivered in terms of the above-specified bid comply with the minimum local content requirements as specified in the bid, and as measured in terms of SATS 1286:2011; and
- (c) The local content percentage (%) indicated below has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E which has been consolidated in Declaration C:

Bid price, excluding VAT (y)	R
Imported content (x), as calculated in terms of SATS 1286:2011	R
Stipulated minimum threshold for local content (paragraph 3 above)	
Local content %, as calculated in terms of SATS 1286:2011	

If the bid is for more than one product, the local content percentages for each product contained in Declaration C shall be used instead of the table above.

The local content percentages for each product has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E.

- (d) I accept that the Procurement Authority / Institution has the right to request that the local content be verified in terms of the requirements of SATS 1286:2011.
- (e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SATS 1286:2011, may result in the Procurement Authority / Institution imposing any or all of the remedies as provided for in Regulation 14 of the Preferential Procurement Regulations, 2017 promulgated under the Preferential Policy Framework Act (PPPFA), 2000 (Act No. 5 of 2000).

SIGNATURE: _____

DATE: _____

WITNESS No. 1 _____

DATE: _____

WITNESS No. 2 _____

DATE: _____

SECTION 9

COMMISSIONER OF OATH

I certify that the above has acknowledged that he/she knows and understands the contents of this document, that he/she does not have any objection to taking the oath, and that he/she considers it to be binding on his/her conscience, and which was sworn to and signed before me at _____ on this the _____ day of _____ 20____, and that the administering oath complied with the regulations contained in Government Gazette No. R 1258 of 21 July 1972, as amended.

_____ (Sign – SERVICE PROVIDER)

_____ (Name – SERVICE PROVIDER)

COMMISSIONER OF OATHS STAMP AND DETAILS OF PERSON

STAMP :

NAME & SURNAME:

DESIGNATION/RANK :

PERSAL/EMPLOYEE NO:

PLACE/DATE:

SECTION 10

INTRODUCTION

PRASA intends to activate passenger railway services within the subject corridor (Mabopane -Pretoria). This is part of the national Priority Corridor Recovery initiative of PRASA RAIL. Part of this initiative is to ensure that immovable railway infrastructure is in good working condition during the service reactivation process.

BACKGROUND INFORMATION

STATUS QUO

The passenger railway services offered by PRASA at the subject corridors are not at par with the normal operations of passenger rail service. The railway infrastructure at these facilities has been rendered functionally obsolete due to the acts of vandalism that occurred over the past three years. Railway infrastructure such as railway tracks and related overhead track equipment, ticket office buildings, platform surfaces, lighting equipment, ablution facilities, retail/commercial facilities, parking, etc. has been damaged beyond use. The PRASA CRES strategy has pointed to a need for rapid development of the Rail Top Priority Corridors, in line with the Service Resumption and the Infrastructure Investment and Development plan in these Corridors.

Vandalized and ageing infrastructure must be refurbished and upgraded, while PRASA CRES has to provide capacity ahead of demand; as well as rehabilitate its stations in line with the NSIP (National Station Improvement Programme) Capital Expenditure. This necessity creates a need for increase capacity and resources to deliver within a 3 year-period property investments that have not been made as a result of vandalism that occurred during country's shut down due to Covid-19 pandemic. It is for this reason that PRASA CRES intends to appoint a contractor for the National Station Improvement Programme (NSIP) at Garankuwa Station.

PROBLEM STATEMENT

Garankuwa Station is among the projects throughout the country identified by PRASA which will be implemented through National Station Improvement Programme at the various stations and facilities

which have been vandalised and is in need of quick and timeous rectification of these stations. The station is currently severely vandalised and therefore cannot be done through facilities management.

PICTORIALS

Garankuwa Station




Picture 1: Platform shelters are vandalised, on platforms



Picture 2: Vandalised buildings at the station debris



Picture 3: Existing buildings vandalised internally



Picture 4: Commuter bridge needs refurbishment

OBJECTIVE OF THE PROPOSED PROJECT

The purpose of this request for quotation (RFQ) is to procure the services of a 4GB or higher contractor to assist PRASA CRES with the refurbishment of the station facilities including construction of shipping containers, commuter toilets, ticket offices, shelters, etc. so that the functionality challenges are addressed. The intended objectives to be achieved through the implementation of the project through various project lifecycle are as follows:

- Execution: Construction and delivery of the deliverable which includes but limited to alterations and additions to the shipping containers in accordance with the plans (on or off-site), earthworks (construction of the foundations, pathways, parking bays, trenches, etc.), services such as water, sewer and electricity, etc., monitoring and controlling of all aspects of the project.
- Closure: Performance of project closure which includes hand-over to PRASA CRES, close-out reports which includes final accounts, warranties, guarantees, maintenance manuals, etc., and delivery of all project closure documentation deliverables.

Project Implementation Approach

A consortium of professionally registered consultants has already been appointed for this project. The Project Manager is to assume the leadership / management of all the professional disciplines, which includes responsibility for:

- Overall administration of all sections of the professional services.
- Overall co-ordination, programming of design and financial control of all the works included in this project; and
- Processing certificates or recommendations for payment of all work done on the project.
- Payments will be in terms of an agreed payment schedule based on the progress of the works.
- Close out reports and as built drawings

SCOPE OF WORK AND AREAS OF FOCUS

SCOPE OF THE DESIRED SOLUTION

The scope of works included herein is to obtain a 4GB or higher contractor as a service provider for the refurbishment of Garankuwa station facilities and construction of shipping containers such as ticket offices, commuter toilets, shelters, etc. so that Metrorail staff can perform customer services supporting the travelling commuters such as ticket sales, and other important functions.

The refurbishment of Garankuwa Station shall be in accordance with the set requirements of PRASA. The scope entails renovations of existing facilities and construction of shipping containers as per the attached designs. The works shall include construction of the following:

- I. Ticket Sales/ administration office
- II. Ablutions for staff and commuters
- III. Signage
- IV. Plumbing
- V. Fencing
- VI. Electrification and lighting
- VII. HVAC
- VIII. Stormwater and sewer line
- IX. Platform surfaces and painting of platform lines
- X. Access way

4.3.4 Information provided for pricing purposes

I. Unpriced Bill of Quantities – Annexure A

II. Architectural Layout for the Development – Annexure B

The works involve the construction of shipping containers and alterations to facilities within the station to create the optimal spatial configuration to enable the best possible functionality of the station and to conform to the latest standard specification in terms of the PRASA - Norms, Guidelines and Standards (NGS) for Station Facilities (2014), the PRASA – Blue Print Specifications 2019, National Building Regulations and Building Standards Act including Safety Arrangements and Procedural Compliance with the Occupational Health and Safety Act (Act 85 of 1993) and Applicable Regulations (E4E); including any subsequent amendments, and related construction regulations, and guidelines. All designs to comply with the National Building

1 COMMUNITY LIASON OFFICER (CLO)

The successful bidder will be required to appoint and work with a Community Liaison Officer (CLO) as they implement the project.

A Community Liaison Officer (CLO), sometimes referred to as a local liaison officer, communicates and coordinates activities between an organization and a community. Typically, this might be required where an organization such as PRASA has a significant interaction with the general public.

The specific role and responsibilities of a CLO will typically include:

- Gathering and sharing project information with the community and vice versa.
- Fostering an environment that encourages and supports community involvement in the project and engagement
- Giving presentations to community organizations about the project at hand
- Hosting or attending community meetings, allowing attendees to express concerns and raise issues.
- Collating a list of skills and resources available in the community for use by the contractor

- Building a 'community spirit' around a project
- Monthly reports to be prepared and submitted to the contractor by the CLO

2 LOCATION OF THE PROJECT

The project is located at Garankuwa Station in the North Gauteng Region's Mabopane – Pretoria Corridor and is mainly targeting the Garankuwa area.

DURATION OF THE PROJECT

The duration of the project will be **8 months**.

ANNEXURES

Annexure A: Bill of Quantities

Annexure B: Drawings

Annexure C: Local content documents

Annexure D: Contract Data

Annexure E: Health and Safety requirements