

# TSHWANE AUTOMOTIVE SPECIAL ECONOMIC ZONE

AFRICA'S FIRST AUTOMOTIVE CITY

REQUEST FOR QUOTATIONS	
<b>RFQ Description:</b>	APPOINTMENT OF A SERVICE PROVIDER TO SUPPLY, INSTALL AND COMMISSION SPIKES.
<b>RFQ Number:</b>	TASEZ/RFQ169/2025
<b>Closing Date:</b>	11 May 2026
<b>Closing Time:</b>	12h00
<b>RFQ validity period:</b>	90 Days
<b>Compulsory Briefing:</b> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	N/A
<b>TASEZ Enquiry Details:</b>	<a href="mailto:rfqs-rfps@tasez.co.za">rfqs-rfps@tasez.co.za</a>
<b>Name:</b>	Lucia Buda
<b>Contact Numbers:</b>	N/A
<b>Email Address:</b>	<a href="mailto:Luciab@tasez.co.za">Luciab@tasez.co.za</a>
<b>Delivery Address:</b>	<a href="mailto:rfqs-rfps@tasez.co.za">rfqs-rfps@tasez.co.za</a>

<b>Bidders Name:</b>	
<b>Total Bid Price (All Inclusive)</b>	R

---

**Table of Contents**

**1. BACKGROUND**.....3

**2. INVITATION TO SUBMIT A QUOTATION**.....3

**3. SCOPE OF WORK** .....4

**4. CONTACT AND COMMUNICATION**.....4

**5. LATE SUBMISSION**.....17

**6. EVALUATION OF BIDS** .....18

**7. VALIDITY PERIOD OF THE RFQ** .....19

**8. DURATION OF THE CONTRACT** .....19

**9. PRICING SCHEDULE**.....19

**10. SBD 1 FORM** .....20

**List of Tables**

Table 1: Tender Returnables Requirements to be submitted for Evaluation..... 17

Table 2: Administrative Requirements..... 18

Table 3: Pricing Schedule..... **Error! Bookmark not defined.**

--

## **1. BACKGROUND**

### **1.1. Background**

TASEZ has installed the following security barriers:

- At the Phase 1a main entrances as such the current measures of control, we have installed centurion boom gates that doesn't have spike barriers on them, creating a slight problem for being bumped, which can lead to security breaches also defeating the use of the boom gate.

### **1.2 Purpose**

The purpose of this demand is to request approval to proceed with the procurement of a service provider to supply, install, and commission the following equipment:

- Exit Side:
  - 4m (meter) Velocity Raptor Vehicle Barriers (Boom-Gate and Spike barriers).
  - 3m (meter) Velocity Raptor Vehicle Barriers (Boom-Gate and Spike barriers).
- Entrance side:
  - 4m (meter) Velocity Raptor Vehicle Barriers (Boom-Gate and Spike barriers).
  - 3m (meter) Velocity Raptor Vehicle Barriers (Boom-Gate and Spike barriers).
- Ford Frame:
  - 3m (meter) Velocity Raptor Vehicle Barriers (Boom-Gate and Spike barriers).

### **1.3 Benefits**

The benefit of upgrading the vehicle access control system is to improve security measures by installing robust barriers in order to deter motorists from breaching security checks.

**2. SCOPE OF WORK**

**2.1. General Requirements**

The service provider is required to supply, install, commission and maintain the following equipment:

Area	#	Item	Description	Quantity
Ford Chases at Guard House 2	1	4m Boom-Gate	Barrier arm shall be provided with a designated motor	1
	2	4m Spikes	Shall be provided with a designated motor	1
Phase 1a (Entrance side)	3	4 m Boom-Gate with 4m Spikes	Barrier arms shall be provided with a designated motor. Shall be provided with a designated motor	1
	4	3 m Boom-Gate with 4m Spikes	Barrier arms shall be provided with a designated motor. Shall be provided with a designated motor	1
Phase 1a (Exit side)	5	4 m Boom-Gate with 4m Spikes	Barrier arm shall be provided with a designated motor. Shall be provided with a designated motor	1
	6	3 m Boom-Gate with 4m Spikes	Barrier arm shall be provided with a designated motor. Shall be provided with a designated motor	1
			<b>totals</b>	
			<b>Velocity Raptor</b>	5
			<b>Spike</b>	5

**2.2. Technical Specification for the booms and the spikes**

2.3. Input voltage - 100V–240V AC ±10% at 50Hz/60Hz

- Drive – Swift Drive ®

--

- Motor detail - BLDC, 24V DC, 100W (two units)
- Gearbox – Planetary.
- Motor power supply- 27.6V DC, 4.5A, 120W.
- Duty cycle- 100% - rated for continuous non-stop operation
- Barrier arm length - 4m
- Opening speed- 3m - 2.8 seconds and 3,7 Seconds for 4m
- Cabinet weight- 80 kg.
- Recessed design- 41kg per metre.
- Surface mount design- 38kg per metre.
- Barrier arm detail- 86mm x 43mm, 1.5mm wall thickness, powder coated white aluminium with red reflective tape and integrated RGB LED.
- Barrier arm weight- 1.45kg per metre.
- Manual override - Secure internal easy-pull lever arm.
- Operating temperature- (-15°C to +60°C).
- Power failure operation- Two 12V 7Ah batteries.
- Collision detection- Motor embedded hall sensors.
- Safety control- Dual channel safety loop detector and input for any external sensor.
- Systems integration –
  - Integrates with all access control, ticketing and time & attendance systems.
  - Triggered through a normally open dry contact.
  - Free exit loop features built-in as standard.
  - Relay outputs- Open and closed relay outputs.

#### 2.4. Cabinet finish:

- Mild steel with UV resistant exterior grade powder coat.
- 3Cr12 stainless steel with UV resistant exterior grade powder coat.

- 304 grade brushed stainless steel.
- 316 grade brushed stainless steel.
- Suitable for corrosive environments.

2.5. Safety:

<b>Technical Data</b>	<b>Independent Drive CLAWS - Drive Unit</b>	<b>Independent Drive CLAWS with Co-Installed Boom-Gate</b>
System input voltage	220V AC +/-10% @ 50Hz1	Connects to the Boom-Gate Barrier supply
Motor voltage	12V DC	12V DC
Motor power supply	Battery driven (standard capacity - 7Ah)	Connects to the Boom-Gate Barrier supply
Battery charger	CP84SM – 1.8A @ 13.7 +/- 1%	Connects to the Boom-Gate Barrier supply
System current consumption (mains supply)	170mA	300mA
System current consumption (motor rated / peak load)	2/12 A	3/12 A
System current consumption (quiescent load)	75mA	150mA
Spike raise time	1,2 sec	1.2 sec
Maximum daily cycles	3 000 cycles/day	3 000 cycles/day
System design life	2 000 000 cycles	1 800 000 cycles

integrated as standard).

--

- Infrared beam transmitter and receiver kit (10m range).
- Photoelectric, diffuse sensor (3m range) - non-invasive.

## **2.6. Technical Specification for the Spokes**

- Reliable battery backup – continued operation even during power failures.
- High-torque DC motor for long-term reliability.
- Selectable High-security or Safe Modes.
- Independent Drive model has its own drive mechanism and controller which synchronizes with the rapid, high-volume barrier, controller.
- Direct Drive model utilizes the rapid, high-volume barrier's drive mechanism.
- Flush-mount and surface-mount options available.
- Modular construction – flexible and easy to transport.
- Modular units allow for ex-stock delivery.


## **2.7. System Automation**

- Three stages interlinked opening and closing procedure to prevent mishaps where a vehicle drives underneath the barrier arm before the barrier arm is in the raised position and before the spikes have lowered fully.
- Opening procedure: The spikes lower, the barrier arm raises and the OPTIC LED barrier arm changes to green.
- Closing procedure: The OPTIC LED barrier arm changes to red, the barrier arm descends and then the spikes rise.
- Spike raise input to force raise the spikes in the event of an emergency activation
- Embedded microcontroller
- Relay output for raised and lowered positions
- Integrated dual safety loop detector (one detector can also be allocated for free exit)
- 4.5A power supply – barrier is run from the power supply, not battery driven


- as batteries can become exhausted over time
- Built-in battery backup (7Ah) with battery protection
  - Can operate with a solar powered system
  - Slim, low profile cabinet (272mm x 256mm)
  - Adjustable compression springs for barrier arm balancing – no tension springs used
  - Easy change of handing – can be done effortlessly in under five minutes
  - Wireway through center of shaft for LED light strip or barrier arm impact detection safety edge
  - Harmonic motion drive arm mechanism.
  - Mechanical locking in the secure position.
  - Spikes remain raised even if the barrier arm is forced up.
  - Effortless mechanical override for manual operation - release of barrier arm and spike to allow traffic to pass.
  - Sturdy octagonal barrier arm with integrated LED light strip, diffuser and red reflective tape
  - Break-away barrier arm system.
  - Available in powder coated mild steel and 3Cr12 stainless steel, brushed 304 and 316 grade stainless steel.
  - Rack supplied in hot dip galvanised mild steel for ultimate longevity.
  - Recessed rack design with patented double-sided spike, 80mm high.
  - Surface mount rack is designed to withstand three times the load of a fully laden 8-ton truck.
  - Surface mount rack ultra-low 55mm high and 360mm wide, with 80mm high spikes.

## **2.8. Visual Representation of the required Boom:**

- Recessed Design



- Surface Mount Design



**2.9. Detailed Scope of Work:**

- Supply, installation and commissioning of the new boom gates with motorized Spikes.
- Removal and possible relocation of the current boom gates.

- Maintain and repair faulty parts in the 24-month guaranteed period without fail.
- The Service provider must explicitly articulate the warranty duration on all equipment

Area	#	Item	Description	Quantity
Ford Chases at Guard House 2	1	4m Boom-Gate	Barrier arm shall be provided with a designated motor	1
	2	4m Spikes	Shall be provided with a designated motor	1
Phase 1a (Entrance side)	3	4 m Boom-Gate with 4m Spikes	Barrier arm shall be provided with a designated motor. Shall be provided with a designated motor	1
	4	3 m Boom-Gate with 4m Spikes	Barrier arm shall be provided with a designated motor. Shall be provided with a designated motor	1
Phase 1a (Exit side)	5	4 m Boom-Gate with 4m Spikes	Barrier arm shall be provided with a designated motor. Shall be provided with a designated motor	1
	6	3 m Boom-Gate with 4m Spikes	Barrier arm shall be provided with a designated motor. Shall be provided with a designated motor	1
<b>totals</b>			<b>Velocity Raptor</b>	5
			<b>Spike</b>	5

ce provider shall be registered with PSIRA, SASA, SAIEE, SAIMEchE or ESCA and have experience of repairing, maintaining, and servicing of the equipment.

- All work performed by the service provider must comply with the following:
  - 1.3..1 Occupational Health and Safety Act (OHSA), 1993
  - 1.3..2 National Building Regulations and Building Standards Act, 1977
  - 1.3..3 Consumer Protection Act, 2008
- The Service provider should also have the ISO 9001:2015 certificate in place.

--

2.10. **The** service provider is required to supply, install, commission and maintain the following equipment:

**2.11. Technical Specification for the booms and the spikes**

- Input voltage - 100V–240V AC  $\pm$ 10% at 50Hz/60Hz
- Drive - SwiftDrive®
- Motor detail - BLDC, 24V DC, 100W (two units)
- Gearbox – Planetary.
- Motor power supply- 27.6V DC, 4.5A, 120W.
- Duty cycle- 100% - rated for continuous non-stop operation
- Barrier arm length - 4m
- Opening speed- 3m - 2.8 seconds and 3,7 Seconds for 4m
- Cabinet weight- 80 kg.
- Recessed design- 41kg per metre.
- Surface mount design- 38kg per metre.
- Barrier arm detail- 86mm x 43mm, 1.5mm wall thickness, powder coated white aluminium with red reflective tape and integrated RGB LED.
- Barrier arm weight- 1.45kg per metre.
- Manual override - Secure internal easy-pull lever arm.
- Operating temperature- (-15°C to +60°C).
- Power failure operation- Two 12V 7Ah batteries.
- Collision detection- Motor embedded hall sensors.
- Safety control- Dual channel safety loop detector and input for any external sensor.
- Systems integration –
- Integrates with all access control, ticketing and time & attendance systems.
- Triggered through a normally open dry contact.
- Free exit loop features built-in as standard.

- Relay outputs- Open and closed relay outputs.
- Cabinet finish:
  - 1.3..1Mild steel with UV resistant exterior grade powder coat.
  - 1.3..23Cr12 stainless steel with UV resistant exterior grade powder coat.
  - 1.3..3304 grade brushed stainless steel.
  - 1.3..4316 grade brushed stainless steel.
  - 1.3..5Suitable for corrosive environments.
- Safety:
  - 1.3..1Dual channel loop detector (integrated as standard).
  - 1.3..2Infrared beam transmitter and receiver kit (10m range).
  - 1.3..3Photoelectric, diffuse sensor (3m range) - non-invasive.

**2.12. Technical Specification for the spikes**

- Reliable battery backup – continued operation even during power failures.
- High-torque DC motor for long-term reliability.
- Selectable High-security or Safe Modes.
- Independent Drive model has its own drive mechanism and controller which synchronises with the rapid, high-volume barrier, controller.
- Direct Drive model utilises the rapid, high-volume barrier's drive mechanism.
- Flush-mount and surface-mount options available.
- Modular construction – flexible and easy to transport.
- Modular units allow for ex-stock delivery.

Technical Data	Independent Drive CLAWS - Drive Unit	Independent Drive CLAWS with Co-Installed Boom-Gate
System input voltage	220V AC +/-10% @ 50Hz1	Connects to the Boom-Gate Barrier supply

--

Motor voltage	12V DC	12V DC
Motor power supply	Battery driven (standard capacity - 7Ah)	Connects to the Boom-Gate Barrier supply
Battery charger	CP84SM – 1.8A @ 13.7 +/- 1%	Connects to the Boom-Gate Barrier supply
System current consumption (mains supply)	170mA	300mA
System current consumption (motor rated / peak load)	2/12 A	3/12 A
System current consumption (quiescent load)	75mA	150mA
Spike raise time	1,2 sec	1.2 sec
Maximum daily cycles	3 000 cycles/day	3 000 cycles/day
System design life	2 000 000 cycles	1 800 000 cycles

**2.13. System Automation**

- Three stages interlinked opening and closing procedure to prevent mishaps where a vehicle drives underneath the barrier arm before the barrier arm is in the raised position and before the spikes have lowered fully.
- Opening procedure: The spikes lower, the barrier arm raises and the OPTIC LED barrier arm changes to green.
- Closing procedure: The OPTIC LED barrier arm changes to red, the barrier arm

--


descends and then the spikes rise.

- Spike raise input to force raise the spikes in the event of an emergency activation • Embedded microcontroller
- Relay output for raised and lowered positions
- Integrated dual safety loop detector (one detector can also be allocated for free exit)
- 4.5A power supply – barrier is run from the power supply, not battery driven as batteries can become exhausted over time
- Built-in battery backup (7Ah) with battery protection
- Can operate with a solar powered system
- Slim, low profile cabinet (272mm x 256mm)
- Adjustable compression springs for barrier arm balancing – no tension springs used
- Easy change of handing – can be done effortlessly in under five minutes
- Wireway through centre of shaft for LED light strip or barrier arm impact detection safety edge
- Harmonic motion drive arm mechanism.
- Mechanical locking in the secure position.
- Spikes remain raised even if the barrier arm is forced up.
- Effortless mechanical override for manual operation - release of barrier arm and spike to allow traffic to pass.
- Sturdy octagonal barrier arm with integrated LED light strip, diffuser and red reflective tape
- Break-away barrier arm system.
- Available in powder coated mild steel and 3Cr12 stainless steel, brushed 304 and 316 grade stainless steel.
- Rack supplied in hot dip galvanized mild steel for ultimate longevity.
- Recessed rack design with patented double-sided spike, 80mm high.
- Surface mount rack is designed to withstand the load of a fully laden 8-ton truck three times.


- Surface mount rack ultra-low 55mm high and 360mm wide, with 80mm high spikes.

**2.14. Visual Representation of the required Boom:**

- Recessed Design



- Surface Mount Design



---

**2.15. Detailed Scope of Work:**

- Supply, installation and commissioning of the new boom gates with motorized Spikes.
- Removal and possible relocation of the current boom gates.
- Maintain and repair faulty parts in the 24-month guaranteed period without fail.
- The Service provider must explicitly articulate the warranty duration on all equipment to be supplied.
- The service provider shall be registered with PSiRA, SASA, SAIEE, SAIMEchE or ESCA and have experience of repairing, maintaining, and servicing of the equipment.
- All work performed by the service provider must comply with the following:
  - 1.3..1 Occupational Health and Safety Act (OHSA), 1993
  - 1.3..2 National Building Regulations and Building Standards Act, 1977
  - 1.3..3 Consumer Protection Act, 2008
- The Service provider should also have the ISO 9001:2015 certificate, in place.

**2.16. Pricing Schedule**

2.16.1. The Bidder shall submit the Pricing Schedule as part of the Returnable Schedules.

2.16.2. The Bidder shall submit a cost structure in which milestones are clearly defined and priced accordingly.

**3. CONTACT AND COMMUNICATION**

- 3.1. All communication and enquiries shall be **in writing** (via email), to the following email address, [luciab@tasez.co.za](mailto:luciab@tasez.co.za). TASEZ will communicate with all Bidders where clarity regarding this RFQ is sought.
- 3.2. **Clarification questions from bidders will be closed two (2) days before date of closure on the RFQ.**
- 3.3. Any communication to an official in respect of the RFQ between the closing date and the award of the contract by the Bidders is prohibited.
- 3.4. If a Bidders finds or reasonably believes it has found any discrepancy, ambiguity, error or inconsistency in this RFQ or any other information provided by TASEZ (other

than minor clerical matters), the Bidders must promptly notify TASEZ in writing of such discrepancy, ambiguity, error or inconsistency in order to afford TASEZ an opportunity to consider what corrective action is necessary (if any).

- 3.5. Any actual discrepancy, ambiguity, error, or inconsistency in the RFQ or any other information provided by TASEZ will, if possible, be corrected and provided to all Bidders without attribution to the Bidders who provided the written notice.
- 3.6. All people (including Bidders) obtaining or receiving the RFQ and any other information in connection with the RFQ must keep the contents of the RFQ and other such information confidential and not disclose or use the information except as required for the purpose of developing a response to the RFQ.

**4. LATE SUBMISSION**

- 4.1. Late responses to the RFQ will not be accepted.
- 4.2. All dates and times in this RFQs are in accordance to the South African standard calendar and time.**
- 4.3. Any time or date in this RFQ is subject to change at TASEZ's discretion. The establishment of a time or date in this RFQ does not create an obligation on the part of TASEZ to take any action or create any right in any way for any Bidders to demand that any action be taken on the date established.
- 4.4. The Bidders accepts that, if TASEZ extends the deadline for the RFQ submission (the closing date) for any reason, the requirements of this RFQ otherwise apply equally to the extended deadline

**4.5. Tender Returnables Requirements**

Bidders shall submit all tender returnable documents as indicated in the Table 1 below for evaluation purposes.

Table 1: Tender Returnables Requirements to be submitted for Evaluation.

Document that must be Submitted	Returnables for the RFQ
CIPC Documents- CIPC Registration Documents	
SBD 1 – Invitation to Bid	
B-BBEE Certificate or Sworn Affidavit	
Tax Pin	
Letter of Good Standing	

Document that must be Submitted	Returnables for the RFQ
CSD Report	
SBD 4	
SBD 6.1 – Preference Points Claim Form	
SBD 6.2 – Local Content Declaration (If Applicable)	

## 5. EVALUATION OF BIDS

Bids will be evaluated There will be **four (4) stages** in the evaluation of the bids:

### 5.1. Responsiveness Assessment

This is the assessment of compliance with the minimum Administrative Requirements as detailed in **Table 2** below.

#### 5.1.1. Stage 1: Administrative Requirements Criteria

Table 2: Administrative Requirements

Document that must be Submitted	Returnables for the RFQ
<b>CIPC Documents-</b> CIPC Registration Documents	CIPC Registration Documents
<b>SBD 1 – Invitation to Bid</b>	Invitation to Bid - Complete and sign the supplied document
<b>B-BBEE Certificate or Sworn Affidavit</b>	<ul style="list-style-type: none"> <li>Original or certified B-BBEE Certificate or Sworn Affidavit.</li> </ul>
<b>Tax Pin</b>	Bidders must ensure compliance with their tax obligations
<b>Letter of Good Standing</b>	
<b>CSD Report</b>	The Bidders must submit a valid CSD Report (Not older than 3 months).
<b>SBD 4</b>	Declaration of Interest – Complete & sign the supplied document
<b>SBD 6.1 – Preference Points Claim Form</b>	Preference Points Claim Form – Complete and sign the supplied document.
<b>SBD 6.2 – Local Content Declaration (If Applicable)</b>	Bidder to submit their proposed local content declaration on SBD 6.2 as attached in the Annexures of this document.

--

**5.1.2. Stage 2 – Mandatory Requirements Criteria**

The Bidder shall take note of the required returnable schedules that must be fully complied with and submitted with their tender submission. It is the responsibility of the Bidder to ensure that the information submitted is sufficient to evaluate their tender.

**Failure to submit all mandatory requirements** will result in submissions being **deemed null and void** and shall be considered **“non-responsive”** and therefore not considered further.

**Table 3: Mandatory Requirements**

Description	Compliant	Non-Compliant
1. Valid Letter of Good Standing issued by the Department of Labour or RMA.		
2. SBD 4 – Declaration of Interests		

**5.1.3. Stage 3 – Technical / Functionality Evaluation**

N/A

**5.1.4. Stage 4 – Price and Specific Goals**

Bidders must fully complete the Pricing Schedule. The bid will be evaluated on the 80/20 principle. (Refer to SBD6,1 attached)

**6. VALIDITY PERIOD OF THE RFQ**

The validity period of this RFQ shall be **90 days** from the closing date.

**7. DURATION OF THE CONTRACT**

The duration of the contract will be for a period of Once-off.

**8. PRICING SCHEDULE**

Tenderers shall complete the Pricing Schedule for all resources included in the schedule.

**Table 4: Price Schedule**

--

Area	#	Item	Quantity	Unit Cost	Total
Ford Chases at Guard House 2	1	Supply, Installation and Commissioning of 4m Boom-Gate with Spike	1		
Phase 1A Main Access Gate	2	Supply, Installation and Commissioning of 3m Boom-Gate with Spike	2		
	3	Supply, Installation and Commissioning of 4m Boom-Gate with Spike	2		
Phase 1A Main Access Gate	4	Safe, removal of existing Centurion Boom-gates	4		
Provision for Safety File	5	Safety File	1		
			Sub-Total		
			VAT		
			Grand total		

It must be noted detailed costing can be provided but the above table **MUST BE COMPLETED IN FULL** for the Bid to be excepted.

Bidder Name: \_\_\_\_\_

Price Offer Once-Off \_\_\_\_\_

**1. SBD 1 FORM**

**PART A: INVITATION TO BID**

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE (NAME OF DEPARTMENT/ PUBLIC ENTITY)					
Bid Number:	TASEZ/RFQ 169/2025	Closing Date:	11 May 2026	Closing Time:	12:H00 PM
Description:	Appointment of a service provider to supply, install and commission spikes.				
THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).					

SUPPLIER INFORMATION					
Name of Bidder					
Postal Address					
Street Address					
Telephone Number	Code		Number		
Cellphone Number					

--

Facsimile Number	Code		Number	
E-Mail Address				
VAT Registration Number				
	TCS PIN:		<b>OR</b>	CSD No:
B-BBEE Status Level Verification Certificate [Tick Applicable Box]	<input type="checkbox"/> Yes <input type="checkbox"/> No		B-BBEE Status Level Sworn Affidavit	<input type="checkbox"/> Yes <input type="checkbox"/> No
If Yes, who was the Certificate Issued By?				
An Accounting Officer as Contemplated in the Close Corporation Act (CCA) and Name the Applicable in the Tick Box	<input type="checkbox"/>	An Accounting Officer as Contemplated in the Close Corporation Act (CCA)		
	<input type="checkbox"/>	A Verification Agency Accredited by the South African Accreditation System (SANAS)		
	<input type="checkbox"/>	A Registered Auditor: Name:		
<b>[A B-BBEE Status Level Verification Certificate/Sworn Affidavit (For EMES&amp; QSES) must be Submitted in Order to Qualify for Preference Points for B-BBEE]</b>				
Are you the Accredited Representative in South Africa for the Goods /Services /Works Offered?	<input type="checkbox"/> Yes <input type="checkbox"/> No [If Yes Enclose Proof]	Are you a Foreign Based Supplier for the Goods / Services / Works Offered?	<input type="checkbox"/> Yes <input type="checkbox"/> No [If Yes Answer Part B:3 Below]	
Signature of Bidder	.....	Date		
Capacity under which this Bid is Signed (Attach proof of authority to sign this bid, e.g., resolution of directors, etc.)				
Total Number of Items Offered		Total Bid Price (All Inclusive)		
<b>BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO:</b>		<b>TECHNICAL INFORMATION MAY BE DIRECTED TO:</b>		
Department/ Public Entity	TASEZ	Contact Person	Lucia Buda	
Telephone Number	N/A	Facsimile Number	N/A	
Facsimile Number	N/A	E-Mail Address	<a href="mailto:Rfqs-rfps@tasez.co.za">Rfqs-rfps@tasez.co.za</a>	
E-Mail Address	<a href="mailto:luciab@tasez.co.za">luciab@tasez.co.za</a> / <a href="mailto:rfqs-rfps@tasez.co.za">rfqs-rfps@tasez.co.za</a>			

**PART B: TERMS AND CONDITIONS FOR BIDDING**

<b>1. BID SUBMISSION:</b>
1.1. Bids must be delivered by the stipulated time to the correct address. Late bids will not be accepted for consideration.
1.2. All bids must be submitted on the official forms provided- (not to be re-typed) or online
1.3. Bidders must register on the central supplier database (CSD) to upload mandatory information namely: (business registration/ directorship/ membership/identity numbers; tax compliance status; and banking information for verification purposes). B-BBEE Certificate or sworn affidavit for B-BBEE must be submitted to bidding institution.
1.4. Where a bidder is not registered on the CSD, mandatory information namely: (business registration/ directorship/ membership/identity numbers; tax compliance status may not be submitted with the

--

**bid documentation. B-BBEE certificate or sworn affidavit for B-BBEE must be submitted to bidding institution.**

1.5. This bid is subject to the preferential procurement policy framework act 2000 and the preferential procurement regulations, 2017, the general conditions of contract (GCC) and, if applicable, any other legislation or special conditions of contract.

## **2. TAX COMPLIANCE REQUIREMENTS**

2.1 Bidders must ensure compliance with their tax obligations.

2.2 Bidders are required to submit their unique personal identification number (pin) issued by SARS to enable the organ of state to view the taxpayer's profile and tax status.

2.3 Application for tax compliance status (TCS) or pin may also be made via e-filing. In order to use this provision, taxpayers will need to register with SARS as e-filers through the website www.SARS.gov.za.

2.4 Bidders may also submit a printed TCS together with the bid.

2.5 In bids where consortia / joint ventures / sub-contractors are involved; each party must submit a separate proof of TCS / pin / CSD number.

2.6 Where no TCS is available, but the bidder is registered on the central supplier database (CSD), a CSD number must be provided.

## **3. QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS**

3.1. Is the bidder a resident of the republic of South Africa (RSA)?  yes  no

3.2. Does the bidder have a branch in the RSA?  yes  no

3.3. Does the bidder have a permanent establishment in the RSA?  yes  no

3.4. Does the bidder have any source of income in the RSA?  yes  no

**If the answer is "no" to all of the above, then, it is not a requirement to obtain a tax compliance status / tax compliance system pin code from the South African Revenue Service (SARS) and if not register as per 2.3 above.**

**NB: failure to provide any of the above particulars may render the bid invalid.**

### **1. SBD 4 Form**

#### **DECLARATION OF INTEREST**

1. Any legal person, including persons employed by the state<sup>1</sup>, or persons having a kinship with persons employed by the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid (includes a price quotation, advertised competitive bid, limited bid or proposal). In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons employed by the state, or to persons connected with or related to them, it is required that the bidder or his/her authorised representative declare his/her position in relation to the evaluating/adjudicating authority where-

- the bidder is employed by the state; and/or
- the legal person on whose behalf the bidding document is signed, has a relationship with persons/a person who are/is involved in the evaluation and or adjudication of the bid(s), or where it is known that such a relationship exists between the person or persons for or on whose behalf the declarant acts and persons who are involved with the evaluation and or adjudication of the bid.

2. In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

2.1. Full Name of bidder or his or her representative:  
.....

2.2. Identity Number:  
.....  
.....

2.3. Position occupied in the Company (director, trustee, shareholder?):  
.....

2.4. Company Registration Number:  
.....

2.5. Tax Reference Number:  
.....  
.....

2.6. VAT Registration Number:  
.....  
.....

2.6.1. The names of all directors / trustees / shareholders / members, their individual identity numbers, tax reference numbers and, if applicable, employee / persal numbers must be indicated in paragraph 3 below.

- 2.6.2. "State" means –
- a) any national or provincial department, national or provincial Bidder entity or constitutional institution within the meaning of the Bidder Finance Management Act, 1999 (Act No. 1 of 1999)
  - b) any municipality or municipal entity
  - c) provincial legislature
  - d) national Assembly or the national Council of provinces; or

--

e) Parliament.

2.6.3. 2<sup>nd</sup> "Shareholder" means a person who owns shares in the company and is actively involved in the management of the enterprise or business and exercises control over the enterprise.

2.7. Are you or any person connected with the bidder

**YES / NO**

presently employed by the state?

2.8. If so, furnish the following particulars:

Name of person / director / trustee / shareholder/ member:

.....

Name of state institution at which you or the person:

.....

connected to the bidder is employed:

.....

Position occupied in the state institution:

.....

Any other particulars:

.....  
.....  
.....

2.9. If you are presently employed by the state, did you obtain

**YES / NO**

the appropriate authority to undertake remunerative work outside employment in the Bidder sector?

2.9.1. If yes, did you attached proof of such authority to the bid

**YES / NO**

document?

(Note: Failure to submit proof of such authority, where applicable, may result in the disqualification of the bid.

2.9.2. If no, furnish reasons for non-submission of such proof:

.....  
.....  
.....

--

2.10. Did you or your spouse, or any of the company's directors /

**YES / NO**

trustees / shareholders / members or their spouses conduct business with the state in the previous twelve months?

2.10.1. If so, furnish particulars:

.....  
.....  
.....

2.11. Do you, or any person connected with the bidder, have

**YES / NO**

any relationship (family, friend, other) with a person employed by the state and who may be involved with the evaluation and or adjudication of this bid?

2.11.1. If so, furnish particulars.

.....  
.....  
.....

2.12. Are you, or any person connected with the bidder,

**YES / NO**

aware of any relationship (family, friend, other) between any other bidder and any person employed by the state who may be involved with the evaluation and or adjudication of this bid?

2.12.1. If so, furnish particulars.

.....  
.....  
.....

2.13. Do you or any of the directors / trustees / shareholders / members

**YES / NO**

of the company have any interest in any other related companies whether or not they are bidding for this contract?

2.13.1. If so, furnish particulars:

.....  
 .....  
 .....

**Table 3: Full details of Directors / Trustees / Members / Shareholders.**

Full Name	Identity Number	Personal Tax Reference Number	State Employee Number / Peral Number

**3. Declaration**

I, \_\_\_\_\_ the \_\_\_\_\_ undersigned \_\_\_\_\_ (Name)

.....  
 .....

Certify that the information furnished in paragraphs 2 and 3 above is correct.

I accept that the state may reject the bid or act against me in terms of paragraph 23 of the general conditions of contract should this declaration prove to be false.

.....  
 .....

Signature

Date

--

.....

.....

Position

Name of Bidder

**2. SBD 6.1 Form**

**PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022**

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

**NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022**

**1. GENERAL CONDITIONS**

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and

1.2 To be completed by the organ of state

*(delete whichever is not applicable for this tender).*

a) The applicable preference point system for this tender is the 80/20 preference point system.

b) The 80/20 preference point system will be applicable in this tender. The lowest/highest acceptable tender will be used to determine the accurate system once tenders are received.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

(a) Price; and

(b) Specific Goals.

1.4 To be completed by the organ of state:

The maximum points for this tender are

--

allocated as follows:	
<b>PRICE</b>	80
<b>SPECIFIC GOALS</b>	20
<b>Total points for Price and SPECIFIC GOALS</b>	<b>100</b>

Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

Page **2** of **5**

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

**2. DEFINITIONS**

(a) **“tender”** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;

(b) **“price”** means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;

(c) **“rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

(d) **“tender for income-generating contracts”** means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and

--

(e) “**the Act**” means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

### **3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES**

#### **3.1. POINTS AWARDED FOR PRICE**

##### **3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS**

A maximum of 80 or 90 points is allocated for price on the following basis:

##### **80/20 or 90/10**

$$Ps=80(1-Pt-PminPmin) \text{ or } Ps=90(1-Pt-PminPmin)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

### **FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT**

#### **3.2.1. POINTS AWARDED FOR PRICE**

A maximum of 80 or 90 points is allocated for price on the following basis:

##### **80/20 or 90/10**

$$Ps=80(1+Pt-PmaxPmax) \text{ or } Ps=90(1+Pt-PmaxPmax)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

### **4. POINTS AWARDED FOR SPECIFIC GOALS**

4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

--

4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—  
 (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or

(b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

**Table 1: Specific goals for the tender and points claimed are indicated per the table below.**

***(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.)***

<b>The specific goals allocated points in terms of this tender</b>	<b>Number of points allocated (90/10 system) (To be completed by the organ of state)</b>	<b>Number of points allocated (80/20 system) (To be completed by the organ of state)</b>	<b>Number of points claimed (90/10 system) (To be completed by the tenderer)</b>	<b>Number of points claimed (80/20 system) (To be completed by the tenderer)</b>
BBBEE Level 1 Companies		20		
<b>Implementation of RDP goals (The promotion of enterprises located in a specific province for work to be done or services to be rendered in that province)</b>				

**DECLARATION WITH REGARD TO COMPANY/FIRM**

4.3. Name of company/firm.....

4.4. Company registration number: .....

4.5. TYPE OF COMPANY/ FIRM

- Partnership/Joint Venture / Consortium
- One-person business/sole propriety

--

- Close corporation
- Public Company
- Personal Liability Company
- (Pty) Limited
- Non-Profit Company
- State Owned Company

[TICK APPLICABLE BOX]

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
  - (a) disqualify the person from the tendering process;
  - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
  - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
  - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
  - (e) forward the matter for criminal prosecution, if deemed necessary.

.....

--

---

**SIGNATURE(S) OF TENDERER(S)**

**SURNAME AND NAME:** .....

**DATE:** .....

**ADDRESS:** .....

.....

.....

**3. SBD 6.2 Form**

**DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS**

This Standard Bidding Document (SBD) must form part of all bids invited. It contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, Bidder must study the General Conditions, Definitions, Directives applicable in respect of Local Content as prescribed in the Preferential Procurement Regulations, 2011, the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Summary Schedule), D (Imported Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)].

**1. General Conditions**

- 1.1. Preferential Procurement Regulations, 2011 (Regulation 9) makes provision for the promotion of local production and content.
- 1.2. Regulation 9. (1) prescribes that in the case of designated sectors, where in the award of bids local production and content is of critical importance, such bids must be advertised with the specific bidding condition that only locally produced goods, services or works or locally manufactured goods, with a stipulated minimum threshold for local production and content will be considered.
- 1.3. Where necessary, for bids referred to in paragraph 1.2 above, a two-stage bidding process may be followed, where the first stage involves a minimum

--

---

threshold for local production and content and the second stage price and B-BBEE.

- 1.4. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.5. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286: 2011 as follows:

$$LC = [1 - x / y] * 100$$

Where

x is the imported content in Rand.

y is the bid price in Rand excluding value added tax (VAT)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid as indicated in paragraph 4.1 below.

**The SABS approved technical specification number SATS 1286:2011 is accessible on [http://www.thedti.gov.za/industrial\\_development/ip.jsp](http://www.thedti.gov.za/industrial_development/ip.jsp) at no cost.**

- 1.6. A bid may be disqualified if –
  - 1.6.1. this Declaration Certificate and the Annex C (Local Content Declaration: Summary Schedule) are not submitted as part of the bid documentation; and
  - 1.6.2. the bidder fails to declare that the Local Content Declaration Templates (Annex C, D and E) have been audited and certified as correct.

## 2. Definitions

- 2.1. "bid" includes written price quotations, advertised competitive bids or proposals;
- 2.2. "bid price" price offered by the bidder, excluding value added tax (VAT);

- 2.3. "contract" means the agreement that results from the acceptance of a bid by an organ of state;
- 2.4. "designated sector" means a sector, sub-sector or industry that has been designated by the Department of Trade and Industry in line with national development and industrial policies for local production, where only locally produced services, works or goods or locally manufactured goods meet the stipulated minimum threshold for local production and content;
- 2.5. "duly sign" means a Declaration Certificate for Local Content that has been signed by the Chief Financial Officer or other legally responsible person nominated in writing by the Chief Executive, or senior member / person with management responsibility (close corporation, partnership or individual).
- 2.6. "imported content" means that portion of the bid price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or its Sub-Contractors) and which costs are inclusive of the costs abroad (this includes labour or intellectual property costs), plus freight and other direct importation costs, such as landing costs, dock duties, import duty, sales duty or other similar tax or duty at the South African port of entry;
- 2.7. "local content" means that portion of the bid price which is not included in the imported content, provided that local manufacture does take place;
- 2.8. "stipulated minimum threshold" means that portion of local production and content as determined by the Department of Trade and Industry; and
- 2.9. "sub-contract" means the primary Bidder's assigning, leasing, making out work to, or employing another person to support such primary Bidder in the execution of part of a project in terms of the contract.

**3. The stipulated minimum threshold(s) for local production and content (refer to Annex A of SATS 1286:2011) for this bid is / are as follows:**

No.	Description of Service / Works / Goods	Unit (e.g., m <sup>2</sup> , m <sup>3</sup> , ton, etc.)	Qty	Stipulated Minimum Threshold
1.				
2.				

3.				
4.				
5.				
6.				
7.				
8.				

**4. Does any portion of the services, works or goods offered have any imported content?**

(Tick applicable box)

YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
-----	--------------------------	----	--------------------------

4.1. If yes, the rate(s) of exchange to be used in this bid to calculate the local content as prescribed in paragraph 1.5 of the general conditions must be the rate(s) published by SARB for the specific currency at 12:00 on the date of advertisement of the bid.

4.2. The relevant rates of exchange information is accessible on [www.reservebank.co.za](http://www.reservebank.co.za).

4.3. Indicate the rate(s) of exchange against the appropriate currency in the table below (refer to Annex A of SATS 1286:2011):

Currency	Rates of exchange
US Dollar	
Pound Sterling	
Euro	
Yen	
Other	

**NB: Bidder must submit proof of the SARB rate (s) of exchange used.**

**5. Were the Local Content Declaration Templates (Annex C, D and E) audited and certified as correct?**

(Tick applicable box)

YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
-----	--------------------------	----	--------------------------

--

5.1. If yes, provide the following particulars:

5.1.1. Full name of auditor:

.....

5.1.2. Practice number:

.....

5.1.3. Telephone and cell number:

.....

5.1.4. Email address:

.....

(Documentary proof regarding the declaration will, when required, be submitted to the satisfaction of the Accounting Officer / Accounting Authority)

**6. Where, after the award of a bid, challenges are experienced in meeting the stipulated minimum threshold for local content the DTI must be informed accordingly in order for the DTI to verify and in consultation with the AO/AA provide directives in this regard.**

**Local Content Declaration**  
**(Refer To Annex B of SATS 1286:2011)**

**Local content declaration by Chief Financial Officer or other legally responsible person nominated in writing by the Chief Executive or Senior Member/Person with management responsibility (close corporation, partnership, or individual)**

In respect of bid no.

.....

Issued BY: (Procurement Authority / Name of Institution):

.....

.....

**NB**

1) The obligation to complete, duly sign and submit this declaration cannot be transferred to an external authorized representative, auditor or any other third party acting on behalf of the bidder.

2) Guidance on the Calculation of Local Content together with Local Content Declaration Templates (Annex C, D and E) is accessible on [http://www.thedti.gov.za/industrial\\_development/ip.jsp](http://www.thedti.gov.za/industrial_development/ip.jsp). Bidder should first

complete Declaration D. After completing Declaration D, Bidder should complete Declaration E and then consolidate the information on Declaration C. Declaration C should be submitted with the bid documentation at the closing date and time of the bid in order to substantiate the declaration made in paragraph (c) below. Declarations D and E should be kept by the Bidder for verification purposes for a period of at least 5 years. The successful bidder is required to continuously update Declarations C, D and E with the actual values for the duration of the contract.

I, \_\_\_\_\_ the \_\_\_\_\_ undersigned, \_\_\_\_\_ (full names), do hereby declare, in my capacity as \_\_\_\_\_ of \_\_\_\_\_ (name of bidder entity), the following:

- a) The facts contained herein are within my own personal knowledge.
- b) I have satisfied myself that:
  - the goods/services/works to be delivered in terms of the above-specified bid comply with the minimum local content requirements as specified in the bid, and as measured in terms of SATS 1286:2011; and the declaration templates have been audited and certified to be correct.
- c) The local content percentage (%) indicated below has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E which has been consolidated in Declaration C:

Bid price, excluding VAT (y)	R
Imported content (x), as calculated in terms of SATS 1286:2011	R
Stipulated minimum threshold for local content (paragraph 3 above)	
Local content %, as calculated in terms of SATS 1286:2011	

If the bid is for more than one product, the local content percentages for each product contained in Declaration C shall be used instead of the table above. The local content percentages for each product has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E.

- d) I accept that the Procurement Authority / Institution has the right to request that the local content be verified in terms of the requirements of SATS 1286:2011.
- e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SATS 1286:2011, may result in the Procurement Authority / Institution imposing any or all of the remedies as provided for in Regulation 13 of the Preferential Procurement Regulations, 2011 promulgated under the Preferential Policy Framework Act (PPFA), 2000 (Act No. 5 of 2000).

SIGNATURE: \_\_\_\_\_

DATE: \_\_\_\_\_

WITNESS No. 1 \_\_\_\_\_

DATE: \_\_\_\_\_

WITNESS No. 2 \_\_\_\_\_

DATE: \_\_\_\_\_

**7. Process When Requesting Exemption Letters**

- 7.1. For exemption requests on designated products and the minimum threshold for local content cannot be met for various reasons, Bidder must apply for exemption per tender. After checking with the industry, the dti will decide whether to grant an exemption or not.
- 7.2. In the official request (signed letter), the following information should be included:
  - 7.2.1. Procuring entity/government department/state owned company.
  - 7.2.2. Tender/bid number.
  - 7.2.3. Closing date.
  - 7.2.4. Item(s) for which the exemption is being requested for.
  - 7.2.5. Description of the goods, services or works for which the requested exemption item will be used for and the local content that can be met.
  - 7.2.6. Reason(s) for the request.

--

7.2.7. Supporting letters from local manufacturers and suppliers.

**NB – Exemption letters are tender specific and applications are not transferrable.**

7.3. The turnaround time in response to exemption letters for all designated products is five working days with the exception of rail and boats/vessels which is seven working days.

7.4. Request for exemption letters are to be directed to:

**Dr Tebogo Makube**

**Chief Director:** Industrial Procurement

**Tel:** 012 394 3927

**E-mail:** [tmakube@thedti.gov.za](mailto:tmakube@thedti.gov.za).

7.5. The turnaround time in response to textile, clothing, leather and footwear exemption letters request is two working days and requests are to be directed to:

**Patricia Khumalo Tel: 012 394 1390**

**E-mail:** [khumaloP@thedti.gov.za](mailto:khumaloP@thedti.gov.za)